

Enclosure 6



41638 CHRISTY STREET PHONE (415) 659-0404 FREMONT, CA 94538
 CONTR. LIC. NO. 464324

Owens-Illinois Glass Container Division One Sea Gate Toledo, OH 43666 February 20, 1987

Project No. 1467G

Attn:

A.W. Long

Manager, Environmental Administration

Re:

Soil and Groundwater Contamination Investigation

Owens-Illinois Facility, Oakland, California

Dear Mr. Long

In accordance with your request, we have performed a soil and groundwater investigation at the above referenced project. The report contains field investigation work, laboratory analyses, hydrogeologic setting, conclusions and recommendations.

We refer you to the text of the report for detailed discussion and recommendations. If you have any questions, please call.

Sincerely, Exceltech, Inc.

Christopher M. Palmer

Engineering Geologist 1262

Ulistyhn M. Palme

Michael Hansen

Manager Geotechnical Services

CMP/MH/da

attached: 2 copies

SOIL AND GROUNDWATER CONTAMINATION INVESTIGATION

for

OWENS-ILLINOIS GLASS CONTAINER DIVISION 3600 ALAMEDA AVENUE OAKLAND, CALIFORNIA 94601

by

ERCELTECH, INC.
41638 CHRISTY STREET
FREMONT, CALIFORNIA 94538

FEBRUARY 1987
PROJECT NO. 1467G

TABLE OF CONTENTS

| | | <u>Section</u> | <u>Page</u> |
|-----|-------|--------------------------------|-------------|
| 1.0 | Exec | cutive Summary | 1 |
| 2.0 | Intro | duction | 3 |
| | 2.1 | Backround and Site Description | 3 |
| 3.0 | Subs | surface Exploration | 6 |
| 4.0 | Moni | toring Wells | 8 |
| | 4.1 | Installation Methodology | 8 |
| | 4.2 | Construction Specifications | 8 |
| | 4.3 | Monitoring Well Development | 9 |
| | 4.4 | Surveying | 10 |
| 5.0 | Regi | onal and Hydrogeology | 11 |
| - | 5.1 | Site Geology | 11 |
| 6.0 | Cher | nical Analysis | 14 |
| | 6.1 | Methods | 14 |
| | 6.2 | Results | 14 |
| 7.0 | Disc | noissu | 17 |
| 8.0 | Conc | clusions and Recommendations | 20 |

TABLE OF CONTENTS (CONTINUED)

| References | Cited | 23 | | | | | |
|-------------|---|----|--|--|--|--|--|
| Table 1. | Soil Boring Chemical Analyses | | | | | | |
| Table 2. | Monitoring Well Boring Chemical Analyses - Soil | | | | | | |
| Table 3. | Groundwater Chemical Analyses | | | | | | |
| Table 4. | Water Sample Analysis - Polychlorinated Biphenyls | | | | | | |
| | | | | | | | |
| Drawing 1. | Regional Site Map | | | | | | |
| Drawing 2. | Site Plan | | | | | | |
| Drawing 3. | Site Groundwater Contour Map | | | | | | |
| Drawing 4. | Cross Sections A-A', B-B' | | | | | | |
| Drawing 5. | Cross Section C-C' | | | | | | |
| Drawing 6. | Cross Section D-D' | | | | | | |
| Drawing 7. | Groundwater Contours - High Tide | | | | | | |
| Drawing 8. | Groundwater Contours - Low Tide | | | | | | |
| | | | | | | | |
| Appendix A. | Exploratory Boring Logs | | | | | | |

Appendix B. Chemical Analyses.

SECTION 1.0 EXECUTIVE SUMMARY

Exceltech, Inc. was retained by the Owens-Illinois Glass Container Division to investigate soil and groundwater contamination discovered during construction at the Owens-Illinois Oakland facility. The purpose of the investigation was to ascertain the extent of soil and groundwater contamination in the vicinity of two subsurface storage tank areas located on the site. This investigation was done to address both on-site soil and groundwater contamination and establish a groundwater monitoring network for the site. Please note that this summary is simply a synopsis of the major points of our report.

- 1. The site is underlain by surficial fill soils to depths of 1 to 5 feet, and at depth by native silty clay, clayey sand, silty sand and sandy gravels. The top of the uppermost water bearing stratum occurs at a depth of approximately 15 feet. The water bearing stratum is locally complexly interbedded and is underlain by a discontinuous clay aquiclude.
- 2. Groundwater is encountered at depths of 15 to 18 feet and is tidally influenced. Groundwater flow is generally toward the south and southwest and displays localized deflections.
- 3. The contamination of furnace fuel product adjacent to the maintenance

building appear to be the most contaminated region observed. The regions of severest soil contamination appear to occur in the vicinity of the ramp excavation and the southwest side of the maintenance building between wells MW-2 and MW-3. Floating product was observed in several wells with up to several feet of product observed in MW-2.

4. Soil contamination was observed when four additional subsurface tanks adjacent to the power and forming buildings were removed. About 350 cubic yards of contaminated soil were removed. Groundwater sample indicate slight hydrocarbon and oil and grease contamination. Since this contamination involves motor fuels (i.e., gasoline and diesel) it appears to be unrelated to the furnace fuel contamination near the maintenance building.

5. A recovery well was installed in the tank excavation adjacent to the maintenance building which previously held the 16,600 gallon subsurface tank.

The tank and most severely contaminated soil have been removed and disposed.

The recovery well utilizes an oil skimmer which skims product from the water surface. It is possible that remedial action (product recovery) could require a prolonged period of time.

6. Traces of volatile organic compounds were revealed in up gradient wells MW-12 and 14.

SECTION 2.0 INTRODUCTION

This report presents the results of our soil and groundwater investigation of the petroleum product spill at the Owens-Illinois Glass Container Division manufacturing plant located in Oakland, California. The purpose of the investigation was to determine the extent of the soil and groundwater contamination discovered during construction of a ramp at the Owens-Illinois site.

The Owens-Illinois Glass Container factory is located at 3600 Alameda Avenue in Oakland, California. The factory occupies about a city block and is bordered by Alameda and Fruitvale Avenues and the Inner Harbor Channel and Alameda Island (see Drawing 1). The factory complex includes a glass making plant, warehouses and paved outdoor storage areas.

2.1 Background and Site Description

On July 9, 1986, during the construction of a new fork lift ramp intended to provide assess to the basement on the northern end of the Owens-Illinois plant, contaminated soil was uncovered which released a strong product odor. At that point construction activities were stopped, environmental agencies were notified, and Exceltech was requested to review the situation. An inspection

of the area was made and a sample of the soil from the trench floor was collected for analysis. Drilling and subsurface sampling were requested by Owens-Illinois management and were begun on July 11, 1986. This first drilling phase included fifteen exploratory borings and the installation of three monitoring wells (see Plate 2). The product leak was reported to the Bay Area Regional Water Quality Control Board by Owens-Illinois on July 18, 1986.

Exploratory drilling on the site revealed a contaminated area of product saturated soil in the area of the ramp and a 16,600 gallon subsurface furnace fuel storage tank adjacent to the machine shop maintenance building (see Plate 2). This tank had apparently been used to store a furnace fuel oil which was transmitted on request to Owens-Illinois by a subsurface pipeline. The last date of pipeline fuel transmission and quantity of the leak are not known. The use of the storage tank was apparently discontinued in the late 1960's.

Since use of the 16,600 gallon tank and pipeline has been discontinued, and the tank appeared to be in the area of the highest soil contamination, the tank was excavated and removed on September 16, 1986 by Exceltech crews. The pipeline leading to the tank was capped. Additionally, 148 cubic yards of contaminated soil were transported to the Chemical Waste Management, Kettleman Hills Class I disposal facility. A recovery well was installed at the end of September in the tank excavation and an oil skimming recovery device was installed to recover the product. The recovery well started operation in

mid-October, pumping the recovered oil to a 1,000 gallon above ground storage tank. Seven additional montirong wells were installed in September and October, 1986 to define the contaminant plume. Depth to groundwater and product thickness measurements are being collected on a weekly basis.

Owens-Illinois was completing the planned removal of four additional (4k ?) subsurface storage tanks (one 350, two 8000 and one 12000 gallon) adjacent to the power building in November 1986. Soil contamination was observed in the excavation which held the two 8000-gallon tanks (one diesel, one unleaded gasoline) during tank removal. Additional soil contamination was noted when the 12000-gallon (lubrication oil) was removed. Approximately 350 cubic yards of contaminated soil was removed from the excavations and disposed off site. When the 350-gallon diesel tank was removed, soil contamination was not observed. However, since some contamination was evident, additional groundwater monitoring wells were installed to ascertain if groundwater contamination has occurred. Finally, several monitoring wells were placed to determine up-gradient groundwater at the northeastern and northwestern perimeter of the site.

SECTION 3.0 SUBSURFACE EXPLORATION

Our subsurface investigation included drilling 16 exploratory borings from July 23-25, and October 21, 1986 and installing 18 groundwater monitoring wells on July 24-25, September 29-30, October 22, November 24-25 and December 11-12, and 15, 1986. The exploratory borings and monitoring well locations are shown on the site plan, Drawings 2 and 3. All borings were drilled with a Mobile B53 truck mounted hollow-stem auger drill rig. Soil samples were collected at 5 foot intervals using a standard penetration sampler or a 2 inch I.D. modified California sampler. Each boring was advanced to the desired sampling depth and the sampler was driven 18 inches into the undisturbed soils ahead of the auger-bit using a 140 lb. free fall hammer. The sample was recovered and logged for lithology. The ends of the soil sample, which was contained in a pre-cleaned 2x6 inch brass tube, were then covered with aluminum foil and capped. The samples were then labeled, listed on a chain of custody form and placed in an refrigerated chest for transport to the laboratory.

All drilling and sampling equipment was steam cleaned between each use to reduce the chance of possible cross contamination between holes. During sampling, the sampler was washed with trisodium phosphate, (TSP) after each

sample and rinsed with fresh water before sampling. All brass liners were steam cleaned prior to their use.

Logs of all exploratory borings include soil descriptions and sampled depths, together with the results of selected laboratory tests are presented in Appendix A.

SECTION 4.0 MONITORING WELLS

Exceltech drilled and installed eighteen (18) groundwater monitoring wells in selected locations to sample and define groundwater contamination and to provide data on the direction of groundwater flow (see Drawings 3, 7 and 8).

4.1 <u>Installation Methodology</u>

The groundwater monitoring wells were drilled with a truck Mobile B53 mounted drill rig using 4-1/4" I.D. x 8" O.D. hollow-stem augers. The drill rig was situated over each well location and the hollow stem auger was used to advance the hole to the desired depth. Soil samples were collected and a log of each well boring was prepared in the field by a geologist using the above described drilling and sampling procedures. A well construction detail was prepared for each well and is included in Appendix A.

4.2 Construction Specifications

The monitoring wells installed on the site were constructed following the "Guidelines for Addressing Fuel Leaks" by Eisenberg and others (1985) of the San Francisco Bay Region Water Quality Control Board. This work was

performed under a permit issued by the Zone 7 Alameda County Flood Control and Water District.

The monitoring wells were constructed using threaded, flush joints, factory slotted 0.020-inch schedule 40 PVC screen and riser. No solvents or glues were used in the construction. After drilling, the casing was set into the hole through the hollow stem auger to the bottom of the hole. Number 4 aquarium washed silica sand was poured down the annulus using a hollow stem auger as a tremie line.

This installation technique allowed the formation of a sand pack around the well casing while minimizing the chance for native materials to plug the screen. The sand pack acts as a barrier to reduce the migration of silt and clay into developed well and to improve the wells hydraulic conductivity with the formation. Once the annulus was sand packed to the desired depth, a granular bentonite seal was placed on top of the sand. The remainder of the well annulus was filled with neat cement grout to seal the well from surface contamination. The top of the well was set in a traffic rated precast concrete box with an internal metal locking cover to provide security. Complete details of the construction of each of the wells and their depths is provided on the well details contained in Appendix A.

4.3 Monitoring Well Development

Upon completion of the monitoring wells, each well was developed using a clean five (5) foot long stainless steel bailer or a submersible nitrogen bladder pump. Water was removed from the wells alternating between the bailer and submersible bladder pump until twenty (20) gallons (a minimum of 4 borehole volumes) was removed. Well development helps to remove mud which accumulates in the well during construction and stabilizes the sand filter pack thereby improving hydraulic continuity with the surrounding formation. A nominal 24 hour recharge period enabled a representative sample of formation water to be collected, and look for floating product.

4.4 Surveying

The tops of both well casings and soil borings were surveyed to a U.S. Coast and Geodetic datum so their elevation could be accurately determined. This provides a known datum for presentation of cross sections and, together with aerial maps, makes it possible to calculate groundwater elevation and to contour flow direction. To ensure accurate distances and elevations, the survey of the monitoring wells and test borings were made with an electronic distance meter (EDM). After the elevation of the well heads had been determined, the elevation of the groundwater in the monitoring wells was determined using an electronic conductance probe.

SECTION 5.0 REGIONAL GEOLOGY AND HYDROGEOLOGY

The project site is located adjacent to the Alameda Harbor Channel and San Francisco Bay in Oakland, California. Geologic mapping by Helley and others (1972) show the region to be underlain by the Quaternary Merritt Sand, and sand, silt and clay of younger fluvial deposits. A review of map data compiled by Nichols and Wright (1971) shows numerous meandering marsh land stream channels existed very near the site which deposited fluvial sediments. These old channels have subsequently been obscured by recent development which has obliterated all surface expression.

Due to the site's proximity to the bay and complex depositional history of the East Bay margin, there is no known well defined shallow continuous aquifer directly underneath the site. Although several regional East Bay hydrogeologic studies have been done by the Californial/ Department of Water Resources, a comprehensive study that covers that portion of the bay fringe between Oakland and Alameda is unavailable. The Department of Water Resources is currently studying the occurrance and distribution of potentially useful aquifer in the Oakland Bay Plain region. It is unlikely there is a useful aquifer existing at depths of 12 to 18 feet due to potential salt water tidal influence and infiltration. Regional groundwater flow is southwest toward the bay fringe.

5.1 Site Geology

A total of 34 exploratory borings were placed on-site with the deepest borings advanced to a depth of 31.5 feet. These borings reveal that interbedded silty clay, clayey sand, sand and gravel underlie the site (see Cross Sections, Drawings 4, 5 and 6). In localized areas, fill soil has been placed for building foundations and pavements to depths of several feet. The fill is underlain by sandy and silty clay to depths of 9 to 14 feet. The sand and silty clay may form gradational contacts with underlying sandy clay, gravelly clay and sandy silt. Silty sands, clayey sands, sand and gravels form the uppermost water bearing zone or "A" aquifer, which occurs from depths of 15 to 30 feet. The aquifer lithology is variable and locally contains interbeds of clay up to several feet thick within beds of very clean sand and gravel. Gravelly beds become more prevalent at depths between 24 and 30 feet. (See Drawings 4, 5 and 6.)

Odor of petroleum product was noticed in every bore hole except MW-4, 11, 12, 13, 14, 15, 16, and 18. Soils stained by product ranged from depths of roughly 3.5 to 15 feet in the area of the maintenance building. Product was observed in biogenic structures (such as root holes and animal burrows), that cross cut bedding in the clays located in the unsaturated zone.

Groundwater was encountered between depths of 12 and 18 feet, and is tidally influenced. Thus, the tide and times of drilling the boring affect observing

location of first encountered groundwater. Locally, the aquifer sands and gravels porosity is reduced due to large percentages of silt or clay matrix.

Groundwater movement was plotted on groundwater contour maps for both high and low tides (see Drawings 2, 7 and 8). Flow is generally southwest and west toward the harbor channel, and monitoring wells nearest the channel generally display the greatest tidal influence. Tidal influence observed in groundwater depth measurements near the maintenance building may range from several tenths of one foot to about 1.5 feet daily and may be as much as 6 feet near the harbor channel (see Drawings 7 and 8). Localized groundwater flow deflections may be caused by deep building foundations. An area of groundwater recharge causing a "mound" may exist near well MW-8 where cooling water used for glass manufacture flushes continually over the plant basement floor.

As much as several feet of product have been observed in well MW-2 and this well consistently contains 2 to 4 feet product. The fluctuating groundwater surface seems to affect product movement by trapping product contained in soil during high tide and allowing product to drain during low tides. Given the occurrence of product observed in boreholes, areas of higher product contaminated soils are inferred to exist between MW-2 and the R well and the ramp excavation and the R well.

Motor fuel product was observed in soils near the four tank excavations adjacent to the power building. Contamination of unsaturated soil in this area

appears contained to the area immediately adjacent to the tank excavation. A sheen of product was observed only in MW-16.

SECTION 6.0 CHEMICAL ANALYSIS

A total of 91 soil samples and 34 groundwater samples were analyzed from the site. All soils, except 2 soil samples, were selectively analyzed for volatile organics and petroleum hydrocarbons. The remaining 2 soil samples were analyzed for polychlorinated biphenyls (PCB). These analyses were done to ascertain if PCB had migrated into the soil from PCB contamination which occurred inside the building basement. The analyses demonstrated that the PCBs are at very low levels, and are not a problem that is addressed in the investigation.

6.1 Methods

Chemical analytical protocol procedures used are similar to those outlined in the "Guidelines for Addressing Fuel Leaks" published by the San Francisco Bay Regional Water Quality Control Board. Soil samples were analyzed for total petroleum fuel hydrocarbons using RWQCB protocol and for chlorinated volatile compounds (using EPA Methods 8010 and 8020). Water samples were analyzed for PCBs using EPA Method 8080. The analytical reports are presented in Appendix B. Tabulated results are presented in Tables 1, 2, 3, and 4.

6.2 Results

Chemical analytical results for soil samples adjacent to the maintenance building show that the concentrations of volatile hydrocarbons greater than 1,000 parts per million (ppm) existed in exploratory boreholes BH-2, 5, 8, 11, and 15 and monitoring well MW-1. Exploratory borehole BH-7 revealed one soil sample that exceeded 10,000 ppm. Hydrocarbon contamination adjacent to the power building was limited from 1.1 ppm to 8.1 ppm.

Analytical results for oil and grease in soil adjacent to the maintenance building show greater than 1,000 ppm in exploratory boreholes BH-2, 5, 6, 8, 9, 13, 15, and monitoring well MW-3. Concentration of oil and grease greater than 10,000 ppm occurred in samples from exploratory borings BH-6, 7, 15, and monitoring well MW-2. Trace amounts of oil and grease were revealed in up-gradient wells MW-4, 11, 12 and 14. Oil and grease contamination adjacent to the power building varied from 20 ppm to 270 ppm.

Analytical results for groundwater samples collected from uncased exploratory borings for volatile hydrocarbons reveal concentrations ranging from about 1 to 150 ppm. A water sample collected from exploratory boring BH-15 (adjacent to the 16,600 gallon tank) contained 13,000 ppm volatile hydrocarbons.

Concentrations of trichloroethlyene were noted at very low levels of 0.03 ppm in boring BH-8, and 0.014 ppm in boring BH-11.

Groundwater samples collected from permanent monitoring wells show volatile hydrocarbons range from 0.02 ppm to 1.4 ppm. Water sampled from MW-1 and MW-3 for common solvents revealed none detected. Floating product as a very thin film is observed with some regularity in wells MW-5, 6, and 9. Well MW-2 usually displays up to several feet of apparent product thickness, and product has readily recharged into well MW-2 when bailed.

Traces of volatile organic compounds were revealed in the "up gradient" monitoring wells (Mw-11, 12, and 14). Well MW-14 showed 19 ppm 1,1,1-trichloroethane compounds. Trace amounts of oil and grease were detected in MW-11, 12, and 14 and well MW-12 showed 10 ppb total volatile hydrocarbons.

SECTION 7.0 DISCUSSION

The product leak adjacent to the maintenance building in the vicinity of the pipeline feeding the old 16,600 gallon subsurface furnace fuel storage tank had leaked an unknown quantity of boiler-furnace fuel product. While the timing and quantity of leakage is unknown, site personnel have indicated that the leakage may have occurred from a single event. This contamination is characterized by a thick, oil-like product which has clogged in unsaturated soil. Locally the product has migrated through the unsaturated soil to shallow groundwater bearing sediments. Given the distribution of fill and native soils and buried foundations, the product has apparently migrated to the west of the maintenance building and north toward the ramp excavation. Product saturated soil was removed from the tank excavation in which the recovery well was constructed. Dissolved hydrocarbon product and oil and grease were observed in groundwater from the 10 to 100 ppm range. Floating product is regularly observed in well MW-2 and periodically observed as thin films or sheen observed in wells MW-3, 5, 6, 7, and 9. However, the presence of product in wells is affected by the daily tidal fluctuations, and product seems to be observed most often during low tide periods.

Very low concentrations of volatile organic compounds were detected in the grab water samples collected in July, 1986 from uncased boreholes BH-8 and

BH-11. Groundwater samples collected from permanent monitoring wells MW-1 and MW-3, which bracket the region of BH-8 and BH-11, were analyzed and revealed no volatile organic compounds detected. The source of the very low concentrations of volatile organics observed is unknown and may be attributed to surface contamination from the nearby maintenance shop parts cleaning area which entered borehole BH-8 and BH-11. Additionally, trace amounts of volatile organic compounds were detected in up-gradient wells and may indicate a possible off-site source. An up-gradient well, MW-4, has been consistently free of floating product, although trace quantities of volatile hydrocarbons, oil and grease were revealed by chemical analysis.

The most contaminated area adjacent to the furnace forming and power building is located in the vicinity of MW-16 and 17. Soil contamination is present but is far less severe than that near the maintenance building. Groundwater contamination is most severe in MW-17 which shows 5 ppb benzene.

Approximately 350 cubic yards of contaminated soil was removed from the tank excavations and two new double contained subsurface tanks were replaced in the old tank excavation. Given the extent and types of contaminants present, this contamination appears to be a separate problem from that adjacent to the maintenance building to the west.

One recovery well has been installed on the site. The recovery system (R-well) located adjacent to the maintenance building consists of 36-inch diameter

well, 20 feet deep, placed in the gravel backfilled tank excavation. An oil skimmer unit skims product off the water surface and the recovered product is then transferred to one 1000 gallon surface storage tank. To date, about 270 gallons of product has been recovered. Efficiency of recovery well operation and quantity of recovered product are affected by tidally influenced groundwater movement. Filters on the skimmer occasionally clog due to soil particles suspended in the product and require periodic cleaning. Occasionally, extremely high tides may inhibit product recovery due to rapid water entry in the R well, shutting off the system.

The proximity of this site to the bay and tides strongly affects product movement. The rise and fall of the groundwater surface appears, over the years, to have spread the hydrocarbon contamination vertically in soil. Movement through artificial fill areas has tended to spread the product horizontally through soil. Drainage of the residual product is slow and occurs more often during low tide periods. However, an area in the vicinity of MW-2 appears to be a region where the product has pooled, and readily recharges in to MW-2 regardless of tidal movement. This may be related to the "reservoir" capacity of the sandy stratum containing product which appears to exist near MW-2. Interestingly, while tidal influences are strong, the product appears to remain localized in this area.

SECTION 8.0 CONCLUSIONS AND RECOMMENDATIONS

Soil and ground water contamination from hydrocarbon products have occurred in two areas at the Owens-Illinois Oakland facility. Several potential sources of contamination have been removed, and a recovery system installed at the severest contamination adjacent to the maintenance building. The extent of severest contamination appears to be confined to the vicinity of the R-well, MW-2, and boreholes BH-8, BH-6, and BH-7 (see Plate 5). Floating product is greatest at MW-2 and the R-well, and thins to film thickness at MW-5, 6, 7, and 9.

Subject to review by the State Regional Water Quality Control Board, product recovery and monitoring of wells should continue.

Future remedial action of product recovery is anticipated to be a long process given groundwater table fluctuations and apparent residual product in soil.

Consideration of an additional recovery well should be given to a location near well MW-2. Since product readily recharges MW-2, and given the stratigraphy of the soils here, product seems to form a pool in this area. This additional R-well placement within the area of severest contamination would aid in product recovery. Currently, MW-2 has been used as a small recovery well by bailing to contribute additional product recovery.

It is recommended that remaining pipes and delivery lines be removed, together with excavation of excessively contaminated soil. An additional recovery well in or around MW-2 should enhance product recovery. This remedial action, together with continued monitoring of existing wells, should insure that off-site contaminant migration does not occur. Product accumulation appears localized, with very little dissolved constituents in groundwater. Groundwater which has been affected by product does not appear to comprise a useable aquifer resource given observed tidal connections with the bay.

REFERENCES CITED

- Eisenberg, D.M., Olivieri, A.W., Johnson, P.W and Tempelis,
 D.S., 1985, Guidelines for Addressing Fuel Leaks: Calif.
 Regional Water Quality Control Board, San Francisco Bay
 Region, 24 p. with appendises.
- Hauge, Carl, 1985, Verbal Communication, Department of Water Resources, Sacramento
- Helley, E.J., Lajoie, K.R. and Burke, D.B., 1972, Geologic map of Lake Cenozoic deposits, Alameda County, California: U.S. Geol. Survey Map MF-429.
- Nichols, D.R. and Wright, N.A., 1971, Preliminary map of the historic margins of marchland, San Francisco Bay, California: U.S. Geol. Survey Open File Report.
- U.S. Geological Survey, Oakland East, California 7.5 minute quadangle map, 1959, revised 1980.

TABLE 1. Soil Boring Chemical Analyses

| BORING NUMBER | SAMPLE DEPTH (ft.) | VOLATILE HYDROCARBONS mg/kg | OIL AND GREASE mg/kg | BENZENE mg/kg | TOLUENE mg/kg | XYLENE mg/kg |
|------------------|-----------------------|-----------------------------------|-------------------------|------------------|------------------|-----------------|
| B1-1 | 3.5-4.5 | 830 | 470 | 2.2 | 0.85 | 2.7 |
| B1-2 | 6-7 | . 20 | 40 | 2.2 | 14 | 30 |
| B1-3 | 10.5-11.5 | 380 | 20 | 5.3 | 4.4 | 1.1 |
| B2-1 | - 5-6 | 1500 | 3600 | 3.4 | 6.1 | 11 |
| B2-2 | 10-11 | 1700 | 30 | 1.7 | 2.8 | 2.1 |
| B2-3 | 15-16 | 160 | <10 | 2.6 | 6.9 | 1.6 |
| B3-1 | 2-3.5 | NR | 1100 | 30 | 57 | 15 |
| B3-2 | 4-5.5 | 640 | 210 | 5.7 | 21 | 62 |
| B4-4 | 14-15.5 | 2.8 | 30 | 0.042 | 0.53 | 1.4 |
| B4-5 | 19-20.5 | 21 | 30 | 0.41 | 0.84 | 3.5 |
| B5-1 | 2-3.5 | NR | 990 | 48 | 72 | 120 |
| B5-2 | 4-5.5 | 1200 | 1800 | 6.7 | 83 | 200 |
| B5-3 | 9-10.5 | NR | 210 | + | 30 | 100 |
| B6-1 | 2-3.5 | 12 | 15000 | NR | NR | NR |
| B6-3 | 10-11.5 | 49 | 1400 | NR | NR | NR |
| B6-5 | 20-21.5 | 180 | 710 | NR | NR | NR |
| B7-2 | 5-6.5 | 18 | 100 | NR | NR | NR |
| B7-4 | 15-16.5 | 20000 | 18000 | NR | NR | NR |
| B7-6 | - 25-26.5 | 39 | 90 | NR | NR | NR |
| B8-2 | 5-6.5 | 690 | 1400 | NR | NR | NR |
| B8-4 | 15-16.5 | 540 | 1800 | NR | NR | NR . |
| B8-6 | 25-26.5 | 3900 | 5800 | NR | NR | NR |
| B9-1 | 2-3.5 | 1600 | 2300 | NR | NR | NR |
| B9-3 | 9-10.5 | 400 | 380 | NR | NR | NR |
| B9-4 | 15-16.5 | 310 | 770 | NR | NR | NR |
| B10-3 | 10-11.5 | 110 | 570 | NR | NR | NR |
| B10-6 | 25-26.5 | 3.2 | 60 | NR | NR | NR |
| B11-3 | 10-11.5 | 1700 | 250 | NR | NR | NR |
| B11-4 | 15-16.5 | 67 | 350 | NR | NR | NR |
| B11-6 | 25-26.5 | 8.3 | 30 | NR | NR | . NR |
| B12-2 | 5-6.5 | 130 | 360 | NR | NR | NR |

TABLE 1. Soil Boring Chemical Analyses (cont'd.)

| | | VOLATILE | | ÷ | | |
|--------|-------------|--------------|----------------|---------|---------|--------|
| BORING | SAMPLE | HYDROCARBONS | OIL AND GREASE | BENZENE | TOLUENE | XYLENE |
| NUMBER | DEPTH (ft.) | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg |
| B12-4 | 15-16.5 | 130 | 310 | NR | NR | NR |
| B12-5 | 20-21.5 | 0.23 | 90 | NR | NR | NR |
| B13-3 | 10-11.5 | 580 | 2100 | NR | NR | NR |
| B13-6 | 25-26.5 | 47 | 210 | NR | NR | NR |
| B14-2 | 5-6.5 | 180 | 200 | NR | NR | NR |
| B14-4 | 15-16.5 | 110 | · 20 | NR | NR | NR |
| B14-6 | 25-26.5 | 63 | 320 | NR | NR | NR |
| B15-1 | 2-3.5 | 51 | 390 | NR | NR | NR |
| B15-3 | 10-11.5 | 2300 | 13000 | NR | NR | NR |
| B15-4 | 15-16.5 | 250 | 1300 | NR | NR | NR |
| B15-5 | 20-21.5 | 4200 | 11000 | NR | NR | NR |
| B15-6 | 25-26.5 | 40 | 90 | NR | NR | NR |
| | | | • | | | |
| R-1 | 4', | 22000 | 20000 | 310 | 1000 | 1500 |
| R-2 | 8' | 1300 | 3000 | 5.3 | 28 | 110 |
| R-3 | 12' | 2000 | 840 | 1.4 | 27 | 67 |
| R-4 | 16' | 510 | 20000 | 5.2 | 120 | 70 |
| R-5 | 20' | 2800 | 56000 | 71 | + | 310 |
| | | | | | | |

NR - Not Requested

^{+ -} Not Calculable

TABLE 2. Monitoring Well Boring Chemical Analyses - Soil

| MONITORING WELL BORING NUMBER | SAMPLE DEPTH (ft.) | VOLATILE HYDROCARBONS mg/kg | OIL AND GREASE mg/kg | BENZENE mg/kg | TOLUENE mg/kg | XYLENE mg/kg |
|-------------------------------------|-----------------------|-----------------------------------|-------------------------|------------------|------------------|-----------------|
| MW1-1 | 5-6.5 | 3.6 | 460 | ND | ND | ND |
| MW1-2 | 10-11.5 | 4.3 | 100 | ND | ND | ND |
| MW1-3 | 15-16.5 | 2000 | 4500 | ND | 12 | 60 |
| MW1-4 · | 20-21.5 | 18 | 90 | ND | ND | ND |
| MW1-5 | 25-26.5 | 8.1 | 130 | ND | ND | ND |
| MW1-6 | 28,5-30 | 5.1 | 100 | ND | ND | ND |
| MW2-1 | 5-6.5 | 7.3 | 50000 | ND | ND | ND |
| MW2-2 | 10-11.5 | 33 | 140 | ND | 0.12 | 0.80 |
| MW2-3 | 15-16.5 | 41 | 70 | ND | 1.0 | 0.51 |
| MW2-4 | 20-21.5 | 110 | 9600 | ND | ND | 1.4 |
| MW2-5 | 25-26.5 | 31 | 90 | ND | ND | ND |
| MW2-6 | 28.5-30 | 66 | 80 | ND | ND | ND |
| MW3-1 | 5-6.5 | 18 | 130 | ND | ND | ND |
| MW3-2 | 10-11.5 | 10 | 110 | ND | ND | ND |
| MW3-3 | 15-16.5 | 24 | 70 | ND | ND | ND |
| MW3-4 | 20-21.5 | 19 | 100 | ND | ND | ND |
| MW3-5 | 25-26.5 | 9.3 | 40 | ND | ND | ND |
| MW3-6 | 28.5-30 | 17 | 90 | ND | ND | , ND |
| MW4-1 | 3.5-5 | ND | ND | ND | ND | ND |
| MW4-2 | 8.5-10 | ND | ND | ND | ND | ND |
| MW4-3 | 13.5-15 | ND | ND | ND | ND | ND |
| MW5-2 | 8.5-10 | ND | ND | ND | ND | ND |
| MW5-3 | 13.5-15 | 110 | ND | ND | ND | ND |
| MW5-4 | 18.5-20 | ND | ND | ND | ND | ND |
| MW6-2 | 8.5-10 | ND | ND | ND | ND | ND |
| MW6-3 | 13.5-15 | ND | 5.2 | ND | ND | ND |
| MW6-4 | 18.5-20 | ND | ND | ND | ND | ND |
| MW7-1 | 3.5-5 | ND | ND | ND | ND | ND |
| MW7-2 | 8.5-10 | ND | ND | ND | ND | ND |
| YW7−3 | 13.5-15 | 120 | 11 | ND | ND | 0.45 |

TABLE 2. Monitoring Well Boring Chemical Analyses - Soil (cont'd.)

| MONITORING WELL BORING NUMBER | SAMPLE DEPTH (ft.) | VOLATILE HYDROCARBONS mg/kg | OIL AND GREASE mg/kg | BENZENE mg/kg | TOLUENE mg/kg | XYLENE mg/kg |
|-------------------------------------|-----------------------|--------------------------------------|-------------------------|------------------|------------------|-----------------|
| MW8-2 | 10 | 530 | 470 | ND | 0.21 | 1.7 |
| MW8-3 | 15 | 130 | 170 | 0.059 | 0.59 | 4.8 |
| MW10-1 | 5 | <3 | 90 | ND | ND | ND |
| MW10-2 | 10 | 260 | 1400 | ND | 0.12 | 0.84 |
| MONITORING WELL BORING NUMBER | SAMPLE DEPTH (ft.) | EXTRACTABLE HYDROCARBONS mg/kg | OIL AND GREASE | BENZENE mg/kg | TOLUENE mg/kg | XYLENE mg/kg |
| MW14 | 10 | ND | 300 | NR | NR | NR |
| MW 15-1 | 5 | ND | ND | NR | NR | NR |
| MW15-2 | 10 | 1.9 | 20 | NR | NR | NR |
| MW16-1 | 5 | 1.7 | . 270 ⁻ | NR . | NR | NR |
| MW16-2 | 10 | ND | 65 | NR | NR | NR |
| .7-1 | 5 | ND | ND | NR | NR | NR |
| MW17-2 | 10 | 8.1 | 25 | NR | NR | NR |
| MW18-1 | 5 | ND | 20 | NR | NR NR | NR |
| MW18-2 | 10 | ND | 90 | NR | NR | NR |

ND - Not Detected

NR - Not Requested

TABLE 3. Groundwater Chemical Analyses

| BORING NUMBER | TOTAL VOLATILE HYDROCARBONS | OIL AND GREASE | BENZENE | TOLUENE | XYLENE | TCE | TCA | TRANS | | - |
|------------------------------|-----------------------------|----------------|---------|---------|--------|-------|--------|---------|---------|---------|
| | mg/l | mg/l | mg/l | mg/l | mg/l | mg/l | mg/l | 1,2-DCE | 1,1-DCE | 1,1-DCA |
| B-1 | 75 | 60 | 1.8 | 2.0 | 5.6 | NR | NR | NR | NR | NR |
| B-2 | 11 | 90 | 1.3 | 0.76 | 0.32 | NR | NR | NR | NR | NR |
| B-3 | 14 | 15 0 | 0.64 | 0.0005 | 1.0 | NR | NR | NR | NR | NR |
| B-4 | 26 | 14 | 0.0005 | 0.079 | 1.3 | NR | NR | NR | NR | NR |
| B-6 | 73 | 7200 | ND | ND | ND | ND | ND | ND . | ND | ND |
| B-7 | 1.7 | 27 00 | ND | ND | ND | ND | ND | ND | ND | ND |
| B-8 | 9.8 | 320 | ND | ND | ND | 0.03 | <0.001 | 0.12 | ND | ND |
| B-9 | 26 | 35 | ND | ND | ND | ND | ND | ND | ND | ND |
| B-10 | 150 | 40 | ND | ND | ND | ND | ND | ND | ND | ND |
| B-11 | 86 | 46 | ND | ND | ND | 0.014 | <0.001 | 0.002 | ND | ND |
| B-12 | 9.1 | 130 | ND | ND | ND | ND | ND | ND | ND | ND |
| B-13 | 28 | 100 | ND | ND . | ND | ND | ND | ND | ND | ND |
| B-14 | 0.52 | 25 | ND | ND | ND | 0.01 | 0.021 | 0.002 | ND | ND |
| B-15 | 13000 | 400000 | ND | ND | ND | 0.5 | 0.013 | ND | 0.013 | 2.2 |
| MONITORING WELL NUMBER | | | | | | | | | | |
| MW-1 | ND | 25 | ND | ND | ND | ND | ND | ND | ND | ND. |
| MW-2 | FP | ens die | | *** | | NR | NR | NR | NR | NR |
| MW-3 | ND | 18 | ND | ND | ND | ND | ND | ND | ND | ND |

TABLE 3. Groundwater Chemical Analyses (cont'd.)

| MONITORING WELL: NUMBER | TOTAL VOLATILE HYDROCARBONS mg/l | OIL AND GREASE mg/l | BENZENE mg/l | TOLUENE mg/l | XYLENE mg/l | TCE mg/l | TCA mg/l | TRANS 1,2-DCE | 1,1-DCE | 1,1-DCA |
|-------------------------------|--|------------------------|-----------------|-----------------|----------------|-------------|-------------|------------------|---------|---------|
| MN-4 | 0.02 | 7.2 | ND | ND | ND | NR | NR | NR | NR | NR |
| MW-5 | 1.4 | 24 | ND | ND | 0.0066 | NR | NR | NR | NR | NR |
| MW-6 | FP | | | ~~ | | NR | NR | NR | NR NR | NR |
| MN-7 | 0.26 | 8.0 | ND | ND | ND | NR | NR | NIR | NR | NR |
| MW-8 | 1.3 | 14 | ND | ND | 0.001 | NR | NR | NR | NR | NR |
| MW-9 | FP | | | | | NR | NR | NR | NR | NR |
| MW-10 | 0.38 | 7.2 | ND | ND | ND | NR | NR | NR | NR | NR |
| MW-11 | ND | 1.2 | ND | ND | ND | ND | ND | ND | ND | ND |
| MW-12 | 0.1 | 2.5 | 0.00049 | 0.001 | 0.0013 | ND | ND | ND | ND | ND |
| MW-13 | ND | 57.0 | ND | ND | ND | NR | NR | NR | NR | NR |
| MW-14 | ND | 3.2 | ND | ND | ND | ND | 0.019 | ND | ND | ND |
| MW-15 | 0.12 | 1.2 | ND | ND | 0.00092 | NR - | NR | NR | NR | NR |
| MW-16 | ND | 1.2 | ND | ND | ND | NR | NR | NR | NR | NR |
| MW-17 | 0.24 | 2.4 | 0.005 | 0.0012 | 0.014 | NR | NR | NR | NR | NR |
| MW-18 | ND | 1.6 | ND | ND | ND | NIR | NR | NR | NR | NR |

TCE - Trichloroethylene

TCA - Trichloroethane

DCE - Dichloroethylene

DCA - Dichloroethane

ND - Not Detected

NR - Not Requested

FP - Floating Product


-- No Analysis

TABLE 4. Water Sample Analysis - Polychlorinated Biphenyls

| BOREHOLE | PCB 7. CONCENTRATION mg/kg | AROCLOR | ANALYSIS BY |
|------------|----------------------------|----------|--------------------------------|
| B-1 | 9.1 | 1260 | Trace Analysis Laboratories |
| B-1 B-2 | 8.5 ND | NR NR | Thermo- Analytical |


ND - Not Detected

NR - Not Requested



APPENDIX A

Logs of Exploratory Borings Monitoring Well Details




DATE DRILLED: 7/10/86

PROJECT NUMBER: 1467G

| EXPLORATORY BORING LOG | |
|------------------------|--|
|------------------------|--|

| | • | | 1 | T TOWNTON I BON | | | <i>-</i> | | |
|------------------------------|---------------------|------------|--------|--|--------------------------------|--------------------------|----------|-----------|---------------------------------------|
| | Depth,ft. | Sample No. | Symbol | SOIL DESCRIPTION | Unified Soll Classification | Blows/foot 350 ft-lbs | TVH ppm | Oil & Orm | |
| - | 0 - - - | | | SILTY SAND mottled brown, medium grained strong product odor, free product, very moist | SM | | | J | COMMENTS Angle drilled Samples pushed |
| | 5 - | 1-1 | | · | | | 830 | 470 | |
| - | 1 | 1-2 | | CLAYEY SAND, gray, fine grained, free product, wet | sc | | 20 | 40 | |
| | 10 | 1-3 | 7 | SANDY CLAY, mottled brown, 25% sand, free product | СL | | 380 | 20 | |
| [- | 15 | | | Bottom of Boring = 11.5 feet | | | - | | |
| - | 0 1 1 1 1 1 1 1 1 1 | | | | | | | 3. | |
| - 2: - 3: | 1 | | | | | | | | |
| - - -35 - - - | 1111111 | | | · · | | | | | <u>-</u> |
| | 1 | | | | | | | | |



E

PROJECT NAME: Owens-Illinois

DATE DRILLED: 7/10/86

PROJECT NUMBER: 1467G

LOGGED BY: BM

EXPLORATORY BORING LOG

| | | $\overline{}$ | 7 | EXPLORATORY BOX | III | | JG | | | | | |
|--------|----------------------|---------------|----|--|---------------------------------------|-----------------|------|-----------------------|-----|---|-------|---|
| | Depth,ft. | Samole No. | | | | | Y | Oil & Grease mg/kg | · | | | |
| - | - 0 - - - - | | | SILTY SANDY CLAY, blue gray, stiff, moist product odor | CL | 10 | | <u> </u> | | | · _ · | |
| | 5 | 2–1 | | SILTY SAND, Brown to gray, fine grained strong odor, free product, medium dense | SM | 29 ⁻ | 1500 | 3600 | | | | |
| 1-1-1- | 15 | 2-2 | | SANDY CLAY, mottled brown, 30% sand, strong odor, free product, very moist | а | 19 | 1700 | 30 | | | | |
| | - | 2–3 | | Bottom of Boring = 16 feet | · · · · · · · · · · · · · · · · · · · | 20 | 160 | 40 | · · | | | |
| | 5 | | | | | - | | ž | | | | |
| - 3° | 1 1 | | | | | | | | | , | | |
| | 1111111 | | | ÷ | | | | | | | | |
| | | | Ц. | | | | | <u> </u> | 1 | 1 | | ل |

BORING NO.: B-3

DATE DRILLED: 7/10/86

EF


PROJECT NAME: Owens-Illinois

PROJECT NUMBER: 1467G

LOGGED BY: BM

EXPLORATORY BORING LOG

| 1. | .: 1 | ! | J | The state of the s | | | <u> </u> | | | | |
|------------------|------------------|--------|---------|--|--------------------------------|--------------------------|----------|-------------|---|---|---|
| - 3 | | ક | 1 | | 5 | | Ĭ | 88 | | | 1 |
| | ueptn,ft. | Sample | Symbol | SOIL DESCRIPTION | Unified Soil Classification | Blows/foot 350 ft-lbs | TVH | Oil & Greed | | | |
| | , - | | | SILTY SANDY CLAY, blue gray, 30-40% sand, strong product odor, moist | CL | | | | | | - |
| - 5 | 7 | 3-1 | | | | 17 | 1800 | 1100 | | · | |
| E | 3 | -2 | | | | 10 | 1600 | 440 | | • | |
| - 10 | 3 | -3 | ▽ | SILTY SAND, black, medium grained, dense | SM | 36 | 18000 | 8700 | | | |
| F | - - - - | | | very strong product odor, wet | | | - | | | | • |
| -15 | 3- | -4 | | • | | 23 | 1300 | 1100 | : | | |
| - - | 3- | 5 | \perp | SAMD and CIVET CO. | | | | | | | |
| - 20 | | | | SAND and SILTY GRAVEL, brown, coarse, weak product: odor, very dense | SM/ GM | 46 | | : | | | |
| - 25 | 3-4 | 6 | 1 | SILTY SANDY CLAY, brown, 10-15% sand, slight product odor, moist | CT. | 20 | | | | | |
| | 1 | | | Bottom of Boring = 25.5 feet | | | | | | | |
| - 30 | 1 | | | | · | | | | | · | |
| | | | | | | | | | | | |
| -35 <u>-</u> | | | | 7 | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | ٠ | | | | | |
| | | | | | | | | | | | |



EF

PROJECT NAME: Owens-Illinois

DATE DRILLED: 7/23/86

PROJECT NUMBER: 1467G

| E | <u>(PL</u> | ORA: | TORY | BORING | LOG |
|---|------------|------|------|--------|-----|
| | | | | | |

| ſ | • | | _ | • | EXICONATORY BOR | 1 17 G | | ノは | | |
|----------------|-------------|---------|------------|--------|--|--------------------------------|-----|-----|--------------|--|
| | Depth,ft. | 1 2 2 2 | Sample No. | Symbol | | Unified Soil Classification | # £ | T | Oil & Stease | |
| 1-1- | 0 | 4- | 1 | | SILTY SANDY CLAY, blue-gray, 25-30% sand very strong fuel odor, stiff | C.T. | | | | Comments Well MW-9 installed in Boring B-4 |
| | 5 | 4-3 | 2 | | • | | 12 | 640 | 210 | - |
| - - - | 10 | 4-3 | | | SILTY SAND, blue gray, medium grained strong product odor, medium dense, moist | SM | 23 | _ | | |
| | 5 | 4–4 | | | , | | 11 | 8.8 | 30 | |
| - - 2 - | 0 | 4–5 | | | SANDY CLAY, brown, 20-25% sand, strong fuel odor, very stiff, wet | CL | 21 | | ; | |
| - - 25 - | - - - | 1–6 | | | | | 20 | | | |
| - 30 | 1 | | | | Bottom of Boring = 25.5 feet | | | | | |
| -40 | 1 1 1 1 1 | | | | | | | | | |



BORING NO.: B-5

DATE DRILLED: 7/23/86

PROJECT NUMBER: 1467G

LOGGED BY: BM

EXPLORATORY BORING LOG

| - 1 | • | 1- | | | THE TOTAL BUR | IIAC | . L\ | Ju | | | | | |
|--------------------|-----------|-----------|-----|--------|---|--------------------------------|--------------------------|------|--------------|---|--------------|---|--|
| | Depth,ft. | Samole No | 100 | Symbo! | | Unified Soil Classification | Blows/foot 350 ft-lbs | 7 | Oil & Grease | | | | |
| - | 0 - | 5-1 | | | SANDY CLAY, black to gray, 20-30% sand strong product odor, very stiff, moist | GT 20 | Ì | 1400 | | | | | |
| | 5 | 5-2 | | | | | 18 | 1200 | 1800 | | | | |
| | 10 | 5–3 | | | CLAYEY SAND, blue gray, 20% clay, strong product odor, loose, moist | sc | 7 | 930 | 210 | | | | |
| 1-1- | 15- | | | | Bottom of Boring = 10.5 feet | | | | | | | • | |
| <u> </u> | 1111 | | | | | | | | | 1 | | | |
| -;a - - | 20- | | | | • • • | | | | | | | ; | |
| - 2 - | 5 - | | | | ÷ | | | | | - | | • | |
| _ 3(_ | | | | | ` | | | | | | . | ٠ | |
| - - - -35 | | | | | | | | | | | | ; | |
| - - - | 1111 | | | | 3 | | | | | | | | |
| - - | 1 | | | | | | | | | | | | |
| | 1 | | L | | | | | | | | | | |

BORING NO.: B-6

PROJECT NAME: Owens-Illinois

PROJECT NUMBER: 1467G

DATE DRILLED: 7/23/86

LOGGED BY: BM

EXPLORATORY BORING LOG

| _ | | 7 | _ | LYLCHAIORA BOR | HNG | i L(| 0 G | | | |
|---------------------|----------|------------|------|--|--------------------------------|--------------|-----|--------------|---------|----------|
| | Depth,ft | Sample No. | | | Unified Soil Classification | | | Oil & Grease | | |
| L | ᇬᆛ | | 1 | CONCRETE | 150 | | - | <u> </u> | | <u> </u> |
| F | ا ا | 6-1 | | GRAVELLY SAND, dark brown, fill | SP | | 12 | 1500 | | |
| ++ | | 6–2 | | SANDY CLAY, gray to black, 30% sand stiff to very stiff, strong product odor, free product | CL | 25 | 49 | 1400 | | |
| - 10 - - | | 5-3 | V | | | 13 | | | | |
| - 15 - | | -4 | | CLAYEY SILTY SAND to SILTY CLAYEY SAND, | SM/ | 27 | • | | | |
| - 20 - | 6- | -5 | | loose, strong product odor, wet | /sc | 7 | 180 | 710 | | |
| - - 25 - - | 6- | 6 | ı i. | GRAVELLY SAND to SANDY GRAVEL, brown, very lense, strong product odor, wet | SP/GM | 50 | | | - | |
| 30 | | | | Sottom of Boring = 26.5 feet | | | | | | |
| -35 - | | | | * | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |


BORING NO.: B-7

DATE DRILLED: 7/23/86

PROJECT NUMBER: 1467G

| | | EXPLORATORY BOR | ING | i L(|) G | LOGG | ΈD | BY: | BM | |
|-------------|----|---|--------------------------------|--------------------------|------|----------------------------|----|-----|----|--|
| Sample No. | 10 | | Unifled Soll Classification | Bloss/foot 350 ft-lbs | g/kg | Grease Grease Ing/kg | | | | |
| 7-2 | | SANDY GRAVEL, Brown, damp, fill | GM. | | | | | | | |
| 7-2 | | SANDYCLAY, Gray black, 15% sand, very stiff, slight product odor, moist | СТ | 18 | 18 | 1000 | | | • | |

| - | 7 | -1 | szowii, daip, fill | GM | | | | | | |
|---------------------|-----------|----|---|----|-----|------|-------|---|---|------------|
| - - - - | 7 | -2 | SANDYCLAY, Gray black, 15% sand, very stiff, slight product odor, moist | СL | 18 | 18 | 1000 | | | |
| - 10 | 7- | 3 | | | 17 | | | - | | , <u> </u> |
| -15 | 7- | 4 | SAND, blue, medium grained, dense, free product -becomes wet | SP | 48 | 2000 | 18000 | • | | |
| - 20 | 7~ | 5 | CLAYEY SILTY SAND, brown, medium dense, strong product odor | SM | | | ; | | | |
| - 25 | 7-(| 5 | -contains silt interbeds, strong product odor Bottom of Boring = 26.5 feet | | 17 | 38 | 90 | | • | |
| 30 | A-4-4-4-4 | | , | | | | | - | | |
| -35 - | | | | | | | | | | |
| | | | | | • . | | | | | |
| <u> </u> | | | | | | | | | | |



DATE DRILLED: 7/24/86

PROJECT NUMBER: 1467G

| <u>EXP</u> | LORAT | ORY | BORING | LOG |
|------------|-------|-----|--------|-----|
| | | | | |

| | - | | _ | | THE STATE OF THE BOAT | 111 U | _ _ \ | Ju | | | |
|---|-----------|------------|----|--------|---|--------------------------------|--------------------------|----------|--------------|---|---|
| | Depth,ft. | Samole Mo | | Symbo! | SOIL DESCRIPTION | Unified Soil Classification | Blows/foot 350 ft-lbs | VH mg/kg | Oil & Grease | | |
| - | 0 - | L | | | SANDY GRAVEL, green, fill | GW | | | | | |
| | 5 | 8-1 8-2 | | • | SANDY CLAY, gray to black, 20% sand, moderate to strong product odor, stiff to very stiff, very moist | Б | 10 | | | | |
| | 10 | | | | | | 18 | 690 | 1400 | | |
| | 1.1.1 | 8-3 | ∇. | | -free product | | 19 | | | - | |
| -1 - | 15. | 8-4 | | f | GRAVELLY SAND, blue gray, medium grained free product, dense, moist | | 49 | 540 | 180 | : | |
| - 2 - | 20 | 8–5 | | | | | 16 | | | | |
| - - - 2: | 5 | 3-6 | | g | ILTY SAND, blue gray, fine grained, rare ravel, strong product odor, medium dense | | | | | , | |
| - - - - 30 | - | | | Bo | ottom of Boring = 26.5 feet | | 17 | 3900 | 5800 | - | |
| - - - | 7 | | | | · | | | | | | |
| - 35 | 1 1 1 | | | | = | | | | | | · |
| - - - | 1-1-1- | | | | | | | | | | |
| - - - | = | | | | | | | | | | |

BORING NO.: B-9

EF

PROJECT NAME: Owens-Illinois

DATE DRILLED: 7/24/86

PROJECT NUMBER: 1467G

| | | | , | EXPLORATORY ROB | | | | ro | GGED | BY: E | M | |
|---------------|-----|-----------|--------|--|--------------------------------|--|----------------|--------------------|------|-------|-------------|---|
| - | | .1 | _ | EXPLORATORY BOR | | | JG | | | 7 | | |
| Deoth.ft | | Jampie MO | Symbol | SOIL DESCRIPTION | Unified Soil Classification | Blows/foot 350 ft-lbs | | Oil & Grease mq/kq | | | | |
| -0 | 4 | 4 | 4 | PAVEMENT SECTION | -0 | | - - | <u> </u> | | | | |
| - - - | 9- | 1 | | GRAVELLY SAND, black, medium grained, weak product odor, dense, moist, contains fill | SW | 49 | 1000 | 2300 | | | | |
| - 5 | 9-: | 2 | | SANDY CLAY, black, 20% sand, strong product odor, very stiff | СГ | 17 | | | | | | |
| 10 | 9-3 | | | | | 34 | 400 | 380 | | | • | |
| -15 | 9–4 | | | SILTY SAND, blue gray, strong product odor, dense, moist | SM/ SP | 41 | 310 | 720 | | | • | |
| - 20 | 9–5 | | | SANDY CLAY, brown, 10-20% sand, product odor, very stiff, moist | СТ | 34 | · | · | , " | | | |
| - 25 - | 9–6 | | | | | 21 | | | | · | | - |
| -35 - | | | I | Bottom of Boring = 26.5 feet | | | | | | | | |



BORING NO.: B-10

DATE DRILLED: 7/24/86

PROJECT NUMBER: 1467G
EXPLORATORY BORING LOG

| ŕ | | | _ | _ | EXPLORATORY BOR | ING | i L(|) G | | | | | | |
|---------------------|----------|----------|------------|--------|---|--------------------------------|--------------------------|-----|---------------------------|---|---|-----|----|--|
| | Depth,ft | 1 | Sample NO. | Symbol | SOIL DESCRIPTION | Unified Soil Classification | Blows/foot 350 ft-1bs | | Oil 6. Grease mg/kg | | | | | |
| | - 0 | 10 | _ | 1 | PAVEMENT SECTION SANDY GRAVEL to GRAVELLY SAND, black contains fill | GW/ | 1 | | | | | | | |
| | 5 | 10- 2 | | | SANDY SILTY CLAY, black to gray, 10-20% sand, slight product odor, very stiff to stiff, moist | СТ | 24 | | | | | • | • | |
| | 10 | 10- 3 | | | · | | 8 | 3.2 | 520 | · | | | - | |
| <u> </u> - | 15 | 10- 4 | | | GRAVELLY SAND, blue to gray, free product dense, very moist | SW | 42 | | | | | • . | • | |
| E | 20. | | ∇. | L | | | | | | | | | | |
| | | 10- 5 | | i ' | SANDY CLAY, brown gray, 10-20% sand, strong product odor, stiff, moist to wet | р | 11 | | 17 | | | • | | |
| - - 2! - | 5 | 10- 6 | | | SANDY GRAVEL, brown, 30% sand, product odor, moist | G₩ | 30 | | | | • | | - | |
| _ _ _ 30 _ | | | | E | Bottom of Boring = 26.5 feet | | , | | | - | | | e. | |
| - - - -35 | 1 | | | | | | | | | | | | | |
| - - | 1 | | | | • • | | | | | | | | | |
| 40 | 1111 | | | | | | | | | | | | | |
| - | 1 | | | | | | | | | | | | | |



BORING NO.: B-12

DATE DRILLED: 7/23/86

PROJECT NUMBER: 1467G

LOGGED BY: BM

EXPLORATORY BORING LOG

| ſ | - | 7 | 7 | TALEGRATORY BOR | ING | iL | IJG | | | | |
|-----------------------|--|--------------|----------|--|--------------------------------|-------------|------|-------|-----------|----------|---|
| | Depth,ft | Sample No. | | SOIL DESCRIPTION | Unified Soil Classification | | | Oil & | 6 X X | | |
| - 1 | 0 -4 | <u> </u> | ı | PAVEMENT SECTION | 1=0 | ├ ── | 4 | | <u>.l</u> | .1 | |
| - | | _ | 1 | ANTERIOR SECTION | 1 | İ | | | | | |
| - - - | | 12- 1 | | SILTY SAND, dark brown, contains minor gravel, weak product odor, medium dense | SM | 21 | | | | | |
| + + + + | 5 | 12- 2 | | SANDY CLAY, gray to glack, 30% sand, strong product odor, very stiff, moist | СL | 21 | 130 | 360 | | | • |
| + - - - - | 10 | L2- 3 | ∇ | | | 17 | | | | | |
| | | 2-4 | · | SILTY SAND, blue, strong product odor medium dense | SM | 24 | 130 | 310 | | | |
| - 2 | | 2- | | SILTY CLAY, brown gray, weak product odor stiff, moist | CL | | 0.23 | | | | |
| - - 25 - | 5 12 | 2- | | SANDY GRAVEL, brown, 20-30% sand, very dense, wet | GW | 37 | 0.23 | 90 | | | |
| _ 30 |) | | | Bottom of Boring = 26.5 feet | | <i>J</i> , | | | , | | |
| -35 | 111 | | | | | | | | | | |
| - | 1 1 1 1 | | | • | | | | | | | |
| 1111 | 1 | | | | | | | | | | |
| | - | - | | | | l | | | | <u> </u> | |

EF

PROJECT NAME: Owens-Illinois

PROJECT NUMBER: 1467G

BORING NO.: B-13

DATE DRILLED: 7/23/86

EXPLORATORY BORING LOG

| | • | - 7 | _ | EXPLORATORY BOR | ING | ì Lo | OG | | | |
|---------------|----------|------------|--------|---|--------------------------------|--------------|-----|----------------------------|----|---|
| Denth # | | Sample No. | Symbol | | Unified Soil Classification | | , | Oil & Grease Grease Ind/kg | n. | |
| - 0 | 4 | | _ | PAVEMENT SECTION | 120 | } | 1 – | ۲_ | · | |
| - - - | 13 | | | SILTY SAND, black, rare gravel, weak product odor, loose, moist, contains fill | SM | 12 | | | | |
| 5 | 13 2 | | | SANDY CLAY, gray to black, 20% sand, stiff to very stiff moist | СГ | 24 | | | | • |
| 10 | 13- | ∇ | | | | 10 | 580 | 2100 | | |
| -15 | 13- 4 | | | SILTY SAND, blue gray, rare gravel, free product, dense, wet | SM | 43 | | | - | · |
| - 20 | 13– 5 | | , | GRAVELLY SANDY CLAY, brown, 3% gravel weak product odor, very stiff, very moist | CL | 26 | | ; | | |
| - 25 - | 13- 6 | | | | | 20 | 47 | 200 | | |
| - 30 | | | | Sottom of Boring = 26.5 feet | | | | - | | |
| 40 | | | | | | | | | | |

EF

PROJECT NAME: Owens-Illinois

BORING NO.: B-14

DATE DRILLED: 7/24/86

PROJECT NUMBER: 1467G

| EXPLORATORY E | BORING LOG |
|---------------|------------|
|---------------|------------|

| • | T | 1 | EXILORATORA BOR | INC | 3 L(| JG | | | | |
|------------------|------------|---|---|--------------------------------|--------------|----------|--------------|----------|---|--------|
| Depth,ft | Sample No. | | | Unified Soil Classification | | T | Oil & Grease | | | |
| L 0 - | | | PAVEMENT SECTION | <u> ქ⊇ ი</u> | | └ | | <u>l</u> | 1 | |
| 1 - 1 | | | CDMERTY COLD | 1 | 4 | | | | | |
| - | 14- | | GRAVELLY SAND, green, contains fill | SP | | | | | | |
| - 5 | 14- | | SANDY CLAY, black, 30% sand, weak product odor, very stiff, moist | СL | 14 | | | | | |
| - | 2 | 1 | SANDY CLAY, gray, 20% sand, weak product odor, very stiff, moist | CL | 24 | 180 | 200 | | | |
| | 3 | | | | 17 | | | | | |
| — | 4-4 | | SILTY SAND, blue gray 15-20% sand, weak product odor, very stiff, moist | SM | 21 | 110 | 20 | | | • • |
| 20 | | 1 | SANDY CT AV home 15 200 | | | | | | | |
|] | | 1 | SANDY CLAY, brown, 15-20% sand, weak product odor, very stiff, moist | СГ. | 24 | İ | | , | | |
| - 25 14 - 6 | | | GRAVELLY SAND to SANDY GRAVEL, brown very dense, wet | SW/ GW | 75 | 63 | 320 | | | |
| 30 _ | | | Bottom of Boring = 26.5 feet | | | | | · | | |
| | | | | | | | | | | |
| -35 | | | • | | | | | | | |
| - - - - | | | | | | | | | | |
| | | | | | | | | | | · |
| | | | | | | | | | | |



BORING NO.: B-15

DATE DRILLED: 7/25/86

PROJECT NUMBER: 1467G

| EXPLORATORY | BORING | LOG |
|-------------|--------|-----|
| | | |

| - 1 .: | - I | I | | | 1117 | <u>4 L'</u> | UG | | | | | |
|-----------|----------|------------|--------|---|--------------------------------|-------------|-----------|--------------|----------|----------|---|--|
| Depth,ft. | 2,000 | Sample No. | Symbol | SOIL DESCRIPTION | Unified Soil Classification | Blows/foot | VH mg/kg | Oil & Grease | 63/6 | | | |
| - | 15 | | | SAND AND GRAVEL FILL | SP | | 51 | | | | | |
| - 5 | 15 2 | | | SANDY CLAY, gray, 20-40% sand, product odor, firm to hard | СL | 7 | | | | | • | |
| 10 | 15- 3 | | | -free product | | 7 | 2300 | 13000 | | | | |
| -15 | 15- 4 | F , | | | | 40 | 250 | 1300 | | | | |
| - 20 | 15- 5 | | | CLAYEY SAND, black, strong product odor, saturated with product, medium dense | sc | 11 | 4200 | ; 1100 |) | | | |
| | L5~ 6 | | | CLAYEY SANDY GRAVEL, brown, free product wet | GC. | 35 | 40 | 90 | | | | |
| 30 | | | | Bottom of Boring = 26.5 feet | | | | | | | | |
| -35 - | | | | | | | | | | | | |
| 40 | | | | • | | | | | | | | |
| | | | | | | | | | | | | |
| · | | | | | | | | | | <u> </u> | · | |



DATE DRILLED: 10/22/86

PROJECT NUMBER: 1467G

LOGGED BY: CMP

| EXP | LORA | TORY | BORING | 106 |
|-----|------|------|--------|-----|
| | | | | |

| SOIL DESCRIPTION TAXAMENT SECTION SILTY CLAY, black, moderate to high plast-dcity, strong product odor, may contain fill, stiff, damp | - 1 | • | 7 | _ | - CONTONI BOH | LIAC | | Ju | | | |
|--|---------------|-------------|----------|-------------|--|------------------------------|--------------------------|-----|----------|---------|-----|
| SILTY CLAY, black, moderate to high plasticity, strong product odor, may contain 16- 1 -disseminated gravel \(5\) 8 -color change to blue, strong product odor 16- 10 2 SILTY CLAY, blue gray, sand \(5\) 8, moderate CL to high plasticity, rootholes, burrows, stiff, damp V nearly saturated 16- 16- 2 CLAYEY SAND to SANDY CLAY, gray, sand 45- 55\(8\) clay 45-55\(8\) as matrix, disseminated plant framents, rare gravel, strong product odor, medium dense to very stiff and | | Depth,ft | | | SOIL DESCRIPTION | hifled Soil lassification | Blows/foot 350 ft-1bs | | | | |
| SILTY CLAY, black, moderate to high plasticity, strong product odor, may contain 16- 1 -disseminated gravel \(5\) 8 -color change to blue, strong product odor 16- 10 -SILTY CLAY, blue gray, sand \(5\) 8, moderate to high plasticity, rootholes, burrows, stiff, damp V nearly saturated 16- 16- 17- 18- 19- 19- 19- 10 - CLAYEY SAND to SANDY CLAY, gray, sand 45- 55\(8\) clay 45-55\(8\) as matrix, disseminated plant framents, rare gravel, strong product odor, medium dense to very stiff and the sicity of the strong product odor, medium dense to very stiff and the sicity of the sicit | -1 | _ | 1 | | PAVEMENT CHARLES | 120 | | | <u>i</u> | | 1 |
| fill, stiff, damp 16- 1 -disseminated gravel \(5\frac{1}{2} \) -color change to blue, strong product odor 16- 10 2 -SILTY CLAY, blue gray, sand \(5\frac{1}{2} \), moderate to high plasticity, rootholes, burrows, stiff, damp \[\begin{align*} \text{To high plasticity, rootholes, burrows,} & CL & 14 \\ \text{To high plasticity, rootholes, burrows,} & CL & 14 \\ \text{To high plasticity, rootholes, burrows,} & CL & 14 \\ \text{To high plasticity, rootholes, burrows,} & CL & 14 \\ \text{To high plasticity, rootholes, burrows,} & CL & 14 \\ \text{To high plasticity, rootholes, burrows,} & CL & 14 \\ \text{To high plasticity, rootholes, burrows,} & CL & 14 \\ \text{To high plasticity, rootholes, burrows,} & CL & 14 \\ \text{To high plasticity, rootholes, burrows,} & CL & 14 \\ \text{To high plasticity, rootholes, burrows,} & CL & 14 \\ \text{To high plasticity, rootholes, burrows,} & CL & 14 \\ \text{To high plasticity, rootholes, burrows,} & CL & 25 \\ \text{To high plasticity, rootholes, burrows,} & CL & 25 \\ \text{To high plasticity, rootholes, burrows,} & CL & 25 \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ \text{To high plasticity, rootholes, burrows,} & CL \\ To high plasticity | ┢ | 0 - | 1 - | 1 | TAYLON SOCITON | 1 | 1 | | | | |
| - disseminated gravel \(5\frac{1}{8} \) -color change to blue, strong product odor 16- 10 2 SILTY CLAY, blue gray, sand \(5\frac{1}{8} \), moderate to high plasticity, rootholes, burrows, stiff, damp V nearly saturated CLAYEY SAND to SANDY CLAY, gray, sand 45- 55\frac{1}{8}, clay 45-55\frac{1}{8} as matrix, disseminated plant framents, rare gravel, strong product odor, medium dense to very stiff wet. | - | - | | | The second product only mass contain | СĽ | | | | | |
| SILTY CLAY, blue gray, sand \(5\forall \), moderate to high plasticity, rootholes, burrows, stiff, damp \[\begin{align*} \text{Nearly saturated} \\ \text{16-} & \text{CLAYEY SAND to SANDY CLAY, gray, sand 45-} \\ \text{55\forall \text{c. lay 45-55\forall as matrix, disseminated}} \\ \text{plant framents, rare gravel, strong product} \\ \text{odor, medium dense to very stiff wat} \end{align*} \] 14 | - | 5 | | | | | 10 . | | | | |
| stiff, damp The nearly saturated CLAYEY SAND to SANDY CLAY, gray, sand 45- Stiff, damp CLAYEY SAND to SANDY CLAY, gray, sand 45- Stiff, damp CLAYEY SAND to SANDY CLAY, gray, sand 45- Stiff, damp 16- 21- 25- 25- 25- 25- 25- 25- 25- 25- 25- 25 | F | 1 | 16 | | | | | | | | - , |
| CLAYEY SAND to SANDY CLAY, gray, sand 45- 55%, clay 45-55% as matrix, disseminated plant framents, rare gravel, strong product odor, medium dense to very stiff wat | | 10 | | | | Б | 14 | | | | |
| CLAYEY SAND to SANDY CLAY, gray, sand 45- 55%, clay 45-55% as matrix, disseminated plant framents, rare gravel, strong product odor, medium dense to very stiff wat | L | - 1. | | 77 | • | | l | | | li | |
| CLAYEY SAND to SANDY CLAY, gray, sand 45- 55%, clay 45-55% as matrix, disseminated plant framents, rare gravel, strong product odor, medium dense to very stiff | | コ | | | nearly saturated | | 1 | | | i i | 1 |
| Bottom of Boring = 15 feet | - - - | .5- | 16- 3 | | CLAYEY SAND to SANDY CLAY, gray, sand 45-55%, clay 45-55% as matrix, disseminated plant framents rape gravel | I | 25 | | | | |
| Bottom of Boring = 15 feet | | | - 1 | } | Devise to very stiff, wet | 1 | 1 | | | 1 | |
| | _ | \dashv | Ì | 1 | Bottom of Boring = 15 feet | | 1 | - 1 | | | |
| | - | 4 | - 1 | | | li | 1 | | |] | |
| | | - 1 | - 1 | | | 1 | · [| | | | |
| | _ | 7 | - 1 | - 1 | , , | 1 | . | | . 1 | i | 1 |
| | - | | - 1 | - 1 | | | 1 | j | | | _ |
| | | J | . [| - (| | | 1 | į | | | |
| | | 7 | - 1 | - 1 | | 1 | ŀ | | | ` ' | 1. |
| | - | 7 | - 1 | | | - 1 | 1 | - 1 | | 1 | - |
| | - | | | - 1 | | I | - 1 | 1 | - 1 | | · . |
| | | 4 | 1 | - 1 | | f | - 1 | | | | |
| | | - 1 | - 1 | I | | | - 1 | | 1 | | |
| | • | ٦ | I | - 1 | | | i | - 1 | | | |
| | - | 4 | | - 1 | \sim | -[| 1 | 1 | - 1 | | |
| | - | - | | J | ' | | | 1 | 1 | | |
| | | _ | - J | | , | | 1 | 1 | | | |
| | | | | - 1 | · | ľ | | - 1 | | | • |
| | | 7 | | | | 1 | j | 1 | | | |
| | ' | 7 | | - [| | 1 | - 1 | l | | | |
| | | 4 | - 1 | | | | 1 | ľ | | | |
| | • | 4 | | | | | l l | 1 | - 1 | | |
| | | | | - [| | | | | | | |
| | | 1 | - 1 | 1 | | j | ŀ | ı | i | | |
| | | 7 | | | | 1 | 1 | l. | | | i |
| | | - | - [| | | ł | ŧ | | | | |
| | | 4 | - 1 | 1 | | - 1 | i | | | | |
| | | J | - 1 | - [| | 1 | i | | | | • |
| | | | Ì | Ţ | | i | 1 | l | | | |
| | | 7 | | 1 | | - 1 | · j | ľ | | | ľ |
| | | 7 | 1 | 1 | | į | 1 | l | | | |
| | | - | 1 | 1 | | 1 | - 1 | Ì | 1 | 1 | |
| | | 4 | Į | Į | | - 1 | 1 |] | | | |
| | | L | ĺ | 1 | | - 1 | - 1 | Į | | | |
| | |] | 1 | ł | | - 1 | 1 | l | | | |
| | | 7 | ١. | - | | 1 | - 1 | Ì | | | |
| | | | | | | 1 | | 1 | | اـــــا | |

BORING NO.: MW-1

PROJECT NAME: Owens-Illinois


DATE DRILLED: 9/12/86

EXCELTECH

PROJECT NUMBER: 1467G

| | | | | ŗ | EXPLORATORY BOF |) f Ni A | C | | | LO | GGED | BY: | BM | | |
|---------------|----------|----------|---|--------|--|--------------|----------------|--------------------------|----------|--|--------------|-----|-------------|---|------------|
| | ft. | 3 | ; | | The state of the s | | <u>5</u> 51 | | <u> </u> | | | | | | — i |
| | Depth,ft | Samole E | | Symbol | SOIL DESCRIPTION | Unified Soil | . Idssiricati | Bloss/foot 350 ft-lbs | | | | | | | |
| H | · 0 - | ╂ | ╀ | 4 | Pavement Section | 1=` | 7 | ···· | | | | ┼ | | | \dashv |
| - - | - | | | | Sandy/Silty CLAYS, Black, slightly moist | Œ | | | | | | | | | |
| | 5 | 1-1 | | 4: 2 | Sandy CLAYS, Brown, slightly moist, very stiff, 20-25% Sand and Silt Content | _ | | 24 | | | | | | • | |
| | | 1-2 | Y | 5 | andy CLAYS, Blue, moist, Stiff, 30-40% and and Silt Homogeneous increase in Sand Content | | | 11 | | | | | • | | |
| - | 15 | L-3 | | Ľ | layey/Silty SANDS, Blue, Very Moist, light petroleum odor. ravelly Coarse SANDS to Coarse Sandy | 3C/ | - 1 | 41 | - | | | | • . | • | |
| - | | | | 16 | RAVELS, Black, Wet, Dense, very strong roduct odor, saturated | SP/ | | | | | • | | | | |
| - | 20 1 | -4 | | ľ | andy CLAYS, Brown, Very Moist to Wet, iff, Slight Fuel Odor, Strong odor in eter | СГ | | 14 | | : | | · | . | • | |
| - 2 - | 5 1 | -5 | | 144 | rown Sandy GRAVELS grading to Silty ravelly SANDS at 26½, Wet, Dense, No lor increase sands with depth | GM/ | 1 | 40 | | | | | | - | |
| - - 3 - |) | -6 | | | ttom of Boring = 30 feet | | | 39 | | | | | • | | |
| - - | | | | | ocan of bornig = 50 feet | | | | | | | | | | |
| . 35 - | 1 | | | | ₹ | | | | | | | | | | |
| • (| 1 | | | | | | | | | | | | | | |
| • ` | 1 | | | | | | | - | | : | | | | | |
| | ユ | | 1 | | | | | | | | | | | | |

| PROJECT NUMBER 1467G | BORING / WELL NO. MW-1 |
|-----------------------------|---------------------------|
| PROJECT NAME Owens-Illinois | TOP OF CASING ELEV. 16.02 |
| COUNTY_Alameda | GROUND SURFACE ELEV |
| WELL PERMIT NO | DATUM US Coast Geodetic |



| <u>E)</u> | KPLORATORY BORING | |
|-----------|-----------------------------|---------------------------------------|
| a. | Total depth | 30_ft |
| ь. | Diameter | 8_in_ |
| | Drilling method_Hollowstem | Auger |
| | • | _ |
| <u>W</u> | ELL CONSTRUCTION | |
| c. | Casing length | <u>29</u> _ft_ |
| | Material Sch 40 PVC | · · · · · · |
| d. | Diameter | in. |
| e. | Depth to top perforations | 8ft. |
| f. | Perforated length | <u>21</u> ft. |
| · | Perforated interval from 29 | to_8_ft. |
| | Perforation type Machine | · |
| | Perforation size 0.010 inc | ches |
| g. | Surface seal | 1.5ft. |
| | Seal material Cement/Christ | у Вож |
| h. | Backfill | 3.5ft. |
| | Backfill material Cement | |
| i. | Seal | ft. |
| | Seal material Bentonite | <u>.</u> |
| j. | Gravel pack | <u>22</u> ft. |
| | Pack material #4 Sand | |
| k. | Bottom seal | ft. |
| | Seal material None | · · · · · · · · · · · · · · · · · · · |
| l. | Steel Locking Casing Insi | de |
| | Christy Box | · |
| | | |

FF

PROJECT NAME: Owens-Illinois


BORING NO.: MW-2

DATE DRILLED: 9/12/86

PROJECT NUMBER: 1467G
EXPLORATORY BORING LOG

| - 1 | | _ | _ | _ | LAPLORATORY BOR | ING | i L | DG | | | |
|------------------------------|----------|-----------|----------|---------|--|--------------------------------|------------|----|----------|---|---|
| | Depth,ft | Campio us | שותויים. | Symbo 1 | | Unified Soil Classification | Blows/foot | | | | |
| - 1 | - 0 - | | Т | | Pavement Section | 120 | ↓ _ | | <u>.</u> | | |
| | 5 | 2-1 | | | Sandy/Silty CLAYS, Black, Moist, Stiff | CL | 13 | | | | |
| 4-4-1-1-1 | 10 | 2–2 | | | Sandy CLAYS, Blue, Moist, Stiff, 20-30% Sand Content, Slight Fuel Odor | | 12 | | | | |
| -: -: | 15 | 2-3 | ▼ | | Silty SANDS, Blue, Moist, Very firm, slight fuel odor | SM | 25 | • | | | |
| | | !-4 | - | | Blue Gravelly, Med-grained SANDS, wet very strong fuel odorwith visible oil droplets in soil | SP | 12 | | | , | |
| 2! - 30 | | -5 -6 | | 2 | Sandy CLAY to Clayey Fine to Med-grained SANDS, Brown, very stiff to medium dense | sc | 21 | | | | • |
| -35 | 777 | | | В | Bottom of Boring = 30 feet | | 20 | | | | |
| -35 - - - - - | | | | | ≑ | | | | | | |
| | | | | | | | · | | | | 4 |

| PROJECT NUMBER 1467G | BORING / WELL NO. MW-2 |
|-------------------------------|---------------------------|
| PROJECT NAME _ Owens-Illinois | TOP OF CASING ELEV. 17.11 |
| COUNTY_Alameda | CROUND SURFACE ELEV. |
| WELL PERMIT NO. | DATUM US Cost Geodetic |



EXPLORATORY BORING a. Total depth 30 ft. b. Diameter 8_in. Drilling method_ Hollowstem Auger WELL CONSTRUCTION c. Casing length 30 ft. Material Hollowstem Auger _ <u>2__in.</u> d. Diameter e. Depth to top perforations 10 ft. f. Perforated length 20 ft Perforated interval from 30 to 10 ft. Perforation type <u>Machine</u> Perforation size 0.010 g. Surface seal 1.5 ft. Seal material Cement/Christy box h. Backfill 5.5 ft. Backfill material <u>Cement</u> 1.0 ft. i. Seal Seal material Bentonite 22 ft. j. Gravel pack Pack material #4 Sand k. Bottom seal _ft. Seal material None Steel locking casing inside Christy box

BORING NO.: MW-3




PROJECT NAME: Owens-Illinois

DATE DRILLED: 9/12/86

| | | j | PROJECT NUMBER: 1467G | | | | tocc | י חיב | BY: EM | |
|-----------------------|------------|----------|--|--------------|--------------------------|---|------|--------|---------|--------------|
| - | , · | <u> </u> | EXPLORATORY BOR | RING | G LO | G | 2000 | ן עבונ | 51; ,ur | |
| Depth,ft | Sample No. | Symbol | | Unified Soll | Blows/foot 350 ft-1bs | | | | | |
| 0 - | | | 4" Asphalt 8" Base Silty Sand & Gravel fill with woo Clayey Fine Sand, Black, wet, petroleum odor, loose fill | 1 | 1 T | | | | | - |
| 5 | | | Silty CLAYS, Gray/Blue, moist, stiff | | 17 | | | | | |
| 10 | | 7 7 | | CL | 21 | | | | | |
| .5 | | | Silty SAND to Clayey Fine to Med-grained SANDS, Tan/Gray, wet, very firm | SMY | 29 | | - | | | • |
| 0 | | - | | | 23 | | | | | |
| - | | | Sandy CLAY, Brown, Moist, Stiff | СГ | | | | | • | - |
| | | 1 | Silty SANDS to Gravelly SANDS, Brown Fine to coarse grained | SM/ GP | 20 | | | | • | |
| | | F | Sottom of Boring = 31 feet | | 27 | | | | | |
| - | | | 7 | | | | | | | |
| - - - - - | | | | | - | | | | | |
| 7 | | | | | | | | | | ٠ |

| PROJECT NUMBER 1467G | BORING / WELL NO. MW-3 |
|-----------------------------|---------------------------|
| PROJECT NAME Owens-Illinois | TOP OF CASING ELEV. 15.46 |
| COUNTYAlamoda | GROUND SURFACE ELEV. |
| | DATUM_US Coast Geodetic |



b. Diameter 8 in. Drilling method Hollowstem Auger WELL CONSTRUCTION c. Casing length 30 ft. Material Sch 40 PVC d. Diameter 2 in. e. Depth to top perforations 10 ft. f. Perforated length 20 ft. Perforated interval from 30 to 10 ft.

Seal material Cement/Christy box

Perforation type <u>Machine</u> Perforation size <u>0.010</u>

Backfill material Cement

Pack material #4 Sand

Seal material None

Seal material ____Bentonite

Steel locking casing inside

31_ft.

1.5ft.

5.5ft.

1.0 ft.

__23_ft.

EXPLORATORY BORING

a. Total depth

g. Surface seal

j. Gravel pack

k. Bottom seal

christy box

h. Backfill

i. Seal



BORING NO.: MW-4


DATE DRILLED: 9/29/86

EXCELTECH

PROJECT NUMBER: 1467G

| | | | • | EXPLORATORY DOD | 4814 | | | , LC |)GGED | BY, BY | 1. | |
|--------------------|---------|-----------|----|--|--------------|--------------|-----------|--------------|--------------|----------------|----|----------|
| | نب | | 7 | EXPLORATORY BOR | INC | i L | <u>og</u> | | | | | |
| | Depth,f | Sample No | | | Unified Soil | Blows/foot | | | | | | |
| - | 0 - | 1 | - | Pavement Section | 120 | ' | ╅┈┈ | | | - | | |
| - | - | | | GRAVELLY SANDY SILT, yellow brown, 20% gravel, 30% sand 50% Silt may contain fil | ML | | | | | | | |
| | 5 | | | GRAVELLY SANDY CLAY, yellow brown, 15% gravel, 30% sand, 55% clay, moderately plastic, hard | СГ | 35 | | | | | | |
| | 10 | | • | -interbed of highly plastic clay -decreasing gravel and sand | | 3 | | | | | | |
| - | | | ₽Ĺ | -increasing gravel CLAYEY SANDY GRAVEL, yellow brown, 10% | GC | 69 | | | | | | |
| ا 1 | 15 | | | clay, 40% sand, 50% gravel, saturated very dense | | | | | : | | • | |
| - - 2 - - | 0 | | | GRAVELLY CLAY, brown, 10% sand, 15% gravel rootholes or barrows open and wet, moderately plastic, hard | СL | 29 | | : | | | | |
| - - - 2! | 5 | | | SANDY CLAYEY GRAVEL, Brown 10% sand, 15% clay, 75% gravel, wet, dense | GC . | 42 | | | | ٠ | | |
| - - | 1 1 | | | SANDY CLAY, yellow brown, 10% sand, moder- ate plasticity, damp, hard | | | | | | * | | |
| - . 30 | | | ┢ | becomes gravelly | | 34 | | | | | | |
| 35 | 1 | | E | ottom of Boring = 30 feet | | | | | | · | | |
| J | 7 7 7 | | | ₹ | | | | | | | | |
| | 1 | | | | | | | | | | | ļ. - |
| | - | | | | | | | | | | | |

| PROJECT NUMBER 1467G | BORING / WELL NO. MW-4 |
|-----------------------------|-----------------------------|
| PROJECT NAME Owens-Illinois | TOP OF CASING ELEV. 16.02 |
| COUNTY_Alameda | GROUND SURFACE ELEV |
| WELL PERMIT NO. 86265 | DATUM US Coast and Geodetic |



| | (PLORATORY BORING Total depth | 30_ft_ |
|----------------|---|----------------|
| | Diameter | 8 in. |
| | Orilling method Hollowstem Au | |
| | Dring method no notati At | iger |
| W | ELL CONSTRUCTION | |
| C. | Casing length | 28.5 ft. |
| | Material Sch 40 PVC | |
| d. | Diameter | in. |
| e. | Depth to top perforations | 8.5 ft. |
| f, | Perforated length | ft. |
| · | Perforated interval from 28.5 | o 8.5 ft |
| | Perforation type Machine | |
| | Perforation size 0.020 inc | hi |
| g. | Surface seal | 1.5 ft. |
| | Cart Coment (Charlet | |
| | Seal material <u>Cement/Christ</u> | y box |
| h. | Backfill | y box 5.0 ft. |
| h. | | |
| | Backfill | |
| | Backfill Backfill material <u>Cement</u> | <u>5.0</u> ft. |
| i. | Backfill Backfill material <u>Cement</u> Seal | <u>5.0</u> ft. |
| i. | Backfill Backfill material <u>Cement</u> Seal Seal material <u>Bentonite</u> | 5.0 ft. |
| i. j. | Backfill Backfill material <u>Cement</u> Seal Seal material <u>Bentonite</u> Gravel pack | 5.0 ft. |
| i. j. | Backfill Backfill material <u>Cement</u> Seal Seal material <u>Bentonite</u> Gravel pack Pack material <u>#4 Sand</u> | |
| i. j. | Backfill Backfill material <u>Cement</u> Seal Seal material <u>Bentonite</u> Gravel pack Pack material #4 Sand Bottom seal | ft. |
| i. j. k. | Backfill Backfill material Cement Seal Seal material Bentonite Gravel pack Pack material #4 Sand Bottom seal Seal material None | ft. |

EF

PROJECT NAME: Owens-Illinois

BORING NO.: MW-5


DATE DRILLED: 9/29/86

PROJECT NUMBER: 1467G

LOGGED BY: CMP

| r | _ | _ | , - | EXPLORATORY BOR | ING | LC |) G | | J1. 41 | |
|--------------------------|----------|------------|----------------|---|--------------------------------|-----------|-----|---|------------|--|
| | Depth,ft | Sample No. | Symbol | 1 | Unified Soil Classification | g ≅ | 7 | | | |
| . - | 0 - | | | SILTY CLAY, black moderate to high plasticity, damp, may contain fill | CI- | | | | | |
| - | 5 | | | SAND, gray, fine-grained, (50% fines, loose -minor gravel | SP | 6 | | | | |
| | 10 | | ľ | SANDY CLAY, gray, 40% sand, high plasticity, very moist, firm | CT | | | | | |
| <u> </u> | | | ▼. | CLAVEY CAND | | 6 5 | - | | | |
| F: | 15 | | | CLAYEY SAND, stained gray green, clay 40% odor and free product in soil, medium dense, rootholes and burrows | sc | 23 | • | | | |
| - 2 | | | ∀ | -becomes wet at 18.5 feet, free product -less clay | | 25 | | ÷ | | |
| - - 2: - | 5 | | | free product, very dense | GC/ | 55 | | | | |
| - - - 30 - - | | | 1 | CLAYEY SAND and SANDY CLAY INTERBEDDED, yellow brown, clayey sand, interbeds 0.5 to 1.0 inch thick, sandy clay beds 4.0" to 1 foot thick, rootholes or burrows, stiff, damp Bottom of Boring = 30 feet | CT CC | 13 | | | • | |
| .35 | | | | = 100 reet | | | | | | |
| • | 1-1-1- | | | | | | | | | |
| | 1 | | | | | | | | | |

| PROJECT NUMBER 1467G | BORING / WELL NO. MW-5 |
|-----------------------------|--|
| PROJECT NAME Owens-Illinois | TOP OF CASING ELEV. 16.19 |
| COLINITY Alamada | 5. 5. 5. 10. 13 |
| WELL PERMIT NO. 86265 | GROUND SURFACE ELEV DATUM _US Coast Geodetic |



| <u>E2</u> | KPLORATORY BORING | |
|-----------|----------------------------------|----------------|
| | Total depth | 30 ft. |
| b. | Diameter | 8 in. |
| | Drilling method Hollowstem | |
| | · | |
| <u>W</u> | ELL CONSTRUCTION | |
| c. | Casing length | 28.5ft |
| | Material Sch 40 PVC | |
| d. | Diameter | in_ |
| e. | Depth to top perforations | <u>8.5</u> ft. |
| f. | Perforated length | <u>20ft</u> . |
| , | Perforated interval from 28.5t | o 8.5 ft. |
| | Perforation type <u>Machine</u> | |
| | Perforation size 0.020 | |
| g. | Surface seal | 1.0 ft. |
| | Seal material <u>Cement/Chri</u> | sty box |
| h. | Backfill | <u>4.5</u> ft. |
| | Backfill material Cement | |
| i. | Seal | 2.0 ft. |
| | Seal material Bentonite | |
| j. | Gravel pack | ft. |
| | Pack material #4 Sand | |
| k. | | ft. |
| | Seal material None | |
| l. | Steel locking casing inside | } |
| | christy box | |

BORING NO.: MW-6


PROJECT NAME: Owens-Illinois

DATE DRILLED: 9/29/86 LOGGED BY: CMP

PROJECT NUMBER: 1467G EXPLORATORY BORING LOG

| I | • | 7 | 1 | LAPLURATURY BOR | | | JG | | | |
|--------------------------|--------------|------------|--|--|--------------------------------|--------------------------|----|---|---|--|
| | Depth,ft | Sample No. | | SOIL DESCRIPTION | Unified Soil Classification | Blors/foot 350 ft-1bs | | | | |
| | - 0 - | | | SANDY SILT FILL, contains rocks, concrete refuse, damp | ML | | | | | |
| F | 5 - 10 | | | SILTY CLAY, Black, moderate to high plasticity, damp SANDY SILTY CLAY, yellow brown, 10-15% fine sand, rootholes and burrows, faint bedding, moderate plasticity, stiff | 다 다 다 | 2 2 | | | | |
| | 15 | | ▼ | CLAYEY SAND to SANDY CLAY, stained brown, free product, 40-60% sand, rootholes in filled with plant matter | SZ-L | 19 | | | | |
| - 2 | 20 | , | abla | -becomes interbedded at 18.5, becomes wet at 19, product decreases with depth, becomes very sandy at 20 | | 72/11 | | : | | |
| - - - - | 5 | | | -clay interbed from 23.5 to 24, much free product | | 27 | | | , | |
| - - 3(- - - | | | $ begin{array}{c} beg$ | GRAVELLY CLAY, brown, 20-40% fine to medium gravel, bedded, nearly saturated to damp Bottom of Boring = 30' | | 31 | | | | |
| - 35 - - - | 1111 | | | • | | | | | | |
| | 11111 | | | | | . } | i | : | | |

| PROJECT NUMBER 1467G | BORING / WELL NO. MW-6 |
|-----------------------------|---------------------------|
| PROJECT NAME Owens-Illinois | TOP OF CASING ELEV. 17.48 |
| COUNTY_Alameda | GROUND SURFACE ELEV |
| WELL PERMIT NO. 86265 | DATUM_US Coast & Geodetic |



| <u>E)</u> | KPLORATORY BORING | |
|-----------|--------------------------------|--------------------|
| a. | Total depth | 30 ft. |
| Ь. | Diameter | 8_in. |
| | Drilling method Hollowstem A | |
| | | |
| <u>W</u> | ELL CONSTRUCTION | |
| C. | Casing length | 28.5 _{ft} |
| | Material Sch 40 PVC | |
| d. | Diameter | |
| e. | Depth to top perforations | 12.5ft |
| | Perforated length | <u>16</u> ft. |
| ì | Perforated interval from 28.5t | o_12.5ft |
| | Perforation type Machine | |
| | Perforation size0.020 | |
| g. | Surface seal | 1.5ft. |
| | Seal materialCement/Christ | y box |
| h. | Backfill | 9.5ft. |
| | Backfill material Cement | |
| i. | Seal | ft. |
| | Seal material Bentonite | · ···- |
| j. | Gravel pack | 17.5 ft. |
| | Pack material #4 Sand | |
| k. | Bottom seal | ft. |
| | Seal material None | |
| 1. | Steel locking casing inside | |
| | Christy box. | |

BORING NO.: MW-7

E

PROJECT NAME: Owens-Illinois

DATE DRILLED: 9/30/86

PROJECT NUMBER:


1467G

LOGGED BY: CMP

EXPLORATORY BORING LOG


| - 1 | | | | - COMMICAL BOR | 1110 | <u> </u> | <u> </u> | _ | | | | |
|----------------|---------------|------------|---|---|------------------------------|------------|----------|---|---|--------|---------|---|
| | Depth,ft. | Sample No. | | SOIL DESCRIPTION | hified Soll lassification | Blows/foot | | | | | | 1 |
| | 0 - | 1 | | CLAYEY SILT, dark yellowish brown, moder- ated plastic, hard, contains fill | ML | | | | | | <u></u> | |
| | 5 | | | | | 36 | | | | | | |
| F | 10 | | | SILTY CLAY, very dark brown to brown, 15% sand disseminated, moderately expansive contains rootholes, stiff | Р | | | | | | | |
| | 10 | | ▼ | · | | 12 | | | | | | |
| | 15 | | , | SAND and SILTY SAND, discolored to gray and blue gray, petroleum odor, 2-5% silt, rare gravel, dense, free product at 15' | SP- SM | 47 | | | | • | | |
| - - -2 | 20 | | ▽ | -becomes silty, weak petroleum odor gradational contact, becomes red brown wet | | | | | | - | | |
| - - - | | | | SILTY CLAY, brown 10% fine sand disseminated moderate plasticity, very stiff | CT | 13 | | : | , | | | |
| - - 2! - | 5 | + | | Bottom of Boring = 25 feet | | 17 | | | | • | | |
| - - - 30 |) - - | | | • | | | į | | | - - | | |
| - - | 1 | | | | | | | | | | | |
| .35 | | | | 7 | | | | | | - | | |
| /- | 1 | | | | | | | | | | | |
| • | 1 | | | | | | | | | | | |
| | 1 | | | | | | | | | | | |

| PROJECT NUMBER_ | 1467G | BORING / WELL NO. MW-7 |
|-----------------|----------------|---------------------------|
| PROJECT NAME | Owens-Illinois | TOP OF CASING ELEV. 16.11 |
| COUNTY | Alameda | GROUND SURFACE ELEV |
| WELL PERMIT NO | 86265 | DATUM_US Coast & Geodetic |



EXPLORATORY BORING a. Total depth b. Diameter Drilling method Hollowsten Auger WELL CONSTRUCTION c. Casing length 23.5 ft. Material ____Sch 40 PVC d. Diameter 2__jn, e. Depth to top perforations _12.5 ft. _<u>11</u>_ft. f. Perforated length Perforated interval from 23.5 to 12.5 ft. Perforation type <u>Machine</u> Perforation size 0,020 g. Surface seal 1.5ft. Seal material __Cement/Christy Box h. Backfill Backfill material Cement i. Seal 2.5 ft. Seal material __Bentonite 13_ft. j. Gravel pack Pack material #4 Sand k. Bottom seal ft. Seal material None . Steel locking casing inside

Christy box.






DATE DRILLED: 10/22/86

PROJECT NUMBER: 1467G EXPLORATORY BORING LOG

LOGGED BY: CMP

| _ | • | _ | | _ | EXPLORATORY BOR | ING | ì L(| OG. | | | | | | |
|----------------|----------|-----|------------|--------|---|--------------|--|-----|----------|---|--------------|---|---|---|
| | Depth,ft | | Sample No. | Symbo! | SOIL DESCRIPTION | Unified Soil | Blows/foot | | | | | | | |
| - | 0 - | 1 | + | _ | PAVEMENT SECTION | ī | | 1 | † | + | | | | 4 |
| - - - | 1 | | | | SILTY CLAY, black, moderate to high plast- icity, weak product odor, may contain fill moist | CL | | | <u> </u> | - | | | | |
| - - | 5 | | 1 | _ | strong product odor, fine sand 10% | | | | | | | | | l |
| <u> </u> | 1 4 1 | 8- | | - 1 | SILTY CLAY, gray, moderate to high plast- icity, product odor, plant infilled root holes, very stiff, moist | CT | 12 | | | | | | | |
| -10 | 0 | 3–2 | • | | · | | 31 | | | | | | | |
| -15 | ; [8] | 3–3 | | 14' | CLAYEY SAND, gray, sand 70%, clay 30% as natrix, massive, burrows and root holes, strong product odor, very moist, dense | sc | 34 | | | | | • | | |
| L | 1 | | ∇ | 1 | | | | | | | İ | | | |
| - - 20 - | 8 | 3–4 | / | 7 | AND to CLAYEY SAND, gray product stain to epth of 21', yellow brown below 21', sand 0% to 95%, clay disseminated, massive, edium dense, wet | SP- SC | 16 | | · · | | | • | | |
| - - 25 | - | -5 | | m | ILTY CLAY, yellow brown, fine to coarse and 5% moderate to high plasticity assive, stiff, damp | Ф | | | | | | | | |
| - | | | | vě | ANDY GRAVEL, yellow brown, fine to coarse and 25%, gravel 65%, clay matrix 10% ary dense, wet | G₩ | 80 | | | | | | • | |
| _ 30 _ _ | 8- | -6 | \ | 91 | LTY CLAY, yellow brown, fine sand 5% cavel 5%, moderate plasticity, massive cry stiff, damp | 머 | 18 | | | | | • | | |
| -35 . | 1 | | | | | | | | | | | • | | |
| | | | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | • | · | |
| - | | | | | | | | | | | | | | |

| PROJECT NUMBER 1467G | BORING / WELL NO. MW-8 |
|-----------------------------|----------------------------|
| PROJECT NAME Owens-Illinois | TOP OF CASING ELEV. 16.57' |
| COUNTYAlameda | GROUND SURFACE ELEV. |
| WELL PERMIT NO. 86279 | DATUM US Coast Geodetic |



| a. | (PLORATORY Total depth Diameter | BORING | 30 ft. 8 in. |
|----|---------------------------------------|---------------|------------------|
| | Drilling method | Hollowsten | n Auger |
| | ELL CONSTRU | <u>JCTION</u> | 20 5 . |
| C. | Casing length Material | Sch 40 PM | 28.5 ft. |
| d. | Diameter | DAI 40 PVC | in. |
| e. | Depth to top per | | 9_ft. |
| f. | Perforated length | | 13.5 ft. |
| ٠ | Perforated interva | • | to <u>15</u> ft. |
| | Perforation type_ | | |
| | Perforation size _ | 0.020 | · |
| g. | Surface seal | | ft. |
| | Seal material | Christy bo | x/cement |
| h. | Backfill | | 8.0 ft. |
| | Backfill material _ | Cement | |
| i. | Seal | | ft. |
| | Seal material | Bentonite | · |
| j. | Gravel pack | | <u>16</u> _ft. |
| | Pack material | #4 Sand | |
| k. | Bottom seal | | ft. |
| | Seal material | None- | |
| I. | Steel locking c | asing in | |
| | Christy box. | | |

BORING NO.: (B-4)





PROJECT NAME: Owens-Illinois


PROJECT NUMBER: 1467G

LOGGED BY: BM

EXPLORATORY BORING LOG

| | • | 7 | 7 | | | LIAC | | J G | | |
|--------------------|-----------|-----------|------------------|--------|--|--------------------------------|--------------------------|--------------|--------------|--|
| | Depth,ft. | Samolo vo | יישולונים אסייים | Symbol | SOIL DESCRIPTION | Unified Soil Classification | Blows/foot 350 ft-lbs | TVH mq/kq | Oil & Grease | Comment |
| | 0 - | 4-1 | | | SILTY SANDY CLAY, blue-gray, 25-30% sand very strong fuel odor, stiff | CL | 14 | | | Comments Well MW-9 installed in Boring B-4 |
| 1-1-1-1 | 5 | 4-2 | | | | | 12 | 640 | 210 | |
| -1 - - | 0 | 43 | | | SILTY SAND, blue gray, medium grained strong product odor, medium dense, moist | SM | 23 | | | |
| -1: -1: | 5 | 4-4 | | | • | | 11 | 8.8 | 30 | |
| - - 20 - | ٥ | 4–5 | | - | SANDY CLAY, brown, 20-25% sand, strong fuel odor, very stiff, wet | СĽ | 21 | | : | |
| - - 25 - | 4 | l-6 | | E | Bottom of Boring = 25.5 feet | | 20 | | | |
| - - 30 - | | | | | ; | | | | | |
| - - -35 - | 1 1 1 | | | | • | | | | | |
| | | | | | | | | : | | |
| | 1 | | | | | | | · | | |

| PROJECT NUMBER 1467G | BORING / WELL NO. MW-9 | | | | | | | |
|-----------------------------|-----------------------------|--|--|--|--|--|--|--|
| PROJECT NAME Owens-Illinois | TOP OF CASING ELEV. | | | | | | | |
| COUNTYAlameda | GROUND SURFACE ELEV. 7.33 | | | | | | | |
| WELL PERMIT NO. 86279 | DATUM U.S. Coast & Geodetic | | | | | | | |



| | AFLORATORT BORING | |
|----------|---|---------------------------------------|
| a. | Total depth | 16ft. |
| b. | Diameter | <u>8in.</u> |
| | Drilling method Hollowstem | Auger |
| | • | |
| <u>W</u> | ELL CONSTRUCTION | |
| c. | Casing length | 20ft. |
| | Material Sch 40 PVC | |
| d. | Diameter | in. |
| e. | Depth to top perforations | ft. |
| f. | Perforated length | ft. |
| ï | Perforated interval from 15 | to <u>5</u> ft. |
| | Perforation typeMachine | · · · · · · · · · · · · · · · · · · · |
| | Perforation size 0.020 | · |
| g. | Surface seal | ft. |
| | Seal material None - Ramp t | <u>o be buil</u> t |
| h. | Backfill | ft. |
| | Backfill material Cement | |
| i. | Seaf | 2.0_ft. |
| | Seal material Bentonite | |
| j. | Gravel pack | 11.5_ft. |
| | Pack material #4 Sand | |
| k. | Bottom seal | ft, |
| | Seal material None | · · · · · · · · · · · · · · · · · · · |
| ı. | Sluff to 15' deep | • |
| | | |
| | Note leave 3' PVC standing | out of |
| | Note leave 3' PVC standing hole. Well installed in borehole | |



BORING NO.: MW-10


DATE DRILLED: 10/22/86

PROJECT NUMBER: 1467G EXPLORATORY BORING LOG

LOGGED BY: CMP

| ſ | • | ~ | 7 | | CALCOUNTORY BOR | ING | ı L(| JG | | | | |
|----------------|-----------|-----------|------------|--------|---|--------------------------------|--------------|----------------|--|--------------|-----|---|
| | Depth,ft. | Sample av | Sample NO. | Symbol | | Unified Soil Classification | # # | T - | | | | |
| L | . 0 . | | | | PAVEMENT SECTION | 120 | | | | | | |
| - - - | | 10- | | - 4 | SILTY CLAY, black, gravel 5% disseminated, moderate to high plasticity, may contain fill, very stiff, damp | CL | 19 | | | | | |
| F | 5 - | | | | SILTY CLAY, greenish gray, very fine sand 5% massive, weak product odor, very stiff | СĽ | | | | | | |
| <u> </u> | 10 | 10- 2 | V | , | -fine sand 15%, burrows | | 7 | | | | | |
| F | | 10- | | Ł | nearly saturated | | | | | | | |
| | L5 | 3 | V | n b | LAYEY SAND, yellow brown with green gray stains, fine-medium sand 70%, clay 30% as matrix contains thin clay lenses, vertical currows, weak product odor, medium dense, yields water slowly | sc | 15 | • | | · | | |
| - 2 - | 20 | 10- 4 | | ト | less clay from 16' to 18.5' increasing clay 19' to 20' | | 10 | , | | | - | |
| - - - 2! | 5 | ıg- | - | f. | ILTY CLAY, yellow brown with gray mottles, ine sand 10% disseminated, root holes inilled with plant fragments, moderate lasticity, stiff, locally wet root holes, ver-all damp | | 11 | | | | | |
| - | 1 | | ; | В | ottom of Boring = 25 feet | | | | | | • . | |
| - 3(- | , , , , | | | | | | | | | | • | |
| _ 35 | 1111 | | | | • | | | | | | | |
| - 12 | 111 | | | | | | | | | | A. | |
| - | | | | | | | | | | | | |
| | | | | | | | | | | | | _ |

| PROJECT NUMBER 1467G | BORING / WELL NO. MW-10 |
|----------------------------|-----------------------------|
| PROJECT NAMEOwens-Illinois | TOP OF CASING ELEV. 15.96 |
| COUNTYAlameda | GROUND SURFACE ELEV. |
| WELL PERMIT NO. 86279 | DATUM US Coast and Geodetic |



DATE: 7/15/86

LOG NO.: 3838

CUSTOMER: Exceltech Inc.

REQUESTER: Brad McCardell

PROJECT: No. 1467, Owens

| | Sample Type: Water | | | |
|-----------------------------------|--------------------|------------|------------------|----------|
| Constituent | <u>Units</u> | <u>B-1</u> | B-2 | Open Pit |
| Chlorinated Volatile | | | | |
| Organics (EPA 601): | 12 | | | |
| Bromodichloromethane Bromoform | mg/l | | 0.0036 | |
| Carbon tetrachloride | mg/l | | 0.011 | 0.00049 |
| Chlorobenzene | mg/l mg/l | | 0.0012 0.0044 | 0 00000 |
| Chloroethane | mg/l | 0.0012 | 0,0044 | 0.00020 |
| Chloroform | mg/l | 0.0012 | | 0.00011 |
| 2-Chloroethyl vinyl | mg/ 1 | | | 0.00011 |
| ether | mg/1 | | 0.0020 | |
| Chloromethane | mg/i | 0.011 | 0.0020 | |
| 1,2-Dichlorobenzene | mg/1 | 3,022 | 0.00068 | 0.0010 |
| 1,3-Dichlorobenzene | mg/l | | 0.0072 | 0.00092 |
| 1,4-Dichlorobenzene | mg/l | | 0.00056 | · |
| 1,1-Dichloroethane | mg/l | 0,0010 | : | |
| 1,1-Dichloroethylene | mg/l | 0.00043 | | |
| Dichloromethane | mg/l | 0.0029 | 0.00026 | 0.00061 |
| 1,3-Dichloropropylenes | mg/l | | 0.0012 | |
| 1,1,2,2-Tetrachloro- | | | | |
| ethane and tetra- | 4= | | | |
| chloroethylene | mg/l | | 0.0019 | 0.00014 |
| All others | ∴ mg/l | <0.0001 | <0.0001 | <0.0001 |
| Aromatic Volatile | | | | |
| Organics (EPA 602): | | | | |
| Benzene | mg/l | 1.8 | 3.1 | 0.14 |
| Ethyl benzene | mg/1 | 2.6 | 0.55 | 0.070 |
| Toluene | mg/l | 2.0 | 0.76 | 0.14 |
| Xylenes | mg/1 | 5.6 | 0.32 | 0.13 |
| All others | mg/1 | 40.02 | <0.02 | <0.02 |
| | • | | • | , • |
| Volatile hydrocarbons | mg/l | 75 | 11 | 1.5 |
| Oil and grease | ma / 1 | 60 | 00 | 42 |
| ori and grease | mg/l | 60 | 90 | 43 |

DATE: 7/15/86 LOG NO.: 3838 PAGE: Two

| | | Sample 1 | ype: Soil | |
|--|--|--|---------------------------------------|--|
| Constituent | <u>Units</u> | <u>B 1-1</u> | B 1-2 | B 1-3 |
| Chlorinated Volatile Organics (EPA 8010): Chloroform 1,2-Dichlorobenzene 1,4-Dichlorobenzene Dichloromethane 1,2-Dichloropropane Tetrachlorethylene All others | mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg | 0.026 0.053 <0.01 | <0.01 | 0.096 0.082 0.058 0.050 0.025 <0.01 |
| Aromatic Volatile Organics (EPA 8020): Benzene Toluene Xylenes All others Volatile hydrocarbons Oil and grease | mg/kg mg/kg mg/kg mg/kg mg/kg | 2.2 0.85 2.7 <0.1 830 | 2.2 14 30 <0.1 20 | 5.3 4.4 1.1 <0.1 380 20 |
| 3, 222 | 37 N.3 | 470 | 40 | 20 |
| | | Sample T | · · · · · · · · · · · · · · · · · · · | |
| Constituent | <u>Units</u> | <u>B 2-1</u> | B 2-2 | B 2-3 |
| Chlorinated Volatile Organics (EPA 8010): Chlorobenzene Chloroethane Chloroform 1,4-Dichlorobenzene Dichloromethane All Others | mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg | 0.023 0.015 0.040 0.026 0.052 <0.01 | 0,023 0,033 <0,01 | <0.01 |
| Aromatic Volatile Organics (EPA 8020): Benzene Toluene Xylenes All others | mg/kg mg/kg mg/kg mg/kg | 3.4 6.1 11 <0.1 | 1.7 2.8 2.1 <0.1 | 2.6 6.9 1.6 <0.1 |
| Volatile hydrocarbons | mg/kg | 1500 | 1700 | 160 |
| Oil and grease | mg/kg | 3600 | 30 | <10 |

For Eaboratory Director

DATE: 7/15/86

LOG NO.: 3833

CUSTOMER: Exceltech Inc.

REQUESTER: Mike Hansen

PROJECT: #1467, Owens

| | Sample Type: | Soil |
|--|--------------|---------------|
| Constituent | <u>Units</u> | #1 |
| Volatile Aromatic Organics (EPA 8020): | | |
| Benzene | mg/kg | 470 |
| Toluene : | mg/kg | 720 |
| Xylenes (Dimethyl benzenes) | mg/kg | 460 |
| All Others | mg/kg | < 1 |
| Chlorinated Volatile Organics (EPA 8010): | į | |
| Chloroethane | mg/kg | 0.88 |
| Trichloroethylene | mg/kg | 0.024 |
| All Others | mg/kg | ₹0.01 |
| Total Volatile Hydrocarbons | mg/kg | 5600 |
| Oil and Grease | mg/kg | 2600 |

S. C. Furman, Ph.D. Laboratory Director

DATE: 7/21/86

LOG NO.: 3858

CUSTOMER: Exceltech Inc.

REQUESTER: Mike Hansen

PROJECT: No 1467, Owens

| Sample Type | Sample | PCB Concentration | Aroclor |
|-------------|--------|----------------------|---------|
| <u>0il</u> | | mg/kg | |
| | B-1 | 9.1 | 1260 |

S. C. Furman, Ph.D. Laboratory Director

TIVIA Thermo Analytical Inc.

TMA/ERG

1400 West 53rd Street

Suite 460

Emeryville, CA 94608-2946

(415) 652-2300

July 23, 1986

Exceltech 41628 Christy St. Fremont, CA 94538

Attention: Mike Hansen

Report #8180

P.O. #3899

Project Name: Owens Project #1467.

Subject: Two (2) oil-water samples submitted for rush PCB analysis on July 21, 1986.

Procedure: The oil layer of the sample is analyzed for PCB by following EPA Method 600/4-81-045. The samples are diluted directly with hexane and cleaned up with a sulfuric acid treatment priorito injection into a gas chromatograph equipped with a Ni63 electron capture detector. Quantitation is performed against standards made from known concentrations of Aroclors. The limit of detection for this method of analysis is one part per million (mg/L).

Results: The results are shown in the table below:

ERG #

CLIENT ID

PCB CONCENTRATION (mg/L)

8180-1

Boring 1

8.5

8180-2

Boring 2

ND(1)

ND = None detected. The limit of detection is in ().

Submitted by:

Robert B. Flay

Bolux B.

Manager, Organics Department

RBF:sml

DATE: 7/23/86

LOG NO.: 3869

CUSTOMER: Exceltech Inc.

REQUESTER: Mike Hansen

PROJECT: No. 1467, Owens Illinois

| Sample Type | Sample | PCB Concentration | Aroclor |
|-------------|--------|----------------------|---------|
| <u>0il</u> | | mg/kg | |
| | B-1 | 60 | 1260 |
| | B-2 | 23 | 1260 |

S. C. Furman, Ph.D. Laboratory Director

DATE: 8/4/86

LOG NO.: 3865

CUSTOMER: Exceltech, Inc.

REQUESTER: Mike Hansen

PROJECT: No. 1467, Owens Illinois

| Sample Type | Sample | Volatile <u>Hydrocarbons</u> | 0il & Grease | <u>Benzene</u> | <u>Toluene</u> | Xylene | Total PCB's |
|----------------|---|--|--|-----------------|------------------|------------|-----------------------|
| Soil | | <u>mg/kg</u> | mg/kg | | | | mg/kg |
| | B3-1 B3-2 B3-3 B3-4 B4-2 B4-4 B4-5 B5-1 B5-2 B5-3 R-1 | 1,800 1,600 18,000 1,300 640 2.8 21 1,400 1,200 930 22,000 | 1,100 440 8,700 1,100 210 30 30 990 1,800 210 20,000 3,000 840 | | · | | 2.0 (Aroclor 1260) |
| | R-4 R-5 | 510 2,800 | 20,000 56,000 | | | | |
| <u>Water</u> | • | <u>mg/1</u> | <u>mg/1</u> | mg/l | mg/1 | mg/1 | |
| | B-3 B-4 | 14 26 | 150 14 | 0.64 <0.0005 | <0.0005 0.079 | 1.0 1.3 | |

S. C. Furman, Ph.D. Laboratory Director

SCF:les

DATE: 9/03/86

LOG NO.: 3955

DATE SAMPLED: 8/19/86

DATE RECEIVED: 8/19/86

CUSTOMER: Exceltech Inc.

REQUESTER: Mike Hansen

PROJECT: No. 1467, Owens Illinois

| | | Sample Type: 0il | | |
|--------------------------|----|------------------|---------------------|--|
| Constituent | | Units | 16,000 gal. tank | |
| Flash point | .• | °F | >192 | |
| Chlorinated Hydrocarbons | | mg/l | ⟨0.0002 | |
| PCB | | mg/kg | < 1 | |

S. C. Furman, Ph.D. Laboratory Director

DATE: 8/15/86

LOG NO.: 3865

CUSTOMER: Exceltech Inc.

REQUESTER: Mike Hansen

PROJECT:

reformate No. 1467, Owen's Illinois

| Sample Type | <u>Sample</u> | Benzene | Toluene | Xylene |
|-------------|---|--|--|--|
| <u>Soil</u> | | mg/kg | mg/kg | mg/kg |
| | B3-1 B3-2 B3-3 B3-4 B4-2 B4-4 B4-5 B5-1 B5-2 B5-3 R-1 R-2 R-3 R-4 R-5 | 30 2.9 160 44 5.7 0.042 0.41 48 6.7 * 310 5.3 1.4 5.2 71 | 57 3.7 160 61 21 0.53 0.84 72 83 30 1,000 28 27 120 | 15 23 130 140 62 1.4 3.5 120 200 100 1,500 110 67 70 310 |

Not calculable

The Benzene, Toluene and Xylene calculations are based on FID detector only. The FID gives a response to all the hydrocarbons eluted from the GC column including aromatics. The results of the B.T.X. might be higher than the real value due to the response of other hydrocarbons which are eluted at the same times as the B.T.X.

> Furman, Ph.D. Laboratory Director

DATE: 8/14/86 LOG NO: 3882 and 3888 Page Two

| | | Sa | mple T | ype: Water | | | |
|--|-------------------------|------------------------------|------------|---------------------------|-----------|--------------|------------------------------|
| Constituent | <u>Units</u> | <u>6</u> | <u>7</u> | <u>8</u> | 9 | 10 | 11 |
| 1,1,2,2 - Tetra chloro ethane and 1,1,1,2 - Tetrachloroethane Trichloroethylene All Others | mg/l mg/l mg/l | | | <0.001 0.030 <0.001 | | | <pre>0.001 0.014 0.001</pre> |
| | | 12 | <u>13</u> | <u>14</u> | | | • |
| Volatile Hydrocarbons Oil and Grease Halogenated Volatile Organics (EPA 8010): Trans-1,2-Dichloro- | mg/l mg/l | 9.1 130 | 28 100 | 0.52 25 | | | |
| ethylene 1,1,2,2 - Tetra chloro- ethane and 1,1,1,2 - | mg/1 | | | 0.0020 | | | |
| Tetrachloroethane Trichloroethylene All Others | mg/l mg/l mg/l | | | 0.021 0.010 < 0.001 | | | |
| | - | | Sample | Type: 0il | | | |
| Constituent | <u>Units</u> | <u>15</u> | : <u>1</u> | Oil from 6,000 Gallon | : Tank | Sump | |
| Volatile Hydrocarbons Oil and Grease Halogenated Volatile Organics (EPA 8010): | mg/kg mg/kg | 13,000 400,000 | | 420,000 | | | |
| 1,1-Dichlorethane 1,1-Dichloroethylene 1,1,2,2-Tetrachloro- ethane and 1,1,1,2- | mg/kg mg/kg | 2 0. | 2 013 | | | | |
| Tetrachloroethane Trichloroethylene All Others PCB's | mg/kg mg/kg mg/kg | 0.0 0.9 < 0.0 < 1.0 | 01 | | | (1. 0 | |
| Extractable Hydro- carbons | mg/kg | | | | | 95,000 | |

S. C. Furman, Ph.D. Laboratory Director

DATE: 8/14/86

LOG NO.: 3882 and 3888

CUSTOMER:

Exceltech, Inc.

REQUESTER:

Mike Hansen

PROJECT:

No. 1467, Owens Illinois

| | Sample Type: Soil | | | | | | |
|--|-------------------|--------------|--------------|-----------------|----------------|---------------------------|-------------------|
| Constituent | Units | <u>6-1</u> | <u>6-3</u> | <u>6-5</u> | <u>7-2</u> | <u>7-4</u> | <u>7-6</u> |
| Volatile Hydrocarbons Oil and Grease | mg/kg mg/kg | 12 15,000 | 49 1,400 | 180 710 | 18 100 | 20,000 1 8, 000 | 39 90 |
| | | 8-2 | 8-4 | <u>8-6</u> | 9-1 | <u>9-3</u> | 9-4 |
| Volatile Hydrocarbons Oil and Grease | mg/kg mg/kg | 690 1,400 | 540 1,800 | 3,900 5,800 | 1,600 2,300 | 400 380 | 310 770 |
| | | <u>10-3</u> | <u>10-6</u> | <u>11-3</u> | <u>11-4</u> | <u>11-6</u> | <u>12-2</u> |
| Volatile Hydrocarbons Oil and Grease | mg∕kg mg/kg | 110 570 | 3.2 60 | 2 1,700 250 | 167 350 | 8.3 30 | 130 360 |
| | | 12-4 | <u>12-5</u> | <u>13-3</u> | <u>13-6</u> | <u>14-2</u> | <u>14-4</u> |
| Volatile Hydrocarbons Oil and Grease | mg/kg mg/kg | 130 310 | 0.2 90 | 2,100 | 47 210 | 180 200 | 110 20 |
| | | <u>14-6</u> | <u>15-1</u> | <u>15-3</u> | <u>15-4</u> | <u>15-5</u> | <u>15-6</u> |
| Volatile Hydrocarbons Oil and Grease PCB's: | mg/kg mg/kg | 63 320 | 51 390 | 2,300 13,000 | 250 1,300 | 4,200 11,000 | 40 90 |
| Aroclor 1242 All Others | mg/kg mg/kg | | | 1.7 <1 | | | 2.3 〈 1 |
| | | | Sample T | ype: Wate | er | | |
| Constituent | <u>Units</u> | <u>6</u> | <u>7</u> | <u>8</u> | <u>9</u> | <u>10</u> | <u>11</u> |
| Volatile Hydrocarbons Oil and Grease Halogenated Volatile Organics (EPA 8010): Trans-1,2-Dichloro- | mg/l mg/l | 73 7,200 | 1.7 2,700 | 9.8 320 | 26 35 | 150 40 | 86 46 |
| ethylene | mg/l | | | 0.1 | .2 | | 0.00 |

DATE: 10/6/86

LOG NO.: 4032

DATE SAMPLED: 9/12/86

DATE RECEIVED: 9/17/86

CUSTOMER: Exceltech Inc.

REQUESTER: Brad McCardell

PROJECT: No. 1467, Owen's Illinois

| Sample Type | <u>Sample</u> | Volatile Hydrocarbons | <u>Benzene</u> | <u>Toluene</u> | <u>Xylene</u> | Oil and Grease |
|----------------|---------------|--------------------------|----------------|----------------|---------------|-------------------|
| <u>Soil</u> | | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg |
| | MW1-1 | 3:6 | ⟨0.5 | 40.5 | ₹0.5 | 460 |
| | MW1-2 | 4.3 | ⟨0.1 | く0.1 | ۷0.1 | 100 |
| | MW1-3 | 2000 | ⟨1.0 | 12 | 60 | 4500 |
| | MW1-4 | 18 | ر0.5 | 人0.5 | <u> </u> | 90 |
| | MW1-5 | 8.1 | (0.1 | ۷0.1 | 40.1 | 130 |
| | MW1-6 | 5.1 | ۷0.1 | ⟨0.1 | ۷۵.1 | 100 |
| | MW2-1 | 7.3 | ۷٥.١ | (0.1 | ۷0.1 | 50000 |
| | MW2-2 | 33 | ⟨0.1 | 0.12 | 0.80 | 140 |
| | MW2-3 | 41 | ίο.1 | 1.0 | 0.51 | 70 |
| | MW2-4 | 110 | ₹0.1 | ረዐ.1 | 1.4 | 9600 |
| | MW2-5 | 31 | く0.1 | ₹0.1 | ζ0.1 | 90 |
| | MW2-6 | 66 | ۷٥.1 | 40.1 | ₹0.1 | 80 |
| | MW3-1 | 18 | رُ0.1 | ۷۵.1 | ۷٥.1 | 130 |
| | MW3-2 | 10 | L 0.5 | ۷٥.5 | ۷۵.5 | 110 |
| | MW3-3 | 24 | ₹0.5 | (0.5 | (0.5 | 70 |
| | MW3-4 | 19 | (0.1 | ζ0.1 | (0.1 | 100 |
| | MW3-5 | 9.3 | ` {0.5 | ۷0.5 | ⟨0.5 | 40 |
| | MW3-6 | 17 | (0.5 | ۷0.5 | (0.5 | 90 |

Susan R. Setzer

Assistant Laboratory Director

DATE: 10/10/86

LOG NO.: 4058

DATE SAMPLED: 9/23/86

DATE RECEIVED: 9/23/86

CUSTOMER: Exceltech Inc.

REQUESTER: Brad McCardell

PROJECT: No. 1467G, Owens Illinois

| Sample Type | Sample | Volatile Hydrocarbons | Benzene | Toluene | <u>Xylene</u> | Oil and <u>Grease</u> |
|----------------|--------|--------------------------|---------|-------------|---------------|--------------------------|
| Water | | <u>mg/l</u> | mg/1 | <u>mg/1</u> | <u>mg/1</u> | <u>mg/l</u> |
| | MW1 | (0.01 | <0.01 | 40.01 | (0.01 | 25 |
| | MW3 | ₹0.01 | ۷.01 | ∠ .01 | ۷.01 | 18 |

Susan R. Setzer / Assistant Laboratory Director

SRS:mln

DATE: 10/20/86

LOG NO.: 4079

DATE SAMPLED: 9/29/86

DATE RECEIVED: 10/1/86

CUSTOMER: Exceltech Inc.

REQUESTER: Chris Palmer

PROJECT: No. 1467-G

| Sample Type | Sample | Volatile <u>Hydrocarbons</u> | Benzene | Toluene | Xylene | Extractable Hydrocarbons |
|----------------|--------|---------------------------------|--------------|--------------|--------------|-----------------------------|
| <u>Soil</u> | | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg |
| | MW4-1 | ₹ 2.0 | ⟨ 0.1 | (0.1 | <0.1 | ₹0.08 |
| | MW4-2 | ⟨ 2.0 | 〈 0.1 | (0.1 | <0.1 | ∢ 0.08 |
| | MW4-3 | <2.0 | <0.1 | ∢ 0.1 | <0.1 | ₹ 0.08 |
| | MW5-2 | (2.0 | <.0.1 | <0.1 | ζ0.1 | ∢ 0.08 |
| | MW5-3 | 110 | (0.1 | < 0.1 | <0.1 | <0.08 |
| | MW5-4 | ⟨ 2.0 | <0.1 | <0.1 | ⟨ 0.1 | 〈 0.08 |
| | MW6-2 | 〈 2.0 | < 0.1 | <0.1 | <0.1 | ₹ 0.08 |
| | MW6-3 | 〈 2.0 | ⟨ 0.1 | <0.1 | <0.1 | 5.2 |
| | MW6-4 | (2.0 | <0.1 | 40.1 | <0.1 | ₹ 0.08 |
| | MW7-1 | ₹2.0 | ⟨ 0.1 | ረ 0.1 | <0.1 | ∢ 0.08 |
| | MW7-2 | (6.0 | ⟨ 0.1 | <0.1 | <0.1 | ₹0.08 |
| | MW7-3 | 120 | <0.1 | ₹0.1 | 0.45 | . 11 |

Susan R. Setzer

Assistant Laboratory Oirector

DATE: 10/22/86

LOG NO.: 4096

DATE SAMPLED: 10/3/86

DATE RECEIVED: 10/7/86

CUSTOMER: Exceltech Inc.

REQUESTER: Chris Palmer

PROJECT: No. 1467G, Owens Illinois

| Sample Type | Sample | Volatile <u>Hydrocarbons</u> | <u>Benzene</u> | <u>Toluene</u> | <u>Xylene</u> | Oil and Grease |
|----------------|--------|---------------------------------|----------------|----------------|----------------|-------------------|
| Water | | . mg/1 | <u>mg/1</u> | <u>mg/1</u> | <u>mg/1</u> | <u>mg/l</u> |
| | - MW-4 | 0.02 | ₹ 0.005 | ⟨0.005 | ⟨0.005 | 7.2 |
| | MW-5 | 1.4 | < 0.005 | ₹0.005 | 0.0066 | 24 |
| | MW-7 | 0.26 | ⟨ 0.005 | ₹0.005 | ₹ 0.005 | 8.0 |

Susan R. Setzer

Assistant Laboratory Director