Sent 12/13/99 Including cc's

ALAMEDA COUNTY HEALTH CARE SERVICES

S AGENCY

DAVID J. KEARS, Agency Director

ENVIRONMENTAL HEALTH SERVICES

ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway Alameda, CA 94502-6577 (510) 567-6700 (510) 337-9432

REMEDIAL ACTION COMPLETION CERTIFICATION

StID 4048 - 2850 Poplar Street, Oakland, CA (1-10K gallon gasoline and 1-5K gallon diesel tanks removed on July 23, 1992)

December 8, 1999

Mr. Robert Linford Linford Air and Refrigeration 2850 Poplar Street Oakland, CA 94608

Dear Mr. Linford:

This letter confirms the completion of site investigation and remedial action for the underground storage tanks formerly located at the above-described location. Thank you for your cooperation throughout this investigation. Your willingness and promptness in responding to our inquiries concerning the former underground storage tanks are greatly appreciated.

Based on information in the above-referenced file and with the provision that the information provided to this agency was accurate and representative of site conditions, no further action related to the underground tank release is required.

This notice is issued pursuant to a regulation contained in Title 23, Section 2721(e) of the California Code of Regulations.

Please contact our office if you have any questions regarding this matter.

Sincerely,

Mee Ling Tung, Director

cc: Ariu Levi, Chief of Division of Environmental Protection Chuck Headlee, RWQCB Dave Deaner, SWRCB Leroy Griffin, OFD

files (linford-3)

Sent 12/13/99 Including ccs

ALAMEDA COUNTY HEALTH CARE SERVICES

AGENCY





റവറോ

ENVIRONMENTAL HEALTH SERVICES ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway Alameda, CA 94502-6577 (510) 567-6700 (510) 337-9432

StID 4048

December 8, 1999

Mr. Robert Linford Linford Air and Refrigeration 2850 Poplar Street Oakland, CA 94608

Re: Fuel Leak Site Case Closure for 2850 Poplar Street, Oakland, CA

Dear Mr. Linford:

This letter transmits the enclosed underground storage tank (UST) case closure letter in accordance with Chapter 6.75 (Article 4, Section 25299.37[h]). The State Water Resources Control Board adopted this letter on February 20, 1997. As of March 1, 1997, the Alameda County Environmental Protection Division is required to use this case closure letter for all UST leak sites. We are also transmitting to you the enclosed case closure summary. These documents confirm the completion of the investigation and cleanup of the reported release at the subject site. The subject fuel leak case is closed.

SITE INVESTIGATION AND CLEANUP SUMMARY

Please be advised that the following conditions exist at the site:

- up to 2,000ppm TPH as gasoline and 2.6ppm benzene exist in soil beneath the site;
- up to 6,000ppb TPHg, 1,800ppb TPHd, and 1,100ppb benzene exist in groundwater beneath the site; and,
- a site safety plan must be prepared for construction workers in the event of excavation/trenching is proposed in the vicinity of residual soil and groundwater contamination.

If you have any questions, please contact me at (510) 567-6762.

eva chu

Hazardous Materials Specialist

enlosures:

- 1. Case Closure Letter
- 2. Case Closure Summary
- c: Joan Curtis, City of Oakland, CEDA, 250 Frank H Ogawa Plaza, 2nd Floor, Oakland, CA 94612 files (linford-4)

CASE CLOSURE SUMMARY Leaking Underground Fuel Storage Tank Program

AGENCY INFORMATION

Date: August 24, 1999

Agency name: Alameda County-HazMat

Address: 1131 Harbor Bay Pkwy

City/State/Zip: Alameda, CA 94502 Responsible staff person: Eva Chu

Phone: (510) 567-6700 Title: Hazardous Materials Spec.

II. CASE INFORMATION

Site facility name: Linford Air and Refrigeration

Site facility address: 2850 Poplar Street, Oakland, CA 94608

RB LUSTIS Case No: N/A

Local Case No./LOP Case No.: 4048

URF filing date: 7/28/92 SWEEPS No: N/A

Responsible Parties:

Addresses:

Phone Numbers:

Robert Linford

2850 Poplar Street

510/834-2430

Linford Air and Refrigeration

Oakland, CA 94608

Tank Size in No: gal.:		Contents:	Closed in-place or removed?:	<u>Date:</u>		
1 2	5,000 10,000	Diesel Gasoline	Removed	7/23/92		

III. RELEASE AND SITE CHARACTERIZATION INFORMATION

Cause and type of release: Leaking UST Site characterization complete? YES

Date approved by oversight agency: 5/6/99

Monitoring Wells installed?

Yes

Number: 5

Yes, 10' to 20' bgs in MW-2 and 12' to 22'bgs in MW-1. Groundwater Proper screened interval?

appears to be under semi-confined conditions.

Highest GW depth below ground surface: 4.01'

Lowest depth: 7.70' in MW-2

Flow direction: Predominantly to south and southwest Most sensitive current use: Commercial/Residential

Are drinking water wells affected?

No Aquifer name: Unknown

Is surface water affected? No

Nearest affected SW name: NA

Off-site beneficial use impacts (addresses/locations): None

Report(s) on file? YES Where is report(s) filed? Alameda County

1131 Harbor Bay Pkwy and

Oakland Fire Dept 505 14th St. Ste 510

Alameda, CA 94502

Oakland, CA 94612

Ö

Page 1 of 4

Treatment and Disposal of Affected Material:

<u>Material</u>	<u>Amount</u>	Action (Treatment	<u>Date</u>
	(include units)	or Disposal w/destination)	
Tank	2 USTs	Disposed by Erickson, in Richmond, CA	7/23/92
Soil	100 tons	Recycled at Reed & Graham in San Jose, CA	9/4/92
Groundwater/	1450 gallons	Recycled at Demenno Kerdoon in Compton, CA	7/1992
Free Product			

Maximum Docum	ented Contaminant Con	centrations Bef	ore and After Cle	eanup
Contaminant	Soil (pr	om)	Water	(ppb)
	Before ¹	After ²	Before ³	After⁴
TPH (Gas)		2,000	60,000	6,000
TPH (Diesel)		88	3,900	1,800
Benzene		2.6	8,000	1,100
Toluene		5.8	18,000	1,000
Ethylbenzene		3.4	2,000	140
Xylenes		18	13,000	1,300
MTBE		NA	NA	<5
Other HV0	OCs	NA	NA	SEE NOTE !

- NOTE: 1 soil samples were not collected on the day USTs were removed, 7/92
 - soil samples collected from the gasoline pit and from the diesel pit after limited overexcavation, 8/92
 - 3 maximum historical groundwater concentrations detedted in well MW-2 (free product was initially observed on groundwater in the excavations).

5

- 4 most recent groundwater sampling event in well MW-2, 12/98
- HVOCs, likely from an offsite source, were detected in MW-3 at 1,100ppb TCE, 18ppb cis-1,2-DCE, and 5.6ppb 1,1,2-TCA, 8/98

IV. CLOSURE

Does completed corrective action protect existing beneficial uses per the
Regional Board Basin Plan?
Does completed corrective action protect potential beneficial uses per the
Regional Board Basin Plan?
Does corrective action protect public health for current land use? YES
Site management requirements: A site safety plan must be prepared for construction workers in the event excavation/trenching is proposed in the vicinity of residual soil and groundwater contamination
Shallow groundwater may not be used at the site.
Should corrective action be reviewed if land use changes? YES
Monitoring wells Decommissioned: None, pending site closure
Number Decommissioned: 0 Number Retained: 5 monitoring wells and 2 extraction wells
ist enforcement actions taken: NA List enforcement actions rescinded: NA

LOCAL AGENCY REPRESENTATIVE DATA

Name: Eva Chu

Title: Haz Mat Specialist

Signature:

9/13/99 Date:

Reviewed by

Name: **Barney Chan**

Title: Haz Mat Specialist

Signature:

Date:

Date:

8/24/99

9-13-79

Barnez Clan Name: Thomas Peacock

Title: Supervisor

Signature:

RWQCB NOTIFICATION VI.

Date Submitted to RB:

9/14/99

RB Response:

RWQCB Staff Name: Chuck Headlee

Title: EG

Date: 9/24/99

VII. ADDITIONAL COMMENTS, DATA, ETC.

The Linford Company operates an air conditioning and heating ventilation duct manufacturing operation at the site. Structures on the site include a manufacturing building and offices, a metal shed, several mobile trailers, and a vacant residential house. (See Figs 1 and 2)

In July 1992 two USTs (1-5K diesel and 1-10K gasoline) in separate pits were removed (see Fig 3). Groundwater was encountered at approximately 11'bgs in each pit. Soil excavated from the diesel tank pit was heavily stained and had a strong petroleum odor. Floating product was present on the groundwater. Free product was pumped from the diesel tank pit

The gasoline UST was constructed of fiberglass. The backfill material was pea-gravel that also emitted hydrocarbon odors. A pinhole was found in the rib of the tank sidewall. Up to 2" of product was floating on the water. Free product was also pumped from the gasoline tank excavation.

In August 1992 the diesel pit was overexcavated, removing ~40cy of contaminated soil. Overexcavation also included the removal of the dispenser island. Soil samples were collected at this time from both excavations. Samples DSW-SW and DSW-NW were collected at 8'bgs from the diesel pit. And GWS-S and GSW-NE were collected at 9'bgs from the gasoline pit (no soil samples below the former dispenser island since the dispenser area was excavated). Up to 2,000ppm TPHg, 88ppm TPHd, and 2.6, 5.8, 3.4, and 18ppm BTEX, respectively, were identified in the soil samples (see Table 1). Groundwater samples were not collected.

A total of approximately 100 tons of soil and pea gravel were removed. Prior to backfilling the excavations, a 4", 0.02 slotted PVC casing was installed horizontally at the bottom of each tank pit. The horizontal piping was connected to a solid 4" PVC casing riser. The piping was placed in case of the need for groundwater remediation. (See Fig 4)

In April 1993 three groundwater monitoring wells (MW-1 through MW-3) were installed at the site to a depth of 20' to 22'bgs. Groundwater was encountered at 11' to 15'bgs. Native soils encountered were predominantly brown/green organic clay. Hydrocarbon constituents were noted in soil and groundwater from wells MW-1 and MW-2. (See Fig 5, Table 2)


In June 1994 three soil borings (BH-S, BH-N, BH-E) and two additional monitoring wells (MW-4 and MW-5) were installed at the site to better delineate the extent of soil and groundwater contamination. Hydrocarbon constituents were not identified in the soil and water samples from these recent borings. (See Table 3)


Groundwater flow direction has ranged from north to southwest to southeast. It predominately flows to the south or southwest. Depth to water in well MW-1 has ranged from 4.15 to 7.71'bgs. Groundwater has been sampled quarterly since the wells were installed until the frequency was reduced to a semi-annual basis in 1997. Hydrocarbon contamination is only noted in wells MW-1 and MW-2, suggesting groundwater may flow to the west, northwest. Up to 6,000ppb TPHg, 1,800ppb TPHd, 1,100ppb benzene is currently in well MW-2 (see Table 4). Residual BTEX in soil and groundwater were compared with Oakland's RBCA Tier 2 Look Up Table for clayey silt sediments. Chemicals of concern in soil and ground water did not exceed the Tier 2 SSTL numbers. (See Table 6)

In August 1998 an offsite investigation was conducted by a site located downgradient (south, southwest of the Linford property at 2711 Union Street. This investigation included the sampling of wells MW-3 and MW-4 at the Linford property for chlorinated solvents (HVOCs). Up to 1,100ppb TCE, 18ppb cis 1,2-DCE and 5.6ppb 1,1,2-TCA were identified in well MW-3. Well MW-4 contained 23ppb TCE (see Fig 6, Table 5). Residual HVOCs in groundwater did not exceed the Oakland's RBCA, Tier 2 SSTLs.

In summary, case closure is recommended because:

- the leak and ongoing sources have been removed;
- groundwater is less than 50 ft deep;
- the site has been adequately characterized;
- the dissolved hydrocarbon plume is not migrating;
- no water wells, surface water, or other sensitive receptors are likely to be impacted; and,
- the site presents no significant risk to human health (less than 1 in 100,000 chance in excess cancer risk) or to the environment.









TABLE ONE: SOIL SAMPLE RESULTS

Sample No.	TPH Gasoline (ppm)	TPH Diesel (ppm)	Benzene (ppb)	Toluene (ppb)	Ethyl Benzene (ppb)	Total Xylenes (ppb)
DSW-NW	1300	34	200	5300	3200	1600
DSW-SW	1300	88	200	3300	3.200	1000
GSW-NE	330	ND	1800	3800	3000	11000
GSW-S	2000		2600	5800	3400	18000
STKP-1-A	* 1700	120	1800	4500	3300	17000

* - Composited sample
ND - Non Detectable at analytical method limits
ppm - parts per million
ppb - parts per billion







TABLE 2
Summary of Chemical Analysis of SOIL Samples
TPH Gasoline and Diesel, and BTEX

Sample I.D.	TPH Gasoline (ppm)	TPH Diesel (ppm)	Benzene (ppb)	Toluene (ppb)	Ethyl Benzene (ppb)	Total Xylenes (ppb)
MW1-5' MW1-10' MW1-15' MW2-5' MW2-10' MW3-5' MW3-11'	2.4 14 N.D. 2.3 1.0 N.D. N.D.	N.D. N.D. N.D. N.D. N.D. N.D.	.5.4 42 N.D. 5.1 2.7 N.D. N.D.	14 46 N.D. 6.3 4.3 N.D. N.D.	26 62 N.D. 17 5.1 N.D. N.D.	40 120 N.D. 38 18 N.D. N.D.
EPA METHOD	5030/ 8015	3550/ 8015	8020	8020	8020	8020
ND ppb	Non Detec parts per	table billion	ppm	parts per not analyz		

Linford Phase II - May, 1993

Summary of Chemical Analysis of SOIL Samples
Results are in parts per million

Sample MW-4 6.0' MW-5 6.0' BH-S 6.0' BH-E 9.5' BH-N 6.0'	TPH Gasoline <0.2 <0.2 <0.2	TPH Diesel <10 <10 <10 <10	<0.005 <0.005 <0.005 <0.005	<0.005 <0.005 <0.005 <0.005	Ethyl Benzene <0.005 <0.005 <0.005 <0.005	Total Xylenes <0.005 <0.005 <0.005 <0.005
BH-N 6.0'	<0.2	<10	< 0.005	< 0.005	< 0.005	<0.005 <0.005
EPA METHOD	5030/ 8015	3550/ 8015	8020	8020	8020	8020





<u>LEGEND</u>

- Monitoring well for 2711 Union Street
- o Monitoring well for 2850 Poplar Street
- Monitoring well for 2730 Peralta Street

MONITORING

WELL LOCATION MAP

CUSTOM ALLOY SCRAP SALES 2711 UNION STREET OAKLAND, CALIFORNIA

AQUA SCIENCE ENGINEERS, INC.

FIGURE 6 6

Summary of Analytical Results of WATER Samples
All results are in parts per billion

Well ID & Dates Sampled	ТРН-G	TPH-D	Benzene	Toluene	Ethyl Benzene	Total Xylenes	МТВЕ	Total Lead
<u>MW-1</u>								
05-05-93	24,000	< 50	46	£0		_		•
08-20-93	2,400	< 50	3.3	50	52	270		< 0.0005
11-18-93	8,200	< 50	201.3	4.2	5.7	29		< 0.0005
02-11-94	1,500	1,100*	201.3	129.3	22.42	65.27		
05-25-94	2,900	300	500	220	75	170		
08-18-94	1,100	930		270	270	250		
11-14-94	520	380	240	35	130	28		
02-03-95	21,000	850	76	87	24	96		
04-28-95	15,000	940	4,100	4,500	790	3,300		′
08-08-95	5,500		5,700	890	630	1,700		·
11-10-95	1,300	1,900	1,300	720	300	690	·	
02-16-96	4,500	500	170	20	78	100		
05-17-96	17,000	710*	1,200	90	400	700	< 10	
08-16-96		120*	7,900	770	1,100	3,000	< 120	
11-12-96	4,400	410	990	180	280	760	< 50	* = =
02-06-97	3,400	1,100*	680	56	210	710	28	
05-28-97	20,000 -	- ,	4,500	2,800	840	2,800	< 1,000	
12-10-97	11,000	2,900*	2,700	320	620	1,800	110	
06-12-98**	9,600	920	1,600	1,900	310	1,200	35	
12-18-98	13,000	3,900	2,800	57	1,300	2,800	< 50	
12-10-98	430	500*	4 2	6.5	4.1	8.8	< 5	
<u>MW-2</u>								-
05-05-93	5 100							
08-20-93	5,100	< 50	9.5	17	22	51		< 0.0005
11-18-93	1,400	< 50	1.2	1.7	2.3	7.9		< 0.0005
02-11-94	16,000	< 50	4,093	5,647	798.2	3,078		< 0.0003
05-25-94	20,000	3,500*	2,000	2,800	470	3,200		
08-18-94	7,000	< 50	1,400	1,100	220	1,200	-	
11-14-94	60,000	< 50	8,000	18,000	2,100	13,000		
	36,000	< 50	3,700	7,700	1,400	8,400		
02-03-95	18,000	100	2,100	2,700	480	3,000		
04-28-95	17,000	< 50	2,300	2,500	580	3,700		
08-08-95	17,000	< 50	2,500	3,200	550	1,900		
11-10-95	7,400	< 50	1,200	370	260	1,400		
02-16-96	6,600	750*	1,500	760	150	1,370	< 40	
05-17-96	8,000	340	1,200	600	320	1,600	< 120	
08-16-96	5,600	< 50	740	280	240	740	< 50	
11-12-96	7,400	2,700*	1,200	760	300	1,400		
02-06-97	17,000	< 50	2,300	2,800	530	2,800	< 50	
05-28-97	6,700	2,500*	960	440	300	1,100	< 1,000	
12-10-97	12,000	< 50	1,600	1,800	370	1,800	< 100	
06-12-98	1,400	1,600_	300	99	49	240	< 25	
12-18-98	6,000	1,800*/		1,000	140	1,300	<5	
DTSC MCLs	NA.	ŇÁ	412.00		D. WAYST		< 250	
	en cut da le trade les			150	700	1,750	35¥	50

TABLE THO (Continued) Summary of Analytical Results of WATER Samples All results are in parts per billion

Well ID & Dates Sampled	TPH-G	ТРН-D	Benzen	e Toluene	Ethyl Benzene	Total Xylenes	MTBE	Total Lead
MW-3								
05-05-93	< 50	< 50	< 0.5	< 0.5	< 0.5	-05		
08-20-93	70	< 50	< 0.5	0.9	1.1	< 0.5		< 0.0005
11-18-93	< 50	< 50	< 0.5	< 0.5	< 0.5	4.6 < 0.5		< 0.0005
02-11-94	< 50	< 50	< 0.5	< 0.5	< 0.5	< 0.5		
05-25-94	< 50	< 50	< 0.5	< 0.5	< 0.5	<2		
08-18-94	Sam	pled seco			< 0.5	\ 2		
11-14-94	Sam	pled seco		ter only				
02-03-95	Sam	pled seco	nd quar	ter only		•		
04-28-95	< 50	< 50	< 0.5	< 0.5	< 0.5	<2		•
08-09-95	Sam	pled seco	nd quar			72		
11-10-95		pled seco	nd quar	ter only				
02-16-96	Sam	pled seco	nd quar	ter only				
05-17-96	< 50	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0	1
08-16-96	Sam	-	nd quar	ter only		1 0.0	₹3.0	
11-12-96		pled seco		ter only				
02-06-97		pled seco		ter only				
05-28-97	< 50	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0	
12-10-97 06-12-98	Sam			ter only				_
12-18-98			nd quari	•				•
12-10-90	Sam	pled sec	cond qu	uarter o	nly			
						,		
<u>MW-4</u>								
06-13-94	< 50	< 50	< 0.5	< 0.5	.0.5			
08-18-94	< 50	< 50	< 0.5	0.6	< 0.5	< 0.5		
11-14-94	< 50	< 50	< 0.5	< 0.5	< 0.5	<2		
02-03-95	< 50	< 50	< 0.5	< 0.5	< 0.5 < 0.5	<2		
04-28-95	< 50	< 50	< 0.5	0.6	< 0.5	<2		
08-08-95	< 50	< 50	< 0.5	0.8	< 0.5	<2		
11-10-95	< 50	< 50	0.5	0.8	< 0.5	<2	*	
02-16-96	< 50	< 50	< 0.5	< 0.5	< 0.5	<2		
05-17-96	< 50	< 50	< 0.5	< 0.5	< 0.5	<1	<2	
08-16-96	< 50	< 50	< 0.5	< 0.5	< 0.5	< 0.5 < 0.5	< 5.0	
11-12-96	Not	Sampled -		sible Well	< 0.5	< 0.5	< 5.0	
02-06-97		Sampled -		sible Well				
05-28-97	< 50	< 50	< 0.5	< 0.5	< 0.5	< 0.5	-50	•
12-10-97	< 50	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0	
06-12-98	< 50	< 50	< 0.5	< 0.5	< 0.5	< 0.5	< 5.0 < 5.0	
12-18-98	< 50	< 50	< 0.5	1.9	<0.64	3.2	< 5.0	~
DISGMCLs**	KTA W		(88 × 146,485 − 14	\$1.0 militario_ concession de	40000000000000000000000000000000000000			-
ATTICINION (NA -	NAST		150	700	1,750	35¥	50

TABLE 19904 (Continued) Summary of Analytical Results of WATER Samples All results are in parts per billion

Well ID & Dates Sampled	ТРН-G	TPH-D	Benzene	Toluene	Ethyl Benzene	Total Xylenes	МТВЕ	Total Lead
<u>MW-5</u>								
06-13-94	< 50	< 50	< 0.5	< 0.5	< 0.5	< 0.5		
08-18-94	< 50	< 50	< 0.5	< 0.5	< 0.5	<2		,
11-14-94	< 50	< 50	< 0.5	0.9	< 0.5	<2		
02-03-95	< 50	< 50	< 0.5	< 0.5	< 0.5	<2		
04-28-95	< 50	< 50	< 0.5	< 0.5	< 0.5	<2		
08-08-95	< 50	< 50	< 0.5	< 0.5	< 0.5	<2		
11-10-95	< 50	< 50	< 0.5	< 0.5	< 0.5	<2		 -
02-16-96	Samp	oled seco	nd quarte	er only	(0.5	\2		
05-17-96	< 50	< 50	< 0.5	< 0.5	< 0.5	< 0.5		
08-16-96	Samp	led seco	nd quarte	er only	10.5	\ 0.5	< 5.0	-
11-12-96	Samp	led seco	nd quarte	er onlv				
02-06-97	Samp	led seco	nd quarte	ronly				
05-28-97	< 50	< 62	< 0.5	< 0.5	< 0.5	< 0.5	. 5.0	
12-10-97	Samp		nd quarte		(0.5	< 0.5	< 5.0	
06-12-98	Samp	led secon	nd quarte	r only				
12-18-98	Samp	oled sec		•	nly			
DISC MORE			- Silonos	er commission and a second				
ea-90 inclass,	****	SZINA		150	700	1,750	35¥	\$0
EPA	5030/	3510/	602 or	600		•		and a series of the series of
METHOD	8015M	8015M	8020	602 or	602 or	602 or	602 or	7420
		1 0 1 1 1	0020	8020	8020	8020	8020	
3.7								

Notes:

^{* =} atypical diesel pattern

^{** =} Sample analyzed outside of holding time.

[¥] DTSC interim action level; MCL not established

TABLE POOR 5

Summary of Chemical Analysis of WATER Samples Linford Property, 2850 Poplar Street, Oakland, California Volatile Organic Compounds (VOC's) EPA Method 8010

(All Results are in parts per billion)

Sample I.D. MW-3	VC	1,1- DŒ	trans- 1,2-DCE	cis- 1,2-DCE	1,1- DCA	1,1,2- TCA	TŒ	PCE	CB 	1,3- DCB	1,4- DCB	1,2- DCB
08/24/98	< 0.5	< 0.5	< 0.5	1 8	< 0.5	5.6	1,100	< 0.5,	< 0.5	< 0.5	< 0.5	< 0.5
<u>MW-4</u> 08/24/98	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	23	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Notes: NE = DTSC VC = viny 1,1-DCE = trans 1,2-I cis 1,2-DC 1,1-DCA =	l chlori 1,1-dic DCE = E = ci	de chloroe trans- s-1,2-di	thene 1,2-dichlo	oroethene ene	T P C : 1,	CE = CE = B = c; ,3-DCB ,4-DCB	A = 1 trichlore tetrachl hloroben = 1,3- = 1,4- = 1,2-	oethene oroethe izene dichlor dichlor	ene obenze obenze	ne ne		

	T T	T	Oak	and Tion ?	SCTL c for (Tlovor Cilta	7	1	γ		_
Medium	Exposure Pathway	Land Use	Type of Risk	Acenaph- thene	Acenaph- thylene	Acetone	Anthra- cene	Arsenic	Barium	Benz(a)- anthracene	Benzene
0	Ingestion/ Dermal/	Residential	Carcinogenic					2.6E+00		1.7E+00	1.9E+01
Surficial Soil			Hazard	2.3E+03	2.3E+03	3.7E+03	1.2E+04	1.8E+01	5.0E+03		6.3E+01
[mg/kg]	Inhalation	Commercial	Carcinogenic					9.5E+00		4.3E+00	4.9E+01
		Industrial	Hazard	1.1E+04	1.1E+04	1.8E+04	5.6E+04	1.5E+02	7.1E+04		3.0E+02
	Inhalation of	Residential	Carcinogenic							SAT	1.6E+02
	Outdoor Air		Hazard	SAT	SAT	1.2E+05	SAT				6.5E+02
Subsurface Soil [mg/kg]	Vapors	Commercial/	Carcinogenic							SAT	6.2E+02
		Industrial	Hazard	SAT	SAT	SAT	SAT				SAT
	Inhalation of Indoor Air Vapors	Residential	Carcinogenic							SAT	3.3E+00
			Hazard	SAT	SAT	1.2E+04	SAT				1.1E+01
		Commercial/	Carcinogenic							SAT	5.2E+01
		Industrial	Hazard	SAT	SAT	SAT	SAT				3.2E+02
	Ingestion of Groundwater	Residential	Carcinogenic					4.4E+00	1.3E+02	1.4E+01	4.5E-03
			Hazard	4.0E+02	2.7E+02	1.5E+00	SAT	4.4E+00	1.3E+02		4.5E-03
	Impacted by Leachate	Commercial/	Carcinogenic					4.4E+00	1.3E+02	5.8E+01	4.5E-03
	200011010	Industrial	Hazard	SAT	SAT	9.7E+00	SAT	4.4E+00	1.3E+02		4.5E-03
		esidential	Carcinogenic					5.0E-02	1.0E+00	5.6E-04	1.0E-03
:	Ingestion of		Hazard	9.4E-01	9.4E-01	1.6E+00	>Sol	5.0E-02	1.0E+00		1.0E-03
	Groundwater 1	Commercial/	Carcinogenic					5.0E-02	1.0E+00	2.4E-03	1.0E-03
		Industrial	Hazard	>Sol	>Sol	1.0E+01	>Sol	5.0E-02	1.0E+00		1.0E-03
0	Inhalation of	Residential	Carcinogenic							>Sol	6.3E+00
Groundwater	Indoor Air		Hazard	>Sol	>Sol	4.0E+04	>Sol				2.1E+01
[mg/l]	Vapors	Commercial/	Carcinogenic							>Sol	1.0E+02
		Industrial	Hazard	>Sol	>Sol	>Sol	>Sol				6.1E+02
	Inhalation of	Residential	Carcinogenic							>Sol	>Sol
	Outdoor Air		Hazard	>Soi	>Sol	4.8E+05	>Sol				>Sol
	Vapors	Commercial	Carcinogenic							>Sol	>Sol
		Industrial	Hazard	>Sol	>Sol	>Sol	>Sol				>Sol
Water for	Ingestion/	Residential	Carcinogenic					2.0E-02	-	1.6E-04	6.3E-02
Recreation [mg/l]	Dermal		Hazard	1.1E+00	1.7E+00	4.2E+01	>Sol	1.2E-01	2.8E+01		1.8E-01

w/ Gw2 ₹ 6ft. (183 cm) M.£

SAT = SSTL exceeds saturated soil concentration of chemical

>SOL = SSTL exceeds solubility of chemical in water

Oakland Tion	-2-S STLs	for	Clayey	Silts
	4			

Medium	Exposure Pathway	Land Use	Type of Risk	Trichloro- ethylene (TCE)
0.5.10.	Ingestion/	Residential	Carcinogenio	1.3E+02
Surficial Soil	Dermal/		Hazard	2.2E+02
[mg/kg]	Inhalation	Commercial	Carcinogenic	3.3E+02
		Industrial	Hazard	1.1E+03
	Inhalation of	Residential	Carcinogenic	2.5E+03
	Outdoor Air		Hazard	3.4E+03
	Vapors	Commercial/	Carcinogenic	SAT
j	ļ	Industrial	Hazard	SAT
Cubanasa	Inhalation of	Residential	Carcinogenic	4.8E+01
Subsurface Soil [mg/kg]	Indoor Air		Hazard	5.7E+01
[1119/49]	Vapors	Commercial/	Carcinogenic	7.7E+02
		Industrial	Hazard	1.6E+03
1	Ingestion of	Residential	Carcinogenic	5.5E-02
	Groundwater Impacted by		Hazard	5.5E-02
	Leachate	Commercial/	Carcinogenic	5.5E-02
		Industrial	Hazard	5.5E-02
		Residential	Carcinogenic	5.0E-03
	Ingestion of Groundwater		Hazard	5.0E-03
	Glouildwater	Commercial/	Carcinogenic	5.0E-03
1		Industrial	Hazard	5.0E-03
Groundwater	Inhalation of	Residential	Carcinogenic	5.8E+01
[mg/l]	Indoor Air		Hazard	6.8E+01
[8]	Vapors	Commercial/	Carcinogenic	9.2E+02
		Industrial	Hazard	>Sol
·	Inhalation of	Residential	Carcinogenic	>Sol
	Outdoor Air		Hazard	>Sol
	Vapors	Commercial/	Carcinogenic	>Soi
Water for		industrial	Hazard	>Sol
Recreation [mg/l]	Ingestion/ Dermal	Residential	Carcinogenic	4.6E-02
*Italicized concentrations		ornia MCI e	Hazard	7.2E-02

[&]quot;Italicized concentrations based on California MCLs

ω/GWD 6+1. (183 cm) M.H. cont. Table 6

SAT = SSTL exceeds saturated soil concentration of chemical

>SOL = SSTL exceeds solubility of chemical in water

BORING LO	G AND MON	ITORING WEL	L CONSTRUCT	ON DETAILS	WELL NO. MW-1
ect Name: Linford	d Construction	Projec	t Location: 2850	Poplar Street, Oakl	land, CA Page 1 of 1
aller: Gregg Drilling	g	Type of Rig: 1	Mobil B - 53	Type and Size of	Auger: 8-3/4" O.D., H.S.
Logged By: WCL		Date Drilled:	04/30/93	Checked By: M. M.	Marello, R.G.
WATER AND WELL	DATA		Total Depth of W	fell Completed: 22.0	1
Depth of Water First E	Encountered: *	15.5'	Well Screen Typ	e and Diameter: 2"	Diameter Schedule 40 PVC
Static Depth of Water	in Well: 5.43' B	Below T.O.C.	Well Screen Slo	t Size: 0.020"	
Total Depth of Boring:	22'		Type and Size o	f Soil Sampler: 2" I.	.D., Calif. Split-Spoon
Feet	SOIL/ROC	K SAMPLE DATA	to standard	DESCRIPTION O	F LITHOLOGY
WELLYBORING -	Description Interval Signature Blow Ct.	Field VOC (ppmv) Graphic Log	density,	stiffness, odor-stail With	cture, relative moisture, ning, USCS designation. Some Trace
					25-10%) (10-0%)
1 2" ID Blank PVC Casing Street Box	Class "H" Portland Cement Class "H" Portland Cement \[\begin{array}{c c c c c c c c c c c c c c c c c c c	< 10	Green highly NOTE:	te (≈ 12") Clay (CL), moist, r plastic Moderate gasoline 6 to 10 feet Frown Clay (CL), v g, slight old gasoli	e odor from with green
-20 - 30	Female Bottom Plug No. 3 Was No. 3 W	< 10	4 ' U	AS ABOVE, No Occated Sediments @	

	BORING LOG AND MONITORING WELL CONSTRUCTION DETAILS WELL NO. MW-2									ON DETAILS	WELL N	Γ	
	1	ect Name: Linfo								Poplar Street, Oak	dand, CA	Page 1 of 1	
	briller: Gregg Drilling Type of Rig: Simco 2400 SK1 Type and Size of Auger: 6-1/2" O.D., H.S.									_			
4	Logged By: WCL Date Drilled: 04/30/93 Checked By: M. Marello, R.G.									G.]		
		ER AND WELL	L DATA	<u> </u>	Ļ.			Total	Depth of W	ell Completed: 20.	0,		
1		h of Water First			l; ≈ 1	3.5'		Well	Screen Type	e and Diameter: 2"	' Diameter	Schedule 40 PVC	
ŀ		c Depth of Wate).C.	Well	Screen Slot	Size: 0.020"			
ł		Depth of Borin						Туре	and Size o	f Soil Sampler: 2"	I.D., Calif.	Split-Spoon	
ŀ		Depth of Bollin		SOIL	ROCK	(SAMP	LE DATA	1		DESCRIPTION			
	Feet	WELL\BORING	ption					Depth in Feet	standard	d classification, to stiffness, odor-st	exture, rela aining, US	ative moisture, CS designation.	
	epth ir	Description Description Description Description Graphic Log							And (40-50%	With	Some (25-10%	Trace	
	0 -		×					1 0		te (≈ Two 5" Fo	undations)		
1	-	Cap	it Box		l		////	7					
ı	-		Street Cement		Ì			1					
	ŀ	Casing CXX	Çe					1					
	-		Portland	4	11				Light !	Brown Clay (CL)	, green		
	-5	SNO SNO	Port	1	11 17 28	22		T°	mottlin	ig, old gasoline o	odor, mois	t ,	1
	<u> </u>	Bark (V)	Seal s "H"					4					
								4					
		/// ~ ///	Sentonite Clas		17			1					ļ
	-10		1 -		25 38	< 10		710	Light mottli	Brown Clay (CL ng, slight old gas), with gre soline odo	een r,	
	}		Casing Nashed Sand		38				moist				
	ŀ		<u> </u>					1	¥ Sa	turated Sediment	s @ ≈ 13.	5'	
	t		- 88 88										
	L ₁		asinc lo 2	2				1	5			•	ļ
				-							•		
	-		PVC							·			
	-		0.020" Slotted										
	-		S	S I									
	-2	0	8	Bottom Plug			777	7	0				
	+	E.O.H. 20'	\ □	B									
			7	Female				-					
				Fer									
		ASE Form 20A					QUA S	SCIEN	ICE ENGIN	IEERS, INC.	·		

	IL BORING	LOG /	AND MO	NITORII	NG WEL	L CC	NSTRUCTI	ON DETAILS	WELL N	O. MW-3
,	oject Name: Li	nford Co	onstruction		Projec	ct Loc	ation: 2850	Poplar Street, Oak		Page 1 of 1
01	riller: Gregg Dr	illing		Туре	of Rig: M	l lidol	3 - 53	Type and Size of	Auger: 8-0	\
Lo	ogged By: WCL			Date	Drilled:	04/3	0/93	Checked By: M. I	Marelio, R.	3.
/ WA	TER AND WE	LL DAT	<u>LA</u>	٠		Tota	Depth of W	ell Completed: 20.0)' <u> </u>	
De	pth of Water Fir	st Enco	untered: *	11.5'		Well	Screen Type	and Diameter: 2"	Diameter S	chedule 40 PVC
Sta	tic Depth of Wa	iter in W	/ell: 6.48'	Below T	.O.C.	Well	Screen Slot	Size: 0.020"		
Tot	al Depth of Bor	ing: 20 '				Туре	and Size of	Soil Sampler: 2" I	.D., Calif. S	Split-Spoon
Feet		no	SOIL/RO	CK SAMI	LE DATA	Feet		DESCRIPTION O	FLITHOLO	GY
⊆	WELLIBORING	Description	Z Z	¥0C	aphic	<u>.⊑</u>	standard density, s	classification, tex stiffness, odor-stail	cture, relat	ive moisture, S designation
Depth	DETAIL	Des	Interval Blow Ct	Field VOC (ppmv)	Graphic Log	Depth	And (40-50%)	With	Some 25-10%)	Trace
-0	Cap	Box)		<u> </u>		-0		(Approximately		(10-0-0)
-15 -20		Street Seal Street Seal Street Semale Bottom Plug No. 3 Washed Sand Class "H" Portland Cement	7 11 5	< 10		-10	Light Brovery moi	own Clay (CL), wist, no odor	vith pebbio	
AS	E Form 20A	 -	<u> </u>	AQ	UA SCIE	NCE	ENGINEER	RS, INC.		····
									· · · · · · · · · · · · · · · · · · ·	

Project Name: The Linford Company Project Location: 2850 Poptar Street, Oakland, CA Page 1 of 1 Driller: Gregg Drilling Type of Rig: Simco Type and Size of Auger: Trioliow-stem. Logged By: Robert E. Kitay Date Drilled: June 10, 1994 Checked By: David M. Schultz, P.E. WATER AND WELL DATA Depth of Water First Encountered: ~ 6.4* Well Screen Type and Diameter: 2* Diameter Schedule 40 PX Static Depth of Water in Well: 7.4* Well Screen Slot Size: 0.020* Type and Size of Soil Sampler: 1.5* I.D. Split-barrel SolU/BOCK SAMPLE DATA DETAIL Street Box Locking Well Cap Street Box Locking Well Cap Sitrept Box Locking Well Cap Concrete Slity CLAY (CH); black; medium stiff; damp; 65% c a 35% silt; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; low estimated K; no odor	SOIL BORING	LOG ANI	D MOI	NITORII	NG WE	LL (CONSTRUC	TION DETAILS	Monito	ring Well M	W-4
Type and Size of Auger: Hollow-Stam. Logged By: Robert E. Kitay Date Drilled: June 10, 1994 Checked By: David M. Schultz, P.E. WATER AND WELL DATA Depth of Water First Encountered: ~ 6.4' Well Screen Type and Diameter: 2" Diameter Schedule 40 PV Well Screen Slot Size: 0.020" Type and Size of Soil Sampler: 1.5" I.D. Split-barrel DESCRIPTION OF LITHOLOGY Standard classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Street Box Locking Well Cap Sity CLAY (CH); black; medium stiff; damp; 65% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Sity CLAY (CH); black; medium stiff; wet; 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Sity CLAY (CH); black; medium stiff; damp; 65% classifies and; 15% slit; high plasticity; very low estimated K; no odor CLAY (CH): light brown; stiff; moist; 95% clay; 5% slit; high plasticity; very low estimated K; no odor Clayey SILT (ML); yellow brown; medium stiff; wet; 90% slit; 10% clay; medium plasticity; low estimate K; no odor	Project Name: The Linford Company Project						ation: 2850 I	Poplar Street, Oak			
Total Depth of Water First Encountered: ~ 6.4' Well Screen Type and Diameter: 2" Diameter Schedule 40 PN Stalic Depth of Water in Well: 7.4' Well Screen Slot Size: 0.020" Type and Size of Soil Sampler: 1.5" I.D. Split-barrel DESCRIPTION OF LITHOLOGY standard classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Sity CLAY (CH); black; medium stiff; damp; 65% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Sity CLAY (CH); black; medium stiff; wer, 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Sity CLAY (CH); black; medium stiff; wer, 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Sity CLAY (CH); black; medium stiff; wer, 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Sity CLAY (CH); black; medium stiff; wer, 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Concrete Sity CLAY (CH); black; medium stiff; wer, 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Concrete Sity CLAY (CH); black; medium stiff; wer, 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Concrete Sity CLAY (CH); black; medium stiff; wer, 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Concrete Sity CLAY (CH); black; medium stiff; wer, 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation.	Driller: Gregg Dril	lling		Туре	of Rig: Si	mco		Type and Size of	8-i Auger: Ho	inch O.D. Diow-stem.	
Depth of Water First Encountered: ~ 6.4' Well Screen Type and Diameter: 2" Diameter Schedule 40 PN Well Screen Slot Size: 0.020" Total Depth of Boring: 20.0' Type and Size of Soil Sampler: 1.5" I.D. Split-barrel DESCRIPTION OF LITHOLOGY standard classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Sity CLAY (CH); black; medium stiff; damp; 65% classification, standard Sity, very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; very low estimated K; no odor Clay SiLT (ML); yellow brown; medium stiff; wet; 90% silt; high plasticity; low estimated K; no odor Clay SiLT (ML); yellow brown; medium stiff; wet; 90% silt; 10% clay; medium plasticity; low estimated K; no odor	Logged By: Robert	E. Kitay		Date I	Orilled: .	June	10, 1994	Checked By: Dav	id M. Schu	iltz, P.E.	
Static Depth of Water in Well: 7.4' Well Screen Slot Size: 0.020" Type and Size of Soil Sampler: 1.5" I.D. Split-barrel Soil/ROCK SAMPLE DATA Well Screen Slot Size: 0.020" Type and Size of Soil Sampler: 1.5" I.D. Split-barrel DESCRIPTION OF LITHOLOGY standard classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Silty CLAY (CH); black; medium stiff; damp; 65% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Silty CLAY (CH); black; medium stiff; damp; 65% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Silty CLAY (CH); black; medium stiff; damp; 65% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Silty CLAY (CH); black; medium stiff; wet; 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Silty CLAY (CH); black; medium stiff; wet; 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Silty CLAY (CH); black; medium stiff; wet; 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Concrete Silty CLAY (CH); black; medium stiff; wet; 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Concrete Silty CLAY (CH); black; medium stiff; wet; 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Silty CLAY (CH); black; medium stiff; wet; 60% classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation.	WATER AND WEI	LL DATA				Tota	Depth of W	ell Completed: 20.0)'		
Total Depth of Boring: 20.0' Type and Size of Soil Sampler: 1.5' ł.D. Split-barrel DESCRIPTION OF LITHOLOGY standard classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well dap Concrete Silty CLAY (CH); black; medium stiff; damp; 65% classificated K; no odor Silty CLAY (CH); olive; medium stiff; wet; 60% classificated K; no odor Sandy CLAY (CH); light brown; stiff; moist; 95% clas; 5% silt; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; very low estimated K; no odor Clay (Silt); high plasticity; very low estimated K; no odor Clay (Silt); high plasticity; very low estimated K; no odor Clay (Silt); high plasticity; very low estimated K; no odor Clay (Silt); high plasticity; very low estimated K; no odor Clay (Silt); high plasticity; very low estimated K; no odor	Depth of Water Firs	st Encounter	red: ≈ (6.4'		Well	Screen Type	and Diameter: 2"	Diameter S	Schedule 40 P	vc
SULLIBORING DETAIL Solid by a part of the	Static Depth of Wa	ter in Well:	7.4'			Weli	Screen Slot	Size: 0.020"			
Street Box Locking Well Cap Street Box Locking Well Cap Sity CLAY (CH); black; medium stiff; damp; 65% clay; 5% silt; high plasticity; very low estimated K; no odor Sandy CLAY (CH); olive; medium stiff; wet; 60% clay; 5% silt; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; very low estimated K; no odor Clayey SiLT (ML); yellow brown; medium stiff; wet; 90% silt; high plasticity; very low estimated K; no odor Clayey SiLT (ML); yellow brown; medium stiff; wet; 90% silt; high plasticity; low estimated K; no odor Clayey SiLT (ML); yellow brown; medium stiff; wet; 90% silt; high plasticity; low estimated K; no odor	Total Depth of Bori	ng: 20.0'				Туре	and Size of	Soil Sampler: 1.5	I.D. Split	-barrel	
Street Box Locking Well Cap Concrete Silty CLAY (CH); black; medium stiff; damp; 65% clay; 5% silt; high plasticity; very low estimated K; no odor Clayey Silt, 10% clay; medium plasticity; low estimated K; no odor Clayey Silt, 10% clay; medium plasticity; low estimated K; no odor Clayey Silt, 10% clay; medium plasticity; low estimated K; no odor Clayey Silt, 10% clay; medium plasticity; low estimated K; no odor	ee •	_⊊ SO	L/ROCI	K SAMPI	E DATA	#					
Silty CLAY (CH); black; medium stiff; damp; 65% cl 35% silt; high plasticity; very low estimated K; no silt; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; very low estimated K; no odor Clayey Silt (ML); yellow brown; medium stiff; wet; 90% silt; 10% clay; medium plasticity; low estimated K; no odor	.⊆ WELL\BORING	Descriptio Interval	Blow Ct.	Time	Graphic Log	epth in					
Silty CLAY (CH); black; medium stiff; damp; 65% class silt; high plasticity; very low estimated K; no solve; medium stiff; wet; 60% class silt; high plasticity; very low estimated K; no class silt; high plasticity; very low estimated K; no odor class silt; high plasticity; ve	0 -4			<u></u>	****	ρ	Concrete				
CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; very low estimated K; no odor Clayey SILT (ML); yellow brown; medium stiff; wet; 90% silt; 10% clay; medium plasticity; low estimate K; no odor Clayey SILT (ML); yellow brown; medium stiff; wet; 90% silt; 10% clay; medium plasticity; low estimate K; no odor	5	Blank Seh 40 PVC "H" Portland Cement				5	Sandy Cl 25% fine	high plasticity; ve AY (CH); olive; m sand; 15% silt; h	ry low est	timated K; no	ode
		Bentonite Seal / ted Sch 40 PVC				-10 - - - - - -	silt; high Clayey S 90% silt;	plasticity; very lov ILT (ML); yellow b 10% clay; mediur	rown; med	d K; no odor	t;
- m - - - - - - - - -	-20	3 Washed Monterey 2" ID 0.020"				-20 - - - -					
ASE Form 20A AQUA SCIENCE ENGINEERS, INC.	AOE 5 504						A () 1 4 () 4			<u></u>	

Project Name: The Linford Company Project Location: 2559 Popular 9-inch 0.10. Driller: Gregg Drilling Type of Rig: Mobile B-61 Type and Size of Auger: Troitow-Stein. Chocked By: David M. Schultz, P.E. WATER AND WELL DATA Depth of Water First Encountered: 13' Well Screen Type and Diameter: 2" Diameter Schedule 40 PVC Well Screen Slot Size: 0.020" Type and Size of Soil Sampler: 2:0" I.D. Split-barrel DESCRIPTION OF LITHOLOGY Standard classification, texture, relative moisture, density, sliffness, odor-staining, USCs designation. Survey Box DETAIL Survey Box Locking Well Cap Locking Well Cap Locking Well Cap Locking Well Cap Clay Silt; Name Green Slot Size: 0.020" Ashaltic concrete Silty SAND (SM); yellow brown; isose; damp; 75% fine sand; 25% silt; medium estimated K; no odor Silty SAND (SM); yellow brown; slots; damp; 50% clay, 30% very fine to fine sand; 15% silt; 9% course angular to subangular sand; high plasticity; very low estimated K; no odor Clay Silt T (ML); yellow brown mottled olive grey, medium stiff; wet; 90% silt; 10% clay; medium plasticity; low estimated K; no odor Clay Silt T (ML); yellow brown mottled olive grey, medium stiff; wet; 90% silt; 10% clay; medium plasticity; low estimated K; no odor		- · · · · · · · · · · · · · · · · · · ·	LL CONSTRUCTION DETAILS Monitoring Well MW-5 the Location: 2850 Poplar Street, Oakland, CA Page 1 of 1 Street, O.D.
Driller: Gregg Drilling Logged By: Robert E. Kitay MATER_AND_WELL_DATA Depth of Water First Encountered: 13' Static Depth of Water in Well: 6.6' Total Depth of Water in Well: 6.6' Total Depth of Boring: 20.0' Well Screen Slot Size: 0.020* Type and Size of Soil Sampler: 2.0" I.D. Split-barrel DESCRIPTION OF LITHOLOGY Standard classification, texture, relative moisture, density, stiffness, odor-staining, USCs designation. Street Box Locking Well dap Locked By: David M. Schultz, P.E. Total Depth of Well Completed: 20.0' Well Screen Slot Size: 0.020* Type and Size of Soil Sampler: 2.0" I.D. Split-barrel DESCRIPTION OF LITHOLOGY Standard classification, texture, relative moisture, density, stiffness, odor-staining, USCs designation. Street Box Locking Well dap Locked By: David M. Schultz, P.E. Total Depth of Well Completed: 20.0' Well Screen Slot Size: 0.020* Type and Size of Soil Sampler: 2.0" I.D. Split-barrel DESCRIPTION OF LITHOLOGY Standard classification, texture, relative moisture, density, stiffness, odor-staining, USCs designation. Ashattic concrete Sity SAND (SM); yellow brown; loose; damp; 75% fine sand; 25% sit; medium stiff; density; Sow clay; 50% clay; 50% clay; 10% clay; medium stiff; density; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; very low estimated K; no odor Clayey SiLT (ML); yellow brown mottled olive grey; medium stiff; wet; 90% silt; 10% clay; medium plasticity; low estimated K; no odor			O-HRIT U.D.
WATER AND WELL DATA Depth of Water First Encountered: 13° Well Screen Type and Diameter: 2° Diameter Schedule 40 PVC Well Screen Type and Diameter: 2° Diameter Schedule 40 PVC Well Screen Siot Size: 0.020° Type and Size of Soil Sampler: 2.0° I.D. Split-barrel Description of Boring: 20.0° Type and Size of Soil Sampler: 2.0° I.D. Split-barrel DESCRIPTION OF LITHOLOGY standard classification, texture, relative moisture, density, suiffness, odor-staining, USCS designation. Street Box Locking Well Cap Sity SAND (SM); yellow brown; loose; damp; 75% ciay 30% very fine to fine sand; 15% silt; 5% course angular to subangular sand; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% cl			noble 5 5.
Depth of Water First Encountered: 13' Well Screen Type and Diameter: 2" Diameter Schedule 40 PVC Static Depth of Water in Well: 6.6' Total Depth of Boring: 20.0' Total Depth of Boring: 20.0' Type and Size: 0.020" Ashaltic concrete Silty SAND (SM); yellow brown; loose; damp; 75% fine sand; 25% silt; medium estimated K; no odor Silty SAND (SM); yellow brown; slose; damp; 75% course angular to subangular sand; high plasticity; very low estimated K; no odor CLAY (CH); light brown; sliff; molst; 95% clay; 5% silt; high plasticity; very low estimated K; no odor CLAY (CH); light brown; sliff; molst; 95% clay; 5% silt; high plasticity; very low estimated K; no odor Clay (SM); yellow brown mottled olive grey; medium sliff; wet; 90% sllt; 10% clay; medium plasticity; low estimated K; no odor Clay (CH); light brown; sliff; molst; 95% clay; 5% silt; high plasticity; very low estimated K; no odor Type and Size of Soil Sampler: 2.0" LD. Spiriture standard classification, texture, relative molsture, density, sliff sandard classification, texture, relative molsture, density, sliff sandard classification, texture, relative molsture, density, sliff sandard classification, texture, relative molsture, dens	Logged By: Robert E. Kitay	Date Drilled.	
Static Depth of Water in Well: 6.6' Total Depth of Boring: 20.0' Type and Size of Soil Sampler: 2.0" I.D. Split-barrel DESCRIPTION OF LITHOLOGY standard classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Street Box Locking Well Cap Sity SAND (SM); yellow brown; loose; damp; 75% fine sand; 25% sit; medium estimated K; no odor Sandy CLAY (CH); ollve; medium stiff; damp; 50% clay; 5% siti; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% siti; high plasticity; very low estimated K; no odor Clayey SILT (ML); yellow brown motited olive grey; medium stiff; wei; 90% siti; 10% clay; medium plasticity; low estimated K; no odor			
Total Depth of Boring: 20.0' Type and Size of Soil Sampler: 2.0" I.D. Split-barrel DESCRIPTION OF LITHOLOGY standard classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Streat Box Locking Well Cap Sity SAND (SM); yellow brown; loose; damp; 75% fine sand; 25% sitt; medium estimated K; no odor Sandy CLAY (CH); olive; medium stiff; damp; 55% clay; 5% sitt; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% sitt; high plasticity; very low estimated K; no odor Clayey SILT (ML); yellow brown mottled olive grey; medium stiff; wet; 90% sitt; 10% clay; medium stiff; wet; 90% sitt; 10	Depth of Water First Encountered	: 13' ———————	
SOUROCK SAMPLE DATA WELLABORING DETAIL SOUROCK SAMPLE DATA Standard classification, texture, relative moisture, density, stiffness, odor-staining, USCS designation. Ashatic concrete Silty SAND (SM); yellow brown; loose; damp; 75% fine sand; 25% silt; medium estimated K; no odor Silty SAND (SM); yellow brown; loose; damp; 75% fine sand; 25% silt; medium estimated K; no odor Sandy CLAY (CH); olive; medium stiff; damp; 50% clay; 30% very fine to fine sand; 15% silt; 5% course angular to subangular sand; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; very low estimated K; no odor Clayey SILT (ML); yellow brown mottled olive grey; medium stiff; wet; 90% silt; 10% clay; medium plasticity; low estimated K; no odor Clayey SILT (ML); yellow brown mottled olive grey; medium stiff; wet; 90% silt; 10% clay; medium plasticity; low estimated K; no odor	Static Depth of Water in Well: 6.	6'	
WELLIBORING DETAIL Solution of the part o	Total Depth of Boring: 20.0		
Ashaltic concrete Silty SAND (SM); yellow brown; loose; damp; 75% fine sand; 25% silt; medium estimated K; no odor Sandy CLAY (CH); olive; medium stiff; damp; 50% clar 30% very fine to fine sand; 15% silt; ourse angular to subangular sand; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; very low estimated K; no odor Clayey SILT (ML); yellow brown mottled olive grey; medium stiff; wet; 90% silt; 10% clay; medium plasticity; low estimated K; no odor Clayey SILT (ML); yellow brown mottled olive grey; medium stiff; wet; 90% silt; 10% clay; medium plasticity; low estimated K; no odor	SOLV	رة الله الله الله الله الله الله الله الل	standard classification, texture, relative moisture, density stiffness, odor-staining, USCS designation.
Silty SAND (SM); yellow brown; to stiff; damp; 50% clay 30% very fine to fine sand; 15% slit; 5% course angular to subangular sand; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% slit; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% slit; high plasticity; very low estimated K; no odor Clayey SILT (ML); yellow brown mottled olive grey; medium stiff; wet; 90% slit; 10% clay; medium plasticity; low estimated K; no odor Clayey SILT (ML); yellow brown mottled olive grey; medium stiff; wet; 90% slit; 10% clay; medium plasticity; low estimated K; no odor	Street Bo)X	O Ashaltic concrete
		6 8:30 10 14 15 21 10 11 14 4 5 8	fine sand; 25% silt; medium estimated K; tio dust Sandy CLAY (CH); olive; medium stiff; damp; 50% clay 30% very fine to fine sand; 15% silt; 5% course angular to subangular sand; high plasticity; very low estimated K; no odor CLAY (CH); light brown; stiff; moist; 95% clay; 5% silt; high plasticity; very low estimated K; no odor Clayey SILT (ML); yellow brown mottled olive grey; medium stiff; wet; 90% silt; 10% clay; medium plasticity; low estimated K; no odor
			AQUA SCIENCE ENGINEERS, INC.