






LOGGED BY: RDC	SURFACE ELEVATION: N/A	BORING NO. B-1
DRILL RIG: Pacific Drilling	BORING DIAMETER: 4-inch	DATE DRILLED: 5/4/99

DEPTH (feet)	SAMPLE NO.	SAMPLE GRAPHIC LOG	GEOTECHNICAL DESCRIPTION AND CLASSIFICATION	SOIL CLASSIFICATION	CONVERTED SPT BLOW COUNT (BLOWS/FT.)	DRY DENSITY (PCF)	MOISTURE CONTENT (PERCENT)	REMARKS
0			Asphalt	ML				
0 - 4			Dark brown sandy SILT with gravel, moist, dense; (FILL).	CH				
4 - 7.5	1-6		Light grayish brown silty CLAY, very moist, soft; No odor.	CH	5			
7.5 - 11.5	1-11		Light gray-buff silty CLAY with thin bedded sand layers, saturated; no odor.	CL	7			
11.5 - 35			End of boring at 11.5 feet. Groundwater encountered at 7.5 feet and stabilized at 5 feet.					

<i>TERRASEARCH, inc.</i>	EXPLORATORY BORING LOG	
	SummerHill Homes - Hayward	
	Olympic Avenue and Huntwood Drive, Hayward, CA	
	PROJECT NO. E7618	FIGURE 3

LOGGED BY: RDC	SURFACE ELEVATION: N/A	BORING NO. B-2
DRILL RIG: Pacific Drilling	BORING DIAMETER: 4-inch	DATE DRILLED: 5/4/99

DEPTH (feet)	SAMPLE NO.	SAMPLE GRAPHIC LOG	GEOTECHNICAL DESCRIPTION AND CLASSIFICATION	SOIL CLASSIFICATION	CONVERTED SPT BLOW COUNT (BLOWS/FT.)	DRY DENSITY (PCF)	MOISTURE CONTENT (PERCENT)	REMARKS
0			Asphalt	ML				
0 - 4			Dark brown sandy SILT with gravel, moist, dense; (FILL).	CH				
4 - 6	1-6		Light grayish brown silty CLAY, very moist, soft; No odor.		5			
6 - 10			Light gray-buff silty CLAY with thinly bedded sand layers, saturated; no odor.	CL				
10 - 10.5	1-10				7			
10.5 - 35			End of boring at 10.5 feet. Groundwater encountered at 8 feet and stabilized at 7 feet.					

EXPLORATORY BORING LOG








SummerHill Homes - Hayward
 Olympic Avenue and Huntwood Drive, Hayward, CA

TERRASEARCH, inc.

PROJECT NO.
E7618

FIGURE
4

LOGGED BY: RDC	SURFACE ELEVATION: N/A	BORING NO. B-3
DRILL RIG: Pacific Drilling	BORING DIAMETER: 4-inch	DATE DRILLED: 5/4/99

DEPTH (feet)	SAMPLE NO.	SAMPLE GRAPHIC LOG	GEOTECHNICAL DESCRIPTION AND CLASSIFICATION	SOIL CLASSIFICATION	CONVERTED SPT BLOW COUNT (BLOWS/FT.)	DRY DENSITY (PCF)	MOISTURE CONTENT (PERCENT)	REMARKS
0			Dark brown sandy SILT with gravel, moist, dense; (FILL).	ML				
0 - 5			Light brown silty CLAY, very moist, medium stiff; no odor.	CH				
5	3-6				8			
5 - 10			Light gray-buff silty CLAY with thinly bedded sand layers, saturated; no odor.	CL				
10	3-10				8			
11.5			End of boring at 11.5 feet. Groundwater encountered at 7.5 feet and stabilized at 6 feet.					
15								
20								
25								
30								
35								

<i>TERRASEARCH, inc.</i>	EXPLORATORY BORING LOG	
	SummerHill Homes - Hayward	
	Olympic Avenue and Huntwood Drive, Hayward, CA	
PROJECT NO. E7618		FIGURE 5

LOGGED BY: RDC	SURFACE ELEVATION: N/A	BORING NO. B-4
DRILL RIG: Pacific Drilling	BORING DIAMETER: 4-inch	DATE DRILLED: 5/4/99

DEPTH (feet)	SAMPLE NO.	SAMPLE GRAPHIC LOG	GEOTECHNICAL DESCRIPTION AND CLASSIFICATION	SOIL CLASSIFICATION	CONVERTED SPT BLOW COUNT (BLOWS/FT.)	DRY DENSITY (PCF)	MOISTURE CONTENT (PERCENT)	REMARKS
0			Dark brown sandy SILT with gravel, moist, dense; (FILL).	ML				
5	4-6		Light brown silty CLAY, very moist, medium stiff; no odor.	CH	16			
10	4-10		Light gray-buff silty CLAY with thinly bedded sand layers, saturated; no odor.	CL	5			
11.5			End of boring at 11.5 feet. Groundwater encountered at 8 feet and stabilized at 7 feet.					
15								
20								
25								
30								
35								

<i>TERRASEARCH, inc.</i>	EXPLORATORY BORING LOG	
	SummerHill Homes - Hayward	
	Olympic Avenue and Huntwood Drive, Hayward, CA	
PROJECT NO. E7618		FIGURE 6