




LOGGED BY: CEW	SURFACE ELEVATION:	BORING NO. B-5
DRILL RIG: Pacific Drilling	BORING DIAMETER: 4	DATE DRILLED: 7/2/99

DEPTH (feet)	SAMPLE NO.	SAMPLE GRAPHIC LOG	GEOTECHNICAL DESCRIPTION AND CLASSIFICATION	SOIL CLASSIFICATION	CONVERTED SPT BLOW COUNT (BLOWS/FT.)	DRY DENSITY (PCF)	MOISTURE CONTENT (PERCENT)	REMARKS
0			Whitish gray to brown sandy CLAY, moist, no odor.	CL				
5	5-6				8			
10	5-11		Light grayish brown clayey SAND, moist, no odor.	SC	4			
15	5-16		Orange brown clayey SAND, wet, no odor.		9			
16.5			Borehole terminated at 16.5 feet. Groundwater stabilized at 10 feet below ground surface.					
20								
25								
30								
35								



GEOTECHNICAL ENGINEERS AND GEOLOGISTS

TERRASEARCH INC.

11840 DUBLIN BLVD., DUBLIN, CALIFORNIA 94568. (925) 833-9297

EXPLORATORY BORING LOG

Canterbury Residential Development

Olympic Avenue, Hayward, California

PROJECT NO.
7618.00

FIGURE
1

LOGGED BY: CEW	SURFACE ELEVATION: NA	BORING NO. B-1
DRILL RIG: Pacific Drilling	BORING DIAMETER: 4-inch	DATE DRILLED: 07/02/99

DEPTH (feet)	SAMPLE NO.	SAMPLE GRAPHIC LOG	GEOTECHNICAL DESCRIPTION AND CLASSIFICATION	SOIL CLASSIFICATION	CONVERTED SPT BLOW COUNT (BLOWS/FT)	DRY DENSITY (PCF)	MOISTURE CONTENT (PERCENT)	REMARKS
0			Offve green to brown clayey SAND, mofsf, medfurn dense, no odor.	SP				
1-6					8			
10			Greenish brown clayey SAND, moist, loose, no odor.		5			
15			Borehole terminated at 15 feet.					
20								
25								
30								
35								

EXPLORATORY BORING LOG

Canterbury Addition

Olympic and Huntwood Avenues

PROJECT NO. E7618.001

FIGURE 3

TERRASEARCH, inc.

LOGGED BY: CEW		SURFACE ELEVATION: NA		BORING NO. B-2				
DRILL RIG: Pacific Drilling		BORING DIAMETER: 4-inch		DATE DRILLED: 07/02/99				
DEPTH (feet)	SAMPLE NO.	SAMPLE GRAPHIC LOG	GEOTECHNICAL DESCRIPTION AND CLASSIFICATION	SOIL CLASSIFICATION	CONVERTED SPT BLOW COUNT (BLOWS/FT.)	DRY DENSITY (PCF)	MOISTURE CONTENT (PERCENT)	REMARKS
0			Dark brown sandy CLAY, moist, medium stiff, no odor.	VC				
2-4					8			
5			Light grayish brown clayey SAND, moist, loose, no odor.	SC				
10								
2-11					5			
15								
			Borehole terminated at 16.5 feet.					
20								
25								
30								
35								

EXPLORATORY BORING LOG

Canterbury Addition

Olympic and Huntwood Avenues

PROJECT NO.
E7618.001

FIGURE
4




TERRASEARCH, inc.

LOGGED BY: CEW	SURFACE ELEVATION: NA	BORING NO. B-3
DRILL RIG: Pacific Drilling	BORING DIAMETER: 4-inch	DATE DRILLED: 07/02/99

DEPTH (feet)	SAMPLE NO.	SAMPLE GRAPHIC LOG	GEO TECHNICAL DESCRIPTION AND CLASSIFICATION	SOIL CLASSIFICATION	CONVERTED SPT BLOW COUNT (BLOWS/FT.)	DRY DENSITY (pcf)	MOISTURE CONTENT (PERCENT)	REMARKS
0			Dark brown to black sandy CLAY, moist, medium stiff, no odor.	vc				
3-4					6			
5			Grayish brown clayey SAND, moist, loose, no odor.	sc				
10								
10	3-11				9			
15								
16.5			Borehole terminated at 16.5 feet.					
20								
25								
30								
35								

<i>TERRASEARCH, inc.</i>	EXPLORATORY BORING LOG	
	Canterbury Addition	
	Olympic and Huntwood Avenues	
PROJECT NO: E7618.001		FIGURE 5

LOGGED BY: CEW	SURFACE ELEVATION: NA	BORING NO. B-4
DRILL RIG: Pacific Drilling	BORING DIAMETER: 4-inch	DATE DRILLED: 07/02/99

DEPTH (feet)	SAMPLE NO.	SAMPLE GRAPHIC LOG	GEO TECHNICAL DESCRIPTION AND CLASSIFICATION	SOIL CLASSIFICATION	CONVERTED SPT BLOW COUNT (BLOWS/FT.)	DRY DENSITY (PCF)	MOISTURE CONTENT (PERCENT)	REMARKS
0			Dark brown to black sandy CLAY, moist, stiff, no odor.	vc				
4-4					12			
5			Light grayish brown clayey SAND, moist, loose, no odor.	sc				
10					6			
15								
20			Borehole terminated at 20 feet.					
25								
30								
35								

<i>TERRASEARCH, inc.</i>	EXPLORATORY BORING LOG	
	Canterbury Addition	
	Olympic and Huntwood Avenues	
	PROJECT NO. E7618.001	FIGURE 6