December 7, 2000

DO JAN -9 PH 3: 02

REPORT
of
SENSITIVE RECEPTORS SURVEY
and
AREA WELL SURVEY
for
2021 Brush Street
Oakland, CA

Submitted by:
AQUA SCIENCE ENGINEERS, INC.
208 West El Pintado
Danville, CA 94526
(925) 820-9391

1.0 INTRODUCTION

This report presents Aqua Science Engineers Inc. (ASE)'s sensitive receptors survey and area well survey at 2021 Brush Street, Oakland, California (Figure 1). This survey was requested by the Alameda County Health Care Services Agency (ACHSCA).

2.0 SCOPE OF WORK

ASE's scope of work for this project was as follows:

- 1) Review all available records from the California Department of Water Resources (DWR) and the Alameda County of Public Works Agency (ACPWA) to determine the location, use and construction of any wells located within a 1,000-foot radius of the site.
- 2) Contact the City of Oakland and the public utility companies to locate any underground utilities within the 1,000-foot radius that could possibly act as conduits for groundwater contamination.
- 3) Prepare maps and tables showing the locations and construction of wells in the site vicinity.
- 4) Prepare maps showing the location of underground utilities in the site vicinity.

3.0 RECORD SEARCH

3.1 Department of Water Resources (DWR)

All available records at the DWR office in Sacramento and the ACPWA were reviewed for township, range, and sections within the vicinity of the site. A total of 43 Water Well Drilling Reports were on file for wells that are located within an approximate 1,000-foot radius of the site. The locations of all the wells within the 1,000-foot radius are presented on Figure 2 and detailed in Table One. The DWR reports for the wells located within the 1,000-foot radius are presented in Appendix A.

2221 Union Street Report - December 2000

4.0 UNDERGROUND UTILITY SEARCH

4.1 City of Oakland, Public Works Department

ASE reviewed the storm and sewer sheets at the City of Oakland Public Works Department. The locations of the storm and sewer lines within the 1,000-foot radius of the site and are presented as *Figure 3*.

4.2 Pacific Gas and Electric Company (PG&E)

ASE reviewed the natural gas and underground electric conduit maps at PG&E. The locations of the natural gas and electric conduits within the 1,000-foot radius of the site and are presented as Figures 4 and 5 respectively.

4.3 East Bay Municipal Utility District (EBMUD)

ASE reviewed the water conduit locations at EBMUD. The locations of the water conduits within the 1,000-foot radius of the site are located on Figure 6.

5.0 SUMMARY OF WELLS SURROUNDING SITE

A total of twenty-two (22) wells are located within a 1,000-foot radius of the site. There were also a total of twenty-one (21) wells located immediately outside of the 1,000-foot radius. The location of all the wells identified are shown on Figure 2, and known details of the wells are tabulated in Table One. It should be noted that there were no public or domestic drinking water wells located within the 1,000-foot radius of the site. There were thirty-seven (37) wells identified as monitoring wells. Two (2) wells were identified as test wells. Four (4) wells were identified as either an extraction well or recovery well.

6.0 GROUNDWATER ELEVATION AND GRADIENT

The annual fluctuation of groundwater at the site is between 12.70 and 16.92-feet bgs, and the average depth to groundwater at the site is 15.25-feet bgs. The depth to water and groundwater elevation data are presented in *Table Two*. The groundwater flow at the site is to the northwest at an average gradient of 0.007 feet/foot. A groundwater elevation (potentiometric surface) is presented as *Figure 7*.

2221 Union Street Report - December 2000

7.0 SUMMARY OF POTENTIAL IMPACT TO RECEPTORS WITHIN THE SITE VICINITY

The depth of the storm and sewer lines ranges between 5-10-feet below ground surface (bgs) approximately. The depth of the electric and gas lines ranges between 3-5-feet bgs. The depth of the water lines ranges between 3-7-feet bgs.

Since the annual fluctuation of groundwater in the vicinity of the site is on an average 10-feet deeper than the depth of the utility conduits, ASE believes that there is no impact potential to the conduits from the source of contamination.

ASE also believes that there are no receptors that could be potentially impacted by the source of contamination at the site. It should be noted that the are no bodies of water and there are no public or domestic drinking water wells within the 1,000-foot radius of the site.

8.0 REPORT LIMITATIONS

This sensitive receptors survey and area well survey presents all data available to ASE at the time this survey was completed. It is possible that other wells may exist within the study area which could not be located and that some records may exist that were not made available to ASE. This report was completed to meet the requirements outlined in the scope of work. It does not appear to be possible to obtain additional details of the well construction of the wells presented in this report without physically opening the individual wells and conducting tests on the wells.

-3-

Aqua Science Engineers appreciates the opportunity to provide environmental services on this project. Should you have any questions or comments, please feel free to call us at (925) 820-9391.

No. 65

Respectfully submitted,

AQUA SCIENCE ENGINEERS, INC.

Ian Reed

Associate Geologist

Robert E. Kitay, R.G., R.E.A.

Senior Geologist

Attachments: Figures 1 to 7

Appendix A

TABLES

TABLE ONE AREA WELL SURVEY 1,000-F00T RADIUS


2021 BRUSH STREET OAKLAND, CA

			DATE	DEPTH OF	FIGURE 2
ADDRESS	WELL USE	OWNER	INSTALLED	WELL (FEET)	REFERENCE NUMBER
1919 Market Street	Monitoring	Scott Co.	07/01/92	22	<u> </u>
1919 Market Street	Monitoring	Scott Co.	07/01/92	Unknown	1
1919 Market Street	Monitoring	Scott Co.	07/01/92	Unknown	1
1919 Market Street	Monitoring	Scott Co.	07/01/92	24	1
1919 Market Street	Monitoring	Scott Co.	07/01/92	25	1
19th Street & San Pablo	Test	City of Oakland	01/01/91	3 <i>0</i>	2
2103 San Pablo Avenue	Monitoring	Greyhound	11/01/91	31	3
2103 San Pablo Avenue	Monitoring	Greyhound	11/01/91	31	3
2103 San Pablo Avenue	Monitorina	Greyhound	11/01/91	35	3
2103 San Pablo Avenue	Monitoring	Greyhound	11/01/91	31	3
2103 San Pablo Avenue	Monitoring	Greyhound	11/01/91	32	3
61120THStreet	Test	City of Oakland	01/01/91	30	4
769 22nd Street	Monitoring	Greg Keller	09/01/94	22	5
769 22nd Street	Monitoring	Greg Keller	09/01/94	22	5
769 22nd Street	Monitoring	Greg Keller	09/01/94	22	5
774 West Grand Avenue	Monitoring	Davis Fyne	04/01/88	40	6
850 West Grand Avenue	Monitoring	Chevron - USA	10/01/92	24	7
850 West Grand Avenue	Monitoring	Chevron - USA	10/01/84	30	7
850 West Grand Avenue	Monitoring	Chevron - USA	10/01/84	25	7
850 West Grand Avenue	Monitoring	Chevron - USA	10/01/84	24	7
850 West Grand Avenue	Monitoring	Chevron - USA	04/01/89	25	7
850 West Grand Avenue	Monitoring	Chevron - USA	04/01/89	25	7
850 West Grand Avenue	Monitoring	Chevron - USA	06/01/93	14	7
850 West Grand Avenue	Monitorina	Chevron - USA	06/01/93	14	7
850 West Grand Avenue	Monitoring	Chevron - USA	06/01/93	14	7
850 West Grand Avenue	Monitoring	Chevron - USA	08/01/95	27	7
850 West Grand Avenue	Monitoring	Chevron - USA	08/01/95	27	7
889 West Grand Avenue	Monitoring	Arco Products	05/01/91	Unknown	8
889 West Grand Avenue	Monitoring	Arco Products	03/01/92	30	8
889 West Grand Avenue	Monitoring	Arco Products	03/01/92	27	8
889 West Grand Avenue	Monitoring	Arco Products	04/01/92	3 <i>0</i>	8
889 West Grand Avenue	Monitoring	Arco Products	04/01/92	3 <i>0</i>	8
889 West Grand Avenue	Monitoring	Arco Products	04/01/92	29	8
889 West Grand Avenue	Monitoring	Arco Products	06/01/92	14	8
889 West Grand Averle	Monitoring	Arco Products	06 01 92	14	8
889 West Grand Averue	Mor torira	Arco Products	08.0° 32	* <u>4</u>	ව
888 West Grand Averue	Yor torna	Arco Products	06 01 92	3 <i>0</i>	ි ව
589 West Grand Avenue	Monitoring	Arco Products	02,01/33	28	8
889 West Grand Averse	Monitoring	Arco Products	02.01.93	20	8
889 West Grand Avenue	Extraction	Arco Products	12 01/93	15	<i>8</i>
689 West Grand Avenue	Extraction	Arco Products	12.01.93	15	9 8
888 West Grand Avenue	Recovery	Arco Producte	12.01.85	27	<i>ව</i> නි
889 West Grara Avenue	Recovery	Arco Producto	12/01/93	24	<i>8</i>

TABLE TWO
Summary of Groundwater Well Survey Data
Peerless Stages Property, Oakland, California

WELL ID	Date of Measurement	Top of Casing Elevation (relative to project datum)	Depth to Water (feet)	Groundwater Elevation (project datum)
MW-1	8/26/99 11/11/99 2/16/00 5/17/00 8 /23/0 0	19.66	16.44 16.56 13.02 14.88 15.86	3.22 3.1 6.64 4.78 3.80
MW-2	8/26/99 11/11/99 2/16/00 5/17/00 8/23/00	20.00	16.88 16.92 13.76 15.32 15.96	3.12 3.08 6.24 4.68 4.04
MW-3	8/26/99 11/11/99 2/16/00 5/17/00 8/23/00	18.91	15.94 15.98 12.70 14.44 15.33	2.97 2.93 6.21 4.47 3.58
MW-4	8/26/99 11/11/99 2/16/00 5/17/00 8 /23/00	19.43	16.48 16.50 13.19 14.95 15.97	2.95 2.93 6.24 4.48 3.46

FIGURES




SITE LOCATION MAP

Former Peerless Stages, Inc. Property 2021 Brush Street Oakland, California

Aqua Science Engineers

Figure 1














APPENDIX A

DWR Report for Well Located Within 1000-Foot Radius of Site

, c/o Patrick O'Brien

2730 Pelato st

BORING LOG

15/4422781

PRC				S-590 PROJECT NAME: CASS				BORING	NO: MW1	
5,00	ATIC	N:	~20'	S of diesel pit				DATE:	5-16-90	
GEC	LOG	IST:	Cinda	a C. MacKinnon, R.G. (#4316)				Page	1 of 1	
GRO	UND	WAT	ER DI	EPTH: >10'				DRILLE	R: Kvilhaug	
DRIL	LING	MET	HOE:	Hollow stem auger, 11*	r =					
рертн	SAMPLE	RECOVERY	BLOWS	DESCRIPTION	UCSC/Lithology	Graphic Symbol	W	ELL CON	NSTRUCTION	
0 -				7" concrete/1' silt and gravel 5" asphalt and brick rubble	FILL				— Christy box	_
5 -	×		4 - 6 - 12	black SILTY CLAY (Bay Mud); moist; no odor but soil oily at 5-5.5'	OL				Cement seal Blank casing	-
	× ×		8 - 12 - 22 5 - 12 - 30 - 50	blue-green SILTY CLAY; stiff; moist; no odor - appears "clean" becomes lighter in color and slightly mottled at 8" light brown mottling increases at 10'; also contains minor sand and small gravel	CL				#2 sand pack	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
20-				light brown SILTY CLAY - cuttings contain coarse sand and small gravel; wet T.D. 20'			878		casing silt trap	
		1		REMARKS			<u></u> _			
	\geq] =	samp	ole analyzed						
	01		. 1 -							
i }	2	samp	oler a	at 10'-12'						
				Driller: Kv	'1 L {-{	AUC	Ś			
				MACKINNON ENVIRONMENTAL CONSUL			- 1			
ļ				WALNUT CREEK, CA						




FIGURE: 2 Location of Boreholes and Monitoring Wells

15/4427B2. 01-460\$

BORING LOG

. *			BORING LOG				07	-460 P
PROJEC	T NO	: CAS	S-590 PROJECT NAME: CASS				BORIN	GNO: MW2
OCATI	ON:	ITP y	ard near Diesel pump				DATE	: 5-15-90
GEOLO	GIST:	Cinda	C. MacKinnon, R.G. (#4316)				Page	1 of 1
GROUNI	D WAT	ER DE	PTH: ~11'-12'				DRILL	ER: Kvilhaug
DRILLIN	G ME	THOE:	Hollow stem auger, 11"		·	r		
DEPTH	RECOVERY	BLOWS	DESCRIPTION	UCSC/Lithology	Graphic Symbol	٧	ÆLL CC	DNSTRUCTION
0			Gravel base 6" black CLAY and SILT with rubble; slightly moist below 2'	FILL				Christy box
5-	M	3 - 6 - 1 0	black SILTY CLAY (Bay Mud); moist; no odor	0 L/		Z		Cement seal Blank casing Bentonite
)-		12- 18- 25	blue-green very SILTY CLAY; plastic; moist; medium stiff to soft; mottled; slight odor; discoloration below 10'; wet	CL				plug 8.7 #2 sand
	-	10- 15- 25	very coarse SAND with small Gravel, Silt and minor Clay; saturated; odor	s м				pack
5-			blue-green Gravelly-Sandy CLAY; wet	CL		-		slotted .01 casing
20-		5 - 6 -	light red-brown SILTY CLAY with fine Sand; mottled light grey; stiff; wet; no odor T.D. 19.5'					silt
		8 -						trap
		ৰ -	REMARKS					
)	oily	produ	ample analyzed uct came up outside of last 10' of auger ing sand and bentonite					
			MACKINNON ENVIRONMENTAL CONS WALNUT CREEK, CA	ULTING				

BORING LOG

,								-	1-4607
PROJEC	T NO:	CAS	S-590 PROJECT NAMI	E: CASS				BOR	IING NO: MW3
COCATIO	N:	~10' h	W of diesel pit		<u>-</u> .			DAT	E: 5-16-90
GEOLOG	IST:	Cinda	C. MacKinnon, R.G. (#4316)					Page	e 1 of 1
GROUND	WAT	ERDE	PTH: undetermined during drilling					DRI	LLER: Kvilhaug
DRILLING	MET	HOC:	Hollow stem auger, 11"	<u></u>					
DEPTH	RECOVERY	BLOWS .	DESCRIPTION		UCSC/Lithology	Graphic Symbol	V	VELL (CONSTRUCTION
0			8" concrete/12"gravel 4" silt, sand and gravel		FILL				Christy box
5		6 - 8 - 15	black SILTY CLAY with minor pe soft; moist; no odor	· L	OL				Cement seal Blank casing Bentonite
1 5	8*	6- 11- 28- 40	blue-green SILTY CLAY; mottled light brown with very fine sand moist; medium stiff color change between 12'-13' to	o olive	СL))))))))))	#2 sand pack
20-			light brown SILTY CLAY - cutting coarse sand and gravel; wet	gs mixed with			::		silt trap
	l	1	REMARKS				 -		
	\boxtimes] = s	ample analyzed						
)	San	d and	gravel in cuttings below 16' may repre e lense in clay or may be present with	sent a n clay itself.					
		_ _	MACKINNON ENVIRON WALNUT (MENTAL CONSULT	ING			. <u>.</u>	

CONFIDENTIAL

STATE OF CALIFORNIA DWR WELL COMPLETION REPORT (WELL LOGS)

REMOVED

120170 NORTH BOUNDARY OF SECTION T "% " NW 1/4 % MILE NS Lownship Range SKETCH Section No. Retracts of SENSEN restrict ines Menument No Scale Richmond THE Well

1

B. Location of well in areas not sectionized.

Sketch roads, railroads, streams, or other features as necessary. Indicate distances.

Contamination Assessment Report Coca-Cola - West . Oakland, California 15/4W 27B4-9 Soil Boring and Groundwater Monitoring Well Location Map Figure 3 Sanitary Sewer Line Trench Drain To **5** ₩8-9 Storm Sewer ⊕ 8-2 ⊕ 01-8 JST-T1 UST-12 UST-T6 -UST-74 0 Maintenance Shop 9-15 New Warehouse Covered Storage Addition Service Building Covered Farking Sanitary Sewer -Explanation Steam Clean Drain Kirkham Street Excavation Boundary Groundwater Monitoring Well Location Soil Boring Location 01-07 JOB NO: REVIEWED BY: DRAFTED BY. USTEC 91058,02 R. Hall J. Overholt 60Z-829-6311

Key to Boiling Log Symbols

01-4764-

Lithologic Log

15/4W 27B4-9


- 1		
	Gravel	
	1. <u> </u>	
\$ Q:		
0.0	Sandy Gravel	
5.5	:	١
900	Clayey Gravel	
200		
	Sand	
:::::::::::::::::::::::::::::::::::::::	<u>-</u>	-
	Garage Sand	
4 4	Gravelly Sand	
		_
	Sand w/Gravel	
		_
	Silty Sand	
1-1 1-1	<u> </u>	

•		
	Clayey Sand	
	Silt	
	Sandy Silt	
# 1	Clayey Silt	
	Clay	
	Gravelly Clay	
	Sandy Clay	


_	
	Silty Clay (CL)
	Silty Clay (CH)
	Artificial Fill
	Peat
	Sandstone
	Limestone
	Sandy Limestone

(/ / .	
	Dolomite
+++++++++++++++++++++++++++++++++++++++	Granite
* \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Extrusive
	Extrusive
	Intrusive
	Shale

Sample Type



Well Components



Method of Soil Classification (ASTM D 2487)

01-492A-F 15/4W27B4-9

Coarse-Grained Soils

Less Than 50% Fines

Group Symbols	Description	Major Divisions
GW	well graded gravels or gravel sand mixtures, less than 5% fines	GRAVELS more than half of
GP	poorly graded gravels or gravel sand mixtures, less than 5% fines	coarse fraction is larger than No 4
GM	dayey gravels, gravel, sand, silt mix tures, more than 12% fines	sieve size
GC	dayey gravels, gravel sand day mix tures, more than 12% fines	
5W	well graded sands or gravelly sands, less than 5% fines	SANDS more than half of
SP	poorlly graded sands or gravelly sands, less than 5% fines	coarse fraction is smaller than No 4
5M	silty sands, sand day mixtures more than 12% fines	sieve size
5C	clayey sands, sand day muxtures more than 12% fines	

NOTE:

Coarse-grained soils receive dual symbols if they contain 5 to 12% FINES (E.G. SW-SM, GP-GC)

Fine Grained Soils

More Than 50% Fines

	INDIE HIGH DOWN THES	
Group Symbols	Description	Major Divisions
ML	inorganic silts, very fine sands, rock flour, silty or clavey fine sands	SILTS
CL	inorganic clays of low to medium plasticity, gravelly clays sandy clays, silty clays, lean clays	AND CLAYS liquid limit less
OL	organic silty or organic silty clays of low plasticity	than 50
мн	inorganic silty, micaceous or diatoma ceous fine sands or silts, elastic silts	SILTS AND CLAYS
CH	inorganic clays of high plasticity, fat clays	liquid limit more than 50
OH	organic dalys of medium to high plasticity	
PT	peat, muck, and other highly organic soils	HIGHLY ORGANIC SOILS

NOTE

Fine grained soils receive dual symbols if their limits plot in the hatched zone on the Plasticity Chart (ML-CL)


SOIL SIZES

Component	Size Range	
BOULDERS	Above 12 mches	
COBBLES	3 inches to 12 inches	
GRAVEL	No 4 to 3 inches	
Соалье	4 inch to 3 inches	
Fine	No 4 to 4 inch	
SAND	No 200 to No 4	
Coarse	No 10 to No 4	
Medium	No 40 to No 10	
Fine	No 200 to No 40	
FINES (silt or day)	BELOW No 200	

NOTE: Only sizes smaller than three inches are used to classify soils.

Sizes refer to U.S. Standard Sieve Sizes.

PLASITCITY CHART



				 	BORING NO.MWB-1
Depth in t	PIO	Well Summary/ Backfill	Taw Co	Sample Type	SHW 21 BH SHEET NO.: 91058.02 START DATE 03/22/91 FINISH DAT
~5	• •		21	0935	SAND (SPI: dusky yellowish brown (10 YR 2/2) to clive gray (5 Y 4/1), moist, dense, odors present, fine to madium grain size CLAYEY SAND (SC): with silt, olive gray (5 Y 3/2) moist, medium dense, odors obvious (diesel and gas) color change to light brown (5 YP 5/6) noted at 7 feet
	: · <u>≥</u> 40 ·		1	0355	SILTY SAND (SM): moderate yellowish brown (10 YP 5/4) moist. Very dense, strong gas odors static groundwater measured at 11.07 feet
-15 -15			32	100	initial groundwater encountered at 14 rest trace of clay, wet conditions, atrong gasoline odors and consistency change to dense noted at 15 rest
-20 -	1 82	1 1 1	55	100	consistency change to very dense and slight odors in the consistency chan
-25	; ; ; ; ; ;		50+	101	13 SAND (SP): moderate yellow-brown (10 YR 5/4) wet,
30	i :				Soring Terminated At 27 Feet

MQTE 4 Inches of Conchete and 6 Inches of Bose Coarsa Encountered At The Surface

~. <u>~</u> ĵ

## STATE OF CONTROL OF		
SAND (SPI: light brown is YR 5/61 moist, medium 21 1338	BORING NO.MWB-4	4W 27B5
dense, no odors 1340	FIELD CEDL:: Description PROJECT: Oakland, CA. PROJECT NO.: START DATE O3/22/91 FINISH DATE: ORILLER West Hazmat Drilling Co. RIG TYPE: NP ELEY. ** OB ELEY.: PROJECT: NO.: START DATE O3/22/91 FINISH DATE: ORILLER West Hazmat Drilling Co. RIG TYPE: NP ELEY. ** ORILLER WEST HOUSE OF DIDITION OF DESCRIPTION Description	91058.02 03/22/91 CME-75 18.10 ft. 6.34 ft.
consistency change to very dense noted at 10 feet static groundwater measured at 11.75 feet initial groundwater encountered at 14 feet color change to moderate vellowish brown 10 YR 5/81 and wet conditions static groundwater encountered at 14 feet color change to moderate vellowish brown 10 YR 5/81 and wet conditions static groundwater measured at 11.75 feet Initial groundwater encountered at 14 feet color change to moderate vellowish brown 10 YR 5/81, wec.		
consistency change to very dense noted at 10 feet static groundwater measured at 11.76 feet initial groundwater encountered at 14 feet color change to moderate vellowish brown ilo YR 5/41 and wet conditions SILTY SAND (SM: light brown (5 YR 5/61, wet. very dense, no cdors Boring ferminated at 27 Feet	-5 0.0	
initial groundwater encountered at 14 feet color change to moderate vellowish brown 1345 : Color change to moderate vellowish brown 110 YR 5/41 and wet conditions SILTY SAND (SM): light brown (5 YR 5/6), wet. very dense, no odors Boring Terminated at 27 Feet		,
initial groundwater encountered at 14 feet color change to moderate yellowish brown 130 YR 5/4) and wet conditions SILTY SAND (SM): light brown (5 YR 5/6), wet. very dense, no cdors Boring Terminated at 27 Feet	static groundwater measured at 11.76 feet	_
color change to moderate yellowish brown 130 YR 5/4) and wet conditions SILTY SAND (SM): light brown (5 YR 5/6), wet. yery dense, no cdors Boring ferminated at 27 Feet	} I I I I I I I I I	
Poring Terminated at 27 Feet	-15 0.0 1345 color change to moderate yellowish brown 13 1345 1355 1355	
	Poring Terminated at 27 Feet	

NOTE. 5 Inches Of Congrete and 6 Inches of Base Coarge Sand Encountered At The Surface

•		01-492
•• ••		BORING NO.MWB-9
Depth in Fet PID Well Summary/ Backfill	Blow Count blows/foot Sample Type Time	PROJECT: Oakland, CA. PROJECT ND.: 91058.02 START DATE 03/23/91 START DATE 03/23/91 DATUER West Hazmat Orilling Co. HETHOR S INCH-HSA DATUR MSL FIELD GEOL.: M. Roche Description PROJECT ND.: 91058.02 FINISH DATE: 03/23/91 GWELEV.: 17.18 ft. FEVIEWED BY: J. O'Rounke
		CLAYEY SAND (SC): olive gray (5 Y 4/1), moist, medium dense. no cdor, fine to medium grain size
5 0.2	24 1051	color change to light brown (5 YR 5/6) noted at 5.3 feet
-10 o.2	26 1056	SAND (SP): light brown (5 YA 5/6), moist, very dense, no odor, fine to medium, grain size static groundwater measured at 11.03 feet
0.0	66 110	initial groundwater encountered at 14 feet tenses of silty sand and clayey sand noted at 14 feet
20		CLAYEY SAND (SC): light brown (5 YR 5/6), wet. very dense, no odor
		Foring Terminated At 27 Fact
30		
	»ДТЕ. Сово	ið Inches Of Conchete and 7 Inches Of Base e Encountered At The Sunface

U1- 770U	
BORING NO.MWB-12	

	,	•	,				BORING NO.MWB-12
••	٠,]	-			!	
Depth in Feet	P10	Well Summary∕ Backfill	Blow Count blows/foot	Sample Type	Time	Lithulogic Lng	PROJECT: Oakland, CA. START DATE 03/25/91 CRILLER West Hazmat Drilling Co. RIG TYPE: CME-75 HETHOR 8-10 Inch HSA H P ELEV. *: 17.01 ft. DATUR MSL GM ELEV.: 5.38 ft. FIELD GEOL.: M. Roche REVIEWED BY: J. O'Rourke
							Description
							SAND (SP): light brown (5 YR 5/6), slightly moist, medium dense, no odor
-5	0.1	TUNNIA TO	*		942		CLAYEY SAMD (SC); light brown (5 YR 5/6), slightly moist, dense, no odor
-10	0.1	11111111111	*		950		moisture change to very moist noted at 10 feet - static groundwater encountered at 11.03 feet -
<u>-15</u>	0.1	111111111111111111111111111111111111111	¥		1002		initial groundwater encountered at 14 feet -
-20							
25							
-30							Poring Terminated At 27 Feet And A Groundwater Monitoring Well Was Installed At 27 Feet -

NOTE: 4 Inches Concrete and 8 Inches Of Base Coarse Encountered At The Surface * Split Spoon Sample Was Pushed and No Blow Counts Were Recorded

~			•	:		BORING NO.MWB-13
Depth in .	P.IO	WEII Sumary/ Back till	Blaw Count blows/foot	Sample Type	Time Lithologic Log	PROJECT: Dakland, CA. PROJECT NO.: 91058.02 START DATE 03/25/91 DRILLER West Hazmat Drilling Co. RIG TYPE: CME-75 HETHOD 8 Inch HSA WELEY. 17.07 ft. DATUR MSL GW ELEY.: 5.92 ft. FIELD GEOL.: M. Roche PEVIEWED BY: J. O'Rourke Description SANO (SP): light brown (S YR 5/6), moist, medium
5 15 5		101111111			1042	SANO (SP): light brown (S yA 5/6), moist, medium dense, no odor, fine to medium size sand grains static groundwater encountered at 11.14 feet some small lenses of clayey sand noted at 12 feet initial groundwater encountered at 14 feet moisture change to wet noted a 14 feet Scring Terminated At 27 Feet
<u> </u>		<u> </u>				Inches Of Concrete and 8 Inches Base Coarse red At The Surface ≠ The Split Spoon Sample ed And No Blow Counts Were Recorded

U1-4-101	
----------	--

		-					01-4-101
	1				-		BORING NO.MWB-14
,,	; 	•					
. }	1	_				Lug	PROJECT: Oakland, CA. PROJECT NO.: 91058.02 START DATE: 03/25/91 FINISH DATE: 03/25/91
`	i	ar.y		9	į		DRILLER West Hezmat Drilling Co. RIG TYPE CME-75
ا ہ	Ì	<u>ĕ</u> _ `	50	Type	l	gi	METHOD 8-10 Inch HSA N P ELEV. % 18.01 ft.
=	1	_3. <u>_</u>	35	9		110	DATUM MSL GW ELEV.: 6.21 ft.
Depth in	c	Well Summary/ Backfill	3,0	Sample	T ime	Lithologic	FIELD GEOL.: M. Roche SEVIENED BY: J. O'Rounke
2	P 10	<u> 폭</u> 따	Bluw Count bluws/foot	ß	Ţ	🗀	Description
				1			SAND (SP): light brown (5 YR 5/6), moist, medium
;				Ì		: ::	dense, no odor
}				ļį			
; !							
j						<u> </u> :-	
۳							
-5	0.1		*		1335	1	
							-
_	1	- -			1		
	i	<u> </u>			<u> </u>	البخركم	CLAYEY SAND (SC). light brown (5 YR 5/6), very moist, dense, no odor, fine to medium grain size ,
-				j_,	j	المحمم	of worse, deuse, up odor, file to medicum dialu arte ' -
-10	0.1		*		1345	زرحم	<u>-</u>
	İ			-		تمجر	-
	j	1:4-1-1				بمزم	static groundwater encountered at 11.80 feet
_	j 1				ĺ	بگر کمرا	
				1		1	-
)		<u> </u>				مرقر كمرة	initial groundwater encountered at 14 feet
-15	0.1	1 . 2 . 1		ın	1405	المركز كا	\S
, 10	0.1	,	•	1	1400	محرموا	[4]
-	1	<u> </u>		ļ		مممم	
-	1		}	l	1	ومحرموا	
į.	į	<u> </u>		1		مممكما	[A]
	1			1]	ومحمركم	[4]
	i				1	تم بمما	
-20						بمركم	\Im
+				{		كمرم	
_	1	1 1 1			1	1	
				İ		تموشموا	
						لمستحر فمستح)
}-	Ì],[],				150	A
-25	İ					وممجرا	;·]
-	•					بمرتما	A second
	i					بمزمم	
	j			1		م	d Boning Terminated At 27 Feet
i i	1	i	1		1		
L						1	
30	:				!		
		1 	;				

NOTE: 4 Inches Of Concrete And 8 Inches of Base Coarse Encountered At The Surface * The Split Spoon Sample was Pushed And No Blow Counts Were Recorded



27B(2) 01-544T-X

November 16, 1992

Alameda County Flood Control and Water Conservation District 5997 Parkside Drive Pleasanton, CA 94588



ATTENTION: Mr. Craig Mayfield

Water Resources Engineer III

SUBJECT:

Well/Boring Completion Logs, Permit #92454

Kantor's Furniture 2525 Cypress Street Oakland, California

Dear Mr. Mayfield:

Enclosed is Aqua Science Engineers, Inc's. report which details monitoring well and boring construction at the subject site.


If you have any questions or comments, please feel free to give us a call at (510) 820-9391.

Respectfully submitted,

AQUA SCIENCE ENGINEERS, INC.

and all David Allen

Project Manager



AQUA SCIENCE ENGINEERS, INC.

25

E.O.H. 25'

ASE Form 20A

Ŋ

AQUA SCIENCE ENGINEERS, INC.

ASE Form 20A

. 232	6.	1-544 w	01	1504W27B12		
SOIL BORING LOG AND MON	ITORING WEL	L CONSTRUCT	ON DETAILS V	WELL NO. MW3		
Project Name: Kantor Discount Fur	niture Projec	ct Location: 2525	Cypress Street, Oakl	and Page 1 of 1		
Driller: WEST HAZMAT 1621	Type of Rig: N	lobil B-61	Type and Size of Au	uger: 7-3/4 O.D. Hollow 3-1/4 I.D. Stem		
Logged By: WCL	Date Drilled:	09/16/92	Checked By: David			
WATER AND WELL DATA		Total Depth of W	ell Completed: 25.0°			
Depth of Water First Encountered: ~	7.5'	Well Screen Type	and Diameter: 2" Dia	ameter Schedule 40 PVC		
Static Depth of Water in Well: 10.56'	Below T.O.C.	Well Screen Slot	Size: 0.020"			
Total Depth of Boring: 25'		Type and Size of	Soil Sampler: 2" I.D.	., Calif. Split-Spoon		
U SOIL/ROC	K SAMPLE DATA	1 0	DESCRIPTION OF I			
드 WELL\BORING 은 급 ;;	Field VOC (ppmv) Graphic Log	density,		re, relative moisture, ng, USCS designation.		
Blow Ct. METT/BOUNDS Scrip Solution of the control	Fleld (ppl Gra	트 density, 하 And (40-50%)		Some Trace 5-10%) (10-0%)		
Street Box	Con	0				
Locking Well	Cap		edium Grained sand	d (SP),		
Sement Color		mod. n	oisture, no odor			
_ 3/2 /2						
2 Sch 40 PV Sch 40 PV Sch 40 PV	< 10	5 Gray v	rith dark gray mottli	ing, organic clay (OL),		
f		moist,	abd. plant fragments	s, no odor		
		Saturation ≈ 7.5'				
	1					
-10 Res 8 Per 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	< 10	-10	S ABOVE (soil is sat	•		
		 s	tatic Water Level =	: 10.56 ^r		
HIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		-				
tere)		 				
1		-15 SAME A	S ABOVE, (moderate I	ts S adar)		
L Shed		[SAME A	3 ADOVE, (moderate i	2 3 0001)		
3 Washe	10 7 1 0 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
F 40001-10001-2001-1-1						
20		-20 SAME A	S ABOVE			
Sch.		_				
		_				
2.5 E.O.H. 25' N		25	20 110			
ASE Form 20A	AQUA SCI	ENCE ENGINEE	KS, INC.			

. SOIL BORING LOG AND MON	ITORING WEL	L CONSTRUCT	ON DETAILS	BORING	NO. SB-1					
Project Name: Kantor Discount Furniture Project Location: 2525 Cypress Street, Oakland Page 1 of 1										
Driller: WEST HAZMAT /62/ Type of Rig: Mobil B-61 Type and Size of Auger: 7-3/4" O.D. Hollo Stem										
Logged By: WCL	Date Drilled:	6/16/92	Checked By: Dav							
WATER AND WELL DATA		Total Depth of W	ell Completed: NA							
Depth of Water First Encountered: No	t Reached	Well Screen Type	e and Diameter: NA	1						
Static Depth of Water in Well: NA	····	Well Screen Slot	Size: NA							
Total Depth of Boring: 10 Feet		Type and Size of	Soil Sampler: 2" I	.D. Calif. S	plit Spoon					
SOIL/ROC	K SAMPLE DATA	ee t	DESCRIPTION C	FLITHOLO	XGY					
Depth in Fee Blow Ct. Blow Ct.	Field VOC (ppmv) Graphic Log	standard	classification, te stiffness, odor-stai With							
		(40-50%)	(40-25%)	(25-10%)	(10-0%)					
10 H.O.3 E.O.H 10' - 15 - 15 - 10 - 10 - 15 - 15 - 15 - 15		Top soil Light brown 4 backfill Odorou at ≈ 5- on the soil and the dark grorganic	own medium grai -1/2' to 6' = Road material (ie. "pe s liquid chemical 1/2 feet. Product organic clay. et exists contact of the "bay" muds, contact ay mottling, clay s and abd. plant re orist with no notice	ned sand d base typea" gravel product er appears to f road basesisting of rs (OL), rimatter. Th	(SP) e of , rock etc.), ncountered to be perched se material gray with ch in e clay was					
ASE Form 204	AONA 200	TNOT THOMS	DC INC							
ASE Form 20A	AQUA SCII	ENCE ENGINEE	HO, INC.							

01504W278 0L544X - SOIL BORING LOG AND MONITORING WELL CONSTRUCTION DETAILS **BORING NO. SB-2** Project Name: Kantor Discount Furniture Project Location: 2525 Cypress Street, Oakland Page 1 of 1 Type of Rig: Hand Auger Driller: ASE 1558 Type and Size of Auger: 3-1/4 O.D. Date Drilled: 6/16/92 Checked By: David M. Schultz, P.E. Logged By: WCL Total Depth of Well Completed: NA WATER AND WELL DATA Depth of Water First Encountered: Not Reached Well Screen Type and Diameter: NA Static Depth of Water in Well: NA Well Screen Slot Size: NA Type and Size of Soil Sampler: 2" I.D. Calif. Split Spoon Total Depth of Boring: 10 Feet SOIL/ROCK SAMPLE DATA Feet Feet DESCRIPTION OF LITHOLOGY Description Field VOC (ppmv) standard classification, texture, relative moisture, Graphic Log ⊑ WELL\BORING ≘ Blow Ct. density, stiffness, odor-staining, USCS designation. Depth Depth DETAIL With Some Trace And (40-50%)(40-25%)(25-10%)(10-0%)0 BORING BACKFILLED W/CONCRETE Rock base for railroad tracks from 0' to 2' Light brown medium grained sand (SP), sl. moisture, no odor Hand < 10 Gray with dark gray mottling, clay (OL), Driver rich in organics, abd. plant matter, moist mod. H2S odor Hand < 10 SAME AS ABOVE 10 Drive E.O.H 10' -15 15 20 -20


AQUA SCIENCE ENGINEERS, INC.

ASE Form 20A

CONFIDENTIAL

STATE OF CALIFORNIA DWR WELL COMPLETION REPORT (WELL LOGS)

REMOVED



.. #PP24X

01-401I

TABLE 2. ONSITE SOIL BORING LOGS, CURTIS & SONS, 1800 PERALTA, DAK-LAND, 8820082A

BORING MW-1 - Elevation <10 feet

	Thickness, feet	Soil Description
0-0.5	0.5	ASPHALT (Qam)
0.5-3.3		FILL (Qaf); dark brown, dry, sandy soil. with angular, cobble-sized rock fragments. and rounded pebbles
3.3-4.2	0.9	SILTY SAND (SM); dark brown, dry, 65 % fine to medium sand, 35 % silt, some clay, dense, poorly graded, poorly sorted. Damp to moist from 3.8 ft downward.
4.2-4.9	0.7	SILTY SAND (SM); light brown, mottled with orange sand, damp, poorly graded and sorted.
4.9-5.7	0.8	SILTY SAND (SM); dark brown to black, moist, fine to medium sand >85 %, black clay and silt <20 %, poorly graded and sorted. First water encountered at 5.5 ft.
5.7-6.5	0.8	SILTY SAND (SM): black, wet, organic rich and decayed organic matter and plant fragments; 55 - 60 % fine to medium sand. 40-45 % silt and clay, poorly graded and sorted.
6.5-10.5	4.0	SANDY CLAY (SC); dry to damp, blue-green clay. mottled with orange sand with black clay stringers, very stiff; roots, moderate plasticity. Hard drilling.

Boring MW-1 is located adjacent to Peralta St. by the loading dock near the known fuel tank, about 15 ft south of the northwest property corner and 2.5 ft west of the Peralta St. curb, between the two north driveways on Peralta St. Total depth of Boring MW-1 is 10.5 ft. Monitoring well MW-1 completed as: 0-4 ft. 2-in. dia. PVC casing; 4-9 ft. 2-in. dia. PVC 0.010-in. slotted well screen; 9-10.5 ft, cement grouted 2-in. dia. PVC casing as silt trap; and end cap; annulus from 0-2 ft. bentonite pellet sealed annulus from 2-3 ft. Monterey No. 2 sand pack from 3 to 10.5 ft. MW-1 is enclosed in a traffic box with a locked. water-tight sealed cap. Groundwater encountered at time of drilling at 5.5 ft below grade; well dry when completed. Boring advanced by 6-in. dia. hollow stem auger using Mobile B-34 rig and converted to monitoring well on June 17, 1988 by Tim Collett, ENSCO (Exceltech). Logged by Marin A. Popoff. Woodward-Clyde Consultants.

#PP294
TABLE 2. ONSITE SOIL BORING LOGS, CURTIS & SONS. 1800 PERALTA, OAK-LAND, 8820082A (Concluded)

BORING MW-2 - Elevation <10 feet

Depth, feet	Thickness.	Soil Description
0-2.5	2.5	FILL (Qaf); gray angular cobbles (3-4 in.) and rounded pebbles (3/4-1 in.). loose, dry, no
2.5-4.1	1.6	sorting. CLAYEY SAND to SILTY SAND (SC); black, moist, 65 % very fine to fine sand, 35 % clay and silt, sticky, low plasticity, poorly graded, poorly sorted. Locally, pebbles to 1/2-3/4 in, rounded, 5-10 % soft to firm. Wet to saturated, black clay and silt to 40 %, more plastic at 3.7
4.1-4.8	0.7	3.7 ft. First water encountered at 4 ft. CLAYEY SAND (SM); dark brown, moist, 70-75 % very fine to medium sand, sticky, slightly plastic, poorly graded, poorly sorted, dense. Hard drilling.
4.8-6.4	1.6	CLAYEY SAND (SM); gray brown, wet, mottled with orange iron stains and blue stringers of bay mud clay, very fine to medium sands about 75 %, medium dense. Hard drilling.
6.4-7.7	1.3	CLAYEY SAND (SM); light brown, mottled with orange sand and blue-green clay, fine to medium sand, 70 %, organic dark brown to black mottled, locally dry to moist, dense.
7.7-18	10.3	SILTY CLAY (CL) to SANDY CLAY (CH); blue gray- green, damp. very stiff, 5-10 % very fine to fine sand. 90-95 % clay and silt. Bay Mud, some organic detritus (5 %) and local, infrequent orange mottling. Hard drilling. At 8.2 ft in silt content. <5 % very fine sand, light blue gray clay, damp to moist.

Boring MW-2 is located between the building and the railroad track, in the railroad spur between the two loading docks and nearest the first loading dock closest to Peralta St. by 18th St., about 85 ft east of the southwest property corner and 20 ft north of 18th St. Total depth of Boring MW-2 is 18 ft. Monitoring well MW-2 completed 0-5 ft, 2-in. dia. PVC casing; 5-10 ft, 2-in. dia. PVC 0.010-in. slotted well screen; 10-13 ft, 2-in. dia. PVC casing as silt trap; and end cap; cement grouted annulus from 0-3 ft, bentonite pellet sealed annulus from 3-4 ft, Monterey No. 2 sand pack from 4 to 13 ft, Monterey No. 2 sand backfill from 13 to 17.5 ft, bentonite pellet backfill from 17.5 to 18 ft. MW-2 is enclosed in a traffic box with a locked, water-tight sealed cap. Groundwater encountered at time of drilling at 4 ft below grade; groundwater at 3.1 ft when well was completed. Boring advanced by 6-in. dia. hollow stem auger using Mobile B-34 rig and converted to monitoring well on June 17, 1988 by Tim Collett, ENSCO (Exceltech). Logged by Marin A. Popoff, Woodward-Clyde Consultants.

01-897

May 10, 1990

Mr. Todd N. Wendler Alameda County Flood Control and Water Conservation District 5997 Parkside Drive Pleasanton, CA 94566

SUBJECT: WELL ABANDONMENT REPORT

AGE PROJECT No. 004-88-059

Dear Mr. Wendler:

Enclosed please find a chart documenting the number of the wells destroyed, the date of destruction, and the amount of cement used in the destruction for a project at 1310 14th Street (Carnation Dairy) in Oakland, California. Included also is a location map of all destroyed wells.

Four of the wells were included in Groundwater Protection Ordinance permit 90196. They are monitoring wells MW-17, MW-18, MW-19, and MW-20. MW-18 and MW-20 were abandoned by Accubore Precision Drilling. MW-17 and MW-19 were abandoned by Pioneer Drilling.

The remaining twenty wells were destroyed under Groundwater Protection Ordinance permit 90218. The twenty wells are: PR-1, PR-2, PR-3, PR-4, PR-5, PR-6, PR-8, PR-9, PR-13, PR-14, PR-15, PR-16, PR-82, PR-83, PR-84, PR-92, PR-93, PR-97, PR-103, and MW-21. All twenty wells were destroyed by Pioneer drilling.

Lic (57) 584907 Lic # (57) 573970 The following procedures were used to abandon the wells:

- 1. The surface traffic box was removed.
- The well was drilled out using a hollow stem auger that was larger than the auger used to drill the original well.
- 3. The well was overdrilled to a depth of at least one foot deeper than the bottom plug attached to the well screen.
- 4. The casing and screen were removed through the auger with the auger remaining in the ground during this procedure.
- 5. After the screen and casing were pulled, a grout mixture was tremied to the bottom of the open hole. The auger lengths were pulled in five foot sections as the grout advanced up the hole.
- 6. The grout mixture was brought up to within one foot of the existing ground surface.
- After the grout mixture in the hole was allowed to set, the last foot was completed with a concrete mixture plug.
- 8. The screen and casing were steam cleaned, cut in pieces, and disposed of properly.
- 9. The cuttings from the hole were collected and will be disposed of properly

If you have any questions, please do not hesitate to call me at (415) 548-0377 or Mary Scruggs at (916) 631-0154.

Sincerely, Anania Geologic Engineering

Robyn McKinney
Project Geologist

Enclosure

WELL ABANDONMENT 1310 14TH STREET OAKLAND, CALIFORNIA

CARNATION DAIRY FACILITY AGE PROJECT 004-88-059

Well Number	Date Drilled	Drilling Depth (Feet)	Bags of Cement	Completed to Grade	Original Well Depth	Well Abandonment Permit No.	Date Permit Issued
PR-1	04/20/90	16.0	4.50	04/25/90	15.0	90218	04/09/90
PR-2	04/18/90		4.50	04/20/90	15.5	90218	04/09/90
PR-3	04/18/90		5.00	04/20/90	15.5	90218	04/09/90
PR-4	04/19/90	16.5	4.25	04/20/90	15.0	90218	04/09/90
PR-5	04/24/90	16.5	4.25	04/24/90	15.5	90218	04/09/90
PR-6	04/24/90	16.5	4.50	04/24/90	15.5	90218	04/09/90
PR-8	04/23/90	16.5	4.25	04/24/90	15.5	90218	04/09/90
PR-9	04/24/90	16.0	4.25	04/24/90	15.0	90218	04/09/90
PR-13	04/23/90	16.5	4.25	04/24/90	15.5	90218	04/09/90
PR-14	04/24/90	16.5	4.25	04/24/90	15.5	90218	04/09/90
PR-15	04/23/90	16.5	4.25	04/24/90	15.5	90218	04/09/90
PR-16	04/23/90	16.5	4.25	04/24/90	15.5	90218	04/09/90
PR-82	04/19/90	26.0	6.25	04/20/90	25.0	90218	04/09/90
PR-83	04/18/90	26.0	6.00	04/19/90	25.0	90218	04/09/90
PR-84	04/19/90	26.0	6.25	04/20/90	25.0	90218	04/09/90
PR-92	04/24/90	16.0	4.25	04/25/90	15.0	90218	04/09/90
PR-93	04/24/90	16.0	4.50	04/25/90	15.0	90218	04/09/90
PR-97	04/20/90	16.0	4.25	04/24/90	15.0	90218	04/09/90
_PR-103	04/24/90	16.0	4.50	04/25/90	15.0	90218	04/09/90
MW-17	04/19/90	21.0	5.25	04/20/90	20.0	90196	03/26/90
MW-18	03/31/90	21.0	8.00	03/31/90	20.0	· 90196	03/26/90
MW-19	04/23/90	21.0	5.25	04/24/90	20.0	90196	03/26/90
MW-20/	03/30/90	21.0	7.00	04/02/90	20.0	90196	03/26/90
	03/31/90			- •			
MW-21	05/09/90	55.0	12.00	05/10/90	54.0	90218	04/09/90

WELL ABANDONMENT 1310 14TH STREET OAKLAND, CALIFORNIA

CARNATION DAIRY FACILITY AGE PROJECT 004-88-059

15/4W 27L

2.2	:======:							
=	Well Number	Date Drilled	Drilling Depth (Feet)	Bags of Cement	Completed to Grade	Original Well Depth	Well Abandonment Permit No.	Date Permit Issued
2Ö	PR-1	04/20/90	16.0	4.50	04/25/90	15.0	90218	04/09/90
21	PR-2	04/18/90	16.5	4.50	04/20/90	15.5	90218	04/09/90
23	PR-3	04/18/90	18.0	5.00	04/20/90	15.5	90218	04/09/90
24	PR-4	04/19/90	16.5	4.25	04/20/90	15.0	90218	04/09/90
25	PR-5	04/24/90	16.5	4.25	04/24/90	15.5	90218	04/09/90
26	PR-6	04/24/90	16.5	4.50	04/24/90	15.5	90218	04/09/90
27		04/23/90	16.5	4.25	04/24/90	15.5	90218	04/09/90
28		04/24/90	16.0	4.25	04/24/90	15.0	90218	04/09/90
32		04/23/90	16.5	4.25	04/24/90	15.5	90218	04/09/90
33	PR-14	04/24/90	16.5	4.25	04/24/90	15.5	90218	04/09/90
36	PR-15 PR-16	04/23/90	16.5	4.25	04/24/90	15.5	90218	04/09/90
39	PR-16	04/23/90	16.5	4.25	04/24/90	15.5	90218	04/09/90
) PR-82	04/19/904		6.25	04/20/90	25.0	90218	04/09/90
	PR-83	04/18/90/		6.00	04/19/90	25.0	90218	04/09/90
·`\	PR-84	04/19/909		6.25	04/20/90	25.0	90218	04/09/90
Λ	PR-92	04/24/90 ?		4.25	04/25/90	15.0	90218	04/09/90
1	PR-93	, ,	19 16.0	4.50	04/25/90	15.0	90218	04/09/90
	PR-97	04/20/90		4.25	04/24/90	15.0	90218	04/09/90
_	_PR-103	04/24/90 1		4.50	04/25/90	15.0	90218	04/09/90
5ŧ	MW-17	04/19/90	21.0	5.25	04/20/90	20.0	90196	03/26/90
58	MW-18	03/31/90	21.0	8.00	03/31/90	20.0	90196	03/26/90
59	MW-19	04/23/90	21.0	5.25	04/24/90	20.0	90196	03/26/90
60	MW-20\	03/30/90	21.0	7.00	04/02/90	20.0	90196	03/26/90
	1	03/31/90						
,	XMW-21	05/09/901	·Z 55.0	12.00	05/10/90	54.0	90218	04/09/90

CONFIDENTIAL

STATE OF CALIFORNIA DWR WELL COMPLETION REPORT (WELL LOGS)

REMOVED

Job "1000.

City of Cakland. Pourd of Fark Commissioners ell DeFremery Fark.

LOG OF ALLL.

Brown sand	- - &	feet
	o £7	13
Good water sand 27 "	29	51
Sand & herdran in streaks 29 "	33	F F
Brown sandy clay 23 "	40 40	21
Brown sandy clay 23 "Water sand 40 "	46	13
Blue cementy gravel, tight 46 ".		T1
Blue clay 48 "	50	10
Prown clay 50 "	53	11
Brown sandy clay 53 "	56	17
Brown sticky clay 56 "	77	77
Blue sand 77 "	79	ň
Blue sand 77 "Blue clay 79 "	88	11
Broken brown rock, with little gravel 88 "	90	t1
Blue hardpan 90 "	91	r;
Brown clay & gravel 91 "	99	14
Yellow clay 99 "	111	77
Yellow clay 99 " Blue sand 111 "	-112	17
Yellow sand, some water 112 "	118	Ħ
Yellow clay 118 "	123	Ħ
Hard cementy gravel 123 "	127	77
Yellow clay 127	133	17
Hard white clay 133 "	137	FT

120 feet 12' Ho. 14 ?. H. Double Casing. 1 - 12" No. 14 . H. Double starter 16 feet long.

60 feet machine perforations (Chisel slot cracked)

Aug.6-1928

1 - 12" No. 12 two ply, butt welded reband.
137 feet 8" No. 14 R. H. Collar Casing placed in well. Bottom of well plugged. Gravel between 2" & 12" Casings. Work done by Cugh, 1201 - Left 12th. Street, Cakland.

Foreman F. Eurfeina.

Job finished September 6 - 1927.

CONFIDENTIAL

STATE OF CALIFORNIA DWR WELL COMPLETION REPORT (WELL LOGS)

REMOVED

Oakland City Center 500°124h Street Suite 100 Oakland, CA 94607-4014 (415) 893-3600

Woodward-Clyde Consultants

154W27H 2 Borings

April 7, 1989

Alameda County Flood Control And Water Conservation District 5997 Parkside Drive Pleasanton, California 94566

Attention: Permits Department

Gentlemen:

Subject: Well Construction Report, Permits 89028 and 89133,

Location 1S/4W 27H80

This Well Construction Report transmits information required by Groundwater Protection Ordinance, Permits 89028 for the installation of one monitoring well and two soil borings and Permit 89133 for the destruction of the monitoring well.

The well and borings were installed at 2311 Adeline Street (see Figures 1 and 2) on January 27, 1989. No free water was encountered in the soil borings at time of drilling and they were backfilled immediately after drilling with compacted cuttings. The monitoring well was constructed using 2-in. diameter PVC casing, backfilled with clean sand, sealed with 1 foot of bentonite pellets and a 4-foot surface seal of cement/bentonite grout. The monitoring well was abandoned by drilling out the casing and sand pack and grouting with cement/bentonite grout on March 10, 1989. Because the water bearing formation produces water very slowly at this site, the drilled-out monitoring well was virtually dry at time of abandonment and did not require a tremie pipe to backfill. Logs of the monitoring well and borings are attached in Appendix A.

If you have any question concerning the installation or abandonment of these soil borings and monitoring well please call Stan Clarke at 874-3096.

Sincerely,

Woodward-Clyde Consultants

Stanton L. Clarke, P.E.

Project Engineer

Consulting Engineers, Geologists and Environmental Scientists

- ABANU. Woodward-Clyde Consultants NO.__8910023A NED CLYDE PROJECT NAME BORING LOCATION **ELEVATION AND DATUM** MW - 1 N/A DATE STARTED DATE FINISHED DRILLER DRILLING AGENCY January 27,1989 **ENSCO** J.R. Richards COMPLETION DRILLING EQUIPMENT SAMPLER 2.5" Modified California Type 16.5 Diedrich D - 25 (Skid Rig) DEPTH NO. OF SAMPLES DRILLING METHOD DRILL BIT DIST. UNDIST. 8" Auger N/A 8" Hollow Stem Augers SIZE AND TYPE OF CASING WATER FIRST 72 HRS. 2 PVC LEVEL N/A <u>7.94</u> TYPE OF PERFORATION FROM PŁ. LOGGED BY: CHECKED BY: 0.020" Factory slot 6 16 SIZE AND TYPE OF PACK #2/12 Lonestar FROM 4.9 TO 16.5 Pt. Monterey Sand C. Parten S. Clarke FROM TO PL. NO. 1 Bentonite Pellets 3.9 4.9 TYPE OF SEAL FROM TO Neat Cement 0.5 3.9 NO. 2 GRAPHIC LOG SAMPLES REMARKS (Drill Rate, Fluid Loss, Odor, Sample Number DEPTH (feet) Drive Number DESCRIPTION Recov. (Feet.) Blow Counts Piezometer etc.) Lithology Installation 40 ppm Silty Clay w/ sand (CL) Hnu Reading -no sand below 1° -medium stiff -black with gray mottling (below 1') -damp 5 Clayey Silt (ML) 5 90 ppm -tan and gray mottling 1 Hnu Readings - stiff 7 Gas / Hydrocarbon Odor -damp 72 hrs Clayey Silt w/sand (ML) 120ppm -tan with gray mottling decreasing 2 Hnu Reading 10 11 -stiff Gas Odor -damo 15 Clayey Sand w/ gravel (SC) in top of sampler 15 70 ppm Hnu Reading 4 5 3 -gray -medium dense No Odor -saturated
-gravel to 1" diameter
Clayey Silt (ML) in the bottom of the sampler
-tan and gray mottling -medium -damp 20 Bottom of Boring at 16.5 Piezometer Legend 25 Slottet Well Screen Sand Pack Bentonite Pellets

Cement / Bentonite Grout

30

30

Woodward-Clyde Consultants 👄 PROJECT NAME **NED CLYDE** NO. 8910023A **ELEVATION AND DATUM** BORING LOCATION NA B-1 DRILLER DATE STARTED DATE FINISHED January 27,1989 DRILLING AGENCY **ENSCO** J.R. Richards SAMPLER 2.5" Modified California Type COMPLETION DRILLING EQUIPMENT 16.5 Diedrich D-25 (Skid Rig) DEPTH NO. OF DRILL BIT DIST. UNDIST. DRILLING METHOD 8" Auger N/A 8" Hollow Stem Augers SAMPLES COMPL. 24 HRS. SIZE AND TYPE OF CASING WATER FIRST WA N/A 12 LEVEL TYPE OF PERFORATION FROM CHECKED BY: N/A TO PL, LOGGED BY: N/A N/A SIZE AND TYPE OF PACK FROM N/A TO N/A N/A C. Parten S. Clarke FROM N/A TO N/A R NO. 1 N/A TYPE OF SEAL N/A FROM N/A TO NO. 2 N/A SAMPLES REMARKS GRAPHIC LOG Drive Number Sample Number Recov. (Feet.) Blow Counts (Drill Rate, Fluid Loss, Odor, DEPTH (leet) DESCRIPTION Lithology Installation Silty Clay w/gravel (CL) -brown Silty Clay (CL) -black, gray motting 170 ppm to 140 ppm Hnu Readings 5 5 Clayey Silt (ML) 5 -gray w/ slight tan mottling -medium 1 Slight Odor 0 -damp 10 110 ppm Hnu Reading 10 Clayey Silt w/sand (ML) 2 8 -tan w/ gray mottling Gas Odor -medium ATD -damp Gravelly Clayey Sand (SC) 15 15 70 ppm Hnu Reading -tan and gray 3 8 10 -medium dense Slight Odor -saturated -gravel to 1" diameter Bottom of Boring at 16.5' 20 20 25 25 30 30


35

PROJECT NAME NED CLYDE

No. 8910023A


ELEVATION AND DATUM BORING LOCATION B-2 N/A DATE STARTED DATE FINISHED DRILLER January 27,1989 DRILLING AGENCY J.R. Richards **ENSCO** SAMPLER 2.5" Modified California Type COMPLETION DRILLING EQUIPMENT 16.5 Diedrich D - 25 (Skid Rig) DEPTH NO. OF SAMPLES DRILL BIT DIST. DRILLING METHOD N/A 8" Auger 8" Hollow Stem Augers WATER FIRST SIZE AND TYPE OF CASING N/A LEVEL 9 1/2 N/A TYPE OF PERFORATION FROM CHECKED BY: N/A TO R. LOGGED BY: N/A N/A SIZE AND TYPE OF PACK FROM N/A TO R. N/A N/A S. Clarke C. Parten FROM N/A TO NΑ R. N/A NO. 1 TYPE OF SEAL NΑ FROM N/A TO NO. 2 N/A SAMPLES **GRAPHIC LOG** REMARKS Sample (Drill Rate, Fluid Loss, Odor, DEPTH (feet) DESCRIPTION etc.) Piezometer Lithology installation Silty Clay w/gravel (CL) -brown -black 5 5 250 ppm Hnu Readings Gas Odor Clayey Silt (ML) w/ sand lenses 1 6 -gray w/ tan mottling -medium -damo ATD 10 10 175ppm Hnu Reading Gas Odor Clayey Silt w/sand (ML) 2 -tan w/ gray mottling -medium -moist 15 15 Clayey Sand w/ gravel (SC) 6 12 160 ppm Hnu Reading 3 -gray -medium dense Slight Odor -saturated -gravel to 1" diameter Bottom of Boring at 16.5' 20 20 25 30





	Cli	ent	<u>~</u>			·		1>/4W	4161		<u> </u>
 • •	Ι.	acion		idatt.	- , , .	,		•	Date.	9.27.90	
•		2210	٥	Unio.	<u>` </u>	<u>;</u> +		Site Ma/p	IE B.	vilding y	
`		00		4 (/5	7/1	eriding of	
,		ller	4000	<i>C</i> .	•		#487000	/₹ .]/[7	1
-	Met.	" - ያ"	Hall	M. CI		۸		SN'OZ	够		7
Ì	Sam	pler			-m /	40526 H	Mobile Dall Rs				
	Log	ger .g	Hal-1		70	nspect	or tall	GRA IL	with the same		1
	~	umber D	ייען לא	e.C.		<u> </u>		GRAND AVE			
	Same	umber	epth	LOWELT	istu	Depth		cription o	_ :	Completio Data Univ.	U YI'
			ž			Trifit	7 200201	face Mater	ials	GES STOKE 7 F	P. pust
-			1 2	}	· ·	H		• • —-		A CEMENT - SOMETHAY	29 L BLM
			1 27			H	Dackf	ill; Impor	t 5011	# SEAL	,,
		ļ	· ૠૢૼ		5	7-5-	BAY m	70 NO 000	. 17	31/2 Banica	LII TŒ
	•		Down Samp		65		İ	(-0		
			L m		6.3.	H	WATER LEVEL	- (,	#3 Am	
	ムR-1	81/4-10	<u>د برا</u>			日		(•	LAPIS LU	K
}	JU 1	81/2-10		WET	10	国 0.4	BAY MUD	No 000	R.	SANO P	
			3 .			H	5.	•		TRILOC.	2"
			LED				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	•		- 1020 St	A 45. 1
	5B-2	13/2-15	DRIL	WFT	۔ ا	H	1 1.				
ľ		122			15.	и он	 	·			
			T INE				}	. •			
	٠.		- PLE			-					
	5 6- 3	1912-21		WET	20	H	GRAVEL/SHAD	lan in		4	
			S LE C			面中心	BOHE 21	MOB		Spip LAP	ite-
		•	FI			-				1111	
			#ZAD Daio		ļ						.]
-		-			}		:	•	1		
1			5 To To								
	.		ا يو 3			-		•			
			Low C	}	İ						
-			15		[
			10		}			,			
	1	ļ	- 1	}	}						
			DUE								
T	ota	l Dept									_
Þ	erm.	it In	., (9,	5	wate	r Leve	6.5'	Sanitary Se	alpar.	335	
L	-	it 190	o 57	7	Ag	ency A	lemede (A Fla	ed (noten17 w	10711	THU (FMF)	4
								11(6) 1 0	WITH CON	ISERVATION D	1-7

7 JUNG 7



Project No. 9070

Page 4 of 6

screened interval, and extended to approximately 1 foot above the screen. A bentonite and concrete seal was placed from the top of the sand pack to the ground surface. A locking cap and protective traffic-rated vault box was installed on the top of the well.

Potentially contaminated soil cuttings and samples not retained for chemical analysis were contained in secured 55 gallon storage on-site. The storage drums were properly sealed and labeled. All drilling and sampling equipment was steam-cleaned upon completion of well installation.

Groundwater Sampling Procedure

Groundwater sampling was performed by GET using techniques approved by the Environmental Protection Agency (EPA), and the California Regional Water Quality Control Board, (RWQCB). These techniques require that:

- 1. Wells will be developed until the water is free of finegrained sediments and/or until field measurements of pH, electrical conductivity, and temperature stabilize. Approximately four to ten well volumes of water will be removed during development of the well.
- 2. Equipment inserted into the well during development will be decontaminated by washing or steam cleaning prior to and after its use.

GET's sampling procedure consisted of first measuring the water level in the well and then checking for the presence of floating petroleum product using a clear teflon bailer. Because no free product was detected, the well was purged of four casing volumes In order to ensure that a representative sample was of water. obtained, the pH, electrical conductivity and temperature were monitored and documented on a well sampling field sheet. (See Figure 4). Using a teflon bailer, two samples entitled 9070-1 and 9070-2 were collected on 10/26/90 at 1:30 pm. They had a pH of_7.4_an electrical conductivity of .01, and a temperature of 65 degrees.___Samples were placed into appropriate EPA-approved containers, labeled, logged onto chain-of-custody documents, and transported to the laboratory. All sampling equipment was properly decontaminated with a trisodiumphosphate, (TSP), solution followed with a tap water rinse. A field blank sample (9070-2) was prepared for quality control purposes prior to collection of groundwater samples. Potentially contaminated purge water and decontaminant rinsate was contained in secured 55-gallon storage drums on-site. The drums were properly sealed and labeled.

Project No. 9070

Page 3 of 6

Site Description

A site map showing the current layout of the site is presented in Figure 2. This figure shows the locations of existing structures and the former underground storage tanks, as well as adjacent streets. Site sketch maps showing the sources of the samples are shown in figures 3 and 4

Well Installation

In order to determine if site operations have impacted groundwater, GET installed one groundwater monitoring well within the tank pit excavation area. The well is within five feet of the former waste oil storage tank location in the estimated downgradient direction. The well location is shown on Figure 2 entitled Site Map and Soil Sample Plot Plan and on Figure 3 entitled Boring Log MW-1.

The soils boring was drilled using an 8-inch diameter continuousflight hollow-stem B-57 mobile drill augur. The boring was
logged by a Professional Engineer using the Unified Soil
Classification System and standard geologic techniques. (See
Appendix A) Soil samples for logging and chemical analysis were
collected at 9', 14', and 20' depths and were entitled SB-1, SB-2
and SB-3 respectively. These samples were collected by advancing
a California-modified split-spoon sampler with brass liners into
undisturbed soil beyond the tip of the auger. The sampler was
driven 18 inches, using a 140-pound hammer with a 30" drop. Soil
samples above groundwater were retained in brass liners, capped
with aluminum foil and plastic end caps, and sealed in clean
glass containers for possible chemical analysis. The samples
were placed on ice and transported to the laboratory accompanied
by the appropriate chain-of-custody documentation. All drilling
and sampling equipment was thoroughly steam-cleaned prior to
utilization.

The boring for the monitoring well (appendix A) penetrated 14.5 feet through the water bearing zone to a depth of 21 feet. Permeable sand and gravel was encountered at 19.5 feet. As a result, the boring was stopped and bentonite used to seal the well between 19.5 and 21 feet. The boring was then converted to a groundwater monitoring well with the installation of a 2-inch diameter, flush-threaded Schedule 40 PVC casing and 0.020-inch factory slotted Triloc screen. 13 feet of screen was placed through the entire saturated section extending to two feet above the static water level in order to account for fluctuations in groundwater elevation. A 2 X 12 graded #3 RMC Lone Star Lapis Lustre sand pack was placed in the annular space across the

MM-Y OISOYWAXBUN HW-5 01-894

603

HW-6

604

ALAMEDA COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

5997 PARKSIDE DRIVE A PLEASANTON, CALIFORNIA 94588


1910) 484-2600

GROUNDWATER PROTECTION ORDINANCE PERSIT APPLICATION

FOR APPLICATI TO CONFLETE	FOR GALLET USE
COATION OF PROJECT PACIFIC Cryogenics	
2311 Magnolia Street	PERMIT NUMBER 9260?
Oakland, CA 94507	BOOKS LOLL HANDEN
LIENT	
and Aldo Guidotti / Estate of Jean Josephine	PERMIT CONDITIONS
Address Bates Blvd #300 Phone	
city Urinda Zip 94536	Circled Parmit Requirements Apply
HPM_ICANT_	
ema Hageman-Aguiar, Inc.	(A.) DENERAL
3/32 Mt Disblo Biva	I. A parmit application should be submitted so as
Morece Suite 3/2 Phone (510)284-1661	arcive at the Zone I office tive days prior
city Lafayette Zip 94549	proposed starting data.
	2. Submit to Zone 7 within 60 days after completi
tre of project	of permitted work the original Department
411 Construction Goodechnics investigation	Water Resources Water Well Drillers Report
Cathodie Protection Gonoral	equivalent for well projects, or drilling to
Wist Supply Contentation	and location sketch for peotechnical projects.
Honitoring X Woll Destruction	3. Permit is void if project not begun within
Proposed Water Supply well use	days of approval date.
	(a.) NATER WELLS, INCLUDING MISZONETERS
mostle industrial Other	i. Minimum surface sool thickness to two taches
at the little	coment grout placed by transe.
MILLING METHOD: excavation backfill wells	2. Minimum seel depth is 50 feet for municipal a
M Rotary Air Rotery Auger	industrial Walla or 20 feet for domestic an
Ministery Air Rotery Auger	treigation walls unless a tesser depth
	apocially approved. Minimum seal depth to monitoring wells is the maximum depth practicab
RALLER'S LICENSE NO. NONE (excavation backfill we	or 20 feet.
	G. GEOTECHNICAL. BECKTIII bore hole with compected our
AL PROJECTS	tings or heavy bentonite and upper two feet with co
Prili Hole Dismotor in. Maximum	pocted material. In areas of known or suspect.
Casing Otemater 4 in. Depth 15 it.	contenination, treated coment grout shell be used
Sarface Seal Depth 3 fr. Number 3	piece of compacted cuttings.
MOTECHNICAL PROJECTS	D. CATHODIC, fill hole above anode tone with concre-
	placed by treale.
	E. WELL DESTRUCTION. See attached.
The same of the sa	
THATED STARTING DATE 11/19/92	
MATED COMPLETION DATE 11/19/92	
· · · · · · · · · · · · · · · · · · ·	
Sold and Alemeda County Ordinages No. 23-68	\$
	1/2 26
Alexander M	Approved Mayman Notice core 19 Kov 9:
Jany Jama 0000 11/8/92	Wyman Hong
Doto 118/90	12/969
	19377

. 1997-38-1993 08:59AM

5102841664



WEST GRAND AVENUE

Locations of Backfill Wells MW-4, MW-5 and MW-6 $\,$ PREVIDUS CASPENSER SITE 2311 Magnolia Street Oakland, CA **EXCAVATION** PREVIOUS PIPELINE SITE PREVIOUS TANK— EXCANATION 13381S NOINA

COMPACTED
CLASS IT BASEROCK

MW-5

MW-6

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCRETE

CONCR

SCÂLE HORIZ: 1"=10' VERT: 1"=10'

> 2311 Magnolia Street Oakland, California

MW-4 MW-5, MW-6 all have similar data Were excavations-backfilled

66

Oakland City Center 500 12th Street Suite 100 Oakland, CA 94607-4014 (415) 893-3600

Woodward-Clyde Consultants

Add

15/4W 27H Z-9 15/4W 27H 9 Borings RECEIVED

June 2, 1989

JUN - 5 1989

Alameda County Flood Control And Water Conservation District 5997 Parkside Drive Pleasanton, California 94566

ZONE 7, ACFC&WCD

Attention: Permits Department

Gentlemen:

}

Subject: Well Construction Report, Permits 89146, 89176, 89213,

89241, and 89310.

This Well Construction Report transmits information required by Groundwater Protection Ordinance, Permits 89146, 89176, 89213, 89241, and 89310 for the installation of several monitoring wells, piezometers, and soil borings and for the destruction of the piezometers. The wells, piezometers, and borings were installed at 2311 Adeline Street (see Figure 1) during the period of March 11 through May 11, 1989.

Three piezometers (P-N, P-SE, and P-SW) were installed under permit 89146 on March 11 in locations shown on Figure 2. The piezometers were installed according to the well logs attached in Appendix 1. Piezometer P-N was drilled to 30 ft depth and backfilled with cement/bentonite grout to 14 ft depth prior to installation of the piezometer casing. The hole was backfilled immediately after drilling and had about 1 foot of water in the bottom at the time of grouting. The upper seals were installed above the water table with bentonite pellets and cement/bentonite grout. Grout was installed by shoveling into the hole. Water levels were periodically measured in the piezometers and on April 11 the depth below top of casing were 6.36 ft, 11.21 ft, and 11.14 ft for P-N, P-SE, and P-SW, respectively.

The piezometers were abandoned on May 11 under permit 89310. Each piezometer was drilled out to the bottom of the sand pack using an 8-inch diameter auger and then immediately backfilled with cement/bentonite grout. Because the water bearing formation at this site produces water very slowly and because the borings were relatively shallow (less than 30 feet), the drilled-out piezometers accumulated between 0 and 2 feet of water prior to backfilling at time of abandonment. Grouting was done by tailgating from a cement truck.

Eight soil borings (B-3 through -10) were drilled on April 10, 11, and 12 under permit 89213 in locations identified on Figure 2. This is two borings more than were initially requested under permit

Consulting Engineers, Geologists and Environmental Scientists



89213. The borings were logged and sampled and the boring logs are presented in Appendix 1. The borings were backfilled immediately after drilling with cement/bentonite grout. The holes had very little water in them (between 0 and 2 feet) at time of backfilling so it was not necessary to tremie grout into the holes. Boring B-10 was a hand augered dry hole to 5 feet and was backfilled with tamped in cuttings.

One monitoring well (MW-2) was installed on April 10 under permit 89176 (and also mistakenly under permit 89213) and four additional monitoring wells (MW-3 through -6) were installed on May 11 under permit 89241 in locations shown on Figure 3. Each well was logged and installed with sand packs and seals as shown on the monitoring Each well was sealed above the well logs attached in Appendix 1. bentonite pellets groundwater table рy and end-dumped cement/bentonite grout. The wells are being monitored for TPH (gasoline) and BTE&X on a quarterly basis and the results of the monitoring are available from the Alameda County Health Care Services. On May 23, the wells were sounded and their water levels were 9.37 ft, 8.38 ft, 11.08 ft, 9.73 ft, and 10.58 ft depth below top of casing for MW-2 through -6, respectively.

If you have any question concerning the installation or abandonment of these soil borings, monitoring wells, or piezometers, please call Stan Clarke at 874-3096.

Sincerely,

)


Woodward-Clyde Consultants


Stanton L. Clarke, P.E.

Project Engineer

cc Ned Clyde Construction







APPENDIX A

LOGS OF BORINGS

Woodward-Clyde Consultants


PROJECT NAME NED CLYDE GW MONITORING NO. 8910023B

			ornit side of Property				i		AND I				A		
DRILLI		North side of Property DRILLING AGENCY ENSCO DRILLER G. Nunes							DATE STARTED March 10, 1989						
	NG EQU	IPMENT MO	bile B-34	<u></u>			COMP	LETIO	N .	16"			SAMPLE	ER N/A	
DRILLI	NG MET	THOD 8-1	Hollow-stem Auger	DRILL BIT	8" Auger		NO. OI	F	DIST.	N/			UNDIST.	N/A	
SIZE A	ND TYP	E OF CASING	2" Schedule 40 PVC				WATE	R	FIRS	T N	Ά		COMPL.	N/A 24 HRS. N/A	
TYPE C	F PERF	ORATION	.010* Slotted	FROM	4.0 TO	14.0 Pt.	1	ED B	Y:			T	CHECKE	D BY:	
SIZE A	ND TYP	E OF PACK	#2/12 Lonestar Monterey Sand	FROM	3.0 TO	14.0 Pt.		C. Pa	arton a	ınd					
TYPE		NO. 1 Bent	onite Pellets	FROM	2.0 TO	3.0 Pt.]	S. C	arke						
SE	AL	NO.2 Con	crete/Bentonite Grout	FROM and	0.0 TO 30.0	2.0 Pt. 14.0]								
		, , , ,			GRAP	HIC LOG		jë je		SAMP				EMARKS ite, Fluid Loss, Odor,	
(feet)			DESCRIPTION		Lithology	Piezomete Installatio	Water Content	Plezome Data	Drive Number	Sample	Recov. (Feet.)	Blow Counts	etc.)	,	
	Sandy dari	Clay (CL) k brown, moist				Z	Z 3333	-							
5	Silty C Moi	lay (CH) ist, light brown						5 - -	 				,		
10	light	Clay (CL) t brown, moist						- 10 -							
1 1	Silty C bro	Clay (CL) wn, saturated						- -							
15	Carrier	Union to 4 (00)	t					15 -		1					
20 -		I layer, to 1/2" o oming wet	naπ.,					20 <i>-</i>					: :		
25 —			Peizometer Legend Slotted Welf Screen Sand Pack Bentonite Pellets					25 —							
30		Augered to 30°	Cement/ Bentonite G	rout				- - 30 –							
35_		ement benfont						35 _							

Woodward-Clyde Consultants PROJECT NAME NED CLYDE GW MONITORING NO. _8910023B **BORING LOCATION** P-SE **ELEVATION AND DATUM** SE Corner of Property DRILLER DATE STARTED DATE FINISHED DRILLING AGENCY ENSCO G. Nunes March 10, 1989 DRILLING EQUIPMENT COMPLETION Mobile 8-34 SAMPLER NA 16 DEPTH DRILLING METHOD DRILL BIT NO. OF 8° Hollow-stern Auger 8" Auger DIST. NA UNDIST. NA SAMPLES SIZE AND TYPE OF CASING 2" Schedule 40 PVC WATER FIRST COMPL. N/A 24 HRS. N/A LEVEL TYPE OF PERFORATION .010" Slotted FROM 6.0 TO 16.0 PL LOGGED BY: CHECKED BY: #2/12 Lonestar SIZE AND TYPE OF PACK 4.0 FROM ΤO 16.0 PŁ. Monterey Sand A. McDonald FROM NO. 1 Bentonite Pellets 3.0 4.0 R. TYPE OF SEAL FROM 3.0 NO. 2 Concrete/Bentonite Grout 0.0 TO R. GRAPHIC LOG SAMPLES REMARKS DEPTH (feet) Sample Number Recov. (Feet.) Blow (Drill Rate, Fluid Loss, Odor, DESCRIPTION Lithology Piezometer installation Gravel Base Coarse, (Fill) brown, moist Silty Clay (CH) Moist, dark gray 5 Silty Clay (CL) dark brown, moist, very stiff 10 10 Clayey Silt (ML) Light brown, fine sand, moist Gravel layer, to 1/2" diam., becoming wet 15 15 Silty Sand (SM), medium grained, saturated Augered to 18', hole caved to 16' 20 20 Peizometer Legend Slotted Well Screen Sand Pack 25 188 25 Bentonite Pellets Cement/ Bentonite Grout 30 30

Woodward-Clyde Consultants PROJECT NAME NED CLYDE GW MONITORING No. 8910023B BORING LOCATION P-SW **ELEVATION AND DATUM** SE Corner of Property DRILLING AGENCY ENSCO DRILLER DATE STARTED DATE FINISHED G. Nunes March 10, 1989 DRILLING EQUIPMENT COMPLETION Mobile B-34 SAMPLER NA DEPTH DRILLING METHOD DRILL BIT 8° Hollow-stem Auger NO. OF 8" Auger DIST. NA UNDIST. NΑ SAMPLES SIZE AND TYPE OF CASING 2" Schedule 40 PVC WATER FIRST COMPL. N/A 24 HRS. N/A LEVEL TYPE OF PERFORATION .010" Slotted FROM 6.0 TO 16.0 PL LOGGED BY: CHECKED BY: #2/12 Lonestar SIZE AND TYPE OF PACK 4.0 FROM TO 16.0 Pt. Monterey Sand A. McDonald NO. 1 Bentonite Pellets FROM TYPE OF 3.0 TO 4.0 R. SEAL FROM NO, 2 Concrete/Bentonite Grout 0.0 TO 3.0 Pt. **GRAPHIC LOG** SAMPLES REMARKS DEPTH (feet) DESCRIPTION (Drill Rate, Fluid Loss, Odor, Piezometer Lithology Installation Sandy Clay (CL) dark brown, moist Silty Clay (CH) light brown, moist, very stiff 5 becoming siff w/some small gravel Clayey Sand (SC) light brown, moist Sand with Clay (SW-SC), dark gray, medium grained, saturated 15 15 Augered to 16' 20 Peizometer Legend Slotted Well Screen 25 Sand Pack Bentonite Pellets Cement/ Bentonite Grout 30 30

35



ソイカ ハナエラ

Шąс) ,	, u_Clyde Consultants	S		•	PRO	JECT N	IA!	ME NE	D C	LYDE	PH	ASE	2	мо. <u>8910023С</u>
BORIN	G LÖCA	TION B-3						T	ELEVA	TION	AND	UTAC	M	N/A	•
PRILLI	NG AGE	ENCY ENSCO	DRILLER	G.	Nunes			T	DATE DATE			Ap	ൻ 10	, 198	9
PRILLI	NG EQL	IPMENT Mobile B-53							COMP		ON 2	4.5			SAMPLER 2.5° Modified California Type
DRILL	ING ME	THOD 8° Hollow-stem Auger	DRILL BI	T 8"	Auger			T	NO. OI SAMP		DIST.				UNDIST. _{NVA}
SIZE A	ND TYP	E OF CASING N/A							WATE		FIRS	18	r		COMPL. 24 HRS. N/A N/A
TYPE C	F PERF	ORATION N/A	FROM	Ν⁄Α	TO	N/A		-	LOG	GED I	BY:				CHECKED BY:
SIZE A	ND TYP	E OF PACK NA	FROM	N/A	то	N/A	PL.			J. Sp	ringer				
TYPE		NO. 1 N/A	FROM	N/A	TO	ΝA		╛							
32,	~L	NO.2 N/A	FROM	N/A	то	N/A	, PL								
] _]				\vdash	GRAP	HIC I	LOG		-]	1		AMPL		1	REMARKS (Drill Rate, Fluid Loss, Odor,
DEPTH (feet)		DESCRIPTION		LI	thology		ezomet istaliati			lezom.	Drive	ampk Iumbe	Recov.	Blow	etc.)
		Clay (CL-CH)		1		T	-		1-5		, 62	82		-	20 ppm HNu Reading
]	b	lack, plastic, damp]				Hydrocarbon Odor
-											4				
╽╶┤	Class	(CH)		7		1					1				
5 –		ark blue-gray, plastic, damp							-	5 -	_				,
]	bed	comes ofive brown]				
-				ŀ		İ					┥—		2000) 2000)	8	250 ppm HNu Reading
1						ŀ					1			15 20	Strong Hydrocarbon Odor
10-										10-	┪	[
]				
		Clay (CH)									╀		Cac-	10	3 ppm HNu Reading
1 1		mottled olive brown and light gray, damp, specs of charcoal	plastic,								2			12 12	
15				Ì						15-	1				
1]		· — — 		7]				
-		Clay (CH)									-		Jes.	8	7 ppm HNu Reading
-		steel gray, plastic, occasional pebbles, tre	ace of sand								3			10 10	1
20 —										20 -	1				
									ĺ						
-		As above		÷							-	-	983.R	7	0 ppm HNu Reading
-											4			10 13	
25—		Bottom of boring at 24.5								25-	┥				
]				
											4				1
-											-				
30 -										30 -	-				1. According to
													\ 		
											4				
f I						-1			ı	I		l .	l	1	I

			as consolian	112			PHOJE	CIN								No. <u>89100230</u>
	NG LOC	ATION B-4								LEVA	MOIT	AND	DATL	M	N/	A
DRILL	LING AG	ENCY ENS	co	DRILLER	G.	Nunes			1	DATE	STAR FINISI	HED	Apr	il 10,	1989	
DRILL	LING EQ	UIPMENT M	obile B-53							COMP DEPTI	LETIO 1	N 15	9.5			SAMPLER 2.5 Modified California Type
DRIL	LING ME	THOD 8"H	lollow-stem auger	DRILL BI	T 8	Auger			1	IO. OI	F LES	DIST	•	3		UNDIST. N/A
SIZE	AND TY	PE OF CASING	N/A							VATE.		FIRS	7 1	VA.		COMPL 24 HRS. NA NA
TYPE	OF PER	FORATION	N/A	FROM	N/A	70	N/A	PL		LOGG	GED B	Y:				CHECKED BY:
SIZE	AND TY	PE OF PACK	N/A	FROM	N/A	TO	N⁄Α	PL.			J.	Spring	er			
TYP	E OF	NO. 1	N/A	FROM	N/A	TO	N/A	PŁ,	1							
SI	EAL	NO. 2	N/A	FROM	N/A	то	N/A	Pt.								
	Π	<u> </u>				GRAP	IIC LOG				<u> </u>		SAMP			REMARKS
DEPTH (feet)			DESCRIPTION		Lin	ygolodi	Piezo Insta	mete Hatio		Water Confent	Piezomete Deta	Drive	Sample	Recov. (Feet.)	Blow	(Drill Rate, Fluid Loss, Odor, etc.)
<u> </u>		Clay (CH)	e silt, plastic, damp										×/ ~			2 ppm HNu Reading
-	4	Diack, into	е ыц, разас, сатр								_	1				Hydrocarbon Odor
-	1			-							-	-				
\	1											1				
5 -	<u></u>			 -	-						5 -]				,
} .	4	Clay (CH) olive gree	n, plastic, damp								-	}				
-	-	As above			1						-	<u> </u>	_		8	350 ppm HNu Reading
-	1				1						-	1			12 12	Strong Hydrocarbon Odor
10-]										10 —				ŀ	-
.	 - -			. — — .	-						"]				
-	1	Clay (CH) mottled oli	ve brown and steel gray, litt	te sand							_	├			10	10 ppm HNu Reading
-	1		.								-	2	<u> </u>		10 18	Hydrocarbon Odor
15]										15 –	1				
.]										-]				
-	├				_				İ		-	<u> </u>		1820	6	0 ppm HNu Reading
-	<u> </u>	Clay (CH) steel gray	plastic, few pebbles								-	3			8	, , , , , , , , , , , , , , , , , , ,
20 -	1	Bottom of bori	ng at 19,5'								20	1				
]				-											
.	-				İ						_					
-	┨										_	{ }				
25~	1								ĺ		25 —					
]										-	1				
]								ļ		_]				
-	-										_					
30 –	1										30 —	-				
	1										_	1				
	1								Ì		-]			1	
] -	-										_] .				
35)				ſ		35					

		ard-Clyde Consultants			F	ROJECT N	AM:	E N	ED C	LYDE	PH	ASE	2	но. 8910023С 0/
BORIN	G LOCA	ATION B-6					'	ELEVA	TION.	AND I	DATU	M	N/	A
DRILL	NG AGE	INCY ENSCO	DRILLER	G. N	าบอร	;		DATE DATE	Finish	ŒD	•	oril 1	1, 1	989
DRILL	ING EQL	JIPMENT Mobile B-53					G	COMP	LETIO I	N 1	9.5'			SAMPLER 2.5" Modified California Type
DRILL	ING ME	THOD 8" Hollow-stem Auger	DRILL BIT	8" A	uger	•		NO. OF		DIST.		3		UNDIST. N/A
SIZE A	ND TYP	E OF CASING N/A						WATE		FIRS'	r N	VΑ		COMPL. N/A 24 HRS. N/A
TYPE	OF PERF	ORATION N/A	FROM	N/A	TO	N/A ₽⊾		LOGG	SED B	Y:				CHECKED BY:
SIZE A	ND TYP	E OF PACK N/A	FROM	N/A	то	N/A PL			J. Sp	ninge	er			
TYPE		NO. 1 N/A	FROM	N/A	то	N/A PL			•	Ū				
SE	AL	NO. 2 N/A	FROM	N/A	то	N/A PL								
				G	RAPI	IC LOG			į	Ę	AMPL	.ES		REMARKS (Drill Rate, Fluid Loss, Odor,
DEPTH (feet)		DESCRIPTION		Lithol	ogy	Plezomete Installatio		Water	Piezometer Data	Drive Number	Sample Number	Recov. (Feat.)	Blow	etc.)
		Silty Clay (CL-CH) black, plastic, damp							-					3.5 pp. in the reading
-		, 							-					Hydrocarbon Odor
-						ľ			-					
5 —									5					
		·		-					-					,
-						ŀ			-					
-		Clay (CH) olive green, trace of sand, plastic, damp							-	1			9 17	200 ppm HNu Reading
10 —		Sirro 8:00:1, valor at salia, prossa, salia,							10 —			(0.00)	17	Strong Hydrocarbon Odor
									-					
-									_					
		as above sample, trace of gravel							- -	2			6	10 ppm HNu Reading
15 -		3				ļ			15 —			80.00	8	
-									-					-
-		· 		1					-					
-		Clay (CH) steel gray, little silt, damp							-	3		38.00 30.00 30.00	7	0 ppm HNu Reading
20_		Dottom of horizons 10 E		┨					20 —	-		× ×	12	}
-		Bottom of boring at 19.5							-	1				
-				1					-	1				
_				1					_					
25—									25 —					
-				-					-					
-									-				ļ	
									-					
30				-					30 —					
-									-					
-	1								-	1				

DRILLI	NG AG	ENCY ENS	×CO	DRILLE	R					STAR		Α	pril	11	1989	
		UIPMENT MO		<u>.</u>						FINISI ETIO			42			2.5" Modified
	ING ME		ollow-stem Auger	DRILL	317			N	O. OF	1	DIST				UNDIST.	California Type N/A
		E OF CASING	N/A						AMPL		FIRS		VA		<u> </u>	
		FORATION	N/A	FROM	N	VA to	AI/A -	L	EVEL			. 1.	VA		COMPL N/A	24 HRS. N/A
		PE OF PACK	N/A	FROM			NVA P⊾ NVA P⊾			ED B					CHECKE	DBY:
		Т	N/A			70			J.	Sprii	nger					
TYPE SEA		NO. 1		FROM		/A										
·	·	NO. 2	N/A 	FROM	N				 -		_				<u> </u>	
₽ _			DESCRIPTION		-	GRAPI	EC TOG	\dashv	닐	į		SAMP		Τ.	4	MARKS s, Fluid Loss, Odor,
DEPTH (feel)			DESCRIPTION			Lithology	Piezomete Instaliatio	ה ה	Weter	Yezon	Drive Number	dma	Feet	Blow	etc.)	
		Silty Clay (CH)		· · · · · · · · · · · · · · · · · · ·	1			7			عد	0.2		Ť	45 Degree	angle boring
_		black, plast	ic, damp							_					drift ≠ N801 16 ppm H	⊏ Nu Reading
4										_	}				Slight Hyd	irocarbon Odor
\dashv										_						
5 —										5 —						
]								İ		_						
4		Clay (CH)	with black streaks, plastic, d	amn				ŀ		_						
4		S 2 g. 22	with bluest of delta, present d	ump	1			-		_				}		
10		Gravelly Sand			\dashv			1	ŀ	10 —	1			Ę	i .	al depth = 7.1
]		gray, little si	it, foundation fill (?)					-		_	 			Push	Slight Hy	INu Reading drocarbon Odor
_										_					-	
4																
15		Clay (CH)			\dashv				-	15 —				٦	1	cal depth = 10.6"
]		mottled olive	e brown and gray, plastic, da	mp						-	2			Push	350 ppm Strong H	HNu Reading ydrocarbon Odor
]					1											
4					\perp					_						
20		Gravelly Sand (with some sa	(SW) andy clay (CH)					-	ļ	20 —	<u> </u>		<u></u>	٩		ical depth = 14.1
+		Clay (CH)		_	\dashv					_	3			Push	120 ppr Strong I	n HNu Reading Hydrocarbon Odor
]		steel gray, lit	ttle silt, damp, plastic							-						
1										1						
25—										25—						
+								1		4						
7								-		-						
]										_						
30 🗐										30 _			ļ		True vertic	cal depth = 21.2
1		Sandy Clay (CL mottled steel) gray and olive brown, wet			ı				-	4			Push	18 ppm H Hydrocar	Nu Reading bon Odor
+	Bottor	π of boring at 31	5'	· -						4					1	tes Quickly)
7										-						•

True Depth = 24 8'

1			GRAPH	IC LOG		2	S/	UMPLE	\$	T	REMARKS
• 1	DEPTH (feet) *	DESCRIPTION	Lithology	Piezometer Installation	Water		DENT NORME	SAMPLE	į	Count	(Drill Ress, Ruid Lose, Odor, etc.)
)	35	Clay (CH) mottled olive brown and steel gray, plastic, moist				35 - -		5	L	Push	True Depth = 24.8° 80 ppm HNu Reading Slight Hydrocarbon Odor
,	-	Bottom of boring at 36.5'				-					
	 40		-			- 40 <i>-</i>					
'	-			\ 		_	,				
			,								
	45 <i>-</i>					45—					
	-					- -					
	-		:			-		t 			
	50 -]]			50 <u>–</u>					
	-					-					,
	-					- _					
	55					55—					
)	_					-					
1	-					-					
	60 -					60 -	1 				
	-					-					
	- 65 —		-			65 —					
	-					-	-				
	-					-					
	70 -					70 —					
	_					-					
	-					-	-				
	75 <u>–</u>					75 —	1				
	-					-					
	-					-					
)	80 —					B0 —					
							1_				

25

30

25

30

Woodward-Clyde Consultants 👄 PROJECT NAME NED CLYDE PHASE 2 NO. 8910023C BORING LOCATION **ELEVATION AND DATUM** NΑ DATE STARTED DATE FINISHED DRILLER DRILLING AGENCY WCC J. Springer April 12, 1989 SAMPLER 2.5 Mc.... California Type DRILLING EQUIPMENT COMPLETION 2.5" Modified Hand Auger 7.2 DEPTH DRILLING METHOD DRILL BIT NO. OF 6" O.D. DIST. UNDIST. Hand Auger 2 SAMPLES SIZE AND TYPE OF CASING WATER FIRST COMPL 24 HRS. N/A N/A LEVEL N/A TYPE OF PERFORATION FROM N/A N/A TO N/A PL LOGGED BY: CHECKED BY: SIZE AND TYPE OF PACK FROM NΑ NΑ 10 N/A J. Springer N/A FROM N/A TO PL. NO. 1 N/A TYPE OF SEAL FROM N/A N/A NO. 2 ΤO N/A GRAPHIC LOG SAMPLES REMARKS (Drilli Rate, Fluid Loss, Odor, DEPTH ((0.01) DESCRIPTION Lithology Installation Sandy Gravel (GW), black, dry Clay (CH), olive green, little silt, damp Slight Hydrocarbon Odor Silty Clay (CH-CL), black, wet Strong Hydrocarbon Odor Clay (CH), black, damp, plastic Strong Hydrocarbon Odor Clay (CH), dark green, plastic, damp pebbly at 5.8° 5 Strong Hydroicarbon Odor Clay (CH), tan to olive green Strong Hydrocarbon Odor 1 2 grab samples taken at 7.2° Bottom of boring at 7.2 10 15 20 25 30

Jun 1814WC1 m J

- - Woodward-Clyde Consultants

PROJECT NAME NED CLYDE PHASE 2 No. 8910023C

DRILLI	NG AGE	NCY ENS													
			∞	DRILLER	0.1	Nunes		\neg	DATE			April	10, 1	989	
	NG EQU	IPMENT Mo	ble 8-53	<u> </u>					COMP	ETIC	A1	20.9			SAMPLER 2.5° Modified California Type
DRILLI	NG MET	HOD gry	tollow-stem Auger	DRILL BIT	8	Auger		1	NO. OF	- 1	DIST	· s	1		UNDIST. N/A
SIZE A	NO TYP	E OF CASING	2" Schedule 40 PVC	<u> </u>				1	WATE	R ,	FIRS	1	15		COMPLINA 24 HRS. 8
TYPE O	F PERF	ORATION	.010" Slotted	FROM	10.6	10	20.6	PL.	LOGG		Y:				CHECKED BY:
SIZE AI	NO TYP	E OF PACK	#1/20 Lonester Monterey Sand	FROM	7.5	то	20.6	₽ .	J.	Sprin	ger				
TYPE	OF	NO.1 Benk	onite Pallets	FROM	6.5	TO	7.5	PL.							
SEA	π.	NO.2 Con	crete	FROM	0.4	10	6,5	PL.							
					<u> </u>	GRAP	HIC LOG			į		BAMPI	_		REMARKS (Drill Rate, Fluid Loss, Odor,
DEPTH (See)			DESCRIPTION		Lithe	ology	Piezo Insti	tion	Water	Plezzen	Drive	Semple	Recov.	Blow	etc.)
	Clay	(CH) ack, plastic, fitt	e silt, damp		•			1 2	:	•					0 ppm HNu Reading
4										•	{				
				•					3]				
5					-					5 -	-				,
4	Clay oi	(CH) ive green, plast	ic, damp						3	•	-				
†	Clay	(СН)			1					•	1				200
1	m	ottled olive brow	vn and gray							24 hr	1			7 15	300 ppm HNu Reading
10-								∄░		10-	╀	-		18	Strong Hydrocarbon Odor Lost sample, went back, and
4										•	1				drove sampler an additional 6"
1								∄▒			<u></u>				75 ppm
+		y Sand (SC), b (CH)	rown, coarse-grained		1						2			15 10 8	HNu Reading
15	ol	ive brown, plas	tic, wet							15-	Γ				Hydrocarbon Odor
1		(CH)			1						1				
4	_		wn and steel gray, plastic, da	πp						涡.]	_	20000	-	. <u>-</u>
4											3			6 10	1.2 ppm HNu Reading
20 –								╡░		20 -	1			İ	
]	A	ugered to 20.9°]				
4			Pelzometer Legend				1				-				
			Stotted Well Screen Send Pack								┨				
25			Send Pack Bentonite Pellets							25-	•				
]			Cernent/ Bentonite Gro	ou]											
4		·									-				
30											1				
30 -										30 -	1				
4											-				
4											-				
35_										35 -	1				

Woodward-Clyde Consultants

PROJECT NAME NED CLYDE GW MONITORING NO. 8910023B

BORING LOCA	ATION MW-3				ELEV	ATION /	AND D	ATUN	6	N/	N
DRILLING AG	North Side of Property	DRILLER	G. Nunes		DATE	START	ED ED	May 1	1, 19	189	
SRILLING ECH						LETIO		5'			SAMPLER 2.5" Modified Callifornia Type
DRILLING ME		DRILL BIT	8" Auge	r -	NO. C	F :	DIST.	N.	A	-	UNDIST. 2
	PE OF CASING 2" Schedule 40 PVC				WATE	R	FRST	1	1°	i	COMPL. N/A 24 HRS. N/A
TYPE OF PER		FROM S	5.0 TO	15.0 PL	LEVE	GED B	Y:			1	CHECKED BY:
SIZE AND TY	#1/20 Lonestar		5.0 TO	15.0 PL	1,	S. Clearke				1	
SIZE AND IT		FROM	4.0 TO	5.0 R.	† `	3. OR IA	•			j	
TYPE OF SEAL	NO. 1 Bentonite Pellets	FROM	70		-						
35/12	NO. 2 Concrete/Bentonite Grout	- FROM	0.7	PHIC LOG	1	Τ-	8	AMPL	.ES		REMARKS
DEPTH ((••1)	DESCRIPTION		Litholog			Plezometer Deta	Orive Number	Sample	Recov. (Feet.)	Blow	(Drill Rate, Fluid Lose, Odor, etc.)
Silt	Petzometer Legend Slotted Weil Screen Sand Pack Bentonite Peliets Cement/ Bentonite (c)	Grout				10-		2	NR	7	,

POOL

PROJECT NAME NED CLYDE GW MONITORING NO. 8910023B Woodward-Clyde Consultants **ELEVATION AND DATUM** BORING LOCATION MW-4 SW Corner of Property DATE STARTED DATE FINISHED DRILLER May 11, 1989 G. Nunes DRILLING AGENCY **ENSCO** SAMPLER 25 Modified Callifornia Type COMPLETION DRILLING EQUIPMENT Mobile B-53 DEPTH NO. OF SAMPLES UNDIST. DRILL BIT DIST. N/A 8" Auger DRILLING METHOD 8" Hollow-stem Auger COMPL. N/A 24 HRS. N/A WATER LEVEL NA FIRST SIZE AND TYPE OF CASING 2" Schedule 40 PVC CHECKED BY: FROM 8.0 TO 18.0 Pt. LOGGED BY: TYPE OF PERFORATION .010" Slotted #1/20 Lonestar PŁ. FROM 7.0 TO 20.0 SIZE AND TYPE OF PACK S. Clarke Monterey Sand R. FROM 5.0 7.0 NO. 1 Bentonite Pellets TYPE OF PL. SEAL TO FROM Concrete/Bentonite Grout 5.0 0.4 REMARKS SAMPLES GRAPHIC LOG Orive Number Sample Number (Dritt Rate, Fluid Loss, Odor, etc.) DEPTH ((••t) DESCRIPTION Piezometer Lithology Installation 2 Aggregate Base Silty Clay (CH) Moist, dark gray 5 5 Silty Clay (CL) Moist,light brown Becoming brown with medium sand 10 6. 10 1 Gravel to 1/2" Clayey Sandy Silt (ML) Moist, light brown, fine sand 15 15 2 20 Augered to 20° Pelzometer Legend Slotted Well Screen Sand Pack **⊗**84 25 Bentonite Pellets Cement/ Bentonite Grout 30 30

Woodward-Clyde Consultants

PROJECT NAME NED CLYDE GW MONITORING NO. 8910023B

	@ LOC	MW-5 South Side of Property				ELEVA	TION	AND I	DATU	M	N.	Ά
DRILL	NG AG		DRILLER	G. Nunes		DATE :	STAR	TED HED	May	11, 1	989	
DRILL	NG EQ	NUIPMENT Mobile B-53				COMPI	LETIC	<u> </u>	20			SAMPLER 2.5" Modified Callifornia Type
DRILL	ING ME	ETHOD g* Hollow-stem Auger	DRILL BIT	8" Auger		NO. OF	ES	DIST.	N	VA.		UNDIST. NA
SIZE A	ND TY	PE OF CASING 2" Schedule 40 PV	<u> </u>			WATE	R I	FIRS	T N	VA		COMPL. N/A 24 HRS. N/A
TYPE	OF PER	REPORATION .010" Slotted	FROM	8.0 TO	18.0 PL	LOGG		Y:				CHECKED BY:
SIZE /	ND TY	PE OF PACK #1/20 Lonestar Monterey Sand	FROM	7.0 TO	18.0 PL	S.	Clerk	æ				
TYP		NO. 1 Bentonite Pellets	FROM	5.0 TO	7.0 PL							1
	ÄL	NO. 2 Concrete/Bentonite Grout	FROM	0.4 TO	5.0 PL							
				GRAPI	IIC LOG		è		SAMPL	ES	_	REMARKS (Drill Rate, Fluid Loss, Odor,
DEPTH (foot)		DESCRIPTION	N	Lithology	Plezometo Installatio	Conter 1	Piezome	Orfve Number	Sample Number	Recov. (Feet.)	Counts	etc.)
_	1	1' Gravel Base		<u> </u>		<u>র</u>		-]			
- 	5	Silty Clay (CH) Moist, dark gray						- - - -				F 1 1
5 -	 			1	77 /	Ż	5 -	1				,
-	•	Sity Clay (CL) Moist,light brown						-				
-		Becoming brown with medium sand		}			٠	╣				
10 -	- -	Sity Fine Sand (SM) Medium dense, moist					10 -	1	-		8 10 25	
15-		Silty Gravelly Sand (SM) Gravel to 3/4* Less gravel					15-					
	-	Augered to 20'		-				-				
20 -	4	Augusta to 20					20 .	-				
		Peizometer Legen	d									
25-		Sand Pack Sand Pack Bentonite Pe	liets				25 -					
30 -							30	1 1 1 1				
35.							35	_				

PROJECT NAME NED CLYDE GW MONITORING No. 8910023B 01-033

BORIN	G LOCA		W-6		*				ELEVA	TION	AND D	ATUI	ut.	N	'Α
DRILL	ING AGE		Comer of Property CO	DRILLER	G. N	unes			DATE	STAR FINISI	TED HED	May 1	11, 19	989	
DRILL	NG EQL	IPMENT Mo	bile B-53	, , ,				\exists	COMP	LETIO	<u> </u>	8			SAMPLER 2.5" Modified Callifornia Type
DRILL	ING ME	THOD 8"	Sollow-stem Auger	ORILL BI	T 8-	Auger		\neg	NO. OF	LES	DIST.	1			UNDIST. NA
SIZE A	ND TYP	E OF CASING	2" Schedule 40 PVC	<u></u>				\neg	WATE	R :	FIRST	1	1'		COMPLI _{N/A} 24 HRS. N
TYPE (OF PERF	ORATION	.010" Slotted	FROM	8.0	70	18.0	PL.		SED B	Y:				CHECKED BY:
SIZE A	ND TYP	E OF PACK	#1/20 Lonestar Monterey Sand	FROM	7.0	70	18.0	PL.	S.	Clark	Ð				
TYPE		NO. 1 Bent	onite Pellets	FROM	5.0	то	7.0	PL.							
SE	AL	NO.2 Con	rete/Bentonite Grout	FROM	0.4	то	5.0	PL.							
		 		 -		GRAP	NC LOG			<u> </u>	ļ	AMPL			REMARKS (Drill Rate, Fluid Loss, Odor
DEPTH (feet)		_	DESCRIPTION		Litha	logy _	Plezo: Instal			Plezometer Deta	Orlve Number	Sample Number	Recov. (Feet.)	Blow	etc.)
	Silty	Clay (CH) loist, dark gray							7	_					
-	~	ioist oark gray			}					-	-	į			
] -	}									-	1	·]			
5 -		· ·		·	1					5 -]				-
" -	Siny	Clay (CL) iray-brown, moi:	st						3	-	-				,
-	 				\dashv					-	$\left\{ \begin{array}{c} 1 \\ 1 \end{array} \right.$				
-	San L	dy Silty Clay (Cl ight brown, fine	-) sand		ļ					-	1		İ		
10-	 - -	-			\dashv					10 -			*******	_	
"-	Sand L	fy Silt (ML) light brown, fine	sand							焉.	1			10 15	
-	Grav	el layer								-					
-]	v. 14, v.] []				
15-]									15 -					
-	1				İ					.	-				
-	1							∄		'	1				
		Augered to 18'			7		exxx.1	lo, ĝi]				
20 -		-								20 -	4				
-	1									.	-{				
-	1		Petzometer Legend							'	_		Ì		
			Skotted Well Screen							.	_		Ì		
25 -			Sand Pack							25 ~	-	}			
-	┨		Bentonite Pellets Cament' Bentonite G								-				
-	•		Cement/ Bentonite G	1000							_				
											-				
30 -	-									30 -	-				
.	1										4				
]														
	-										-				
35	1				ſ		1		1	25	ļ	}	1	ĺ	