April 28,1999 ERI 224803.RO1

Mr. Dave DeWitt Tosco Marketing Company 2000 Crow Canyon Place, Suite 400 San Ramon, California 94583

Subject:

Evaluation of Soil and Groundwater at Former Tosco 76 Service Station 0843, 1629

Webster Street, Alameda, California.

Mr. DeWitt:

At the request of Tosco Marketing Company (Tosco), Environmental Resolutions, Inc. (ERI) performed an environmental investigation at the subject site. Tosco requested that ERI perform the investigation in response to a letter from the Alameda County Health Services Agency (the County) dated November 6, 1998, requesting Tosco evaluate soil and groundwater conditions beneath the site. ERI conducted the investigation to evaluate whether residual hydrocarbons are present in soil and to evaluate the extent of dissolved petroleum hydrocarbons previously detected in groundwater beneath the site.

The following tasks were performed as part of this investigation:

- Drilling four on-site soil borings (B1 through B4);
- Collecting soil samples from the borings to evaluate soil stratigraphy;
- Constructing groundwater monitoring wells MW1 through MW4 in the borings;
- Developing and sampling monitoring wells MW1 through MW4;
- Collecting and submitting soil and groundwater samples for laboratory analyses for total purgeable petroleum hydrocarbons as gasoline (TPPHg), methyl tertiary butyl ether (MTBE), benzene, toluene, ethylbenzene, and total xylenes (BTEX), and select hydrogeologic parameters;
- Surveying well locations relative to a permanent datum and well casing elevations relative to mean sea level; and,
- Evaluating the groundwater flow direction and gradient.

BACKGROUND

The site is located on the southwestern corner of Webster Street and Pacific Avenue in Alameda, California, as shown on the Site Vicinity Map (Plate 1). The locations of former underground storage tanks (USTs), dispenser islands, and other select site features are shown on the Generalized Site Plan (Plate 2). Properties in the vicinity of the site are vacant or occupied by commercial developments.

To date, environmental work at the site has included the removal of two 10,000-gallon single-walled steel gasoline USTs, one 550-gallon single-wall steel used-oil UST, product lines, and dispensers.

Tosco also installed a conductor casing within the former UST cavity backfill to accommodate possible periodic groundwater sampling and/or groundwater extraction (ERI, September 1998).

PRESENT INVESTIGATION

Scope of Work

ERI performed site specific field work at the site in general accordance with ERI's Work Plan dated January 7, 1999, as approved by the County in a letter dated January 19, 1999. ERI obtained a well installation permit from the Alameda County Public Works Agency (the County Public Works) before beginning work. The permit is included as Attachment A. ERI performed field work at the site in accordance with a Site Safety Plan which was kept on site during field operations, the Work Plan, and ERI's standard field protocol (Attachment B).

Soil Borings

On March 2, 1999, ERI observed Woodward Drilling (Woodward) of Rio Vista, California, drill four on-site soil borings (B1 through B4). Drilling was performed under the guidance of an ERI geologist who collected soil samples from the borings during drilling. Soil samples were collected at approximately 5-foot intervals and above first-encountered groundwater at approximately 8.5 to 15 feet below ground surface (bgs).

ERI's geologist identified the soil samples collected from the borings using visual and manual methods, and classified the samples using the Unified Soil Classification System (Attachment C). Descriptions of the materials encountered are presented in the Boring Logs (Attachment C). Soil borings B1 through B4 were drilled to approximately 20.5 feet bgs.

Monitoring Well Construction, Development, Sampling, and Surveying

Immediately after the borings were drilled and sampled, groundwater monitoring wells MW1 through MW4 were constructed in borings B1 through B4, respectively. Details of the monitoring well construction are shown on the Boring Logs (Attachment C).

On March 4, 1999, ERI's representative developed the four new wells using surging and pumping techniques. Morrow Surveying of Sacramento surveyed the wells on March 4, 1999. ERI's representative measured depth to water and collected groundwater samples from MW1 through MW4 on March 5, 1999. Purge water generated during well development and sampling was left on site pending removal by Tosco to the Tosco Refinery in Rodeo, California.

Analytical Laboratory Methods

Soil Samples

Selected soil samples collected from the borings were submitted under Chain of Custody protocol to Sequoia Analytical Laboratories, Inc. (Sequoia) in Petaluma, California. The Chain of Custody records are attached (Attachment D). Soil samples were analyzed for TPPHg, BTEX, MTBE, and total lead

using the methods listed in Table 1. A soil sample representative of the lithology from B1 was analyzed for select hydrogeologic parameters by PTS Laboratories, Inc. of Santa Fe Springs, California. The laboratory results are included in Attachment D.

ERI collected and submitted a composite soil sample from the drill cutting stockpile under Chain of Custody record to Sequoia to profile for disposal. The composite sample was analyzed for TPPHg, BTEX, MTBE, and total lead using the methods listed in Table 1.

Groundwater Samples

Groundwater samples collected from wells MW1 through MW4 were submitted under Chain of Custody protocol to Sequoia in Petaluma, California. The Chain of Custody records and analytical results are provided in Attachment E. The groundwater samples were analyzed for TPPHg, BTEX, and MTBE using the methods listed in Table 2.

RESULTS OF INVESTIGATION

Site Geology and Hydrogeology

Sediments encountered beneath the site consist of sandy silt and silty sand with traces of clay. Groundwater was encountered in the borings at approximately 8.5 to 15 feet bgs during drilling and appears to be unconfined. During March 1999, groundwater flow direction was towards the northeast with a gradient of approximately 0.007 (Plate 2). Static water levels in the monitoring wells ranged from approximately 4 to 5 feet bgs.

Soil Conditions

Soil samples selected for analyses were collected above first-encountered groundwater. Photoionization detector readings were noted in borings B2 and B3 at depths ranging from 10 to 20 feet bgs. Analytical laboratory results are presented in Table 1. Copies of laboratory reports for soil samples obtained during this investigation are included in Attachment D.

Groundwater Conditions

Results of laboratory analyses of groundwater samples are summarized in Table 2 and shown on Plate 2.

SOIL STOCKPILE DISPOSAL

At the request of Tosco, Manley & Sons Trucking, Inc. of Sacramento, California transported approximately 3 tons of stockpiled soil to the Forward Inc. landfill in Manteca, California for disposal. Soil disposal documentation is included in Attachment E.

LIMITATIONS

This report was prepared in accordance with generally accepted standards of environmental practice in California at the time this investigation was performed. This investigation was conducted solely for the purpose of evaluating environmental conditions of the soil and first-encountered groundwater with respect to petroleum hydrocarbons. No soil engineering or geotechnical references are implied or should be inferred. Evaluation of the geologic conditions at the site for the purpose of this investigation is made from a limited number of observation points. Subsurface conditions may vary away from the data points available. Additional work, including further subsurface investigation, can reduce the inherent uncertainties associated with this type of investigation. This report has been prepared solely for Tosco and any reliance on this report by third parties shall be at such party's sole risk.

ERI recommends a signed copy of this report be forwarded to:

Ms. Eva Chu Alameda County Health Care Services Agency Environmental Health Division 1131 Harbor Bay Parkway, Suite 250 Alameda, California 94502-6577

Mr. Andreas Godfrey Alameda County Public Works Agency Water Resources Section 951 Turner Court, Suite 300 Hayward, California 94545-2051

Please call Mr. Glenn Matteucci at (415) 382-5994 if you have any questions regarding this report.

Sincerely,

Environmental Resolutions, Inc.

Glenn L. Matteucci

Project Manager

Mark S. Dockum

R.G. \ 4412

C.E.G. 1675

Enclosures:

Plate 1:

Site Vicinity Map

Plate 2:

Generalized Site Plan

Table 1:

Analytical Results of Soil Samples

Table 2:

(TPPHg, BTEX, MTBE, and Lead) Analytical Results of Groundwater Samples

(TPPHg, BTEX, and MTBE)

Attachment A:

Well Construction Permit

Attachment B:

Field Protocol

Attachment C:

Unified Soil Classification System and Symbol Key and Boring

Logs.

Attachment D:

Laboratory Analysis Reports and Chain of Custody Records

Attachment E:

Stockpile Soil Documentation

REFERENCES

Environmental Resolutions, Inc. January 7, 1999. Work Plan for Evaluation of Soil and Groundwater at Former Tosco 76 Service Station 0843, 1629 Webster Street, Alameda, California. ERI 224803.WO1.

United States Geological Survey. 1980. Oakland West, California. 7.5-Minute Topographic Quadrangle Map.

TABLE 1 ANALYTICAL RESULTS of SOIL SAMPLES


Former Tosco 76 Service Station 0843 1629 Webster Street Alameda, California (Page 1 of 1)

Sample Number	Plate Call-out	Date Sampled	ТРРНд	МТВЕ	В	Т	Е	Х	Lead		
		Bumpieu	<			ppm	*******		>		
Soil - Borings											
S-10.5-B1	MW1	3/2/99	ND	ND	ND	ND	ND	ND	ND		
S-10.5-B2	MW2	3/2/99	ND	0.561	0.0295	0.0658	0.0359	0.119	ND		
S-10.5-B3	MW3	3/2/99	ND	ND	ND	ND	ND	ND	ND		
S-10.5-B4	MW4	3/2/99	ND	0.109	ND	ND	ND	ND	ND		
Soil-Stockpiles											
Comp SP1-(1-4)		3/2/99	ND	0.0108	ND	0.00351	ND	0.0304	29		
lotes:											
ppm	=	Parts per m	illion.								
S-10.5-B1	<u></u>	Soil Sample	e-depth in fee	et-Boring 1.							
Comp SP1-(1-4)	=	Stock Pile	l, I through	4 composite s	amples.						
TPPHg	=	Total purge	able petroleu	ım hydrocarbo	ons as gasolin	e analyzed us	ing EPA met	hod 8015/802	20 modifi		
BTEX	=	Benzene, to	oluene, ethyll	enzene, and t	otal xylenes a	inalyzed using	EPA methor	d 8015/8020	modified.		
MTBE	=					thod 8015/802					
Lead	=	Lead analyz	zed using EP.	A method 601	0 A.						
ND	<u></u>	Not detecte	d at or above	laboratory re	porting limit.	ı					
Plate call out	=	MWI (Monitoring Well 1).									
	=	Not applicable.									

TABLE 2 ANALYTICAL RESULTS FOR GROUNDWATER SAMPLES

Former Tosco 76 Service Station 0843 1629 Webster Street Alameda, California Page (1 of 1)

Sample	Date Sampled	ТРРНд	MTBE	В	Т	E	X
· · · · · · · · · · · · · · · · · · ·		<		ррь		***************************************	>
Groundwater							
W-5-MW1	3/5/99	86.6	23.9	ND	2.04	ND	4.06
W-5-MW2	3/5/99	34,400	8,460	2,070	7,710	2,340	8,240
W-4-MW3	3/5/99	135	2.46	ND	ND	ND	4.84
W-4-MW4	3/5/99	ND	25.2	ND	ND	ND	2.44
Notes:		***************************************					_
ppb	=	Parts per billion					
V-5-MW1	=	Water sample-depth	in feet-Monitoring	Well #1.			
ТРРНg	=	Total purgeable petr	oleum hydrocarbo	ns as gasoline ai	nalyzed using I	EPA method 50	030/8015 modif
BTEX	=	Benzene, toluene, et	hylbenzene, and to	tal xylenes anal	yzed using EP.	A method 8260).
МТВЕ	=	Methyl tertiary buty.	l ether analyzed us	ing EPA metho	d 8260.		
ND	==	Not detected at or al	ove laboratory me	thod detection l	imit.		






SITE VICINITY MAP

1629 Webster Street

PLATE

FORMER TOSCO 76 SERVICE STATION 0843 Alameda, California

1



M₩4 Groundwater Monitoring Well

Groundwater elevation in feet above mean sea level 10.42

Intrepreted Groundwater Gradient

34,400 Total Purgeable Petroleum Hydrocarbons as gasoline 8,450 Methyl Tertiary Butyl Ether

2,070 Benzene

7,710 Toluene

2,340 Ethylbenzene

8,240 Total Xylenes

Less Than the Stated Laboratory Detection Limit

ug/L Micrograms per Liter

GENERALIZED SITE PLAN

FORMER TOSCO 76 SERVICE STATION 0843 1629 Webster Street Alameda, California

PROJECT NO.

2248

PLATE

2 March 17, 1999



ATTACHMENT A WELL CONSTRUCTION PERMIT

FEB 16 1999 15:58 FR CO PUB WK H20 RES

512 TO 4153821656 P.02/02



ALAMEDA COUNTY PUBLIC WORKS AGENCY

WATER RESOURCES SECTION 951 TURNER COURT, SUITE 300, HAYWARD, CA 94545-2651 PHONE (516) 676-5575 ANDREAS GODFREY FAX (510) 670-5262 (510) 670-5241 ALVIN KAN

DRILLING PERMIT	APPLICATION
FOR APPLICANT TO COMPLETE LOCATION OF PROJECT FORMEY TOSCG 76 54# 0843 1629 Webstev 54.	FOR OFFICE USE PERMIT NUMBER 99 WR 065 WELL NUMBER
Alameda, California	APN
California Coordinates Source (C. Accuracy ± n.) CCP (R. CCE (C. Accuracy ± n.) APN (C. C. C	FERMIT CONDITIONS Circled Permit Requirements Apply
CLIENT Rame TOSCO Mar Keling COMPANY Ath: DATE Address 2000 Crow Conyon Phone 975-177-1384 City SAN RAMON CA Zip 94583 APPLICANT Name ENVIRONMENTAL KESOLUTIONS THE Dylan Crouse & Fax 415 381-1856 Address Dylan Or 14 Sutc 6 Phone 415 381-9105 City NONATU Zip 94915	GENERAL A permit application should be submitted so as to arrive at the ACPWA office five days prior to proposed starting date. 2. Submit to ACPWA within 60 days after completion of permitted work the original Department of Water Resources Water Well Drillers Report or equivalent for well projects, or drilling logs and location sketch for geotechnical projects. 3. Permit it void if project not begun within 90 days of
TYPE OF PROJECT Well Construction Geolechnical Investigation Cathodic Protection General General Water Supply G Contamination G Monitoring G Well Destruction G	approval date. B. WATER SUPPLY WELLS 1. Minimum surface seal thickness is two inches of coment grout placed by tremis. 2. Minimum seal depth is 50 feet for municipal and industrial wells or 20 feet for domestic and irrigation
PROPOSED WATER SUPPLY WELL USE New Domestic	wells unless a lesser depth is specially approved. C. GROUNDWATER MONITORING WELLS INCLUDING PIEZOMETERS 1. Minimum surface seal thickness is two inches of general grout placed by tremie.
DRILLING METHOD: Mud Rotary O Air Rotary O Augèr pa Cable O Other O	2. Minimum seal depth for monitoring wells is the maximum depth practicable or 20 feet. D. GEOTECHNICAL Backfill bore hold with compacted cuttings or heavy
WELL PROJECTS Orill Hole Diameter Casing Dlameter Surface Seal Depth GEOTECHNICAL PROJECTS Number of Borings Hole Diameter Number Maximum Depth A Maximum Depth Progen Maximum Depth Progen Depth Depth	bentonite and upper two feet with compacted material. In areas of known or suspected consumination, stemled coment grout shall be used in place of compacted curvings. E. CATHODIC Fill hole above anode zone with concrete placed by tremit. F. WELL DESTRUCTION See anached. G. SPECIAL CONDITIONS

I hereby agree to comply with all requirements of this permit and Alameda County Ordinance No. 73-68.

APPLICANT'S SKUTANDIK

ESTIMATED STARTING DATE

ESTIMATED COMPLETION DATE

andrea &

ATTACHMENT B FIELD PROTOCOL

FIELD PROTOCOL

Site Safety Plan

Field work is performed by ERI personnel in accordance with a site safety plan developed for the site. This plan describes the basic safety requirements for the subsurface investigation and the drilling of soil borings at the work site. The site safety plan is applicable to personnel and subcontractors of ERI. Personnel at the site are informed of the contents of the site safety plan before work begins. A copy of the site safety plan is kept at the work site and is available for reference by appropriate parties during the work. The ERI geologist acts as the Site Safety Officer.

Soil Borings and Sampling

Prior to drilling of borings and construction of wells, ERI acquires necessary permits from the appropriate agency(ies). ERI also contacts Underground Service Alert (USA) before drilling to help locate public utility lines at the site. ERI observes the driller hand-probe and hand-auger boring locations to a depth of approximately 5 feet bgs and a diameter greater than the soil boring diameter before drilling to reduce the risk of damaging underground structures.

Soil borings are drilled with a CME-55 (or similar) drill rig equipped with 8-inch diameter, hollow-stem augers. Auger flights and sampling equipment are steam-cleaned before use to minimize the possibility of cross-hole contamination. The rinsate is containerized and stored on site. ERI will coordinate with Tosco for appropriate recycling or disposal of the rinsate.

Drilling is performed under the observation of a field geologist, and the earth materials in the borings are identified using visual and manual methods, and classified as drilling progresses using the Unified Soil Classification System. Soil borings are drilled to approximately 10 feet below the uppermost zone of saturation or 5 feet into any competent clay layer (aquitard) encountered beneath the water-bearing zone. If an aquitard is encountered, the boring is terminated and backfilled with bentonite before installing a groundwater monitoring well.

During drilling, soil samples are collected at 5-foot intervals, obvious changes in lithology, and just above the groundwater surface. Samples are collected with a California-modified, split-spoon sampler equipped with laboratory-cleaned brass sleeves. Samples are collected by advancing the auger to a point just above the sampling depth and driving the sampler into the soil. The sampler is driven 18 inches with a standard 140-pound hammer repeatedly dropped 30 inches. The number of blows required to drive the sampler each successive 6-inch interval is counted and recorded to give an indication of soil consistency.

Soil samples are monitored with a photoionization detector (PID), which measures hydrocarbon concentrations in the ambient air or headspace above the soil sample. Field instruments such as the PID are useful for indicating relative levels of hydrocarbon vapors, but do not detect concentrations of hydrocarbons with the same precision as laboratory analyses. Soil samples selected for possible chemical analysis are sealed promptly with Teflon® tape, and plastic caps. The samples are labeled and

placed in iced storage for transport to the laboratory. Chain of Custody Records are initiated by the geologist in the field, updated throughout handling of the samples, and sent with the samples to the laboratory. Copies of these records are in our report. Cuttings generated during drilling are placed on plastic sheeting and covered and left at the site. ERI coordinates with Tosco for the soil to either be treated on site or removed to an appropriate recycling or disposal facility.

Monitoring Well Construction

Monitoring wells are constructed in borings using thread-jointed, 2-inch inner diameter, Schedule 40 polyvinyl chloride (PVC) casing. No chemical cements, glues, or solvents are used in well construction. The screened portion of each well consists of factory-perforated casing with 0.020-inch wide slots. If unconfined aquifer conditions exist, the well screen is installed from the total depth of each well to approximately 10 feet above the uppermost water-bearing unit. If confined conditions exist, the uppermost water-bearing unit is screened exclusively. Unperforated casing is installed from the top of each screen to the ground surface. The annular space in the well is packed with #3 sand to approximately 1 to 2 feet above the slotted interval. A bentonite plug is added above the sand pack to prevent cement from entering the well pack. The remaining annulus is backfilled to grade with a slurry of portland cement.

The monitoring wells are protected with a traffic-rated, cast-aluminum utility box equipped with a PVC skirt. The box has a watertight seal to protect against surface-water infiltration and must be opened with a special wrench. The design of this box discourages vandalism and reduces the possibility of accidental disturbance of the well.

Well Development and Sampling

ERI waits a minimum of 24 hours before development of the monitoring wells to allow the grout to seal. Initially, a water sample is collected for subjective analysis before development of the monitoring wells. This sample is collected from near the water surface in the well with a Teflon® bailer cleaned with a laboratory-grade detergent and deionized water. The wells are developed with a surge block and pump. Well development continues until the discharge water is clear of silt and sand. Clay-size sediments derived from the screened portion of the formation cannot be eliminated by well development. After the well has been allowed to stabilize, the well is checked for floating product using an interface probe. The thickness of any product detected in the well is recorded. If floating product is encountered in the well, the well is not purged, and the water is not sampled for chemical analysis. Product is bailed from the well and stored in appropriately labeled drums on site. ERI apprises Tosco of appropriate recycling and disposal options for product bailed from the well.

If no floating product is detected after development, the well is purged of stagnant water and a sample is collected for laboratory analysis. The well is purged of approximately three to five well volumes of water with a submersible pump, or until pH, conductivity, and temperature of the purged water have stabilized. Water purged from the wells is stored in labeled, 55-gallon, steel drums approved for this use by the Department of Transportation until suitable disposal options can be selected based on laboratory analysis. ERI coordinates with Tosco for recycling or disposal of the purged water.

The wells are allowed to recover to at least 80 percent of static conditions, and a sample of the formation water is collected with a Teflon® bailer cleaned with a laboratory-grade detergent and

deionized water. The water is transferred slowly from the bailer to laboratory-cleaned, 1-liter amber bottles and 40-milliliter glass vials for analyses by the laboratory. The glass vials contain hydrochloric acid as a preservative. Our geologist checks to see if headspace is present. If headspace is present, we collect more samples until none is present. Chain of Custody Records are initiated in the field by the geologist, updated throughout handling of the samples, and sent along with the samples to the laboratory. Copies of Chain of Custody Records are included in our report.

Gradient Evaluation

ERI evaluates the direction of flow and gradient at the site. The elevation of the top of each well casing is measured relative to mean sea level by a licensed land surveyor. Water-depth measurements are made from the top of the casing in the well to the nearest 0.01 foot with an electronic water-level indicator. The well is vented to atmosphere for a minimum of 0.5 to 1 hour before obtaining depth-to-water measurements. Venting is conducted to allow the groundwater to equilibrate with barometric pressure. These data are combined to evaluate the relative elevation of the groundwater surface in each well and the slope of the groundwater surface across the site.

Quality Assurance/Quality Control

The sampling and analysis procedures employed by ERI for groundwater monitoring and sampling follow regulatory guidance documents for quality assurance/quality control (QA/QC). Quality control is maintained by site-specific field protocols and quality control checks performed by the laboratory. Laboratory and field handling of samples may be monitored by including QC samples for analysis. QC samples may include any combination of the following. The number and types of QC samples are selected and analyzed on a project-specific basis.

Trip Blanks - Trip blanks are sent to the project site, and travel with samples collected from the project site to the laboratory. They are not opened, and are returned from the project site with the samples for analysis.

Field Blank - Prepared in the field using organic-free water. Field blanks accompany samples collected at the project site to the laboratory and are analyzed periodically for specific chemical compounds present at the project site where they were prepared.

Duplicates - Duplicate samples are collected from a selected well and project site. They are analyzed at two different laboratories, or at the same laboratory under different labels.

Equipment Blank - Periodic QC samples are collected from field equipment rinsate to verify adequate cleaning procedures.

ATTACHMENT C UNIFIED SOIL CLASSIFICATION SYSTEM AND SYMBOL KEY AND BORING LOGS

UNIFIED SOIL CLASSIFICATION SYSTEM

MAJOR [SIVISIONS	LTR	DESCRIPTION	MAJOR D	OIVISIONS	LTR	DESCRIPTION
		GW	Well-graded gravels or gravel sand mixtures, little or no fines		4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	ML	Inorganic silts and very fine- grained sands, rock flour, silty
	AND GRAVELLY SOILS GM COARSE GC	GP	Poorly-graded gravels or gravel sand mixture, little or no fines		SILTS AND		or clayey fine sands or clayey silts with slight plasticity
		GM	Silty gravels, gravel-sand-clay mixtures		CLAYS LL<50	CL	Inorganic clays of low to medium plasticity, gravelly clays, sandy clays, silty clays, lean clays
COARSE GRAINED		GC	Clayey gravels, gravel-sand-clay mixtures	FINE		OL	Organic silts and organic silt- clays of low plasticity
SOILS		SW	Well-graded sands or gravelly sands, little or no fines	GRAINED SOILS		мн	Inorganic silts, micaceous or diatomaceous fine-grained sandy or silty soils, elastic silts
	SAND AND SANDY	SP	Poorly-graded sands or gravelly sands, little or no fines		SILTS AND CLAYS	СН	Improved along of high plant
SOILS	SM	Silty sands, sand-silt mixtures		LL>50	он	Organic clays of medium to high plasticity	
			Clayey sands, sand-clay mixtures	HIGHLY ORGANIC SOILS		Pt	Peat and other highly organic soils

DEPTH THROUGH WHICH SAMPLER IS DRIVEN RELATIVELY UNDISTURBED SAMPLE BENTONITE ANNULAR SEAL MISSED SAMPLE CROUNDWATER LEVEL OBSERVED FROM FIRST WET SOIL SAMPLE IN BORING STATIC GROUNDWATER LEVEL OVM ORGANIC VAPOR METER READING IN PARTS PER MILLION PHOTO-IONIZATION DETECTOR READING NA NOT ANALYZED				WELL DESIGN
MISSED SAMPLE ☐ MISSED SAMPLE ☐ GROUNDWATER LEVEL ☐ OBSERVED FROM FIRST WET ☐ SOIL SAMPLE IN BORING ☐ STATIC GROUNDWATER LEVEL ☐ OVM ORGANIC VAPOR METER READING IN PARTS PER MILLION ☐ PHOTO-IONIZATION DETECTOR READING ☐ NOT RECORDED ☐ NOT ANALYZED	I			
GROUNDWATER LEVEL OBSERVED FROM FIRST WET SOIL SAMPLE IN BORING STATIC GROUNDWATER LEVEL OVM ORGANIC VAPOR METER READING IN PARTS PER MILLION PHOTO-IONIZATION DETECTOR READING NR NOT RECORDED	Ţ			BENTONITE ANNULAR SEAL
OBSERVED FROM FIRST WET SOIL SAMPLE IN BORING STATIC GROUNDWATER LEVEL OVM ORGANIC VAPOR METER READING IN PARTS PER MILLION PHOTO-IONIZATION DETECTOR READING PHOTO-IONIZATION DETECTOR READING BLANK PVC MACHINE-SLOTTED PVC S-10 SAMPLE LOCATION NR NOT RECORDED	Ĭ	MISSED SAMPLE		NEAT CEMENT ANNULAR SEAL
OVM ORGANIC VAPOR METER READING S-10 SAMPLE LOCATION IN PARTS PER MILLION NR NOT RECORDED PHOTO-IONIZATION DETECTOR READING	<u>=</u>	OBSERVED FROM FIRST WET		BLANK PVC
IN PARTS PER MILLION NR NOT RECORDED PHOTO-IONIZATION DETECTOR READING NOT ANALYZED	$\frac{\sum}{\overline{\underline{}}}$	STATIC GROUNDWATER LEVEL		MACHINE-SLOTTED PVC
PHOTO-IONIZATION DETECTOR READING NA NOT ANALYZED	OVM		S-10	SAMPLE LOCATION
	PID			-

BLOW/FT. REPRESENTS THE NUMBER OF BLOWS OF A 140-POUND HAMMER FALLING 30 INCHES TO DRIVE THE SAMPLER THROUGH THE LAST 12 INCHES OF AN 18-INCH PENETRATION.

2248

DASHED LINES SEPARATING UNITS ON THE LOG REPRESENT APPROXIMATE BOUNDARIES ONLY. ACTUAL BOUNDARIES MAY BE GRADUAL LOGS REPRESENT SUBSURFACE CONDITIONS AT THE BORING LOCATION AT THE TIME OF DRILLING ONLY.

MELL DECICN



PROJECT


UNIFIED SOIL CLASSIFICATION SYSTEM AND LOG OF BORINGS SYMBOL KEY


PLATE


FORMER TOSCO 76 SERVICE STATION 0843 1629 Webster Street Alameda, California


Attachment

C










ATTACHMENT D LABORATORY ANALYSIS REPORTS AND CHAIN OF CUSTODY RECORDS



Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 (650) 364-9600 (1AX (650) 364-9233 (925) 988-9600 (1AX (925) 988-9673 (916) 921-9600 (707) 1921-0100 (707) 192-18651 AP FAX (707) 1921 0342

March 12, 1999

Glenn Mattuecci ERI 74 Digital Dr. Suite 6 Novato, CA 94949

RE: Unocal/Tosco/P903185

Dear Glenn Mattuecci:


Enclosed are the results of analyses for sample(s) received by the laboratory on March 5, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

.-1

Matt Sakai Project Manager

CA ELAP Certificate Number 2245



Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954

(650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865

FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342

ERI 74 Digital Dr. Suite 6 Novato, CA 94949

Unocal/Tosco Project: Project Number: Fmr Tosco 76 SS #0843

Project Manager: Glenn Mattuecci

Sampled: 3/5/99 Received: Reported: 3/12/99


3/2/99

ANALYTICAL REPORT FOR P903185

Sample Description	Laboratory Sample Number	Sample Matrix	Date Sampled
S-10.5-B1	P903185-02	Soil	3/2/99
S-10.0-B2	P903185-06	Soil	3/2/99
S-10.5-B3	P903185-10	Soil	3/2/99
S-10.5-B4	P903185-14	Soil	3/2/99
Comp SP1-(1-4)	P903185-17	Soil	3/2/99



€\$




Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 (650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342

ERI Project: Unocal/Tosco Sampled: 3/2/99
74 Digital Dr. Suite 6 Project Number: Fmr Tosco 76 SS #0843 Received: 3/5/99
Novato, CA 94949 Project Manager: Glenn Mattuecci Reported: 3/12/99

Sample Description: Laboratory Sample Number:

S-10.5-B1 P903185-02

	Batch	Date	Date	Specific Method/	Reporting			
Analyte	Number	Prepared	Analyzed	Surrogate Limits	Limit	Result	Units	Notes*
		Sequ	<u>oia Analytic</u>	al - Petaluma				
Total Petroleum Hydrocarbons as Ga	soline and BT	EX by EPA	8015M/8020	<u>)M</u>				
Gasoline	9030257	3/11/99	3/11/99		0.400	ND	mg/kg	
Benzene	II .	ш	74		0.00200	ND		
Toluene .	D	10	н		0.00200	ND	**	
Ethylbenzene	10	10	п		0.00200	ND	"	
Xylenes (total)	н	10	D.		0.00400	ND	"	
Methyl tert-butyl ether	**	11	II-		0.0100	ND	п	
Surrogate: a,a,a-Trifluorotoluene	#	"	H	65.0-135		94.0	%	
Surrogate: 4-Bromofluorobenzene	#	"	"	65.0-135		90.0	rt	
Total Metals by EPA 6000/7000 Serie	es Methods							
Lead	9030212	3/10/99	3/11/99	EPA 6010A	7.50	ND	mg/kg	



Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 (650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342

ERI Project: Unocal/Tosco Sampled: 3/2/99
74 Digital Dr. Suite 6 Project Number: Fmr Tosco 76 SS #0843 Received: 3/5/99
Novato, CA 94949 Project Manager: Glenn Mattuecci Reported: 3/12/99

Sample Description:

Laboratory Sample Number:

S-10.0-B2 P903185-06

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method/ Surrogate Limits	Reporting Limit	Result	Units	Notes*
		Sequ	oia Analytica	al - Petalu <u>ma</u>				
Total Petroleum Hydrocarbons as Ga	soline and BT	EX by EPA	8015M/8020	<u>M</u>				
Gasoline	9030257	3/11/99	3/11/99		2.00	ND	mg/kg	
Benzene	11	II	н		0.0100	0.0295	п	
Toluene	11	It	11		0.0100	0.0658	II.	
	**	++	*		0.0100	0.0359	(1	
Ethylbenzene	п	**	*1		0.0200	0.119	н	
Xylenes (total)	II.	4	11-		0.0500	0.561	ø	
Methyl tert-butyl ether		,,		65.0-135	0.0500	95.7	%	
Surrogate: a,a,a-Trifluorotoluene	,,	"	,,			89.7	"	
Surrogate: 4-Bromofluorobenzene	"	"	**	65.0-135		D9.7		
Total Metals by EPA 6000/7000 Serie Lead	9030212	3/10/99	3/11/99	EPA 6010A	7.50	ND	mg/kg	



Project Manager:


Redwood City. CA 94063 Walnut Creek, CA 94598 Sacramento. CA 95834 Petaluma. CA 94954 (650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342

ERI 74 Digital Dr. Suite 6 Novato, CA 94949 Project: Unocal/Tosco Project Number: Fmr Tosco 76

Fmr Tosco 76 SS #0843 Glenn Mattuecci Sampled: 3/2/99 Received: 3/5/99 Reported: 3/12/99

Sample Description: Laboratory Sample Number: S-10.5-B3 P903185-10

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method/ Surrogate Limits	Reporting Limit	Result	Units	Notes*
				al - Petaluma				
Total Petroleum Hydrocarbons as Gas Gasoline Benzene Toluene Ethylbenzene Xylenes (total)	9030257	EX by EPA 3/11/99	8015M/8020 3/11/99 " "	<u>)M</u>	0.400 0.00200 0.00200 0.00200 0.00400	ND ND ND ND ND	mg/kg " " "	
Methyl tert-butyl ether			n		0.0100	93.3	"	···
Surrogate: a,a.a-Trifluorotoluene Surrogate: 4-Bromofluorobenzene	ji	n n	"	65.0-135 65.0-135		93.3 86.0	70 ''	
Total Metals by EPA 6000/7000 Serie Lead	9030212	3/10/99	3/11/99	EPA 6010A	7.50	ND	mg/kg	




Redwood City. CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 (650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342

ERI Project: Unocal/Tosco Sampled: 3/2/99
74 Digital Dr. Suite 6 Project Number: Fmr Tosco 76 SS #0843 Received: 3/5/99
Novato, CA 94949 Project Manager: Glenn Mattuecci Reported: 3/12/99

Sample Description: Laboratory Sample Number: S-10.5-B4 P903185-14

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method/ Surrogate Limits	Reporting Limit	Result	Units	Notes*
		<u>Sequ</u>	oia Analytic	al - Petaluma				
Total Petroleum Hydrocarbons as Ga	soline and BT	EX by EPA	8015M/8020)M				
Gasoline	9030257	3/11/99	3/11/99		0.400	ND	mg/kg	
Benzene		н	#I		0.00200	ND	н	
Toluene	н	41	n .		0.00200	ND	10	
Ethylbenzene	п	ш	II .		0.00200	ND	**	
Xylenes (total)	II.	D			0.00400	ND	n	
Methyl tert-butyl ether	14	11	н		0.0100	0.109	п	
Surrogate: a,a,a-Trifluorotoluene	"	u	"	65.0-135		96.3	%	
Surrogate: 4-Bromofluorobenzene	"	"	"	65.0-135		84.7	rr .	
Total Metals by EPA 6000/7000 Serie	s Methods							
Lead	9030212	3/10/99	3/11/99	EPA 6010A	7.50	ND	mg/kg	



Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 (650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342


ERI	Project: Ur	local/Tosco	Sampled:	3/2/99
74 Digital Dr. Suite 6	Project Number: Fn	rr Tosco 76 SS #0843	Received:	3/5/99
Novato, CA 94949	Project Manager: Gl	enn Mattuecci	Reported:	3/12/99

 ${\bf Sample\ Description:}$

Laboratory Sample Number:

Comp SP1-(1-4) P903185-17

Analyte	Batch Number	Date Prepared	Date Analyzed	Specific Method/ Surrogate Limits	Reporting Limit	Result	Units	Notes*
. Littiy to			,					
		Sequ	oia Analytic	al - Petaluma				
Total Petroleum Hydrocarbons as Ga	soline and BT	EX by EPA	8015M/8020	<u>0M</u>				
Gasoline	9030257	3/11/99	3/11/99		0.400	ND	mg/kg	
Велгепе	II.	п	h		0.00200	ND	**	
Toluene	11	п	II .		0.00200	0.00351	11	
Ethylbenzene	tv	lt.	II .		0.00200	ND	н	
Xylenes (total)	**	U	II .		0.00400	0.0304	11	
Methyl tert-butyl ether	**		It		0.0100	0.0108	16	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	65.0-135		97.7	%	
Surrogate: 4-Bromofluorobenzene	"	"	"	65.0-135		79.0	n	
Total Metals by EPA 6000/7000 Serie	es Methods							
Lead	9030212	3/10/99	3/11/99	EPA 6010A	7.50	29.0	mg/kg	




Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 (650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342

ERI	Project:	Unocal/Tosco	Sampled: 3/2/99
74 Digital Dr. Suite 6	Project Number:	Fmr Tosco 76 SS #0843	Received: 3/5/99
Novato, CA 94949	Project Manager:	Glenn Mattuecci	Reported: 3/12/99

Total Petroleum Hydrocarbons as Gasoline and BTEX by EPA 8015M/8020M/Quality Control Sequoia Analytical - Petaluma

	Date	Spike	Sample	QC		Reporting Limit	Recov.	RPD	RPD			
Aπalyte	Analyzed	Level	Result	Result	Units	Recov. Limits	%	Limit	<u>%</u>	Notes*		
Batch: 9030257	Date Prepa	red: 3/11/9	<u>9</u>		Extraction Method: EPA 5030 soils							
Blank	9030257-BI	L <u>K1</u>										
Gasoline	3/11/99			ND	mg/kg	0.400						
Benzene	п			ND	н	0.00200						
Toluene	H			ND	11	0.00200						
Ethylbenzene	•			ND	14	0.00200						
Xylenes (total)	37			ND	**	0.00400						
Methyl tert-butyl ether	и			ND	•	0.0100						
Surrogate: a,a,a-Trifluorotoluene	"	0.300		0.271	п	65.0-135	90.3					
Surrogate: 4-Bromofluorobenzene	n	0.300		0.258	"	65.0-135	86.0					
<u>LCS</u>	9030257-B	<u>S1</u>										
Gasoline	3/11/99	2.00		2.14	mg/kg	65.0-135	107					
Surrogate: 4-Bromofluorobenzene	ii	0.300		0.272	N	65.0-135	90.7					
Matrix Spike	9030257-M	ISI P	903273-01									
Gasoline	3/11/99	2.00	ND	1.60	mg/kg	65.0-135	80.0					
Surrogate: 4-Bromofluorobenzene	#	0.300		0.225	"	65.0-135	75.0					
Matrix Spike Dup	9030257-N	ISD1 P	903273-01									
Gasoline	3/11/99	2.00	ND	1.33	mg/kg	65.0-135	66.5	35.0	18.4			
Surrogate: 4-Bromofluorobenzene	н	0.300		0.207	#	65.0-135	69.0					




Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 (650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342

ERI 74 Digital Dr. Suite 6 Novato, CA 94949 Project: Unocal/Tosco
Project Number: Fru Tosco 76 SS #0843
Project Manager: Glenn Mattuecci

Sampled: 3/2/99 Received: 3/5/99 Reported: 3/12/99

Total Metals by EPA 6000/7000 Series Methods/Quality Control Sequoia Analytical - Petaluma

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit I Recov. Limits	Recov.	RPD Limit	RPD % Notes
Batch: 9030212	Date Prepar		<u>99</u>		<u>Extrac</u>	tion Method: EPA	3050B		
Blank Lead	<u>9030212-BL</u> 3/11/99	<u>.K1</u>		ND	mg/kg	7.50			
LCS Lead	<u>9030212-BS</u> 3/11/99	50.0		51.1	mg/kg	80.0-120	102		
Matrix Spike Lead	<u>9030212-M</u> 3/11/99	<u>S1</u> P 45.5	903120-01 ND	43.5	mg/kg	75.0-125	95.6		
Matrix Spike Dup Lead	9030212-M 3/11/99	<u>SD1</u> <u>P</u> 46.3	903120-01 ND	45.3	mg/kg	75.0-125	97.8	20.0	2.28



Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 (650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342

ERIProject:Unocal/ToscoSampled:3/2/9974 Digital Dr. Suite 6Project Number:Fmr Tosco 76 SS #0843Received:3/5/99Novato, CA 94949Project Manager:Glenn MattuecciReported:3/12/99

Notes and Definitions

Note

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

Recov. Recovery

RPD Relative Percent Difference

	SEQUOIA ANALYTICAL CHAIN OF CUSTODY
V	CHAIN OF CUSTODY

Mailing Address: 74 Digital or #6

415-382-9105

Gleun M

□ 10 Working Days

☐ 7 Working Days

5 Working Days

Company Name:

City: Neverto

Client

Sample I.D.

+1.5-5.5-BI

12.5-10,5-B1

43.5-15.5-BI

4.5-20.5-B1

15.5-5.6 -BZ

6. 5-10.0 - B-2

V7. 5-15€-BZ

110.5-10.5-83/3/2/49/1056

Telephone:

Report To:

Turnaround

Time:

Environmenter

Date/Time

Sampled

3/2/99 836 501

841

844

850

710

715

<u> 754</u>

1051

State:

	YTIC TODY		□ 819 S	hesapeake triker Ave., S I. Wiget Land McDowell Bl	Suite 8 ∙ ∍ • Walnı	Sacran	nento, CA k. CA 945	95834 • 98 • (925	(916) 9 5) 988-9	21-96 9600	00 FA FAX (9	X (916) 25) 988	921-0100	42
when I hosphous, Inc					Project	Project Name: Func tosco 76 55 # 0843								
Dy		, -			Billing A	Billing Address (if different): TOSCO MARKeting CO								
ıte:	CI	CA Zip Code: 94944 AHW & DAVE Dewith												
 5		FAX #:	415-38	12-1856	P.O. #:	?.O. #:								
Sampler: D. Crouse QC Data: Level D (Standard) Level C Level B Level A								B Level A	Pink - Client					
a 2	Working (Working (4 Hours		□ 2 - 8 Hou	1		ler		and last	Analy	ses F	Reques	ted	7_	` ǟ.
— е І	Matrix Desc.	# of Cont.	Cont. Type	Sequoia's Sample #		4 6 20 6				/_			Comments	
36	Seil	Ţ		P987 1854	01 💥	X/	X						Hold	i§
11	/	1	7	-C	2 X	K	X							Sequoia
14		l		-(XX	人	X						Hold	Yellow -
50		1		7	XX	X	X						Hold	
0	1	1		-	x X	7	X					1	no tel	
5		1		-0	X de	X	X							
17	COQLE	RCUSTO	YSEALSINT	ACTU NOT	NIACK	X	X						hold	Seguoia
34	ÇO	DLERTE	MPERATURE.	<u> </u>		×	X						hold	sed
51 51	1	1		,(97 X	X	X			<u> </u>			hold	White
156	1	1	V	-/	o X	y	X							
w	ano)	- Date		Time:		ceived	-77	. //	M			5:3	Time: /340	5
·. 	111	Dat کر	e:3:/3	Time/ 6 4	≱ Red	ceived	By Jan	l flo	uni	enl	Date3/	3/ <u>/</u>	Time:/6.45	

Relinquished By: Relinquished By: Relinquished By: More Samples Received in Good Condition? Tives



L_ 10 1	OF CUST		<u> </u>	□ 819 Striker Ave., Suite 8 • Sacramento, CA 95834 • (916) 921-9600 FAX (916) 921-0100 □ 404 N. Wiget Lane • Walnut Creek, CA 94598 • (925) 988-9600 FAX (925) 988-9673 □ 1455 McDowell Blvd. North, Suite D • Petaluma, CA 94954 • (707) 792-1865 FAX (707) 792-0342							
			-, 1				<u> </u>				
Company Name: Su		Project Name: FMR TOSCO 76 35 # 0843 Billing Address (if different): TOSCO warkeling Co									
Mailing Address: 74	Digital	104.	sute							realy	3 (0
City: Novarto State: CA Zip Code: AHN: DAVE Dewith											
Telephone: 46 - 381 - 9105 FAX #: 915 - 381 - 1856 P.O. #:											
Penert To: C.Lo. M. Sampler: N. Circust QC Data: MLevel D (Standard) U Level C U Level B U Level A											
Turnaround											
Client Sample I.D.	Date/Time Sampled	Matrix Desc.	# of Cor Cont. Typ		ia's e #	THE STATE OF THE S					Comments
15-15.5-83	3/1/49/059	40 L	1 Brg	Eve -	11 X	X	X				holch
12.5-20.5-B3	(110)	-		\ -	12 X	X	<i>γ</i> Α				hold
3.5-5.5 -84	952		- I			/ 🔭	^				NO CO
4.5-10.5-184	957	_	1	/ -	-14 X		X				
5. 5-19.5-B4	959		<u>'</u>		15 X	X	X			 	notex
6.5-20.5-BU	1006		1 /	-	-16 X	X	X			+	NOICK
7.5PI-1)c	1200		1		X	X	X				/ Composite
8. 581-250	1000		(_	5 -	IX	×	X				
9. SPt-3 \ \$	000		1		X	X	X				}
10. SPI-4/E	V 000	1	1 3	<u>/ </u>		<u> </u>	X_				
Relinquished By:	Ach we	w	Date:	Time:	Red	ceived B	y: C/4-	- 100	Date:	3.3	Time: /345
Relinquished By: 💋	Q:	Mhi	Date: 73	Time:		ceived B	(fleel	Ullma	Date 3	13/99	Time/6'45
Relinquished By:	the Lun	rdn	Date 3	99 Time:/3	Red Red	ceived B	Lab:	100	Date:	7/4_	Time: 1500
Were Samples Received	n Good Condition?	Yes U	⊒ No	Samples on I	ce? 🗘 Yes	□ No	Method of S	hipment		_	/200 Page of

☐ 680 Chesapeake Drive • Redwood City, CA 94063 • (650) 364-9600 FAX (650) 364-9233



Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954

(925) 988-9600 (916) 921-9600 (707) 792-1865

(650)~364~9600 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342

Environmental Resolutions 74 Digital Drive, Suite 6 Novato, CA 94949 Attention: Ed Ralston

Client Proj. ID: Fmr. Tosco 76 SS 0843

Received: 03/09/99

Lab Proj. ID: 9903672

Reported: 03/26/99

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. report contains a total of _______ pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

Notes:

EPA Method 8260A:


The analysis for Benzene, Toluene, Ethybenzene, Xylene, and MTBE was subcontracted to Sequoia Analytical-Sacramento.

EPA Method 8015 (mod.) - Gas:

The analysis for Total Purgeable Hydrocarbons was subcontracted to Sequoia Analytical-Sacramento.

SEQUOIA ANALYTICAL

David A. Richette Project Manager



Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 San Carlos, CA 94070-4111

(925) 988-9600 (916) 921-9600 (707) 792-1865 (650) 232-9600

(650) 364-9600

FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342 FAX (650) 232-9612

Sequoia Analytical - Redwood City 680 Chesapeake Drive Redwood City, CA 94063

Project: N/A
Project Number: (WO#9903672)
Project Manager: Ron Chew

Sampled: 3/5/99 Received: 3/16/99 Reported: 3/19/99

ANALYTICAL REPORT FOR SAMPLES:

Sample Description	Laboratory Sample Number	Sample Matrix	Date Sampled
9903672-01(W-5-MW1)	S903209-01	Water	3/5/99
9903672-02(W-5-MW2)	S903209-02	Water	3/5/99
9903672-03(W-4-MW3)	S903209-03	Water	3/5/99
9903672-04(W-4-MW4)	S903209-04	Water	3/5/99
9903672-05(W-BB-MW4)	S903209-05	Water	3/5/99



Sequoia Analytical - Sacramento

The results in this report apply to the samples analyzed in accordance with the chain of custody document.

This analytical report must be reproduced in its entirety.





Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 San Carlos, CA 94070-4111 (650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 (650) 232-9600 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342 FAX (650) 232-9612

Sequoia Analytical - Redwood City 680 Chesapeake Drive Redwood City, CA 94063 Project: N/A
Project Number: (WO#9903672)
Project Manager: Ron Chew

Sampled: 3/5/99 Received: 3/16/99 Reported: 3/19/99

Total Purgeable Hydrocarbons by DHS LUFT Sequoia Analytical - Sacramento

	Batch	Date	Date	Surrogate	Reporting			,
Analyte	Number	Prepared	Analyzed	Limits	Limit	Result	Units	Notes*
9903672-01(W-5-MW1)			S9032	09-01			Water	
Purgeable Hydrocarbons	9030211	3/17/99	3/17/99		50.0	86.6	ug/l	1
Surrogate: a,a,a-Trifluorotoluene	"	n	"	60.0-140		102	%	
9903672-02(W-5-MW2)			S9032	<u>09-02</u>			Water	
Purgeable Hydrocarbons	9030249	3/18/99	3/18/99		2500	34400	ug/l	l,D
Surrogate: a,a,a-Trifluorotoluene	n	н	fr .	60.0-140	<u></u>	97.6	%	
9903672-03(W-4-MW3)			S9032	09-03			<u>Water</u>	
Purgeable Hydrocarbons	9030211	3/17/99	3/17/99		50.0	135	ug/l	1
Surrogate: a,a,a-Trifluorotoluene	"	"	"	60.0-140		99.0	%	····
9903672-04(W-4-MW4)			S9032	09-04			Water	
Purgeable Hydrocarbons	9030211	3/17/99	3/17/99		50.0	ND	ug/l	
Surrogate: a,a,a-Trifluorotoluene	H	II	If	60.0-140		96.2	%	
9903672-05(W-BB-MW4)			S9032	09-0 <u>5</u>			Water	
Purgeable Hydrocarbons	9030211	3/17/99	3/17/99		50.0	ND	ug/l	
Surrogate: a,a,a-Trifluorotoluene	н	n .	н	60.0-140		99.7	%	

Sequoia Analytical - Sacramento

*Refer to end of report for text of notes and definitions.

€<u>}</u>



Redwood Ciry, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 San Carlos, CA 94070-4111

(925) 988-9600 (916) 921-9600 (707) 792-1865 (650) 232-9600

(650) 364-9600

FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342 FAX (650) 232-9612

Sequoia Analytical - Redwood City	Project:	N/A	Sampled:	3/5/99
680 Chesapeake Drive	Project Number:	(WO#9903672)	Received:	3/16/99
Redwood City, CA 94063	Project Manager:	Ron Chew	Reported:	3/19/99

MTBE by EPA Method 8260A Sequoia Analytical - Sacramento

	Batch	Date	Date	Surrogate	Reporting			
Analyte	Number	Prepared	Analyzed	Limits	Limit	Result	Units	Notes*
9903672-01(W-5-MW1)			S9032	<u>09-01</u>			Water	
Methyl tert-butyl ether	9030186	3/16/99	3/16/99		2.00	23.9	ug/l	
Surrogate: 1,2-DCA-d4	"	ii .	u	60.0-140	•	105	%	
9903672-02(W-5-MW2)			S9032	09-02			Water	
Methyl tert-butyl ether	9030186	3/16/99	3/17/99		100	8460	ug/l	D
Surrogate: 1,2-DCA-d4	II	"	"	60.0-140		100	%	
9903672-03(W-4-MW3)			S9032	<u>09-03</u>			Water	
Methyl tert-butyl ether	9030186	3/16/99	3/16/99		2.00	2.46	ug/l	
Surrogate: 1,2-DCA-d4	"	"	"	60.0-140		95.2	%	
9903672-04(W-4-MW4)			S9032	09-04			Water	
Methyl tert-butyl ether	9030186	3/16/99	3/16/99		2.00	25.2	ug/l	
Surrogate: 1,2-DCA-d4	"	"	"	60.0-140		102	%	
9903672-05(W-BB-MW4)			S9032	09-05			Water	
Methyl tert-butyl ether	9030186	3/16/99	3/16/99		2.00	ND	ug/l	
Surrogate: 1,2-DCA-d4	и	"	u	60.0-140		87. 6	%	






Sequoia Analytical - Sacramento

*Refer to end of report for text of notes and definitions.

E



Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 San Carlos, CA 94070-4111

(925) 988-9600 (916) 921-9600 (707) 792-1865 (650) 232-9600

(650) 364-9600

FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342 FAX (650) 232-9612

Sequoia Analytical - Redwood City

680 Chesapeake Drive Redwood City, CA 94063 Project: N/A

Project Number: (WO#9903672)
Project Manager: Ron Chew

Received: 3/16/99 Reported: 3/19/99

Sampled:

3/5/99

BTEX by EPA Method 8260A Sequoia Analytical - Sacramento

	Batch	Date	Date	Surrogate	Reporting			
Analyte	Number	Prepared	Analyzed	Limits	Limit	Result	Units	Notes
0002/72 61/31/ 5 3/31/1			COORS	20.01			Water	
9903672-01(W-5-MWI)	0020106	2/1//00	S90320	<u> </u>	2.00	NITS	<u>Water</u>	
Benzene	9030186	3/16/99	3/16/99		2.00	ND	ug/l	
Toluene		·· (t	" !!		2.00	2.04	н	
Ethylbenzene	,,	" II	"		2.00	ND		
Xylenes (total)					2.00	4.06	11	
Surrogate: 1,2-DCA-d4	"	"	Ü	60.0-140	4.00	105	%	
Surrogate: Toluene-d8	"	"	T/	60.0-140	4.00	103	17	
Surrogate: 4-BFB	,,	"	u	60.0-140	4.00	100	"	
9903672-02(W-5-MW2)			S9032	<u> </u>			<u>Water</u>	
Benzene	9030186	3/16/99	3/17/99		100	2070	ug/l	D
Toluene	li	ei	**		100	7710	"	D
Ethylbenzene	п	н	*1		100	2340	(†	D
Xylenes (total)	п	п	O .		100	8240	**	D
Surrogate: 1,2-DCA-d4	п	· · · · ·	·	60.0-140	4.00	100	%	
Surrogate: Toluene-d8	u	п	11	60.0-140	4.00	101	n	
Surrogate: 4-BFB	"	"	n .	60.0-140	4.00	95.2	"	
Jurrogale. 4-Di D				00.0-140	4.00	70.2		
9903672-03(W-4-MW3)			S9032	09-03			<u>Water</u>	
Benzene	9030186	3/16/99	3/16/99		2.00	ND	ug/l	
Toluene	"	**	ш		2.00	ND	19	
Ethylbenzene	*	**	п		2.00	ND	,,	
Xylenes (total)	rì	**	п		2.00	4.84	н	
Surrogate: 1,2-DCA-d4	н	"	11	60.0-140	4.00	95.2	%	
Surrogate: Toluene-d8	н	"	"	60.0-140	4.00	102	IJ	
Surrogate: 4-BFB	и	n	#	60.0-140	4.00	99.6	11	
9903672-04(W-4-MW4)			S9032	09-04			<u>Water</u>	
Benzene	9030186	3/16/99	3/16/99		2.00	ND	ug/l	
Toluene	"	11	"		2.00	ND	_ _ _ _	
Ethylbenzene	11	li .	19		2.00	ND	n ·	
Xylenes (total)		D.	n		2.00	2.44	п	
Surrogate: 1,2-DCA-d4	<i>"</i>	"	"	60.0-140	4.00	103	%	
Surrogate: 1,2-DCA-a4 Surrogate: Toluene-d8	n	u .	11	60.0-140	4.00	100	u 1	
ů .	,,	#	"		4.00	98.4	m	
Surrogate: 4-BFB				60.0-140	4.00	90.4	, .	
9903672-05(W-BB-MW4)			S9032	<u>09-05</u>			<u>Water</u>	
Benzene	9030186	3/16/99	3/16/99		2.00	ND	ug/l	
Toluene	II	11	"		2.00	ND	н	
Ethylbenzene	п	10	н		2.00	ND	**	
Xylenes (total)	II		**		2.00	ND	н	
Surrogate: 1,2-DCA-d4	"	μ	n	60.0-140	4.00	87.6	%	

Sequoia Analytical - Sacramento

*Refer to end of report for text of notes and definitions.

Sandra R. Hanson, Client Services Representative




Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento. CA 95834 Petaluma, CA 94954 San Carlos, CA 94070-4111

(650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 (650) 232-9600 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342 FAX (650) 232-9612

Sequoia Analytical - Redwood City	Project: N	√A	Sampled:	3/5/99
680 Chesapeake Drive	Project Number: (WO#9903672)	Received:	3/16/99
Redwood City, CA 94063	Project Manager: R	Ron Chew	Reported:	3/19/99

BTEX by EPA Method 8260A Sequoia Analytical - Sacramento

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
9903672-05(W-BB-MW4) (continued)			S9032	<u>09-05</u>			<u>Water</u>	
Surrogate: Toluene-d8	9030186	3/16/99	3/16/99	60.0-140	4.00	102	%	
Surrogate: 4-BFB	17	n	"	60.0-140	4.00	98.4	n	



*Refer to end of report for text of notes and definitions.



Sandra K. Hanson, Client Services Representative



Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 San Carlos, CA 94070-4111

(925) 988-9600 (916) 921-9600 (707) 792-1865 (650) 232-9600

(650) 364-9600

FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342 FAX (650) 232-9612

Sequoia Analytical - Redwood City 680 Chesapeake Drive Redwood City, CA 94063

Project: N/A
Project Number: (WO#9903672)
Project Manager: Ron Chew

Sampled: 3/5/99 Received: 3/16/99 Reported: 3/19/99


Total Purgeable Hydrocarbons by DHS LUFT/Quality Control Sequoia Analytical - Sacramento

	Date	Spike	Sample	QC		Reporting Limit	Recov.	RPD	RPD	
Analyte	Analyzed	Level	Result	Result	Units	Recov. Limits	%	Limit	%	Notes*
Batch: 9030211	Date Prepa	red: 3/17/9	00		Evtront	ion Mathod: ED	A 5020B	(D/T)		
Blank	9030211-BJ		22		Extraction Method: EPA 5030B (P/T)					
Purgeable Hydrocarbons	3/17/99	2111		ND	ug/l	50.0				
Surrogate: a,a,a-Trifluorotoluene	"	10.0		9.45	"	60.0-140	94.5			
LCS	9030211-BS	S1								
Purgeable Hydrocarbons	3/17/99	60.0		42.1	ug/l	70.0-130	70.2			
Surrogate: a,a,a-Trifluorotoluene	И	10.0	4	9.60	"	60.0-140	96.0	,		
Matrix Spike	9030211-M	<u>S1 S</u>	903171-04							
Purgeable Hydrocarbons	3/17/99	60.0	ND	41.1	ug/l	60.0-140	68.5			
Surrogate: a.a.a-Trifluorotoluene	"	10.0		9.30	"	60.0-140	93.0			
Matrix Spike Dup	9030211-M	SD1 S	903171-04							
Purgeable Hydrocarbons	3/17/99	60.0	ND	41.8	ug/l	60.0-140	69.7	25.0	1.74	
Surrogate: a.a.a-Trifluorotoluene	u	10.0		9. 5 8	"	60.0-140	95.8			
Batch: 9030249	Date Prepa	red: 3/18/9	99		Extract	ion Method: EP	A 5030B	(P/T)		
Blank	9030249-BI	LK1								
Purgeable Hydrocarbons	3/18/99			ND	ug/l	50.0				
Surrogate: a,a,a-Trifluorotoluene	n	$10.\overline{0}$		9.32	и	60.0-140	93.2			
LCS	9030249-BS									
Purgeable Hydrocarbons	3/18/99	60.0		56.1	ug/l	70.0-130	93.5			
Surrogate: a,a,a-Trifluorotoluene	n	10.0		9.36		60.0-140	93.6			
Matrix Spike	9030249-M		903195-02							
Purgeable Hydrocarbons	3/18/99	60.0	ND	54.4	ug/l	60.0-140	90.7			
Surrogate: a,a,a-Trifluorotoluene	ti .	10.0		9.61	17	60.0-140	96.1			
Matrix Spike Dup	9030249-M	SD1 S	903195-02							
Purgeable Hydrocarbons	3/18/99	60.0	ND	54.1	ug/l	60.0-140	90.2	25.0	. 0.553	
Surrogate: a,a,a-Trifluorotoluene	#	10.0		9.69	"	60.0-140	96.9			

Sequoia Analytical - Sacramento

*Refer to end of report for text of notes and definitions.

Sandra R. Hanson, Client Services Representative



Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 San Carlos, CA 94070-4111 (650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 (650) 232-9600 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342 FAX (650) 232-9612

Sequoia Analytical - Redwood City 680 Chesapeake Drive Redwood City, CA 94063 Project: N/A
Project Number: (WO#9903672)
Project Manager: Ron Chew

Sampled: 3/5/99 Received: 3/16/99 Reported: 3/19/99

MTBE by EPA Method 8260A/Quality Control Sequoia Analytical - Sacramento

	Dat e	Spike	Sample	QC		Reporting Limit	Recov.	RPD	RPD	
Analyte	Analyzed	Level	Result	Result	Units	Recov. Limits	%	Limit	%	Notes*
Batch: 9030186	Date Prepare	ed: 3/16/9	<u>99</u>		Extrac	tion Method: EP	A 5030B	[P/T]		
Blank	9030186-BL	K1								
Methyl tert-buryl ether	3/16/99			ND	ug/l	2.00				
Surrogate: 1,2-DCA-d4	n	50.0	•	53.6	#	60.0-140	107			
LCS	9030186-BS1	ı								
Methyl tert-butyl ether	3/16/99	50.0		55.8	ug/l	70.0-130	112			
Surrogate: 1,2-DCA-d4	"	50.0	 .	53.8	"	60.0-140	108			
None des Carles	0020104 316	1 60	\02202.01							
Matrix Spike	9030186-MS		003202-01			60.0.140				
Methyl tert-butyl ether	3/16/99	50.0	ND	55.8	ug/i	60.0-140	112			
Surrogate: 1,2-DCA-d4	"	50.0		55.2	n	60.0-140	110			
Matrix Spike Dup	9030186-MS	D1 S9	003202-01							
Methyl tert-butyl ether	3/16/99	50.0	ND	55.6	ug/l	60.0-140	111	25.0	0.897	
Surrogate: 1,2-DCA-d4	"	50.0		56.2	"	60.0-140	112			



*Refer to end of report for text of notes and definitions.



Sequoia Analytical - Sacramento





Redwood City, CA 94063 Wainut Creek, CA 94598 Sacramento, CA 95834 Petaluma, CA 94954 San Carlos, CA 94070-4111 (650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 (650) 232-9600 FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342 FAX (650) 232-9612

Sequoia Analytical - Redwood City

680 Chesapeake Drive Redwood City, CA 94063 Project: N/A

Project Number: (WO#9903672) Project Manager: Ron Chew Sampled: 3/5/99 Received: 3/16/99 Reported: 3/19/99

BTEX by EPA Method 8260A/Quality Control Sequoia Analytical - Sacramento

	Date	Spike	Sample	QC		Reporting Limit	Recov.	RPD	RPD	
Analyte	Analyzed	Level	Result	Result	Units	Recov. Limits	%	Limit	% ?	Votes*
Batch: 9030186	Date Prepar	ed: 3/16/	99		Extrac	tion Method: EP	A 5030B	(P/T)		
Blank	9030186-BL									
Benzene	3/16/99			ND	ug/l	2.00				
Toluene	#			ND	,,	2.00				
Ethylbenzene	14			ND	11	2.00				
Xylenes (total)	#			ND	Ð.	2.00				
Surrogate: 1.2-DCA-d4	n	50.0	 .	53.6	"	60.0-140	107			
Surrogate: Toluene-d8	n	50.0		51.6	"	60.0-140	103			
Surrogate: 4-BFB	"	50.0		47.6	,,	60.0-140	95.2			
LCS	9030186-BS1	İ								
Benzene	3/16/99	50.0		54.2	ug/l	70.0-130	108			
Toluene	н	50.0		48.2	"5".	70.0-130	96.4			
Surrogate: 1,2-DCA-d4	n	50.0		53.8	<i>p</i>	60.0-140	108			
Surrogate: Toluene-d8	n	50.0		49.0	"	60.0-140	98.0			
Surrogate: 4-BFB	n	50.0		46.8	n	60.0-140	93.6			
Matrix Spike	9030186-MS	1 S	903202-01							
Benzene	3/16/99	50.0	ND	54.2	ug/l	70.0-130	108			
Toluene	*1	50.0	ND	50.0	11	70.0-130	100			
Surrogate: 1,2-DCA-d4	л	50.0		55.2	n .	60.0-140	110			^
Surrogate: Toluene-d8	n	50.0		52.2	"	60.0-140	104			
Surrogate: 4-BFB	n	50.0		48.0	"	60.0-140	96.0			
Matrix Spike Dup	9030186-MS	D1 S	903202-01							
Benzene	3/16/99	50.0	ND	53.4	ug/l	70.0-130	107	25.0	0.930	
Toluene	п	50.0	ND	49.6	, _	70.0-130	99.2	25.0	0.803	
Surrogate: 1,2-DCA-d4	17	50.0		56.2	<i>i</i> 1	60.0-140	112		•	
Surrogate: Toluene-d8	fr .	50.0		52.6	н	60.0-140	105			
Surrogate: 4-BFB	"	50.0		49.4	"	60.0-140	98.8			

Sequoia Ánalytical - Sacramento

*Refer to end of report for text of notes and definitions.

Sandra R. Hanson, Client Services Representative





Redwood City, CA 94063 Walnut Creek, CA 94598 Sacramento, CA 95834 Petaluma. CA 94954 San Carlos, CA 94070-4111 (650) 364-9600 (925) 988-9600 (916) 921-9600 (707) 792-1865 (650) 232-9600

FAX (650) 364-9233 FAX (925) 988-9673 FAX (916) 921-0100 FAX (707) 792-0342 FAX (650) 232-9612

Sequoia Analytical - Redwood City Project: N/A Sampled: 3/5/99 680 Chesapeake Drive Project Number: (WO#9903672) Received: 3/16/99 Redwood City, CA 94063 Project Manager: Ron Chew Reported: 3/19/99

Notes and Definitions

#	Note
D	Data reported from a dilution.
1	Chromatogram Pattern: Weathered Gasoline C6-C12
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
Recov.	Recovery
RPD	Relative Percent Difference

Sequoia Analytical - Sacramento

			SU	3-CHA	IN OF CU	STO	DY						
680 CHES REDWOO TEL415-36	SEQUOIA ANALYTICAL 680 CHESAPEAKE DRIVE PROJECT REDWOOD CITY, CA 94063 TEL415-364-9600 FAX415-364-9233					D: -	ĺ			QUESTE		24H5D 48H10E 72H)
REPORT	RON CHEW						<u>ф</u>	ANALYS	SIS RE	QUEST	ĒD ,		
WORKORD 99 (DER# 03 672	PROJECT	NAME:		1	g	/MT						
98888	SAMPLE DESCRIPTION	E .	l	TYPE CONT.	SAMPLING TIME/DATE	TPHGas	BTEX/MTB((64 8260)						
01	V-5 - MW1	Li	3	VOAs		X	X					9903209	
0.2	W-5 - MWZ	1		ſ	ſ	X	X					1	02
03	W-4 - MW3					χ	X						03
10	W-4-MW4					K	X						04
0.1	W- DB - MW4	Ψ	<u> </u>	u —	J	X	X						05
										_		<u> </u>	
								_		- -		·	
				 :					_	+	 - -		
							- 		-	+			
DELINIOUS NO.										1			
relinguis vW	HED FROM SEQUOIA	BY: DATE	TIME		RECEIVED	BY:	<u></u>			DATE	TIME	SAMPLE	
RELINQUIS	V) HED BY:	DATE	TIME		RECEIVED	₽V.	_		<u> </u>	215	1900	CONDITION?	
'	<i>M</i> -				KEOEIVED	DT.		•		DATE	TIME	TEMP?	
RELINQUIS	HED BY:	<u>ന-16</u> . Date	TIME		RECEIVED	₽Y:				DATE	TIME		
		***************************************			fayt	\mathcal{M}	M	$\left(\cdot \right)$		عا الا صا الا	0900		



680 Chesapeake Drive • Redwood City, CA 94063 • (415) 364-9800 FAX (415) 364-9233
819 Striker Ave., Suite 8 • Sacramento, CA 95834 • (916) 921-9600 FAX (916) 921-0100
404 N. Wiget Lane • Walnut Creek, CA 94598 • (510) 988-9600 FAX (510) 988-9673

Company Name: Environmen	tal Resolu	thens Inc	Project N	lame: Fyr	Tago 7	6 55 0	843								
Address: 74 Digital Dr		<i>,</i>	Billing Ad	idress (if diffe	rent): Tosco	Marketing	Company								
		Zip Code: 949	,949 Attu: EX Ralston -												
Telephone: 415-382-9105	FAX #: (419-382-1	856 P.O.#:	分6 P.O.#:											
Report To:	Sampler: D.(NOUSE			Standard) 🚨 Level	C 🔲 Level B	Level A								
Turnaround															
Client Date/Time Sample I.D. Sampled	Matrix # of Desc. Cont.	_ 1	quoia's mple #			///	Comments								
1: W-5 - mw 3/5 1224	WATER 3	Voa o		X											
2. W-5-mwa 3/5 1259	/ 3	(0)2 🗡	×			(
3. W-4-mw3 3/5 1256	(3	1	03 X	×											
4. W-4 MW4 3/5 1236	23	√ r	M K	X											
5. W-BB-MW4 3/5 1230	V		ojimi KX	X	Sec. 1.26		hold								
6.			10 1												
7.		4.7													
8.		!	1. 2 . 1			· · · · · · · · · · · · · · · · · · ·	:								
9.	<u> </u>														
10.															
Relinquished By:	Date:	3/5 Time:	Recei	ved By: "M	K	Date: 3/7	Time: 9:55								
Relinquished By:	1/3 _U Recei	- 													
Relinquished By:	Date:	3-9 Time:	Recei	ved By Lab:	1611 Man	Date: 3/9/94	Time: 1900								

PTS Laboratories, Inc.

Geotechnical Services

MAR 1 5 1999

8100 Secara Way • Santa Fe Springs • CA 90670 Phone (362) 907:360 • Fax (562) 907:3610

March 10, 1999

Mr. Glenn Matteucci Environmental Resolutions 74 Digital Dr. Suite 6 Novato, CA 94949

Re: Former Tosco #0843

PTS File: 29061

Dear Mr. Matteucci:

Enclosed are final data for samples submitted for analysis under Former Tosco #0843 Project # 224803T5. Analyses were performed by applicable ASTM, EPA or API methodology. Samples will be retained for 30 days before disposal unless other arrangements are made.

We appreciate the opportunity to be of service and trust these data will prove beneficial in the development of this project. Please feel free to call myself or Larry Kunkel, District Manager, should you have any questions or require additional information.

Sincerely,

PTS Laboratories, Inc.

Rick Young

Project Manager

RY/vk

encl.

PHYSICAL PROPERTIES DATA

(METHODOLOGY: ASTM D2216, API RP40, EPA 9100, WALKLEY-BLACK)

PROJECT NAME Former Tosco #0843

PROJECT NO: 224803T5

					25.0 PSI CONFINING STRESS						
				NATIVE STATE	NATIVE STATE	NATIVE STATE					
	TOTAL									EFFECTIVE	EFFECTIVE
Г		T	SAMPLE	MOISTURE	DE	NSITY	EFFECTIVE	ORGANIC	PERMEABILITY	PERMEABILITY	HYDRAULIC
1	SAMPLE	DEPTH,	ORIENT.	CONTENT	BULK	GRAIN	POROSITY,	CARBON	TO AIR	TO WATER	CONDUCTIVITY
L	ID.	ft.	(1)	(% wt)	(g/cc)	(g/cc)	% V1o	mg/kg	(millidarcy)	(millidarcy)	(cm/s)
						· ···					
	S-11.0-B1	11.0	V	19.4	1.70	2.64	35.5	270	10.5	19.9	1.92E-05

Environmental Resolutions, Inc.

PTS File No: 29061

PARTICLE SIZE SUMMARY

(METHODOLOGY: ASTM D4464)

PROJECT NAME: Former Tosco 0843

PROJECT NO: 224803T5

		Description	Median		Particle S	Size Distri	bution, w	l. percent		Silt
i	Depth,	USCS/ASTM	Grain Size			Sand Size)			&
Sample ID	ft.	(1)	mm	Gravel	Coarse	Medium	Fine	Silt	Clay	Clay
S-11.0-B1	11.00	Fine sand	0.162	0.00	0.00	10.27	53.02	30.76	5.94	36.70

PTS Laboratories, Inc.

Particle Size Analysis - ASTM D4464M

Client:


Environmental Resolutions, Inc.

Project: Project No: Former Tosco 0843

224803T5

PTS File No: Sample ID: Depth, ft:

29061 S-11.0-B1 11.00



				Sample	Increment	Cumulative
Оре	ning	Phi of	U.S.	Weight,	Weight,	Weight,
Inches	Millimeters	Screen	No.	grams	percent	percent
0.2500	6.351	-2.67	1/4	0.00	0.00	0.00
0.1873	4.757	-2.25	4	0.00	0.00	0.00
0.1324	3.364	-1.75	6	0.00	0.00	0.00
0.0787	2.000	-1.00	10	0.00	0.00	0.00
0.0468	1.189	-0.25	16	0.58	0.58	0.58
0.0331	0.841	0.25	20	0.84	0.84	1.42
0.0278	0.707	0.50	25	0.92	0.92	2.34
0.0234	0.595	0.75	30	1.46	1.46	3.80
0.0197	0.500	1.00	35	2.48	2.48	6.28
0.0166	0,420	1.25	40	3.99	3.99	10.27
0.0139	0.354	1.50	45	4.67	4.67	14.94
0.0117	0.297	1.75	50	8.38	8.38	23.33
0.0098	0.250	2.00	60	8.27	8.27	31.60
0.0083	0.210	2.25	70	8.33	8.33	39.94
0.0070	0.177	2.50	80	7.29	7.29	47.23
0.0059	0.149	2.75	100	5.61	5,61	52.84
0.0049	0.125	3.00	120	3.89	3.89	56.73
0.0041	0.105	3.25	140	2.65	2.65	59.38
0.0035	0.088	3.50	170	2.02	2.02	61.41
0.0029	0.074	3.75	200	1.89	1.89	63.30
0.0025	0.063	4.00	230	2.07	2.07	65.37
0.0021	0.053	4.25	270	2.38	2.38	67.75
0.00174	0.0442	4.50	325	2.73	2.73	70.48
0.00146	0.0372	4.75	400	3.00	3.00	73.48
0.00123	0.0313	5.00	450	3.11	3.11	76.59
0.000986	0.0250	5.32	500	3.85	3.85	80.44
0.000790	0.0201	5.64	635	3.32	3.32	83.77
0.000615	0.0156	6.00		2.95	2.95	86.72
0.000435	0.0110	6.50		2.93	2.93	89.65
0.000308	0.00781	7.00		2.17	2.17	91.82
0.000197	0.00500	7.65		2.24	2.24	94.06
0.000077	0.00195	9.00		3.48	3.48	97.54
0.000038	0.000977	10.00		1.61	1.61	99.15
0.000019	0.000488	11.00		0.77	0.77	99.93
0.000015	0.000375	11.38		0.07	0.07	100.00
TOTALS				99.95	100.00	100.00

Cumulative Weight Percent greater than										
Weight	Phi	Parti	cie Size							
percent	Value	Inches	Millimeters							
5	0,87	0.0215	0.547							
10	1.23	0.0167	0.425							
16	1.53	0.0136	0.346							
25	1.80	0.0113	0.287							
40	2.25	0.0083	0.210							
50	2.62	0.0064	0.162							
60	3.33	0.0039	0.100							
75	4.87	0.0013	0.034							
84	5.67	8000.0	0.020							
90	6.58	0.0004	0.010							
95	8.01	0.0002	0.004							

Measure	Trask	<u>Inman</u>	Folk-Ward
Median, phi	2.62	2.62	2.62
Median, in.	0.0064	0.0064	0.0064
Median, mm	0.162	0.162	0.162
Mean, phi	2.64	3.60	3.27
Mean, in.	0.0063	0.0032	0.0041
Mean, mm	0.161	0.082	0.103
Sorting	0.345	2.069	2.116
Skewness	0.610	0.472	0.491
Kurtosis	0.305	0.726	0.953
Grain Size D	escription		Fine sand

Grain Size Description		Fine sand
(ASTM-USCS Scale)	(based on Me	an from Trask)
Description	Retained	Weight

Description	Retained	Weight
	on Sleve #	Percent
Gravel	4	0.00
Coarse Sand	10	0.00
Medium Sand	40	10.27
Fine Sand	200	53.02
Silt	>0.005 mm	30.76
Clay	<0.005 mm	5.94
	Total	100

DATE	PTS FI	LE# o	290	61	CHAII	۷ C	F	CI	US	ST6	OE	Υ	R	EC	0	R	D							1	PΔ	١G	E !	OF	: 1	
COMPANY													ΑN	AL	YS	IS	RE	QU	ES	T							P0#			
Environmental Resolutions, Euc ADDRESS XI Digital Dr Suite G PROJECT MANAGER GLENN Matteucci PROJECT NAME PHONE NUMBER					API RP40						D425	9080					100, API RP40	1	Jan.							SPECIAL HA 24 HOURS 72 HOURS OTHER	5	DAYS ORMAL		
PROJECT NAME PHONE BYMEY TOSC PROJECT NUMBER 214803TS SITE LOCATION 1629 Webste	NUMBER D TAX NUMBER TAX NUMBER TAX NUMBER	5 55 0843 BER 415-382-1856 + Mameda CA			PHYSICAL PROPERTIES PACKAGE, API RP40	MOISTURE CONTENT, ASTM D2216	7 RP40	GRAIN DENSITY, API RP40	BULK DENSITY, API RP40	AIR PERMEABILITY, API RP40	SPECIFIC RETENTION/YELD ASTM D425	CATION EXCHANGE CAPACITY EPA 9080	9045	GRAIN SIZE: DRY; 400 MESH	SIEVE & LASER	GRAIN SIZE: LASER; 1 MICRON	HYDRAULIC CONDUCTIVITY, EPA 9100, API RP40	JOC: WALKLEY-BLACK	AND THE PACK						SAMPLES	SAMPLE CO RECEIVED O SEALED OTHER)	
SAMPLER SIGNATURE	rous	2				SICAL PR	STURE CO	POROSITY, API RP40	IN DENS	K DENSIT	PERMEA	CIFIC RE	ON EXC	SOIL pH, EPA 9045	IN SIZE: I	IN SIZE:	IN SIZE: I	RAULIC	WALKE	מאפרוכ					-];	NUMBER OF	CO	MMEN	ITS	_
SAMPLÉ ID NUMBE	R DA	TE TI	ME	DEF	PTH, FT					BUL	AIR	SPE	CAT	Ŝ	g.					5	1	ļ			_[:	Ź				
5-14.8-8	1 3/7	189 81	41	U	Peet		4	X		X	X					_	4	小)	4	_							BI /N	w	· · · · · · · · · · · · · · · · · · ·	
														j														· · ·		
																										_	****			
						_									\downarrow				_			ļ								_
						_	<u> </u>	Ц				_				_										\perp	·-····································			_
						<u> </u>					\perp		\perp			\downarrow		\perp			<u> </u>									
					<u></u>	<u> </u>										_														
						<u> </u>																								
			Pa	iil"																								•		
1. RELINOUISHED BY	use)	2.	RELING	HEI	TOY L. L	3. RELINQUISHED BY 4. RELINQUISHED BY						ED BY																		
COMPANY		CC	MARMO	5	Labs					ľ	COMPANY							MPANY												
DATE	TIME		ATE /	KS	TI	ME	94	US			DATI							ΓIΜE					DAT				T	ME		
	PT\$ I	aboratori	ies, Ind	. • 8100) Secura W	ay •	San	ıta F	e S	prin	gs, (CA	9067	70 •	Pho	one	(56	2) 9	07-3	3607	• Fa	x (5	62)	907-	361	0				

COMPANY				··	Al	VAL	.: YS	IS F	 EQ	 UE	ST				ĺF	0#		4	1 3	•	
			GRAIN DENSITY, API RP40	BULK DENSITY, API RP40	SPECIFIC RETENTION/YELD ASTM DASS				GRAIN SIZE: SIEVE & LASER GRAIN SIZE: LASER: 1 MICRON	AP: RP40	TOC: WALKLEY-BLACK	HYDRAUUC CONDUCTIVITY PACKAGE			NUMBER OF SAMPLES	S S S S S S S S S S S S S S S S S S S	PECIA 4 HOU 2 HOU 2 HOU EAMPLE EALEC THER	L HAND	PITION ICE	DAYS DRMA S YES, YES,	l /NO /NO
1. RELINQUISHED BY COMPANY DATE TIME	2. RELINQUISHED BY COMPANY DATE TIM			-	B. REL		JISH	EDE	37	TIM	ME			MPAN	QUIS	BHEC) BY	TIMI			

ATTACHMENT E STOCKPILE DISPOSAL DOCUMENTATION

. :

DISPOSAL CONFIRMATION

Consultant:	ERI
Contact:	DYLAN CROUSE
Phone/Fax:	(415) 378-8622
Client:	UNOCAL 76 - DAVE DEWITT
Station #/Wic #:	UNOCAL # 0843
Site Address:	1629 WEBSTER STREET
City/State:	ALAMEDA, CA
Estimated YD/Ton:	3 YARDS
Actual YD/Ton:	3.12 TONS
Disposal Facility:	FORWARD LANDFILL
Disposal Date:	MARCH 09, 1999
Contact:	BRAD BONNER
Phone #:	(800) 204-4242
Hauler:	MANLEY & SONS TRUCKING, INC.
Contact:	TIM A. MANLEY
Phone #:	(916) 381-6864
Fax #:	(916) 381-1573
	Date & Time Faxed
8613	