

May 24, 1993

Project No. 29.9

Ms. Jennifer Eberle Alameda County Health Care Services Department of Environmental Health, Hazardous Materials Division 80 Swan Way, Room 200 Oakland, CA 94621

TRANSMITTAL: 1. SOIL INVESTIGATION REPORT

2. VAPOR EXTRACTION REMEDIAL DESIGN REPORT PACIFIC SUPPLY COMPANY, OAKLAND, CALIFORNIA

Dear Ms. Eberle:

Enclosed please find one original copy of the Soil Investigation Report and one original copy of the Vapor Extraction Remedial Design Report and Specifications prepared by BACE Environmental on behalf of the Pacific Supply Company, located at 1735 24th Street, Oakland, California. These two reports have been prepared for the Pacific Supply Company site to comply with the December 1, 1992 request by the Alameda County Health Care Services Agency to delineate the zero line of soils containing hydrocarbons, and to prepare a remediation system design predicated on the limits of soil contamination.

If you have any questions please contact Normita Callison, Environmental Specialist for the Pacific Supply Company, a division of Pacific Coast Building Products, at (916) 971-2390 or Mike Velzy at (415) 364-9030.

Respectively submitted,

Michael E. Velzy Project Manager

Enclosures

Rich Hiett, San Francisco Bay Regional Water Quality Control Board CC: Normita Callison, Pacific Coast Building Products Tony Dejon, Pacific Supply Company

PACIFIC SUPPLY COMPANY SOIL INVESTIGATION REPORT OAKLAND, CALIFORNIA

5/24/93

1735 24TH STREET OAKLAND CALIFORNIA

MAY 24, 1993



PACIFIC SUPPLY COMPANY SOIL INVESTIGATION REPORT OAKLAND, CALIFORNIA

1735 24TH STREET OAKLAND CALIFORNIA

MAY 24, 1993

prepared for:

Pacific Supply Company 1735 24TH Street Oakland, California

prepared by:

BRUNSING ASSOCIATES, INC. 1735 East Bayshore Road, Ste. 2A Redwood City, CA 94063

Author:

Joel B. Bruxvoort Staff Geologist

Reviewer:

Thomas P. Brunsing Ph.D., R.E.A, P.E. (Civil)

Principal





TABLE OF CONTENTS

LIST	Γ OF TABLES	i
LIS	OF FIGURES	i
LIS	OF APPENDICES	i
1.0	INTRODUCTION 1.1 SCOPE OF WORK 1.2 BACKGROUND	1 1 1
2.0	SOIL INVESTIGATION METHODS AND RESULTS 2.1 SOIL SAMPLING METHODS 2.2 SOIL SAMPLE ANALYTICAL AND RESULTS 2.3 EXTENT OF PETROLEUM HYDROCARBONS 2.4 INTERPRETATION OF THE SITE GEOLOGY	1 2 3
3.0	CONCLUSIONS	3
4 0	STATEMENT OF QUALIFICATIONS	4



LIST OF TABLES

Table No.

<u>Title</u>

Table 1

Analytical Data Summary

LIST OF FIGURES

Figure No.

<u>Title</u>

Figure 1

Site Plan

Figure 2

Isopleth Map of TPH Gas Concentrations in Soil

LIST OF APPENDICES

Appendix No.

<u>Title</u>

Appendix A

Boring Logs

Appendix B

Summary of Laboratory Results



1.0 INTRODUCTION

This Report of Findings has been prepared to document additional soil investigation activities performed by BACE Environmental, a Division of Brunsing Associates, Inc. (BAI) on behalf of Pacific Supply Company for the site located at 1735 24TH Street, Oakland, California. This work was performed at the request of the Alameda County Health Care Services Agency (ACHCSA) in correspondence addressed to Ms. Normita Callison on December 1, 1992.

1.1 SCOPE OF WORK

On March 5, 1993, BAI placed seven soil borings at the site and three soil borings in the adjacent street and obtained soil samples for chemical analysis. These soil samples were obtained to quantify the lateral extent of petroleum hydrocarbons remaining in the soil adjacent to the location of a former Underground Storage Tank (UST) which stored gasoline.

The investigation was completed prior to the design of a soil vapor extraction remediation program at the site. The remediation design has been prepared under separate cover for submittal to the ACHCSA.

1.2 BACKGROUND

Monitoring wells MW-1 through MW-5 were constructed by BAI staff on Sept 13, 1988 as the first phase of a soil and groundwater investigation. Monitoring wells MW-6 and MW-7 were constructed by BAI on December 19, 1989 as Phase II of the same investigation. The construction and sampling of these wells are documented in the Report of Findings dated March 23, 1990. Quarterly groundwater monitoring of the wells is ongoing and reports have been submitted to the ACHCSA. BAI performed a Vapor Extraction Pilot Study in June 1992 at the site which is documented in a report dated November 18, 1992. The pilot study indicated the feasibility of soil remediation by vapor extraction at this site.

2.0 SOIL INVESTIGATION METHODS AND RESULTS

2.1 SOIL SAMPLING METHODS

On March 5, 1993, BAI advanced ten borings (B-1 through B-10) at locations shown on Figure 1. These locations were chosen to determine the zero line of soil contamination at the site. An encroachment permit was obtained from the City of Oakland prior to the placement of borings B-1, B-2 and B-3.



Soil borings were advanced using a hydraulic press rig. Sampling was conducted by driving a double wall sampler lined with 1.5 inch diameter stainless steel tubes into the soil. The sampler was driven continuously into the soil in order to obtain maximum soil core retrieval.

Soil borings were logged by a qualified geologist according to the Unified Soil Classification System (USCS) and completed boring logs are included as Appendix A. Selected soils obtained from the coring were screened for petroleum hydrocarbon (HC) vapors by the use of a MicroTIPTM photoionization detector. The results of this screening are indicated on the boring logs.

Samples were collected for chemical analysis by a state certified analytical laboratory in the borings at a depth defined by the first groundwater which occurs at 6.0 to 8.0 feet below existing grade. The stainless steel sample tubes containing the soil samples were sealed with aluminum foil, capped, labelled and placed in sealable plastic bags. The soil samples were placed in an insulated container maintained at a temperature of 4°C with blue ice. After completion of the soil sampling, the borings were sealed using a bentonite grout mix containing approximately five percent bentonite by weight. Holes placed in the street were finished with asphalt patch in the upper six inches to match existing street surface. All down-hole drilling equipment was steam cleaned before use and between borings. Sampling equipment was decontaminated before each use by the following triple rinse procedure:

- Water and detergent wash;
- Water rinse;
- · Deionized water final rinse.

Additional soil from the borings are stored on-site. Water generated during steam cleaning and sampling equipment decontamination is stored on site with the monitoring well purge water generated during the on-going groundwater investigation.

follow up

The soil samples were transported under chain-of-custody procedures to BACE Analytical and Field Services (BAFS), a California-EPA certified analytical laboratory. The Chain-of-Custody form is attached to analytical data reports which are included in Appendix B.

2.2 SOIL SAMPLE ANALYTICAL AND RESULTS

Soil samples were analyzed by BAFS for the following:

<u>Analysis</u>

Method

TPH as gasoline (TPHg)

EPA 5030/GC FID



Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX)

EPA 5030/8020

A summary of the analytical data is contained in Table 1.

2.3 EXTENT OF PETROLEUM HYDROCARBONS

Based on the soil analytical data reported from the analysis of perimeter samples obtained during remedial excavation, elevated hydrocarbons concentrations were determined to remain at the site. Figure 2 shows the concentrations of TPHg at the site and includes inferred concentrations contours.

The horizontal limits of the highest concentrations of TPHg are controlled by borings B-1, B-2 and B-3 on the north side; borings B-10 and B-7 on the east side; and boring B-6 on the south side. The concentrations of TPHg reported by the laboratory in soil samples obtained from these borings were either not detectable or 10 mg/kg as summarized in Table 1. There were detectable concentrations of TPHg reported in boring B-9 located directly to the west of the former UST location.

Vertical limits of the soil contamination appear to be bounded by the shallow depth to water at approximately seven feet below the ground surface at the site and four feet below the road surface north of the site.

2.4 INTERPRETATION OF THE SITE GEOLOGY

Soils at the site consisted generally of medium stiff fill material and road base (with gravel) overlying soft fine sands and wet organic clays. The borings at the site indicated approximately three additional feet of fill material than the borings located in the street. This corresponds with a three foot higher surface elevation at the site than in the street.

Soil sample recovery was poor due in part to the softness of the soils and the presence of the saturated conditions.

3.0 CONCLUSIONS

On the basis of the data obtained during this investigation, BAI has reached the following conclusions:

 The extent of the highest concentrations of TPHg have been found on the north, east and south sides of the former UST location;



Significant quantities of petroleum hydrocarbons exist within the zone
of soft soils situated directly above the groundwater in the vicinity of
the former UST location.

4.0 STATEMENT OF QUALIFICATIONS

This project was managed by Michael Velzy under the direct supervision of Tom Brunsing, a Professional Engineer (Civil) in the State of California. The final report of findings is signed and stamped by Dr. Brunsing.



soil samples collected at 1st gw (6-8' bgs)


SUMMARY OF LABORATORY RESULTS *

Pacific Supply Company - Project No. 29.9

Sampling Date	Lab Number	Descriptor	Benzene µg/kg	Toluene µg/kg	Ethylbenzene µg/kg	Xylene μg/kg	TPH (gasoline) mg/kg
3/5/93	1691-1	B1	ND 11	ND	ND	ND	ND
3/5/93	1691-2	B2	ND	ND	ND	ND	ND
3/5/93	1691-3	В3	ND	ND	ND	ND	ND
3/5/93	1691-4	B4	28000 78	17000	73000	43000	7000
3/5/93	1691-5	B5	1600 / 6	2400	10000	6200	900
3/5/93	1691-6	В6	71 ,07	38	78	100	10
3/5/93	1691-7	В7	30 .0	42	30	110	10
3/5/93	1691-8	B8	10000 / 0	41000	21000	94000	2200
3/5/93	1691-9	В9	1200 /.1	1500	3700	6700	910
3/5/93	1691-10	B10	ND	5.0	ND	ND	ND

^{*} See original laboratory report dated 3/22/93 for complete results.





By: CRIH GRAPHICS . San Matea, California

Orown By:

APPENDIX A BORING LOGS

OH = high plasticity org. silts + clays /////
SP = sands is:
inconsistent soil horizons





Project Name	Pacific Supply Company
	1735 24th Street, Oakland, Ca
	000.0
Project No.	029.9

1/	bruising Associates, 1.			110,	,C. 1 10.									
Boring	Location 21' North and 13'	West	of NW	cori	ner of	driv	ewa	v			_			
Surface	Elevation 5 feet MSL (approx.) Dr	iller <u>F</u>	recisi	on Sa	<u>mplin</u>	g	Date	3-	<u>5-93</u>					
Depth	SOIL DESCRIPTION AND REMARKS	Lithology	U.S.C.S Soil Type	qu TSF	Contact Depth	No.	J.	MPLE Inter	_	0	_	V T 12	Recovery In Inches	Piezometer
		Ë	. &	0.	0 1	4	Ę.	From	То	6	12	18	장비	<u>L</u>
0'	Asphalt												=	
9"	Soft grey fine sand with gravel. Dry.		SP		1									
2'	Grades to medium stiff grey silty		CL		2									
	clay. Dry.				<i>></i>	1	CR	2.5	3.0	= 5	Ε	E		
3'	Very soft black organic clay. Moist to wet.		OH		3	F								
3.5	No Recovery	M												
	where was allested?	\mathbb{N}			=4									
	where we call	ľ			5									
	170	\			6						F	F		
		/			7						F	F		
7'	Bottom of Boring				′						二			
						L	\vdash		-	\vdash	\vdash	\vdash		-
					8						二	\vdash		
						H	\vdash		\vdash	╀	⊢	⊢	\vdash	H
									\vdash		\vdash	t		
					9						\sqsubset	\sqsubseteq		
	Nata Raving continuously cored				1	-	-	_	\vdash	-	\vdash	\vdash	_	
	Note: Boring continuously cored with a driven double wall sampler					-	+		_	+	\vdash	\vdash	1	

Field Log of Boring No.	B-1	By:	Joel Bruxvoort	Page	1	of	1	
0								



Project Name	Pacific Supply Company
	1735 24th Street, Oakland, Ca
Project No.	029.9

	Brunsing Associates, I	nc.		Proje	et No.	_			123.3					
Boring	Location 21.5' North and 4	2.5' Ea	st of N	√W c	orner	of d	rive	way						
Surface	Elevation 5 feet MSL (approx.) Di	iller <u>F</u>	recisio	on Sa	<u>mplin</u>	g	Date	3-5	5-93	_	_	_		
Depth	SOIL DESCRIPTION AND REMARKS	Lithology	U.S.C.S Soil Type	qu TSF	Contact Depth	No.	Type	MPLE Inter	rval		LOW OUN 6	V T 12	Recovery In Inches	Piezometer
		Ë	_ v	6	2 1	Z	Ţ	From	То	6	12	18	マロ	正
0'	Asphalt													
9"	Soft to medium stiff grey silty clay with some gravel. Dry.		CL		1									
2'	Very soft black organic clay. Moist.		ОН		2									
3'	No Recovery				3 = 5									
5.5'	Soft grey clay. Moist.		CL		6	1	CR	6.0	6.5		-			
7'	Bottom of Boring				8									
	Note: Boring continuously cored				9									

Field Log of Boring No.	B-2	By:	Joel Bruxvoort	Page	1	of _	1
TICICI DOS OF DOTHIG 110.	D <u>L</u>	, -, -	OCI BI GATOOIT	0		_	



Project Name	Pacific Supply Company					
	1735 24th Street, Oakland, Ca	_				
Project No.	029.9					

		_
Boring Location	21' North and 88' East of NW corner of driveway	_

Surface Elevation 5 feet MSL (approx.) Driller Precision Sampling Date 3-5-93

			. a				SA	MPLE			LOV	V	- m	ter
Depth	SOIL DESCRIPTION AND REMARKS	Lithology	U.S.C.S Soil Type	qu TSF	Contact Depth	ó		Inte	rval	0	OUN 6	12	Recovery In Inches	Piezometer
Ω	AND REMARKS	Litt	٦ %	<u>ъ</u>	<u>ვ</u> _	Š	Type	From	То	6	12	18	Re L	Ĕ
0,	Asphalt						_					-		
6"	Soft to medium stiff dark grey silty clay with sand. Slightly moist. Gravel layer observed.		CL		1									
2'	Medium stiff dark grey clay and organic material. Slightly moist.		ОН		2									
3'	Very soft to soft grey clay. Moist.		CL		3									
4'	No Recovery	\bigvee			5 = 6									
6.5' 7'	Soft dark grey to black clay and organic material. Wet. No Recovery	X	OH		7									
8'	Soft to Medium stiff grey clay. Moist.		CL		8	1	CR	8.0	8.5	=		-		
9'	Bottom of Boring Note: Boring continuously cored				9		F							
	with a driven double wall sampler													

Field Log of Boring No.	B-3	By:	Toel Bruxvoort	Page	_1	of	1	
Tierd Dob of Doinig 140.			OCI DI COLVO OLI	-				-



Project Name	Pacific Supply Company	
	1735 24th Street, Oakland, Ca	
Decises No	029.9	

Boring Location	27' South and 93' East	t of NW corner of driv	eway		
·					
Surface Elevation	8 feet MSL (approx.) Driller	Precision Sampling	Date	3-5-93	

-ti	CON DESCRIPTION	63,	C.S ype	H.	ı, ct		SA	MPLE			LOV		ery nes	meter
Depth	SOIL DESCRIPTION AND REMARKS	Lithology	U.S.C.S Soil Type	qu TSF	Contact Depth	No.	Type	Inte:	rval To	0	6 12	12 18	Recovery In Inches	Piezometer
0'	Asphalt							TIOLI	10	Ů	12-	10		
6"	Medium stiff silty clay with trace gravel (base rock). Dry		CL		1									
2'	No Recovery. Gravel blocked sampler.	X			3									
4'	Medium stiff to soft grey-green clay. Gravel at top of core. Mottled patches of silt and sand. Slightly moist.		CL		4									
5	Loose to medium dense green fine sand with HC odor (1,000 ppm PID). Slightly Moist.	,	SP		5									
5.5	No Recovery	X			6									
7'	Soft grey-green clay with black silt and organic material at bottom of core. Slightly moist.		CL		7	1	CR	7.0	7.5					
8'	No Recovery				=8									
10'	Bottom of Boring	/ \												

Note: Boring continuou	ısly cored with	a driven doub	le wall sampler					
Field Log of Boring No.	B-4	Bv:	Ioel Bruxvoort	Page	1	of	1	



Project Name	Pacific Supply Company
2	1735 24th Street, Oakland, Ca
Project No.	029.9

7.5

CR

9

7.0

											_			_
Boring	Location 99' South and 32	' East c	of NW	corn	er of c	<u>lrive</u>	wa	/						
Surface	Surface Elevation 8 feet MSL (approx.) Driller Precision Sampling Date 3-5-93													
ά	ਤੁੰਹ SOIL DESCRIPTION AND REMARKS			qu TSF	Contact Depth			MPLE			LOW	√ IT	Recovery In Inches	Piezometer
2	AND REMARKS		U.S.C.S Soil Type	J11]		No.	Type	Inter	_	0	6	12	8 4	jez
		Lithology	Ç	Ů	0.		E	From	То	6	12	18	以正	P.,
O'	Asphait													
6"	Medium stiff light grey sand with	Ħ	SP					_				-		-
	some gravel (base rock at top). Green mottling in places. Dry.				1									
	Green motuning in places. Dry.											\vdash		
		ш												
2.3'	No Recovery				2							\vdash		
	,	\mathbb{N}												
		I Y			3	_	_	_						
		$\mathbb{I} \wedge$			1									
		I / \												
4	As above.		SP		4									
4.3'	No Recovery	1												
		N /				-								
		$\ \setminus f \ $			5									****
		l V										\vdash		
		∥ X				_	_			_	_	_		

Note: Boring continuously cored with a driven double wall sampler

Loose green-grey fine sand. Slightly moist. No Recovery

Bottom of Boring

7

7.5'

Field Log of Boring No.	B-5	By:	Ioel Bruxvoort	Page	1	of 1	
Licia pos or portugue.	D-0	Dy.	JOET DI UNITODI C				

SP



Project Name	Pacific Supply Company	
	1735 24th Street, Oakland, Ca	_
Project No.	029.9	

		_
Boring Location	125' South and 32' East of NW corner of driveway	
•		

Surface Elevation 8 feet MSL (approx.) Driller Precision Sampling Date 3-5-93

		<u> </u>	S ed				SA	MPLE			LOV		> s	eter
Depth	SOIL DESCRIPTION AND REMARKS	Lithology	U.S.C.S Soil Type	qu TSF	Contact Depth	No.	Type	Inte From	rval To	0	6 12	12 18	Recovery In Inches	Piezometer
0'	Asphalt							HOM	10	Ů	12	IU		
6"	Medium stiff brown sandy silt with some gravel (base rock at top). Dry	000000000000000000000000000000000000000	SM		1									
2'	Medium stiff grey-green silty sand and some mottled red clay. No HC odor. Dry.	000000000000000000000000000000000000000			2									
4'	HC odor.	00000			3 4									
6'	No Recovery				6									
7'	Soft green silty clay. Black silt and organic material at the bottom. HC odor (1,000 ppm PID). Wet.		CL		7	1	CR	7.0	7.5					
7.8' 10'	No Recovery Bottom of Boring				=8									

Note: Boring continuously cored with a driven double wall sampler

Field Log of Boring No.	B-6	Ву:	Joel Bruxvoort	Page	_1 of	1
-------------------------	-----	-----	----------------	------	-------	---



Project Name	Pacific Supply Company	
	1735 24th Street. Oakland. Ca	_
Project No.	020.0	

Boring	Location 27' South and 130)' East	of NW	/ cor	ner o <u>f</u>	driv	<u>rewa</u>	ıy						
Surface	Elevation 8 feet MSL (approx.) Dr	iller <u>I</u>	recisio	on Sa	mplir	<u>ıg</u>	Date	3-	5-93					
숅	SOIL DESCRIPTION	ogy	C.S ype	SF	ı, ct	SAMPLE			BLOW COUNT			very	Piezometer	
Depth	AND REMARKS	Lithology	U.S.C.S Soil Type	qu TSF	Contact Depth	No.	Type	Inter From	rval To	0 6	6 12	12 18	Recovery In Inches	Piezo
O	Asphalt					_	Н							
6"	Medium stiff brown silty clay with some gravel (base rock). Dry		CL				=							=
	With some graver (base rock). Dry				1		F							
											H			
2'	Loose green fine sand. HC odor.		SP		2									=
	Dry.													
					3									
3.5'	No Recovery	\forall												
4'	Soft-medium stiff black silt,		ОН		4									
1	organic material. Wet at bottom.													
					5	-	-							-"
5.2'	No Recovery	\mathbb{N} /				F								
		IV			_					F	F			
		$\mathbb{I}\Lambda$			6									
		$V \setminus$				\vdash	\vdash	_			\vdash			
7	Soft-medium stiff brown clayey		ML	1	=7	1	CR	7.0	7.5	=	F	E		
	silt with gravel. Wet.										口	E	-	
OI.	N	K			8		\vdash				\vdash			
8'	No recovery	\mathbb{N}					F			\vdash	\vdash	\vdash		
		II \/	III	I	1	1	+	_	-	-	$\overline{}$			

Note: Boring continuously cored with a driven double wall sampler

Bottom of Boring

Field Log of Boring No.	B-7	By:	Joel Bruxvoort	Page	1	of	1
TICIO CON OI DOILIMITO.	<i>D i</i>	-,,	TOCI DI CONTOCIO	U			



Bottom of Boring

Project Name	Pacific Supply Company
	1735 24th Street, Oakland, Ca
	000.0
Project No.	029.9

Boring	Location 71' South and 69'	East c	f NW	corn	er of d	lrive	way	7						
Surface	Elevation 8 feet MSL (approx.) Dr	iller <u>F</u>	<u>recisi</u>	on Sa	mplin	g	Date	3-	5- <u>93</u>					
th	SOIL DESCRIPTION	ogy	U.S.C.S Soil Type	SF	rct th	SAMPLE				BLOW COUNT			rery thes	Piezometer
Depth	AND REMARKS	Lithology	U.S. Soil	qu TSF	Contact Depth	No.	Type	Inter From	val To	0 6	6 12	12	Recovery In Inches	Piezc
0'	Asphalt		_					PIOIN	10	0	12	10		
6"			CL							\vdash		-	\vdash	_
0	Medium stiff brown silty clay with some gravel (base rock at										Ĭ.			
	top). Dry				1	_			-	H				
					2									
					3						\vdash			_
4'	Medium dense to loose green fine	744	SP		4	_					\vdash			
-	sand, HC odor (240 ppm PID). Dry.		Sr											
					5									
		\vdash			6									
6'	No Recovery				ľ									
		$\mathbb{I} \wedge$				_				-		H		
7'	As above with soft black silt, dry.		SP		7	1	CR	7.0	7.5	=	\equiv	\equiv		
	Wet organic material at bottom.								_					
Ot.	NY. D.	11/1/1	ОН							\vdash	匚	\sqsubseteq		
8'	No Recovery	N /			=8	-	\vdash			-				
		$ \setminus / $												
		I X			9									
		II / /												

Note: Boring continuously cored with a driven double wall sampler

Field Log of Boring No. B-8 By: Joel Bruxvoort Page 1 of 1



Project Name	Pacific Supply Company	
	1735 24th Street. Oakland. Ca	_
Project No.	029.9	

Boring Location	37.5' South and 8' Eas	st of NW corner of dri	veway			
Surface Elevation	8 feet MSL (approx.) Driller	Precision Sampling	Date	3-5-93		
				_	T	

Ę.	SOIL DESCRIPTION	ogy	U.S.C.S Soil Type	SF	th th			MPLE			LOV		rery thes	Piezometer
Depth	AND REMARKS	Lithology	U.S Soil?	qu TSF	Contact Depth	No.	Type	Inter From	rval To	6	6 12	12 18	Recovery In Inches	Piezo
O'	Asphalt													
6"	Medium stiff brown silt and sand with some gravel (base rock at top). Dry	000000000000000000000000000000000000000	SM		1									
2.5'	No Recovery	000000			3									
4'	Soft grey clay with bands of organic material with green mottling, HC odor at 6' (1,000 ppm PID). Slightly moist.		ОН		5									
6	No Recovery	X			6									
7	Soft grey organic clay, HC odor at 8' (350 ppm PID). Wet.		ОН		=7 8									
9'	Soft black organic clay, wet.				9	1	CR	8.5	9.0		=			
9.5'	No Recovery						\vdash							
10'	Bottom of Boring	$ec{}$												

Note: Boring continuously cored with a driven double wall sampler

Field Log of Boring No.	B-9	Ву:	Joel Bruxvoort	Page	1	of	1



Project Name	Pacific Supply Company	
	1735 24th Street, Oakland, Ca	_
Project No.	029.9	

1/														
Boring	Location 71' South and 10!	5.5' Eas	st of N	W _{cc}	rner c	of dr	ivev	vay						
Surface	Elevation 8 feet MSL (approx.) Dr	iller <u>F</u>	recisi	on Sa	mplin	ıg_	Date	3-5	5- <u>93</u>					
ч	CON DESCRIPTION	, 66.V	C.S ype	ype SH	p ct	SAMPLE				B	LOW DUN	/ T	ery hes	meter
Depth	SOIL DESCRIPTION AND REMARKS	Lithology	U.S.C.S Soil Type	qu TSF	Contact Depth	No.	Туре	Inter From	val To	0	6 12	12 18	Recovery In Inches	Piezometer
0'	Asphalt											\exists		
6"	Soft to medium stiff grey-black silty clay with some gravel (base rock at top). Dry		CL		1 ¹ 2 2 3									
3.8'	Medium dense green fine sand. HC odor. Dry.		SP		4									
4.5'	No Recovery	X			5									
6	Medium dense to loose green fine sand. Wet.		SP		6	1	CR	6.0	6.5			=		
6.8' 7'	Soft black organic clay. Moist. No Recovery	X	OH		=7									
8'	Bottom of Boring				8									
	Note: Boring continuously cored with a driven double wall sampler										F	F	F	

Field Log of Boring No.	B-10	By:	Joel Bruxvoort	Page	_1	of _	1	
0						_		

APPENDIX B ANALYTICAL DATA REPORTS



P. O. Box 838, Windsor, CA 95492 707-838-8338 FAX 707-838-4420

> March 22, 1993 Log No: 1691

Brunsing Associates, Inc. 1735 E. Bayshore Road, Suite 2A Redwood City, California 94063

ATTN: Joel Bruxvoort

RE: Results of the analyses of soil samples obtained for project number 191 on March 5, 1993.

Dear Mr. Bruxvoort,

This letter serves to confirm the analytical results previously communicated to you. Should any questions arise concerning procedure or results, please feel free to contact us.

Sincerely,

William G. Rotz

Director, Mobile Analytical Services

Tami Hucke Norgrove' Laboratory Manager

Client Contact: Joel Bruxvoort

Sample Date: 3/5/93

BAFS Log No: 1691

Page: 1 of 5

Analysis Date: 3/18 & 19/93

METHOD: EPA 5030/8020

Matrix: Soil

•			Results -	- μg/kg
Parameter	Reporting Limit µg/kg	Lab No: Descriptor:	1691-1 (B-1)	1691-2 (B-2)
		-		
Benzene	5.0		ND	ND
Toluene	5.0		ND	ND
Ethylbenzene	5.0		ND	ND
Xylene (total)	5.0		ND	ND

Dilution Factor:

1

METHOD: 5030 / GC FID

			Results	- mg/kg
Parameter	Reporting Limit	Lab No:	1691-1	1691-2
	mg/kg	Descriptor:	(B-1)	(B-2)
TPH - gasoline	1.0		ND	ND
1111 - gasonne	1.0		ND	ND

Dilution Factor:

Client: Brunsing Associates, Inc. Client Contact: Joel Bruxvoort

Page: 2 of 5

Sample Date: 3/5/93

BAFS Log No: 1691

Analysis Date: 3/18 & 19/93


METHOD: EPA 5030/8020

Matrix: Soil

			Results -	- μg/kg
Parameter	Reporting Limit µg/kg	Lab No: Descriptor:	1691 - 3 (B-3)	1691-4 (B-4)
Benzene	5.0		ND	28000
Toluene	5.0		ND	17000
Ethylbenzene	5.0		ND	73000
Xylene (total)	5.0		ND	43000
Dilution Factor:			1	400

METHOD: 5030 / GC FID

			Results	- mg/kg
Parameter	Reporting Limit mg/kg	Lab No: Descriptor:	1691-3 (B-3)	1691-4 (B-4)
TPH - gasoline	1.0		ND	7000
Dilution Factor:	,		1	400



Client Contact: Joel Bruxvoort

Sample Date: 3/5/93

Analysis Date: 3/18 & 19/93

Page: 3 of 5

BAFS Log No: 1691

METHOD: EPA 5030/8020

Matrix: Soil

			Results -	μg/kg
Parameter	Reporting Limit µg/kg	Lab No: Descriptor:	1691-5 (B-5)	1691-6 (B-6)
		<u> </u>		
Benzene	5.0		1600	71
Toluene	5.0		2400	38
Ethylbenzene	5.0		10000	78
Xylene (total)	5.0		6200	100
Dilution Factor:			330	1

METHOD: 5030 / GC FID

			Results	- mg/kg
Parameter	Reporting Limit mg/kg	Lab No: Descriptor:	1691-5 (B-5)	1691-6 (B-6)
TPH - gasoline	1.0		900	10
Dilution Factor:	þ.		330	1

Client Contact: Joel Bruxvoort

Sample Date: 3/5/93

Analysis Date: 3/18 & 19/93

Page: 4 of 5

BAFS Log No: 1691

METHOD: EPA 5030/8020

Matrix: Soil

			Results -	- μg/kg
Parameter	Reporting Limit	Lab No:	1691-7	1691-8
	μg/kg	Descriptor:	(B-7)	(B-8)
		-		
Benzene	5.0		30	10000
Toluene	5.0		42	41000
Ethylbenzene	5.0		30	21000
Xylene (total)	5.0		110	94000
Dilution Factor:			1	400

METHOD: 5030 / GC FID

			Results	- mg/kg
Parameter	Reporting Limit mg/kg	Lab No: Descriptor:	1691-7 (B-7)	1691-8 (B-8)
TPH - gasoline	1.0		10	2200
Dilution Factor:			1	400

Client Contact: Joel Bruxvoort

Sample Date: 3/5/93 BAFS Log No: 1691

Analysis Date: 3/18 & 19/93

METHOD: EPA 5030/8020 Matrix: Soil

			Results -	- μg/kg
Parameter	Reporting Limit µg/kg	Lab No: Descriptor:	1691-9 (B-9)	1691-10 (B-10)
	. •	•		
Benzene	5.0		1200	ND
Toluene	5.0		1500	5.0
Ethylbenzene	5.0		3 7 00	ND
Xylene (total)	5.0		6700	ND
Dilution Factor:			400	1

METHOD: 5030 / GC FID

			Results	- mg/kg
Parameter	Reporting Limit mg/kg	Lab No: Descriptor:	1691-9 (B-9)	1691-10 (B-10)
TPH - gasoline	1.0		910	ND
Dilution Factor:	,		400	1


NOTE: ND = not detected. nr = not requested. Page: 5 of 5

SUMMARY OF LABORATORY RESULTS *

Pacific Supply Company - Project No. 29.9

Sampling			Benzene	Toluene	Ethylbenzene	Xylene	TPH (gasoline)
Date	Lab Number	Descriptor	μg/kg	μg/kg	μg/kg	μg/kg	mg/kg
3/5/93	1691-1	B1	ND	ND	ND	ND	ND
3/5/93	1691-2	B2	ND	ND	ND	ND	ND
3/5/93	1691-3	В3	ND	ND	ND	ND	ND
3/5/93	1691-4	B4	28000	17000	73000	43000	7000
3/5/93	1691-5	B5	1600	2400	10000	6200	900
3/5/93	1691-6	В6	71	38	78	100	10
3/5/93	1691-7	В7	30	42	30	110	10
3/5/93	1691-8	B8	10000	41000	21000	94000	2200
3/5/93	1691-9	В9	1200	1500	3700	6700	910
3/5/93	1691-10	B10	ND	5.0	ND	ND	ND

^{*} See original laboratory report dated 3/22/93 for complete results.



QUALITY CONTROL SUMMARY

Client: Brunsing Associates, Inc.

Client Contact: Joel Bruxvoort

Sample Date: 3/5/93

Analysis Date: 3/18 & 19/93

BAFS Log No.: 1691

			% RECOVER	Y			
Parameter	CCV%*	Blank	Spike	Spike Dup	RPD		
Benzene	96	ND	99	98	1.0		
Toluene	96	ND	99	103	4.0		
Ethylbenzene	98	ND	96	99	3.1		
Xylene	101	ND	97	101	4.0		
Gasoline	96	ND	92	92	<1		

^{*} Continuous Calibration Verification Standard