

Shell Oil Company



EAST BAY
MARKETING DISTRICT

P.O. Box 4023
Concord, CA 94524
(415) 676-1414

July 16, 1990

Mr. Gil Wistar
County of Alameda
Department of Environmental Health
Hazardous Materials Division
80 Swan Way, Room 200
Oakland, California 94621

SUBJECT: SHELL SERVICE STATION
999 SAN PABLO AVENUE
ALBANY, CALIFORNIA

Dear Mr. Wistar:

Enclosed is a copy of the Well Installation Report dated June 28, 1990 which documents the installation of two off-site ground-water monitoring wells at the subject location.

The installation of two additional off-site monitoring wells to further evaluate the extent of contamination is proposed in the report.

If you should have any questions or comments regarding this project please do not hesitate to call me at (415) 676-1414 ext. 127.

Very truly yours,

A handwritten signature in cursive script, appearing to read "Diane M. Lundquist".

Diane M. Lundquist
District Environmental Engineer

cc: Mr. Tom Callaghan, Regional Water Quality Control Board
Mr. John Werfal, Gettler-Ryan Inc.



GeoStrategies Inc.

WELL INSTALLATION REPORT

Shell Service Station
999 San Pablo Avenue
Albany, California

Report No. 7666-3

June 28, 1990



GeoStrategies Inc.

2140 WEST WINTON AVENUE
HAYWARD, CALIFORNIA 94545

RECEIVED

JUN 28 1990

INTERNATIONAL INC.

GENERAL CONTRACTORS (415) 352-4800

June 28, 1990

Gettler-Ryan Inc.
2150 West Winton Avenue
Hayward, California 94545

Attn: Mr. John Werfal

Re: WELL INSTALLATION REPORT
Shell Service Station
999 San Pablo Avenue
Albany, California

Gentlemen:

This report summarizes the field activities performed by GeoStrategies Inc. (GSI) and presents the results of ground-water sampling conducted by Gettler-Ryan Inc. (G-R) at the above referenced location (Plate 1). Two exploratory soil borings were drilled and completed as ground-water monitoring wells, S-4 and S-5, on April 16, 1990. The monitoring network was sampled on May 1, 1990 (Plate 2). Field work was conducted in accordance with current State of California Water Resources Control Board (SWRCB) guidelines. GSI and Gettler-Ryan Inc. (G-R) Field Methods and Procedures are presented in Appendix A.

SITE BACKGROUND

During January 1990, GSI drilled ten exploratory soil borings (S-A through S-G and S-1, S-2, and S-3) and completed three of these as ground-water monitoring wells (S-1 through S-3). These borings were drilled to characterize site soil conditions prior to replacement of the underground storage tanks (UGSTs). Results of this investigation are presented in the GSI report dated, March 23, 1990. The tank replacement is scheduled to take place during 1990.

The site is located on the northeast corner of San Pablo Avenue and Marin Avenue. An automotive repair shop is north of the site and a service station is located across Marin Avenue. Residential property is adjacent to the site along Marin Avenue. There are three on-site monitoring wells, S-1 through S-3, and three corrugated, galvanized, 6-inch-diameter steel wells which appear to be located within the tank backfill area.

Report No. 7666-3

GeoStrategies Inc.

Gettler-Ryan Inc.
June 28, 1990
Page 2

FIELD PROCEDURES

Two exploratory soil borings (S-4 and S-5) were drilled using a truck-mounted hollow-stem auger drilling rig. The soil borings were drilled to depths of 20.5 feet below ground surface. Wells S-4 and S-5 were installed at off-site locations on Marin Avenue in the suspected cross-gradient and up-gradient direction.

Soils were sampled at approximately five-foot depth intervals. Soil samples were collected using a Modified California split-spoon sampler fitted with precleaned brass tube liners. A GSI geologist supervised the drilling, described soil samples using the Unified Soil Classification System, and Munsell Soil Color Chart, and prepared lithologic logs for each boring. Exploratory boring logs are presented in Appendix B.

A 4-inch long brass tube of soil from each sampled interval was used to perform head-space analysis in the field for the presence of Volatile Organic Compounds (VOCs). Head-space analysis involved transferring soil from the brass liner into a clean glass jar and immediately covering the jar with aluminum foil secured under a ring-type threaded lid. After approximately 20 minutes, the foil was pierced and head-space within the jar was tested for VOCs measured in parts per million (ppm) using an Organic Vapor Monitor (OVM) photoionization detector. Head-space analyses are presented on each boring log in Appendix B.

Soil samples retained for chemical analyses were collected in clean brass liners, covered on both ends with aluminum foil and sealed with plastic end caps. The samples were labeled, entered onto a Chain-of-Custody form, placed in a cooler with blue ice, and transported to International Technology (IT) Analytical Services, a State-certified environmental laboratory located in San Jose, California.

GeoStrategies Inc.

Gettler-Ryan Inc.
June 28, 1990
Page 3

HYDROGEOLOGY

The subsurface lithology consists primarily of silt and clay to the total depth explored of 20.5 feet below grade. A silty clay was encountered from 1 to 12 feet below ground surface. Underlying this clay was a saturated clayey gravel layer approximately 2 feet thick. This clayey gravel zone is underlain by a sandy silt to the total depth explored. The thickness of this unit is not known but appears to be at least 10 feet based on drilling information. The silt was not saturated, however, in Boring S-5 the silt contained detectable levels of hydrocarbons.

The thin clayey gravel zone is interpreted to be the uppermost water-bearing strata. A rise in ground-water levels when this unit was penetrated during drilling suggests that the clayey gravel aquifer is semi-confined or confined. The relatively low moisture content in the silt underlying the gravel zone may indicate the shallow aquifer is a perched zone, with underlying silt locally acting as a basal aquitard. Cross-sections were prepared using boring logs from this investigation and the previous GSI investigation (Plates 5 and 6). The cross-sections show that the thin gravel zone changes laterally to silty sand and sand, however, this more permeable zone was encountered throughout the site at approximately the same depth.

Monitoring Well Design and Construction

Monitoring wells S-4 and S-5 were installed to total depths of 14 and 16 feet, respectively. The wells were constructed using 3-inch diameter Schedule 40 PVC well casing and 0.020-inch factory slotted well screen. The well screen was placed from the bottom of the casing to approximately one to two feet above static water level. Lonestar #2/12 graded sand was placed in the annular space along the entire screened interval, including one foot above the top of the screen. A one-foot thick bentonite seal followed by a cement grout seal to approximately one foot below grade was placed above the sand pack. Each well was completed at ground surface with a locking cap and lock, secured underneath a traffic-rated Christy box. Monitoring well construction details are presented with the boring logs in Appendix B.

GeoStrategies Inc.

Gettler-Ryan Inc.
June 28, 1990
Page 4

Potentiometric Data

Static ground-water levels were measured on April 27, 1990, using an electronic oil-water interface probe. Water levels were measured from the surveyed top of well box and recorded to the nearest ± 0.01 foot (Table 1). Ground-water elevation data, referenced to Mean Sea Level, were used to prepare a potentiometric contour map (Plate 3). Plate 3 indicates an apparent ground-water divide which trends northeast-southwest beneath the site. Groundwater flow direction varies from southeast to northwest along the ground-water divide axis. The hydraulic gradient in the uppermost water-bearing zone was calculated to be 0.033.

Floating Product Data

Field measurements for floating product were made in each monitoring well using an electronic oil-water interface probe. Readings were recorded to the nearest ± 0.01 foot. Each well was also checked with a clean, clear, acrylic bailer to visually confirm interface probe results and to check for the presence of a product sheen. Floating product was observed in Well S-5 at 0.64 feet in measured thickness (Table 1). Product sheens were not observed in any of the wells.

CHEMICAL ANALYTICAL DATA

Soil Analytical Data

Soil samples were analyzed for Total Petroleum Hydrocarbons calculated as Gasoline (TPH-Gasoline) according to EPA Method 8015 (Modified) and Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX) according to EPA Method 8020.

TPH-Gasoline and BTEX were not detected in the two analyzed soil samples from Boring S-4. The analyzed samples were collected from the 5- and 9-foot depth intervals.

TPH-Gasoline and BTEX were not detected in the sample collected from the 5-foot depth interval from Boring S-5. The samples collected from the 12- and 15-foot depth intervals contained 25 and 130 ppm TPH-Gasoline, respectively. BTEX compounds were also detected in the 12 and 15-foot soil samples (Table 2). The IT Analytical Services certified analytical report is presented in Appendix C.

GeoStrategies Inc.

Gettler-Ryan Inc.
June 28, 1990
Page 5

Ground-water Analytical Data

Ground-water samples were collected from Wells S-1 through S-4 on May 1, 1990. A ground-water sample was not collected from Well S-5 due to the presence of floating product.

Samples were analyzed for TPH-Gasoline according to EPA Method 8015 (Modified) and BTEX according to EPA Method 8020 at IT Analytical Services.

TPH-Gasoline concentrations were detected in Wells S-1 through S-3 ranging from 2 to 11 ppm (Table 1). Benzene was also detected in these wells at concentrations ranging from 0.018 to 2.3 ppm. The benzene concentrations in Wells S-1 through S-3 exceed current Regional Water Quality Control Board (RWQCB) Maximum Contaminant Levels (MCL). The sample from Well S-4 did not contain detectable levels of TPH-Gasoline or BTEX. Chemical analytical data are plotted on Plate 4.

The IT Analytical Services certified analytical report is presented with the G-R Groundwater Sampling Report in Appendix D.

SUMMARY

A summary of site activities and findings is presented below:

- o Two exploratory soil borings, S-4 and S-5, were drilled to total depths of 20.5 feet and completed as ground-water monitoring wells.
- o Analyses identified TPH-Gasoline and BTEX in soil samples collected from the 12- and 15-foot depth interval in Boring U-5. No detectable levels of hydrocarbons were identified in soil samples from Boring S-4.

GeoStrategies Inc.

Gettler-Ryan Inc.
June 28, 1990
Page 6

- o Soil boring drillings identified a thin, clayey gravel aquifer at a depth of approximately 8.5 feet below ground surface. The aquifer may be a perched water zone which exhibits semi-confined to confined conditions.
- o Ground-water samples collected from Wells S-1 through S-3 contained detectable levels of TPH-Gasoline and benzene. The sample from Well S-4 was reported as ND. Well S-5 contained 0.62 feet of floating product and was not sampled. Benzene concentrations in Wells S-1 through S-3 exceed the current RWQCB MCL.
- o Potentiometric surface data indicate the existence of a ground-water "mound" between the existing Shell underground storage tanks (UGSTs) and Well S-5. Floating product has not been observed in Wells S-2 and S-3 which are located between the Shell UGSTs and Well S-5. At this time, the available data do not conclusively show the Shell facilities to be the source of floating product observed in Well S-5. Additional hydrogeologic and geologic information will be required to assess the migration pathways and source of the floating product.

PLANNED SITE ACTIVITIES

The following activities will be conducted at this site to further delineate the extent of hydrocarbons in the subsurface:


- o Ground-water samples will be collected from site monitoring wells on a quarterly schedule. The samples will be analyzed for TPH-Gasoline and BTEX. Water-level and floating product data will be collected on a weekly schedule.
- o Two additional monitoring wells will be installed, one on San Pablo Avenue, downgradient from the UGSTs, and one on Marin Avenue, between Wells S-3 and S-5 (Plate 2).


GeoStrategies Inc.


Gettler-Ryan Inc.
June 28, 1990
Page 7


If you have any questions please call.

GeoStrategies by:


Matthew J. Janowiak
Geologist


Jeffrey L. Peterson
Senior Hydrogeologist
R.E.A. 1021




Christopher M. Palmer
C.E.G. 1262, R.E.A. 285

MJJ/JLP/mlg

Plate 1. Vicinity Map
Plate 2. Site Plan
Plate 3. Potentiometric Map
Plate 4. TPH-G/Benzene Concentration Map

Appendix A. Field Methods and Procedures
Appendix B. Boring Logs and Well Construction Details
Appendix C. Soil Analytical Report
Appendix D. G-R Groundwater Sampling Report

TABLE 1

GROUND-WATER ANALYSIS DATA

WELL NO	SAMPLE DATE	ANALYSIS DATE	TPH (PPM)	BENZENE (PPM)	TOLUENE (PPM)	ETHYLBENZENE (PPM)	XYLENES (PPM)	WELL ELEV (FT)	STATIC WATER ELEV (FT)	PRODUCT THICKNESS (FT)	DEPTH TO WATER (FT)
S-1	01-May-90	08-May-90	4.2	0.023	<0.0025	0.116	0.32	42.73	34.52	----	8.21
S-2	01-May-90	08-May-90	11.	2.3	0.082	0.409	0.77	40.73	32.71	----	8.02
S-3	01-May-90	08-May-90	2.0	0.018	<0.0025	0.024	0.008	41.46	33.82	----	7.64
S-4	01-May-90	08-May-90	<0.05	<0.0005	<0.0005	<0.0005	<0.001	41.10	33.44	----	7.66
S-5	01-May-90	----	----	----	----	----	----	39.99	29.76	0.64	10.74
TB	01-May-90	08-May-90	<0.05	<0.0005	<0.0005	<0.0005	<0.001	----	----	----	----

CURRENT REGIONAL WATER QUALITY CONTROL BOARD MAXIMUM CONTAMINANT LEVELS

Benzene 0.001 ppm Xylenes 1.750 ppm Ethylbenzene 0.68 ppm

CURRENT DHS ACTION LEVELS

Toluene 0.100 ppm

TPH = Total Petroleum Hydrocarbons as Gasoline

PPM = Parts Per Million

TB = Trip Blank

Note: 1. All data shown as <x are reported as ND (none detected).

2. Water Level Elevations referenced to mean sea level (MSL). Elevations are corrected for free product using a correction factor of 0.8

3. Water levels were measured on April 27, 1990.

4. DHS Action Levels and MCLs are subject to change pending State review.


TABLE 2

SOIL ANALYSIS DATA

SAMPLE NO	SAMPLE DATE	ANALYSIS DATE	TPH (PPM)	BENZENE (PPM)	TOLUENE (PPM)	ETHYLBENZENE (PPM)	XYLENES (PPM)
S-4-5	16-Apr-90	26-Apr-90	<2.5	<0.025	<0.025	<0.025	<0.05
S-4-9	16-Apr-90	26-Apr-90	<2.5	<0.025	<0.025	<0.025	<0.05
S-5-5	16-Apr-90	26-Apr-90	<2.5	<0.025	<0.025	<0.025	<0.05
S-5-12	16-Apr-90	26-Apr-90	25	0.30	0.12	0.51	1.2
S-5-15	16-Apr-90	26-Apr-90	130	1.9	7.5	3.3	18


TPH = Total Petroleum Hydrocarbons as Gasoline

Note: 1. All data shown as <x are reported as ND (none detected).



Base Map: USGS Topographic Map

Approximate Scale : 1" = 2000'



Vicinity Map
 Shell Service Station
 999 San Pablo Avenue
 Albany, California

PLATE

1


JOB NUMBER
 7666

REVIEWED BY RG/CEG


DATE
 1/90

REVISED DATE

REVISED DATE



- EXPLANATION**
- ◆ S-1 Ground-water monitoring well location
 - S-A Soil boring location
 - A Cross-section
 - ⊕ Proposed ground-water monitoring well location



REVIEWED BY RG/CEG
CUMPLEY 1262


JOU NUMBER
7666


Site Plan
Shell Service Station
999 San Pablo Avenue
Albany, California


DATE
5/90

REVISED DATE

REVISED DATE







GeoStrategies Inc.

Cross-section A-A'
Shell Service Station
999 San Pablo Avenue
Albany, California

PLATE

5


JOB NUMBER
7666

REVIEWED BY RG/CEG
CAMP/CEG 1262

DATE
3/90

REVISED DATE

REVISED DATE




ELEVATION in FEET (referenced to MSL)

EXPLANATION

- Clays (CL, CH)
- Silts (ML, MH)
- Sands (SP, SW)
- Sands (SM, SC)
- Gravels (GW, GP)

- Static water level measured on April 27, 1990
- 5.6 TPH-G concentration in ppm
- ND Not Detected
- NA Not Analyzed

Note: General stratigraphic relationships are displayed. Additional horizontal and vertical variations may exist.



HORZ. SCALE: 1" = 20'
VERT. SCALE: 1" = 5'

FIELD METHODS AND PROCEDURES

EXPLORATION DRILLING

Mobilization

Prior to any drilling activities, GeoStrategies Inc. (GSI) will verify that necessary drilling permits have been secured.

Utility locations will be located and drilling will be conducted so as not to disrupt activities at a project site. GSI will obtain and review available public data on subsurface geology and if warranted, the location of wells within a half-mile of the project site will be identified. Drillers will be notified in advance so that drilling equipment can be inspected prior to performing work.

Drilling

The subsurface investigations are typically performed to assess the lateral and vertical extent of petroleum hydrocarbons present in soils and groundwater. Drilling methods will be selected to optimize field data requirements as well as be compatible with known or suspected subsurface geologic conditions.

Monitoring wells are installed using a truck-mounted hollow-stem auger drill rig or mud-rotary drill rig. Typically, the hollow-stem rig is used for wells up to 100 feet, if subsurface conditions are favorable. Wells greater than 100-feet deep are typically drilled using mud-rotary techniques. When mud rotary drilling is used, an electric log will be performed for additional lithological information. Also during mud rotary drilling, precautions will be taken to prevent mud from circulating contaminants by using a conductor casing to seal off contaminated zones. Samples will be collected for lithologic logging by continuous chip, and where needed by drive sample or core as specified by the supervising geologist.

Soil Sampling

Shallow soil borings will be drilled using a truck-mounted hollow-stem auger drilling rig, unless site conditions favor a different drilling method. Drilling and sampling methods will be consistent with ASTM Method D-1452-80. The auger size will be a minimum 6-inch nominal outside-diameter (O.D). No drilling fluids will be used during this drilling method. The augers and other tools used in the bore hole will be steam cleaned before use and between borings to minimize the possibilities of cross-contamination between borings.

Soil samples are typically collected at 5-foot intervals as a minimum from ground surface to total depth of boring. Additional soil samples will be collected based on significant lithologic changes and/or potential chemical content. Soil samples from each sampling interval will be lithologically described by a GSI geologist (Figure 1). Soil colors will be described using the Munsell Color Chart. Rock units will be logged using appropriate lithologic terms, and colors described by the G.S.A. Rock Color Chart.

Head-space analyses will be performed to check for the evidence of volatile organic compounds. Head-space analyses will be performed using an organic vapor analyzer; either an OVA, HNU, or OVM. Organic vapor concentrations will be recorded on the GSI field log of boring (Figure 1). The selection of soil samples for chemical analysis are typically based on the following criteria:

- 1) Soil discoloration
- 2) Soil odors
- 3) Visual confirmation of chemical in soil
- 4) Depth with respect to underground tanks (or existing grade)
- 5) Depth with respect to ground water
- 6) OVA reading

Soil samples (full brass liners) selected for chemical analysis are immediately covered with aluminum foil and the liner ends are capped to prevent volatilization. The samples are labeled and entered onto a Chain-of-Custody form, and placed in a cooler on blue ice for transport to a State-certified analytical laboratory.

Soil cuttings are stockpiled on-site. Soils are sampled and analyzed for site-specific chemical parameters. Disposition of soils is dependent of chemical analytical results of the samples.

Soil Sampling - cont.

Soil borings not converted to monitoring wells will be backfilled (sealed) to ground surface using either a neat cement or cement-bentonite grout mixture. Backfilling will be tremied by continuously pumping grout from the bottom to the top of the boring where depth exceeds 20' or as required by local permit requirements.

All field and office work, including exploratory boring logs, are prepared under the direction of a registered geologist.

Monitoring Well Installation

Monitoring well casing and screen will be constructed of Schedule 40, flush-joint threaded polyvinylchloride (PVC). The well screen will be factory mill-slotted unless additional open area is required (eg. conversion to an extraction well in a low-yield aquifer). The screen length will be placed adjacent to the aquifer material to a minimum of 2-feet above encountered water. No screen shall be placed in a borehole that potentially creates hydraulic interconnection of two or more aquifer units. Screen slot size and well sand pack will be compatible with encountered aquifer materials, as confirmed by sieve analysis.

Monitoring wells will be completed below grade (Figure 2) unless special conditions exist that require above-grade completion design. In the event a monitoring well is required in an aquifer unit beneath an existing aquifer, the upper aquifer will be sealed off by installing a steel conductor casing with an annular neat cement or cement-bentonite grout seal. This seal will be continuously tremie pumped from the bottom of the annulus to ground surface.

The monitoring well sand pack will be placed adjacent to the entire screened interval and will extend a recommended minimum distance of 2-feet above the top of the screen. No sand pack will be placed that interconnects two or more aquifer units. A minimum 2-foot bentonite pellet or bentonite slurry seal will be placed above the sand pack. Sand pack, bentonite, and cement seal levels will be confirmed by sounding the annulus with a calibrated weighted tape. The remaining annular space above the bentonite seal will be grouted with a bentonite-cement mixture and will be tremie-pumped from the bottom of the annular space to the ground surface. The bentonite content of the grout will not exceed 5 percent by weight. A field log of boring and a field well completion form will be prepared by GSI for each well installed.

Decontamination of drilling equipment before drilling and between wells will consist of steam cleaning, and/or Alconox wash.

Well Development

All newly installed wells will be properly developed within 48 hours of completion. No well will be developed until the well seal has set a minimum of 12 hours. Development procedures will include one or more of the methods described below:

Bailing

Bailing will be used to remove suspended sediments and drilling fluids from the well, where applicable. The bailer will be raised and lowered through the column of water in the well so as to create a gentle surging action in the screened interval. This technique may be used in conjunction with other techniques, such as pumping, and may be used alone if the well is of low yield.

Pumping

Pumping will be used in conjunction with bailing or surging. The pump will be operated in such a manner as to gently surge the entire screened interval of the well. This may involve operating the pump with a packer type mechanism attached and slowly raising and lowering the pump, or by cycling the pump off and on to allow water to move in and out of the screened interval. Care will be used not to overpump a well.

Surging

Surging will be performed on wells that are screened in known or suspected high yield formations and/or on larger diameter (recovery) wells. A surge block will be raised and lowered through the entire screened interval, forcing water in and out of the well screen and sand pack. Pumping or air lifting will be used in conjunction with this method of development to remove any sediment brought into the well during surging.

Air Lifting

Air lifting will be used to remove sediment from wells as an alternative to pumping under certain conditions. When appropriate, a surge block designed for use with air lifting will be used to agitate the entire screened interval and water will be lifted out of the well using forced air. When air lifting is performed, the air source will be either nitrogen or filtered air and the procedure will be performed gently to prevent any damage to the well screen or casing and to insure that discharged water is contained.

Well Development - cont.

All well developing equipment will be thoroughly decontaminated prior to development using a steam cleaner and/or Alconox detergent wash and clean water rinse. During development procedures, field parameters (temperature, specific conductance and pH) will be monitored and recorded on well development forms (Figure 3). Equilibration requirements consist of a minimum of three readings with the following accuracy standards:

pH	± 0.1 pH units
Specific Conductance	$\pm 10\%$ of full scale reading
Temperature	± 0.5 degrees Celsius

The wells will be developed until water is visibly clear and free of sediment, and well purging parameters stabilized. A minimum of 8 to 10 well volumes will be purged from each well, if feasible. If well purging parameters have not stabilized before 10 casing volumes have been removed, well development will continue until purging parameters have stabilized and formation water is being drawn into the well. The adequacy of well development will be judged by the field technician performing the well development and based on known formation conditions.

Well Surveying

Monitoring wells will be surveyed to obtain top of box elevations to the nearest ± 0.01 foot. Water level measurements will be recorded to the nearest ± 0.01 foot and referenced to Mean Sea Level (MSL). If additional wells are required, then existing and newly installed wells are surveyed relative to MSL.

GROUND-WATER SAMPLING AND ANALYSIS

Quality Assurance/Quality Control Objectives

The sampling and analysis procedures employed by Gettler-Ryan Inc. (G-R) for ground-water sampling and monitoring follow specific Quality Assurance/Quality Control (QA/QC) guidelines. Quality Assurance objectives have been established by G-R to develop and implement procedures for obtaining and evaluating water quality and field data in an accurate, precise, and complete manner so that sampling procedures and field measurements provide information that is comparable and representative of actual field conditions. Quality Control (QC) is maintained by G-R by using specific field protocols and requiring the analytical laboratory to perform internal and external QC checks. It is the goal of G-R to provide data that are accurate, precise, complete, comparable, and representative. The definitions for accuracy, precision, completeness, comparability, and representativeness are as follows:

- Accuracy - the degree of agreement of a measurement with an accepted referenced or true value.
- Precision - a measure of agreement among individual measurements under similar conditions. Usually expressed in terms of the standard deviation.
- Completeness - the amount of valid data obtained from a measurement system compared to the amount that was expected to meet the project data goals.
- Comparability - expresses the confidence with which one data set can be compared to another.
- Representativeness - a sample or group of samples that reflects the characteristics of the media at the sampling point. It also includes how well the sampling point represents the actual parameter variations which are under study.

As part of the G-R QA/QC program, applicable federal, state, and local reference guidance documents are followed. The procedures outlined in these regulations, manuals, handbooks, guidance documents, and journals are incorporated into the G-R sampling procedures to assure that; (1) ground-water samples are properly collected, (2) ground-water samples are identified, preserved, and transported in a manner such that they are representative of field conditions, and (3) chemical analysis of samples are accurate and reproducible.

Guidance and Reference Documents Used to Collect Groundwater Samples

These documents are used to verify G-R sampling procedures and are consistent with current regulatory guidance. If site specific work and sampling plans are required, those plans will be developed from these documents, and newly received applicable documents.

U.S.E.P.A. - 330/9-51-002	NEIC Manual for Groundwater/Subsurface Investigation at Hazardous Waste Sites
U.S.E.P.A. - 530/SW611	Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities (August, 1977)
U.S.E.P.A. - 600/4-79-020	Methods for Chemical Analysis of Water and Wastes (1983)
U.S.E.P.A. - 600/4-82-029	Handbook for Sampling and Sample Preservation of Water and Wastewater (1982)
U.S.E.P.A. - 600/4-82-057	Test Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater (July, 1982)
U.S.E.P.A. - SW-846#, 3rd Edition	Test Methods for Evaluating Solid Waste - Physical/Chemical Methods (November, 1986)
40 CFR 136.3e, Table II (Code of Federal Regulations)	Required Containers, Preservation Techniques, and Holding Times
Resources Conservation and Recover Act (OSWER 9950.1)	Groundwater Monitoring Technical Enforcement Guidance Document (September, 1986)
California Regional Water Quality Control Board (Central Valley Region)	A Compilation of Water Quality Goals (September, 1988); Updates (October, 1988)
California Regional Water Quality Control Board (North Coast, San Francisco Bay, and Central Valley)	Regional Board Staff Recommendations for Initial Evaluations and Investigation of Underground Tanks: Tri-Regional Recommendations (June, 1988)

Guidance and Reference Documents Used to Collect Groundwater Samples (cont.)

Regional Water Quality Control Board (Central Valley Region)

Memorandum: Disposal, Treatment, and Refuse of Soils Contaminated with Petroleum Fractions (August, 1986)

State of California Department of Health Services

Hazardous Waste Testing Laboratory Certification List (March, 1987)

State of California Water Resources Control Board

Leaking Underground Fuel Tank (LUFT) Field Manual (May, 1988), and LUFT Field Manual Revision (April, 1989)

State of California Water Resources Control Board

Title 23, (Register #85.#33-8-17-85), Subchapter 16: Underground Tank Regulations; Article 3, Sections 2632 and 2634; Article 4, Sections 2645, 2646, 2647, and 2648; Article 7, Sections 2670, 2671, and 2672 (October, 1986: including 1988 Amendments)

Alameda County Water District

Groundwater Protection Program: Guidelines for Groundwater and Soil Investigations at Leaking Underground Fuel Tank Sites (November, 1988)

American Public Health Association

Standard Methods for the Examination of Water and Wastewaters, 16th Edition

Analytical Chemistry (journal)

Principles of Environmental Analysis, Volume 55, Pages 2212-2218 (December, 1983)

Napa County

Napa County Underground Storage Tank Program: Guidelines for Site Investigations; February 1989.

Santa Clara Valley Water District

Guidelines for Preparing or Reviewing Sampling Plans for Soil and Groundwater Investigation of Fuel Contamination Sites (January, 1989)

Guidance and Reference Documents Used to Collect Groundwater Samples (cont.)

Santa Clara Valley Water District	Investigation and Remediation at Fuel Leak sites: Guidelines for Investigation and Technical Report Preparation (March 1989)
Santa Clara Valley Water District	Revised Well Standards for Santa Clara County (July 18, 1989)
American Petroleum Institute	Groundwater Monitoring & Sample Bias; API Publication 4367, Environmental Affairs Department, June 1983
American Petroleum Institute	A Guide to the Assessment and Remediation of Underground Petroleum Releases; API Publication 1628, February 1989
American Petroleum Institute	Literature Summary: Hydrocarbon Solubilities and Attenuations Mechanisms, API Publication 4414, August 1985
Site Specific (as needed)	General and specific regulatory documents as required.

Because ground-water samples collected by G-R are analyzed to the parts per billion (ppb) range for many compounds, extreme care is exercised to prevent contamination of samples. When volatile or semi-volatile organic compounds are included for analysis, G-R sampling crew members will adhere to the following precautions in the field:

1. A clean pair of new, disposable gloves are worn for each well being sampled.
2. When possible, samples are collected from known or suspected wells that are least contaminated (i.e. background) followed by wells in increasing order of contamination.
3. Ambient conditions are continually monitored to maintain sample integrity.

When known or potential organic compounds are being sampled for, the following additional precautions are taken:

1. All sample bottles and equipment are kept away from fuels and solvents. When possible, gasoline (used in generators) is stored away from bailers, sample bottles, purging pumps, etc.
2. Bailers are made of Teflon or Stainless Steel. Other materials such as plastic may contaminate samples with phthalate esters which interfere with many Gas Chromatography (GC) analyses.
3. Volatile organic ground-water samples are collected so that air passage through the sample does not occur or is minimal (to prevent volatiles from being stripped from the samples): sample bottles are filled by slowly running the sample down the side of the bottle until there is a positive convex meniscus over the neck of the bottle; the Teflon side of the septum (in cap) is positioned against the meniscus, and the cap screwed on tightly; the sample is inverted and the bottle lightly tapped. The absence of an air bubble indicates a successful seal; if a bubble is evident, the cap is removed, more sample is added, and the bottle is resealed.
4. Extra Teflon seals are brought into the field in case seals are difficult to handle and/or are dropped. Dropped seals are considered contaminated and are not used. When replacing seals or if seals become flipped, care is taken to assure that the Teflon seal faces down.

Sample analysis methods, containers, preservatives and holding times are shown on Table 1.

Laboratory and field handling procedures of samples are monitored by including QC samples for analysis with every submitted sample lot from a project site. QC samples may include any combination of the following:

- A. Trip Blank: Used for purgeable organic compounds only; QC samples are collected in 40 milliliter (ml) sample vials filled in the analytical laboratory with organic-free water. Trip blanks are sent to the project site, and travel with project site samples. Trip blanks are not opened, and are returned from a project site with the project site samples for analysis.
- B. Field Blank: Prepared in the field using organic-free water. These QC samples accompany project site samples to the laboratory and are analyzed for specific chemical parameters unique to the project site where they were prepared.
- C. Duplicates: Duplicated samples are collected "second samples" from a selected well and project site. They are collected as either split samples or second-run samples collected from the same well.
- D. Equipment Blank: Periodic QC sample collected from field equipment rinsate to verify decontamination procedures.

The number and types of QC samples are determined as follows:

- A. Up to 2 wells - Trip Blank Only
- B. 2 to 5 Wells - 1 Field Blank and 1 Trip Blank
- C. 5 to 10 Wells - 1 Field blank, 1 Trip Blank, and 1 Duplicate
- D. More than 10 Wells - 1 Field Blank, 1 Trip Blank, and 1 Duplicate per each 12 wells
- E. If sampling extends beyond one day, quality control samples will be collected for each day.

Additional QC is performed through ongoing and random reviews of duplicate samples to evaluate the precision of the field sampling procedures and analytical laboratory. Precision of QC data is accomplished by calculating the Relative Percent Difference (RPD). The RPD is evaluated to assess whether values are within an acceptable range (typically $\pm 20\%$ of duplicate sample).

SAMPLE COLLECTION

This section describes the routine procedures followed by G-R while collecting ground-water samples for chemical analysis. These procedures include decontamination, water-level measurements, well purging, physical parameter measurements, sample collection, sample preservation, sample handling, and sample documentation. Critical sampling objectives for G-R are to:

1. Collect ground-water samples that are representative of the sampled matrix and,
2. Maintain sample integrity from the time of sample collection to receipt by the analytical laboratory.

Sample analyses methods, containers, preservation, and holding times are presented in Table 1.

Decontamination Procedures

All physical parameter measuring and sampling equipment are decontaminated prior to sample collection using Alconox or equivalent detergent followed by steam cleaning with deionized water. Any sampling equipment surfaces or parts that might absorb specific contaminants, such as plastic pump valves, impellers, etc., are cleaned in the same manner.

Sample bottles, bottle caps, and septa used for sampling volatile organics are thoroughly cleaned and prepared in the laboratory. Sample bottles, bottle caps, and septa are protected from all potential chemical contact before actual usage at a sample location.

During field sampling, equipment placed in a well are decontaminated before purging or sampling the next well. The equipment are decontaminated by cleaning with Alconox or equivalent detergent followed by steam cleaning with deionized water.

Water-Level Measurements

Prior to purging and sampling a well, the static-water levels are measured in all wells at a project site using an electric sounder and/or calibrated portable oil-water interface probe (Figure 4). Both static water-level and separate-phase product thickness are measured to the nearest ± 0.01 foot. The presence of separate-phase product is confirmed using a clean, acrylic or polyvinylchloride (PVC) bailer, measured to the nearest ± 0.01 foot with a decimal scale tape.

Water-Level Measurements (continued)

The monofilament line used to lower the bailer is replaced between wells with new line to preclude the possibility of cross-contamination. Field observations (e.g. well integrity, product color, turbidity, water color, odors, etc.) are noted on the G-R Well Sampling Field Data Sheet shown in Figure 4. Before and after each use, the electric sounder, interface probe and bailer are decontaminated by washing with Alconox or equivalent detergent followed by rinsing with deionized water to prevent cross-contamination.

As mentioned previously, water-levels are measured in wells with known or suspected lowest dissolved chemical concentrations to the highest dissolved concentrations.

Well Purging

Before sampling occurs, well casing storage water and interstitial water in the artificial sand pack will be purged using (1) a positive displacement bladder pump constructed of inert, non-wetting, Teflon and stainless steel, (2) a pneumatic-airlift pumping system, (3) a centrifugal pumping system, or (4) a Teflon or Stainless steel bailer (Figure 5). Methods of purging will be assessed based on well size, location, accessibility, and known chemical conditions. Individual well purge volumes are calculated from borehole volumes which take into account the sand packed interval in the well annular space. As a general rule, a minimum of 3 and a maximum of 10 borehole volumes will be purged. Wells which dewater or demonstrate slow recharge periods (i.e. low-yield wells) during purging activities may be sampled after fewer purging cycles. If a low-yield (low recovery) well is to be sampled, sampling will not take place until at least 80 percent of the previously measured water column has been replaced by recharge, or as per local requirements. Physical parameter measurements (temperature, pH, and specific conductance) are closely monitored throughout the well purging process and are used by the G-R sampling crew as indicators for assessing sufficient purging. Purging is continued until all three physical parameters have stabilized. Specific conductance (conductivity) meters are read to the nearest ± 10 umhos/cm, and are calibrated daily. pH meters are read to the nearest ± 0.1 pH units and are calibrated daily. Temperature is read to the nearest 0.1 degree F. Calibration of physical parameter meters will follow manufacturers specifications. Monitoring wells will be purged according to the protocol presented in Figure 5. Collected field data during purging activities will be entered on the G-R Well Sampling Field Data Sheet shown in Figure 4. Copies of the G-R Field Data Sheets will be reviewed by the G-R Sampling Manager for accuracy and completeness.

DOCUMENTATION

Sample Container Labels

Each sample container will be labeled by an adhesive label, noted in permanent ink immediately after the sample is collected. Label information will include:

- Sample point designation (i.e. well number or code)
- Sampler's identification
- Project number
- Date and time of collection
- Type of preservation used

Well Sampling Data Forms

In the field, the G-R sampling crew will record the following information on the Well Sampling Data Sheet for each sample collected:

- Project number
- Client
- Location
- Source (i.e. well number)
- Time and date
- Well accessibility and integrity
- Pertinent well data (e.g. depth, product thickness, static water-level, pH, specific conductance, temperature)
- Calculated and actual purge volumes

Chain-of-Custody

A Chain-of-Custody record (Figure 6) shall be completed and accompany every sample and every shipment of samples to the analytical laboratory in order to establish the documentation necessary to trace sample possession from time of collections. The record will contain the following information:

- Sample or station number or sample identification (ID)
- Signature of collector, sampler, or recorder
- Date and time of collection
- Place of collection
- Sample type
- Signatures of persons involved in chain of possession
- Inclusive dates of possession

Samples shall always be accompanied by a Chain-of-Custody record. When transferring the samples, the individual relinquishing and receiving the samples will sign, date, and note the time on the Chain-of-Custody record. G-R will be responsible for notifying the laboratory coordinator when and how many samples will be sent to the laboratory for analysis, and what types of analyses shall be performed.


TABLE 1

SAMPLE ANALYSIS METHODS, CONTAINERS, PRESERVATIONS, AND HOLDING TIMES

<u>Parameter</u>	<u>Analytical Method</u>	<u>Reporting Units</u>	<u>Container</u>	<u>Preservation</u>	<u>Maximum Holding Time</u>
Total Petroleum Hydrocarbons (gasoline)	EPA 8015 (modified)	mg/l ug/l	40 ml. vial glass, Teflon	cool, 4 C HCl to pH<2	14 days (maximum)
Benzene	EPA 8020	mg/l	50 ml. vial	cool, 4 C	7 days (w/o preservative)
Toluene		ug/l	glass, Teflon lined septum	HCl to pH<2	14 days (w preservative)
Ethylbenzene					
Xylenes (BTEX)		mg/l	1 l glass, Teflon		
Oil & Grease	SM 503E	ug/l	lined septum	H2SO4 to pH<2	28 days (maximum)
Total Petroleum Hydrocarbons (Diesel)	EPA 8015 (modified)	mg/l ug/l	40 ml. vial glass, Teflon lined septum	cool, 4 C	14 days (maximum)
Halogenated Volatile Organics (chlorinated solvents)	8010	mg/l ug/l	40 ml. vial glass, Teflon lined septum	cool, 4 C	14 days (maximum)
Non chlorinated solvents	8020	mg/l ug/l	40 ml. vial glass, Teflon lined septum	cool, 4 C HCl to pH<2	14 days (maximum)
Volatile Organics	8240	mg/l ug/l	40 ml. vial glass, Teflon lined septum	cool, 4 C	14 days (maximum)
Semi-Volatile Organics	8270	mg/l ug/l	40 ml. vial glass, Teflon lined septum	cool, 4 C	14 days (maximum)
Specific Conductance (Field test)		umhos/cm			
pH (Field test)		pH units			
Temperature (Field test)		Deg F			

WELL CONSTRUCTION DETAIL

FIGURE 2



- A Total Depth of Boring _____ ft.
- B Diameter of Boring _____ in.
Drilling Method _____
- C Top of Box Elevation _____ ft.
 Referenced to Mean Sea Level
 Referenced to Project Datum
- D Casing Length _____ ft.
Material _____
- E Casing Diameter _____ in.
- F Depth to Top Perforations _____ ft.
- G Perforated Length _____ ft.
Perforated Interval from _____ to _____ ft.
Perforation Type _____
Perforation Size _____ in.
- H Surface Seal from _____ to _____ ft.
Seal Material _____
- I Backfill from _____ to _____ ft.
Backfill Material _____
- J Seal from _____ to _____ ft.
Seal Material _____
- K Gravel Pack from _____ to _____ ft.
Pack Material _____
- L Bottom Seal _____ ft.
Seal Material _____
- M _____

Note: Depths measured from initial ground surface



GeoStrategies Inc.

Well Construction Detail

WELL NO.

JOB NUMBER

REVIEWED BY RG/CEG

DATE

REVISED DATE

REVISED DATE

WELL DEVELOPMENT FORM

FIGURE 3

Page _____ of _____

(to be filled out in office)

Client _____ SS# _____ Job# _____

Name _____ Location _____

Well# _____ Screened Interval _____ Depth _____

Aquifer Material _____ Installation Date _____

Drilling Method _____ Borehole Diameter _____

Comments regarding well installation: _____

(to be filled out in the field) Name _____

Date _____ Development Method _____

Total Depth _____ - Depth to liquid _____ = Water Column _____

Product thickness _____

Water Column x Diameter (in.) x #Vol. x 0.0408 = _____ gals

Purge Start _____ Stop _____ Rate _____ gpm

Table with 6 columns: Gallons, Time, Clarity, Temp., pH, Conductivity. Includes a row for '0' and multiple blank rows for data entry.

Total gallons removed _____ Development stop time _____

Depth to liquid _____ at _____ (time)

Odor of water _____ Water discharged to _____

Comments _____

GETTLER-RYAN INC.

General and Environmental Contractors

WELL SAMPLING FIELD DATA SHEET

FIGURE 4

COMPANY _____ JOB # _____

LOCATION _____ DATE _____

CITY _____ TIME _____

Well ID. _____ Well Condition _____

Well Diameter _____ in. Hydrocarbon Thickness _____ ft.

Total Depth _____ ft.

Depth to Liquid- _____ ft.

(# of casing volumes) _____ x _____ x(VF) _____ = (Estimated Purge Volume) _____ gal.

Volume Factor (VF)	2" = 0.17	6" = 1.50	12" = 5.80
	3" = 0.38	8" = 2.60	
	4" = 0.66	10" = 4.10	

Purging Equipment _____

Sampling Equipment _____

Starting Time _____ Purging Flow Rate _____ gpm.

(Estimated Purge Volume) _____ gal. / (Purging Flow Rate) _____ gpm. = (Anticipated Purging Time) _____ min.

Time	pH	Conductivity	Temperature	Volume
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Did well dewater? _____ If yes, time _____ Volume _____

Sampling Time _____ Weather Conditions _____

Analysis _____ Bottles Used _____


Chain of Custody Number _____

COMMENTS _____

FOREMAN _____

ASSISTANT _____

Monitoring Well Sampling Protocol Schematic



Gettler - Ryan Inc.

ENVIRONMENTAL DIVISION

Chain of Custody
FIGURE 6

COMPANY _____ JOB NO. _____

JOB LOCATION _____

CITY _____ PHONE NO. _____

AUTHORIZED _____ DATE _____ P.O. NO. _____

SAMPLE ID	NO. OF CONTAINERS	SAMPLE MATRIX	DATE/TIME SAMPLED	ANALYSIS REQUIRED	SAMPLE CONDITION LAB ID

RELINQUISHED BY: _____

RECEIVED BY: _____

RELINQUISHED BY: _____

RECEIVED BY: _____

RELINQUISHED BY: _____

RECEIVED BY LAB: _____

DESIGNATED LABORATORY: _____ DHS #: _____

REMARKS: _____

DATE COMPLETED _____ FOREMAN _____

MAJOR DIVISIONS					TYPICAL NAMES
COARSE-GRAINED SOILS MORE THAN HALF IS COARSER THAN NO. 200 SIEVE	GRAVELS MORE THAN HALF COARSE FRACTION IS LARGER THAN NO. 4 SIEVE SIZE	CLEAN GRAVELS WITH LITTLE OR NO FINES	GW		WELL GRADED GRAVELS WITH OR WITHOUT SAND, LITTLE OR NO FINES
			GP		POORLY GRADED GRAVELS WITH OR WITHOUT SAND, LITTLE OR NO FINES
		GRAVELS WITH OVER 15% FINES	GM		SILTY GRAVELS, SILTY GRAVELS WITH SAND
			GC		CLAYEY GRAVELS, CLAYEY GRAVELS WITH SAND
	SANDS MORE THAN HALF COARSE FRACTION IS SMALLER THAN NO. 4 SIEVE SIZE	CLEAN SANDS WITH LITTLE OR NO FINES	SW		WELL GRADED SANDS WITH OR WITHOUT GRAVEL, LITTLE OR NO FINES
			SP		POORLY GRADED SANDS WITH OR WITHOUT GRAVEL, LITTLE OR NO FINES
		SANDS WITH OVER 15% FINES	SM		SILTY SANDS WITH OR WITHOUT GRAVEL
			SC		CLAYEY SANDS WITH OR WITHOUT GRAVEL
FINE-GRAINED SOILS MORE THAN HALF IS FINER THAN NO. 200 SIEVE	SILTS AND CLAYS LIQUID LIMIT 50% OR LESS	ML		INORGANIC SILTS AND VERY FINE SANDS, ROCK FLOUR, SILTS WITH SANDS AND GRAVELS	
		CL		INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, CLAYS WITH SANDS AND GRAVELS, LEAN CLAYS	
		OL		ORGANIC SILTS OR CLAYS OF LOW PLASTICITY	
	SILTS AND CLAYS LIQUID LIMIT GREATER THAN 50%	MH		INORGANIC SILTS, MICACEOUS OR DIATOMACEOUS, FINE SANDY OR SILTY SOILS, ELASTIC SILTS	
		CH		INORGANIC CLAYS OF HIGH PLASTICITY, FAT CLAYS	
		OH		ORGANIC SILTS OR CLAYS OF MEDIUM TO HIGH PLASTICITY	
HIGHLY ORGANIC SOILS		PT		PEAT AND OTHER HIGHLY ORGANIC SOILS	

- Perm - Permeability
- Consol - Consolidation
- LL - Liquid Limit (%)
- PI - Plastic Index (%)
- G_s - Specific Gravity
- MA - Particle Size Analysis
- 2.5 YR 6/2 - Soil Color according to Munsell Soil Color Charts (1975 Edition)
- 5 GY 5/2 - GSA Rock Color Chart

- No Soil Sample Recovered
- "Undisturbed" Sample
- Bulk or Classification Sample
- First Encountered Ground Water Level
- Piezometric Ground Water Level
- Penetration - Sample drive hammer weight - 140 pounds falling 30 inches. Blows required to drive sampler 1 foot are indicated on the logs



GeoStrategies Inc.

Unified Soil Classification - ASTM D 2488-85
and Key to Test Data

Field location of boring: (See Plate 2)				Project No.: 7666		Date: 04/16/90		Boring No:	
				Client: Shell Oil Company		Location: 999 San Pablo Avenue		City: Albany, California	
Drilling method: Hollow Stem Auger				Top of Box Elevation: 41.10		Datum: MSL			
Hole diameter: 8-inches				Water Level: 11.0		Time: 13:50		Date: 04/16/90	
PID (ppm)	Blows/ft. or Pressure (psi)	Type of Sample	Sample Number	Depth (ft.)	Sample	Well Detail	Soil Group Symbol (USCS)	Description	
				0				PAVEMENT SECTION - 1.5 feet	
				1					
				2					
				3				SILT with SAND (ML) - olive brown (2.5Y 4/4), medium stiff, moist, low plasticity; 70% silt; 15% fine to medium sand; 15% clay; trace coarse sand to fine gravel; iron staining; very small rootholes; no chemical odor.	
0.5	125 200 350	S&H push	S-4-5	4					
				5				GRAVELLY SILT with SAND (ML) - olive brown (2.5Y 4/4), medium stiff, damp, low plasticity; 50% silt; 20% fine gravel; 20% fine to coarse sand; 10% clay; no chemical odor.	
				6					
				7					
0.8	100 250 350	S&H push	S-4-7	8				soft drilling at 6.0 feet.	
				9					
0.8	300-400 400	S&H push	S-4-10	10				SILTY SAND (SM) - olive brown (2.5Y 4/4), medium dense, saturated; 70% fine sand; 30% silt; trace coarse sand; no chemical odor.	
				11					
				12				SILTY SAND with GRAVEL (SM) - light olive brown (2.5Y 5/4), medium dense, saturated; 50% medium sand; 35% fine gravel; 15% silt; trace clay; no chemical odor.	
				13					
				14					
0.8	4 6 12	S&H	S-4-15	15				SANDY SILT (ML) - light gray (2.5Y 7/2), stiff, damp; 70% silt; 30% fine sand; trace clay; no chemical odor.	
				16					
				17					
				18					
				19					
Remarks:									

Field location of boring: (See Plate 2)	Project No.: 7666	Date: 04/16/90	Boring No:
	Client: Shell Oil Company		S-4
	Location: 999 San Pablo Avenue		
	City: Albany, California		
	Logged by: M.J.J.	Driller: Bayland	Sheet 2 of 2

Drilling method: Hollow Stem Auger	Casing installation data:
Hole diameter: 8-Inches	Top of Box Elevation: Datum:

PID (ppm)	Blows/ft. or Pressure (psf)	Type of Sample	Sample Number	Depth (ft.)	Sample	Well Detail	Soil Group Symbol (USCS)	Water Level				Description	
								Time	Date				
	4												
0.8	7	S&H	S-4-20	20									SILTY SAND (SM) - yellowish brown (10YR 5/8), medium dense, saturated; 65% fine sand; 35% silt; trace clay; no chemical odor.
	13												
				21									
				22									
				23									
				24									
				25									
				26									
				27									
				28									
				29									
				30									
				31									
				32									
				33									
				34									
				35									
				36									
				37									
				38									
				39									

Remarks:

Field location of boring: (See Plate 2)	Project No.: 7666	Date: 04/16/90	Boring No:
	Client: Shell Oil Company		S-5
	Location: 999 San Pablo Avenue		Sheet 1
	City: Albany, California		of 2
	Logged by: M.J.J.	Driller: Bayland	
Casing installation data:			

Drilling method: Hollow-Stem Auger	Top of Box Elevation: 39.99	Datum: MSL
Hole diameter: 8-inches		

PTD (ppm)	Blows/ft. or Pressure (psf)	Type of Sample	Sample Number	Depth (ft.)	Sample	Well Detail	Soil Group Symbol (USCS)	Description
				0				PAVEMENT SECTION - 1.25 feet
				1				
				2				SILT with SAND (ML) - light olive brown (2.5Y 5/4), medium stiff, damp, medium plasticity; 60% silt; 20% fine sand; 20% clay; trace coarse sand; no chemical odor.
				3				
				4				
1.1	500	S&H	S-5-5	5				increasing clay at 5.0 feet.
	500	push						
				6				
				7				
				8				
460	450	S&H	S-5-8	9				increasing sand at 8.0 feet.
	300	push						
				10				SILTY GRAVEL (GW) - dark grayish brown (2.5Y 4/2), medium dense, saturated; 65% fine gravel; 25% silt; 10% fine to coarse sand; trace clay; strong chemical odor.
				11				
836	8	S&H	S-5-12	12				SANDY SILT (ML) - greenish gray (5GY 5/1), stiff, moist, low plasticity; 55% silt; 40% fine sand; 5% clay; moderate chemical odor.
	14							hard drilling at 12.5 feet.
				13				
				14				
796	20	S&H	S-5-15	15				COLOR CHANGE at 14.0 feet - yellowish brown (10YR 5/8)
	37							hard drilling at 16.0 feet.
				16				moderate chemical odor.
				17				
				18				
				19				

Remarks:


Field location of boring: (See Plate 2)	Project No.: 7666	Date: 04/16/90	Boring No:
	Client: Shell Oil Company		S-5
	Location: 999 San Pablo Avenue		
	City: Albany, California		Sheet 2
Logged by: M.J.J.		Driller: Bayland	of 2
Casing installation date:			

Drilling method: Hollow Stem Auger	Top of Box Elevation:	Datum:
------------------------------------	-----------------------	--------

PIB (ppm)	Blows/ft. or Pressure (psf)	Type of Sample	Sample Number	Depth (ft.)	Sample	Well Detail	Soil Group Symbol (USCS)	Water Level				Description
	9											
46.7	20	S&H	S-5-20	20								15% gravel at 19.0 feet; no chemical odor.
	32											
				21								
				22								Bottom of boring at 20.5 feet.
				23								Bottom of sample at 20.5 feet.
				24								04/16/90
				25								
				26								
				27								
				28								
				29								
				30								
				31								
				32								
				33								
				34								
				35								
				36								
				37								
				38								
				39								

Remarks: Water observed recharging borehole from sidewall above 11.0'.

WELL CONSTRUCTION DETAIL



- A Total Depth of Boring 20.5 ft.
- B Diameter of Boring 8 in.
Drilling Method Hollow Stem Auger
- C Top of Box Elevation 41.10 ft.
 Referenced to Mean Sea Level
 Referenced to Project Datum
- D Casing Length 14 ft.
Material Schedule 40 PVC
- E Casing Diameter 3 in.
- F Depth to Top Perforations 5 ft.
- G Perforated Length 9 ft.
Perforated Interval from 5 to 14 ft.
Perforation Type Machine Slot
Perforation Size 0.020 in.
- H Surface Seal from 0.5 to 1.0 ft.
Seal Material Concrete
- I Backfill from 1 to 3 ft.
Backfill Material Cement Grout
- J Seal from 3 to 4 ft.
Seal Material Bentonite
- K Gravel Pack from 4 to 14 ft.
Pack Material Lonestar #2/12 Sand
- L Bottom Seal 6.5 ft.
Seal Material Bentonite
- M Christy box with waterproof locking cap and lock.

Note: Depths measured from initial ground surface.



GeoStrategies Inc.

Well Construction Detail

WELL NO.

S-4

JOB NUMBER
7666


REVIEWED BY RG/CEG
CLAMP 06/12/92

DATE
04/90

REVISED DATE

REVISED DATE

WELL CONSTRUCTION DETAIL



- A Total Depth of Boring _____ 20.5 ft.
- B Diameter of Boring _____ 8 in.
Drilling Method _____ Hollow Stem Auger
- C Top of Box Elevation _____ 39.99 ft.
 Referenced to Mean Sea Level
 Referenced to Project Datum
- D Casing Length _____ 16 ft.
Material _____ Schedule 40 PVC
- E Casing Diameter _____ 3 in.
- F Depth to Top Perforations _____ 6 ft.
- G Perforated Length _____ 10 ft.
Perforated Interval from _____ 6 to _____ 16 ft.
Perforation Type _____ Machine Slot
Perforation Size _____ 0.020 in.
- H Surface Seal from _____ 0.5 to _____ 1.0 ft.
Seal Material _____ Concrete
- I Backfill from _____ 1 to _____ 4 ft.
Backfill Material _____ Cement Grout
- J Seal from _____ 4 to _____ 5 ft.
Seal Material _____ Bentonite
- K Gravel Pack from _____ 5 to _____ 16 ft.
Pack Material _____ Lonestar #2/12 Sand
- L Bottom Seal _____ 4.5 ft.
Seal Material _____ Bentonite
- M _____ Christy box with waterproof locking cap and lock.

Note: Depths measured from initial ground surface.



GeoStrategies Inc.

Well Construction Detail

WELL NO.

S-5

JOB NUMBER
7666

REVIEWED BY RG/CEG
CWP ceu 1202

DATE
04/90

REVISED DATE

REVISED DATE



INTERNATIONAL
TECHNOLOGY
CORPORATION

ANALYTICAL SERVICES

CERTIFICATE OF ANALYSIS

Shell Oil Company
Gettler-Ryan
2150 West Winton
Hayward, Ca. 94545
John Werfal

Date: 05/04/90

Work Order: T0-04-182

P.O. Number: MOH 880-021

This is the Certificate of Analysis for the following samples:

Client Work ID: GR7666, 999 San Pablo, Albany
Date Received: 04/18/90
Number of Samples: 5
Sample Type: solid

TABLE OF CONTENTS FOR ANALYTICAL RESULTS

<u>PAGES</u>	<u>LABORATORY #</u>	<u>SAMPLE IDENTIFICATION</u>
2	T0-04-182-01	S-4-5
3	T0-04-182-02	S-4-9
4	T0-04-182-03	S-5-5
5	T0-04-182-04	S-5-12
6	T0-04-182-05	S-5-15

Reviewed and Approved:


Suzanne Veaudry
Project Manager

American Council of Independent Laboratories
International Association of Environmental Testing Laboratories
American Association for Laboratory Accreditation

Company: Shell Oil Company

Date: 05/04/90

Client Work ID: GR7666, 999 San Pablo, Albany

Work Order: TO-04-182

TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-4-5

SAMPLE DATE: 04/16/90

LAB SAMPLE ID: T004182-01

SAMPLE MATRIX: Solid

RECEIPT CONDITION: Cool

RESULTS in Milligrams per Kilogram:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020	04/22/90	04/26/90
Low Boiling Hydrocarbons	8015	04/22/90	04/26/90

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	2.5	None
BTEX		
Benzene	0.025	None
Toluene	0.025	None
Ethylbenzene	0.025	None
Xylenes (total)	0.05	None

Company: Shell Oil Company

Date: 05/04/90

Client Work ID: GR7666, 999 San Pablo, Albany

Work Order: TO-04-182

TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-4-9

SAMPLE DATE: 04/16/90

LAB SAMPLE ID: T004182-02

SAMPLE MATRIX: Solid

RECEIPT CONDITION: Cool

RESULTS in Milligrams per Kilogram:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020	04/22/90	04/26/90
Low Boiling Hydrocarbons	8015	04/22/90	04/26/90

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	2.5	None
BTEX		
Benzene	0.025	None
Toluene	0.025	None
Ethylbenzene	0.025	None
Xylenes (total)	0.05	None

Company: Shell Oil Company

Date: 05/04/90

Client Work ID: GR7666, 999 San Pablo, Albany

Work Order: TO-04-182

TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-5-5

SAMPLE DATE: 04/16/90

LAB SAMPLE ID: T004182-03

SAMPLE MATRIX: Solid

RECEIPT CONDITION: Cool

RESULTS in Milligrams per Kilogram:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020	04/22/90	04/26/90
Low Boiling Hydrocarbons	8015	04/22/90	04/26/90

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	2.5	None
BTEX		
Benzene	0.025	None
Toluene	0.025	None
Ethylbenzene	0.025	None
Xylenes (total)	0.05	None

Company: Shell Oil Company

Date: 05/04/90

Client Work ID: GR7666, 999 San Pablo, Albany

Work Order: T0-04-182

TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-5-12

SAMPLE DATE: 04/16/90

LAB SAMPLE ID: T004182-04

SAMPLE MATRIX: Solid

RECEIPT CONDITION: Cool

RESULTS in Milligrams per Kilogram:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020	04/22/90	04/26/90
Low Boiling Hydrocarbons	8015	04/22/90	04/26/90

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	2.5	25.
BTEX		
Benzene	0.025	0.30
Toluene	0.025	0.12
Ethylbenzene	0.025	0.51
Xylenes (total)	0.05	1.2

Company: Shell Oil Company

Date: 05/04/90

Client Work ID: GR7666, 999 San Pablo, Albany

Work Order: T0-04-182

TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-5-15

SAMPLE DATE: 04/16/90

LAB SAMPLE ID: T004182-05

SAMPLE MATRIX: Solid

RECEIPT CONDITION: Cool

RESULTS in Milligrams per Kilogram:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020	04/22/90	04/26/90
Low Boiling Hydrocarbons	8015	04/22/90	04/26/90

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	7.8	130.
BTEX		
Benzene	0.08	1.9
Toluene	0.08	7.5
Ethylbenzene	0.08	3.3
Xylenes (total)	0.2	18.

Company: Shell Oil Company

Date: 05/04/90

Client Work ID: GR7666, 999 San Pablo, Albany

Work Order: T0-04-182

TEST CODE TPHVB TEST NAME TPH Gas,BTEX by 8015/8020

The method of analysis for low boiling hydrocarbons is taken from EPA Methods 8015, 8020 and 5030. The sample is examined using the purge and trap technique. Final detection is by gas chromatography using a flame ionization detector as well as a photoionization detector. The result for total low boiling hydrocarbons is calculated as gasoline and includes benzene, toluene, ethylbenzene and xylenes.

Gettler - Ryan Inc.

TO-04-182
ENVIRONMENTAL DIVISION

Chain of Custody

COMPANY SHELL

JOB NO. 7666

JOB LOCATION 999 SAN PABLO AVE.

CITY ALBANY

PHONE NO.

AUTHORIZED J. WERFAL

DATE 4-16-90

P.O. NO.

SAMPLE ID	NO. OF CONTAINERS	SAMPLE MATRIX	DATE/TIME SAMPLED	ANALYSIS REQUIRED	SAMPLE CONDITION LAB ID
S-4-5	1	SOIL	4/16/90	TPH-GAS, BTEX	COOL/OK (B)
S-4-9	1	↓	↓	↓	↓
S-5-5	1	↓	↓	↓	
S-5-12 ^{REM}	1	↓	↓	↓	
S-5-15	1	↓	↓	↓	

WIC 204-0079-0109
 APE 086683
 EXP 5440
 ENG Diane Lundquist

RELINQUISHED BY: *Michael C. Malloway*
 RELINQUISHED BY: *Paul 4-18-90 18:00*
 RELINQUISHED BY: _____

RECEIVED BY: *Paul 4-18-90 07:30*
 RECEIVED BY: _____
 RECEIVED BY LAB: *John 4/18/90 1850*

DESIGNATED LABORATORY: *IT (SCV)* DHS #: _____
 REMARKS: *NORMAL TAT (2 weeks)*

DATE COMPLETED _____ FOREMAN _____



May 22, 1990

GROUNDWATER SAMPLING REPORT

Referenced Site: Shell Service Station
999 San Pablo Ave/Marin Ave
Albany, California

Sampling Date: May 1, 1990


This report presents the results of the quarterly groundwater sampling and analytical program conducted by Grettler-Ryan Inc. on May 1, 1990 at the referenced location. The site is occupied by an operating service station located on the northeast corner of San Pablo Avenue and Marin Avenue. The service station has underground storage tanks which contain leaded, unleaded and super unleaded gasoline products.

There are currently five groundwater monitoring wells on or near the site at the locations shown on the attached site map. Recently installed wells S-4 and S-5 were monitored and sampled during this event. Well development took place April 25 and 26, 1990. Product thicknesses and depth readings were monitored by using an electronic interface probe. A clean acrylic bailer was used to visually confirm or detect the presence and thickness of separate phase product. Groundwater depths ranged from 7.56 to 10.73 feet below grade. Separate phase product was observed in well S-5.

Wells that did not contain separate phase product were purged and sampled. The purge water was contained in drums for proper disposal. Standard sampling procedure calls for a minimum of four case volumes to be purged from each well. Each well was purged while pH, temperature, and conductivity measurements were monitored for stability. Details of the final well purging results are presented on the attached Table of Monitoring Data. In cases where a well dewatered or less than four case volumes were purged, groundwater samples were obtained after the physical parameters had stabilized. Under such circumstances the sample may not represent actual formation water due to low flow conditions.

Samples were collected, using Teflon bailers, in properly cleaned and laboratory prepared containers. All sampling equipment was thoroughly cleaned after each well was sampled and steam cleaned upon completion of work at the site. The samples were labeled, stored on blue ice, and transported to the laboratory for analysis. A trip blank, supplied by the laboratory, was included and analyzed to assess quality control. Analytical results for the trip blank are included in the Certified Analytical Report (CAR's). Chain of custody records were established noting sample identification numbers, time, date, and custody signatures.

The samples were analyzed at International Technology Corporation - Santa Clara Valley Laboratory located at 2055 Junction Avenue, San Jose, California. The laboratory is assigned a California DHS-HMTL Certification number of 137. The results are presented as a Certified Analytical Report, a copy of which is attached to this report.



Tom Paulson
Sampling Manager


attachments

TABLE OF MONITORING DATA
GROUNDWATER WELL SAMPLING REPORT

<u>WELL I.D.</u>	S-1	S-2	S-3	S-4	S-5
Casing Diameter (inches)	3	3	3	3	3
Total Well Depth (feet)	11.8	12.2	12.2	14.1	----
Depth to Water (feet)	8.23	8.11	7.64	7.56	10.73
Free Product (feet)	none	none	none	none	0.62 **
Reason Not Sampled	----	----	----	----	free product
Calculated 4 Case Vol. (gal.)	5.6	6.0	6.8	10.0	----
Did Well Dewater?	yes	yes	yes	yes	----
Volume Evacuated (gal.)	3.0	3.0	5.0	5.5	----
Purging Device	Bailer	Bailer	Bailer	Bailer	----
Sampling Device	Bailer	Bailer	Bailer	Bailer	----
Time	11:58	11:52	12:15	12:31	----
Temperature (F)*	60.8	63.1	63.8	63.5	----
pH*	6.93	6.82	6.81	6.94	----
Conductivity (umhos/cm)*	865	1040	840	695	----

* Indicates Stabilized Value

** Not corrected for the presence of free product



EXPLANATION:

- ◆ S-1 Ground-water monitoring well location
- S-A Soil boring location



Site Plan
 Shell Service Station
 999 San Pablo Avenue
 Albany, California

PLATE



CERTIFICATE OF ANALYSIS

Shell Oil Company
Gettler-Ryan
2150 West Winton
Hayward, CA 94545
Tom Paulson

Date: 05/18/90

Work Order: T0-05-019

P.O. Number: MOH 880-021


This is the Certificate of Analysis for the following samples:

Client Work ID: GR3666, 999 San Pablo Ave.
Date Received: 05/02/90
Number of Samples: 5
Sample Type: aqueous

TABLE OF CONTENTS FOR ANALYTICAL RESULTS

<u>PAGES</u>	<u>LABORATORY #</u>	<u>SAMPLE IDENTIFICATION</u>
2	T0-05-019-01	S-1
3	T0-05-019-02	S-2
4	T0-05-019-03	S-3
5	T0-05-019-04	S-4
6	T0-05-019-05	Trip Blank

Reviewed and Approved:


Suzanne Veaudry
Project Manager

American Council of Independent Laboratories
International Association of Environmental Testing Laboratories
American Association for Laboratory Accreditation

Company: Shell Oil Company

Date: 05/18/90

Client Work ID: GR3666, 999 San Pablo Ave.

Work Order: T0-05-019

TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-1

SAMPLE DATE: 05/01/90

LAB SAMPLE ID: T005019-01

SAMPLE MATRIX: aqueous

RECEIPT CONDITION: Cool pH < 2

RESULTS in Milligrams per Liter:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020		05/08/90
Low Boiling Hydrocarbons	Mod 8015		05/08/90

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	0.25	4.2
BTEX		
Benzene	0.0025	0.023
Toluene	0.0025	None
Ethylbenzene	0.0025	0.116
Xylenes (total)	0.005	0.32

Company: Shell Oil Company

Date: 05/18/90

Client Work ID: GR3666, 999 San Pablo Ave.

Work Order: T0-05-019

TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-2

SAMPLE DATE: 05/01/90

LAB SAMPLE ID: T005019-02

SAMPLE MATRIX: aqueous

RECEIPT CONDITION: Cool pH < 2

RESULTS in Milligrams per Liter:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020		05/08/90
Low Boiling Hydrocarbons	Mod 8015		05/08/90

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	2.5	11.
BTEX		
Benzene	0.025	2.3
Toluene	0.025	0.082
Ethylbenzene	0.025	0.409
Xylenes (total)	0.05	0.77

Company: Shell Oil Company

Date: 05/18/90

Client Work ID: GR3666, 999 San Pablo Ave.

Work Order: T0-05-019

TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-3

SAMPLE DATE: 05/01/90

LAB SAMPLE ID: T005019-03

SAMPLE MATRIX: aqueous

RECEIPT CONDITION: Cool pH < 2

RESULTS in Milligrams per Liter:

	<u>METHOD</u>	<u>EXTRACTION DATE</u>	<u>ANALYSIS DATE</u>
BTEX	8020		05/08/90
Low Boiling Hydrocarbons	Mod 8015		05/08/90

<u>PARAMETER</u>	<u>DETECTION LIMIT</u>	<u>DETECTED</u>
Low Boiling Hydrocarbons		
calculated as Gasoline	0.25	2.0
BTEX		
Benzene	0.0025	0.018
Toluene	0.0025	None
Ethylbenzene	0.0025	0.024
Xylenes (total)	0.005	0.008

Company: Shell Oil Company

Date: 05/18/90

Client Work ID: GR3666, 999 San Pablo Ave.

Work Order: T0-05-019

TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: S-4

SAMPLE DATE: 05/01/90

LAB SAMPLE ID: T005019-04

SAMPLE MATRIX: aqueous

RECEIPT CONDITION: Cool pH < 2

RESULTS in Milligrams per Liter:

	METHOD	EXTRACTION DATE	ANALYSIS DATE
BTEX	8020		05/08/90
Low Boiling Hydrocarbons	Mod 8015		05/08/90

PARAMETER	DETECTION LIMIT	DETECTED
Low Boiling Hydrocarbons calculated as Gasoline	0.05	None
BTEX		
Benzene	0.0005	None
Toluene	0.0005	None
Ethylbenzene	0.0005	None
Xylenes (total)	0.001	None

Company: Shell Oil Company

Date: 05/18/90

Client Work ID: GR3666, 999 San Pablo Ave.

Work Order: TO-05-019

TEST NAME: Petroleum Hydrocarbons

SAMPLE ID: Trip Blank

SAMPLE DATE: not spec

LAB SAMPLE ID: T005019-05

SAMPLE MATRIX: aqueous

RECEIPT CONDITION: Cool pH < 2

RESULTS in Milligrams per Liter:

	<u>METHOD</u>	<u>EXTRACTION DATE</u>	<u>ANALYSIS DATE</u>
BTEX	8020		05/08/90
Low Boiling Hydrocarbons	Mod 8015		05/08/90

<u>PARAMETER</u>	<u>DETECTION LIMIT</u>	<u>DETECTED</u>
Low Boiling Hydrocarbons calculated as Gasoline	0.05	None
BTEX		
Benzene	0.0005	None
Toluene	0.0005	None
Ethylbenzene	0.0005	None
Xylenes (total)	0.001	None

Company: Shell Oil Company

Date: 05/18/90

Client Work ID: GR3666, 999 San Pablo Ave.

Work Order: T0-05-019

TEST CODE TPHVB TEST NAME TPH Gas,BTEX by 8015/8020

The method of analysis for low boiling hydrocarbons is taken from EPA Methods 8015, 8020 and 5030. The sample is examined using the purge and trap technique. Final detection is by gas chromatography using a flame ionization detector as well as a photoionization detector. The result for total low boiling hydrocarbons is calculated as gasoline and includes benzene, toluene, ethylbenzene and xylenes.

ENVIRONMENTAL DIVISION

COMPANY Shell Oil Company JOB NO. _____
 JOB LOCATION 999 San Pablo Ave
 CITY Albany, Ca PHONE NO. (415) 783-7520
 AUTHORIZED John Werfel DATE 5-1-90 P.O. NO. 3666

SAMPLE ID	NO. OF CONTAINERS	SAMPLE MATRIX	DATE/TIME SAMPLED	ANALYSIS REQUIRED	SAMPLE CONDITION LAB ID
S-1	3	Liquid	5-1-90 / 11:58	THC (gas) BTAE	Cool/dt (B)
S-2	↓	↓	11:52	↓	↓
S-3	↓	↓	12:15	↓	↓
S-4	↓	↓	12:31	↓	↓
trip total	gas 1	↓	4-2-90 / -	↓	↓

RELINQUISHED BY: Guadalupe Sanchez 5-1-90 RECEIVED BY: [Signature] 5-2-90 07:30

RELINQUISHED BY: [Signature] 5-2-90 19:00 RECEIVED BY: _____

RELINQUISHED BY: _____ RECEIVED BY LAB: [Signature] 5/2/90 1900

DESIGNATED LABORATORY: IT SCV DHS #: 137

REMARKS: WIC # 204-0079-0109

Normal TAT AFE: 086683

EXP: 5440

Eng: Lindquist

DATE COMPLETED 5-1-90 FOREMAN Guadalupe Sanchez

ORIGINAL