PRELIMINARY SITE ASSESSMENT MR. MOHAMMAD MEHDIZADEH 5175 BROADWAY SAN JOSE, CALIFORNIA

Submitted By:
TANK PROTECT ENGINEERING
Off Northern California
June 13, 1990

#### PRELIMINARY SITE ASSESSMENT

MR. MOHAMMAD MEHDIZADEH 5175 Broadway Oakland, CA

June 13, 1990

This report has been prepared by the staff of Tank Protect Engineering under supervision of Engineer and/or Geologist

whose seal(s) and signature(s) appear hereon.

The findings, recommendation, specifications or professional opinions are presented, within the limits prescribed by the client, after being prepared in accordance with generally accepted professional engineering and geologic practice. We make no other warranty, either express or implied.

John V. Mrakovich, Ph.D. Registered Geologist



Marc M. Zomorodi Civil Engineer

## TABLE OF CONTENTS

	Page
INTRODUCTION	1
Location	1
Background/Site History	1
Objective And Scope Of Work	1 2
SITE DESCRIPTION	3
SUBSURFACE INVESTIGATION	4
Prefield Activities	4
Drilling And Soil Sampling	4
Groundwater Monitoring Well Installation	5
Groundwater Sampling	6
FINDINGS	7
Hydrogeology	7
Soil Analytical Results	9
Groundwater Analytical Results	9
Summary Of Findings	10
Recommendations	11
FIGURES	
1. SITE VICINITY MAP	
2. SITE PLAN	
3. GEOLOGIC CROSS SECTION	
4. GROUNDWATER GRADIENT	
5. GASOLINE CONCENTRATIONS, 4 FOOT TO 5 FOOT IN DEPTH	
6. GASOLINE CONCENTRATIONS, 8 FOOT TO 10 FOOT IN DEPTH	
/. GASOLINE CONCENTRATIONS, 13 FOOT TO 14 FOOT IN DEPTH	
8. GASOLINE CONCENTRATIONS IN GROUNDWATER	
9. BENZENE CONCENTRATIONS IN GROUNDWATER	

### TABLE OF CONTENTS

	Page
INTRODUCTION Location	1
Background/Site History Objective And Scope Of Work	1 2
SITE DESCRIPTION	3
SUBSURFACE INVESTIGATION Prefield Activities Drilling And Soil Sampling Groundwater Monitoring Well Installation Groundwater Sampling	4 4 4 5 6
FINDINGS Hydrogeology Soil Analytical Results Groundwater Analytical Results Summary Of Findings Recommendations	7 7 9 9 10 11

#### FIGURES

1.	SITE VICINITY MAP
2.	SITE PLAN
3.	GEOLOGIC CROSS SECTION
4.	GROUNDWATER GRADIENT
5.	GASOLINE CONCENTRATIONS, 4 FOOT TO 5 FOOT IN DEPTH
ь.	GASOLINE CONCENTRATIONS. 8 FOOT TO 10 FOOT IN DEPTH
7 -	GASOLINE CONCENTRATIONS. 13 FOOT TO 14 FOOT IN DEPTH
٠.	GASULINE CONCENTRATIONS IN GROUNDWATER
9.	BENZENE CONCENTRATIONS IN GROUNDWATER

#### INTRODUCTION

#### Location:


The project site is a former Exxon gasoline station located at 5175 Broadway in the City of Oakland, in Alameda County, California (see Figures 1 and 2). The site was purchased by Mr. Mohammad Mehdizadeh in 1979 at which time the gasoline station was not in operation. It is not known when Exxon ceased operation, however, the site has been inactive since that time.

#### Background/Site History:

In January 1990, Tank Protect Engineering, Inc. (TPE) conducted two excavations at the subject site. In the first excavation 3-8,000 gallon steel, single-walled, gasoline tanks and associated piping were removed. The excavation was 10 feet to 11 feet deep and encountered groundwater at a depth of about 10.5 feet. During tank removal holes were observed in all three gasoline tanks and the soil was observed to be contaminated based on odor and discoloration. Eight soil samples were collected for chemical analysis. Five samples were collected at depths of about 10 feet from the end-walls and/or sidewalls of each gasoline tank, and three soil samples were collected from beneath the associated piping (see Figure 2). One groundwater sample was collected for chemical analysis.

A 500 gallon steel, single-walled, waste oil tank was removed from the second excavation. One hole was observed in the waste oil tank and no groundwater was encountered in the excavation. No apparent soil contamination was observed. One soil sample was collected for chemical analysis from the floor of the excavation (see Figure 2).

Analytical results of soil sampling for petroleum hydrocarbon compounds are summarized in Table 1. Soil samples collected in the gasoline tank excavation and beneath the associated piping contained total petroleum hydrocarbons as gasoline (TPHG) in all samples except two (SP1 and SP2) collected beneath the piping. TPHG ranged up to 970 parts per million (ppm) in sample S2N. Soil sample S1W, collected in the floor of the waste oil tank, contained no TPHG or benzene, toluene, ethylbenzene, or xylenes




ENGINEERING

ON Northern California

SITE VICINITY MAP 5175 BROADWAY OAKLAND, CALIFORNIA

FIGURE





5175 BROADWAY OAKLAND, CALIFORNIA

TABLE 1
SUMMARY OF SOIL ANALYTICAL RESULTS
OBTAINED DURING TANK REMOVAL
(ppm)

-,				<b></b>			
Sample Identification	Total Oil & Grease	TPH as Diesel	TPH as Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes
S1W	<30	<10	<1	<.005	<.005	<.005	<.005
S2N	NA*	NA	970	<5	<5	13	15
S 3 N	NA	NA	120	<1	<1	<1	<1
S3\$	NA	NA	930	<5	<5	<5	14
S4N	NA	NA	12	<.05	<.05	<.05	.130
S 4 S	NA	NA	55	<.2	<.2	<.2	. 8
SP1	NA	NA	<5	< .05	<.05	<.05	<.05
SP2	NA	NA	<5	<.05	<.05	<.05	<.05
SP3	NA	NA	34	<.05	<.05	<.05	<.05

<sup>\*</sup> NA = NOT ANALYZED

(BTEX). Being a waste oil tank, this soil sample was also analyzed for total petroleum hydrocarbons as diesel (TPHD), total oil and grease (TOG), and other volatile organic compounds (United States Environmental Protection Agency [EPA] Method 601/8010). Of these additional tests, only methylene chloride was detected at .0013 ppm.

Analytical results for the groundwater sample collected from the gasoline tank excavation reported the groundwater contained 6900 parts per billion (ppb) TPHG, 53 ppb benzene, and 810 ppb xylenes. See Appendix A for certified analytical results of the above soil and groundwater analyses.

During the week of February 19, 1990, TPE overexcavated contaminated soil from the area of the former underground tank complex and began on-site soil remediation. A total of about 700 tons of contaminated soil, excavated during tank removal and later overexcavation, were remediated. Treatment was begun by spreading the contaminated soil on the ground over a layer of about 8 inches of clean dirt which was underlain by polyethylene plastic. The contaminated soil was then treated by oxidizing the hydrocarbons. Three stockpiles of soil were treated and subsequently sampled on April 4, 1990 for chemical analysis to determine the effectiveness of the remediation. The three stockpiled soils were sampled by compositing discrete soil samples for each stockpile. Certified analytical reports and chain-of-custodies are documented in Appendix A and chemical analyses are summarized in Table 2. Remediation of the three Remediation of the three stockpiles resulted in chemical analyses of 5.0 TPHG, 15 TPHG and 17 TPHG. Only trace amounts of BTEX were detected. remediated soils are currently stockpiled on site.

In response to the above findings Mr. Mehdizadeh contracted with TPE to conduct a preliminary investigation to further assess soil and groundwater contamination, if any, at the subject site.

Objective And Scope Of Work:

TPE's objective in this preliminary investigation was (1) to further investigate the vertical and horizontal extent of soil contamination, if any, (2) to determine whether groundwater beneath the site has been impacted, and (3) to determine hydraulic gradient and direction of groundwater flow. To meet these objectives TPE performed the following scope of work:

. Reviewed files of the California Regional Water Quality

TABLE 2
SUMMARY OF SOIL ANALYTICAL RESULTS
FOR REMEDIATED EXCAVATED SOILS
(ppm)

Sample Identification	TPH as Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes
Composite MS1,MS2,MS3,MS4 Composite MS5,MS6,MS7 Composite MS8,MS9,MS10	5.0 15 17	0.0074 0.0074 0.0050	0.0050 0.020 0.010	0.038 0.063 0.041	0.069 0.12 0.095
Detection Limits:	1.0	0.0050	0.0050	0.0050	0.0050

Control Board-San Francisco Region (RWQCB) for documented off-site, ugradient sources of contamination and for regional groundwater flow direction.

- . Conducted an on-site subsurface utility survey.
- . Drilled three soil borings and converted all three to groundwater monitoring wells.
- Collected soil samples from each boring for chemical analysis.
- . Developed, purged, and sampled groundwater from each monitoring well for chemical analysis.
- Analyzed seven soil samples and three groundwater samples for TPHG and BTEX.
- . Surveyed top-of-well casings for elevation and determined groundwater flow direction and gradient.

#### SITE DESCRIPTION

Figure 1 is a site vicinity map showing the location of the site relative to adjacent streets and buildings. The site vicinity maps is taken from the United States Department of the Interior Geological Survey (USGS) Oakland East and West Quadrangles, 7.5 minute series topographic maps.

The site is located on top of a ridge that extends from the base of the East Bay Berkeley Hills into the East Bay Plain. At the location of the site, the ridge has been graded to an elevation of about 155 feet mean sea level (MSL). The topography slopes away from the site in all directions except northeasterly with an average gradient of about 0.03 feet per foot. There are no nearby streams or creeks.

Figure 2 is a detailed site plan showing the existing building, tank excavations, and stockpiled soils. Also shown are the locations of the former underground storage tanks, former pump islands, and locations where soil samples were collected during removal of the tanks and associated piping. The three groundwater monitoring wells that were installed as part of this investigation are shown as MW-1, MW-2, and MW-3.

## SUBSURFACE INVESTIGATION

Prefield Activities:

Before starting field activities TPE reviewed files at the RWQCB's office to determine if any documented contaminated sites exist in the area and/or upgradient of the project site. This review was conducted to determine if any upgradient contaminant sources may be contributing to contaminants found beneath the site and to determine depth and direction of groundwater flow in the area of the site to assist TPE in optimally locating the installation of three on-site groundwater monitoring wells. No nearby offsite contaminant sites were found in the RWQCB files.

Drilling And Soil Sampling:

During the period April 17 through April 24, 1990, TPE installed three groundwater monitoring wells (MW-1,2, and 3) at the locations shown in Figure 2 to further investigate the horizontal and vertical extent of soil contamination and to determine groundwater flow direction, gradient, and quality beneath the The soil borings in which the wells were constructed are located on site and up and downgradient of potential on-site sources of soil and groundwater contamination. located in the farthest estimated upgradient direction from the Well MW-1 was former underground gasoline tank complex to establish background soil and groundwater chemical levels. Well MW-3 was located within 10 feet and in the estimated downgradient direction of the former tank complex. Well MW-2 was located in the estimated cross-gradient direction from well MW-3 and near the southeast property boundary in an attempt to establish soil and groundwater contaminant plume limits (if any).

Prior to drilling at any of the above locations TPE contracted with subsurface locators and conducted a USA location request to ensure that drilling activities would not encounter any buried utilities or underground objects.

The exploratory borings for the monitoring wells were drilled using 10-inch diameter hollow-stem auger drilling equipment. The

augers and sampling equipment were steam-cleaned before drilling each boring to prevent cross contamination between borings or the introduction of off-site contamination for the initial boring. Representative soil samples were collected at approximately 5 foot depth intervals below the ground surface by advancing a modified California split-spoon sampler, equipped with brass tubes, into the undisturbed soil beyond the tip of the augers. The sampling equipment was cleaned before each sampling event by washing with a tri-sodium phosphate solution and rinsing in distilled water. Samples collected for chemical analysis from above the water table were preserved in the tubes by covering the caps with aluminum foil capped with plastic end caps, and taping the caps with duct tape, and storing on ice while transported to a State-certified laboratory accompanied by chain-of-custody documentation (see Appendices B and C). Soil samples were analyzed for TPHG and BTEX by EPA Methods GCFID (5030/8015), and (5030/8020), respectively.

A detailed boring log has been prepared from auger return material and split-spoon samples (see Appendix D). The soil was logged according to the Unified Soil Classification System by a California registered geologist.

Drill cuttings have been stockpiled on site and covered with plastic sheeting. After the cuttings are characterized, TPE will provide recommendations to the client on their remediation, or disposal, or both in an appropriate manner.

Groundwater Monitoring Well Installation:

Exploratory borings for the three groundwater monitoring wells were drilled to depths ranging from 23 feet to 27 feet. Each boring was converted to a monitoring well by installing 4-inch diameter, flush-threaded, polyvinyl chloride casing and 0.020-inch machine-slotted screen. The exact depth of each boring and screen length was determined by the geologic profile and occurrence of groundwater in the boring at each location. A sand pack was placed in the annular space to a maximum of 2 feet above the top of the screened interval. Approximately 1 foot of bentonite was placed above the sand pack followed by a portland cement surface seal. A traffic rated, locking, vault box was set in concrete to protect the well. A locking well cap with lock was also installed on each well casing. The top of casing was surveyed relative to MSL by a professional civil engineer.

Oakland bench mark number 2557 located at the intersection of Coronado Avenue and Broadway Street at an elevation of 158.39 USGS MSL was used in determining elevations on the project site. See Appendix D for well completion details, and Appendix E for TPE's groundwater monitoring well construction procedures.

#### Groundwater Sampling:

After the wells were installed, depth to water was measured and Depth to water was measured from the top of casing to the nearest 0.01 foot using an electronic Solinst water level A minimum of three repetitive measurements were made for each water level determination to ensure accuracy. Each well was checked for floating product using a clear teflon bailer. floating product was observed in wells MW-2 and 3. The water level in well MW-1 had risen above the top of the perforated screened interval and consequently could not be checked for floating product. Well MW-1 is located upgradient of potential on-site sources of hydrocarbon contamination and would not be expected to contain floating product if present. During well development, the water level in well MW-1 was easily lowered below the top of perforations at which time floating product, if present, would have entered the well; no floating product was observed.

All wells were developed by bailing (see Appendix F). After groundwater in the wells was allowed to stabilize (a minimum of 24 hours), the wells were purged a minimum of four wetted well volumes with a teflon bailer as described in Appendix G. Decontamination between sampling events was accomplished by washing the sampler bailer with a solution of tri-sodium phosphate and rinsing in distilled water. The water samples were collected in sterilized glass vials with teflon lined screw caps, sealed in the vials, and labeled including: date, time, sample location, project number, and sampler. The Samples were immediately stored on ice for transport to a State-certified laboratory accompanied by chain-of-custody documentation. samples were analyzed for TPHG, and BTEX by EPA Methods GCFID (5030/8015) and (5030/8020), respectively. See Appendices H and I for waste handling and decontamination procedures, and quality assurance and quality control procedures.

Development and purge water are stored in 55 gallon drums on site. After the groundwater is characterized, TPE will provide recommendations to the client and assist them in remediation, or disposal of the fluids, or both in an appropriate manner.


#### **FINDINGS**

Hydrogeology:

The hydrogeology of the subject site has been interpreted from the soil boring logs and water levels in groundwater monitoring wells MW-1, MW-2, and MW-3. Boring logs and well completion details are presented in Appendix D.

The site is located on top of a topographic ridge at the base of the East Bay Berkeley Hills and is underlain by the bedrock that comprises the hills. Figure 3 is a geologic cross section constructed from the three soil borings drilled during this The cross section shows a thin veneer of silty, investigation. sandy, clayey soils varying in thickness from about 2 feet to 10 feet, overlying bedrock comprised of intermixed claystone, shale and probable serpentine. The USGS, Areal and Engineering Geology of Oakland West and East Quadrangles, California, dated 1957 and 1969, respectively, show the site to be underlain by the Jurassic and Cretaceous age Franciscan Formation, comprised mainly of sandstone and shale with minor amounts of chert, greenstone, serpentine, and metamorphic rocks. The soil borings drilled by TPE did not encounter sandstones.

The Franciscan Formation, at the location of the site, comprises the foothills of the Diablo Range and is not considered a major water-bearing aquifer. Major aquifers are found beneath the East Bay Plain to the west in the unconsolidated, or poorly consolidated materials ranging from depths of about 50 feet to about 1,000 feet. The water-bearing properties of the Franciscan bedrock is poor because the bedrock is composed of low permeability consolidated rocks. Low yield wells of several gallons per minute are developed for domestic and stock use where sandstones, conglomerates and fracture zones can be located in the bedrock (Hickenbottom, K., et al, 1988, Geohydrology and Groundwater-Quality Overview, of the East Bay Plain Area, Alameda County, California, 82 p).





GEOLOGIC CROSS SECTION 5175 BROADWAY OAKLAND, CALIFORNIA

FIGURE

Groundwater beneath the site was encountered only within the bedrock and not within the thin veneer of soil overlying the The initial well, MW-1, was drilled in the estimated upgradient direction from the underground storage tank complex (see Figure 2) and encountered a relatively soft 2-foot thick waterbearing zone at a depth of 23 feet, approximately 14 feet into bedrock. The upper bedrock in well MW-1 is highly weathered and fractured. Drilling became more difficult with depth, indicating the density of the bedrock was increasing and the fracturing decreasing. When water was encountered at the depth of 23 feet, it was believed this water represented an unconfined water table perched on low permeability, relatively unfractured, dense bedrock. Because of the difficult drilling, the boring was terminated at a depth of 23 feet, at first encountered water, and a 10-foot screen was installed. Prior to installing the screen, depth to water was stabilized at about 23 feet. About 2 hours after installation of the well, the water level was found to have significantly risen to a depth of about 10 feet. This rise in water level, from 23 feet to 10 feet in depth, indicates the groundwater is confined within the bedrock.

No waterbearing zones were observed while drilling the second well (MW-3) to a depth of 27 feet. A dry well was constructed in the boring of well MW-3 to determine if any low yielding, low permeability, waterbearing zones may exist within the boring, or to demonstrate that no groundwater exist at this location on the site. A 20-foot screen was installed in the dry boring of well MW-3 to allow water to enter the boring from any low permeability waterbearing zones that may yield water to the well over a long period of time. The top of perforations (at a depth of 7.0 feet) was located above the base of the former tanks to detect all possible waterbearing zones and any potential floating product. After seven days, water was measured in well MW-3 at a depth of 11.95 feet; no floating product was present.

The last well installed, well MW-2, encountered an approximate 1.5-foot thick waterbearing zone at a depth of about 20 feet. Water from this zone immediately rose in elevation within the boring indicating a confined aquifer similar to well MW-1. Since other low yielding, low permeability, waterbearing zones may exist at shallower depths within this boring, as suggested by the response of the initially dry boring of well MW-3, a 20-foot screen was installed for reasons discussed above for well MW-3 and, specifically, to detect the occurrence of any floating product. Six days after well installation well MW-2 was checked for floating product; no product was present.

Groundwater beneath the site is believed to be transmitted through low permeability, thin (1.5-2.0 feet), confined, and possibly unconfined waterbearing zones. It has not been determined if these zones are hydraulically interconnected or isolated from one another. These zones may be waterbearing fractures that have been intersected by the borings. All three wells are low yielding water wells that can manually be bailed dry within minutes using a 4-inch bailer. Wells, MW-2 and MW-3 are significantly lower yielding than MW-1.

Groundwater elevations measured in the three monitoring wells on May 17, 1990 indicate that the direction of groundwater flow is west-southwesterly with a gradient of 0.042 feet per foot (see Figure 4 and Table 3). If the waterbearing zones penetrated by the three wells are not hydraulically interconnected, no groundwater flow may exist or the direction of flow may be unique for each zone.

#### Soil Analytical Results:


Seven soil samples were analyzed for TPHG and BTEX by Sequoia Analytical located in Redwood City, CA. Certified analytical reports and chain-of-custodies are documented in Appendix A and summarized in Table 4.

Figures 5 through 7 show gasoline concentrations detected in soil for the 4-foot to 5-foot, 8-foot to 10-foot, and 13-foot to 14-foot depths. Because of poor sample recoveries due to the dense bedrock, few soil samples were adequate for chemical analysis. Chemical analysis for soil samples for all three wells at the same depth interval are available only for the 8-foot to 10-foot depth range (see Figure 6). The highest gasoline concentrations, 190 ppm and 180 ppm, were detected in soils for the boring for well MW-1 at the 8-foot to 10-foot and 13.5-foot to 14.0 foot depth ranges, respectively.

Concentrations of the remaining BTEX chemicals in the soils are minor, ranging from non-detectable (<0.0050 ppm) to a high of 6.4 ppm for xylenes in well MW-1.

#### Groundwater Analytical Results:

Three groundwater samples were analyzed for TPHG and BTEX by Sequoia Analytical located in Redwood City, CA. Certified





GROUNDWATER GRADIENT 5175 BROADWAY OAKLAND, CALIFORNIA

FIGURE

# TABLE 3 GROUNDWATER ELEVATIONS 5175 BROADWAY


Well Name	Elevation TOC*(feet MSL)	Date	Depth to Water** (feet)	Groundwater Elevation(feet MSL)
MW-1	155.03	5/17/90	9.26	145.77
MW-2	154.97	5/17/90	10.00	144.97
MM-3	155.93	5/17/90	12.42	143.51

<sup>\*</sup> TOC = TOP-OF-CASING

<sup>\*\*</sup> MEASURED FROM TOC

TABLE 4
SUMMARY OF PRELIMINARY SITE ASSESSMENT
SOIL ANALYTICAL RESULTS
(ppm)


Sample Identification	Depth (feet)	TPH as Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes
MW-1	08.0-08.5	190	0.24	0.21	0.92	0.60
MW-1	13.5-14.0	180	1.7	1.4	2.4	6.4
MW-2	04.0-04.5	<1.0	0.0061	0.0050	0.0057	0.026
MW-2	08.5-09.0	<1.0	0.0060	0.0050	0.0089	0.013
MW-3	05.0-05.5	14	<0.0050	<0.0050	<0.0050	0.10
MW-3	10.0-10.5	46	0.050	<0.0050	0.40	0.20
MW-3	14.0-14.5	11	<0.0050	<0.0050	<0.0050	0.10





GASOLINE CONCENTRATIONS
4 FOOT TO 5 FOOT DEPTH
5175 BROADWAY
OAKLAND, CALIFORNIA


FIGURE





GASOLINE CONCENTRATIONS 8 FOOT TO 10 FOOT DEPTH 5175 BROADWAY OAKLAND, CALIFORNIA

FIGURE





GASOLINE CONCENTRATIONS
13 FOOT TO 14 FOOT DEPTH
5175 BROADWAY
OAKLAND, CALIFORNIA

FIGURE

TABLE 5
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
(ppb)

Sample Identification	Date Sampled	TPH as Gasoline	Benzene	Toluene	Ethyl- Benzene	Xylenes
MW-1 MW-2 MW-3	4/30/90 4/30/90 4/30/90	200 230 56000	18 39 3600	5 18 8600	2 5 1300/	12 23 7200
Detection Limit	s:	50	0.3	0.3	0.3	0.3

analytical reports and chain-of -custodies are presented in Appendix A and Table 5.


Figures 8 and 9 graphically display the analytical results as iso-concentration contours for gasoline and benzene concentrations, respectively, detected in the groundwater. The chemical analyses detected high concentrations of gasoline and benzene in well MW-3 (56000 ppb and 3600 ppb, respectively) and lower concentrations in wells MW-1 (200 ppb and 18 ppb, respectively) and MW-2 (230 ppb and 39 ppb respectively). The occurrence of hydrocarbons in the water samples from upgradient well MW-1 and cross gradient well MW-2 suggest that direction of groundwater flow may be variable due to seasonal gradient changes or perhaps due to tortuous flow through fracture systems. The plume patterns, as mapped, also suggest a potential offsite, upgradient contaminant source, however, no potential sources of contamination could be found in reviewing available RWQCB files.

Water samples from wells MW-1 and MW-2 may contain desorbed hydrocarbons from contact with contaminated rock and soil due to groundwater rising up the well screens from their initially confined state. Groundwater in these wells may be uncontaminated within the confined aquifer. Specific water depth sampling should be conducted in a future sampling event to analyze water purged directly from the confined aquifers. The absence of contaminated soils, as determined by chemical analyses, in the boring of well MW-2 suggests actual aquifer contamination in this well.

The exact stratigraphic source of groundwater in well MW-3 is unknown. The high concentrations of TPHG and BTEX in this well indicates the aquifer is contaminated.

#### Summary Of Findings:


- . No upgradient, offsite, potential sources of contamination could be found during a review of available RWQCB files.
- . The site is located on bedrock composed of the Franciscan Formation.
- Low to Moderate levels (11 ppm to 190 ppm TPHG) of soil contamination were detected in soil borings for wells MW-1 and MW-3, respectively.
- . No floating product was observed.





GASOLINE CONCENTRATIONS IN GROUNDWATER
5175 BROADWAY
OAKLAND, CALIFORNIA

FIGURE





BENZENE CONCENTRATIONS IN GROUNDWATER 5175 BROADWAY OAKLAND, CALIFORNIA

FIGURE
9

- Groundwater in wells MW-1 and MW-2 is confined 15 feet to 20 feet below top of bedrock. Other low yield, low permeability waterbearing zones, confined and unconfined may be present.
- . Groundwater flow direction is west-southwesterly.
- High levels of TPHG (56,000 ppb) and BTEX were detected in groundwater from well MW-3.
- . Low levels of TPHG and BTEX detected in groundwater samples from wells MW-1 and MW-2 may be due to desorption of hydrocarbons from soils above the confining aquifer.

#### Recommendations:

- Resample and analyze groundwater from wells MW-1, MW-2, and MW-3 using specific water depth sampling techniques in wells MW-1 and MW-2 to confirm the analytical results obtained in this investigation.
- . Conduct additional overexcavation of contaminated soils in the northeast corner of the site and in the area of well MW-3 and conduct verification soil sampling and chemical analyses.
- Perform additional characterization of the groundwater contamination (TPE can provide a scope of work upon request from the client).

## APPENDIX A

CERTIFIED ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION

## REPORT SUMMARY ANAMETRIX, INC. (408) 432-8192

daress : 28	ank Protect Engi 321 Whipple Road			Date Re	rix W.O.#: eceived : se Order#:	01/11/90	
City : Ur	nion City, CA 94 arc Zomorodi	587		Project	No. :	0110901 01/22/90	
Anametrix   I.D.	Sample I.D.	  Matrix	Date Sampled	  Method	Date  Extract	Date  Inst   Date  Inst  Analyzed I.D.	
RESULTS							
9001082-01 L1 9001082-02 S- 9001082-03 S- 9001082-04 S- 9001082-05 S- 9001082-06 S- 9001082-07 S- 9001082-02 S-	-1-W -2-N -3-N -3-S -4-N -4-S	WATER  SOIL  SOIL  SOIL  SOIL  SOIL  SOIL	01/10/90 01/10/90 01/10/90 01/10/90 01/10/90 01/10/90 01/10/90 01/10/90	TPH TPH TPH TPH TPH TPH TPH	01/11/90	01/12/90 N/A 01/18/90 N/A 01/12/90 N/A 01/12/90 N/A 01/12/90 N/A 01/12/90 N/A 01/16/90 N/A 01/17/90 HP15	
QUALITY ASSU	RANCE (QA)	~~~~~					. <u>-</u> 1
15B0117H01 ME  9001082-02 S-	THOD BLANK		N/A 01/10/90	8010 SPIKE	1	01/17/90 HP15 01/18/90 N/A	. <u>-</u> ;

# ANALYSIS DATA SHEET - PETROLEUM HYDROCARBON COMPOUNDS ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 0110901 L1,2,3,4 Anametrix I.D.: 9001082-01 Matrix

: WATER Analyst Date sampled: 01/10/90 : CB

Supervisor :70 Date anl.TPHg: 01/12/90

Date ext. TPHd: N/A

Date released : 01/22/90
Date ext. TOG : N/A
Date anl. TOG : N/A Date anl. TPHd: N/A

CAS #	Compound Name	Reporting Limit (ug/l)	Amount Found (ug/1)
71-43-2  108-88-3  100-41-4  1330-20-7	Benzene   Toluene   Ethylbenzene   Total Xylenes   TPH as Gasoline	50   50   50   100   2500	53 ND ND 810 6900

ND - Below reporting limit.

TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID

using EPA Method 5030.

BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA 8020.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

## ANALYSIS DATA SHEET - PETROLEUM HYDROCARBON COMPOUNDS ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 0110901 S-1-W Anametrix I.D.: 9001082-02 Matrix : SOIL
Date sampled : 01/10/90
Date anl.TPHg: 01/12/90
Date ext.TPHd: 01/11/90 Analyst : CB Supervisor : 7C Date released : 01/22/90 Date ext. TOG : 01/11/90 Date anl. TOG : 01/11/90 Date an1.TPHd: 01/18/90

CAS #	Compound Name	Reporting Limit (ug/kg)	Amount   Found   (ug/kg)
71-43-2  108-88-3  100-41-4  1330-20-7	Benzene   Toluene   Ethylbenzene   Total Xylenes   TPH as Gasoline   TPH as Diesel   Total Oil & Grease	5   5   5   5   1000   10000   30000	ND     ND     ND     ND     ND     ND     ND

- $\ensuremath{\text{ND}}$   $\ensuremath{\text{Not}}$  detected at or above the practical quantitation limit for the method.
- TPHg Total Petroleum Hydrocarbons as gasoline is determined by GCFID
- using EPA Method 5030.

  TPHd Total Petroleum Hydrocarbons as diesel is determined by GCFID following either EPA Method 3510 or 3550.

  TOG Total Oil & Grease is determined by Standard Method 503E.

  BTEX Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined
- by modified EPA 8020.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

## ANALYSIS DATA SHEET - PETROLEUM HYDROCARBON COMPOUNDS ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 0110901 S-2-NAnametrix I.D.: 9001082-03 Matrix : SOIL

Analyst : cg Date sampled : 01/10/90 Supervisor

Supervisor : TC
Date released : 01/22/90 Date anl.TPHg: 01/12/90 Date ext.TPHd: N/A Date ext. TOG : N/A Date anl. TOG : N/A Date anl. TPHd: N/A

CAS #	Compound Name	Reporting Limit (ug/kg)	Amount Found (ug/kg)
71-43-2  108-88-3  100-41-4  1330-20-7	Benzene   Toluene   Ethylbenzene   Total Xylenes   TPH as Gasoline	5000   5000   5000   5000   100000	ND   ND   13000   15000   970000

ND - Not detected at or above the practical quantitation limit for the method.

TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using EPA Method 5030.

BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA 8020.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

## ANALYSIS DATA SHEET - PETROLEUM HYDROCARBON COMPOUNDS ANAMETRIX, INC. (408) 432-8192

 Sample I.D.: 0110901 S-3-N
 Anametrix I.D.: 9001082-04

 Matrix: SOIL
 Analyst
 CO

 Date sampled: 01/10/90
 Supervisor
 7 C

 Date anl.TPHg: 01/12/90
 Date released
 01/22/90

 Date ext.TPHd: N/A
 Date ext. TOG
 N/A

 Date anl.TPHd: N/A
 Date anl. TOG
 N/A

	Compound Name	Reporting	Amount
		Limit	Found
CAS #		(ug/kg)	(ug/kg)
71-43-2  108-88-3  100-41-4  1330-20-7	Benzene   Toluene   Ethylbenzene   Total Xylenes   TPH as Gasoline	1000 1000 1000 1000 20000	ND     ND     ND     ND     120000

ND - Not detected at or above the practical quantitation limit for the method.

TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using EPA Method 5030.

BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA 8020.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

## ANALYSIS DATA SHEET - PETROLEUM HYDROCARBON COMPOUNDS ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 0110901 S-3-S Anametrix I.D.: 9001082-05 Matrix : SOIL

Analyst : (.13 Date sampled: 01/10/90 Supervisor Date anl. TPHg: 01/12/90

Supervisor :7C
Date released : 01/22/90
Date ext. TOG : N/A
Date anl. TOG : N/A Date ext.TPHď: N/A Date anl. TPHd: N/A

   CAS #	Compound Name	Reporting Limit (ug/kg)	Amount Found (ug/kg)
71-43-2  108-88-3  100-41-4  1330-20-7	Benzene   Toluene   Ethylbenzene   Total Xylenes   TPH as Gasoline	5000   5000   5000   5000   100000	ND   ND   ND   14000   930000

ND - Not detected at or above the practical quantitation limit for the method.

TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using EPA Method 5030.

BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA 8020.

All testing procedures follow California Department of Health Services (Čal-DHS) approved methods.

## ANALYSIS DATA SHEET - PETROLEUM HYDROCARBON COMPOUNDS ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 0110901 S-4-N

Matrix

Matrix : SOIL
Date sampled : 01/10/90 Date anl. TPHg: 01/12/90

Date ext. TPHd: N/A Date anl. TPHd: N/A

Anametrix I.D.: 9001082-06

Analyst : 🗇 Supervisor : TC

Date released : 01/22/90

Date ext. TOG : N/A Date anl. TOG : N/A

CAS #	Compound Name	Reporting Limit (ug/kg)	Amount Found (ug/kg)
71-43-2 108-88-3 100-41-4 1330-20-7	Benzene   Toluene   Ethylbenzene   Total Xylenes   TPH as Gasoline	50   50   50   50   1000	ND   ND   ND   13

ND - Not detected at or above the practical quantitation limit for the method.

TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using EPA Method 5030.

BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA 8020.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

### ANALYSIS DATA SHEET - PETROLEUM HYDROCARBON COMPOUNDS ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 0110901 S-4-S Anametrix I.D. : 9001082-07 Matrix

Matrix : SOIL
Date sampled : 01/12/90
Date anl.TPHg: 01/16/90
Date ext.TPHd: N/A : mi Analyst Supervisor : 7c
Date released : 01/22/90
Date ext mos

Date ext. TOG : N/A Date anl. TOG : N/A Date anl. TPHd: N/A

	Compound Name	Reporting	Amount
		Limit	Found
CAS #		(ug/kg)	(ug/kg)
71-43-2  108-88-3  100-41-4  1330-20-7	Benzene Toluene Ethylbenzene Total Xylenes TPH as Gasoline	200 200 200 200 200 4000	ND   ND   ND   800   55000

Not detected at or above the practical quantitation limit for the method.

TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using EPA Method 5030.

BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA 8020.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

## ORGANIC ANALYSIS DATA SHEET - EPA METHOD 601/8010 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 0110901 S-1-W Anametrix I.D.: 9001082-02 Matrix : SOIL

Analyst : AAL
Supervisor : CC
Date released : 01/22/90
Instrument ID : HP15 Date sampled: 01/10/90 Date analyzed: 01/17/90

Dilution : NONE

	· · · · · · · · · · · · · · · · · ·		
   CAS #	Compound Name	Reporting Limit (ug/Kg)	Amount Found (ug/Kg)
74-87-3  74-83-9  75-71-8  75-01-4  75-00-3  75-09-2  79-69-4  75-35-4  75-34-3  156-60-5  67-66-3  76-13-1  107-06-2  71-55-6  56-23-5  75-27-4  78-87-5  10061-02-6  124-48-1  79-01-6  124-48-1  79-00-5  100-75-8  75-25-2  127-18-4  79-34-5  108-90-7  95-50-1  541-73-1  106-46-7	* Chloromethane  * Bromomethane  * Dichlorodifluoromethane  * Vinyl Chloride  * Chloroethane  * Methylene Chloride  * Trichlorofluoromethane  * 1,1-Dichloroethene  * 1,1-Dichloroethene  * Trans-1,2-Dichloroethene  * Chloroform  # Trichlorotrifluoroethane  * 1,2-Dichloroethane  * 1,1-Trichloroethane  * 1,2-Dichloroethane  * 1,2-Dichloromethane  * 1,2-Dichloromethane  * 1,2-Dichloropropane  * Trans-1,3-Dichloropropene  * Trichloroethene  * Dibromochloromethane  * 1,1,2-Trichloroethane  * 1,1,2-Trichloroethane  * 2-Chloroethylvinylether  * Bromoform  * Tetrachloroethene  * 1,1,2,2-Tetrachloroethane  * Chlorobenzene  * 1,3-Dichlorobenzene  * 1,4-Dichlorobenzene  * 1,4-Dichlorobenzene	1 0.5 1 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	ND N
	% Surrogate Recovery	33-134%	62%

ND : Not detected at or above the practical quantitation limit for the method.

A compound added by Anametrix, Inc.

A 601/8010 approved compound (Federal Register, 10/26/84).

## ORGANIC ANALYSIS DATA SHEET - EPA METHOD 601/8010 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : METHOD BLANK

Anametrix I.D. : 15B0117H01

Matrix : SOIL Date sampled : N/A

Analyst : ARC Supervisor : C

Date analyzed: 01/17/90 Dilution : NONE

Date released : 01/22/90 Instrument ID : HP15

.     CAS #	Compound Name	Reporting Limit (ug/Kg)	Amount   Found   (ug/Kg)
74-87-3   74-83-9   75-71-8   75-01-4   75-00-3   75-09-2   79-69-4   75-35-4   75-34-3   156-59-2   156-60-5   67-66-3   76-13-1   107-06-2   71-55-6   56-23-5   75-27-4   78-87-5   10061-02-6   79-01-6   124-48-1   79-00-5   100-75-8   75-25-2   127-18-4   79-34-5   108-90-7   95-50-1   541-73-1   106-46-7	* Chloromethane   * Bromomethane   * Dichlorodifluoromethane   * Vinyl Chloride   * Chloroethane   * Methylene Chloride   * Trichlorofluoromethane   * 1,1-Dichloroethene   * 1,1-Dichloroethene   * 1,1-Dichloroethene   * Trans-1,2-Dichloroethene   * Trans-1,2-Dichloroethene   * Chloroform   # Trichlorotrifluoroethane   * 1,2-Dichloroethane   * 1,1-Trichloroethane   * 2-Dichloropropane   * Trans-1,3-Dichloropropene   * Trichloroethene   * Dibromochloromethane   * 1,1,2-Trichloroethane   * 1,1,2-Trichloroethane   * cis-1,3-Dichloropropene   * 2-Chloroethylvinylether   * Bromoform   * Tetrachloroethene   * 1,1,2,2-Tetrachloroethane   * 1,1,2,2-Tetrachloroethane   * Chlorobenzene   * 1,3-Dichlorobenzene   * 1,3-Dichlorobenzene   * 1,4-Dichlorobenzene	1 0.5 1 0.5 1 0.5 5 0.5 5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	ND   ND   ND   ND   ND   ND   ND   ND
	% Surrogate Recovery	33-134%	90%

ND : Not detected at or above the practical quantitation limit for the method.

A compound added by Anametrix, Inc.

A 601/8010 approved compound (Federal Register, 10/26/84).

### TOTAL EXTRACTABLE HYDROCARBON MATRIX SPIKE REPORT EPA METHOD 3510 WITH GC/FID ANAMETRIX, INC. (408) 432-8192

Sample I.D. : 0110901 S-1-W : SOIL

Matrix : SOIL
Date sampled : 01/10/90
Date extracted: 01/11/90
Date analyzed : 01/18/90

Anametrix I.D.: 9001082-02 Analyst: CF3 Supervisor: TC Date Released: 01/22/90

COMPOUND	SPIKE AMT. (UG/G)	MS (UG/G)	%REC MS	MSD (UG/G)	%REC MSD	RPD	%REC LIMITS
D.C.							
Diesel	83	73	88%	58	70%	23%	32-93

 $<sup>^{\</sup>star}$  Limits established by Anametrix, Inc.

Quality Assurance - Page 2



2821 WHIPPLE ROAD UNION CITY,CA. 94587 PHONE #(415) 429-8088 (800) 523-8088

### CHAIN OF CUSTODY

Morc	101 18на 120m0	E, ADDI	176 238 <b>XII</b> 282	b TELEPHO ' was !	one nom Grana	000 1 17 1000 1	(1) TYPE OF . CON- TATHER	150	36 5 / 2 / 2 / 3 / 3 / 3 / 3 / 3 / 3 / 3 / 3		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				REMARKS	i
		TIHE		WATER	1	THE LOCATION		V	\$\\\		<u> </u>	<u> </u>	<u> </u>	5/_		
<u>Li</u>		4.15			P.:**	per estation		<del> </del>						1	TPHI OF REMAKE & Note of ,	į
L2	1/1999			/			1 4 m A			1		are.			130 mall 20 - 8 me	Ċ
13	-	4.3			/	<u>, , , , , , , , , , , , , , , , , , , </u>	1 11/1/1/19	?			1;4	Sel	'nĆ	7	The second of th	
LLI	ý.	4:20					1 1,70	٠							a my market	
5-1-4	ij.	4,200			K. P.	15.5	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	_						1	TPHE TPHO OST RETYRE OL HO	
5-2-8		<b>5</b> :10	/			7. L N									TPH. S & BIXE	
5-5 %		5:13			wizi fi ing	. Tank 3 18									9	
5-3-5	.7	- 16 J	/			× 3 (5)									2	
1. 4 W		b:20	100		:	4(N									2 2	
5-4-5	47	5.05			فذ	. ~1(5	)	_				İ			4	
												Ī				
Kellingulsi Rellingulsi	ied by:	(Signa टेन्ट्रेन्ट्रे	iture)		10:34	William K	Liter	Ì	Tie W	المنا	11 sl 2 2022	ied L	<u>Бу:</u>	ri (?	1 1/4,251 1/11 1 1 2 1/2 2 1 2 2 2 2 2 2 2 2 2 2	
				Date	e/Time	Received by:	(Signature	)	Кe	Որդ	บโรโ	ied	υÿ:	(5	Signature) Date/Time Received by: (Signature)	
Relfuquist	ied Ivy:	(SIgna	ture)	Date	/Time	Received (or (Signature)	Laboratory	l, y :		lla	1 c / 1	ine			Remarks	

DATE. 1-11-90

### ANALYSIS REPORT FOR

### Tank Protect Engineering 2821 Whipple Rd. Union City, CA 94587

CONTACT:

Mr. Marc Zomorodi

DATE:

2/08/90

CHAIN OF CUSTODY ID NO:

none

ORDER NO: 8977

P.O. NO:

8977

SITE DESCRIPTION:

5175 Broadway Oakland, Ca

### SAMPLE DESCRIPTION:

Three soil samples labeled S-P-1, S-P-2, S-P-3). These were identified by Carter Analytical Laboratory as L1, L2 and L3 respectively.

### REQUESTED ANALYSIS:

The three samples were analyzed for BTX and E (benzene, toluene, xylenes and ethyl benzene) by EPA method 8020 and for total petroleum hydrocarbons as gasoline.

The analyses reported are considered accurate. Should you wish further support for the reported data, submit your requirements in writing within 10 days. It is Carter Analytical Labs intent to give you complete satisfaction. Please reference the order number when communicating with us. The invoice is due and payable within 30 days from invoice date.

Hazardous Materials Certification No: 304 • Drinking Water Certification No: 953 from the State of California • Department of Health Services

The samples were identified as follows:

Carter I.D.	5400000		Date Extracted	Date Analyzed	EPA Method
			Arterior and the second second		
L 1	S-P-1	1/31/90	2/05/90	2/06/90	8020,TPH
L2	S-P-2	1/31/90	2/05/90	2/06/90	8020,TPH
L3	S-P-3	1/31/90	2/05/90	2/06/90	8020,TPH

### **BTEX (EPA 8020) Analysis**

Samples S-P-1, S-P-2, and S-P-3 were analyzed for benzene, toluene, ethyl benzene and xylenes (BTEX) following EPA method 8020 using an Nicolet model 9630/GC gas chromatograph (GC) and for total petroleum hydrocarbons as gasoline. A 5.00 gram portion of each sample was placed into a clean, glass vial. After adding 5.00 grams of nanograde methanol to the vials, the vials were shaken for 2 minutes. The resulting mixtures were allowed to settle for 30 minutes at 4 degrees Celsius. The clear, colorless methanol extracts were pipetted out of each vial and into separate 4 ml vials. The vials were labeled and maintained at 4 degrees Celsius until the time of analysis.

A 200 microliter (ul) portion of each extract was purged along with 5 ml of distilled water for 10 minutes at a rate of 25 ml per minute in a Tekmar liquid sample concentrator. The purged gases were trapped, concentrated, and automatically desorbed onto the GC. Separation was achieved on a packed, glass column with a stationary phase of 5% SP-1200/1.75% Bentone-34 on Supelcoport. The eluted components were detected by a photo ionization detector (PID) followed by a flame ionization detector (FID). The results of this analysis are reported in parts per million (ppm) as follows.

Compound	Ll (ppm)	<u>L2 (ppm)</u>	Detection Limit (ppm)
benzene toluene ethyl benzene xylenes	< 0.05. < 0.05. < 0.05. < 0.05.	< 0.05 < 0.05 < 0.05 < 0.05	0.05. 0.05. 0.05. 0.05.
gasoline	< 5.00	< 5.00	5.00.

Compound	(maa) EJ	Detection Limit (ppm)
benzene toluene ethyl benzene xylenes	< 0.05. < 0.05. < 0.05. < 0.05.	0.05. 0.05. 0.05. 0.05.
gasoline	34.00	5.00

Gasoline was found only in sample L3. Any gasoline present in samples L2 and L3 was below the detection limit. No BTE and X was detected in any of the samples.



Of Northern California

2821 WHIPPLE ROAD UNION CITY,CA. 94587 PHONE #(415) 429-8088 (800) 523-8088

### CHAIN OF CUSTODY

104=0417   S175   BROADWAY   CA 946/1   TYPE   SAPTILIES - HAVE ADDRESS AND TELEPRINE HUMBER 4154227   OF CONTACT AND COTY CA 2821, WATER SAPTILIES LOCATION   SUBJECT AND COTY CA 1   STAPPLIES LOCATION   SUBJECT AND STEX   SUBJECT AND STEX
100-105 " 1340 " 14w-3 "
MWS- 50-5-5 H 1320 V MW-3
100-105 " 1340 " 19W-3 "
4.0-745 " 1355 ~ MW-3 .
Halingstried by: (Signature)   Untersine Received by: (Signature)   Haterline Received by: (Signature)   Haterline Received by: (Signature)   Haterline Received by: (Signature)
Relinquished by: (Signature)   Untertime   Received by: (Signature)   Relinquished by: (Signature)   Date/Time   Received by: (Signature)
Relimpulshed by: (Signature) Date/Time Received for Laboratory by: Date/Time Remarks (Signature)

DATE. 4/20/90

2821 WHIPPLE ROAD UNION CITY, CA. 94587 PHONE #(415) 429-8088 (800) 523-8088

Of Northern California

### CHAIN OF CUSTODY

TECT \_ GINE......VG ( ....ORT....... CALL. DRN1...

TROJE	CI lo,		SITE	AHE & AD	DRESS	•		1			<del>, ,</del>		<del>, - ,</del>	-,										
		5	7 = 17	· 、マン	a a cd at ch	-5.	Ţ	1			_/_				/ /	/ /	/	/						
1			Calle	la d	- A	0	(1)	۱.	£ 6	?/¿	13	Ζ.	//	/,३)	/ /		/							
SAUTE	ERSNAF	e voo	क्टर स	11 111 111	oue minuer	C CONTION	TYPE		37	(ご)	/ 🖖	.*/	/4/3	₹/		/ca	- /\	_						
To		$\tilde{\varphi}_{\gamma}$ it	2 <del> </del>		2 - 2 - 3 - 3 - 3	` ä^	OF . COR-	15	\$/.	Š:/∵	¥/\$	/4	57.°	?/	/ /		/,"			<b>D</b>	EHARKS			
25	721		~ i	2/2	: 1 1	3-	TAINER	1.3	/3	/%	/\$i	/ &	/3/	~/	/ /s	<del>,</del> .	/,4			r	CIMANO			
113.053	7 & 1 Com		PR.	j(1) -	Union	(1)	1	1/	/5/	<i>y</i> /	₹/	9/	3/8	Ÿ/	12	` /	/-							
10 10	1/-31	1346	3011	WAIEK	SVIIITI	IC LOCATION	j	1/4	\$/\\$	7/4	₹/&	/39		/ /	/ 10 F.	16	C   T   D   C							
5-P-1	1660	11.30	7		h.1	<u> </u>	Brass	<del>/</del>	<del></del>	<del>/                                    </del>	<del>/ /</del>	<u> </u>	<del></del>	{	<del></del>	/								
1					DEIDM	The pipeline	Sieche									Ľ								
5-P-Z	1-31	11:36			_ ~		~							$\neg \Gamma$		1	7							
5-8-3	1-31	11:45	-			2	~					$\exists$		$\neg$	1		/					-		
_														$\top$		<del></del>			- <del></del>					
							<del></del>				_	7		$\top$				<del></del>	<u> </u>		<del>·</del>			
	<del>                                     </del>				· ·				-		-	-+			· · · - ·	<del></del>								
	-											_		_										
																						_		
																				-	-	•		
	}																•					-		
									$\neg$			1					•							
			1				_			_	+	$\forall$		$\top$										
								-	$\dashv$	<b>─</b> ∱				+										
Relingy L	slied liv:	(Signa	Lurele	l Date	c/liste   k	ccelved live	(Stanature	<del>, -</del>	He.	1100	. [ eli	_ [	by:	A SL	06370		i bi	/ I ( pc	1	أبميا ممم	hv. (1	Ignatur	·	
9416	tache	Chil	. 1	1990	112:00/	ecclyod by:	,,,,,,,,		1	7	٠٠٠	Ŏ.	, , ,	10	ζή <sub>δ</sub> .			11						
Relingula	shed live	75 (200	Jures	7-/	e/Time R	ccclub by di	Stanatura	<u>.                                     </u>	<u> </u>	1155	11	$\Lambda$	- h	<i>4</i> 2	7 10	سم	1-2	13:00 10/11mc	<u>'</u>	<u></u>	hand	Karr		
11					1			- 1	À	ที	lu.			013	1012	·		10/12:31		rceiveu	by: (	) 1 K 1 W 1 O 1 4	,	
و المار الموال	Light hy	-(SIgna	ture)	Date	711 mg 1	ecelved for L	bpretory	<b>Խ</b> ÿ ;	L	<u>ka</u> -	ic/T	<del>ार्</del> ट्ड	<u>ا</u>	Ť	RC Mar	k š	1-1-4		<u></u>		···	· · · · · · · · · · · · · · · · · · ·		$-\dashv$
une	agge	<u> </u>		1/90	JRM!	Spenatures )	Wester	لي.																
/ `	_					——— X—		1.																
1	т	'ank D		+ Fasi												_								

Tank Protect Engineering authorizes Carter Analytical Labratories for designated analysis.

Signature: 1/1/ / Jich oca d

DATE. 2-1-90

Page 5 of 5 Order 8977

Samples submitted for analyses must be collected within a two week period following the completion of the analyses. Any samples remaining after the designated period of time will be discarded.

Should you have any questions please call. We look forward to serving you again in the near future.

M.R. Pixton

\_\_\_\_\_\_, Supervisor <u>02-08-90</u>

Date

Tank Protect Engineering 2821 Whipple Rd.

Union City, CA 9587

Attention: Marc Zomorodi

Client Project ID: Matrix Descript: #104-0417, 5175 Broadway, Oakland

Soil

Analysis Method: EPA 5030/8015/8020

First Sample #: 004-3128

Sampled:

Apr 17, 1990 Apr 20, 1990

Received: Analyzed:

Apr 27, 1990

Reported: May 7, 1990

## TOTAL PETROLEUM FUEL HYDROCARBONS with BTEX DISTINCTION (EPA 8015/8020)

Sample Number	Sample Description	Low/Medium B.P. Hydrocarbons mg/kg (ppm)	Benzene mg/kg (ppm)	Toluene mg/kg (ppm)	Ethyl Benzene mg/kg (ppm)	Xylenes mg/kg (ppm)
004-3128	MW1, 13.5-14.0	180	1.7	1,4	2.4	6.4
004-3129	MW1, 8.0-8.5	190	0.24	0.21	0.92	0.60
004-3130	MW3, 5.0-5.5	14	N.D.	N.D.	N.D.	0.10
004-3131	MW3, 10.0-10.5	46	0.050	N.D.	0.40	0.20
004-3132	MW3, 14.0-14.5	11	N.D.	N.D.	N.D.	0.10

			<del></del>	<del></del>	
Detection Limits:	1.0	0.0050	0.0050	0.0050	0.0050

Low to Medium Boiling Point Hydrocarbons are quantitated against a gasoline standard. Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Elizabeth W. Hackl Project Manager



2821 WHIPPLE ROAD UNION CITY,CA. 94587 PHONE #(415) 429-8088 (800) 523-8088

Of Northern California

Rook. 48 has

### CHAIN OF CUSTODY

•	180JEC	2 110. -44	90 51	311E 11	Broac	eness Lway CA The nother	(1)	REMIT SEE	۵/.	/ <u>\$</u> /.	//	//-	//o//
	- Canara	uessan	6 X1606	10/5 10 135 m	2 /~ 6/ 15 15 15 16 16	CV4	TYPE	5.60	1/3/	/\$/\$	16/	/3//	(F) H
	Ta-	. F	┺╴╷╷╷╷╷╷ ⋗╴╴┱┼┲	. t	Fna,	no non me	OF COH-	* 50 /	\§/ <sub>C</sub>	\$\\£\\	$\mathfrak{I}/.$	X	REHURKS
	282	l ur	hueple	- 100 P	1.00	neering Inion City, City SANGLING EXECUTION	TAINER	/2	Y\$\/	/3/3/	/\$/	5/	·//-/
	16 16:	13ATE 1990	The	sori.	WATER		Brass	/\$/	\$ /£	\$\\$\\\	۶/d		<del>2</del>
	M-5-1	-	3:20			spoil ple	Sleen	-			<u>\</u>	0	1)
4	m-5-2	2	3:26			n	^	_ _			1	4	Composite
	M-S-3		3:32	<u> </u>			"				1	1	
v.—	M-S-4	2	3:40	/		· · · · · · · · · · · · · · · · · · ·	. ~					1	1)
{	M-J_5		3:47	است		٠.	7				1	1	<u> </u>
1	m-5-6	/.	3:52			//	7				/	1	Composite
	M-S-7	"	4:01	<u> </u>		~	A .				1	1	1
1	m-s-8	_^_	4:10			~	11	_]_			1	1	
1	M-5-9	~	4:16			^^	*	_ _			4	4	Composile
	M-S-12	2 ~	4:25			~			Ш		4	4	<u> </u>
												_	
						<u> </u>			<u> </u>				
'	Seff 6	bach	: (Signa Odunci	ned.	4-6-90	Time Received by:	(SI gnature.	)   R	eling	ju i shed	by:	(\$	Signature)   Date/lime   Received by: (Signature)
ļ	le l'inqui s	hed by:	(Signa	ture)	Vale	Time Received by:	(Signature)	K	ellng	utshed	by:	(\$	Signature) Date/lime kecelved by: (Signature)
-	Relinquished by: (Signature) Date/lime Deceived for I						horatory I		111	te/Time		1	kewarks
	a, , i inqui s		. farkoù	core/	Date	The transfer				1/2		-	
_								, y	7-4-6	<del>y</del> - •••• —			

DATE.

Tank Protect Engineering 2821 Whipple Rd. Union City, CA 94587

Client Project ID: Matrix Descript:

#104-4490, Oakland, CA Soil

Sampled: Received: Apr 4, 1990 Apr 6, 1990 Apr 9, 1990

Attention: Marc Zomorodi

Analysis Method: First Sample #: EPA 5030/8015/8020 004-1006 A - D

Analyzed: Apr 9, 1990 Reported: Apr 10, 1990

# TOTAL PETROLEUM FUEL HYDROCARBONS with BTEX DISTINCTION (EPA 8015/8020)

Sample Number	Sample Description	Low/Medium B.P. Hydrocarbons mg/kg (ppm)	Benzene mg/kg (ppm)	Toluene mg/kg (ppm)	Ethyl Benzene mg/kg (ppm)	Xylenes mg/kg (ppm)
0041006 A-D	M-S-1, M-S-2, M-S-3, M-S-4,	5.0	0.0074	0.0050	0.038	0.069
0041007 A-C	M-S-5, M-S-6, M-S-7	15	0.0074	0.020	0.063	0.12
0041008 A-C	M-S-8, M-S-9, M-S-10	17	0.0050	0.010	0.041	0.095

Detection Limits:	1.0	0.0050	0.0050	0.0050	
		0.0030	0.0050	0.0050	0.0050

Low to Medium Boiling Point Hydrocarbons are quantitated against a gasoline standard. Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTIÇAL

Project Manager

Tank Protect Engineering 2821 Whipple Rd. Union City, CA 94587

Client Project ID:

#104-4249, 5175 Broadway

Sampled: Received:

Apr 24, 1990 Apr 27, 1990

Matrix Descript: Analysis Method:

Soil EPA 5030/8015/8020

Analyzed:

May 4, 1990

Attention: Marc Zomorodi  First Sample #:

004-4082

Reported:

May 7, 1990

### TOTAL PETROLEUM FUEL HYDROCARBONS with BTEX DISTINCTION (EPA 8015/8020)

Sample Number	Sample Description	Low/Medium B.P. Hydrocarbons mg/kg (ppm)	Benzene mg/kg (ppm)	Toluene mg/kg (ppm)	Ethyl Benzene mg/kg (ppm)	Xylenes mg/kg (ppm)
004-4082	MW2: 4.0-4.5	N.D.	0.0061	0.0050	0.0057	0.026
004-4083	MW2: 8.5-9.0	N.D.	0.0060	0.0050	0.0089	0.013

Detection Limits: 1.0 0.0050 0.0050 0.0050
--

Low to Medium Boiling Point Hydrocarbons are quantitated against a gasoline standard. Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL

Elizabeth W. Hackl Project Manager

## SUPERIOR ANALYTICAL LABORATORY, INC.

1555 Burke, Unit I  $\cdot$  San Francisco, Ca 94124  $\cdot$  Phone (415) 647-2081

#### CERTIFICATE OF ANALYSIS

LABORATORY NO.: 52000

CLIENT: TANK PROTECT ENGINEERING

CLIENT JOB NO.: 104

DATE RECEIVED: 05/03/90

DATE REPORTED: 05/14/90

### ANALYSIS FOR TOTAL PETROLEUM HYDROCARBONS by Modified EPA SW-846 Method 5030 and 8015

LAB #	Sample Identification	Concentration (ug/L) Gasoline Range
	······································	*
†	MW- 1	200
2	MW-2	230
3	MW-3	56000

ug/L - parts per billion (ppb)

Minimum Detection Limit for Gasoline in Water: 50ug/L

### QAQC Summary:

Daily Standard run at 2mg/L: RPD Gasoline = <15% MS/MSD Average Recovery = 119%: Duplicate RPD = 2%

## SUPERIOR ANALYTICAL LABORATORY, INC.

1555 Burke, Unit I · San Francisco, Ca 94124 · Phone (415) 647-2081

## CERTIFICATE OF ANALYSIS

LABORATORY NO.: 52000

CLIENT: TANK PROTECT ENGINEERING

CLIENT JOB NO.: 104

DATE RECEIVED: 05/03/90

DATE REPORTED: 05/14/90

ANALYSIS FOR BENZENE, TOLUENE, ETHYL BENZENE & XYLENES by EPA SW-846 Methods 5030 and 8020

LAB			Concentration(ug/L)				
#	Sample Identification	Benzene	Toluene	Ethyl Benzene	Xylenes		
(3 B)	MW-1 MW-2 MW-3	18 39 3600	5 18 8600	2 5 1300	12 23 7200		

US/L - parts per billion (ppb)

Minimum Detection Limit in Water: 0.3ug/L

QAQC Summary:

Daily Standard run at 20ug/L: RPD = <15%

MS/MSD Average Recovery = 100% : Duplicate RPD = 7%

Laboratory Director



Of Northern California

2821 WHIPPLE ROAD UNION CITY, CA. 94587 PHONE #(415) 429-8088 (800) 523-8088

Mrakovich

SA# 52000

CHAIN OF CUSTODY

TROJEC	Tho.	7	इसाइ	WHE & YIL	DRESS	<del></del>	<u> </u>				,	7 7	
104	<u> </u>	51	75	BROADY	uny OAKU	ND, CA.	TYPE (1)	) .	\$ 65 / 027 8 / 027	/& ,		,//	\$
SAUTLE	เรหมา	100K , 3	RESS AN	o telefil	ONE RUHAER		OF .	15	`\$ <sup>7</sup> /.	&/s		/કૃ/ુંડે	š/
TANK ARCI	FOT EX	GIAJET	RING	77	FL . * (445)	429-5088	COH-	4	ÿ/Ş	73	/3/	\$/ <sub>*</sub> `/	/ / / REMARKS
2821	WHIPP	LF R	D. U	WION C	UTY CA	. 945 <del>8</del> 7	TATHER	10	/2/	\$/	3/5	/\$/3	
lo io.	DATE	THE	SOIL.	WATER	SAHFLIR	C LOCATION		1/2	\$ \\$		]\i\	\\z\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
MW-2	4/30kg	3:56 3:57		V	Mu	-/	GLASS						TPHGASOLINE, BTEX
MW-2	4/3/2	4:33 4:34		~	nu	-7	GLASS			_ ]			TPH GASOLINE, BIEX
MW-3	4/30/90	4:42		~	MN	3	GLASS						THY GASOLINE, BIEX
						~ · · · · · · · · · · · · · · · · · · ·							
		,				· <del>-</del>							
]				-									
										<u>.</u>			
								_ (i	·	_ _			-
_	İ			}			1.74	- }				- 1	
Jel mout st	March	(Stolia	ture)	5/3/90	1/242	ecclved by:	(SI guature	7	-He1	Eriqu	1 हो हिंद	by: {	(Signature) Hate/Time Received by: (Signature)
Charles	~		~	1740	12921			1				•	(Signature) liate/fime Received by: (Signature)
Relationski	ed liy:	(Signa	ture)	5/79	711me	A principal	Cili	by:	5/=	191	e/11me	1:20	Remarks
						\/ <del>-</del>	0	<i></i>					

DATE.	
	<del></del>



2821 WHIPPLE ROAD UNION CITY, CA. 94587 PHONE #(415) 429-8088 (800) 523-8088

MrcKovich

SA# 52000

CHAIN OF CUSTODY

TROJEC	r RO.		SITE	ME & AND	HESS	1	Ī	•	//	///	////
104		- Ł			AY, OAKLAND, CA	11116	12.			\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
SYLLIFE	165NJ	E, XDO	ESS AIG	TELEPIO	TIE TIUHNER ( *(4157 429-50)	SE CON-	12.00	/\$/	(\$/\$/	\\$\\\\\$\\\\	/ / REFURKS
TANK ARC	TECT EX	KINET V	RING	יבי אונאנו	TV CA 94587	TATHER	/	3/£	Ÿ/\$Y.	S/S/S	ş/ /
10 RO.	DATE	THE	Soil	WATER	TY CA. 94587		15	\\$\\	<u> </u>		<u> </u>
MW-1	4/30/40	3:56		V	MW-1	40 ML					TPH GASOLINE, BTEX
MW-2	4/30/10	4:33 4:34		~	MW-3	GLASS 40ML					TPH GASOLINE, BTEX
	4/30/90			~	MW3	GLAST 40ML					THY GASOLINE, BIEX
	[	7									
ļ											
		<del></del>	ļ <del></del>					1			
<b></b>								1	1-1-		
	<u> </u>			<u> </u>				_			
<u> </u>							-	-		1 1-	
		·					<del>                                     </del>		┤╌┼╌	1 1	
]							<del>   </del>				
							- (4				
12-10 P	<u> </u>		2 222 6	1 1)91	e/Time   Received, b	y: (Slgnatůř	1 1	-ReTT	ا ا	d by:	(Signature)   Datelline   Received by: (Sknature)
Ke I III III	M		- Y	5/3/90	1/242						
Pleix	light by	Sign	aturel	13/90	e/Time Received b	(Signatur	c)	سسسر			(Signature) ligite/fine Received by: (Signature)
Re Muques	lied liy:	(Slgn	Ature)	5/79	d 2/3	Jaller	Խy: _p	5(3	190 Ti	mc 14:20	Kenarks
						′ <	J-,				

DATE.

### APPENDIX B

HOLLOW-STEM AUGER DRILLING AND SOIL SAMPLING PROCEDURES

#### APPENDIX B

### HOLLOW-STEM AUGER DRILLING AND SOIL SAMPLING PROCEDURES

Undisturbed soil samples shall be recovered from soil without introducing liquids into the borings. Soil samples as core or cutting shall be taken continuously from ground surface to termination depth, or through the aquifer zone of interest for lithologic logging.

Borings shall be drilled with a hollow-stem auger and sampled with a California or modified California-type split-spoon sampler. Soil samples shall be of sufficient volume to perform the analyses which may be required, including replicate analyses.

Soil from all borings shall be described in detail using the Unified Soil Classification System and shall be logged by a geologist, civil engineer, or engineering geologist who is registered or certified by the State of California and is experienced in the use of the Unified Soil Classification System. All wet zones above the free water zone shall be noted and accurately logged.

Soil samples will be collected in decontaminated brass or stainless steel sampling tubes in the split-spoon. Sediment traps will be used when unconsolidated sands and gravels fall from the sampler during retrieval. The brass tubes will be cut apart using a clean knife. The ends of the tubes will be covered with a thin sheet of Teflon tape or aluminum foil beneath plastic end caps and sealed with electrical or duct tape and properly labeled. The samples will be stored on ice at a temperature of 4 degrees Celsius.

Drill cuttings will be stored on site in 55-gallon drums or covered with visquene. Analytical results will be submitted immediately to the site owner for determination of appropriate disposal procedures. The soil borings not completed as wells will be backfilled with a cement grout.

# APPENDIX C SAMPLE HANDLING TECHNIQUES

### APPENDIX C

### SAMPLE HANDLING TECHNIQUES

Soil and groundwater samples will be packaged carefully to avoid breakage or contamination, and will be delivered to the laboratory at proper storage temperatures. The following sample packaging requirements will be followed.

- \* Sample bottle/sleeve lids will not be mixed. All sample lids will stay with the original containers and have custody seals affixed to them.
- \* Samples will be secured in coolers to maintain custody, control temperature, and prevent breakage during transporation to the laboratory.
- \* The original chain-of-custody form and one copy will be placed in a plastic bag and taped to the inside of the cooler lid.
- \* Ice or blue ice will be used to keep samples at a constant temperature during transport to the laboratory.
- \* Each sample will be identified by affixing a pressure sensitive, gummed label, or standardized tag on the container(s). This label will contain the sample identification number, date and time of sample collection, and the collector's initials.

All sample containers will be precleaned and will be obtained at 1-Chem Research in Hayward, California, or from a State Department of Health Services certified analytical laboratory.

Sample Control/Chain-of-Custody: All field personnel will refer to this work plan to verify the methods to be employed during sample collection. All sample gathering activities will be recorded in the site logbook; all sample transfers will be documented in the site logbook; samples are to be identified with TPE labels and all sample bottles are to be custody-sealed. All

information is to be recorded in waterproof ink. All TPE field personnel are personally responsible for sample collection and the care and custody of collected samples until the samples are transferred or properly dispatched.

The custody record will be completed by the field technician who has been designated by the TPE project manager as being responsible for sample shipment to the appropriate laboratory. The custody record will include, among other things, the following information: name of person collecting the samples; date samples were collected; type of sampling conducted (composite/grab); location of sampling station; number and type of containers used; and signature of the TPE person relinquishing samples to a non-TPE person with the date and time of transfer noted. The relinquishing individual will also put all the specific shipping data on the custody record.

Site log books will be maintained by a designated TPE field employee to record, for each sample, sampling locations, station numbers, dates, times, sampler's name, designation of the samples as a grab or composite, notation of the type of sample (e.g. groundwater, soil boring, etc.), preservatives used, on-site measurement data, and other observations or remarks.

### APPENDIX D

LOGS OF EXPLORATORY BORINGS AND WELL COMPLETION DETAILS

## LOG OF EXPLORATORY BORING

PROJECT NUMBER 104

BORING NO. MW-1

PROJECT NAME

5175 Broadway, Oakland, California

PAGE 1 Of 2

J. Mrakovich DATE 4/17/90

SURFACE ELEV. 156 ±

Recovery	510	Penetra- tion	GROUND WATER LEVELS	DEPTH IN FT.	PLES	COLUMN CO	DESCRIPTION
(f:/ft)	(ppm)	(blus/ft)	834	ద్ద	हूं हु	COLURN	
1,5/1.5		13	-	5 -			Asphalt surface  Fill: Aggregate base of sand and gravel (SP), orange to dark brown, dry.  Fill: Clayey, gravelly, sand (SW),dark red brown with brick fragments, 5% medium sand, rootlets, damp, no odor.  Silty clay (CL), brown, stiff, damp, no odor. @ 6.5' color change to brown-orange.
.75/.75		47 for 9 inches		10 -			Gravelly sand (SW), olive-brown, dry, no odor.  Clayey silt (ML), 30% shale/claystone fragments, probably weathered bedrock, mottled blue-green/brown, strong gasoline odor, damp, dense.  Serpentine, mottled blue-green/brown, highly fractured, damp, very dense,
1.0/1.0		52		- 15 <b>-</b>			strong gasoline odor.  Claystone/shale, brown to black, fractured, moist, very dense, slight odor.
.5/.5		34 for 6 inches		<b>-</b> -20			

### REMARKS

Boring drilled with continuous-flight hollow-stem 10-inch O.D. augers (6.625inch I.D.). Samples collected in a 3-inch O.D. modified California sampler.

# LOG OF EXPLORATORY BORING

PROJECT NUMBER

104

BORING NO. MW-1

PROJECT NAME 5175 Broadway, Oakland, California

PAGE 2 Of 2

BY J. Mrakovich DATE 4/17/90


SURFACE ELEV. 156 ±

_ `		anovich		_ 4,	/   /	790	SURFACE ELEV. 130 I
Recovery	(bcw) 510	Penetra- tion (blws/ft)	GROUND UATER LEVELS	DEPTH IN FT.	SAMPLES	-OKTIJ OKTIJ SKRUJOO	DESCRIPTION
			-				@ 23.0' wet
.17/.17		50 for 2 inches	- 2	5 <b>-</b>			Boring terminated at 23 feet. Sampled to 23.17 feet.
			- - - -	_			
			- - - - -	-			·
				-			
			- - - -				
			- - - -	·			
-		REMARI	cs		_		

## WELL DETAILS

PROJECT NUMBER_	104
PROJECT NAME	5175 Broadway
LOCATION	Oakland, CA
WELL PERMIT NO	90222

BORING / WELL NO MW-1 TOP OF CASING ELEV. 155.03 GROUND SURFACE ELEV. 156 ± DATUM Mean sea level INSTALLATION DATE 4/17/90



## EXPLORATORY BORING

a.	Total depth	_23	_ft.
b.	Diameter	_10_	_in.
	Orilling method Hollow-stem	auger	

## WELL CONSTRUCTION

- c. Total casing length <u>23</u> ft. Material Schedule 40 PVC d. Diameter e. Depth to top perforations 13.0 ft. f. Perforated length \_10.0\_ft. Perforated interval from 23.0 to 13.0 ft. Perforation type <u>Machine slot</u> Perforation size \_\_\_020-inch g. Surface seal <u>1.0</u> ft. Seal material \_\_\_Concrete h. Backfill <u>8.5</u>ft. Backfill material Cement 1.0 ft. i. Seal
- Seal material <u>Bentonite</u> 12.5 ft. j. Gravel pack Pack material 8x20 filter sand 0.0 ft. k. Bottom seal
- Seal material N/A

## LOG OF EXPLORATORY BORING

PROJECT NUMBER

104

BORING NO. MW-2

PROJECT NAME

5175 Broadway, Oakland, California

PAGE 1 Of 2

BY J. Mrakovich DATE 4/24/90

SURFACE ELEY. 156 ±

<del></del>							
Recovery	<b>?10</b> .	Penetra- tion	JUND TER JELS	DEPTH IN FT.	PLES	-OKTIJ DIKGARD KHUJOD	DESCRIPTION
(ft/ft)	(ppn)	(blus/ft)	Ŗ₹ij	路급	ğ	COLUHX	
1.25/1.5		97	- 5	-			Concrete  Clayey silt (ML), mottled yellow-brown and olive brown, damp, slight odor.  Claystone, mottled yellow-brown with minor blue-green, highly fractured (blocky), upper 9-inches weathered to a clayey consistency, very dense, damp, no odor.
1.0/1.0		84	- - - - - - - - -	_			<ul> <li>8.0' color change to include more blue-green, slight gasoline odor.</li> <li>10.0' hard drilling 10-12 feet, strong gasoline odor while drilling.</li> </ul>
.42/.42		80 for 5 inches	- - - - - -	_			@ 13.0-13.4 insufficient sample for analysis, no odor.
.25/.25		50 for 3 inches	-	-20 -			@ 18.0-18.25 insufficient sample for analysis, no odor.

### REMARKS

Boring drilled with continuous-flight hollow-stem 10-inch O.D. (6.625-inch I.D.). Samples collected in a 3-inch O.D. modified California sampler.

# LOG OF EXPLORATORY BORING PROJECT NUMBER 104 BORING NO. MW-2 PROJECT NAME 5175 Broadway, Oakland, California PAGE 2 Of 2 J. Mrakovich DATE 4/24/90 SURFACE ELEV. 156 ± Recovery 210 Penetration GRUPHIC DESCRIPTION COLUKY (ft/ft) (ppm) (blus/ft) .17/.17 50 @ 23.0-23.17' insufficient sample for for 2 analysis, no odor. inches Boring terminated at 23 feet. Sampled to 23.17 feet. **REMARKS**

## WELL DETAILS


PROJECT NUMBER 104

PROJECT NAME 5175 Broadway

LOCATION Qakland, CA

WELL PERMIT NO. 90222

BORING / WELL NO. MW-2
TOP OF CASING ELEV. 154.97
GROUND SURFACE ELEV. 156 ±
DATUM Mean sea level
INSTALLATION DATE 4/24/90



## EXPLORATORY BORING

a. Total depth

23.0 ft.

b. Diameter

<u>10</u> in.

Orilling method\_Hollow-stem auger

## WELL CONSTRUCTION

c. Total casing length 23.0 ft.

Material Schedule 40 pvc

d. Diameter 4\_in.

e. Depth to top perforations 8.0 ft.

f. Perforated length 15.0 ft.

Perforated interval from 23.0 to 8.0 ft.

Perforation type Machine slot

Perforation size 020-inch

g. Surface seal 1.0 ft.

Seal material \_\_\_\_Concrete

h. Backfill material Cement 4.0 ft.

i. Seal <u>1.0</u>ft.

Seal material Bentonite

j. Gravel pack 17.0 ft.

Pack material 8x20 filter sand

k. Bottom seal 0.0 ft.

Seal material N/A

## LOG OF EXPLORATORY BORING

PROJECT NUMBER

104

BORING NO. MW-3

PROJECT NAME

5175 Broadway, Oakland, California

PAGE 1 OF 2

BY J. Mrakovich DATE 4/17/90

SURFACE ELEV. 156 ±

							- SONFACE EELY 130 -
Recovery	210	Penetra- tion	ROUND HATER EVELS	EPTH 7 FT.	AMPLES	LITHO- GRAPHIC COLURN	DESCRIPTION
(ft/ft)	(pgm)	(blus/ft)	937	ᄚ	8		
			- -		-		Fill: Clayey, gravelly, sand (SW), dark brown and black. Hard object encountered at 3 feet, dry, no odor.
			- - -	-			Silty clay (CL), black, slightly damp, firm, slight gasoline odor.
1.5/1.5		7		-			@ 7.0 color change to grey, gasoline odor, damp.
1.5/1.5		75	- - - 10	) <u>-</u>			Claystone, yellow-brown, weathered to a clayey consistency, damp, strong gasoline odor.  Claystone/serpentine, mottled green and
.5/.5		50 for 6 inches	- - - - 15	-			dark brown, weathered, highly fractured, very dense, damp, strong gasoline odor.  @ 14.0'-14.5', slight gasoline odor, damp.
.33/.33		50 for 4 inches	-	_ 20			@ 19.0'-19.33', slight gasoline odor, insufficient sample for analysis, moist.

### REMARKS

Boring drilled with continuous hollow-stem 10-inch O.D. augers (6.625-inch I.D.). Samples collected in a 3-inch O.D. modified California sampler.

# LOG OF EXPLORATORY BORING

PROJECT NUMBER 104

BORING NO. MW-3

PROJECT NAME 5175 Broadway, Cakland, California

PAGE 2 Of 2

BY J. Mrakovich DATE 4/17/90

SURFACE ELEV. 156 ±

Receivery 210 Penetral (1017/11) Gpm) (blvs/ft) Fig. 1 Fig	<del></del>		SURFACE ELEV. 156 I
Boring terminated at 27 feet.	tio	COCHAN SAMPLES SAMPLES SAMPLES CITHA COLLAS SAMPLES CITHA COLLAS	DESCRIPTION
		25 — 19 Hills - 19 Hil	

REMARKS

## WELL DETAILS

PROJECT NUMBER_	104
PROJECT NAME	5175 Broadway
LOCATION	Qakland, CA
WELL PERMIT NO	90222


BORING / WELL NO MW-3

TOP OF CASING ELEV. 155.93

GROUND SURFACE ELEV. 156 ±

DATUM Mean sea level

INSTALLATION DATE 4/17/90



## EXPLORATORY BORING

## WELL CONSTRUCTION

c. Total casing length 27.0 ft. Material Schedule 40 PVC <u>4</u>\_\_\_in, d. Diameter 7.0 ft. e. Depth to top perforations f. Perforated length <u>20.0</u>ft. Perforated interval from 27.0 to 7.0 ft. Perforation type Machine slot g. Surface seal <u>1.0</u>ft. Seal material \_\_Concrete h. Backfill <u>4.0</u> ft. Backfill material Cement i. Seal 1.5 ft. Seal material <u>Bentonite</u> 21.5 ft. j. Gravel pack Pack material 8x20 filter sand 0.0 ft. k. Bottom seal

N/A

Seal material\_

# APPENDIX E GROUNDWATER MONITORING WELL CONSTRUCTION PROCEDURES

### APPENDIX E

### GROUNDWATER MONITORING WELL CONSTRUCTION PROCEDURES

### BOREHOLE DESIGN

<u>Casing Diameter:</u> The minimum diameter of well casings shall be 2 inches (nominal).

Borehole Diameter: The diameter of the borehole shall be a minimum of 4 inches and a maximum of 12 inches greater than the diameter of the well casing

Shallow (Unconfined Zone) Wells: When groundwater is encountered or known to be within 45 feet of the ground surface, the borehole will be advanced through the aquifer to an underlying competent aquitard. The competency of the aquitard may be tested by sampling 5 feet into the underlying aquitard and backfilling the excess hole with either bentonite pellets or neat cement placed by tremie pipe method. An aquitard found to be less than 5 feet thick, is assumed to represent a local lens. The screened interval will begin a minimum of 5 feet above the saturated zone and extend the full thickness of the aquifer or no more than 20 feet into the saturated zone, whichever is reached first. The well screen will not extend into the aquitard, nor shall the screened interval exceed 25 feet in length.

<u>Deep (Confined Zone) Wells:</u> Any monitoring well to be screened below the upper aquifer shall be installed as a double-cased well. A steel conductor casing shall be placed through the upper water-bearing zone to prevent aquifer cross-contamination.

The conductor casing shall be installed in the following manner: a large diameter borehole (typically 18 inches) shall be drilled until it is determined that the first competent aguitard has been reached. A low carbon steel conductor casing shall be placed in

the borehole to the depth drilled. Centralizers shall be used to center the casing in the borehole. The annular space between the conductor casing and the formation shall be cement-grouted from bottom to top by tremie pipe method. The grout shall be allowed to set for a minimum of 72 hours.

Drilling may continue inside the conductor casing, with a drill bit of smaller diameter than the conductor casing. If additional known aquifers are to be fully penetrated, the procedure can be repeated with successively smaller diameter conductor casings.

The bottom of the well screen in a confined aquifer shall be determined by presence or lack of a competent (5 foot) aquitard as described above. The screened interval in a confined zone shall extend across the entire saturated zone of the aquifer or up to a length of 20 feet, which ever is less. The screened zone and filter pack shall not cross connect to another aquifer.

### CONSTRUCTION MATERIALS

Casing Materials: Well casing shall be constructed of materials that have the least potential for affecting the quality of the sample. The most suitable material for a particular installation will depend upon the parameters to be monitored. Acceptable materials include PVC, stainless steel, or low carbon steel.

<u>Casing Joints:</u> Joints shall be connected by flush threaded couplers. Organic bonding compounds and solvents will not be used on joints.

Well Screen Slots: Well screen shall be factory slotted. The size of the slots shall be selected to allow sufficient groundwater flow to the well for sampling, minimize the passage of formation materials into the well, and ensure sufficient structural integrity to prevent the collapse of the intake structure.

Casing Bottom Plug: The bottom of the well casing will be permanently plugged, either by flush threaded screw-on or friction cap. Friction caps shall be secured with stainless steel set screws. No organic solvents or cements will be applied.

<u>Filter Pack Material:</u> Filter envelope materials shall be durable, waterworn, and washed clean of silt, dirt, and foreign matter. Sand size particles shall be screened silica sand. Particles shall be well rounded and graded to an appropriate size for retention of aquifer materials.

Bentonite Seal Material: Bentonite shall be pure and free of additives that may effect groundwater quality. Bentonite shall be hydrated with clean water.

Grout Seal Material: Cement grout shall consist of a proper mixture if Type 1/11 Portland cement, hydrated with clean water. Up to 3% bentonite may be added to the mixture to control shrinkage.

### CONSTRUCTION PROCEDURES

<u>Decontamination:</u> All downhole tools, well casings, casing fittings, screens, and all other components that are installed in the well shall be thoroughly cleaned immediately before starting each well installation. When available, each component shall be cleaned with a high temperature, high pressure washer for a minimum of five minutes. When a washer is not available, components shall be cleaned with water and detergent or trisodium phosphate, rinsed in clean water, than rinsed in distilled water.

Soil and water sampling equipment and material used to construct the wells shall not donate to, capture, mask, nor alter the chemical composition of the soil and groundwater.

<u>Drilling Methods:</u> Acceptable drilling methods include solid and hollow-stem auger, percussion, direct circulation mud and air rotary, and reverse rotary. The best alternative is that which minimizes the introduction of foreign materials or fluids. If drilling fluid is employed, drilling fluid additives shall be limited to inorganic and non-hazardous compounds. Compressed air introduced to the borehole shall be adequately filtered to remove oil and particulates.

<u>Casing Installation:</u> The casing will be set under tension to ensure straightness. Centralizers will be used where necessary to prevent curvature or stress to the casing.

Sand Pack Installation: The sand pack will be installed so as to avoid bridging and the creation of void spaces. The tremie pipe method will be used where installation conditions or local regulations require. Drilling mud, when used, will be thinned prior to pack placement. The sand pack shall cover the entire screened interval and rise a minimum of two feet above the highest perforation.

Bentonite Seal Placement: The bentonite seal will be placed by a method that prevents bridging. Bentonite pellets can be placed by free fall if proper sinking through annular water can be assured. Bentonite slurry will be placed by the tremie pipe method from the bottom upward. The bentonite seal should not be less than 1 foot in thickness above the sand pack.

Grout Seal Placement: The cement grout mixture shall be hydrated with clean water and thoroughly mixed prior to placement. If substantial groundwater exists in the bore hole, the grout shall be placed by tremie pipe method from the bottom upward. In a dry borehole, the grout may be surface poured. Grout will be placed in one continuous lift and will extend to the surface or to the well vault if the wellhead is completed below grade. A minimum of 5 feet of grout seal will be installed, unless impractical due to the shallow nature of the well.

<u>Surface Completion:</u> The wellhead will be protected from fluid entry, accidental damage, unauthorized access, and vandalism. A watertight cap shall be installed on the well casing. Access to the casing will be controlled by a keyed lock.

Wellheads completed below grade will be completed in a concrete and/or steel vault, installed to drain surface runoff away from the vault.

Well Identification: Each well will be identified by well number, owner, and type of installation. Construction data, including depth, hole and casing diameter, and screened interval will be noted.

# APPENDIX F

GROUNDWATER MONITORING WELL DEVELOPMENT PROCEDURES

#### APPENDIX F

### GROUNDWATER MONITORING WELL DEVELOPMENT PROCEDURES

### INTRODUCTION

Newly installed groundwater monitoring wells will be developed to restore natural hydraulic conductivity of the formation, remove sediments from well casing and filter pack, stabilize the filter pack and aquifer material, and promote turbidity-free groundwater samples.

Wells may be developed by bailing, mechanical pumping, air lift pumping, surging, swabbing, or an effective combination of methods. Wells will be developed until the well is free of sand, silt, and turbidity.

In some cases where low permeability formations are involved or the drilling mud used fails to respond to cleanup, initial development pumping may immediately dewater the well casing and thereby inhibit development. When this occurs, clean, potable grade water may be introduced into the well, followed by surging of the introduced waters with a surge block. This operation will be followed by pumping. The procedure may be repeated as required to establish full development.

### METHODOLOGY

<u>Seal Stabilization:</u> Cement and bentonite annular seals shall set and cure not less then 24 hours prior to well development.

<u>Decontamination</u>: All well development tools and equipment shall be thoroughly cleaned immediately before starting each well installation. When available, each component shall be cleaned with a high temperature, high pressure washer for a minimum of five minutes. When a washer is not available, components shall be cleaned with clean water, then rinsed with distilled water.

Development equipment shall not donate to, capture, mask, nor alter the chemical composition of the soils and groundwater.

<u>Introduction of Water:</u> Initial development of wells in low permeability formations may dewater the casing and filter pack. When this occurs, clean, potable water will be introduced into the well to enhance development.

<u>Bailing:</u> Development will begin by bailing to remove heavy sediments from the well casing. Care will be taken to not damage the well bottom cap during lowering of the bailer.

Surging: Care will be exercised when using a surge block to avoid damaging the well screen and casing. When surging wells screened in coarse (sand/gravelly) aquifers, the rate of surge block lifting shall be slow and constant. When surging wells screened in fine (silty) aquifers, more vigorous lifting may be required. Between surging episodes, wells will be bailed to remove accumulated sediments.

<u>Pumping:</u> Development pumping rates shall be less than the recharge rate of the well in order to avoid de-watering.

Discharged Water Containment and Disposal: All water and sediment generated by well development shall be collected in 55-gallon steel drums. Development water will be temporarily contained on site, pending sampling and laboratory analysis. All hazardous development water will be transported off site by a licensed transporter to a hazardous waste disposal or treatment facility. No hazardous development water will be released to the environment.

# APPENDIX G GROUNDWATER SAMPLING PROCEDURES

### APPENDIX G

### GROUNDWATER SAMPLING PROCEDURES

Groundwater samples will be obtained using either a bladder pump or a clear Teflon bailer. Prior to sampling, sampling equipment will be thoroughly decontaminated to prevent introduction of contaminants into the well and to avoid cross-contamination. Monitoring wells will be sampled after three to five wetted casing volumes of groundwater have been evacuated and after the TPE sampling team leader determines that water representative of the formation is being obtained. The well will be purged until conductivity has been stabilized (three consecutive conductivity reading within 15% of one another). If the well is emptied before four to ten well volumes are removed, the sample shall be taken when the water level in the well recovers to 80% of its initial water level or better.

TPE will also measure the thickness of any floating product in the monitoring wells using a probe or clear Teflon bailer. The floating product will be measured after well development but prior to the collection of groundwater samples. If floating product is present in the well, TPE will recommend to the client that product removal be commenced immediately and reported to the appropriate regulatory agency.

Unless specifically waived or changed by the local, prevailing regulatory agency, water samples shall be handled and preserved according to the latest EPA methods as described in the Federal Register (Volume 44, No.233, Page 69544, Table 11) for the type of analysis to be performed.

### **MEASUREMENTS**

<u>Purged Water Parameter</u>: During purging, discharged water will be measured for the following parameters.

<u>Parameter</u>	Units of Measurment
PH	Units
Electrical	Umhos
conductivity	
Temperature	Degrees F or C
Depth to Water	Feet/Tenths
Volume of Water Discharged	Gallons

<u>Documentation:</u> All parameter measurements shall be documented in writing on TPE development logs.

## APPENDIX H

WATER HANDLING AND DECONTAMINATION PROCEDURES

### APPENDIX H

### WASTE HANDLING AND DECONTAMINATION PROCEDURES

<u>Decontamination:</u> Any drilling, sampling or field measurement equipment that comes into contact with soils or groundwater will be properly decontaminated prior to its use at the site and after each incident of contact with the soils or groundwater being investigated. Proper decontamination is essential to obtain samples that are representative of environmental conditions and to accurately characterize the extent of soil and groundwater contamination. Hollow-stem auger flights and the drill bit will be steam-cleaned between the sampling of each well.

All sample equipment, including the split-tube sampler and brass tubes, will be cleaned by washing with tri-sodium phosphate detergent, followed by sequential rinsing with tap water, and deionized water.

Waste Handling: Waste materials generated during site characterization activities will be handled and stored as hazardous waste and will be stored on site in appropriately labeled containers. Waste materials anticipated include drill cuttings, development and purge water, water generated during aquifer testing, water generated during decontamination, and used personnel protection equipment such as gloves and Tyvek. The site owner will be responsible for providing the storage containers and will be responsible for the disposal of the waste materials. Drill cuttings from individual borings will be stored separately in drums or covered by visquene and the appropriate disposal procedure will be determined by the site owner or TPE following receipt of the soil sample analytical results.

# APPENDIX I

QUALITY ASSURANCE AND QUALITY CONTROL PROCEDURES

### APPENDIX I

### OUALITY ASSURANCE AND QUALITY CONTROL PROCEDURES

The overall objectives of the field sampling program include generation of reliable data that will support development of a remedial action plan. Sample quality will be checked by the use of proper sampling, handling, and testing methods. Additional sample quality control methods may include the use of background samples, equipment rinsate samples, and trip and field blanks. Chain-of-custody forms, use of a qualified laboratory, acceptable detection limits, and proper sample preservation and holding times also provide assurance of accurate analytical data.

TPE will follow a QA/QC program in the field to ensure that all samples collected and field measurements taken are representative of actual field and environmental conditions and that data obtained are accurate and reproducible. These activities and laboratory QA/QC procedures are described below.

<u>Field Samples:</u> Additional samples taken in the field are used to evaluate both sampling and analytical methods. Three basic categories of QA/QC samples that may be collected are trip samples, field blanks, and duplicate samples.

Trip blanks are a check for cross-contamination during sample collection, shipment, and in the laboratory. Analytically confirmed organic-free water shall be used for organic parameters and deionized water for metal parameters. Blanks will be prepared by the laboratory supplying the sample containers. The blank shall be numbered, packaged, and sealed in the same manner as the other samples. One trip blank will be used for each sample set of less than 20 samples. At least 5% blanks will be used for sets greater than 20 samples. The trip blank is a water sample that remains with the collected samples during transportation and is analyzed along with the field samples to check for residual contamination. The trip blank is not to be opened by either the sample collectors or the handlers.

The field blank is a water sample that is taken into the field and is opened and exposed at the sampling point to detect contamination from air exposure. The water sample is poured into appropriate containers to simulate actual sampling conditions. Contamination for air exposure can vary considerably from site to site.

The laboratory will not be informed about the presence of field and trip blanks and a false identifying number will be put on the label. Full documentation of these collection and decoy procedure will be made in the site logbook.

Duplicate samples are identical sample pairs (collected in the same place and at the same time), placed in identical containers. For soils, adjacent sample liners will be analyzed. For the purpose of data reporting, one is arbitrarily designated the sample, and the other is designated as a duplicate sample. Both sets of results are reported to give an indication of the precision of sampling and analytical methods.

The laboratory's precision will be assessed without the laboratory's knowledge by labeling one of the duplicates with false identifying information. Data quality will be evaluated on the basis of the duplicate results.

Laboratory QA/QC: Execution of a strict QA/QC program is an essential ingredient in high-quality analytical results. By using accredited laboratory techniques and analytical procedures, estimates of the experimental values can be very close to the actual value of the environmental sample. The experimental value is monitored for its precision and accuracy by preforming QC test designed to measure the amount of random and systematic errors and to signal when correction of these errors is needed.

The QA/QC program describes methods for performing QC tests. These methods involve analyzing method blanks, calibration standards, check standards (both independent and EPA-certified standards), duplicates, replicates, and sample spikes. Internal QC also requires adherence to written methods, procedural documentation, and record keeping, and the observance of good laboratory practices.