
.2.N 2 2

PHASE II SUPPLEMENTAL SITE INVESTIGATION REPORT

BP Oil Company Service Station No. 11105 3519 Castro Valley Boulevard Castro Valley, California

Project No. 10-138

1/96



January 1996





BP OIL

February 5, 1996

BP Oil Company
Environmental Resources Management
Building 13, Suite N
295 SW 41st Street
Renton, Washington 98055–4931
(206) 251-0667
Fax No: (206) 251-0736

MR. SCOTT SEERY
-ALAMEDA COUNTY HEALTH CARE SERVICES AGENCY
1131 Harbor Bay Parkway, Room 250
Alameda, CA 94502-6577

RE:

BP OIL FACILITY #11105 3515 Castro Valley Blvd Castro Valley, CA

Attached please find our <u>PHASE II SUPPLEMENTAL SITE INVESTIGATION REPORT DATED</u>

<u>January 1996</u> for the above referenced facility.

If you should have any questions regarding this site, I may be reached at (206) 251-0689.

Respectfully,

Scott T Hooton

Environmental Resources Management

Corrective Action Manager

STH:sb msword\ERM11105

cc: Mr. Eddy So, CRWQCB, San Francisco Bay Region, 2101 Webster Street, Suite 200, Oakland, CA 94612

Mr. Brady Nagle, Alisto Engineering Group, 1777 Oakland Blvd., Suite 200, Walnut Creek, CA 94596

Mr. Michael Ahern, MW Associates, c/o American Title Co., 2641 Crow Canyon Rd, San Ramon, CA 94583

Mr. Greg Cahill, 3551 "B" Castro Valley Blvd, Castro Valley, CA 94546

Site File

PHASE II SUPPLEMENTAL SITE INVESTIGATION REPORT

BP Oil Company Service Station No. 11105 3519 Castro Valley Boulevard Castro Valley, California

Project No. 10-138-03-004

Prepared for:

BP Oil Company
Environmental Resources Management
295 S.W. 41st Street
Building 13, Suite N
Renton, Washington 98055

Prepared by:

Alisto Engineering Group 1575 Treat Boulevard, Suite 201 Walnut Creek, California

January 10, 1996

Brady Nagle

Project Manager

Al Sevilla, P.E.

Principal

CONTENTS

1.0	INTRODUCTION	l
	1.1 Purpose and Scope of Work 1.2 Site Location and Description 1.3 Project Background	1
2.0	FIELD METHODS	3
	2.1 Drilling and Soil Sampling	3
3.0	SITE GEOLOGY AND HYDROGEOLOGY	4
4.0	ANALYTICAL METHODS	5
5.0	RESULTS AND FINDINGS	5
6.0	CONCLUSIONS	6
REFE	RENCES	
TABL	JES	
	Summary of Results of Soil Sampling Summary of Results of Groundwater Sampling Summary of Results of Groundwater Monitoring - Xtra Oil Company Service Station	e
FIGU	RES	
	 Site Vicinity Map Site Plan Potentiometric Groundwater Elevation Contour Map Concentrations of Petroleum Hydrocarbons in Groundwater 	



CONTENTS (continued)

APPENDICES

Α	Summary of Results of Redwood Road Expansion Testing Performed by Alameda
	County Public Works Agency
В	Well Installation Permit
C	Field Procedures for Drilling, Soil Sampling, and Groundwater Monitoring Well
	Installation
D	Boring Logs and Well Construction Details
E	Field Procedures for Groundwater Monitoring Well Development and Sampling
F	Groundwater Monitoring Well Development and Sampling Field Survey Forms
G	Well Elevation Survey Maps
H	Field Procedures for Chain of Custody Documentation, Laboratory Reports, and
	Chain of Custody Records



1.0 INTRODUCTION

BP Oil Company retained Alisto Engineering Group to conduct a Phase II supplemental site investigation at former BP Oil Station No. 11105, 3519 Castro Valley Boulevard, Castro Valley, California. The work was performed under BP Oil Contract Release No. G393629 dated September 26, 1994. A site vicinity map is shown in Figure 1.

1.1 Purpose and Scope of Work

This work was performed to further assess the nature and extent of hydrocarbons in the subsurface soil and/or groundwater at the site and to comply with applicable regulations of the Alameda County Health Care Services Agency (ACHCSA) and the Regional Water Quality Control Board, San Francisco Bay Region (RWQCB). The scope of work for this investigation which was presented in the approved work plan dated June 3, 1994 (Alisto 1994a) is included the following tasks:

- Drilled and logged five exploratory soil borings and collected soil samples during installation of groundwater Monitoring Wells MW-6, MW-7, and MW-8 and Soil Borings SB-1 and SB-2.
- · Developed Wells MW-6, MW-7, and MW-8 and surveyed the existing onsite wells.
- Collected groundwater samples from Monitoring Wells ESE-1 through ESE-5 and MW-6, MW-7 and MW-8.
- Analyzed the soil and groundwater samples for specific hydrocarbon constituents.
- Evaluated the data and analytical results and prepared this report.

The above tasks and related field and sampling activities were performed in accordance with the technical specifications of BP Oil Company, and the requirements of the ACHCSA and the RWQCB.

1.2 Site Location and Description

The former BP Oil station is on the southeast corner of the intersection of Castro Valley Boulevard and Redwood Road, Castro Valley, California. The site is currently doing business as Chevron Service Station No. 203566, with three underground fuel storage tanks and a used oil tank. Figure 2 shows the layout of the site and the locations of the tanks and dispenser islands.

Properties neighboring the site are commercial developments. Located to the south of the site is Audio Emporium and Napa Auto Parts, and to the east is an American Title Insurance Company office. Across Castro Valley Boulevard to the north is Golden West Savings and Loan Association, and across the intersection of Castro Valley Boulevard and Redwood Road is Safeway Shopping center. Directly to the west and across Redwood Road is an operating Xtra Oil Company service station.



1.3 Project Background

The site was operated by Mobil Oil Corporation as a retail fuel station until 1989, when it operated as a BP Oil service station. In July 1993, the site began operation as a Chevron station. In 1984, three single-walled underground storage tanks were installed at the site while branded as a Mobil Oil station, 3515 Crow Canyon Road, Castro Valley Boulevard, Castro Valley (ACHCSA, 1991), and a used oil tank was installed in 1986 (BP, 1990).

In September 1992, five groundwater monitoring wells, ESE-1 through ESE-5, were installed at the site. Analysis of soil samples collected at depths of approximately 10 to 15 feet detected up to 220 milligrams per kilogram (mg/kg) total petroleum hydrocarbons as gasoline (TPH-G) and 1.4 mg/kg benzene in ESE-3. Total oil and grease (TOG) and halogenated volatile organic compounds (HVOCs) were not detected above the reported detection limits in the soil samples collected from ESE-1. The results of soil analysis are presented in Table 1.

Analysis of the groundwater samples collected from all the monitoring wells detected TPH-G, and benzene, toluene, ethylbenzene, and total xylenes (BTEX) at concentrations of up to 2100, 370, 150, 17, and 110 micrograms per liter (ug/l) (ESE, 1992).

In April 1993, BP Oil retained Alisto to perform groundwater monitoring and sampling on a quarterly basis. Analysis of groundwater samples collected from the wells from April 1993 through May 1995 detected TPH-G at concentrations of up to 1300 ug/l and benzene at concentrations of up to 2900 ug/l (Alisto 1993a, b, and c; Alisto 1994b, c, d, and e; Alisto 1995a and b). The results of groundwater analysis during this and previous activities are presented in Table 2.

Directly to the west and across Redwood Road is an operating Xtra Oil service station branded as a Shell station. Three monitoring wells, MW-1 through MW-3, were installed at the site at the Xrta Oil site as part of an ongoing environmental assessment. Analysis of soil samples collected during construction detected up to 1400 mg/kg TPH-G and 1.5 mg/kg benzene. TOG was detected at concentrations of up to 200 mg/kg in samples collected in MW-3 near the former waste oil tank. Analysis of groundwater samples collected from all the wells detected up to 210,000 ug/l TPH-G and 38,000 ug/l benzene (WEGE, 1990).

In December 1994, 23 soil borings, B1 through B23, were drilled by the Alameda County Public Works Agency (ACPWA) prior to proposed road expansion activities. Soil samples collected from depths of between two and eight feet were analyzed for TPH-G and BTEX constituents. Analysis of soil samples collected along the former BP Oil service station detected up to 59 mg/kg TPH-G and 0.016 mg/kg benzene. Analysis of soil samples collected along the Xtra Oil service station detected up to 86 mg/kg TPH-G and 0.67 mg/kg benzene. Soil samples collected from B23, located in Redwood Road between the two sites, detected up to 33 mg/kg TPH-G and 9.2 mg/kg benzene. A summary of results of the soil sampling performed by ACPWA, including tables, figures, and laboratory results, is attached as Appendix A.



2.0 FIELD METHODS

Before drilling, offsite access was obtained from and a permit to install monitoring wells was acquired from the ACHCSA, a copy of which is presented in Appendix B. The methods and procedures used during field activities are described in the following sections.

2.1 Drilling and Soil Sampling

On July 18 and 19, 1995, four soil borings were drilled onsite and one offsite to the southeast of the property. The borings were drilled to depths ranging from 15 to 31.5 feet. Drilling was performed by Soils Exploration Services, Benicia, California, using a CME 75 drilling rig equipped with 8-inch-diameter hollow-stem augers. Soil samples were collected at 5-foot intervals beginning at 5 feet to the total depth of Borings MW-6 and MW-7, and continuously in Borings MW-8, SB-1, and SB-2. The drilling and soil sampling procedures are presented in Appendix C.

Boring logs were prepared using the Unified Soil Classification System, including a description of soil characteristics such as color, moisture, density, and consistency. The logs are presented in Appendix D.

2.2 Monitoring Well Installation and Construction

Three of the soil borings were converted into Monitoring Wells MW-6, MW-7, and MW-8 in accordance with the field procedures for groundwater monitoring well installation presented in Appendix C. The wells were constructed of 2-inch-diameter, flush-threaded, Schedule 40 PVC casing. Blank casing was installed from the surface to 8 and 18 feet below grade, and 0.010-inch slotted casing was installed from 8 to 20 and 18 to 30 feet below grade. Well construction details are included on the boring logs in Appendix D.

2.3 Monitoring Well Development and Sampling

Well development and sampling was performed in accordance with the guidelines of the governing regulatory agencies (State Water Resources Control Board, 1989 and United States Environmental Protection Agency, 1986). The field procedures for groundwater monitoring well development and sampling are presented in Appendix E.

During well construction, after placing the filter pack and before installing the bentonite pellets and cement seal, water and sediments were removed from Monitoring Wells MW-6, MW-7, and MW-8 using a surge block. On July 24, 1995, the wells were developed by removing at least 10 casing volumes and until groundwater was relatively free of sediment, by using a bailer. The well development data are presented in the field survey forms in Appendix F.

On July 28, 1995, groundwater samples were collected from Monitoring Wells ESE-1 through ESE-5 and MW-6 through MW-8. The wells were purged of at least 3 casing volumes before sample collection, while monitoring pH, specific conductivity, and temperature. The samples were transported in an iced cooler to a state-certified laboratory following chain of custody procedures. The groundwater sampling data are included in Appendix F.



2.4 Groundwater Level Monitoring and Well Surveying

Monitoring Wells MW-6, MW-7, and MW-8 were surveyed to the top of the well casing by a licensed land surveyor, PLS Surveys, Alameda, California, in reference to an existing survey plot with an elevation of 179.95 feet above mean sea level. On July 28, 1995, the depth to groundwater in the wells was measured from the top of the casing to the nearest 0.01 foot using an electronic water level indicator. The survey data and relative groundwater elevation measurements are presented in Table 2.

PLS Surveys also surveyed groundwater Monitoring Well MW-1 at the neighboring Xtra Oil(Shell) service station, 3495 Castro Valley Boulevard. Depth to groundwater was measured concurrently at the Xtra Oil site. The survey data and relative groundwater elevation measurements are presented in Table 3. The graphical interpretation of the groundwater gradient beneath the BP Oil and Xtra Oil sites is shown in Figure 3. The well elevation survey maps are presented in Appendix G.

3.0 SITE GEOLOGY AND HYDROGEOLOGY

The site is in the Coast Range Geomorphic Province, on the eastern side of San Francisco Bay, approximately 1 mile to the west of the Hayward Fault. The uppermost geologic member consists primarily of Quaternary alluvial deposits. The Quaternary alluvium, composed of unconsolidated to semi-consolidated bay mud, silt, sand, and gravel may be up to 200 feet thick. The units generally overlie Franciscan bedrock in the upland coastal area and Tertiary sediments of the bay basin.

The site is an isolated, structural basin surrounded to the west, north, and east by folded and faulted uplands comprised of Cretaceous sandstone, shale and conglomerate of marine origin approximately 180 feet above mean sea level, as shown in Figure 1. The topography of the area slopes gently the north to south through the valley to the southwest, toward San Francisco Bay.

Soils types encountered while drilling during this and previous investigations consisted primarily of clayey silts and sandy silts. The clayey to sandy silt layers were occasionally underlain by clayey silts to silty clays and sandy silts to silty sands across the site.

The depth to groundwater measured in the monitoring wells ranged from approximately 8 to 10.5 feet and was used to develop the groundwater potentiometric surface map shown on Figure 3. The groundwater gradient estimated from these measurements is approximately 0.02 foot per foot across the BP site in a general southeasterly direction and 0.01 foot per foot across the Xtra Oil site in a general northeasterly direction.



4.0 ANALYTICAL METHODS

The soil and groundwater samples collected during this investigation were analyzed by Analytical Technologies, a state-certified laboratory, using standard test methods of the United States Environmental Protection Agency (EPA) and the California Department of Health Services.

The soil samples collected from MW-6, MW-7, and MW-8 and the groundwater samples collected from all the wells were analyzed for the following:

- TPH-G using EPA Methods 5030/8015
- BTEX using EPA Methods 5030/8020

The laboratory results for the soil and groundwater samples are summarized in Tables 1 and 2. The field procedures for chain of custody documentation and the laboratory reports and chain of custody records are presented in Appendix H. The concentrations of petroleum hydrocarbons detected in the groundwater are also shown in Figure 4.

5.0 RESULTS AND FINDINGS

The results of this Phase II supplemental site investigation, based on field observations and laboratory analysis, are discussed below:

- Soil types encountered in the borings appears contiguous across the site and generally
 consisted of clayey silts and sandy silts from the surface to approximately 8 to 12 feet
 below grade, underlain by sandy silts to silty sands and clayey silts from approximately
 12 to 25 feet, which is underlain by clay to the total depth of the borings.
- Groundwater was measured at approximately 8 to 10.5 feet below the top of the well
 casings.
- TPH-G was detected in the soil samples collected from MW-8, SB-1, and SB-2 at concentrations of up to 310 mg/kg at approximately 1.5 to 8 feet below grade.
 Benzene was detected only in SB-1 at 0.88 mg/kg at approximately 7 feet.
- TPH-G and BTEX constituents were not detected above the reported detection limits in the soil samples collected from MW-6 and MW-7.
- Separate-phase product was not observed in any of the monitoring wells during this
 investigation or previous monitoring events.
- Groundwater elevations measured on July 28, 1995 indicate a gradient of approximately 0.02 foot per foot in a southeasterly direction across the site and 0.007 and 0.02 foot per foot across the Xtra Oil site in a general northerly to southeasterly direction.



- TPH-G and BTEX constituents were not detected above the reported detection limits in the groundwater samples collected from ESE-3, ESE-4, and MW-6.
- TPH-G was detected at concentrations of up to 2000 ug/l in the groundwater samples collected from ESE-1, ESE-2, ESE-5, and MW-8. Benzene was detected in the samples collected from ESE-5 and MW-7 at concentrations 15 and 0.54 ug/l.

6.0 CONCLUSIONS

Based on the findings of this and previous investigations, it does not appear that further investigation is warranted at this time except for continued quarterly groundwater monitoring and sampling in accordance with the requirements of the governing regulatory agencies.



REFERENCES

- BP, 1990. Letter to Alameda County Health Care Services Agency. BP Oil Company. April 24.
- Alisto, 1993a, b, and c. Groundwater Monitoring and Sampling Report. Alisto Engineering Group. June 18, September 16, and November 16.
- ACHCSA, 1991. Letter to BP Oil Facility #11105, 3519 Castro Valley Boulevard, Castro Valley, Alameda County. Alameda Health Care Services Agency. June 25.
- Alisto, 1994a. Work Plan for Phase II Supplemental Site Investigation. Alisto Engineering Group. June 3.
- Alisto, 1994b, c, d, and e. Groundwater Monitoring and Sampling Report. Alisto Engineering Group. March 23, October 3, November 26, and April 3.
- Alisto, 1995a and b. Groundwater Monitoring and Sampling Report. Alisto Engineering Group. April 3 and June 30.
- ESE, 1992. Preliminary Site Assessment Report. Environmental Science & Engineering, Inc.. November 23.
- State Water Resources Control Board, 1989. Leaking Underground Fuel Tank Field Manual. October.
- United States Environmental Protection Agency, 1986. RCRA Ground-Water Monitoring Technical Enforcement Guidance Document. September.
- WEGE, 1990. Preliminary Assessment Report. WEGE Western Geo-Engineers. March 28.



SOIL SAMPLE ID	SAMPLE DEPTH (feet)	DATE OF SAMPLING	TPH-G (mg/kg)	TPH-D (mg/kg)	B (mg/kg)	T (mg/kg)	E (mg/kg)	X (mg/kg)	TOG (mg/kg)	HVOC (mg/kg)	LAB
ESE-1	15.0	09/29/92	70	ND	0.87	2	1.2	5.7	ND	ND	PACE
ESE-1	20.0	09/29/92	ND	ND	ND	ND	ND	ND	ND	ND	PACE
ESE-2	10.5	09/28/92	ND		ND	ND	ND	ND			PACE
ESE-2	20.0	09/28/92	ND		ND	ND	ND	ND	P#-		PACE
ESE-3	10.5	09/29/95	220		1.4	8.2	3.3	18	410		PACE
ESE-3	20.0	09/29/95	ND		ND	ND	ND	ND			PACE
ESE-4	6.5	09/28/92	ND		ND	ND	ND	ND	B-0-1		PACE
ESE-4	10.0	09/28/92	24		0.15	0.17	0.23	0.82			PACE
ESE-5	10.0	09/28/92	51		0.25	0.24	0.30	0.17			PACE
ESE-5	14.0	09/28/92	ND		ND	ND	ND	ND			PACE
MW-6	6.0-6.5	07/18/95	ND<2.5		ND<0.025	ND<0.025	ND<0.025	ND<0.050			ATI
MW-6	11.0-11.5	07/18/95	ND<2.5		ND<0.025	ND<0.025	ND<0.025	ND<0.050			ATI
MW-7	6.0-6.5	07/18/95	ND<2.5		ND<0.025	ND<0.025	ND<0.025	ND<0.050			AT1
MW-7	11.0-11.5	07/18/95	ND<2.5		ND<0.025	ND<0.025	ND<0.025	ND<0.050		-45	ATI
MW-8	3.5-4.5	07/19/95	ND<2.5		ND<0.025	ND<0.025	ÑD<0.025	ND<0.050			ATI
MW-8	7.5-8.0	07/19/95	8.8		ND<0.025	ND<0.025	0.046	0.11		===	ATI
SB-1	1.5-2.0	07/19/95	140		ND<0.10	ND<0.10	1.4	4.1	===		ATI
SB-1	3.5-4.0	07/19/95	190		ND<0.25	0.33	4.5	18			ATI
SB-1	7.0-7.5	07/19/95	310		0.88	0.88	(a) 0.41	2.0			ATI

ALISTO PROJECT NO. 10-138

SOIL SAMPLE ID	SAMPLE DEPTH (feet)	DATE OF SAMPLING	TPH-G (mg/kg)	TPH-D (mg/kg)	B (mg/kg)	T (mg/kg)	E (mg/kg)	X (mg/kg)	TOG (mg/kg)	HVOC (mg/kg)	LAB
SB-2 SB-2 SB-2 SB-2	1.5-2.0 3.5-4.0 5.5-6.0 7.5-8.0	07/19/95 07/19/95 07/19/95 07/19/95	ND<2.5 20 140 230		ND<0.025 ND<0.025 ND<0.025 ND<0.025	ND<0.025 ND<0.025 ND<0.025 ND<0.025	ND<0.025 0.93 1.2 3.9	ND<0.050 0.12 1.4 5.1			ATI ATI ATI ATI
ABBREVIA TPH-G TPH-D B T E X TOG HVOC mg/kg ND PACE ATI	Total petroleur Total petroleur Benzene Toluene Ethylbenzene Total xylenes Total oil and g Halogenated v Milligrams per Not detected a Not analyzed Pace Incorpor	rease volatile organic co kilogram above reported de	as diesel				Sample result m matrix interferen	nay be falsely repace.	oresented due	to	

E:\0\10-138\138\$\$I-\$.WQ2

WELL ID	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	TOG (ug/l)	1,2-DCA (ug/l)	DO (ppm)	LAB
ESE-1	10/05/92	177.69	11.22	1,66.47	2100	96	370	150	17	110	ND	1.8		
ESE-1D (c)	10/05/92		4-4		2300		370	160	16	110		-		
ESE-1	04/01/93	177.69	8.79	168.90	5900		1500	410	110	390	***			PACE
ESE-1	06/29/93	177.69	10.34	167.35	7600		2900	390	130	460				PACE
ESE-1	09/23/93	177.69	10.91	166.78	2000		490	40	20	56				PACE
QC-1 (c)	09/23/93			***	1500		420	39	19	56				PACE
ESE-1	12/10/93	177.69	9.93	167.76	1800		480	42	19	66			3.2	PACE
QC-1 (c)	12/10/93				1500		380	38	17	55				PACE
ESE-1	02/17/94	177.69	9.64	168.05	1900		380	48	24	80				PACE
QC-1 (c)	02/17/94				2200		430	42	19	65				PACE
ESE-1	08/08/94	177.69	11.72	165.97	2100		450	46	16	50			5.1	PACE
ESE-1	10/12/94	177.69	10.48	167.21	760		240	16	51	39			3.5	PACE
ESE-1	01/19/95	177.69	7.77	169.92	840		600	120	22	58			8.0	ATI
ESE-1	05/02/95	177.69	8.69	169.00	2000		640	67	24	98			8.5	ATI
ESE-1	07/28/95	177.69	10.12	167.57	190		ND<0.50	ND<0.50	ND<0.50	ND<1.0			7.9	ATI
ESE-2	10/05/92	178.23	11.68	166.55	300		5.4	16	3.9	45				
ESE-2	04/01/93	178.23	9.17	169.06	240		27	ND<0.5	17	2.6				PACE
ESE-2	06/29/93	178.23	10.88	167.35	1700		260	24	110	23	***			PACE
QC-1 (c)	06/29/93				1300		240	17	110	25				PACE
ESE-2	09/23/93	178.23	11.56	166.67	240		3.1	0.5	0.6	2.5				PACE
ESE-2	12/10/93	178.23	10.48	167.75	250		2.4	2.4	1.5	11			2.6	PACE
ESE-2	02/17/94	178.23	10.06	168.17	900		ND<0.5	ND<0.5	ND<0.5	ND<0.5				PACE
ESE-2	08/08/94	178.23	11.11	167.12	750		ND<0.5	ND<0.5	ND<0.5	ND<0.5			5.1	PACE
ESE-2	10/12/94	178.23	11.31	166.92	1700		ND<0.5	ND<0.5	ND<0.5	ND<0.5			3.6	PACE
ESE-2	01/19/95	178.23	8.25	169.98	300		2	0.9	0.7	1			8.1	ATI
ESE-2	05/02/95	178.23	9.21	169.02	1200		4.0	ND<2.5	ND<2.5	ND<5.0			8.4	ΑTI
ESE-2	07/28/95	178.23	10.64	167.59	2000		ND<2.5	ND<2.5	ND<2.5	ND<5.0			7.7	ATI

WELL	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/1)	E (ug/l)	X (ug/l)	TOG (ug/l)	1,2-DCA (ug/l)	DO (ppm)	LAB
ESE-3	10/05/92	178.20	10.58	167.62	430		57	31	3.6	34				
ESE-3	04/01/93	178.20	B.14	170.06	2400		460	220	74	210				PACE
ESE-3	06/29/93	178.20	9.72	168.48	280		56	14	15	13				PACE
ESE-3	09/23/93	178.20	10.46	167.74	72		13	3.5	1.7	4,1				PACE
ESE-3	12/10/93	178.20	9.30	168.90	270		71	32	6.1	33			2.7	PACE
ESE-3	02/17/94	178.20	8.97	169.23	520		140	10	20	33				PACE
ESE-3	08/08/94	178.20	10.02	168.18	ND<50		8.8	1.6	1.6	2.3			6.2	PACE
ESE-3	10/12/94	178.20	10.32	167.88	470		190	6.4	15	18			3.5	PACE
ESE-3	01/19/95	178.20	7.40	170.80	330		260	27	21	20			6.7	ATI
ESE-3	05/02/95	178.20	8.26	169.94	530		180	30	23	44			8.6	ATI
ESE-3	07/28/95	178.20	9.54	168.66	ND<50		ND<0.50	ND<0.50	ND<0.50	ND<1.0			8.8	ATI
ESE-4	10/05/92	177.73	10.33	167.40	98		7.2	1.3	1.1	6.1				
ESE-4	04/01/93	177.73	7.88	169.85	550		93	20	23	33				PACE
ESE-4	06/29/93	177.66 (d)	8.33	169.33	150		23	0.6	5.4	0.5				PACE
ESE-4	09/23/93	177.66	10.05	167.61	110		14	1.7	3.2	4.6				PACE
ESE-4	12/10/93	177.66	8.95	168.71	110		21	7.2	4.2	10			2.8	PACE
ESE-4	02/17/94	177.66	8.65	169.01	210		26	1.2	4.7	11				PACE
ESE-4	08/08/94	177.66	9.76	167.90	76		9.6	ND<0.5	2.0	ND<0.5		444	7.0	PACE
ESE-4	10/12/94	177.66	9.62	168.04	ND<50		ND<0.5	ND<0.5	ND<0.5	ND<0.5			3.2	PACE
ESE-4	01/19/95	177.66	6.97	170.69	140		56	14	24	23			6.9	ATI
ESE-4	05/02/95	177.66	7.85	169.81	130		21	2.8	8.6	8.2			9.1	ATI
ESE-4	07/28/95	177.66	9.20	168.46	ND<50		ND<0.50	ND<0.50	ND<0.50	ND<1.0			8.1	ATI

WELL.	DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	TOG (ug/l)	1,2-DCA (ug/l)	DO (ppm)	LAB
ESE-5	10/05/92	176.08	9.22	166.86	1300		200	3.8	1.2	18				
ESÉ-5	04/01/93	176.08	7.02	169.06	13000		2200	26	730	1000				PACE
QC-1 (c)	04/01/93		***		13000		2500	25	740	1100				PACE
ESE-5	06/29/93	176.08	10.21	165.87	7600		1500	9.3	170	100				PACE
ESE-5	09/23/93	176.08	10.64	165.44	560		19	1.2	0.9	1.8				PACE
ESE-5	12/10/93	176.08	9.42	166.66	1700		300	3.0	76	110			2.5	PACE
ESE-5	02/07/94	176.08	9.35	166.73	3500		640	7.8	90	130				PACE
ESE-5	08/08/94	176.08	8.76	167.32	2600		210	4.6	9.4	4.4			5.8	PACE
QC-1 (c)	08/08/94	****			2500		230	4.6	13	4.8				PACE
ESE-5	10/12/94	176.08	8.95	167.13	5600		560	9.5	75	21			3.6	PACE
QC-1 (c)	10/12/94				6000		550	10	78	22				PACE
ESE-5	01/19/95	176.08	5.40	170.68	1900		620	ND<5	95	15			7.6	ATI
QC-1 (c)	01/19/95			·	1600		620	ND<5	93	17				ATI
ESE-5	05/02/95	176.08	6.48	169.60	5700		1100	ND<10	180	58			8.2	ΙŤΑ
QC-1 (c)	05/02/95	_			5300		1100	ND<10	180	58				ATI
ESE-5	07/28/95	176.08	7.97	168.11	520		15	ND<0.50	1.7	1.3			8.2	ATI
QC-1 (c)	07/28/95			_	460		7.2	ND<0.50	1.9	1.5				ATI
MW-6	07/28/95	179.24	10.00	169.24	ND<50		ND<0.50	ND<0.50	ND<0.50	ND<1.0			8.1	ATI
MW-7	07/28/95	176.55	9.25	167.30	ND<50		0.54 (e)	0.54	ND<0.50	ND<1.0		Maria.	7.1	ATI
MW-8	07/28/95	176.34	7.80	168.54	1100	~~~	ND<2.5	ND<2.5	ND<2.5	ND<5.0			7.2	ATI

ALISTO PROJECT NO. 10-138

WELL. ID		DATE OF SAMPLING/ MONITORING	CASING ELEVATION (a) (Feet)	DEPTH TO WATER (Feet)	GROUNDWATER ELEVATION (b) (Feet)	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	(ug/l)	1,2-DCA (ug/l)	DO (ppm)	LAB
QC-2	(f)	04/01/93				ND<50		ND<0.5	ND<0.5	ND<0.5	ND<0.5				PACE
QC-2	(f)	06/29/93				ND<50		ND<0.5	ND<0.5	ND<0.5	ND<0.5				PACE
QC-2	(f)	09/23/93		***		ND<50		ND<0.5	ND<0.5	ND<0.5	ND<0.5				PACE
QC-2	(f)	12/10/93				ND<50		ND<0.5	ND<0.5	ND<0.5	ND<0.5				PACE
QC-2	(f)	02/17/94				ND<50		ND<0.5	ND<0.5	ND<0.5	ND<0.5				PACE
QC-2	(f)	08/08/94				ND<50		ND<0.5	ND<0.5	ND<0.5	ND<0.5				PACE
QC-2	(r)	10/12/94				ND<50		ND<0.5	ND<0.5	ND<0.5	ND<0.5				PACE
QC-2	(f)	01/19/95				ND<50		ND<0.5	ND<0.5	ND<0.5	ND<1				ATI
QC-2	(f)	05/02/95	er ben		_	ND<50		ND<0.50	ND<0.50	ND<0.50	ND<1.0				ATI
QC-2	(f)	07/28/95		_		ND<50		ND<0.50	ND<0.50	ND<0.50	ND<1.0				ATI
TPH-G TPH-D B T E X TOG 1,2-DC		Total petroleum i Benzene Toluene Ethylbenzene Total xylenes Total oil and grea 1,2-Dichloroetha	ne			(a) (b) (c) (d)	Groundwater of Blind duplicate Top of casing	elevations in fea e. lowered by 0.0	et relative to me	πonitoring even	t on 4/01/93.				
DO ug/l ppm		Dissolved oxyge Micrograms per Parts per million	liter			(e) (f)	Sample result Travel blank.	may be talsely	elevated due to	matrix interfere	яке.				
ND PACE ATI		Not detected abo	ove reported detection vailable/measured/a			W	науы ман								

E:\0\10-138\138SSI-W.WQ2



SOURCE: USCS MAP, HAYWARD QUADRANGLE, CALIFORNIA. 7.5 MINUTE SERIES. 1959. PHOTOREMSED 1980.





FIGURE 1


SITE VICINITY MAP


BP OIL SERVICE STATION NO. 11105 3519 CASTRO VALLEY BOULEVARD CASTRO VALLEY, CALIFORNIA

PROJECT NO. 10-138









GROUNDWATER MONITORING WELL


GROUNDWATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL

CALCULATED GROUNDWATER GRADIENT DIRECTION AND MAGNITUDE IN FOOT PER FOOT

POTENTIOMETRIC GROUNDWATER ELEVATION CONTOUR MAP

BP OIL SERVICE STATION NO. 11105 3519 CASTRO VALLEY BOULEVARD





APPENDIX A

SUMMARY OF RESULTS OF REDWOOD ROAD EXPANSION TESTING PERFORMED BY ALAMEDA COUNTY PUBLIC WORKS AGENCY

SUMMARY RESULTS REDWOOD ROAD EXPANSION

Analytical Results, Shell

Analytical x										
Boring/ Sample Number	Depth (feet)	TPH- gasoline (ppm)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylene s (ppb)				
B1-4	4	4.9	<5	<5	< 5	5.2				
B2-4	4	< 1	< 5	<5	< 5	< 5				
B3-4	4	26	40	< 5	93	42				
B3-6	6	86	<5	< 5	960	1800				
B3-0 B4-2	2	<1	8.6	< 5	<5	< 5				
B4-4	4	28	670	47	88	240				
	4	<1	<5	<5	< 5	6.8				
B5-4	4	<1	<5	<5	<5	< 5				
B6-4	6	<1	<5	<5	<5	<5				
B6-6		<1	<5	<5	<5	<5				
B7-4	4	<1	< 5	< 5	<5	<5				
B7-6	6	1.8	100	<5	38	35				
B8-4	4	 	< 5	<5	<5	<5				
B21-6	6	<1	<5	<5	< 5	<5				
B22-5	5	<1	- 	120	4100	1600				
B23-5	5	33	130	-	1400	6300				
B23-8	8	0.087	9200	2500	1 1400	1 0300				

Notes:

TPH = Total Petroleum Hydrocarbons
ppm = parts per million (mg/Kg)
ppb = parts per billion (ug/Kg)
NT = not tested

Analytical Results, Chevron

Boring/ Sample Number	Depth (feet)	TPH- gasoline (ppm)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylenes (ppb)
B9-2	2	9.9	16	<5	67	230
B9-4	4	1.0	5.8	<5	6.5	- 9.0
B10-4	4	59	< 50	< 50	220	540
B11-2	2	<1	<5	<5	<5	<5
B12-4	4	<1	<5	<5	<5	<5
B12-6	6	<1	< 5	<5	<5	<5
B20-3	3	<1	<5	<5	<5	<5
B20-5	5	<1	<5	<5	< 5	< 5

TPH = Total Petroleum Hydrocarbons ppm = parts per million (mg/Kg) ppb = parts per billion (ug/Kg) Notes:

Analytical Results, Former Chevron

Boring/ Sample Number	Depth (feet)	TPH- gasøline (ppm)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylenes (ppb)
B13-5	5	<1	<5	<5	<5	<5
B14-3	3	<1	<5	<5	<5	<5
B14-5	5	<1	<5	<5	<5	<5
B15-5	5	<1	<5	<5	<5	< 5

Notes:

TPH = Total Petroleum Hydrocarbons ppm = parts per million (mg/Kg) ppb = parts per billion (ug/Kg)

Analytical Results, Keith's Transmission

Boring/ Sample Number	Depth (feet)		Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylenes (ppb)	TEPH (ppm)
B16-4	4	<1	<5	< 5	< 5	<5	<1

Notes:

TPH = Total Petroleum Hydrocarbons
TEPH = Total Extractable Petroleum Hydrocarbons as diesel, kerosene, motor oil


ppm = parts per million (mg/Kg) ppb = parts per billion (ug/Kg)


Table 8-1 - Analytical Results, Former Beacon Station


Boring/ Sample Number	Depth (feet)	TPH- gasoline (ppm)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylenes (ppb)	TPH- diesel (ppm)
B17-3	3	<1	<5	<5	< 5	<5	< 1
B17-5	5	<1	<5	<5	< 5	< 5	<1
B18-3	. 3	<1	<5	<5	< 5	< 5	<1
B18-5	5	<1	<5	< 5	<5	<5	<1
B19-4	4	<1	<5	< 5	<5	<5	<1


Notes:

TPH = Total Petroleum Hydrocarbons ppm = parts per million (mg/Kg) ppb = parts per billion (ug/Kg)









CHROMALAB, INC.

Environmental Services (SDB)

December 12, 1994

Submission #: 9412134

ACC ENVIRONMENTAL CONSULTANTS

Atten: Misty Kaltreider

Project: REDWOOD R

Received: December 8, 1994

Project#: 6163-1

re: 3 samples for Gasoline and BTEX analysis.

Matrix: SOIL

Sampled: December 5, 1994

Run#: 4815

Analyzed: December 12, 1994

Analyzed: December 12, 1994

Method: EPA 5030/8015M/8020

				ECUYI	TOTAL
	Gasoline	Benzene	Toluene	Benzene	Xylenes
Spl # CLIENT SMPL ID	(mg/Kg)	(ug/Kg)	(uq/Kq)	(uq/Kg)	(ug/Kg)
72277 B8-4	1.8	100	N.D.	38	- 35

Matrix: SOIL

Sampled: December 7, 1994 Run#: 4815

Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL ID	Gasoline (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
72295 B20-3-5	N.D.	N.D.	N.D.	N.D.	N.D.
72296 B20-5	N.D.	N.D.	N.D.	N.D.	N.D.
Reporting Limits Blank Result Blank Spike Result (%)	1.0	5.0	5.0	5.0	5.0
	N.D.	N.D.	N.D.	N.D.	N.D.
	100	113	112	108	110

Jack Kelly Chemist Ali Kharrazi Organic Manager

CHROMALAB, INC.

Environmental Services (SDB)

December 15, 1994

Submission #: 9412134

CC ENVIRONMENTAL CONSULTANTS

Atten: Misty Kaltreider

roject: REDWOOD R

Received: December 8, 1994

Project#: 6163-1

e: 30 samples for Gasoline and BTEX analysis.

Matrix: SOIL

ampled: December 5, 1994

Run#: 4815 Analyzed: December 12, 1994

Method: EPA 5030/8015M/8020

pl # CLIENT SMPL ID	Gasoline (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
72277 B8-4	1.8	100	N.D.	38	35

Matrix: SOIL

Run#: 4815

Analyzed: December 12, 1994

Analyzed: December 13, 1994

Sampled: December 7, 1994 Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL ID	Gasoline (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
2295 B20-3	N.D.	N.D.	N.D.	N.D.	N.D.
<i>2296</i> B20-5	N.D.	N.D.	N.D.	N.D.	N.D.

Matrix: SOIL

ampled: December 5, 1994 Run#: 4838

Tethod: EPA 5030/8015M/8020

pl #	CLIENT	SMPL ID	Gasoline (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
72267	B1-4		4.9	N.D.	N.D.	N.D.	5.2
72268			N.D.	N.D.	N.D.	N.D.	N.D.
	B3-6		86	N.Ď.	N.D.	960	1800
72270			26	40	N.D.	93	42
72271		·	N.D.	8.6	N.D.	N.D.	N.D.

Matrix: SOIL

Sampled: December 5, 1994 Run#: 484

Run#: 4846 Analyzed: December 13, 1994

Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL ID	Gasoline (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
72272 B4-4	28	670	47	88	240
72273 B5-4	N.D.	N.D.	N.D.	N.D.	6.8
72274 B6-4	N.D.	N.D.	N.D.	N.D.	N.D.

CHROMALAB, INC.

Environmental Services (SDB)

December 15, 1994

Submission #: 9412134

Page 2

ACC ENVIRONMENTAL CONSULTANTS

Atten: Misty Kaltreider

Project: REDWOOD R

Project#: 6163-1

Received: December 8, 1994

re: 30 samples for Gasoline and BTEX analysis.

Matrix: SOIL

Sampled: December 5, 1994 Run#: 4879 Analyzed: December 14, 1994

Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL ID	Gasoline (mg/Kg)	Benzene (ug/Kg)	Toluene	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
72275 B6-6	N.D.	N.D.	N.D.	N.D.	N.D.
72276 B7-4	N.D.	N.D.	N.D.	N.D.	N.D.
72278 B7-6	N.D.	N.D.	N.D.	N.D.	N.D.
72279 B9-2	9.9	16	N.D.	67	230
72280 B9-4	1.0	5.8	N.D.	6.5	9.0

Matrix: SOIL

Sampled: December 6, 1994 Run#: 4879 Analyzed: December 14, 1994

Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL ID	Gasoline (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
72281 B10-4	59	N.D.	N.D.	220	540
Note: DETECTION LIMIT:	BTEX=50UG/E	KG & GASOL:	INE=10MG/KG	•	
72282 B11-2	N.D.	N.D.	N.D.	N.D.	N.D.
72283 B12-4	N.D.	N.D.	N.D.	N.D.	N.D.
72284 B12-6	N.D.	N.D.	N.D.	N.D.	N.D.
72285 B13-5	N.D.	N.D.	N.D.	N.D.	N.D.
72286 B14-3	N.D.	N.D.	N.D.	N.D.	N.D.
72287 B14-5	N.D.	N.D.	N.D.	N.D.	N.D.
72288 B15-5	N.D.	N.D.	N.D.	N.D.	N.D.
72289 B16-4	N.D.	N.D.	N.D.	N.D.	N.D.

Matrix: SOIL

Sampled: December 6, 1994 Run#: 4885 Analyzed: December 15, 1994

Method: EPA 5030/8015M/8020

Sol # CLIENT SMPL ID	Gascline (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
72290 B17-5	N.D.	N.D.	N.D.	N.D.	N.D.
72291 B17-3	N.D.	N.D.	N.D.	N.D.	N.D.
72292 B18-3	N.D.	N.D.	N.D.	N.D.	N.D.
72293 B18-5	N.D.	N.D.	N.D.	N.D.	N.D.

Environmental Services (SDB)

December 14, 1994

Submission #: 9412134

ACC ENVIRONMENTAL CONSULTANTS

Atten: Misty Kaltreider

Project: REDWOOD R

Received: December 8, 1994

Project#: 6163-1

re: One sample for TEPH analysis

Matrix: SOIL

Sampled: December 6, 1994

Method: 3550/8015

Extracted: December 12, 1994 Analyzed: December 13, 1994

Sample #	Client Sample ID	Kerosene (mg/Kg)	Diesel (mg/Kg)	Motor Oil (mq/Kg)
72289	B16-4	N.D.	N.D.	N.D.
Blank Spike Recovery Dup Spike Recovery Reporting Limi	overy	N.D. 1.0	N.D. 79% 91% 1.0	N.D.

ChromaLab, Inc.

Sirver authabon

Sirirat Chullakorn Analytical Chemist Ali Kharrazi Organic Manager

CC

Environmental Services (SDB)

December 14, 1994

Submission #: 9412134

ACC ENVIRONMENTAL CONSULTANTS

Atten: Misty Kaltreider

Project: REDWOOD R

Project#: 6163-1

Received: December 8, 1994

re: Five samples for Diesel analysis

Matrix: SOIL

Extracted: December 9, 1994

Sampled: SEE COC

Analyzed: December 9, 1994

Method: EPA 3550/8015

Sample #	Client Sample ID	Diesel (mg/Kg)
72290 72291 72292 72293 72294	B17-5 B17-3 B18-3 B18-5 B19-4	N.D. N.D. N.D. N.D. N.D.
	•	

Blank Blank Spike Recovery Reporting Limit N.D. 102%

ChromaLab, Inc.

Stringt andlakon

Sirirat Chullakorn Analytical Chemist Ali Kharrazi Organic Manager

at

Environmental Services (SDB)

December 15, 1994

Submission #: 9412134

Page 3

ACC ENVIRONMENTAL CONSULTANTS

Misty Kaltreider

Project: REDWOOD R

Received: December 8, 1994

Project#: 6163-1

30 samples for Gasoline and BTEX analysis.

Matrix: SOIL

Run#: 4887

Analyzed: December 15, 1994

Sampled: December 6, 1994 Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL_ID	Gasoline (mg/Kg)	Benzene	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Yylenes (ug/Kg)
72294 B19-4	N.D.	N.D.	N.D.	N.D.	N.D.
Reporting Limits Blank Result Blank Spike Result (%)	1.0 N.D.	5.0 N.D. 99	5.0 N.D. 101	5.0 N.D. 99	5.0 N.D. 102

Chemist

Ali Kharrazi Organic Manager

1220 Quarry Lane • Pleasanton, California 94566-4756 (510) 484-1919 • Facsimile (510) 484-1096

Environmental Services (SDB)

December 28, 1994

Submission #: 9412285

ACC ENVIRONMENTAL CONSULTANTS

Atten: Misty Kaltreider

Project: REDWOOD RD.

NOOD RD. Project#: 6163-1

Received: December 20, 1994

re: 4 samples for Gasoline and BTEX analysis.

Matrix: SOIL

Sampled: December 19, 1994 Run#: 4979 Analyzed: December 27, 1994

Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL ID	Gasoline (mg/Kg)	Benzene (ug/Kg)	Toluene	Etnyl Benzene (ug/Kg)	Xylenes (ug/Kg)
73354 B21-6	N.D.	N.D.	N.D.	N.D.	N.D.
73355 B22-5	N.D.	N.D.	N.D.	N.D.	N.D.
73356 B23-5	33	130	120	410	1600
73357 B23-8	87	920	2500	1400	6300
Reporting Limits Blank Result Blank Spike Result (%)	1.0	5.0	5.0	5.0	5.0
	N.D.	N.D.	N.D.	N.D.	N.D.
	95	101	103	102	104

Jack Kelly Chemist Ali Khafrazi Organic Manager

Environmental Services (SDB)

December 27, 1994

Submission #: 9412285

Project#:

ACC ENVIRONMENTAL CONSULTANTS

Misty Kaltreider Atten:

REDWOOD RD. Project:

Received: December 20, 1994

Two samples for Diesel analysis re:

Matrix: SOIL

Sampled: December 19, 1994

Method: EPA 3550/8015

Extracted: December 21, 1994

N.D.

105%

1.0

6163-1

Analyzed: December 21-22, 1994

Sample #	Client Sample ID	Diesel (mg/Kg)
73356	B23-5	74
73357	B23-8	140

Blank Blank Spike Recovery Reporting Limit

ChromaLab, Inc.

Alex Tam

Analytical Chemist

Ali Kharrazi Organic Manager

DOHS 1094

CLIENT: ACC

DUE: DUE: 12/12/94 TO 12/15/94 REF #:19672

19672 Chain of Custod

PROJ. MGR. MISTER KOL	midas						DATE		PAGE _	OF
COMPANY ACCENTIC	mmental	ALECTICAL STREET		25	Control of the Control of the	MA LEEP HE		نسرد		
ADDRESS 1000 Atlan	onmental Lic Ave. Suite 110	Gasoline 5030, 80151, Gasoline (5030, 3015) EX (EPA 602, 8020)	្រី គ្រ	စ္ဆ်	×2 13		7	İ	. *	
Abmerla,	CA 94501	1, 5030,	350, 8015) AROMATIC 2, 3020)	S S S S S S S S S S S S S S S S S S S	i. ACIDS 170, 5257 REASE E-FI	1818	Pb. Zn.	_ X		
SAMPLERS (SIGNATURE)	(SO) (PTIONE HO.)	ine 3015 ine (3	ARC 02, 3	101 101 103 103 103 103 103 103 103 103	ALS.	80) VER.		2 (1)		
Mist Ku	18181-225 (PAN)	. Gasoline 5030, 8015; Gasoline (3 EX (EPA 602	Diesel 3510/3 JEABLE, (EPA 60	ABLE 71, 80 ILE O	EUTR 15/62: OIL 8 120. 8	38. 36 DES 8. 30 RECO	3 5	13 PC		
	TIME MATHIX PRESERV	T → ▼ - E	TPH - Diesel (EPA 3510/3550, 8015) PURCEABLE AROMATICS 8TEX (EPA 602, 3020)	PURGEABLE HALOCARBONS (EPA 601, 8010) VOLATILE ORGANICS (EPA 624, 8240, 524.2)	8ASE/NEUTRALS. ACII (EPA 625/62.7, 82.70. 5 TOTAL OIL & GREASE (EPA 5320. 8+F, E+F) PC8	FEFA 608. 30801 PESTICIDES (EPA 608. 3080) TOTAL RECOVERABLE	HYDROCAKI METALS: Cd.	CAM METALS (17) PRIORITY POLLUTANT METALS (173)	TOTAL LEAD EXTRACTION (TCLP, STLC)	
BI-4 12/5/94	IIIA PRESERV	# H S I F 3	F = £ &	F (0) \(\times \(\times \)	8 5 5 6 8	E E E E	ž ž	J 23	F 85	
		- X_								1
B2-4		<u> X</u>				,				
B3-6		X						_	-	
B3.4		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \							-	-
B4-2	-	- ;						. <u></u> -		·
		- <u>X</u> -						<u></u>		
B4-4	_	<u> </u>								
B5-4		X							-	
B6-4		X								
B6-6		$-\frac{1}{\Lambda}$	-				- -		_	<u>-</u> -
A PHOJECT INFORMATION	SAMPLE HEC		netinoviani	EDBY	<u> </u>	1			,	
PROJECT NAME: RECLUSIVE R	TOTAL HO, OF CONTAINERS	- A A WALL AND A STANFASSED	11156	Kathor	10	RELINQUISHE	D OY	2.	RELINQUISHED	DY
PROJECT NUMBER:	· HEAD SPACE		(SIGNATUTIE)	- H . L.	LU PILIMEN AND AND AND AND AND AND AND AND AND AN	(SIGNATURE)		(TIME)	(SIGNATUNE)	- (1
P.O. 1 (e) (e3-1	CONFORMS TO RECORD	——————————————————————————————————————	(LANLIED HAVI	911161((6)	(DATE)	(PIRNIED HAME)	·	(UATE)	(FRINTED NAME)	
TAT STANDARD	- ' - - - - - - - - -	NE?	HCC EL	<u>ldimill</u>	onb(COSCALIA	***		·	100
SPECIAL INSTRUMENTS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	OHIER	NECEIVED BY	4	7 .1	RECEIVED BY		2.	LECEINED DA (I	VIOLVIORA
		•	Construction of the second	Torday)	154			e.		
,			ENGLIA HERE	eccou.	12-8-84	(SIGHATURE)	· 	(TIME)	ISIGNATURE	(1
			(PRINTED HAM)	no leh	(DATE)	(CHAPTED HALLE)		(IJATE)	(PIWHIED HAME)	(0)
			CALO!	401.07		(CULIPARTY)			(1.48)	

DOHS 1094

2239 Omoga Hoad, #1 • San Damon, California 94503 510/031-1700- • Facshullo 510/834-87.04 494-1414 494 494 Chain of Custody

DATE Misty Kallreicher ANALYSIS HEPUHT ACC Environmental PURCEABLE HALOCARBONS (EPA 601, 8010) 1000 Atlantic Noe. Suite 110 7 8ASE/NEUTRALS, ACIDS (EPA 625/627, 8070, 375) NUMBER OF CONTAINERS GREASE PRIORITY POLLUTANT METALS (13) VOLATILE ORGANICS (EPA 624, 8240, 524.2) CAM METALS (17) SAMPLENS (SIGNATURE) TOTAL OIL & GR (EPA 5320, 8+F, 3 PESTICIDES (EP.A. 608, 8080) ម៉ SO) (FILIDITE HO) EAD STRACTION (TCLP, STLC) METALS: Cd. TOTAL 12/5/91 12/4/91 PHOJECT INFUHMATION NEUHOUISHED BY PROJECT HAME:
ROLLWOOL Rd. DELINOUISHED BY **HELINGUISHED BY** TOTAL NO. OF CONTAINERS Mist Kolhoide HEAD SPACE GIGHATURE (IIME) (SIGNATURE) 4163-(IIME) MISTY Kaltrekler REC'D GOOD CONDINION/COLD P.O. II PRIMITED HAMEL 6163-ITRINIED HAME CONFORMS TO RECORD DATE ACC Environmenbl STANDAND 5-DAY OTHER COMPANY RECEIVED BY SPECIAL INSTRUCTIONS/COMMENTS: RECEIVED BY HECEIVED BY (LABORATORY) 48 hr rush on # B8-4 CHAINE (HIME) (SIGNATURE) (IIME) ILLIANTED HANDED (LIMITED HAME) (B) AU) it isiti kinj

イナにいづけ !

CHROMALAB, INC.

2239 Omega Road, #1 • San Hamon, California 94583 510/831•1788 • Facsimilo 510/831•8798. 494-1419 4194 4194 Chain of Custody

DOH5 1094 484-1096 Misty Kaltreicher ACC E nuironmental 1000 Atlantic Ave. Suite 110 Alamerla, CA 94501 NUMBER OF CONTAINERS VOLATILE ORGANICS (EPA 624, 3240, 324.2) TOTAL OIL & GREASE (EPA 5520, 3+F, 5-F) PRIORITY POLLUTANT METALS (13). SAMPLERS (SIGNATURE) ECTRACTION (TCLP, ST.C) METALS: C4. TOTAL LEAD SAMPLE IU. MATHIX PHESERV. 12/4/qy B13-5 B14-3 PHOJECT INFOHMATION HELIHOUISHED BY Project Hame:
Project Homest RELINQUISHED BY 2. RELINQUISHED BY Misty Kolheider 12644

Misty Kolhreider 12644

Misty Kolhreider 18014 TOTAL NO. OF CONTAINENS (SIGNATURE) (1IME) BIGHATURE lolle3-(HIME P.O. I Lellaz (FINNTED NAME) (DATE) ACC Environmenta TAHDAND 72 OTHER RECEIVED BY SPECIAL INSTRUCTIONS/COMMENTS: **RECEIVED BY** RECEIVED BY (LABORATORY) (IIME) (SIGNATURE) (IIME) (PIRITED HALLE) (DATE) (POILITED HAME) DATE

DOMS 1094

2239 Omoga Road, #1 - San Hamon, California 94583 510/831-1788 - Facsimilo 510/831-8708 484-1419 484-1419 ነዓ ራት ረ Chain of Custody

DATE PROJ. MOR. MISTY KOTTERIOUS COMPARY ACC ENVIRONMENTOL ADDRESS LOD ATTOMIC NOE. SUITE 110 ADMCCO, CA 94501 Ŧ PURCEABLE AROMATICS BTEX (EPA 602, 3020) BASE/NEUTRALS, ACIDS 5 NUMBER OF CONTAINERS TOTAL RECOVERABLE HYDROCARBONS (EPA VOLATILE ORGANICS TOTAL OIL & GREASE (EPA 3320, 8+f, f-f) PRIORITY POLLUTANT METALS (13) SAMPLERS (SIGNATURE) PESTICIDES (EPA 608, 8080) (oil Bilolin) (OSE) ECTRACTION (TCLP, STLC) TOTAL LEAD DATE THE MATHIX PRESERV. 12/10/94 2/7/44 12/7/44 B20-5 PHOJECT INFORMATION RELINQUISHED BY RELITIOUISHED BY PROJECT HAME: HELIHQUISHED BY PROJECT NUMBER: TOTAL NO. OF CONTAINERS CHAINEL (DIME) ISIGNATURE (TIME) 0163. P.O. # (JIMALI GATIMED) (CONTED NAME) (DATE) -⊱оща) ACC Environmental CONTOUMS TO RECORD STANDAND (COLUMNIE) 21 72 COMPANY OTHER RECEIVED BY SPECIAL INSTRUCTIONS/COMMENTS: **RECEIVED BY** HECEIVED BY (LABORATORY) ESIGNATIONS Rush 481 TAT on Samples (SIGNATURE) (IIME) (CHILLED HARRI) B20-3 c B20-5 (SWYN GBITHLA (DATE) COLUMN

1984A

CHROMALAB, INC.

2239 Omega Road, #1 · San Hamon, California 94583 510/831-1780 · Facsimilo 510/831-8798.

SUBH #: 9412285 CLIENT: ACC

DOHS 1094


PHOLMON MISTER Kallre	iclor	eriore become			· · · · · · · · · · · · · · · · · · ·	da kanga	ا ا ا				DATE		OUE: REF	#:198		8/94		٠.		
SAMPLE ID. BATE	Mental Ave. Suite 110 A 94501 (50) (FIDINE 110.) 5522-12198	TPH - Casoline (EPA 5030, 8015) TPH - Gasoline (5030, 3015) w/8TEY (EPA 602, 3020)	TPH - Diesel (EPA 3510/3550.8015)	PURGEABLE AROMATICS 8TEX (EPA 602, 3020)	PURCANBLE HALDCARBONS (EPA 601, 8010) VOLATILE ORGANICS	(EPA 624, 9240, 524.2) BASE/NEUTRALS, ACIDS	TOTAL OIL & GAEASE (EPA 3520, 8+f. £-f)	PC3 (FPA 608, 3080)	C;DES 608, 3080)	TOTAL RECOVERABLE HYDROCARBONS (EPA ±18.1)		METALS: Cd, Cs, Pb. Zn. Ni	CAM METALS (17)	PRIORITY POLLUTANT METALS (13)	TOTAL LEAD	STRACTION (TCLP, ST.C.)	η.			NUMBER OF CONTAINERS
B21-6 13/19/194		X				_				_ +				G. ~	·	W C				2
B22-5		\X.															ļ			
623-5		_ X	X															 		
B23-8		X	ΙX.							*****				-						
													**		 					

								ļ <u>.</u>										-		
											-									
PROJECT INFORMATION	SAMPLE HECEIP	12.	herm					<u> </u>												
PROJECT NUMBER: PROJECT NUMBER:	TOTAL NO. OF CONTAINENS	4	MEE!	IOUISHE	Ky/1	l Leid		L	RELITIOU	ISHED t	BY			2.	HELINO	OVISTIE	D DY	*********		3.
(011a3-1	HEAD SPACE REC'D GOOD CONDITION/COLL		(signi) Mil	Sing)	Ks Hi	eith.	12/19/ 191 ^(S) ,	ε; 44	SIGNATUR	iE)				(JIME)	SIGNAT	unej				(TIME)
P.O. # LETLES -1	CONFORMS TO RECORD		iiiiiiiii A	eti iiddie C.C.	5 Env.	sono	ental	ē i	eniure 6 i	iare)			(1	DATE	rinnie.	O HAME))	 -		(DATE)
B-DAY	24 72	OTHEN		VED BY				2	COLONIA.	_					COVILY	·		~-·		
SPECIAL INSTRUCTIONS/COMMENTS:	1 + 1,000			·	A STATE OF THE STA	12.00	W. W.	- 39						2.	HECEN	/EU by	(CABOI	MIONY)	3.
Starke	rdtum Aron Time	rVC.	(5)(5) N	3000 3000	66011	ris L	(1)A. Z.C. 9 (1)A.	空	CHARLER				 -	(TIME)	SIGNAT	UNE)				(TIME)
	rime		771171	TAKE	1 [[]]	ah	i Acij	e) i	į (miriteli)	•	**************************************		··· (1	DATE)	i i i ii i i	D HAME)	i			(OATE)
			COM	VIII)		0		L	COMPAN)					1,00)					 ¦

UNIFIED SOIL CLASSIFICATION SYSTEM

				7	
	MAJOR DIVI	SIONS			TYPICAL NAMES
00	GRAVELS	CLEAN GRAVELS WITH LITTLE OR	ĠW		well graded gravels, gravel-sand mixtures
Siev	more than half coarse fraction is	NO FINES	GP		poorly graded gravels, gravel-sand mixtures
RSE GRAINED SI nan half > #200	larger than No. 4	GRAVELS WITH	GМ		silty gravels, poorly graded gravel-sand silt mixtures
	sieve	OVER 12% FINES	GC		clayey gravels, poorly graded gravel-sand clay mixtures
	SANDS	CLEAN SANDS WITH	sw		well graded sands, gravelly sands
COA more th	more than half coarse	LITTLE OR NO FINES	SP		poorly graded sands, gravelly sands
Ē	fraction is smaller	SANDS WITH OVER	ЯΜ		silty sands, poorly graded sand-silt mixtures
	than No. 4 sieve	12% FINES	SC		clayey sands, poorly graded sand-clay mixtures
eve		·	МL		inorg. silts and v.fine sands, rock flour silty or clayey sands, or clayey silts w/sl. plasticity
SOILS 00 si	SILTS AND CLAY liquid limit less than		CL		inorg. clays of low-med plasticity, gravelly clays, sandy clays, silty clays, lean clays
₩ED < #2	inquia inina 1000 tilai	. • •	OL		organic clays and organic silty clays of low plasticity
GRAI half	CU TV AND CU	AVC	МН		inorganic silty, micaceous or diatomacious fine sandy or silty soils, elastic silts
than	SILTY AND CL liquid limit greater		СН		inorganic clays of high plasticity, fat
more			ОН		organic clays of medium to high plasticity organic silts
	HIGHLY ORGANIC	SOILS	Pt		peat and other highly organic soils
		. = 25.15 = 505 = 50			

LEGEND FOR BORING LOGS



Date: 1/1/95

Project No. 94-6163-1

Redwood Road Expansion Phase II Site Assessment Castro Valley, CA

ACC Environmental Consultants, Inc. ◆ 1000 Atlantic Avenue, Suite 110 ◆ Alameda, CA 94501 ◆ (510) 522-8188

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample Interval	Depth (feet)	LOGGED BY: M. PROJECT: Redv START DATE: 1	vood Road 2/5/94
Munsell Color Scale (Gley 2.5)	15	B1-2	11.	2	Black sand fine grain moist, slig	aserock: silty gravel. dy clay (CL), with 20% sand, plastic, med. stiff, the mottling, slight
(Gley 5G - 4/1)	130	B1-4 B1-6		 4	with 30% medium s	nish grey sandy clay (CL), fine grain sand, plastic, tiff, slight fracturing, very
(Gley 5G - 4/1)	300	B1-8		— 8 <i>—</i>	Dark green with few g	drocarbon odor. nish grey sandy clay (CL) gravel (3% gravel), med. ed. stiff, moist, strong
				— 10 — — 12 —	Dark gree clayey sa	enish grey, grådes to brown nd (SC), med. dense, rong hydrocarbon odor.
			· -	 14	BOTTOM	I OF BORING @ 8 feet
				16 -		
			. *	18 -		
				20 -		
	1			24		
	-			<u> </u>		
				 28 -	7. A	2
ACC ENVIRONMENTAL 1000 ATLANTIC AVEL	JNUE, S	SUITE 110		JOB NO:	1	LOG OF BORING B1 Redwood Road Expansion Phase II Site Assessment
ALAMEDA, C	A 945	001		DATE:	2/22/94	Castro Valley, CA

	 -	<u> </u>		ì	Ţ			
Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	LOGGED I	NT: Pneumatic Sampler BY: M. Kaltreider Redwood Road ATE: 12/5/94		
Munsell Color Scale			111	0 -	និទីនិ Asp	halt/Baserock: silty gravel.		
(Gley 2.5)				<u> </u>	with	c olive grey sandy clay (CL), n 10%-15% fine grain sand, ntly plastic, med. stiff, moist,		
(Gley 5G - 4/1)	30	B2-4	<u> </u>	4		few roots.		
				<u> </u>	clay	e brown clayey sand (SC) to sandy (CL), 40% fine grain sand with gravel (<5% gravel), slight grey		
(Gley 5G - 4/1)	100	B2-8				tling, dense, moist, hydrocarbon		
				8 —	В	OTTOM OF BORING @ 8 feet		
·				10		•		
,				— 12 —				
				12				
				14				
			.*	— 16 <i>—</i>				
				10				
				<u> </u>				
				20 —				
				,				
				— 22 _, —				
			,	— 24 —				
		. ,				·.		
				<u> </u>	·	•		
				<u> </u>				
			. 1					
ACC ENVIRONMENTAL 1000 ATLANTIC AVEU				JOB NO; 6	163-1	LOG OF BORING B2 Redwood Road Expansion		
ALAMEDA, C	4 945	01		DATE: 12	2/22/94	Phase II Site Assessment Castro Valley, CA		

23 Bu

Environmental Control		#	4700		EQUIPMENT: Pneum		
Associates, Inc.	HNu (ppm)	SAMPLE	Sample	Depth	LOGGED BY: M. Kalt PROJECT: Redwood		
Geoprobe Sampler.	(pp)	SAM	Sa	(feet)	START DATE: 12/5/		
Munsell Color Scale				0	Concrete/Base	rock: sandy gravel.	
(Gley 2.5)	30	B3-2			Black clay (CL)		
(dicy 2.5)		,	\square			, plastic, med. stiff, drocarbon odor.	
(Gley 5G - 4/1)	100	B3-4		1	Black sandy cla	y (CL), with 20% fine	
					grain sand, plas moist, hydroca	stic, medium stiff,	
	300	B3-6	<u> </u>	 6	Dark olive grey	with grey mottling	
(7)(0 (0)			777	o o		, plastic, med. stiff, ydrocarbon odor	
(5Y ÷ 3/2)	80	B3-8		8	Dark olive grey	sandy clay (CL) with	
			777		few gravel (5%	gravel) mottled brown, ff, moist, hydrocarbon	
(10YR - 4/4)	300	B3-10		10	odor.	it, moist, nydrocarbon	
					*////	prown mottled olive	
	,	·		 12		(CL) to clayey sand grain sand), med.	
					plastic, stiff, m	oist, strong	
				 14	hydrocarbon oc	lor.	
•				·	воттом ог	BORING @ 10 feet	
				<u> </u>		•	
				_			
				18 <i>-</i> -			
				20 -			
-				<u> </u>		•	
		,		22			
				24 -		. :	
				. 🕰 🕆			
				26 -			
						:	
				28			
			,			•	
	Ī		1				
ACC ENVIRONMENTAL CONSULTANTS			1	JOB NO: (160-1	9 OF BORIN€ B3	
1000 ATLANTIC AVEL ALAMEDA, C			` -	-		ood Road Expansion Il Site Assessment	
ALAIVILUA, C	/\ 54 0	, O 1		DATE: 1	3 (CC /C /	Castro Valley, CA	
<u> </u>							

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	LOGGED B' PROJECT: START DA	T: Pneumatic Sampler Y: M. Kaltreider Redwood Road TE: 12/5/94
Munsell Color Scale (Gley 2.5)	20	B4-2		2 <i></i>	Black grain Black	rete/Baserock: sandy gravel. clay (CL), with 10% fine sand, plastic, med. stiff, moist. sandy clay (CL), with 30% fine
(Gley 5G - 4/1)	30 10	B4-4 B4-6		4 —	plast Black	sand, and few gravel (5% gravel) ic, medium stiff, moist. sandy clay with grey mottling plastic, med. stiff, moist.
(5GY - 4/1)	300	B4-8	// //	8 -	Dark few g	olive grey sandy clay (CL) with ravel (2% gravel) mottled brown, c, sl. stiff, moist, hydrocarbon
(2.5Y - 4/3)	40	B4-10		10 -	Olive 60% mois	brown clayey sand (SC) with fine grain sand, med. dense, t.
	,			12 -	BO	OTTOM OF BORING @ 10 feet
				16 -		
				— 18 <i>-</i>		
				22, -		
				24	-	
				— 26 — 28		
			1			
1000 ATLANTIC AVEL	ENVIRONMENTAL CONSULTANTS ATLANTIC AVEUNUE, SUITE 110			JOB NO:		LOG OF BORING B4 Redwood Road Expansion Phase II Site Assessment
ALAMEDA, C	ALAMEDA, CA 94501				12/22/94	Castro Valley, CA

Fore

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	EQUIPMENT: Pneumatic Sampler LOGGED BY: M. Kaltreider PROJECT: Redwood Road START DATE: 12/5/94	
Munsell Color Scale				2	Concrete/Baserock: sandy gravel no sample collected.	
(Giey 5G - 4/1)	5	B5-4 B5-6		4 _	Black clay (CL), with trace fine grain sand (5% sand), very plastic stiff, moist. Sand content increases with dept Dark olive grey mottled olive browns.	h vn,
(5GY - 4/1)	300	B5-8		8 -	sandy clay (CL) with 20% fine grassing, stiff, plastic, moist, hydrocarbon odor.	ain -
(2.5Y - 4/3)	120	B5-10		10	Olive brown clayey sand (SC) wit 75% fine grain sand, reddish bromottling, slight fracturing with	VVII
				— 12 — 14	secondary mineral deposits, med dense, moist. BOTTOM OF BORING @ 10 fee	
				— 16 — 18		
·				20		
				- 22	·	
				24		
				- 28	8 —	
ACC ENVIRONMEN 1000 ATLANTIC	TAL CO	NSULT/ JE, SUIT	NTS E 110		NO: 6163-1 LOG OF BORING I Redwood Road Expar Phase II Site Assess	sion
ALAMED	A, CA	94501		DAT		\

ı

Environmental Control Associates, Inc. Geoprobe Sampler.	.HNu (ppm)	SAMPLE #	Sample	Depth (feet)	LOGGED E	NT: Pneumatic Sampler BY: M. Kaltreider Redwood Road ATE: 12/5/94
Munsell Color Scale	5	B6-2		2	Blact	crete/Baserock: sandy gravel k clay (CL), with trace fine
(Gley 5G - 4/1) (5GY - 4/1)	5	B6-4 B6-6 B6-8		— 4 — — 6 —	stiff, Dark clay with plast Dark	n sand (5% sand), very plastic, , moist. colive grey mottled olive brown, (CL) with 10% fine grain sand, roots, slight mottling, stiff, tic, moist. colive grey sandy clay (CL),
(2.5Y - 4/3)	300	B6-10		8 10	Olive 60% sligh	dium stiff, very plastic, moist. be brown clayey sand (SC) with fine grain sand, with 2% gravel, at oxidation around gravel, med. se, moist.
				12 -	1 [OTTOM OF BORING @ 10 feet
				16 18		
				20 -		
				2224		
				26 28		
ACC ENVIRONMENTAL 1000 ATLANTIC AVEL ALAMEDA, C	JNUE,	SUITE 11		JOB NO:	6163-1	LOG OF BORING B6 Redwood Road Expansion Phase II Site Assessment Castro Valley, CA

 $\frac{s}{2\pi^2} = \frac{s}{2\pi^2} \cdot C_{t_0}$

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	PROJECT:	T: Pneumatic Sampler Y: M. Kaltreider Redwood Road TE: 12/5/94
Munsell Color Scale	5.	87-2		 2	Black grain	crete/Baserock: sandy gravel clay (CL), with trace fine sand (5% sand), very plastic,
(Gley 5G - 4/1)	2	B7-4	777	 4	Dark clay (moist. olive grey mottled olive brown, (CL) with 15% fine grain sand, mottling, stiff, plastic, moist.
(7.5YR - 4/4)	150	B7-6 B7-8	777	 6	clay (mediu	olive grey mottled brown, sandy (CL), with 15% fine grain sand, um_stiff_plastic,_moist
(2.5Y - 4/3)	150	B7-10		 8	fine g	n clayey sand (SC) with 75% grain sand, med. dense, moist.
				 12	BO	TTOM OF BORING @ 10 feet
				— 14 –		
				— 16 — — 18 —		
				20		
		,		 22 _,		
				24 <i>-</i>		€.
	. ,			— 26 — — 28 —		
	,					
ACC ENVIRONMENTAL CONSULTANTS 1000 ATLANTIC AVEUNUE, SUITE 110 ALAMEDA, CA 94501			1	JOB NO: 6	3163-1 	LOG OF BORING B7 Redwood Road Expansion Phase II Site Assessment

.

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	EQUIPMENT: Pneumatic Sampler LOGGED BY: M. Kaltreider PROJECT: Redwood Road START DATE: 12/5/94
<u>Munsell Color Scale</u>	5	B8-2		2	Concrete/Baserock: sandy gravel Black clay (CL), with trace fine grain sand (10% sand), very plastic, stiff, moist.
(Gley 5G - 4/1)	20	B8-4 B8-6		4 - 6	Dark olive grey mottled olive brown, clay (CL) with 10% fine grain sand, slight mottling, stiff, plastic, moist. Dark olive grey mottled brown, sandy
(7.5YR - 4/4)	200	B8-8		—8 —	clay (CL), with 15% fine grain sand, medium stiff_plastic_moist Brown clayey sand (SC) with 70% fine grain sand, med. dense, moist.
(2.5Y - 4/3)	200	B8-10		<u> </u>	BOTTOM OF BORING @ 10 feet
				 12	
				16	
·		;		— 16 <i>-</i> — 18 <i>-</i>	
				20 -	
				22,	
				24 -	
				28 -	
ACC ENVIRONMENTAL 1000 ATLANTIC AVEL				JOB NO:	6163-1 LOG OF BORING B8 Redwood Road Expansion
ALAMEDA, C				DATE:	Phase II Site Assessment Castro Valley, CA

ı

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	LOGGED BY	: Pneumatic Sampler 7: M. Kaltreider Redwood Road
		SAI	SE	0 -	START DAT	TE: 12/5/94
<u>Munsell Color Scale</u>	100	B9-2		2	Brown (CL), v	rete/Baserock: sandy gravel mottled olive grey sandy clay with15% fine grain sand perted as fill material)
(Gley 5G - 4/1)	15	(B9-4)		4	plastic Dark o	, stiff, moist, hydrocarbon odor. live grey mottled olive brown, CL) with 5% fine grain sand,
	50	B9-6	77	- 6 -	slight i Dark o	mottling, stiff, plastic, moist live grey mottled brown, sandy
(7.5YR - 4/4)	5	B9-8	///	8 —	mediu	CL), with 15% fine grain sand, m stiff, plastic, moist. n sandy clay (CL) with 30%
(2.5Y - 4/3)	5	В9-10		10 -	V/////	rain sand, med. stiff, plastic,
				12 -	BO	TTOM OF BORING @ 10 feet
				14		
			. 	16 -		
				<u> </u>		
				20 -		
				22 _	-	
				24 -		
				26 -		:
				28		
ACC ENVIRONMENTAL 1000 ATLANTIC AVEU				JOB NO: 6	6163-1	LOG OF BORING*B9 Redwood Road Expansion
ALAMEDA, C				DATE: 1	2/22/94	Phase II Site Assessment Castro Valley, CA

ŀ

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	LOGGED B PROJECT:	T: Pneumatic Sampler Y: M. Kaltreider Redwood Road TE: 12/6/94
Munsell Color Scale (Gley 5G - 4/1)	10	B10-2		2	Black	rete/Baserock: sandy gravel. sandy clay (CL), with 30% fine sand, very plastic, stiff, moist.
	50	B10-4		4	10% Poor	silty to sandy clay (CL) with sand, plastic, med. stiff, moist. recovery, sand, interperted as naterial, no sample collected.
				8 —		TTOM OF BORING @ 6 feet
				— 10 —		
	•	,		— 12 — — 14 —		
				16 —		
				18 -		
			,	20 -		
			-,	24 -		
				26 28		
ACC ENVIRONMENTAL CONSULTANTS 1000 ATLANTIC AVEUNUE, SUITE 110				JOB NO: 6	5163-1	LOG OF BORING B10 Redwood Road Expansion
ALAMEDA, CA	ALAMEDA, CA 94501			DATE: 1	2/22/94	Phase II Site Assessment Castro Valley, CA

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample Interval	Depth (feet)	LOGGED BY PROJECT: R	: Pneumatic Sampler : M. Kaltreider Redwood Road E: 12/6/94
Munsell Color Scale (10YR - 2/2)	0	B11-2)		2	Very da 10% fi	It/Baserock: sandy gravel. ark brown silty clay (CL) with ne grain sand, slight mottling ots, plastic, med. stiff, moist.
(Gley 5GY - 4/1)	0	B11-6		4	Poor re Dark gr sandy c	ecovery, no sample collected. eenish grey mottled brown, clay (CL) with 30% fine grain
(diey 3d1 - 47 1)	200	B11-8	<u> </u>	6 8	Same a to app	tiff, plastic, moist. as above, sand content increases roximately 40% with depth, carbon odor.
(2.5Y - 4/3)	300	B11-10		 10	Brown fine gr	clayey sand (SC) with 50% rain sand, med. dense, moist. TOM OF BORING @ 10 feet
				12 -		
				14 16		
				18		
				20 -		
				— 22 — — 24 —		
				26 _		
				<u> </u>		
ACC ENVIRONMENTAL 1000 ATLANTIC AVEU	NUE, S	SUITE 110	· !	JOB NO: 6	6163-1	LOG OF BORING B11 Redwood Road Expansion
ALAMEDA, C	A 945	501		DATE: 1	2/22/94	Phase II Site Assessment Castro Valley, CA

				Park B	
Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample Interval	Depth (feet)	EQUIPMENT: Pneumatic Sampler LOGGED BY: M. Kaltreider PROJECT: Redwood Road START DATE: 12/6/94
Munsell Color Scale					Asphalt/Baserock: sandy gravel.
(10YR - 2/2)	0 1	B12-4)		2	Poor recovery, no sample collected. Brown sandy clay (CL) with 15% fine grain sand, slight mottling,
		B12-4		4 —	plastic, soft, very moist. Dark greenish grey mottled brown,
(Gley 5GY - 4/1)	0	B12-6		6. —	sandy clay (CL) with 40% fine grain sand, stiff, plastic, moist.
(2.5Y - 4/3)	200	B12-8		8	Brown clayey sand (SC) with 50% fine grain sand, med, dense, moist.
					BOTTOM OF BORING @ 8 feet
·				10 -	
				12 -	
	:			14 -	
				16 -	
		·		18 -	
				10	
				20	
		-		22 , -	
				24	
				26	
				28 -	
ACC ENVIRONMENTAL 1000 ATLANTIC AVEL				JOB NO:	6163-1 LOG OF BORING B12 Redwood Road Expansion
ALAMEDA, C			´	DATE:	12/22/94 Phase II Site Assessment Castro Valley, CA

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	LOGGED BY PROJECT:	: Pneumatic Sampler /: M. Kaltreider Redwood Road FE: 12/6/94
Munsell Color Scale				· ·	Kili is isl	alt/Baserock: sandy gravel.
				<u> </u>	trace	silty sand (SM) with clay and gravel, 80% fine grain sand <5%
·			11	4		, slight mottling, dense, moist.
(10YR - 4/3)	0	B13-5				clayey sand (SC) with 50% rain sand, med_dense, moist
	0	B13-7		6 -		gravelly sand (SW), dense, interperted at excavation
		200		8		II material.
	0	B13-9			BC	TTOM OF BORING @ 9 feet
				 10 <i>-</i> -		•
				12		
				1.4		
			,	14		
				<u> </u>		
				18 –		
				20 -		
			-	22		
				24 -]	
				26 -	'	
	1,			— 28 <i>-</i>		
ACC ENVIRONMENTAL 1000 ATLANTIC AVEU				JOB NO: (6163-1	LOG OF BORING B13 Redwood Road Expansion
ALAMEDA, C				DATE: 1	2/22/94	Phase II Site Assessment Castro Valley, CA

:						
Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	LOGGED BY:	Pneumatic Sampler M. Kaltreider edwood Road :: 12/6/94
Munsell Color Scale		<u> </u> 		-	Basero	ock: sandy gravel.
	0	B14-3		2 -		sandy clay (CL), 40% fine and, slight mottling, plastic, oist.
(10YR - 4/3)	0	B14-5		4 —		clayey sand (SC) with 50% in sand, med, dense, moist.
• • • • • • • • • • • • • • • • • • •	0	B14-7		6 -	Brown s	andy clay (CL), mottled reddish vith few gravel (<5% gravel),
,				8 -		Refusal at 7 feet TOM OF BORING @ 7 feet
				10 -	-	,
				12 -		
				14 -		•
				16 -		
				18 -		
	,			20	-	
				22	-	
				24		
				26		•
				28		
ACC ENVIRONMENTAL	CONS	BULTAN1	5	JOB NO:	6163-1	LOG OF BORIN€ B14 Redwood Road Expansion
1000 ATLANTIC AVE ALAMEDA, (UNUE, CA 94	5UITE 11 501	IO	DATE:	12/22/94	Phase II Site Assessment Castro Valley, CA

Environmental Control Associates, Inc.	HNu (ppm)	SAMPLE #	Sample Interval	Depth	LOGGED	ENT: Pneumatic Sampler BY: M. Kaltreider Extra Reduced Road
Geoprobe Sampler.	, PP(11)	SAM	Sa	(feet)		T: Redwood Road DATE: 12/6/94
Munsell Color Scale				 0 -	ада Ва	aserock: sandy gravel.
				<u> </u>	gra	own sandy clay (CL), 30% fine in sand with 5% gravel, slight
				<u> 4 </u>		ttling, plastic, stiff, moist.
(10YR - 4/3)	0	B15-5		 6		wn sand (SP) with clay (90% sand) d. dense, moist.
	0	B15-7	111	0	Bro	own clayey sand (SC), with 5%
	0	B15-9		8		avel, med. dense, moist.
				<u> </u>	!	BOTTOM OF BORING @ 9 feet
	·			12		
				— 12 —		
				<u> </u>	•	
				<u> </u>		
				<u> </u>		
	-			<u> </u>		
4				22	·	
				, 22, -		
				24 -		
				26		
			-	28 -		
				<u> </u>		<u> </u>
ACC ENVIRONMENTAL CONSULTANTS 1000 ATLANTIC AVEUNUE, SUITE 110			1	JOB.NO: (6163-1	LOG OF BORING B15 Redwood Road Expansion
ALAMEDA, C				DATE: 1	2/22/94	Phase II Site Assessment Castro Valley, CA

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample Interval	Depth (feet)	LOGGED BY:	Pneumatic Sampler M. Kaltreider edwood Road E: 12/6/94
Munsell Color Scale	0	B16-2		_	(3333)	ock: sandy gravel.
	0	B16-4		2	1 5.5.5.5.5.5.1	clayey sand (SC), 80% fine and, med. dense, moist.
(10YR - 4/3)	0	B16-6		6 -		sand (SP) with clay (90% sand) ense, moist.
	0	B16-8		8 -		gravelly sand (SW), with 40%
,	0	B16-10		10 -	gravel,	med. dense, moist. TTOM OF BORING @ 10 feet
				12 -		
t e		-		14 -		
				16 -		
				18 -		
				20 -		
				22		
				24		
				 26		
		.		28		
ACC ENVIRONMENTAL CONSULTANTS 1000 ATLANTIC AVEUNUE, SUITE 110				JOB NO:	6163-1	LOG OF BORING B16 Redwood Road Expansion
ALAMEDA,				DATE:	12/22/94	Phase II Site Assessment Castro Valley, CA

<u> </u>	, .	, .				·
Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	LOGGED BY PROJECT:	: Pneumatic Sampler : M. Kaltreider Redwood Road FE: 12/6/94
Munsell Color Scale				J -	1111111	rete/ baserock: sandy gravel.
				2		sandy clay (CL), 40% fine
	0	B17-3	<u> </u>	2	grain s	sand, plastic, stiff, moist.
					Brown	clayey sand (SC), very fine
(4.0) (4.15)	0	B17-5	11	4		sand, med. dense, moist.
(10YR - 4/3)						
	0	B17-7	///	<u> </u>	Brown	sand (SP) with clay (90% sand)
					med. c	lense, moist.
				— 8 —		·
	0	B17-9				
				<u> </u>	BO	TTOM OF BORING @ 9 feet
				12 _		
·	1			<u> </u>		
				14 <i>-</i> -		
						· ·
				16	-	
			ľ	18 _	4	
				20 -		
				•		
				20		
	, ,			22, -		
				24 -	†	
						·
				26 _	1 1	•
				28 _	1 1	
				-		
ACC ENVIRONMENTAL CONSULTANTS 1000 ATLANTIC AVEUNUE, SUITE 110			1	JOB NO: 6	616 3 -1	LOG OF BORING B17 Redwood Road Expansion
ALAMEDA, C				DATE: 1	2/22/94	Phase II Site Assessment
· · · · · · · · · · · · · · · · · · ·				ا مسالت من		Castro Valley, CA

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	LOG(IPMENT: Pneumatic Sampler GED BY: M. Kaltreider JECT: Redwood Road RT DATE: 12/6/94
<u>Munsell Color Scale</u>	0	B18-3		2		Concrete/ baserock: sandy gravel. Brown clayey sand (SC), 60% fine grain sand, sl. dense, moist.
(10YR - 4/3)	0	B18-5		4		
	0	B18-7		— 6 —		Brown sand (SP) with clay (90% sand) med. dense, moist.
	0	B18-9		8 — — 10 —		BOTTOM OF BORING @ 9 feet
		,		10		
				14 -		
				 16		
				18 -		
				20 -		
				24		
				26		
				- 28	-	
ACC ENVIRONMENTAL CONSULTANTS 1000 ATLANTIC AVEUNUE, SUITE 110			S 0	JOB NO:	6163-	Redwood Road Expansion
ALAMEDA, (CA 94!	501 		DATE:	12/22.	Phase II Site Assessment Castro Valley, CA

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	LOG PRO.	PMENT: Pneumatic Sampler GED BY: M. Kaltreider JECT: Redwood Road RT DATE: 12/6/94
<u>Munsell Color Scale</u>	0	B19-4		2		Concrete/ baserock: sandy gravel. Brown sand (SP) with clay (90% sand) med. dense, moist.
(10YR - 4/3)	0	B19-7		— 6 — — 8 —		Brown gravelly sand (SW) with 15% gravel, med. dense, moist. BOTTOM OF BORING @ 7 feet
				— 10 — — 12 —		•
				14		
				— 16 — — 18 —		
				— 20 - — 22 -		
				24 26 -		
				28 -		
ACC ENVIRONMENTAL CONSULTANTS 1000 ATLANTIC AVEUNUE, SUITE 110 ALAMEDA, CA 94501				JOB NO:		Redwood Road Expansion Phase II Site Assessment

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE#	Sample	Depth (feet)	EQUIPMENT: Pneumatic Sampler LOGGED BY: M. Kaltreider PROJECT: Redwood Road START DATE: 12/6/94
Munsell Color Scale		,		0 -	Asphalt/ baserock: sandy gravel.
	0	B20-3		2 _	Brown sandy clay (CL) with 15% sand,
(10YR - 4/3)	0	B20-5		4	plastic, slight mottling, stiff, moist.
_	0	B20-7		6 -	Mottling and sand content (35% fine
	0	B20-9		8 —	grain sand), increases with depth.
				10	BOTTOM OF BORING @ 9 feet
				<u> </u>	
				14 -	
				16 -	
		,		18	
				20	
				22 , _	
				24 -	
				26	
	,			28	
ACC ENVIRONMENTAL CONSULTANTS 1000 ATLANTIC AVEUNUE, SUITE 110				JOB NO:	6163-1 LOG OF BORING B20 Redwood Road Expansion
•	ALAMEDA, CA 94501				Phase II Site Assessment Castro Valley, CA

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample Interval	Depth (feet)	LOGGED BY PROJECT: 1	: Pneumatic Sampler : M. Kaltreider Redwood Road :E: 12/19/94
Munsell Color Scale				9	Wille	ock: sandy gravel.
			777	<u> </u>		clay (CL) with sand (10% sand), , stiff, moist.
	0	B21-4				rey mottled brown clay (CL) 0% sand, very plastic, stiff,
(2.5Y - 4/1)		DZ 177		4 —	moist.	· · · · · · · · · · · · · · · · · · ·
	0[B21-6		— 6 —		mottled grey clay to sandy clay plastic, stiff, moist.
(10YR - 4/3)	20	B21-8		J	Brown	silty sand (SM), medium dense
(10 LK - 47 3)	20	BZ 1-0		 8 -		race clay, slightly moist, hydrocarbon odor.
				10 -	ВОТ	TOM OF BORING @ 8 feet
. '				12 -		
	ļ			12 -		
				14 -	-	
				16 -	†	
			-	18 -		
				20 -		
	-			22		
				24 -		
				26 -	1	
				28 -]	
				20		
ACC ENVIRONMENTAL CONSULTANTS 1000 ATLANTIC AVEUNUE, SUITE 110				JOB NO:	6163-1	LOG OF BORING B21 Redwood Road Expansion
ALAMEDA, C			\	DATE:	12/22/94	Phase II Site Assessment Castro Valley, CA

			# 1 <u>A</u>	
Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Depth (feet)	EQUIPMENT: Pneumatic Sampler LOGGED BY: M. Kaltreider PROJECT: Redwood Road START DATE: 12/19/94
Munsell Color Scale				Asphalt/baserock: sandy gravel.
(2.5Y - 4/1)	B32	22-4	2 - 4 - 6 -	Black clay (CL) with sand (10% sand), plastic, stiff, moist. Dark grey mottled brown clay (CL) with 10% sand, very plastic, stiff, moist. Brown mottled grey clay to sandy clay (CL), plastic, stiff, moist.
(10YR - 4/3)	0 B2	22-8	8 -	Brown silty sand (SM), medium dense with trace clay, slightly moist.
			10 -	BOTTOM OF BORING @ 8 feet
			12 -	
·			14 -	
			16 -	
			18 -	
			20 -	
			— 22 - — 24 -	
			26	
			- 28 -	
ACC ENVIRONMENTAL 1000 ATLANTIC AVEL	INUE, SUI	ITE 110	JOB NO:	Redwood Road Expansion
ALAMEDA, C	A 94501		DATE:	Phase II Site Assessment Castro Valley, CA

Environmental Control Associates, Inc. Geoprobe Sampler.	HNu (ppm)	SAMPLE #	Sample	Depth (feet)	LOGGED BY PROJECT:	: Pneumatic Sampler : M. Kaltreider Redwood Road FE: 12/19/94
<u>Munsell Color Scale</u>				2		alt/baserock: sandy gravel recovery, no sample collected.
(2.5Y - 4/1)	300	B23-5 B23-6		4 6	sl. mo	clay (CL)with trace sand (5%), ttling dark grey, very stiff, , moist, hydrocarbon odor.
(10YR - 4/3)	300[B23-8		 8	with 1 moist	orown mottled grey clay (CL), 0% sand, sl. plastic, very stiff, e, strong hydrocarbon odor.
				10 -] BO	ITOM OF BORING @ 8 feet
				-12 -		-
				<u> </u>	_	
				16 -		
				18 -		
				20 -		
				22 , -		
				24 -		
				26 -		
				28 -		
ACC ENVIRONMENTAL CONSULTANTS			5	JOB NO:	6163-1	LOG OF BORING B23
1000 ATLANTIC AVEL ALAMEDA, C				DATE:	12/22/94	Redwood Road Expansion Phase II Site Assessment Castro Valley, CA

APPENDIX B WELL INSTALLATION PERMIT

**



ZONE 7 WATER AGENCY

PLICANT'S SIGNATURE - TIN A NORTH CINE - TIN A STATE - TIN

5997 PARKSIDE DRIVE PLEASANTON, CALIFORNIA 94588

VOICE (510) 484-2600 FAX (510) 462-3914

DRILLING PERMIT APPLICATION

FOR APPLICANT TO COMPLETE	FOR OFFICE USE
CATION OF PROJECT FORMER BF OIL SERVICE STATION NO. 11105 3519 CLASTRO VALLEY BLUD, CASTROVA	LOCATION NUMBER
CIENT	, ,
drees 295 5.W. 417 7. Volce	PERMIT CONDITIONS
Rection, U.A. Zip 99055	Circled Permit Requirements Apply
PLICANT THE ALISTO KNEW RED IN GROUP Fax 510 295 - (650) VINELAUT CARRY, CA ZIP 94598 YEE OF PROJECT Ill Construction Geotechnical Investigation Cathodic Protection General Water Supply Contamination Monitoring Well Destruction PROPOSED WATER SUPPLY WELL USE The stic Industrial Other TROTTNG Incipal Irrigation DRILLING METHOD: Ind Rotary Air Rotary Auger Jobbe Other	A. GENERAL 1. A permit application should be submitted so as to arrive at the Zone 7 office five days prior to proposed starting date. 2. Submit to Zone 7 within 60 days after completion of permitted work the original Department of Water Resources Water Well Drillers Raport or equivalent for well Projects, or drilling logs and location sketch for geotechnical projects. 3. Permit is void if project not begun within 90 days of approval date. B. WATER WELLS, INCLUDING PIEZOMETERS 1. Minimum surface seal thickness is two inches of cement grout placed by tremile. 2. Minimum seal depth is 50 feet for municipal and industrial wells or 20 feet for domestic and irrigation wells unless a lesser depth is specially approved. Minimum seal depth for monitoring wells is the maximum depth practicable or 20 feet. C. GEOTECHNICAL. Backfill bore hole with compacted cuttings or
WELL PROJECTS	heavy bentonite and upper two feet with compacted material. In areas of known or suspected contamination, tremled cement grout your shall be used in place of compacted cuttings. D. CATHODIC. Fill hole above anode zone with concrete placed by tremie.
Drill Hole Diameter in. Maximum Casing Diameter in. Depth 20-30 ft. Surface Seal Depth ft. Number 3	E. WELL DESTRUCTION. See attached.
Number of Borings Hole Diameter Maximum In. Depth ft.	
ESTIMATED STARTING DATE 47/18/95	Approved Warman Hold Date 14 Jul 95
ereby agree to comply with all requirements of this permit and Alameda County Ordinance No. 73-68.	Wyman Hong

APPENDIX C

FIELD PROCEDURES FOR DRILLING, SOIL SAMPLING, AND GROUNDWATER MONITORING WELL INSTALLATION

FIELD PROCEDURES FOR DRILLING, SOIL SAMPLING, AND GROUNDWATER MONITORING WELL INSTALLATION

Drilling

The soil borings were drilled using 8-inch-diameter hollow-stem augers. To avoid cross-contamination, drilling equipment in contact with potentially contaminated material was decontaminated by steam cleaning before and after each use. Decontamination fluids were placed into DOT-approved drums for disposal.

Soil Sampling

During drilling, samples were collected continuously from Soil Borings SB-1 and SB-2 and groundwater Monitoring Well MW-8; and at 5-foot intervals starting at 5 feet below grade to the total depth of the borings in MW-6 and MW-7. Before and after each use, the sampler was washed using a phosphate-free detergent followed by tap water and deionized water rinses. Soil was sampled using a California-modified split-spoon sampler lined with stainless steel tubes. A 140-pound slide hammer falling 30 inches was used to advance the sampler 18 inches ahead of the hollow-stem augers into undisturbed soil, and blow counts were recorded for every 18 inches of penetration to evaluate the density of the soil.

After retrieval from the augers, the sampler was split, the sample tubes were removed, and a soil sample was selected for possible chemical analysis. The sample was retained within the stainless steel tube, and both ends were immediately covered with Teflon sheeting and polyurethane caps. The caps were sealed with tape and labeled with the following information: Alisto's project number, boring number, sample depth interval, sampler's initials, and date of collection. The sample was immediately placed in a waterproof plastic bag and stored in a cooler containing blue ice. Possession of the samples was documented from the field to a state-certified analytical laboratory by using a chain of custody form.

Soil samples and, when representative, drill cuttings were described by Alisto's personnel using the Unified Soil Classification System; and field estimates of soil type, color, moisture, density, and consistency were noted on the boring logs. The logs were reviewed by a civil engineer registered in the state of California.

Groundwater Monitoring Well Installation

Construction of the groundwater monitoring wells was based on the stratigraphy encountered in the soil borings. The well construction materials were introduced into the boring through the hollow-stem augers to centralize the well casing and minimize the possibility of native material entering the annular space of the well.

The 2-inch-diameter PVC well casing consisted of 0.010-inch slotted casing from the bottom of the boring to a depth interval above the highest anticipated water level, and solid casing was installed from the top of the slotted casing to approximately 4 inches below grade.

The annular space surrounding the screened portion was backfilled with No. 2/12 Lonestar sand (filter pack) to approximately 1 to 2 feet above the top of the screened section. An approximately 0.5-foot-thick interval of bentonite pellets was added to the annulus above the filter pack and hydrated with approximately 2 to 3 gallons of deionized water to minimize intrusion of well seal into the filter pack. A 6- to 15-foot-thick interval of Portland Type I/II neat cement was placed above the bentonite, and a traffic-rated utility box was installed around the top of the well casing. An expanding, watertight well cap and lock were installed on top of the well casing to secure the well from surface fluid and tampering.

APPENDIX D BORING LOGS AND WELL CONSTRUCTION DETAILS

			GE	OLO	GIC LEGEND
			OR INES	GW	Well—graded gravels, gravel—sand mixtures, little or no fines
		AVELS	LITTLE OR NO FINES	GP	Poorly—graded gravels, gravel—sand mixtures
SJ	of	ore than 1/2 coarse fraction No. 4 Sieve	APPRECIABLE NO FINES	GM	Silty gravels, gravel—sand—silt mixtures
D SOILS			APPRE NO 1	GC	Clayey gravels, gravel—sand—clay mixtures
COARSE-GRAINED			o o ES	SW	Well—graded sands, gravelly sands, little or no fines
SE-G	SA	.NDS	NO FIN	SP	Poorly—graded sands, gravelly sands, little or no fines
COAF	SANDS more than 1/2 of coarse fraction < No. 4 Sieve		APPRECIABLE NO FINES	SM	Silty sands, sand—silt mixtures
			APPRE NO F	sc	Clayey sands, sand—clay mixtures
S				ML	Inorganic silts and very fine sands, rock flour, silty or clayey fine sands or clayey silts with slight plasticity
FINE—GRAINED SOILS	:	SILTS AND CLA Liquid limit <		CL	Inorganic clays of low to medium plasticity; gravelly clays, sandy clays, silty clays, lean clays
SAINET				T OL	Organic silts and organic silty clays of low plasticity
NE-G		SILTS AND CLA		мн	Inorganic silts, micaceous or diatomoceous fine sandy or silty soils, elastic silts
		Liquid limit >	50	СН	Inorganic clays of high plasticity, fat clays
				ОН	Organic clays of medium to high plasticity, organic silts
	HIGH	HLY ORGANIC SOI	LS 📜	Pt	Peat and other highly organic soils
SYME	30L	LEGEND:			
	3	Cement			·
		Sand			LECEND TO BOBING LOCS
	3	Bentonite			LEGEND TO BORING LOGS





Driven Interval of Soil Sample



Sample preserved for possible analysis



No sample recovered



Stabilized water level

Groundwater level encountered during drilling

BP OIL SERVICE STATION NO. 11105 3519 CASTRO VALLEY BOULEVARD CASTRO VALLEY, CALIFORNIA

PROJECT NO. 10-138



		D ENGINEERING GROU UT CREEK, CALIFORNIA				LC)G	OF BORING	494 -6*	Page 1 of 1	
			А	LIST	0 PI	ROJE	CT	NO: <i>10-138-03</i>	DATE ORILLED:	07/18/95	
			С	LIEN	T:	BP (OII C	отрапу			
l ,	~	OTTE OLAN	L	LOCATION: 3519 Castro Valley Boulevard, Castro Valley, CA.							
,		SITE PLAN		RILL	ING	MET	HOC	: Hollow-stem auger ('8"); 2" split-spoon samp	oler	
				RILL	ING	COM	PAN	Y: Soils Exploration Sr	vs. CASING ELEVATION	N: 179.24 MSL	
			L	OGGE	D E	3Y:	C. L	add	APPROVED BY: A	li Sevilla	
BLOWS/6 IN.	PID VALUES	WELL DIAGRAN		DEPTH feet	SAMPLES	GRAPHIC LOG	SOIL CLASS		OLOGIC DESCRIPTION		
			*			1	SM	Planter			
12,18,18	1.4			5-	 		ML		lry. Observed from cutting		
20,43,24	1.7	2° Sch. 40 PVC —	Neat Cement	- 10	T.			ं stai n to approximatel Same: medium brown	y 3%. mottled with Fe oxide stain ses to aproximately 15%; min	to 25%,	
10,19,22	1.1		- Bentonite Seal	- - 15 - -	 			Same; at 15 feet.			
12,15,17	1.0	Screen	and ———	- 20—			CL 3	the CLASS brown/gra			
10,8,7	0	2 0.010" Slatted PVC Screen ——	#2/12 Lonestar Sand	- 25— - -	Ŧ		<u>≯</u>	At 22 feet, observed sitty SANSE mutti-colo fine- to medium-grain	or browns, saturated, mediu ned sand.	m dense;	
11,10,13	0			30—	I I I I			sity-CLAY: brown, mo	olst, very stiff; minor fines.	······································	
				1				Stabilized groundwat	er measured an July 28, 199	95.	

		D ENGINEERING GROUP UT CREEK, CALIFORNIA	Į.		LO	G	OF BORING 100-7	Page 1 of 1		
	SEE	SITE PLAN	CLIENT LOCATI DRILLI	ALISTO PROJECT NO: 10-138-03 DATE DRILLED: 07/18/95 CLIENT: BP Oil Company LOCATION: 3519 Castro Valley Boulevard, Castro Valley, CA. DRILLING METHOD: Hollow-stem auger (8"); 2" split-spoon sampler DRILLING COMPANY: Soils Exploration Srvs. CASING ELEVATION: 176.55 MS						
	, ,			LOGGED BY: C. Ladd APPROVED BY: AI Sevilla GEOLOGIC DESCRIPTION						
BLOWS/6 IN.	PTD VALUES	WELL DIAGRAN	DEPTH feet	SAMPLES						
		127				ML	10" Cancrete			
15,18,14	10.0	.40 PVC	5	—			abyey SILT: dark brown, damp, very stiff; Fe o approximately 5%.	xide stain to		
		Sch. 40 PVC	10-			CL	anty CLAY: brown/gray, damp, hard; Fe oxide stapproximately 10%; rootlets to 10%; very fine-gr	ain to		
14,23,17	10.0	2. 5	Bentonite Seal	- - - - - - - -		ML	fines. **SILT: red/brown, damp, hard; Fe axide s rootlets; some fine-grained sand; occasional su gravel to 1/4"-diameter.	stain and		
15,20,24	9.7		Bentom			CL	sity CLAY: prown, damp, hard; Fe oxide stain; o subrounded gravel to 1/4"-diameter; minor fines	ccasional		
17,17,19	6.1	PVC Screen	20 —	∓		CL	CLAY: brown/gray, wet, hard; rootlets to 5%; Fe to approximately 3%; minor fines.			
11,11,15	O	2" 0.010" Slatted PVC Screen	25—	∓		SM	silty SANOx brown, wet, medium dense; fine-grai clayer SANGX brown/gray, wet to saturated, me fine- to medium-grained sand; minor fines.	·····		
81,01,8	0		30-			CL	ality CLAY: brown/gray, moist, very stiff; some of fine—grained sand.			
			-				Stabilized groundwater measured on July 28, 19	95. 		

		O ENGINEERING GROUP UT CREEK, CALIFORNIA	LOG OF BORING Page 1 of 1								
			ALIS	ГО Р	ROJE	CT	NO: 10-138-03 DATE DRILLED: 07/19/95				
			CLIE	CLIENT: BP Oil Company							
	~~~	OTTE DI ANI	LOGA	TIOI	N: 38	519	Castro Valley Boulevard, Castro Valley, CA.				
] ;	SEE	SITE PLAN	ORIL	ING	METH	100	: Hollow-stem auger (8"); 2" split-spoon sampler				
			DRILL	DRILLING COMPANY: Soils Exploration Srvs. CASING ELEVATION: 176.34							
			LOGG	ED I	∃Y: (	C. L	add APPROVEO BY: Al Sevilla				
BLOWS/6 IN.	PID VALUES	WELL DIAGRAM	DEPTH	SAMPLES	GRAPHIC LOG	SOIL CLASS	GEOLOGIC DESCRIPTION				
		T 1				CL	Planter				
9,11,10	8.8	PVC -	Seal	┦╪			silty CLAW black, damp, very stiff; Fe oxide stain to 3%; rootlets to 5%.				
7,9,11	8.0	Sch. 40 PVC	entonite Si	- - -		ML	clayay 名此。即 rown, damp, very stiff; Fe oxide stain and root traces.				
13,15,18	329	≥ 2° 2° 2° 2° 2° 2° 2° 2° 2° 2° 2° 2° 2°	5- Benti	-  -			Same: gray, damp, very stiff; minor finès.				
20,24,28	310		-	-			Same: red/brown mottled gray, damp, hard; root traces present; minor ilnes.				
15,21,22	51		10-				Same: at 9.5 feet.				
20,17,23	4.8	£ Scree		-  -  <b>=</b>		CL	sity CLAY: erown mottled gray, damp, hard.				
18,18,23	4.4	10" Slatted PVC		- - - -		ς <u>)</u> ≥ L	sity SANGManse): red/brown, damp to slightly moist, dense; fine- to medium-grained sand; <1% rootlets.				
12,18,22	4.0	010" Statted PVC Screen	15-	- - -			rootlets present; minor fines.  ———————————————————————————————————				
15,15,19	4.0	2. a6		- - -			Same: at 17.5 feet.				
10,14,12	4.1		- 20-	-		SM	to medium-grained sand; <1% root traces.				
18,18,20	3.5	Neat Cement					sity (12.2 Prown, wet, very stiff; root traces 5%.				
18,21,20	4.0	Neat (					minor fines.				
			25-	-			finedium-grained sand.  Stabilized groundwater measured on July 28, 1995.				
				-							
			30-	-							
				1							
				1							

		O ENGINEERING GROUP UT CREEK, CALIFORNIA	LOG OF BORING									
			ALIST	O P	ROJE	CT	NO: 10-138-03 DATE DRILLED:	07/19/95				
			CLIEN	T:	BP	OII C	отралу					
	cee	SITE PLAN	LOCAT	LOCATION: 3519 Castro Valley Boulevard, Castro Valley, CA.								
	SEE	SITE PLAIN	DRILL	DRILLING METHOD: Hollow-stem auger (8"); 2" split-spaon sampler								
			DRILLING COMPANY: Soils Exploration Srvs. CASING ELEVATION: A									
		·-··	LOGGED BY: C. Ladd APPROVED BY: Al Sevilla									
BLOWS/8 IN.	PID VALUES	WELL DIAGRAM	DEPTH feet	SAMPLES	GRAPHIC LOG	SOIL CLASS	GEOLOGIC DESCRIPTION					
			[ _		77	CL	6" Concrete					
01,01,8	1008		-				神神社会学: <b>地</b> ack, damp, very stlf: medium pla	sticity.				
0,8,14	1998		5-				Same: brown, damp, very stiff; Fe oxide stain;					
12,18,18	113		-			ML	chares SII. Tebrown mottled gray, damp, hard; staining, minor lines; < 1% subrounded gravel t 1/4"-diameter.	Fe axide o				
9,14,20	334.2	Neat Cement			:		— Same: at 7 feet, root traces; calcium carbona fractures.	te on				
9,14,21	217	aan	10-		H	ML	classes STLT#red/brown mottled gray, damp, h stain; some very fine-grained sand; root trac	ard; Fe oxide es present.				
10,18,20	296						Same: at II.5 feet.					
10,19,23	10.3					CL	alty CLAY brown mottled gray, damp, hard; ro approximately 3%.	not traces to				
15,19,21	B.4		- 15		//	1	Same: at 15.5 feet.					
							Soil boring terminated at 18 feet.	:				
			20-									
	:			-								
			٠									
			25-									
			30-									
				-								

		DENGINEERING GROUP UT CREEK, CALIFORNIA	LOG OF BORING								
		· · · · · · · · · · · · · · · · · · ·	ALIST	0 P	ROJE	CT I	NO: 10-138-03	DATE DRILLED:	07/19/95		
			CLIEN	IT:	BP (	Dil C	ompany				
			LOCAT	IOI	N: 3	519	Castro Valley Boulevar	d, Castro Valley, CA.			
	SEE	SITE PLAN	DRILL	ING	MET	HOD	: Hollow-stem auger	(8"); 2" spilt-spoon samp	oler		
			DRILL	ING	COM	PAN	Y: Soils Exploration S	rvs. CASING ELEVATION	DN: N/A		
			LOGGE	LOGGED BY: C. Ladd APPROVED BY: AI Sevilla							
BLOWS/6 IN.	PID VALUES	WELL DIAGRAM	OEPTH feet	SAMPLES	GRAPHIC LOG	SOIL CLASS		EOLOGIC DESCRIPTION			
		*			77	CL	8" Concrete				
15,19,21	3.3			┆╪		1՝	plasticity.	amp, very stiff; < 1% Fe oxid	e stain; low		
15,15,23	10.0		5-			ML	ctaras ВВЛ: gray п approximately 5%; m	nattled brown, damp, hard; F inar fines; root traces press	ent.		
12,18,21	295 <b>.</b> 8	1 80000 °	.	1			Same: gray with whit hard; Fe oxide stain	e calcium voids and red/bro ; root traces; minor fines.	own, damp,		
16,14,20	222.1	Neat Cement	.			ML	tine-grained sand; s	own, damp, hard; root traces	<u></u>		
13,15,18	3.4	- Ne	10-	┇			4%; Fe oxide stain;	mottled gray, damp, hard; r some very fine-grained san	oot traces to d.		
14,18,20	1.1						Same: at 11.5 feet.				
19,21,21	0.3		15-			CF	1%; minor fines.	ottled gray, damp, hard; roo	t traces to		
14,18,20	0		.	╽	$\mathbb{Z}$	4	Same: at 15.5 feet.				
			20-				Soil baring terminate	ed at 18 feet.			
						1					
1			25-	-	1						
				-	1						
				1							
				1							
			30-	1							
			30-								
				1							
	1			1							
				1							

#### APPENDIX E

FIELD PROCEDURES FOR GROUNDWATER MONITORING WELL DEVELOPMENT AND SAMPLING

## FIELD PROCEDURES FOR GROUNDWATER MONITORING WELL DEVELOPMENT AND SAMPLING

#### Groundwater Monitoring Well Development

The groundwater monitoring wells were developed to consolidate and stabilize the filter pack to optimize well production and reduce the turbidity of subsequent groundwater samples. Monitoring wells were developed by alternately using a surge block and pump to evacuate the water and sediment. Development continued until the groundwater was relatively free of sediment (approximately 10 casing volumes). Well development fluids were placed into DOT-approved drums for disposal.

#### Groundwater Level Measurement

Before sampling, the groundwater level in each well was measured from the permanent survey reference point at the top of the well casing. Groundwater in each well was monitored for free-floating product or sheen. The depth to groundwater was measured to an accuracy of 0.01 foot from the top of the PVC well casing using an electronic sounder.

#### Groundwater Monitoring Well Sampling

To ensure that the groundwater samples were representative of the aquifer, the wells were purged of 3 casing volumes using a bailer, while monitoring stabilization of pH, electrical conductivity, and temperature.

The groundwater samples were collected using a disposable bailer, and transferred into laboratory-supplied containers. The samples were labeled with well number, site identification, date of collection, and sampler's initials, and transported in an iced cooler to a state-certified laboratory following preservation and chain of custody protocol. The sampling technician wore nitrile gloves during purging and well sampling.

#### APPENDIX F

GROUNDWATER MONITORING WELL DEVELOPMENT AND SAMPLING FIELD SURVEY FORMS

### ALISTO ENGINEERING GROUP Groundwater Development and Sampling Form

Client:_ Alisto Pr Service S Well ID!	oject No tation N	No:	1110	5	2 003 2 005 ell DevelopmentW	F	Date: 7) ield Pers ddress: 3 mpling _	onnel:_ 3515 ( 4510)	ACT > V Valley	— 4 lby Bh 1 cd
Casing D  2 Inc  3 Inc  4 Inc  4.5 Inc		Gal/i Gal/i Gal/i Gal/i	foot) foot) foot) foot)	<u>v</u> Q	Well Data:  Depth to Product Product Thickness  Compared to Water					
Disp Pum Calculate 28.0	Sampling Method: Disposable BailerPump  Calculated Purge Volume  28-0  Total Depth Depth to of Well  Decontamination Method: Triple Rinse (Liquinox)  Steam Cleaned  Gal/Ft = 3.00  Casing Vol  Gal X 10  Casing Vol  Vols to  Total  Column Factor  Purge  Volume									
Time	Temp °F	, pH	Cond. (umhos	Purge Vol (Gal)	Comments/ Turbidity		nalysis equired	Contai ner Type	Preserv	e
1212	69.4	7.98	0.57	10	light km		TPH- G/BTEX	VOA	HCL	
	1		095	20	Clearing		TPH- Diesel	Amber Liter	Solvent Rinsed	
1230	i .	1	0.96	<i>3</i> 0	1. ghter ten		EPA 601	VOA		
					7	┇	TOG 5520BF	Amber Liter	H ₂ SO ₄	
							<del></del>			

### ALISTO ENGINEERING GROUP Groundwater Development and Sampling Form

Client: Alisto Pro Service S Well ID:	tation 1	Vo:	(1	105	3-003 03-003 ell DevelopmentWel	Date: 7/24/95 Field Personnel: DC Address: 35/5 (4/5) VALO Ell Sampling Product Bailing					
	Casing Diameter: Purge Method: Well Data:										
2 Inch (0.16 Gal/foot) Pump (dispos. Poly Tubing)  3 Inch (0.37 Gal/foot) Disposable Bailers  4 Inch (0.65 Gal/Foot) Other  4.5 Inch (0.83 Gal/foot) Inch (1.47 Gal/foot) Standard Bailer  6 Inch (1.47 Gal/foot) 3.50 PVC Standard Bailer											
Sampling	<u>Metho</u>	<u>od</u> :	<u>r</u>	Deconta	mination Method:						
Disp Pum	osable l P	Bailer			ole Rinse (Liquinox) am Cleaned		1				
Calculate 20.00 Total De of Well Well	pth D	7.79 epth ater	1 = 1 <u>-</u> to V	Vater Column	Factor	; Vol	10 = Vols to Purge	Total Volume	)		
Time	Temp °F	pН	Cond. (umhos /cm)	Purge Vol (Gal)	Comments/ Turbidity	Analysis Required	Contai ner Type	Preserv			
1142	72.6	621	1.09	10	milian Scall was	TPH- G/BTE	VOA	HCL			
1,12	71.6		1.05	15	Ver	TPH- Diesel	Amber Liter	Solvent Rinsed			
1150	714	1		20	ver	EPA 60	n voa				
						TOG 5520BE	Amber Liter	H ₂ SO ₄			
			•								

### ALISTO ENGINEERING GROUP Groundwater Development and Sampling Form

Client: Alisto Pro Service S	BP oject No tation I	o:_ <i>j0</i> Vo:	251-1	I F A	Date: 7/- ield Pe <u>rs</u> Address: 5	2415 onnel:_ 5515 (	20101 20101 20101	- Jaly Bu 4 14				
Well ID:	146 :	Field	Activity	:w	ell DevelopmentWel	ll Sa	mpling _	Produ	ıct Bailin	g ,		
Casing D	iameter	ŗ:	<u>P</u>	urge M	ethod:	<u>v</u>	Vell Data	<b>:</b>				
✓2Inch (0.16 Gal/foot)✓ Pump (dispos. Poly Tubing)⊕ Depth to Product3Inch (0.37 Gal/foot)— Disposable Bailers⊕ Product Thickness4Inch (0.65 Gal/Foot)— Other⊕ Depth to Water4.5Inch (0.83 Gal/foot)— 1.66 PVC Standard Bailer6Inch (1.47 Gal/foot)— 3.50 PVC Standard Bailer												
Sampling	Metho	<u>od</u> :	Ī	Deconta /	mination Method:							
	Disposable Bailer Triple Rinse (Liquinox) Steam Cleaned											
Calculate 28.00 Total De of Well	pth D W	ন সুঠ epth ater	to V	Vater Column		g Vo	l Vo	ls to	Z7 Total Volume	<b>-</b>		
Time	Temp °F	pН	Cond. (umhos /cm)	Purge Vol (Gal)	Comments/ Turbidity		nalysis equired	Contai ner Type	Preserv	,		
1157	68.5	7.55	0.44	10	light teny 1 +301		TPH- G/BTEX	VOA	HCL			
	68.7	7.97	0.88	20	1: Jules tem		TPH- Diesel	Amber Liter	Solvent Rinsed			
1210	68.5	7.77	0.86	<i>3</i> 0	1: just ten		EPA 601	VOA				
							TOG 5520BF	Amber Liter	H ₂ SO ₄			
-							٨,		<del></del> .			
								· · · · · · · · · · · · · · · · · · ·	·	5		

AL	<b>IST</b>	0	Field F	Report	/ Sai	mplin	g Da	ta Sh	neet 3					
ENGINEE						Project 1	<b>√</b> 0.	10-138	-05/-004	,	D	ate:	7128195	
GROUP						Addre	SS	3515 C	astro V	alley		Day: M 1		
1575 TRE	AT BOULEV	ARD, SUITE 201			С	ontract N	о.	PENDING	G			City: Co	astro Valley	
		94598 (510) 295-10	650 FAX 295-1	823		Station I	No.	BP 1110	5	Sam	pler:	Les		
WELL	SAMPLE ID	DEPTH TO WATER	TOTAL DEPTH	PRODUC THICKNES		TIME	СОМ	MENTS: سبر	UIC	) Ajan	07		TD	
ESE-1	5-4	10.12	30,00	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\				W-6		2"	9.2	20	26.43	<u>S</u>
ESE-2	5-7	10.64	30.00	<del></del>		·		<u>₩-7</u>		2"	7.8		28.38	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
ESE-3 ESE-4	5-3	9.54	30,00 25.00	<del></del>			1 /00	~ 0	<u> </u>		7.0	. •	1 (.03	
ESE-5	3-5	7.97	24.00				1			<b>-</b>				
Ph METER 100 4.00 7.00 10.00 10 TEMPERATURE COMPENSATED N TIME 126 WEATHER Land														
D.O. MET	ER IW	<u>^</u> ZE	RO d.O. SOLU	JTION	0	<del> </del>	BAROM	ETRIC PR	ESSURE _	70	<u> </u>	TEN	ир <u>77°</u>	
CONDUC	CTIVITY METER	ICM	10,000 <u>l</u> 0	000	_ Turbid	ITY METER			5.0 NTL	J	<del></del>		HER	
	-	eı Dlam Cap/Loo			Gal.		Temp *	<u> </u>	E.C.	D.(		Q EPA		
	9.20	2" OK		Y (10)	3	1241	<u>755</u>		4444	<u>. y.</u>	5	7 =	-G/BTEX_ <del>}</del> +C(	_
		x Well Vol. Factor					<u> 74.7</u>		429µs			O TPH	<del></del>	
25.00	-9.20= 1	5.80 X.16=2	1.53x3=	7.59	8	1302	4 73.	7.86	422 Jus	8.1			<b>⇒</b> 5520	4.
_		Pump ODisp.Tube O	Winch ODIsp. Bo	oiler(s)OSys	Port			ļ					ME/SAMPLE ID	
Commer	nts: '							<u> </u>					5	
Well ID		tei Dlam Cap/Loc					Temp *I		E.C.	D.		O EPA	\ 601	
ESE-		71 DK		Y (N)	3	1326	10.3	7.38	472 MS	1.0		Ø TPH	I-G/BTEX_H-CC	_
		x Well Vol. Factor	_		ما		69.2	7.31	467NS			О трн	l Diesel	
50.00	-10.64-1	9.36 X.16=	<u>5,10x32</u>	9.30	9.5	1355	0.80	7.28	46345	7.	7	_	∋ 5520	
Purge Meth	nod: 🎗 Surface	Pump ODisp.Tube C	Winch ODisp. Bo	oiler(s)OSys	Port						<u> </u>		ME/SAMPLE ID	
Commer	nts:					<u> </u>						Jyoc	)	
Weli ID	Depth to Wa	tei Diam Cap/Loi	ck Product Dept	Irridensence	Gal.	Time	Temp *I	F pH	E.C.	D.		O EPA		
ESE-	3 9.54	I Z" OK	Ø	Y (V)	?	1410	71.8	7.15	446µs	7.		XX TPH	I-G/BTEX_HC(	
	n - Water Level=	_	_	ge PurgeVol.	7		70.3	707	422 NS			O TPH	l Diesel	
30.00	<u>-959-</u>	20.46X.16	= 5.27x3	-9.81	19	1419	70.0	7.00	420 ps	8,	8	<b>O</b> 100	G 5520 <u></u>	
Purge Met	hod: XSurface	Pump ODisp.Tube C	Winch ODisp. Bo	aller(s)OSy:	s Port								ME/SAMPLE ID	
Commer	nts:											142	.5	
				PAGE	L OF									

## **ALISTO**

## Field Report / Sampling Data Sheet


ENGINEERING	Project No.	10-138-08-007	Date: 7/28/95
GROUP	Address	3515 Castro Valley	Day: MTWTHF
1575 TREAT BOULEVARD, SUITE 201	Contract No.	PENDING	City: Castro Valley
WALNUT CREEK CA 94598 (510) 295-1650 FAX 295-1823	Station No.	BP 11105 Sampler:	WS
Well ID Depth to Water Diam Cap/Lock Product Dept Irridensence GC	al. Time Temp *F	pH E.C. D.O.	O EPA 601
ESE-1 10.12 2" DIC & Y W ?	1443 69.1	702 504MS 7.5	TPH-G/BTEX_ALL
Total Depth - Water Level= x Well Vol. Factor= x#vol. to Purge PurgeVol.	68.3	692 500 m	O TPH Diesel
50.00-10.12=19.88 x.16=3.18x3=9.54 10	175967.6	6.90 49745 7.9	O TOG 5520
Purge Method: OSurface Pump ODIsp.Tube OWinch ODIsp. Baller(s) OSys Port		•	TIME/SAMPLE ID
Comments:			<b>(5</b> )0
Well ID Depth to Water Dlam Cap/Lock Product Dept Irridensence GC			O EPA 601
ESE-5 7.97 2" OF 8 Y 10 3	1516 73.5	693 bashs 8.2	TPH-G/BTEX_HCL
Total Depth - Water Level= x Well Vol. Factor= x#vol. to Purge PurgeVol.	727	lo.87 lo17 hs	O TPH Diesel
24.00-7.97=16.03 X.16=256x3=7.68 8	1525 72.0	6.73 612 45 8.2	O TOG 5520
Purge Method: OSurface Pump ODisp.Tube OWInch ODIsp. Baller(s)OSys Port			TIME/SAMPLE ID
Well ID Depth to Water Dian Cap/Lock Product Dept Irridensence GO	al. Time Temp *F	pH E.C. D.O.	1530 O EPA 601
	- ·		TPH-G/BTEX HUL
AW-6 10.00 Z" OK Ø Y 1 3	1547 69.4	707 432/0 8.5	<i>}</i> /
Total Depth - Water Level= x Well Vol. Factor= x#vol. to Purge PurgeVol.	68.3	702 429 W	O TPH Diesel  TOG 5520
29.43-10.00=19.43X.16=3.11/3=9.33 9.	5 1600 67.9	695 45A 66 881	TIME/SAMPLE ID
Purge Method: OSurface Pump ODisp.Tube OWinch ODisp. Bailer(s)OSys Port Comments:		· · · · · · · · · · · · · · · · · · ·	1603
ATIME 1617 - 1627 Dian Tamp PH / Cond. 45/ Tamp	PH . Con	1 temp	PH , Com.
* MW-8 2" 722/703/5791/ 71.3/		Te	96/562HS
The HILLS Tank, PH , Cond Tend	PH Con	Temp	PH Co
* MW = 3" 71.4/7.79 /447/9 70.7 /	7.62 / 441 Ms	/ 70.1' ~	7.57 4.37 Ms
		-	
* MW-8 + MW-7 Sampled	for TPH	-618TXE	
MW-8 28.38-9.25=19.13	X.16=3.01	6×3=9.18 gal	1
MW-7 19.85-7.80=12.05	5 X.16= 1.93	3 x 3 = 5.79 gal	
PAGE	OF 7.		

# APPENDIX G WELL ELEVATION SURVEY MAPS

#### BENCHMARK:

THE EXISTING WELL INFORMATION PROVIDED BY ALISTO ENGINEERING GROUP WAS USED. WITH STRUCTURE ESE-3 HAVING AN ELEVATION OF 178.20, AND STRUCTURE ESE-2, HAVING AN ELEVATION OF 178.23.

WELL LOCATIONS:									
WELL	NORTHING	EASTING	ELEVATION						
MW1			177.55 VAULT						
MW-1			177.24 CASING						
MW-6	1021,96	1046.19	179.41 VAULT						
MW-6			179.24 CASING						
MW 7	909.26	1077.96	176.99 VAULT						
MW-7			176.55 CASING						
MW-8	954,21	925.16	176.70 VAULT						
MW-8			176.34 CASING .						



NOTE: HORIZONTAL LOCATIONS ARE BASED ON THE COORDINATE VALUES OF ESE-1 THRU ESE-4, PROVIDED TO THIS OFFICE BY ALISTO ENGINEERING GROUP.

PLS SURVEYS, INC.


1202 LINCOLN AVENUE
ALAMEDA, CA 94501

(510) 522-1790
FAX(510) 522-6207

### MONITORING WELLS

BP OIL SERVICE STATION NO. 11105 3515 CASTRO VALLEY BLVD. CASTRO VALLEY, CALIFORNIA

SCALE	NONE
DATE	07-28-95
BY	JET
JOB NO.	95039



	Groundwat	er	monitoring	well
BC	Building	COI	mers	

WELL	N	E	ELEV.
ESE-1	929.26	1025.39	177.69
ESE-2	932.31	1062.20	178.23
ESE-3	981.08	1057.83	178.20
ESE-4	990.86	1001.62	177.66
ESE-5	943.83	946.60	176.08
MW-1 MW-2 MW-3	1035.34 916.64 941.12	722.78 830.41 750.32	176.30 178.07
BC-1	950.25	967.29	
BC-2	954.29	1013.42	

#### BENCHMARK

Brass disc stamped "CUB 2J -1977" located at the easterly end of headwall on the southerly side of Castro Valley Blvd. 449'+/- easterly of Redwood Road. Elevation = 179.95.

The information shown hereon this plat was done by me from awfield survey for Alisto Engineering Engineering the month of March, 1994.

, BP Oil Station no. 11105 3518 Castro Valley Blvd. Castro Valley, California

Project No. 10-138

#### APPENDIX H

FIELD PROCEDURES FOR CHAIN OF CUSTODY DOCUMENTATION, LABORATORY REPORTS, AND CHAIN OF CUSTODY RECORDS

## FIELD PROCEDURES FOR CHAIN OF CUSTODY DOCUMENTATION

Samples were handled in accordance with the California Department of Health Services guidelines. Each sample was labeled in the field and immediately stored in a cooler and preserved with blue or dry ice for transport to a state-certified laboratory for analysis.

A chain of custody record accompanied the samples and included the site and sample identification, date of collection, analysis requested, and the name and signature of the sampling technician. When transferring possession of the samples, the transferee signed and dated the chain of custody record.

ATI I.D.: 507270

August 04, 1995

ALISTO ENGINEERING 1575 TREAT BOULEVARD, SUITE 201 WALNUT CREEK, CA 94598

Project Name: BP SITE#11105/3519 CASTRO VALLEY BLVD. CASTRO VALLEY, CA

Project # : G393629/10-138-3-3

Attention: BRADY NAGLE

Analytical Technologies, Inc. has received the following sample(s):

Date Received	Quantity	Matrix
July 26, 1995	25	SOIL

The sample(s) were analyzed with EPA methodology or equivalent methods as specified in the enclosed analytical schedule. The symbol for "less than" indicates a value below the reportable detection limit. If any flags appear next to the analytical data in this report, please see the attached list of flag definitions.

The results of these analyses and the quality control data are enclosed. Please note that the Sample Condition Upon Receipt Checklist is included at the end of this report.

GARY STEWART

OLATILES SUPERVISOR

LABORATORY MANAGER



#### SAMPLE CROSS REFERENCE

Page 1

Client : ALISTO ENGINEERING Report Date: August 04, 1995

Project # : G393629/10-138-3-3 ATI I.D. : 507270

Project Name: BP SITE#11105/3519 CASTRO VALLEY BLVD. CASTRO VALLEY, CA

ATI # Client Description	Matrix	Date Collected
1 MW-6 (6-6.5')	SOIL	18-JUL-95 18-JUL-95
2 MW-6 (11-11.5')	SOIL	18-JUL-95
3 MW-6 (21-21.5')	SOIL	18-JUL-95
1 MW-7 (6-6.5')	SOIL SOIL	18-JUL-95
MW-7 (11-11.5')	SOIL	18-JUL-95
5 MW-7 (26-26.5')	SCIL	19-JUL-95
SB-1 (1.5-2')	SOIL	19-JUL-95
SB-1 (3.5-4')	SOIL	19 <b>~</b> JUL-95
SB-1 (5.5-6')	SOIL	19-JUL <b>-</b> 95
.0 SB-1 (7-7.5')	SOIL	19-JUL <b>-</b> 95
1 SB-1 (11.5-12') 12 SB-1 (15.5-16')	SOIL	19 <b>-</b> JUL-95
L2 SB-1 (15.5-16') L3 SB-2 (1.5-2')	SOIL	19-JUL-95
• •	SOIL	1'9-JUL-95
· -	SOIL	19-JUL-95
L5 SB-2 (5.5-6') L6 SB-2 (7.5-8')	SOIL	19-JUL-95
17 SB-2 (11.5-12)	SOIL	19-JUL-95
18 SB-2 (15.5-16')	SOIL	19-JUL-95
19 MW-8 (1.5-2')	SOIL	19-JUL-95
20 MW-8 (3.5-4')	SOIL	19-JUL-95
21 MW-8 (7.5-8')	SOIL	19-JUL-95
22 MW-8 (11.5-12')	, SOIL	19-JUL-95
23 MW-8 (15.5-16')	SOIL	19-JUL-95
24 MW-8 (19.5-20')	SOIL	19-JUL-95
25 MW-8 (23-23.5')	SOIL	19-JUL-95

---TOTALS---

Matrix	# Samples
SOTI	25

#### ATI STANDARD DISPOSAL PRACTICE

The sample(s) from this project will be disposed of in twenty-one (21) days from the date or this report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.



#### ANALYTICAL SCHEDULE

Client : ALISTO ENGINEERING

Project # : G393629/10-138-3-3

ATI I.D.: 507270

Page 2

Project Name: BP SITE#11105/3519 CASTRO VALLEY BLVD. CASTRO VALLEY, CA

Technique/Description Analysis

MOD EPA 8015-CDOHS/8020 (HYDROCARBONS C6-C12/BTXE) GC/FLAME ION./PHOTO IONIZATION DETECTOR



Page 3

ATI I.D. : 507270

: MOD EPA 8015-CDOHS/8020 (HYDROCARBONS C6-C12/BTXE) Test

Client : ALISTO ENGINEERING Project # : G393629/10-138-3-3

Sample #	e Client ID	Matrix		Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1 2 4	MW-6 (6-6.5') MW-6 (11-11.5') MW-7 (6-6.5')	SOIL SOIL SOIL		18-JUL-95	28-JUL-95 28-JUL-95 28-JUL-95	31-JUL-95	1.00
Parame	eter:	Units	1		2	4	
XYLENE FUEL H HYDROC		MG/KG MG/KG MG/KG MG/KG MG/KG	<0.0 <0.0 <0.0 <0.0 <2.5 C6-0 GASO	025 025 050	<0.025 <0.025 <0.025 <0.050 <2.5 C6-C12 GASOLINE	<0.02 <0.02 <0.03 <0.05 <2.5 C6-C1 GASOI	25 25 50
SURROG TRIFLU	GATES UOROTOLUENE	8	90		89	92	



Page 4

Test : MOD EPA 8015-CDOHS/8020 (HYDROCARBONS C6-C12/BTXE)

Client : ALISTO ENGINEERING ATI I.D. : 507270

Project # : G393629/10-138-3-3

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
5 7 8	MW-7 (11-11.5') SB-1 (1.5-2') SB-1 (3.5-4')	SOIL SOIL SOIL	19-JUL-95	28-JUL-95 28-JUL-95 28-JUL-95	01-AUG-95	
Parame	ter	Units	5	7	8	
BENZEN	E	MG/KG	<0.025	<0.10	<0.25	i
TOLUEN	E	MG/KG	<0.025	<0.10	0.33	
ETHYLB	ENZENE	MG/KG	<0.025	1.4	4.5	
XYLENE	S (TOTAL)	MG/KG	<0.050	4.1	18	
	YDROCARBONS	MG/KG	<2.5	140	190	
HYDROC	ARBON RANGE	,	C6-C12	C6-C12	C6-C1	.2
HYDROC	ARBONS QUANTITATED USING		GASOLINE	GASOLINE	GASOI	INE
SURROG	ATES					
TRIFLU	OROTOLUENE	8	97	104	110	



Page 5

ATI I.D. : 507270

Test : MOD EPA 8015-CDOHS/8020 (HYDROCARBONS C6-C12/BTXE)

Click Alice Data Data Cook (HIBROCARDONS CG-C12/BIRE)

Client : ALISTO ENGINEERING Project # : G393629/10-138-3-3

Sample Client ID #	Matrix	Date Sampled	Date Extracted	Date Dil. Analyzed Factor
10 SB-1 (7-7.5') 13 SB-2 (1.5-2') 14 SB-2 (3.5-4')	SOIL SOIL SOIL	19-JUL-95 19-JUL-95 19-JUL-95		02-AUG-95 1.00
Parameter	Units	10	13	14
BENZENE TOLUENE ETHYLBENZENE XYLENES (TOTAL) FUEL HYDROCARBONS HYDROCARBON RANGE HYDROCARBONS QUANTITAT	MG/KG MG/KG MG/KG MG/KG MG/KG	0.088 0.088@E 0.41 2.0 310 C6-C12 GASOLINE	<0.025 <0.025 <0.025 <0.050 <2.5 C6-C12 GASOLINE	<0.025 <0.025 0.93@E 0.12@E 20 C6-C12 GASOLINE
SURROGATES TRIFLUOROTOLUENE	<b>%</b>	107	97	111



: MOD EPA 8015-CDOHS/8020 (HYDROCARBONS C6-C12/BTXE)

ATI I.D. : 507270 Client : ALISTO ENGINEERING

Project # : G393629/10-138-3-3
Project Name: BP SITE#11105/3519 CASTRO VALLEY BLVD. CASTRO VALLEY

•				
Sample Client ID #	Matrix	Date Sampled	Date Extracted	Date Dil. Analyzed Factor
15 SB-2 (5.5-6') 16 SB-2 (7.5-8') 20 MW-8 (3.5-4')	SOIL SOIL SOIL	19-JUL-95 19-JUL-95 19-JUL-95	28-JUL-95	02-AUG-95 10.00 02-AUG-95 10.00 02-AUG-95 1.00
Parameter	Units	15	16	20
BENZENE TOLUENE ETHYLBENZENE XYLENES (TOTAL) FUEL HYDROCARBONS HYDROCARBON RANGE HYDROCARBONS QUANTITATED USING	MG/KG MG/KG MG/KG MG/KG MG/KG	<0.25 <0.25 1.2 1.4 140 C6-C12 GASOLINE	<0.25 <0.25 3.9 5.1 230 C6-C12 GASOLINE	<0.025 <0.025 <0.025 <0.050 <2.5 C6-C12 GASOLINE
SURROGATES TRIFLUOROTOLUENE	ક	101	117	87

Page 6




Page 7

ATI I.D. : 507270

Test : MOD EPA 8015-CDOHS/8020 (HYDROCARBONS C6-C12/BTXE)

Test . Mod Era doll-cooking to the first test of 
Client : ALISTO ENGINEERING Project # : G393629/10-138-3-3

<u>_</u>						
Sample Client ID #	Matrix			Date Extracted	Date Analyzed	
21 MW-8 (7.5-8')	SOIL	19-JU	L-95	28-JUL-95	02-AUG-95	1.00
Parameter	Units	21				
BENZENE	MG/KG	<0.025				
TOLUENE	MG/KG	<0.025				
ETHYLBENZENE	MG/KG	0.046@E				
XYLENES (TOTAL)	MG/KG	0.11@E				
FUEL HYDROCARBONS	MG/KG	8.8				
HYDROCARBON RANGE		C6-C12				
HYDROCARBONS QUANTITATED USING		GASOLINE				
SURROGATES					1	
TRIFLUOROTOLUENE	¥	94			•	



#### REAGENT BLANK

: MOD EPA 8015-CDOHS (FUEL HYDROCARBONS/BTXE)


ATI I.D. : 507270 Date Extracted: 27-JUL-95

Date Analyzed: 31-JUL-95

Blank I.D.: 36232 Client: ALISTO ENGINEERING Project #: G393629/10-138-3-3

Dil. Factor : 1.00

Parameters	Units	Results	
BENZENE	MG/KG	<0.025	
TOLUENE	MG/KG	<0.025	
ETHYLBENZENE	MG/KG	<0.025	
XYLENES (TOTAL)	MG/KG	<0.050	
FUEL HYDROCARBONS	MG/KG	<2.5	
HYDROCARBON RANGE		C6-C12	
HYDROCARBONS QUANTITATED USING		GASOLINE	
SURROGATES			
TRIFLUOROTOLUENE	<b>9</b> .	94	



#### REAGENT BLANK

: MOD EPA 8015-CDOHS (FUEL HYDROCARBONS/BTXE)

ATI I.D. : 507270

Blank I.D.: 36233 Client: ALISTO ENGINEERING Project #: G393629/10-138-3-3

Date Extracted: 31-JUL-95

Date Analyzed: 01-AUG-95 Dil. Factor : 1.00

Parameters	Units	Results
BENZENE TOLUENE ETHYLBENZENE XYLENES (TOTAL) FUEL HYDROCARBONS HYDROCARBON RANGE HYDROCARBONS QUANTITATED USING	MG/KG MG/KG MG/KG MG/KG MG/KG	<0.025 <0.025 <0.025 <0.050 <2.5 C6-C12 GASOLINE
SURROGATES TRIFLUOROTOLUENE	*	87



GAS CHROMATOGRAPHY - QUALITY CONTROL

#### MSMSD

Page 10

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS/BTXE)

ATI I.D. : 507270

MSMSD # : 77448

Date Extracted: 28-JUL-95

client : ALISTO ENGINEERING

Date Analyzed : 31-JUL-95 Sample Matrix : SOIL

Project # : G393629/10-138-3-3

REF I.D. : 507270-02

Project Name: BP SITE#11105/3519 CASTRO VALLEY BLVD. CASTRO VALLEY

Parameters	Units	Sample Result	Conc Spike	Spiked Sample	% Rec	Dup Spike	Dup % Rec	RPD
BENZENE	MG/KG	<0.025	0.50	0.43	86	0.42	84	2
TOLUENE	MG/KG	<0.025	0.50	0.46	92	0.46	92	0

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
RPD (Relative % Difference) = (Spiked Sample Result - Duplicate Spike Result)*100/Average Result



#### GAS CHROMATOGRAPHY - QUALITY CONTROL

#### MSMSD

Page 1

Test : MOD

: MOD EPA 8015-CDOHS (FUEL HYDROCARBONS/BTXE)

ATI I.D. : 507270

MSMSD #

: 77449

Date Extracted: 31-JUL-95 Date Analyzed: 01-AUG-95

Client : ALISTO ENGINEERING

Sample Matrix : SOIL

Project # : G393629/10-138-3-3

REF I.D.

: REAGENT SOIL

Parameters	Units	Sample Result	Conc Spike	Spiked Sample	% Rec	Dup Spike	Dup % Rec	RPD
BENZENE TOLUENE	MG/KG MG/KG	<0.025 <0.025	0.50 0.50	0.44	88 94	0.46 0.48	92 96	4 2

[%] Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
RPD (Relative % Difference) = (Spiked Sample Result - Duplicate Spike Result)*100/Average Result



GAS CHROMATOGRAPHY - QUALITY CONTROL

#### BLANK SPIKE

Page 12

: MOD EPA 8015-CDOHS (FUEL HYDROCARBONS/BTXE) Test

: 507270 ATI I.D.

Blank Spike #: 57943

Date Extracted: 28-JUL-95

Date Analyzed: 31-JUL-95

: ALISTO ENGINEERING Project # : G393629/10-138-3-3

Sample Matrix : SOIL

Project Name : BP SITE#11105/3519 CASTRO VALLEY BLVD. CASTRO VALLEY

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec
BENZENE	MG/KG	<0.025	0.47	0.50	94
TOLUENE	MG/KG	<0.025	0.49	0.50	98

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration RPD (Relative % Difference) = (Spiked Sample - Blank Result)*100/Average Result



### BLANK SPIKE

Page 13

: MOD EPA 8015-CDOHS (FUEL HYDROCARBONS/BTXE) Test

: 507270 ATI I.D.

Blank Spike #: 57944

Date Extracted: 31-JUL-95 Date Analyzed: 01-AUG-95

: ALISTO ENGINEERING Client

Project # : G393629/10-138-3-3

Sample Matrix : SOIL

Project Name : BP SITE#11105/3519 CASTRO VALLEY BLVD. CASTRO VALLEY

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec
BENZENE	MG/KG	<0.025	0.53	0.50	106
TOLUENE	MG/KG	<0.025	0.55	0.50	110

% Recovery = (Spike Sample Result - Sample Result) *100/Spike Concentration RPD (Relative % Difference) = (Spiked Sample - Blank Result)*100/Average Result

# ANALYTICAL TECHNOLOGIES, INC. SAN DIEGO **FLAGS**

### ORGANICS

	ORGANICS
FLAG	MESSAGE DESCRIPTION
	· MIG IG · GIVED DECEMBER A DOL CONDENS ATION DE OBLICT
A	A TIC IS A SUSPECTED ALDOL-CONDENSATION PRODUCT
В	ANALYTE FOUND IN THE ASSOCIATED REAGENT BLANK
C	PESTICIDE, WHERE THE IDENTIFICATION WAS CONFIRMED BY GC/MS
CO	THESE COMPOUNDS CO-ELUTE AND ARE QUANTITATED AS ONE PEAK
D	COMPOUND IDENTIFIED IN AN ANALYSIS AT SECONDARY DILUTION
E	ANALYTE AMOUNT EXCEEDS THE CALIBRATION RANGE
J	ESTIMATED VALUE
H	QUANTIFIED AS DIESEL BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH
	THAT OF DIESEL
K	QUANTIFIED AS KEROSENE BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH
_	THAT OF KEROSENE
L	QUANTIFIED AS GASOLINE BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH
	THAT OF GASOLINE
N	PRESUMPTIVE EVIDENCE OF A COMPOUND
P	PESTICIDE/AROCLOR TARGET ANALYTE, WHERE THERE IS GREATER THAN 25%
	DIFFERENCE FOR DETECTED CONCENTRATION BETWEEN 2 GC COLUMNS
TR	COMPOUND DETECTED AT AN UNQUANTIFIABLE TRACE LEVEL
U	COMPOUND WAS ANALYZED FOR BUT NOT DETECTED
X	SEE CASE NARRATIVE
Y	SEE CASE NARRATIVE
Z	SEE CASE NARRATIVE
*	OUTSIDE OF QUALITY CONTROL LIMITS
*D	COMPOUND ANALYZED FROM A SECONDARY ANALYSIS
*F	RESULT OUTSIDE OF ATI'S QUALITY CONTROL LIMITS
*G	RESULT OUTSIDE QUALITY CONTROL LIMITS. INSUFFICIENT SAMPLE FOR RE-
	EXTRACTION/ANALYSIS
*H	RESULT OUTSIDE OF LIMITS DUE TO SAMPLE MATRIX INTERFERENCE
*I	BECAUSE OF NECESSARY SAMPLE DILUTION, VALUE WAS OUTSIDE QC LIMITS
*K	DUE TO THE NECESSARY DILUTION OF THE SAMPLE, RESULT WAS NOT ATTAINABLE
*L	ANALYTE IS A SUSPECTED LAB CONTAMINANT
*P	A STANDARD WAS USED TO QUANTITATE THIS VALUE
*R	DATA IS NOT USABLE
*T	SURROGATE RECOVERY IS OUTSIDE QC CONTROL LIMITS. NO CORRECTIVE
	ACTION INDICATED BY METHOD
*V	SAMPLE RESULT IS >4X SPIKED CONCENTRATION, THEREFORE SPIKE IS NOT DETECTABLE
*Y	RESULT NOT ATTAINABLE DUE TO SAMPLE MATRIX INTERFERENCE
@A	RESULTS OUT OF LIMITS DUE TO SAMPLE NON-HOMOGENEITY
@C	VARIABLE MESSAGE
@D	RESULT COULD NOT BE CONFIRMED DUE TO MATRIX INTERFERENCE ON THE
	CONFIRMATION COLUMN
@E	RESULT MAY BE FALSELY ELEVATED DUE TO SAMPLE MATRIX INTERFERENCE
@F	RESULT OUTSIDE OF CONTRACT SPECIFIED QUALITY CONTROL LIMITS
@G	RESULT OUTSIDE OF CONTRACT SPECIFIED ADVISORY LIMITS
@H	DETECTION LIMIT ELEVATED DUE TO MATRIX INTERFERENCE
@M	RESULT NOT CONFIRMED BY U.V. DUE TO SAMPLE MATRIX INTERFERENCE
@и	RESULT NOT CONFIRMED BY FLUORESCENCE DUE TO SAMPLE MATRIX INTERFERENCE
@P	RESULT QUANTITATED USING FLUORESCENCE ONLY DUE TO THE LOW CONCENTRATION
@Q	DETECTION LIMIT ELEVATED DUE TO LIMITED SAMPLE FOR ANALYSIS
@T	RESULT DUE TO TCLP EXTRACTION MATRIX INTERFERENCE. NO QC LIMITS
<b></b>	HAVE BEEN ESTABLISHED
@U	SAMPLE CHROMATOGRAM DOES NOT RESEMBLE COMMON FUEL HYDROCARBON
	FINGERPRINTS  SAN ON THE COMMAND OF SHOT RESEMBLE A FIFEL HYDROCARBON
@Z	SAMPLE CHROMATOGRAM DOES NOT RESEMBLE A FUEL HYDROCARBON

INITIALS: #

	ATI-SanDiego SAMPLE CONDITION UPON RECEIPT CHECKLIST (FOR RE-ACCESSIONS, COMPLETE #7 THRU #9)		
1	Does this project require special handling according to NFESC Levels C, D, AFCEE or CLP protocols?	YES	(FO)
	If yes, complete a) and b)  a) pH sample aliquoted: yes /no /na  b) Either 1) Record Bottle Lot ‡'s:  Or 2) Attach Sample Kit Request Form(s)		***
2	Number of Coolers Received If more than one cooler received attach Multiple Cooler Documentation Form (MCD)	1 (# 12	34)
	Indicate "see MCD"on Item 11 below		_
3	Are custody seals required for this project ?	YES	(N/A)
	a) are Custody Seals present on Cooler(s) ?	YES	(NO)
	If yes, are seals intact ?	YES	NO
	b) are Custody Seals present on the sample ?	YES	NO
	If yes, are seals intact ?	YES	סמ
4	Is there a Chain-Of-Custody (COC) per cooler ? if not, if a problem is found indicate which samples/test were in the affected cooler on the MCD.	E	МО
5	and analytic per cooler 2:	(E)	МО
6	Relinquished: (yes/no Requested analysis. ves/no  Is the COC' in agreement with the samples received?  **Samples: (68/no Sample ID's: ves/no Date sampled: ves/no	(ES)	NO
	Matrix: yesyno # containers: Yesyno	(AB)	NO
7	Are the samples preserved correctly?	<b>@</b>	NO
8	Is there enough sample for all the requested analyses?	<b>E</b>	МО
9	Are all samples within holding times for the requested analyses?  Record cooler temperature. Contact PM if temperature is not 4°C ± 2°C.	2.0	1
10	Is ice present in cooler?	(YES)	МО
11 ¹	Were all sample containers received intact (ie. not broken, leaking,	(FES)	ИО
	etc.)? Are samples requiring no headspace, headspace free?  N/A	(F)	ом
12	Are VOA 1st stickers required?	YES	(AO)
13	Are there special comments on the Chain of Custody which require client	YES	Ø
15	If yes, was ATI Project Manager notified?	YES	NO
Describ	e "no" items:		
If yes,	ent contacted? yes / no  Date: Name of Person contacted:  De actions taken or client instructions:		
			·
	ner representative documents, letters, and/or shipping memos		



ATT # 507270

# CHAIN OF CUSTODY

		1.000	F00									ΪΤΥ	•	STATE ZIP CODE	
CONSULTANT'S NAME		ADDF	ESS	ر	ر سيدو سيود	2001		1 -28	61	, , <del>, , , , , , , , , , , , , , , , , </del>			بدران ا		10-92
ALISTO ENGINEER	<i>(//\/(r)</i> IBP CORNER AD	DRESS/CITY	17	110	17.847 /-	JULIC	1001	12 (2)	. JU	M/E	<u> </u>	, ANH	CONSU	JUTANT PROJECT NUMBER	<u>ں ہو۔</u>
CONSULTANT PROJECT MANAGER	3519	CAS7 PHONE NUM	120 /	1/14 L	1	11 (1)	<b>)</b>	110			LEY - 182 - 06:	1 1 1 1 1	4 10	-/38-3-3	
BP CONTACT / NAGLE		1510) 2	295-	165	50		1	15	10) 0	195-	182	3	6	393629	·
		BP ADDRESS	5W 1	4/25	51,10	1/4/3,	SEN	PHON	E'NUMBEI	R	/	0.0	FAX NC	1 2-1-171	
LAB CONTACT HOUTON		LABORATOR	ADDRES	(1)4	. 99	<u> 155°</u>		PHON	<i>0 ()</i> E NÚMBE	25/2	- 00	89 8-914( 21	FAX NO	g) 251-0736	
		£ Com	711	no/	<u>louse</u>	$\Delta \omega \omega$	p 6	~	Via co	1020	90	אין דים אי		•	
SAMPLED BY (Please Print Name)	-	SAMPLED BY	/Signature	e)	/ ·	,, , ,	<u>ت ر ت</u>	<u> </u>	n ego j	SHIPM	ENT DATE	/	I	SHIPMENT METHOD	
PHRISTINE LADS		/4/	11.	x/u	NA	6 N	1			2/	25/	95		Fed KX	
TAT: 24 Hours 48 H	ours 🗍	] 1 Week	(DX	Standar	d 2 Weeks			,	ANALY:	SIS RI	EQUÍR	ED		AIRBIL NUMBER 38559990	00
	COLLECTION	MATRIX	CONTAI	INERS	PRESERVATIVE	N									
SAMPLE DESCRIPTION	COLLECTION	SOIL/WATER		TYPE (VOL.)	LAB SAMPLE#	1/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2		٠.					-	COMMENTS	
MW-6(10-1051)	7/19/95	Soil	1		Ø1	X									
74W-6(11-11.57)	7/19/95				02	×	!!								
MW-6(21-215)	7/18/95	<del> </del>			03		Hold						-	Hold	
MW-776-6.51)	7/10/95				04	$\times$								, ,	
MW-7 (11-11,5')	7/18/95				05	$\langle$									
MW-7/26-365	7/10/95				06		)Ho!	<b>d</b>						Hold	
53-1 (15-21)	7/19/95		)		07	X								-	
513-1 (35-41)	7/19/95				<u> ଅଧି</u>	X									
53-1 (55-61)	17/19/95				09	$\otimes$	HOL	d						HOLD	•
56-1 (7-7.51)	7/19/95				_10`	$\geq$									
50-1 (115-121)	7/19/95					$\times$									
516-1 (155-16)	7/19/95	- W	W		12	*									
RELINQUISHED BY / AFFILIA	TION	DATE	TIME	E	ACC	EPTED:	BY / AF	FILIATIO	NC		DATE	TIME	ADDITIONA	L COMMENTS	
Marshine	SPS	1/2/95	60	n											
T P		10 7 1				,	·	: .							
				1	rill?	Ju.	A	IT			72695	504:20	)	2.00/Est 12345	7.0°C

CLV-16722 PKG/50 Distribution: White - Original (with Data)

Yellow - BP

Pink - Lab

Blue - Consultant Field Staff



ATI # 507270

# **CHAIN OF CUSTODY**

No.075859

Page _	2	of.	3

CONSULTANT'S NAME		. ADDR	ESS				<del> </del>	CI	ΤΥ	STA	ATE.	ZIP CODE
AUSTO RUGIVER BPSITE NUMBER	KING	· .	icoo					O.	•			_
BP SITE NUMBER	BP CORNER AD	DRESS/CITY				<del>-</del>				CONSULTA	NT PROJECT NUMBE	R
111 05 CONSULTANT PROJECT MANAGER			TRO VV	HLRY 1	END, (	1517	POVAL	LAY,	CA.	10	NT CONTRACT NUMB	<del>-</del> 3 :
CONSULTANT PROJECT MANAGER					-/	/		- 7	- ,	CONSULTA	NT CONTRACT NUME	BER
BP CONTACT UAGLE		BP ADDRESS	795-1	6.50		PHO	70) 2-9 ne number	5-18	23	FAX NO.	393629	?
Scott Houton		Rom	Lon	414			206/ 2	51-06	89	FAX NO.	6) 251-	0736
LAB CONTACT	i	LABORATORY	ADDRESS/			PHO	NE NUMBER	-3 A4	, (1	FAX(NO.	9	
SAMPLED BY (Please Print Name)	<b>.</b>						019) 40	58-914				
		SAMPLED BY	(Signature)	15		2 /	, ,	SHIPMEN) DAIE	1	S	HIPMENT METHOD	<b>r</b> .
CHRISTINE LA	<u> </u>		ny	Line	Zd.	d		7/25/	95		IRBILL NUMBER	
TAT: 24 Hours	ours	1 Week	Stan	dard 2 Weeks		254-	ANALYSI	S RÉQUIÁE	ΕD	^		999000
	COLLECTION DATE	MATRIX	CONTAINER	S PRESERVATIVE	4.0							•
SAMPLE DESCRIPTION	COLLECTION	SOIL/WATER	NO. (VOI	E LAB	1 N						СОМ	MENTS
,	TIME		NO. (VOL	.) SAMPLE#	RVO							
56-2 (15-21)	7/19/95	5016	1	13 .	X							
50-2 (35-41)	7,7,			14		•						
50-2 (55-6)				15 (	1 X H	r(d					Hold	
50-2 (7.5-81)		<u> </u>	4	16	$ \mathbf{x} $							
WARRAGENERAL												
SB-2 (115-12)				17	X							
513-2 (15.5-161)				18		· (4)	ļ					
MW-8/15-20)				19	120 t	fold					Hold	
MW-8 (3,5-41)				20	$ \times $							
MW-8 (7,5-8)		* /		21	X		1					
MW-B (11.5-121)				22								
MM-8 15.5-16)	W	\ \L	1	23								
	FION	DATE	TIME	۸۵۵	SEPTED BY	/ ACEII IAT	ION	DATE	TIME	ADDITIONAL CO	OMMENTS	
RELINQUISHED BY / AFFILIAT	I ION	DATE	TIME	ACC		AFFILIAI		DATE	I IIVIC			•
Marshine	ald.	7/2860	Gim			,	pr					
The state of the s	y. 100 19	11.77						/:				
· ·	/	<del>                                     </del>		1.10	<u>, /</u>	<u> </u>						_
				1 ASA	Ju /	ATI		7.2695	09:20	000 K	R#1234	<u>= 2.0%</u>
CLV-16722	Dist	ribution: W	Vhite - Origina	ıl (with Data)	<u> </u>		Pink - Lab				• ———	_

CLV-16722 PKG/50 Distribution: White - Original (with Data)
Yellow - BP

Blue - Consultant Field Staff

(BP)				
ATI# 50	7270	CHAIN OF CUSTO	DDY No.	075860 Page 3 of 3
COMPUTATION O MAINE	AUURESS		CITY	STATE ZIP CODE
BP SITE NUMBER BP CORNER	6			
BP SITE NUMBER BP CORNER	AQDRESS/CITY			CONSULTANT PROJECT NUMBER
CONSULTANT PROJECT MANAGER	THONE NUMBER	-KY BUD, CASTIZO U	107 CRy CA	70-738-3-3 CONSULTANT CONTRACT NUMBER
Brady Navle	(510) 295-	-1150 - 1570	295-1473	
BP CONTACT	BP ADDRESS	PHONE NUMI	SER F	5393629
Brontact Hoofon	Renjon	- 1650 - 1570 PHONE NUMBER (JA: 236) PHONE NUMBER	251-0689	206/25/-0736
LAB CONTACT	LABORATORY ADDRESS /	PHONE NUM	BER 1/1) Quill	AX'NO.
SAMPLED BY (Please Print Name)	SAMPLED BY (Signature)	- $(619)$	SHIPMENT DATE	SHIPMENT METHOD
CHRISTING LAND	Porca	Land and	15P = 914   SHIPMENT DATE   7/25/95	
		, , ,		AIRBILL NUMBER
TAT: 24 Hours 48 Hours	1 Week Standar	d 2 Weeks ANAL	YSIS REQUIRED	3855999000
COLLECTION	I CONTINUENCE	PRESERVATIVE		
SAMPLE DESCRIPTION	MATRIX SOILWATER TYPE	LAB A		COMMENTS
COLLECTION	NO. (VOL.)	SAMPLE #		
MW-8(19,5-20) 7/19/9	C Sp. 1	24 😾		
11/11-8/32 2251 2/16/5	SOIL 1.	25 ×		
WW 0 ( 3 = 3 ) 7 1 1/4	///			
			_	
PELINOLUCUED DV LASSILATION	DATE STORY		ADDIT	I I IONAL COMMENTS
RELINQUISHED BY / AFFILIATION	DATE TIME	ACCEPTED BY / AFFILIATION	DATE TIME	
	1 7/2/			
/ the part	7/3/95 bun			
	1011		<del>-                                     </del>	

CLV-16722 PKG/50

Distribution: White - Original (with Data) Yellow - BP

Pink - Lab Blue - Consultant Field Staff

1-2645 01:20 Cooke#1254=2.0%.



Corporate Offices: 5550 Morehouse Drive San Diego, CA 92121 (619) 458-9141

ATI I.D.: 508034

ugust 16, 1995

LISTO ENGINEERING 575 TREAT BOULEVARD, SUITE 201 WALNUT CREEK, CA 94598

roject Name: BP SITE#11105/CASTRO VALLEY, CA

roject # : PENDING/10-138-03/003

Lttention: BRADY NAGLE

Analytical Technologies, Inc. has received the following sample(s):

Date Received Quantity Matrix
August 02, 1995 10 WATER

The sample(s) were analyzed with EPA methodology or equivalent methods as specified in the enclosed analytical schedule. The symbol for "less than" indicates a value below the reportable detection limit. If any flags appear next to the analytical data in this report, please see the attached list of flag definitions.

The results of these analyses and the quality control data are enclosed. Please note that the Sample Condition Upon Receipt Checklist is included at the end of this report.

SXXY STEWART

OLATILES SUPERVISOR

CALAN J. KLEINSCHMIDT LABORATORY MANAGER

AUG 25 1995



### SAMPLE CROSS REFERENCE

Page

Client

: ALISTO ENGINEERING

Report Date: August 16, 1995

Project # : PENDING/10-138-03/003

Project Name: BP SITE#11105/CASTRO VALLEY, CA

ATI I.D. : 508034

ATI i	# Client Description	Matrix	Date Collected
1	s-1	WATER	28-JUL-95
2	S-2	WATER	28-JUL-95
3	s-3	WATER	28-JUL-95
4	S-4	WATER	28-JUL-95
5	s-5	WATER	28-JUL-95
6	5-6	WATER	28-JUL-95
7	S-7	WATER	28-JUL-95
8	s-8	WATER	28-JUL-95
9	S-9	WATER	28-JUL-95
10	s-10	WATER	28-JUL-95

### ---TOTALS---

Matrix

# Samples

WATER

10

# ATI STANDARD DISPOSAL PRACTICE

The sample(s) from this project will be disposed of in twenty-one (21) days from the date of this report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.



# ANALYTICAL SCHEDULE

lient : ALISTO ENGINEERING
oject # : PENDING/10-138-03/003

Project Name: BP SITE#11105/CASTRO VALLEY, CA

Page 2

ATI I.D.: 508034

Technique/Description Analysis

OD EPA 8015-CDOHS/8020 (HYDROCARBONS C6-C12/BTXE) GC/FLAME ION./PHOTO IONIZATION DETECTOR



Page 3_

Test : MOD EPA 8015-CDOHS/8020 (HYDROCARBONS C6-C12/BTXE)

Client : ALISTO ENGINEERING ATI I.D. : 508034

Project # : PENDING/10-138-03/003

Sample #	Client ID	Matrix		Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1 2 3	s-1 s-2 s-3	WATER WATER WATER	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	28-JUL-95 28-JUL-95 28-JUL-95	•	11-AUG-95 11-AUG-95 11-AUG-95	1.00 5.00 1.00
Parame		Units	1		2	3	
XYLENE FUEL H HYDROC		UG/L UG/L UG/L UG/L UG/L	<0.5 <0.5 <0.5 <1.0 <50 C6-0 GASO	60 60	<2.5 <2.5 <2.5 <5.0 2000 C6-C12 GASOLINE	<0.50 <0.50 <1.0 <50 C6-C1 GASOI	12
SURROG TRIFLU	ATES OROTOLUENE	*	95		93	99	



Page 4

: 508034

est : MOD EPA 8015-CDOHS/8020 (HYDROCARBONS C6-C12/BTXE)

lient : ALISTO ENGINEERING ATI I.D.

Project # : PENDING/10-138-03/003

Sample Client ID #	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
s-4	WATER	28-JUL-9	5 N/A	11-AUG-95	1.00
5 S-5	WATER	28-JUL-9	5 N/A	11-AUG-95	1.00
5 <b>s-6</b>	WATER	28-JUL-9	5 N/A	11-AUG-95	1.00
arameter	Units	4	5	6	
⊇ENZENE	UG/L	<0.50	15	<0.50	)
OLUENE	UG/L	<0.50	<0.50	<0.50	0
THYLBENZENE	UG/L	<0.50	1.7	<0.50	כ
XYLENES (TOTAL)	UG/L	<1.0	1.3	<1.0	
TUEL HYDROCARBONS	UG/L	190	520	<50	
YDROCARBON RANGE	•	C6-C12	C6-C12	C6-C1	12
HYDROCARBONS QUANTITATED USING		GASOLINE	GASOLINE	GASO	LINE
URROGATES					
RIFLUOROTOLUENE	8	101	145*H	101	



Page 5_

Test : MOD EPA 8015-CDOHS/8020 (HYDROCARBONS C6-C12/BTXE)

Client : ALISTO ENGINEERING ATI I.D. : 508034

Project # : PENDING/10-138-03/003

Sample #	Client ID	Matrix		Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
7 8 9	S-7 S-8 S-9	WATER WATER WATER		28-JUL-95 28-JUL-95 28-JUL-95	N/A	11-AUG-95 11-AUG-95 11-AUG-95	5.00
Paramet	ter	Units	7		8	9	
XYLENE: FUEL H: HYDROC	- <del></del>	UG/L UG/L UG/L UG/L UG/L	0.54 <0.5 <1.0 <50 C6-C	50	<2.5 <2.5 <2.5 <5.0 1100 C6-C12 GASOLINE	7.2 <0.50 1.9 1.5 460 C6-C1 GASOL	12
SURROG	GATES JOROTOLUENE	*	100		83	106	Ì



Page 6

: MOD EPA 8015-CDOHS/8020 (HYDROCARBONS C6-C12/BTXE) : ALISTO ENGINEERING ATI I.D. : 508034

Project # : PENDING/10-138-03/003
Project Name: BP SITE#11105/CASTRO VALLEY, CA

Sample Client ID #	Matrix		Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
0 s-10	WATER		28-JUL-95	N/A	11-AUG-95	1.00
Parameter	Units	10				
BENZENE	UG/L	<0.50				
TOLUENE	UG/L	<0.50	l			
THYLBENZENE	UG/L	<0.50	l			
(YLENES (TOTAL)	UG/L	<1.0				
FUEL HYDROCARBONS	UG/L	<50				
HYDROCARBON RANGE	·	C6-C1	.2			
HYDROCARBONS QUANTITATED USING		GASOL	INE		1	
SURROGATES						
TRIFLUOROTOLUENE	%	96				



### REAGENT BLANK

: MOD EPA 8015-CDOHS (FUEL HYDROCARBONS/BTXE)

ATI I.D. : 508034

Blank I.D. : 36406 Client : ALISTO ENGINEERING

Test

Date Extracted: N/A

Page •

Project # : PENDING/10-138-03/003

Date Analyzed : 11-AUG-95 Dil. Factor : 1.00

~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
Parameters	Units	Results
BENZENE TOLUENE ETHYLBENZENE XYLENES (TOTAL) FUEL HYDROCARBONS HYDROCARBON RANGE HYDROCARBONS QUANTITATED USING	UG/L UG/L UG/L UG/L	<0.50 <0.50 <0.50 <1.0 <50 C6-12 GASOLINE
SURROGATES TRIFLUOROTOLUENE	*	102



REAGENT BLANK

: MOD EPA 8015-CDOHS (FUEL HYDROCARBONS/BTXE)

ATI I.D. : 508034

Blank I.D. : 36407

Test

Date Extracted: N/A

Client

Date Analyzed: 11-AUG-95

Page 8

Client : ALISTO ENGINEERING
Project # : PENDING/10-138-03/003

Dil. Factor : 1.00

Parameters	Units	Results	
BENZENE	UG/L	<0.50	
TOLUENE	UG/L	<0.50	
ETHYLBENZENE	UG/L	<0.50	
XYLENES (TOTAL)	UG/L	<1.0	
FUEL HYDROCARBONS	UG/L	<50	
HYDROCARBON RANGE	·	C6-C12	
HYDROCARBONS QUANTITATED USING		GASOLINE	
		,	
SURROGATES TRIFLUOROTOLUENE	8	98	



MSMSD

Page

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS/BTXE) MSMSD #

Client

: 77802

: ALISTO ENGINEERING

ATI I.D. : 508034

Date Extracted: N/A

Date Analyzed: 14-AUG-95

Sample Matrix : WATER

: 508064-04

Project # : PENDING/10-138-03/003

Project Name: BP SITE#11105/CASTRO VALLEY, CA

REF I.D.

Parameters	Units	Sample Result	Conc Spike	Spiked Sample	% Rec	Dup Spike	Dup % Rec	RPD
BENZENE	UG/L	<0.50	5.0	4.9	98	4.9	98	0
TOLUENE	UG/L	<0.50	5.0	4.9	98	5.0	100	2

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration RPD (Relative % Difference) = (Spiked Sample Result - Duplicate Spike Result)*100/Average Result



BLANK SPIKE

Page 10

: MOD EPA 8015-CDOHS (FUEL HYDROCARBONS/BTXE)

ATI I.D. : 508034

ank Spike #: 58178

Date Extracted: N/A

Date Analyzed: 11-AUG-95

roject # : ALISTO ENGINEERING
Project # : PENDING/10-138-03/003

Sample Matrix : WATER

Project Name : BP SITE#11105/CASTRO VALLEY, CA

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec	
HENZENE TOLUENE	UG/L	<0.50 <0.50	4.7 4.9	5.0 5.0	94 98	

Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration RPD (Relative % Difference) = (Spiked Sample - Blank Result)*100/Average Result



BLANK SPIKE

Page 11

: MOD EPA 8015-CDOHS (FUEL HYDROCARBONS/BTXE)

: 508034 ATI I.D.

Blank Spike #: 58179

Test

Date Extracted: N/A

Date Analyzed: 11-AUG-95

: ALISTO ENGINEERING Client Project #

Sample Matrix : WATER

: PENDING/10-138-03/003

Project Name : BP SITE#11105/CASTRO VALLEY, CA

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec
BENZENE	UG/L	<0.50	5.2	5.0	104
TOLUENE	UG/L	<0.50	5.2	5.0	104

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration RPD (Relative % Difference) = (Spiked Sample - Blank Result)*100/Average Result

ANALYTICAL TECHNOLOGIES, INC. SAN DIEGO FLAGS

	ORGANICS
FLAG	MESSAGE DESCRIPTION
٨	A TIC IS A SUSPECTED ALDOL-CONDENSATION PRODUCT
A B	ANALYTE FOUND IN THE ASSOCIATED REAGENT BLANK
C	PESTICIDE, WHERE THE IDENTIFICATION WAS CONFIRMED BY GC/MS
	THESE COMPOUNDS CO-ELUTE AND ARE QUANTITATED AS ONE PEAK
co	COMPOUND IDENTIFIED IN AN ANALYSIS AT SECONDARY DILUTION
D	ANALYTE AMOUNT EXCEEDS THE CALIBRATION RANGE
E J	ESTIMATED VALUE
H	QUANTIFIED AS DIESEL BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH
п	THAT OF DIESEL
K	QUANTIFIED AS KEROSENE BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH
K	THAT OF KEROSENE
7	QUANTIFIED AS GASOLINE BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH
L	THAT OF GASOLINE
NT	PRESUMPTIVE EVIDENCE OF A COMPOUND
N P	PESTICIDE/AROCLOR TARGET ANALYTE, WHERE THERE IS GREATER THAN 25%
r	DIFFERENCE FOR DETECTED CONCENTRATION BETWEEN 2 GC COLUMNS
נודר	COMPOUND DETECTED AT AN UNQUANTIFIABLE TRACE LEVEL
TR	COMPOUND WAS ANALYZED FOR BUT NOT DETECTED
U	SEE CASE NARRATIVE
X	SEE CASE NARRATIVE SEE CASE NARRATIVE
Y	SEE CASE NARRATIVE SEE CASE NARRATIVE
Z	OUTSIDE OF QUALITY CONTROL LIMITS
*	COMPOUND ANALYZED FROM A SECONDARY ANALYSIS
*D	RESULT OUTSIDE OF ATI'S QUALITY CONTROL LIMITS
*F *G	RESULT OUTSIDE QUALITY CONTROL LIMITS. INSUFFICIENT SAMPLE FOR RE-
+0	EXTRACTION/ANALYSIS
*H	PESULT OUTSIDE OF LIMITS DUE TO SAMPLE MATRIX INTERFERENCE
*I	BECATISE OF MECESSARY SAMPLE DILITION, VALUE WAS QUISIDE QC LIMITS
*K	DUE TO THE NECESSARY DILUTION OF THE SAMPLE, RESULT WAS NOT ATTAINABLE
*L	ANALYTE IS A SUSPECTED LAB CONTAMINANT
*P	A STANDARD WAS USED TO QUANTITATE THIS VALUE
*R	DATA IS NOT USABLE
*T	SURROGATE RECOVERY IS OUTSIDE QC CONTROL LIMITS. NO CORRECTIVE
1	A CTION INDICATED BY METHOD
*V	SAMPLE RESULT IS >4X SPIKED CONCENTRATION, THEREFORE SPIKE IS NOT DETECTABLE
*Y	RESULT NOT ATTAINABLE DUE TO SAMPLE MATRIX INTERFERENCE
@A	RESULTS OUT OF LIMITS DUE TO SAMPLE NON-HOMOGENEITY
@C	VARIABLE MESSAGE
@D	RESULT COULD NOT BE CONFIRMED DUE TO MATRIX INTERFERENCE ON THE
عرب	CONFIRMATION COLUMN
-@ E	RESULT MAY BE FALSELY ELEVATED DUE TO SAMPLE MATRIX INTERFERENCE
@F	RESULT OUTSIDE OF CONTRACT SPECIFIED QUALITY CONTROL LIMITS
@G	RESULT OUTSIDE OF CONTRACT SPECIFIED ADVISORY LIMITS
<u>@</u> н	DETECTION I MIT ELEVATED DUE TO MATRIX INTERFERENCE
<u>@</u> M	PESTILT NOT CONFIRMED BY ILV. DUE TO SAMPLE MATRIX INTERFERENCE
@N	DESIGNATION CONFIDMED BY FILLORESCENCE DUE TO SAMPLE MATRIX INTERPERENCE
@P	RESULT QUANTITATED USING FLUORESCENCE ONLY DUE TO THE LOW CONCENTRATION
<u>@</u> Q	DETECTION LIMIT ELEVATED DUE TO LIMITED SAMPLE FOR ANALYSIS
@T	
⊜.	HAVE REEN ESTABLISHED
@ U	

SAMPLE CHROMATOGRAM DOES NOT RESEMBLE A FUEL HYDROCARBON

FINGERPRINTS

@Z

ACCESSION #: SC8034

INITIALS:

	ATI-SanDiego SAMPLE CONDITION UPON RECEIPT CHECKLIST (FOR RE-ACCESSIONS, COMPLETE #7 THRU #9)		
1	Does this project require special handling according to NFESC Levels C, D, AFCEE or CLP protocols? If yes, complete a) and b) a) pH sample aliquoted: yes /no /na b) Either 1) Record Bottle Lot #'s: Or 2) Attach Sample Kit Request Form(s)	YES .	∞
2	Number of Coolers Received If more than one cooler received attach Multiple Cooler Documentation Form (MCD) Indicate "see MCD"on Item 11 below	1 C#0	Ck
3	Are custody seals required for this project ?	YES	(N/A)
3	a) are Custody Seals present on Cooler(s) ?	YES	6
	If yes, are seals intact ?	YES	NO
	b) are Custody Seals present on the sample ?	YES	NO
	If yes, are seals intact ?	YES	NO
4	Is there a Chain-Of-Custody (COC) per cooler? if not, if a problem is found indicate which samples/test were in the affected cooler on the MCD.	(NE)	ио
5	Is the COC' complete per cooler ?	©	МО
6	Is the COC' in agreement with the samples received? Samples: Veston Sample ID's: Veston Date sampled: (yeston)	172S	NO
	Matrix: yes no containers: Yes no Are the samples preserved correctly?	(YES	NO
	Is there enough sample for all the requested analyses?	(E)	NO
9	Are all samples within holding times for the requested analyses?	(GE)S	ИО
10	Record cooler temperature. Contact PM if temperature is not 4°C ± 2°C.	23	°c
_	Is ice present in cooler?	ES	ИО
11	Were all sample containers received intact (ie. not broken, leaking, etc.)?		ио
12	Are samples requiring no headspace, headspace free? N/A	YES	NO
13	Are VOA 1st stickers required?	YES	(No)
14	Are there special comments on the Chain of Custody which require client contact?	YES	Ø/A)
15	If yes, was ATI Project Manager notified?	YES	NO
Describ	pe "no" items:		
			
	ient contacted? yes / no		
If yes	, Date: Name of Person contacted:		
Descri	pe actions taken or client instructions:		
. 			_
· 			
	her representative documents, letters, and/or shipping memos	<u> </u>	

BP)															
	# 5	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	ر ۲ د	4	ÜCH	AIN C	F CU	STO	Y		N	lo.(),	259	13 Page_	of
TARITO MALAT		LADDE	RESS			1 /		#;	70.1	CIT	Ĭ	(STATE	a	ZIP CODE
Alisto Enineure NUMBER	174 175	Despression	15	75	Tra	X 5	NO		701	W.	(,	TCON	<i>_C</i> ∖ ISULTANT	PRO JECT NUMBI	-A
TE NUMBER	BP CORNER A	DOMESSION Y	, \	19/1	Ru, Ca								10	-138-63	3/003
ULTANT PROJECT MANAGER	<u> </u>	PHONE NUM			11-0		FAX N	IUMBER	2 ~	-100)	CON	ISULFANT	CONTRACT NUM	BER
Brady Nagle	<u> </u>	(5)0	, ,	712	-165C)	PHON	` کرے E NUMBE		189	>	FAX	NO.	7,00	
Scott Hoot	~M	Br Abbriese	(an	tin	INP	\								<i>)</i>	
CONTACT A TOTAL	, , , , , , , , , , , , , , , , , , ,	LABORATOR	ADDRE	ss ,	7		PHON	IE NUMBE	R			FAX	NO.		
H / I		SAMPLED BY	(Signati		70	<u>1</u>	<u>- "] </u>		SHIP	MENT DATE		1	SH	PMENT METHOD	
OLED BY (Please Print Name) OLIVE Sylmologica		Jun	K	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1/4			•					7	ed EXP	1055
	lours	1 Week	Z	Standa	ard 2 Weeks		-	ANALY	SIS F	EQUIRE	D		AtR 1	BILL NUMBER ' Olo 802	2554
24 Hours 48 F				<u>' </u>		9 ,		1		Ι	<u> </u>			DO COL	<u></u>
CAMPI E DECODIDITION	COLLECTION DATE	MATRIX	—	 	———	1 H	<u> </u>			<u> </u>	_			COM	MENTS
SAMPLE DESCRIPTION	COLLECTION	SOILWATER	NO.	TYPE (VOL.)	LAB SAMPLE#	26					-				
	TIME		1	·	ļ					-					
<u>S-1</u>	7/28/95	I W	2	n4			_	 					· ·		
5-2		 	+	+	02	 									
_ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		+-\-	++	+	03	+									
<u> </u>	 	 	1	+	04								1		
<u> </u>	 	-	+		05			-							
<u> </u>	 -	 	+	++-	06	┼╂╌┼╌	<u> </u>							· · · · · · · · · · · · · · · · · · ·	
5-7		. - -	+	+	07	 				-				···········	
5-8					08									······································	
<u> </u>			++		09										
5-10	14	1	1		10		-			+					
															<u>-</u>
· · · · · · · · · · · · · · · · · · ·			-						<u> </u>	DATE	TIME	ADDITIO	ONAL CON	MENTS	
RELINQUISHED BY / AFFILIA	ATION .	DATE	TI	ME	ACC	EPTED BY	/ AFFILIAI	<i>j j j</i>	**	DATE	TIME				
1 1 1/2		7/3/85	_	ļ	. √. 0	ΔL	. /	$\Delta t t^{\dagger}$		0.046	09:00				
- My Carrier		1/3/1/2	2		 	- 14.10	<u> </u>	1 1 July		12	٠.	1			
											1	_			_
V,					-						l	10	oole	R = 2	36
16722	Di	istribution:	White -	Original	(with Data)		: 	Pink - !	Lab		**	1 7: 20-2	<u> </u>		
			Yellow .	· HP		,		Diue -	OUTISUI)	ant Field St	all				