GROUNDWATER MONITORING AND PRODUCT RECOVERY PROGRESS REPORT

ARAMARK UNIFORM SERVICES, INC. 330 CHESTNUT STREET OAKLAND, CALIFORNIA

596

PREPARED FOR

ARAMARK UNIFORM SERVICES, INC. SCHAUMBURG, ILLINOIS

PREPARED BY

RMT, INC. MARINA DEL REY, CA

MAY 1996

Kevin Bate Project Engineer

James W. Van Nortwick, Jr., Ph.D., P.E

Project Manager

RMT, INC. — LOS ANGELES

4640 Aumbrat War Suite 301 Muring dei Reij CA 90292-6621

310/578 1241 310/821 3280 FAX



95 MAY 30 AM O. .

FINAL

TABLE OF CONTENTS

<u>Section</u>	<u>P</u>	age
1.	INTRODUCTION	1 1 1 2
2.	GROUNDWATER MONITORING ACTIVITIES 2.1 Static Water Level Measurements	4
3.	PRODUCT RECOVERY ACTIVITIES	9
List of Table 1 Table 2 Table 3	Static Water Level Measurements (May 10, 1996)	
List of	igures	
Figure Figure	Site Plan	
List of	ppendices	
Append Append	x B Laboratory Report	

1

FINAL

Section 1 INTRODUCTION

Former Diesel Fuel UST Area 1.1

ARAMARK Uniform Services, Inc., (ARAMARK) owns and operates an industrial laundry facility located at 330 Chestnut Street in Oakland, California. A 2,000-gallon underground diesel fuel storage tank was formerly maintained at this facility to supply fuel for the operation of a boiler. The diesel fuel storage tank was removed from the facility in December 1988 and a tank closure documentation report was submitted to the Alameda County Environmental Health Department (ACEHD). Based on the information presented in the tank documentation report, the ACEHD requested that ARAMARK conduct post-closure sampling activities to determine whether the soil and groundwater surrounding the underground storage tank had been impacted by petroleum hydrocarbons.

Remedial investigation activities were conducted by RMT from March 1989, through November 1992, and included the advancement of soil borings and four groundwater monitoring wells (RAO-1 through RAO-4) in the vicinity of the former excavation area. The results of chemical analyses performed on groundwater samples collected from monitoring wells RAO-1 and RAO-2 identified the presence of total petroleum hydrocarbons (TPH) and benzene, toluene, and xylenes (BTX) and free-product was consistently observed in the groundwater monitoring well located within the former underground storage tank excavation (RAO-3). Because the results of the sampling activities indicated that the extent of petroleum hydrocarbon contamination was limited to the former tank excavation, a product recovery canister was installed in December 1992. To date, the product recovery system has recovered approximately 7,852-mL of freeproduct. In addition, with the exception of the chemical analyses performed on groundwater samples collected from the product recovery well (RAO-3), the presence of TPH or BTX has not been identified in any groundwater sample collected since May 1993.

Former Diesel Fuel Dispenser and Mop Oil UST Area 1.2

Two single walled, steel, underground petroleum hydrocarbon storage tanks were maintained at this facility to supply fuel for the delivery vehicles. In addition, an underground mop oil storage tank was also maintained at the facility. RMT, Inc. (RMT), was retained by ARAMARK to document the removal and disposal of the underground storage tanks and perform soil sampling as required by the ACEHD. Tank removal activities were conducted during the period of September 1993 through January 1994. The results of the chemical analyses performed on the soil samples collected from the floor of the former diesel fuel dispenser vault excavations, the former mop oil tank excavation, and in the vicinity of the

FINAL


eastern section of the loading dock identified the presence of petroleum hydrocarbons.

In response to the request from the ACEHD, ARAMARK engaged the services of RMT, Inc., to conduct soil and groundwater sampling activities in the vicinity of the former diesel fuel dispenser vaults and mop oil tank. Field activities were conducted on May 5, 1995 and included the advancement of two soil borings and the installation of two groundwater monitoring wells; MW-4 located in the vicinity of the former underground mop oil storage tank and MW-5 located in the vicinity of the former diesel fuel dispenser vaults (See Figure 1). Although the results of the chemical analyses performed on groundwater samples collected from the monitoring wells identified the presence of total petroleum hydrocarbons, TPH-MS and TPH-D concentrations are generally less than 2-mg/L. In addition, the presence of BTEX has never been identified at concentrations above the method detection limit in either monitoring well. A site plan showing the location of the former diesel fuel tanks and the mop oil tank is presented in Figure 1.

1.3 Purpose and Scope

The purpose of this report is to summarize the results of the groundwater monitoring activities conducted on May 10, 1996, at the ARAMARK facility. The scope of work conducted during the groundwater investigation included the following:

- The purging and sampling of monitoring wells MW-4 and MW-5,
- The purging and sampling of product recovery well RAO-3 in accordance with ACEHD letter dated November 6, 1995, and
- The chemical analyses of groundwater samples for the presence of BTEX and TPH-D, TPH-K, and TPH-SS using EPA SW-846 Method 8020 and EPA SW-846 Method 8015M, respectively.



FINAL

Section 2 **GROUNDWATER MONITORING ACTIVITIES**

Groundwater sampling activities were conducted on May 10, 1996, and included obtaining static water level measurements and groundwater samples from monitoring wells MW-4 and MW-5. Groundwater samples were also collected from product recovery well RAO-3.

2.1 Static Water Level Measurements

Prior to collecting groundwater samples, the depth to groundwater was measured in each monitoring well using an electronic water level indicator. Three rounds of groundwater heights were taken to assess any variability in measurement.

2.2 **Groundwater Sample Collection**

Groundwater samples were collected from monitoring wells MW-4 and MW-5, and from product recovery well RAO-3. Prior to sampling, each monitoring well was purged using a bailer. A minimum of three well casing volumes (casing and sand pack volume) were extracted from each well before collecting groundwater samples. The temperature, pH, and conductivity of the extracted groundwater was measured and recorded at least once per well casing volume. The well casing volume was determined by measuring and recording the static water level and calculating the well volume. The purging bailer was decontaminated between each sampling event by rinsing with tap water to remove particulates, washing with a tri-sodium phosphate solution, and rinsing with deionized water.

After each monitoring well had recharged to within 80 percent of its pre-purge volume (approximately 15min) groundwater samples were collected utilizing a disposable Teflon bailer equipped with a teflon stopcock, and dispensed directly into 40-mL borosilicate vials with teflon septa and screw caps. All samples were preserved using hydrochloric acid and stored on ice pending transport to a commercial independent California-certified laboratory according to USEPA protocol, including chain-of-custody procedures. Groundwater sample collection data are presented in Appendix A.

2.3 **Groundwater Flow**

Static water level measurements obtained on May 10, 1996, are summarized in Table 1 and the water table map generated from the water level data is presented in Figure 2. The groundwater flow direction is southeast with a gradient of approximately 0.007-ft/ft.




Table 1
Static Water Level Measurement

Manitoring Well Location	TOC Elevation (ft above MSL)	Depth to Water (ft below TOC)	Groundwater Elevation (ft above MSL)
RAO-1	19,08	7.89	11.19
RAO-2	19.57	7.97	11.60
RAO-4	19.30	8.40	10.90
MW-4	22.69	9.37	13.32
MW-5	21.09	8.55	12.54

2.4 Chemical Analyses of Groundwater

Groundwater samples collected from product recovery well RAO-3 were analyzed for the presence of BTEX and TPH-D using EPA SW-846 Method 8020 and Method 8015M, respectively. Groundwater samples collected from monitoring wells MW-4 and MW-5 were analyzed for the presence of BTEX and TPH-D, TPH-K, and TPH-SS using EPA SW-846 Method 8020 and Method 8015M, respectively. The results of the laboratory analyses are summarized in Table 2 (diesel fuel UST Area) and Table 3 (former diesel fuel dispenser and mop oil UST area) and a copy of the laboratory report is included in Appendix B. All laboratory analyses were conducted by BC Laboratories, Inc., of Bakersfield, California.

FINAL

Table 2

Chemical Analyses of Groundwater (Former Diesel Fuel UST Area)

			realeste son b	Parameter (popla)		
Location			Tollege	Ellegitionstane	Xylenes	TPH D
	P. C					
	02-01-96	<0.5	<0.5	<0.5	<0.5	820
	08-02-95	<0.5	<0.5	<0.5	<0.5	<50
ļ	05-05-95	<0.5	<0.5	<0.5	<0.5	<50
	02-03 -95	<0.5	<0.5	<0.5	<0.5	560
	11-18 -94	<1.0	<1.0	<1.0	<1.0	<50
RAO-1	06-12 -94	<1.0	<1.0	<1.0	<1.0	<50
	04-28-94	<1.0	<1.0	<1.0	<1.0	<50
	01-29 -94	<1.0	<1.0	<1.0	<1.0	<50
	11-11-93	<0.5	<0.5	<0.5	<0.5	<50
	08-02-93	<0.3	<0.3	<0.3	<0.5	<10
	05-11-93	0.4	0.5	<0.3	1.0	<10
	11-14-95	<0.5	<0.5	<0,5	<0.5	870
	06-02-95	<0.5	<0.5	<0.5	<0.5	<50
	05-05-95	<0.5	<0.5	<0.5	<0.5	<50
	02-03-95	<0.5	<0.5	<0.5	<0.5	<50
	11-18 -94	<1.0	<1.0	<1.0	<1.0	<50
RAO-2	06-12-94	<1.0	<1.0	<1.0	<1.0	<50
	04-28-94	<1.0	<1.0	<1.0	<1.0	<50
	01-2 9-94	<1.0	<1.0	<1.0	<1.0	<50
	11-11-93	<0.5	<0.5	<0.5	<0.5	<50
	08-02-93	<0.3	<0.3	<0.3	<0.5	<10
	05-11-93	0.4	1.0	<0.3	1.0	56
RAO-3	05:10:98		<0.3	3.0	5.5	2,000,000
	02-01-96 ⁸	16	<0.5	55	<0.5	1,700,000
	11-14-95	<0.5	<0.5	<0.5	<0.5	800
	08-02-95	<0.5	<0.5	<0.5	<0.5	<50
	05-05-95	<0.5	<0.5	<0.5	<0.5	<50
	02-03-05	<0.5	<0.5	<0.5	<0.5	<50
	11-18-94	<1.0	<1.0	<1.0	<1.0	<50
RAO-4	08-12- 94	<10	<10	<10	<10	<50
)	04-28-94	<10	<10	<10	<10	<50
	01-29-94	<10	<10	<10	<10	< 50
	11-11-93	<0.5	<05	<05	<05	<50
	08-02-93	<03	<03	<03	<05	< 10
	05-11-93	<03	<03	<03	<05	<10
		<u> </u>	<u> </u>		<u> </u>	

a = free product was identified in product recovery well RAO-3

Table 3

Chemical Analyses of Groundwater (Former Dispenser and Mop Oil UST Area)

Sample Location	Sampling	Parameter (ug/L)						
	Date	Benzene	Toluene	Ethylbenzene	Xylenee	TPH-SS	TPH-K	TPH-D
MW-4	05-10-96	<0.3	<0.3	<0.3	<0.3	<200	<200	<200
	02-01-96	<0.5	<0.5	<0.5	<0.5	<500	<500	<500
	11-14-95	<0.5	<0.5	<0.5	<0.5	-	-	1,100
ļ	08-02-95	-	-	-	-	-	-	180
	05-05-95	_	-	-	-	-		500
MW-5	05-10-96	€0.3	<0.3	<0.3	<0.3	<200	<200	350
	02-01-96	<0.5	<0.5	<0.5	<0.5	840°	<500	<500
	11-14-95	<0.5	<0.5	<0.5	<0.5	-		2,100
	08-02-95	<0.5	<0.5	<0.5	<0.5		-	380
	05-05-95	<0.5	<0.5	<0.5	<0.5	-		1,100

a = The chromatogram does not resemble the stoddard hydrocarbon standard.

2.5 Disposal of Purged Groundwater

Groundwater extracted during monitoring well purging activities was contained in 55-gal DOT-approved drums, labeled with the date, generator's name, site location, source, and stored on-site pending off-site disposal.

FINAL

Section 3

PRODUCT RECOVERY ACTIVITIES

In December 1992, a product recovery system, consisting of a removable canister (a buoy sheathed by a semi-permeable hydrophobic membrane atop a product storage sump) was installed in monitoring well RAO-3 located in the vicinity of the former diesel fuel UST excavation. During the period from December 1992 through May 1995, approximately 6,202-mL of free-product was recovered, however, product recovery activities conducted during the period from June 1995 through October 1995 did not result in the recovery of any additional free product. Based on these findings, in November 1995, the ACEHD requested that ARAMARK collect groundwater samples from the product recovery well to determine the groundwater quality in the vicinity of the former diesel fuel UST excavation, however, it was agreed that the sampling activities would be postponed until the residual petroleum hydrocarbon buildup on the well screen and in the surrounding sand pack could be remediated. With ACEHD approval, RMT added approximately 15-gallons of a dilute solution (5%) of hydrogen peroxide (H₂O₂) to product recovery RAO-3 on a monthly basis during the period between November 1995 and January 1996 to help remove the residual petroleum hydrocarbons present within the well packing.

Although unanticipated (i.e., product recovery activities conducted during the last 7-months did not result in the recovery of any free product), product recovery activities conducted during the first quarter sampling activities (December 1995 through February 1996) activities resulted in the recovery of approximately 400-mL of free-product. These results are most likely due to an elevated groundwater table saturating previously unsaturated TPH-impacted zones (e.g., the groundwater surface has risen approximately 1 to 2-ft during the last three months) and the fact that residual petroleum hydrocarbons present in the product recovery well screen and well packing have been substantially remediated (e.g., the residual product most likely partially clogged the well screen and sand packing and may have limited free product recovery).

Approximately 800-mL of free-product was recovered from the product recovery well during the second quarter activities (March through May 1996). A summary of the product recovery operations is presented in Appendix C.

APPENDIX A GROUNDWATER SAMPLE COLLECTION DATA

GROUNDWATER SAMPLING INFORMATION

Project Name:	ARAMARK - OAKLAND	
Project Number:		
Sampling Date:	02/01/96	

Monitoring Well Location	Purge Number	Purge Volume (gal)	Temp (°C)	pH	Turbidity (NTU)	DTW (ft-bgs)	Cand (µS/cm)
mw-5	1	l	14.9	7.1	390	8.32	2-38
	2						
	3	DMC	3-gal.				· · · · · · · · · · · · · · · · · · ·
							<u> </u>
mω-4	1	1	15.2	7.3	58.1	9-10	1-79
	2						
	3	Dry	D 1-gal.	sa sa zantuksi		alia si wana	_{ರ್} ಚಿತ್ರವು ಎಂದು
RA0-1	1	l	15.0	7-1	27.22	7.60	1.48
	2						
	3	Dry @	2-gal			-	·
			<u>.</u>		-		
RA 0-3	1	FREE	PRODUCT	ENCO	UNTERED		
	2						
	3	•	Se (c.)		Z - 1 . 1	av. v . · · S	8 ² - 1.11
RAO-4	1					8-17	:
	2						
	3						
RA0-2	1					7-55	
	2						
	3						

RMT REPORT
ARAMARK SERVICES, INC.

FINAL

APPENDIX B

LABORATORY REPORT

May 21, 1996

TARIQ AHMAD RMT INC. 4640 ADMIRALITY WAY SUITE 301 MARINA DEL REY, CA 90292

Subject: Laboratory Submission No.: 96-05439

Samples Received: 05/10/96

Dear Mr. Ahmad:

The samples(s) listed on the Chain of Custody report were received by BC Laboratories, Inc. on 05/10/96.

Enclosed please find the analytical data for the testing requested. If you have any questions regarding this report please contact me at (805)327-4911, ext. 250.

Any unused sample will be stored on our premises for a minimum of 30 days (excluding bacteriologicals) at which time they will be disposed unless otherwise requested at the time of sample receipt. A disposal fee of \$5 per sample may apply for solid sample matrices.

Please refer to submission number 96-05439 when calling for assistance.

Sincerely,

Cheryl Ferguson Project Manager BC Laboratories, Inc.

multi guson





Total Petroleum Hydrocarbons

RMT INC.

4640 ADMIRALITY WAY

Date Reported: 05/17/96 Date Received: 05/10/96

SUITE 301

MARINA DEL REY, CA 90292

Laboratory No.: 96-05439-1

Attn: TARIZ AHMAD

310-578-1241

Sample Description: ARAMARK-OAKLAND: MW-4 SAMPLED BY T.A.

Sample Matrix:

Water

Date Collected: 05/10/96

Date Extracted-8015M(d):

05/13/96

Date Analyzed-8015M(d):

05/15/96

Constituents	Analysis Results	Reporting Units	Practical Quantitation <u>Limit</u>
Total Petroleum			
Hydrocarbons (diesel) Total Petroleum	None Detected	μg/L	200.
Hydrocarbons (Kerosene) Total Petroleum	None Detected	μ g/L	200.
Hydrocarbons (Stoddard)	None Detected	μg/L	200.
Surrogate % Recovery	100.	*	57-137

TEST METHOD: TPH by D.O.H.S. / L.U.F.T. Manual Method - Modified EPA 8015

California D.O.H.S. Cert. #1186

/20



Total Petroleum Hydrocarbons

Page 1

RMT INC.

4640 ADMIRALITY WAY

SUITE 301

90292

MARINA DEL REY, CA Attn: TARIZ AHMAD

310-578-1241

Sample Description: ARAMARK-OAKLAND: MW-5 SAMPLED BY T.A.

Sample Matrix:

Water

Date Collected: 05/10/96

Laboratory No.: 96-05439-2

05/17/96

05/10/96

05/13/96 Date Extracted-8015M(d):

Date Reported:

Date Received:

Date Analyzed-8015M(d): 05/15/96

<u>Constituents</u>	Analysis Results	Reporting Units	Practical Quantitation <u>Limit</u>
Total Petroleum Hydrocarbons (diesel) Total Petroleum	350.	μg/L	200.
Hydrocarbons (Kerosene) Total Petroleum	None Detected	μg/L	200.
Hydrocarbons (Stoddard) Surrogate % Recovery	None Detected 117.	μg/L %	200. 57-137

TEST METHOD: TPH by D.O.H.S. / L.U.F.T. Manual Method - Modified EPA 8015

California D.O.H.S. Cert. #1186



Total Petroleum Hydrocarbons

Page I

RMT INC.

4640 ADMIRALITY WAY

SUITE 301

MARINA DEL REY, CA 90292

Attn: TARIZ AHMAD

310-578-1241

Sample Description:

ARAMARK-OAKLAND: RAO-3 SAMPLED BY T.A.

Sample Matrix:

Water

Date Collected:

Date Reported: 05/17/96 Date Received: 05/10/96

Laboratory No.: 96-05439-3

05/10/96

Date Extracted-8015M(d): 05/13/96

Date Analyzed-8015M(d):

05/15/96

Constituents

Analysis Results

Reporting Units

Practical Quantitation <u>Limit</u>

Total Petroleum

Hydrocarbons (diesel) Surrogate % Recovery

200000. Not Reportable μg/L

20000. 57-137

TEST METHOD: TPH by D.O.H.S. / L.U.F.T. Manual Method - Modified EPA 8015

California D.O.H.S. Cert. #1186



Purgeable Aromatics and Total Petroleum Hydrocarbons

RMT INC.

Date Reported: 05/16/96

4640 ADMIRALITY WAY

Date Received: 05/10/96

SUITE 301

MARINA DEL REY, CA 90292

Laboratory No.: 96-05439-1

Attn: TARIZ AHMAD

Sample Description: ARAMARK-OAKLAND: MW-4 SAMPLED BY T.A.

310-578-1241

Sample Matrix:

Water

Date Collected:

05/10/96

Date Extracted-8020: 05/13/96 Date Analyzed-8020: 05/13/96

Constituents	Analysis Results	Reporting Units	Practical Quantitation <u>Limit</u>
Benzene	None Detected	μg/L	0.3
Toluene	None Detected	μg/L	0.3
Ethyl Benzene	None Detected	μg/L	0.3
Total Xylenes	None Detected	μg/L	0.6
Surrogate % Recovery	93.	*	70-130

TEST METHOD: TPH by D.O.H.S. / L.U.F.T. Manual Method - Modified EPA 8015 Individual constituents by EPA Method 5030/8020.

California_D.O.H.S. Cerz. #1186

Stuart G. Buttram

Mun

Department Supervisor



1

Purgeable Aromatics and Total Petroleum Hydrocarbons

RMT INC.

4640 ADMIRALITY WAY

SUITE 301

MARINA DEL REY, CA 90292

Sample Matrix:

Attn: TARIZ AHMAD

Sample Description:

310-578-1241

ARAMARK-OAKLAND: MW-5 SAMPLED BY T.A.

Water

Date Collected: Date Extracted-8020: 05/13/96

Date Reported:

Date Received:

Laboratory No.: 96-05439-2

05/10/96

05/16/96

05/10/96

Date Analyzed-8020:

05/13/96

Constituents	Analysis Results	Reporting <u>Units</u>	Practical Quantitation <u>Limit</u>
Benzene Toluene Ethyl Benzene Total Xylenes Surrogate % Recovery	None Detected None Detected None Detected None Detected 85.	μg/L μg/L μg/L β	0.3 0.3 0.3 0.6 70-130

TPH by D.O.H.S. / L.U.F.T. Manual Method - Modified EPA 8015 TEST METHOD: Individual constituents by EPA Method 5030/8020.

California D O.H.S. Cert.

Lene



Purgeable Aromatics and Total Petroleum Hydrocarbons

RMT INC.

4640 ADMIRALITY WAY

Date Reported: 05/16/96 Date Received: 05/10/96 Laboratory No.: 96-05439-3

SUITE 301

90292

MARINA DEL REY, CA 9 Attn: TARIZ AHMAD

310-578-1241

Sample Description:

ARAMARK-OAKLAND: RAO-3 SAMPLED BY T.A.

Sample Matrix:

Water

Date Collected: 05/10/96

Date Extracted-8020: 05/13/96

Date Analyzed-8020: 05/13/96

Constituents	Analysis Results	Reporting <u>Units</u>	Practical Quantitation <u>Limit</u>
Benzene	1.8	μg/L	0.3
Toluene	None Detected	μg/L	0.3
Ethyl Benzene	3.0	μg/L	0.3
Total Xylenes	5.5	μg/L	0.6
Surrogate % Recovery	88.	8	70-130

TEST METHOD: TPH by D.O.H.S. / L.U.F.T. Manual Method - Modified EPA 8015

Individual constituents by EPA Method 5030/8020.

California D O.H.S. Cert. #1186



Purgeable Aromatics and Total Petroleum Hydrocarbons

RMT INC.

Date Reported:

05/16/96

4640 ADMIRALITY WAY

Date Received: 05/10/96

Laboratory No.: 96-05439-TB

SUITE 301 MARINA DEL REY, CA 90292

Attn: TARIZ AHMAD

310-578-1241

Sample Description: ARAMARK-OAKLAND: BLANK

Sample Matrix:

Date Collected:

05/10/96

Water

Date Extracted-8020:

05/13/96

Date Analyzed-8020:

05/13/96

Constituents	Analysis Results	Reporting 	Practical Quantitation Limit_
Benzene	None Detected	μg/L	0.3
Toluene	None Detected	μg/L	0.3
Ethyl Benzene	None Detected	μg/L	0.3
Total Xylenes	None Detected	μg/L	0.6
Surrogate % Recovery	100.	*	70-130

TEST METHOD: TPH by D.O.H.S. / L.U.F.T. Manual Method - Modified EPA 8015

Individual constituents by EPA Method 5030/8020.

California D.O.H.S. Cert. #1186

SAMPLE CONDITION Temperature °C	20142224	<u> </u>	150	112	10				_						CA	MEN	c r	EC	ימום	C E/	אם ר	n -			
SHIPPING SPECIFICATIONS Federal Express																									
Federal Express UPS Hand Delivery Ice Chest Box SAMPLE CONDITION Temperature °C Ice Blue Ice None If temperature is not between 2 and 6 °C please explain: Clustody Seals: Ice Chest Containers None Description match COC? Yes No All samples received? Yes No All samples intact? Yes No Description match COC? Yes No SAMPLE CONTAINERS Sample 2 1 2 8 4 7 8 10 11 12 10 14 10 10 10 10 10 To re une PT Re une PT Re une PT ROMORAMIC METALS PT MORGAMIC METALS ON NONMO, NON, NON, NON, NON, NON, NON, NON	LAB NUMBER: 96	-57	43	<u>7 T</u>	IME	REC	EIVE	D:	8	15		DATE	RE	CEIV					-				BY:	30	
SAMPLE CONDITION Temperature	SHIPP	ING	SF	PEC	IFIC	AT	ION	S							S	HIP!	PIN	G C	ON	TAI	NEF	3			
SAMPLE CONDITION Temperature	Federal Express	_	U	PS [3		Han	nd D	elive	ry [ן כ	ice C	hest	Ŕ	\mathcal{L}					В	ox [3			
SAMPLE CONDITION Temperature	BC Lah Field Service	Ь												(C	ther		(Spe	cify)				
Temperature °C	DC LAD TIER GETVICE	\Rightarrow				,,,,										====			-				7		==
All samples received? Yes No Description match COC? Yes No Description national nation of the No. No. No. The No.		emperature°C																							
SAMPLE CONTAINERS Sample 8' 1 2 2 8 5 9 7 8 9 10 11 12 12 14 18 18 18 17 19 19 20 21 22 21 28 18 18 18 18 18 18 18 18 18 18 18 18 18												~ .	_										١		
Semple # 1 2 2	All samples received	? Y	es/	<u> </u>	No [All	sam	ples	inta	ct?	Yes		No C]	Des	scrip	tion	mate	ch C	OC?	Yes		No	=
Sample # 2			I		,			S	٩M١	PLE	CO	NTA	INE	RS											
GT PE UNP PT PE UNP QT WORGANIC METALS QT INORGANIC METALS CN N FORMS SULFIDE NO./NO. TOC TOC TOC TOC TOX COD PHENOL TRIP BLANK VOA VIAL VOA SET UL A GREASE DODOR RADIOLOGICAL BACT 504 507 508/608/8080 515. //R150 525/6025/8270 547 548 548 549 GA/CC QT AMBER 32 OZ JAR 32 OZ JAR 32 OZ JAR 32 OZ JAR 33 OZ JAR 32 OZ JAR 32 OZ JAR 34 OZ JAR 32 OZ JAR	Sample #	1	2	3	20	5	•	7	8	•	10	11	12	13	14	15	16	17	18	19	20	21	22	73	24
PT FE UNP OT INORGANIC METALS CN N FORMS SULFIDE NO, MO, TOC TOC TOX COD PHENOL TEMP SLANK VOA VIAL 3 2 3 VOA SET OIL & GREASE OID BACT 507 508 TOS TOS TOS TOS TOS TOS TOS TO	QT PE UNP		<u> </u>		1.00		L																		
QT INORGANIC METALS PT INORGANIC METALS CN N FORMS SULFIDE NO.7NO. TOG TOX COD PHENOL TERP BLANK VOA VIAL VOA VIAL VOA SET OD A COD RADIOLOGICAL BACT SOGGERBORO SOGG	PT PE UNP																							<u> </u>	1
PT INORGANIC METALS CN N FORMS SULFIDE NO./NO. TOG TOG TOX COD PHENOL TEIP SLANK VOA VIAL VOA VIAL VOA SET OIL & GREASE ODOR RADIOLOGICAL BACT 504 507 507 504 507 505/608/8080 515.1/8150 525/625/8270 547 531.1 548 549 QA/IGC QA/ICC Q	QT INORGANIC METALS																	ļ					<u> </u>	<u> </u>	ـــــ
CN N FORMS SULFIDE NO.JNO. TOG TOK COD PHENOL TRIP BLANK VOA VIAL VOA VIAL VOA VIAL VOA SET OIL & GREASE ODDR RADIOLOGICAL BACT SO4 507 507 508/808/8080 5151,1/8150 525/625/8270 547 547 548 548 549 QA/ICC QT AMBER A OZ JAR 8 OZ JAR 8 OZ JAR	PT INORGANIC METALS										<u> </u>							ļ			<u> </u>				
SULFIDE NO./NO. TOG TOG TOX COD PHENOL TRIP SLANK VOA VIAL VOA VIAL VOA STET OIL & GREASE ODOR RADIOLOGICAL BACT 504 507 508/608/8080 515, 1/8150 525/625/8270 547 531,1 548 549 QA/QC QA/	CN				<u> </u>				<u> </u>	Ļ	<u> </u>	<u> </u>			<u> </u>	<u> </u>	ļ		L		 _	<u> </u>		├	\vdash
NO./NO., TOC TOX COD PHENOL TRIP BLANK VOA VIAL VOA SET OIL & GRESE OIDOR RADIOLOGICAL BACT 504 507 508/608/8080 515.18150 525/625/8270 531.1 548 549 QA/GC QA/GC QA/GC QA/AR 8 OZ. JAR	N FORMS			<u> </u>	ļ	ļ	<u> </u>	<u> </u>	└ ─			ļ	<u> </u>			 _	<u> </u>			<u> </u>	 		 	 	┼
TOC TOX COD PHENOL PHENOL PHEN BLANK VOA VIAL VOA VIAL VOA SET OIL & GREASE ODDR RADIOLOGICAL BACT 504 507 508/608/8080 515.1/8150 525/625/8270 547 531.1 548 549 QA/QC QT AMBER	SULFIDE			<u> </u>			<u> </u>	ļ	<u> </u>		<u> </u>			<u> </u>			<u> </u>	ļ			<u> </u>			ļ	┿
TOX COD PHENOL PHENOL TRIP BLANK VOA VIAL 3 2 3 VOA SET OIL & GREASE ODDR RADIOLOGICAL BACT 504 507 508/608/8080 515.1/8150 525/625/8270 547 531.1 548 549 QA/QC QA/QC QA/QC QA/QC QA/AMBER SOZ. JAR 32 OZ. JAR	NO ₂ /NO ₂		<u> </u>	<u> </u>						ļ	<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>			 				┼
COD PHENOL TRIP BLANK 7 VOA VAL ' 3 2 3 VOA SET OIL & GREASE ODDR RADIOLOGICAL BACT 504 507 508/608/8080 515.1/8150 525/625/8270 547 531.1 548 549 GAIGC QT AMBER ; (/ /	Tac								<u> </u>		ļ	ļ			<u> </u>	<u> </u>	ļ	!				 		├	┼
PHENOL TRIP BLANK VOA VIAL VOA VIAL VOA SET OIL & GREASE ODOR RADIOLOGICAL BACT 504 507 508/608/8080 515.1/8150 525/625/8270 547 531.1 531.1 548 549 QA/IQC QT AMBER 7 (/ / 8 OZ. JAR 22 OZ JAR	тох		<u> </u>				<u> </u>			<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	 	<u> </u>	<u> </u>	ļ	 			├—	┿
TRIP BLANK VOA VIAL ' 3 2 3	COD			<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		ļ	ļ	<u> </u>	ļ	<u> </u>	<u> </u>	<u> </u>	<u> </u>	ļ	├			 	┿
THIP BLANK	PHENOL								<u> </u>	<u> </u>		<u> </u>							├ ─	-				├	+
VOA SET OIL & GREASE ODOR RADIOLOGICAL BACT 504 507 508/608/8080 515.1/8150 525/625/8270 547 531.1 548 549 QA/QC QT AMBER 1 / / /	TRIP BLANK	<u> </u>	<u> </u>	 	12	ļ	ļ		<u> </u>	ļ	 	ļ	 -	ļ	 	 	 	<u> </u>	├	├	 	├─		 	┼
ODR RADIOLOGICAL BACT 504 507 508/608/8080 515.1/8150 525/625/8270 547 531.1 548 549 QA/QC QT AMBER 40 C. JAR 32 OZ JAR	VOA VIAL	3	12	13	ļ		 		<u> </u>	 		├─	 	<u> </u>	 	ļ	 	-	├		┼			├ ──	+
ODOR RADIOLOGICAL BACT 504 507 508/608/8080 515.1/8150 525/625/8270 547 531.1 548 549 QA/QC QT AMBER 3 OZ. JAR 3 OZ. JAR	VOA SET	ļ		Ļ	ļ	ļ	<u> </u>		└ ─	ļ	ļ	├	<u> </u>		 	├	}	-	├—		├	├	├	 	┿
RADIOLOGICAL BACT 504 507 508/608/8080 515.1/8150 525/625/8270 547 531.1 548 549 QA/QC QT AMBER (/ /	OIL & GREASE	<u></u>		<u> </u>			<u> </u>	<u> </u>		├		—		<u> </u>	-	├	 -	ļ		<u> </u>	├	 	 	├—	┿
BACT 504 507 508/608/8080 515.1/8150 525/625/8270 547 531.1 548 649 0A/QC QT AMBER 32 OZ JAR 32 OZ JAR	ODOR	<u> </u>	<u> </u>	<u> </u>	<u> </u>	ļ		<u> </u>	 	<u> </u>		 	-	ļ	}			-	├		┼—	 	-		┿
504 507 508/608/8080 515.1/8150 525/625/8270 547 531.1 548	RADIOLOGICAL	<u> </u>	<u> </u>	<u> </u>	<u> </u>				<u> </u>	<u> </u>	ļ	 			ļ		 			-		-	-	 	+
507 508/608/8080 515.1/8150 525/625/8270 547 531.1 548 549 QA/QC QT AMBER 8 OZ. JAR 32 OZ JAR	BACT	<u> </u>	<u> </u>	<u> </u>		<u> </u>	ļ			<u> </u>	ļ				ļ	-		<u> </u>	 -	_	-	-	ļ	├—	┿
508/608/8080 515.1/8150 525/625/8270 547 531.1 548 549 QA/QC QT AMBER , (/ /) 8 OZ. JAR 32 OZ JAR	504			<u> </u>			↓		<u> </u>	<u> </u>	<u> </u>	 		<u> </u>		<u> </u>	 	├			 	-		├ ──	+
515.1/8150 525/625/8270 547 531.1 548 649 6A/QC QT AMBER 4	507	<u> </u>					 	<u> </u>		 	1	₽		 	<u> </u>	 				-	-	-	<u> </u>	 	+-
525/625/8270 547 531.1 548 549 0A/QC QT AMBER 8 OZ. JAR 32 OZ JAR	508/608/8080	<u> </u>			<u> </u>	<u> </u>		ļ				 	ļ	ļ	ļ	 	-	-		 	↓ —	 -	 	 —	+-
547 531.1 548 549 QA/QC QT AMBER 6 (/ /) 8 OZ. JAR 32 OZ JAR	515.1/8150	<u> </u>		<u> </u>	<u> </u>	<u> </u>	↓		<u> </u>	<u> </u>	<u> </u>	—	<u> </u>	<u> </u>	<u> </u>	<u> </u>		 	Ļ —	-	 	—		 	+
547 531.1 548 549 QA/QC QT AMBER 6 (/ /) 8 OZ. JAR 32 OZ JAR	525/625/8270		<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	 	<u> </u>	ļ			ऻ—	 	 		<u> </u>	-	<u> </u>	 	+
548 549 QA/QC QT AMBER (/ /) 8 OZ. JAR 32 OZ JAR	(<u>F</u>			<u> </u>	1	<u> </u>	<u> </u>		<u> </u>	-	<u> </u>	—	—		-	—	 	-	-			-	-	 	+
549 OA/OC OT AMBER (531.1		<u> </u>					<u> </u>	<u> </u>		 	 	<u> </u>	<u> </u>	 	<u> </u>	ļ	-	↓ —	ļ	<u> </u>		 	 	+
QA/QC QT AMBER 8 OZ. JAR 32 OZ JAR	548		<u> </u>	<u> </u>	ļ	1	ļ	<u> </u>	<u> </u>		<u> </u>	<u> </u>		<u> </u>		<u> </u>	<u> </u>	 	<u> </u>		<u> </u>	-	 	!	-
OT AMBER (549		_		<u> </u>	<u> </u>		ļ	ļ		 	-		<u> </u>	ļ	ļ	-	-	 	 	-		-	 	
QT AMBER	QA/QC			<u> </u>				1	1		<u> </u>	-	ļ	-		 	-		-	1	┼		1	┼	+
32 OZ JAR	QT AMBER	<u> </u>	1 (1			-			-	ļ	 		<u> </u>		-	ļ	ļ	├ ─	1	-	-		 	+
	8 OZ. JAR	<u> </u>					ļ	<u> </u>	ļ		ļ	<u> </u>	ļ	ļ		-	_	-	 	-	₩			 	-
	32 OZ JAR				<u> </u>		ļ		<u> </u>	ļ		-	<u> </u>	<u> </u>		<u> </u>	-	 -	<u> </u>	ļ	┼—	-	 - -	1	+
	SOIL SLEEVE	<u> </u>		<u> </u>	ļ		ļ	ļ	ļ	ļ		-	<u> </u>	↓ —	-	-	-	ļ	<u> </u>	1	-	-	 -		-
				<u> </u>					ļ		<u> </u>	-	ļ	├	 	-	-	-	 -	-	 -		-	 	+-
						_				1	ļ		ļ	-	-			-	-	-	 	-	-	 	+
		<u> </u>		<u> </u>				ļ					1	1	1	<u> </u>	!	<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>		<u> </u>

Completed by.

Comments:

IF (WP60)DATA/DOCS/SHELAH/FORMS/SAMREC FRMI

APPENDIX C

PRODUCT RECOVERY OBSERVATIONS

Jerticrou Mun II. er isk delucad

PRODUCT RECOVERY AT ARAMARK, 330 CHESTNUT STREET, OAKLAND

Planned Date	Actual Date	Initials	Volume of Water (mi)	Volume of product (ml)	DTP (ft)	DTW (ft)	Product Thickness (ft)
1/12/96	1/12/96	rice	480	0	7.52	7.52	0
1/19/96	1/19/96	mc	460	0	7.54	7.54	0
1/26/96	1/26/96	me	450	0	7.53	7.53	0
2/1/96	2/1/96	Me	1000	400	7.03	7.17	0.09
2/9/96	2/9/96	Me	480	275	7.34		0.02
2/16/96	2/16/96	ne	400	75	7.35	7,37	0.02
2/23/96	2/16/96	ne	360	100	7.33	7.36	0.03
3/1/96	3/1/96	me	350	100	7.37	7.34	0.02
3/8/96	3/8/96	Me.	360	90	7.34	7.36	0.02
3/15/76	3/15/96	Me	355	95	7-35	7.37	0.02
3/22/96	3/22/76	Rie	360	90	7.33	7.35	0.02.
3/29/96	3/29/96	pre	350	80	7,34	7.36	0.02
4/5/96	4/5/76	NO	355	90	7,44	7,34/	0.03
4/12/96	4/12/96	mo	360	70	7.48	7.50	0.02
4/19/96	4/19/96	MO	350	75	7.58	7.60	0.02
4/26/96	4/26/96	re	500	60.	7.74	7,75	0.01
5/3/96	5/3/96	me	460	50	7.75	7.75	0.00
5/10/96	5/10/96	me	100	0	7.76	7,76	0.00
. / /	1//		<u> </u>				
		<u> </u>	1		1	 	
		ļ			 	 	
	<u></u>		<u> </u>		1	 	<u> </u>
					 		
						<u> </u>	

Sampling	Volume of	Volume of	Depth to	Depth to	Thickness of	
Date	Product Removed (mL)	Water Removed: (ml.):	Product (ft-bgs)	Water (ft-bgs)	Product (ft)	
40.00.00			8.65	8.67	0.02	
12-03-92	0	20 0	8.61	8.63	0.02	
12-04-92 12-08-92	18	0	8.52	8.52	0.00	
12-08-92	10	0	8.24	8.24	0.00	
12-10-92	0	3	8.02	8.02	0.00	
12-14-92	30	200	8.28	8.29	0.01	
12-15-92	0	0	8.32	8.32	0.00	
12-16-92	o	0	8.52	8.52	0.00	
12-18-92	18	0	8.63	8.66	0.03	
12-21-92	10	0	8.39	8.42	0.03	
12-22-92	20	30	8.56	8.58	0.02	
12-23-92	18	0	8.35	8.37	0.02	
12-24-92	22	0	8.42	8.53	0.11	
12-28-92	15	0	8.53	8.64	10.0	
12-29-92	20	0	8,58	8.60	0.02	
12-30-92	18	0	8.22	8.24	0.02	
01-04-93	23	18	8.45	8,47	0.02	
01-05-93	12	o o	8.28	8.30	0.02	
01-06-93	10	0	8.05	8.48	0.43	
01-07-93	8	0	8.64	8.66	0.02	
01-08-93	3	10	8.36	8.37	0.01	
01-11-93	8	0	8.02	8.16	0.14	
01-12-93	13	8	7.68	8.06	0.38	
01-13-93	45	0	7.64	8.04	0.40	
01-14-93	40	0	8.00	8.32	0.32	
01-15-93	40	0	7.98	8.30	0.32	
01-18-93	48	0	8.00	8.11	0.11	
01-19-93	50	0	8.00	8.22	0.22	
01-20-93	44	0	8.00	8.02	0.02	
01-21-93	5	40	7.84	8.00	0.16	
01-22-93	450	42	7.74	7.98	0.24	
02-04-93	25	500	7.99	8.45	0.46	
03-25-93	380	70	8.11	8.20	0.09	
04-09-93	500	18	8.11	8.20	0.09	
04-23-93	210	60	7.49	7.51	0.02	
05-03-93	560	90	8.54	8.58	0.04	
05-11-93	38	114	8 35	8 45	010	
05-20-93	1	0	8.39	8 42	0 03	
06-02-93	5	65	8.37	8.41	0.04	
06-18-93	100	o	8.46	8.57	0.14	
07-09-93	150	0	8 20	8.25	0.05	
11-11-93	40	80	7 98	7.91	0 07	
12-10-93	20	25	8.62	8 59	0.03	
01-29-94	0	0	8 76	8 76	0.00	
03-10-94	0	0	8.63	8,63	0.00	

Sampling	Volume of	Volume of	Depth to	Depth to	Thickness of Product (ft)		
Date	Product Flemoved (mL)	Water Removed (ml.)	(fil-bgs)	(ft-bgs)			
05.00.04	8 x xxx	658	8.93	9.15	0.22		
05-03-94	1,976 6	565	8.85	8.85	0.00		
06-17-94	1	540	8,50	8.52	0.02		
06-21-94 06-28-94	1 5	400	8.69	8.71	0.01		
	_	500	8.61	8.61	0.00		
07-08-94 07-14-94	26 0	400	8.73	8.73	0.00		
07-14-94	20	500	8.60	8.62	0.02		
07-26-94	60	560	8.68	8.71	0.03		
08-02-94	21	500	8.46	8.50	0.04		
08-12-94	30	640	7.74	7.79	0.05		
08-18-94	0	550	9.24	9.24	0.00		
08-25-94	ő	550	8.78	8.78	0.00		
08-31-94	o	550	8.74	8.74	0.00		
09-09-94	150	375	7.74	7.76	0.02		
09-15-94	0	525	8.93	8.93	0.00		
09-22-94	5	305	8.97	8.99	0.02		
09-30-94	0	420	8.86	8.86	0.00		
10-07-94	o	550	8.74	8.74	0.00		
10-14-94	0	520	8.80	8.80	0.00		
10-21-94	o	520	8.88	8.88	0.00		
10-28-94	0	525	8.90	8.90	0.00		
11-04-94	0	550	8.00	8.00	0.00		
11-09-94	0	520	7.99	7.99	0.00		
11-18-94	80	430	8.05	8.15	0.10		
11-25-94	130	300	8.00	7.99	0.01		
11-30-94	30	260	7.94	7.95	0.01		
12-09-94	30	480	8.03	8.07	0.04		
12-16-94	30	120	7.96	7.99	0.03		
12-22-94	20	500	8.06	8.09	0.03		
12-29-94	80	360	7.71	7.73	0.02		
01-06-95	25	500	7.57	7.60	0.03		
01-13-95	50	70	7.55	7.54	0.01		
01-20-95	5	510	7.53	7.54	0.01		
01-26-95	30	500	7.38	7.41	0.03		
01-31-95	30	320	7.47	7.48	0.01		
02-09-95	20	210	7.63	7.63	0.00		
02-14-95	20	175	7 62	7 64	0 02		
02-24-95	30	310	7 85	7 89	0.04		
03-03-95	20	340	7.75	7 78	0 03		
03-09-95	30	510	7.31	7.34	0 03		
03-17-95	10	510	7.28	7 29	0.01		
03-24-95	15	485	7 23	7.24	0.01		
03-31-95	15	475	7 47	7 48	0 01		

Product Recovery Observations									
Sampling Date	Volume of Product Removed	Volume of Water Removed: (mi.)	Depth to Product (ft-bgs)	Depth to Water (ft-bgs)	Thickness of Product (ft)				
<u> </u>	(mt.)	·	2	d Francisco					
04-07-95	35	285	7.61	7.62	0.01				
04-14-95	20	280	7.68	7.69	0.01				
04-21-95	20	290	7.75	7.73	0.02				
04-28-95	40	420	7.65	7.68	0.03				
05-06-95	20	360	7.70	7.71	0.01				
05-12-95	20	390	7.70	7.70	0.00				
05-19-95	10	370	7.90	7.90	0.00				
05-26-95	10	380	7.80	7.80	0.00				
06-02-95	0	240	7.86	7.86	0.00				
06-09-95	0	330	7.80	7.80	0.00				
06-16-95	0	170	7.87	7.87	0.00				
06-23-95	0	300	7.99	7.99	0.00				
06-30-95	0	300	7.88	7.88	0.00				
07-07-95	0	280	7.82	7.82	0.00				
07-14-95	0	290	7.86	7.86	0.00				
07-21-95	0	540	7.90	7.90	0.00				
07-28-95	0	500	7.92	7.92	0.00				
08-04-95	0	480	7.86	7.86	0.00				
08-11-95	o	530	7.88	7.88	0.00				
08-18-95	o	520	7.86	7.86	0.00				
08-25-95	o	500	7.90	7.90	0.00				
09-05-95	0	310	8.15	8.15	0.00				
09-12-95	0	400	8.10	8.10	0.00				
09-19-95	0	390	8.20	8.20	0.00				
09-26-95	o	380	8.25	8.25	0.00				
10-03-95	o	385	8.15	8.15	0.00				
10-10-95	0	230	8.42	8.42	0.00				
10-17-95	0	240	8.39	8.39	0.00				
10-24-95	0	250	8.40	8.40	0.00				
10-31-95	0	255	8.44	8.44	0.00				
11-07-95	o	260	8.42	8.42	0.00				
11-14-95	0	400	8.43	8.43	0.00				
11-21-95	0	420	8.48	8.48	0.00				
11-28-95	0	480	8.50	8.50	0.00				
12-05-95	o	400	8.55	8.55	0.00				
12-05-95	٥	550	8.40	8.40	0.00				
12-13-95	0	490	8.36	8.36	0.00				
12-22-95	a	570	7.85	7 85	0.00				
!	0	560	7.82	7 82	0.00				
01-05-96			7.52	7 52	0.00				
01-12-96	0	480			0.00				
01-19-96	0	460	7 54	7.54	0.00				
01-26-96	0	450	7 53	7.53	l i				
02-01-96	400	1000	7 03	7 12	0.09				

FINAL

Sampling Date	Volume of Product Removed (mL)	Volume of Water Removed (mL)	Depth to Product (ff-bgs)	Depth to Water (ft-bgs)	Thickness of Product (ft)
02-09-96	275	480	7.34	7.36	0.02
02-16-96	75	400	7.35	7.37	0.02
02-23-96	100	360	7.33	7.36	0.03
03-01-96	100	350	7.32	7.34	0.02
03-08-96	90	360	7.34	7.36	0.02
03-15-96	95	355	7.35	7.37	0.02
03-22-96	90	360	7.33	7.35	0.02
03-29-96	80	350	7.34	7.36	0.02
04-05-96	90	355	7.44	7.47	0.03
04-12-96	70	360	7.48	7.50	0.02
04-19-96	75	350	7.58	7.60	0.02
04-26-96	60	500	7.74	7.75	0.01
05-03-96	50	460	7.75	7.76	0.01
05-10-96	0	100	7.76	7.76	0
Total to Date	7,852				