

SUBSURFACE INVESTIGATION REPORT STANDARD BRANDS PAINT EMERYVILLE, CALIFORNIA

Robert

Prepared for

Emeryville Redevelopment Agency

Prepared by

ENVIRON Corporation Emeryville, California

August 18, 1995 03-4603E

CONTENTS

			<u>Page</u>
1.0	INTI	RODUCTION	. 1-1
	1.1	Site Description and Use	
	1.2	Previous Investigations	
	1.3	Project Objective	. 1-3
	1.4	Scope of Work	. 1-3
	1.5	Report Organization	. 1-4
2.0	BAC	KGROUND INFORMATION	. 2-1
	2.1	Physiographic Setting	. 2-2
	2.2	Regional Hydrogeologic Setting	. 2-2
	2.3	Former Oliver Tire's Chemical Use	. 2-3
	2.4	Neighboring Properties and UST Sites	. 2-4
3.0	SITE	HYDROGEOLOGY	. 3-1
	3.1	Stratigraphy	. 3-2
	3.2	Ground Water Levels	. 3-3
	3.3	Hydrostratigraphy	. 3-3
4.0	CHE	MICAL TEST RESULTS	. 4-1
	4.1	Soil	. 4-2
	4.2	Ground Water	. 4-3
5.0	DISC	CUSSION OF CHEMICAL DISTRIBUTIONS	. 5-1
	5.1	Soil	. 5-2
		5.1.1 Petroleum Hydrocarbons	. 5-2
		5.1.2 Halogenated VOCs	. 5-4
	5.2	Shallow Ground Water	. 5-4
		5.2.1 Petroleum Hydrocarbons	. 5-4
		5.2.2 Halogenated VOCs	
	5.3	Deeper Zone Ground Water	. 5-6
6.0	SUM	MARY	. 6-1
7.0	DEEE	CDENCES	7 1

CONTENTS

(continued)

APPENDICES

Appendix A	Field Program Documentation
Appendix B	Laboratory Reports and Data Quality Review
Appendix C	Cone Penetrometer Test (CPT) Data

TABLES

Table 1	Ground Water Elevations
Table 2	Chemical Test Results for Soil Samples
Table 3	Chemical Test Results for Ground Water Grab Samples
Table 4	Chemical Test Results for Water Samples from Monitoring Wells
Table 5	Chemical Test Results for Enviropro's Soil Samples
Table 6	Chemical Test Results for Enviropro's Ground Water Grab Samples

FIGURES

Figure	1	Site Location
Figure :	2	Site Plan
Figure :	3	Previous Investigation Sample Locations
Figure 4	4	Former Chemical Use Areas, Oliver Tire and Rubber
Figure :	5	Ground Water Potentiometric Surface, June 27, 1995
Figure (6	Schematic Geologic Cross-Section A-A'
Figure '	7	Total Recoverable Petroleum Hydrocarbons in Soil
Figure	8	Extractable Hydrocarbons in Soil
Figure !	9	Total Volatile Hydrocarbons in Soil
Figure	10	Total Petroleum Hydrocarbons in Shallow Ground Water
Figure	11	Halogenated Volatile Organic Compounds in Shallow Ground Water
Figure	11	Chemical Testing Summary For Deeper Ground Water

ACRONYMS

ACDEH Alameda County Department of Environmental Health

BTEX Benzene, Toluene, Ethylbenzene, and Xylenes

CPT Cone Penetrometer Test
EFD Emeryville Fire Department

EPA Environmental Protection Agency

HVOC Halogenated Volatile Organic Compound
 mg/kg milligrams of chemical per kilogram of soil
 mg/L milligrams of chemical per liter of water
 μg/L micrograms of chemical per liter of water

PCB Polychlorinated Biphenyls

RWQCB Regional Water Quality Control Board

TCE Trichloroethylene

TEH Total Extractable Hydrocarbons
TPH Total Petroleum Hydrocarbons

TPH/D Total Petroleum Hydrocarbons as Diesel
TPH/G Total Petroleum Hydrocarbons as Gasoline

trans-1,2-DCE trans-1,2-Dichloroethene

TRPH Total Recoverable Petroleum Hydrocarbons

TVH Total Volatile Hydrocarbons

USGS United States Geological Survey

UST Underground Storage Tank
VOC Volatile Organic Compound

1.0 INTRODUCTION

1.0 INTRODUCTION

This report presents the results of a subsurface investigation of the Standard Brands Paint property at 4343 San Pablo Avenue in Emeryville, California (the Site). The Site is located at the corner of 45th Street and San Pablo Avenue; a vicinity map is provided as Figure 1. The subsurface investigation and subsequent interpretations were performed by ENVIRON International Corporation (ENVIRON) on behalf of the City of Emeryville Redevelopment Agency, who is planning to acquire the Site for redevelopment. The Site is within a larger area planned for redevelopment by Kaiser Foundation Health Plan, Inc. (Kaiser). Kaiser proposes to construct and operate a new medical center in the area.

1.1 Site Description and Use

The Site is a 1.2-acre parcel containing a retail store (Standard Brands Paint) and a paved parking lot. The store sells painting and home decorating supplies. Title records indicate that Standard Brands Paint Company (Standard Brands) purchased the property in 1985, and that the previous occupant was Oliver Tire and Rubber Company (Oliver Tire), who owned the property from approximately 1946 to 1985. Oliver Tire operated a tire recapping facility and rubber goods factory. Title records reviewed by ENVIRON went back to 1945; the property is shown as residential on 1903 and 1911 Sanborn maps.

1.2 Previous Investigations

Shallow soil and ground water contamination was encountered at the Site during a screening-level investigation by ENVIRON (Subsurface Investigation Report, Standard Brands Property December 3, 1993) and a more detailed investigation by Enviropro, Inc. (Subsurface Environmental Investigation Report August 31, 1994). These investigations were conducted to evaluate the Site's environmental conditions in preparation for the property sale and redevelopment. Both investigations were self-directed and the reports were submitted by Standard Brands to the Alameda County Department of Environmental Health (ACDEH) and San Francisco Regional Water Quality Control Board (RWQCB), the local oversight agencies for the area. An area of soil and ground water contamination was detected during these studies which appeared to be generally beneath the Standard Brands store. The principal compounds of concern in soil and ground water were reported to be petroleum hydrocarbons, with trace levels of other halogenated volatile organic compounds (VOCs). Enviropro characterized the

hydrocarbons as thinner, gasoline, diesel and waste oil. Methylene chloride was also reported in soil and ground water by Enviropro, but was not detected during later investigations. Chemical concentrations in soil and ground water samples were sufficiently elevated so that Enviropro concluded that soil and ground water remediation would be needed. However, existing data were not sufficient to support selection of a remedial strategy.

1.3 Project Objective

The objective of this phase of investigation was to collect additional information needed to select and scope a remediation strategy for the site. Data were collected to verify previous soil results and to further evaluate the degradation of ground water quality. All available data were used in developing an understanding of subsurface conditions and possible remedial action.

1.4 Scope of Work

During June and July 1995, ENVIRON conducted a field investigation including soil borings, cone penetrometer tests (CPTs), and monitoring wells. The investigation was completed both on the Site (on-site) and west of the Site (off-site). The locations of the soil borings, CPTs and monitoring wells are shown on Figure 2. The investigation activities are summarized below.

- Seventeen soil borings (B-1 to B-17) were drilled to depths of between 10 and 33 feet to evaluate shallow soil and ground water quality. Ground water grab samples were collected at seven of these locations. Soil samples were collected from most borings to supplement previous soil testing at the Site.
- Six CPTs were completed to depths of approximately 60 feet to identify if deeper ground water zones were present which might be impacted by chemical releases from the Site. One to two coarser-grained intervals were identified at each location for sampling.
- Five shallow monitoring wells were constructed to evaluate ground water flow directions and measure water quality in key areas identified by soil and ground water grab samples. Monitoring wells were developed and monitored for water levels and water quality.
- Soil and ground water samples were tested by Chromalab Environmental Services, a California-certified laboratory in Pleasanton, California. U.S. Environmental Protection Agency (EPA) test methods were used as outlined below:

Total Volatile Hydrocarbons (TVH) Total Petroleum Hydrocarbons as Gasoline (TPH/G); benzene, toluene, ethylbenzene, xylenes (BTEX compounds)	EPA Method 8015 Modified
Total Extractable Hydrocarbons (TEH) TPH as Diesel (TPH/D) stoddard solvent/mineral spirits (thinner) motor oil, kerosene	EPA Method 8015 Modified
Halogenated VOCs	EPA Method 8010
Polychlorinated Biphenyls	EPA Method 8080 (Modified)

Friedman and Bruya, Inc. was retained as expert hydrocarbon fingerprinters to
characterize petroleum compounds in selected areas. After identifying the types of
hydrocarbons present, Friedman and Bruya coordinated with Chromalab, who
quantified the hydrocarbon concentrations using standard EPA methods. Friedman
and Bruya's involvement helped Chromalab select the appropriate hydrocarbon
standards for their analysis.

1.5 Report Organization

The remainder of this report is organized into the following sections:

2.0	Background Information	Presents information on the Site's physiographic and regional hydrogeologic setting, Oliver Tire's chemical use, and neighboring properties
3.0	Site Hydrogeology	Presents hydrogeologic findings of investigation
4.0	Chemical Test Results	Presents investigation chemical results
5.0	Discussion of Chemical Distributions	Describes chemical distributions at Site from results of this and previous investigations
6.0	Summary	Summarizes key findings

The appendices which accompany this report present descriptions and documentation of the field investigation, including boring logs and well construction diagrams (Appendix A); the laboratory reports and a review of laboratory and field quality control samples (Appendix B); and the CPT program (Appendix C).

2.0 BACKGROUND INFORMATION

2.0 BACKGROUND INFORMATION

This section presents background information on the Site: the physiographic setting, ground water conditions in the area, Oliver Tire's past chemical use, and information on neighboring properties. The planned redevelopment of the Site and vicinity is also described briefly.

2.1 Physiographic Setting

The Site is in the East Bay Plain which is characterized by relatively flat terrain between the San Francisco Bay (the Bay) and the Berkeley Hills. As shown on Figure 1, the Site is approximately 4,000 feet east of the Bay and is in an area that slopes gently westward toward the Bay. The elevation of the Site is approximately 43 feet above mean sea level. Surface drainage from the Site goes to a network of storm drains located in streets and other paved areas; the storm drains ultimately discharge to the Bay. The ancestral Temescal Creek flowed just north of the Site, though it is now confined to a storm drain along 53rd Street (Alameda County Food Control District, File CB-320).

2.2 Regional Hydrogeologic Setting

Neighboring sites have conducted investigations for underground storage tank (UST) closures and other reasons, and have found that ground water is generally 5 to 15 feet below ground surface in the area of the Site (Weiss 1994, CH2M Hill 1995, Kaiser Engineers 1988). Ground water flow in the area is reported to be generally toward the Bay, westerly to southwesterly. Subsurface sediments in the shallow ground water zone are described at neighboring sites as typically silty clay with discontinuous interbeds of sands and gravels. The ground water flow rates are expected to be relatively low where the clayey deposits predominate, but higher where sands and gravels are present.

The surficial geology of the Site is illustrated on the Geologic Map of Late Cenozoic Deposits of Alameda County, California (United States Geological Survey [USGS] 1972). This map identifies fluvial sediments (composed of silty clay, silt and fine sand) in the area of the Site which are likely less than approximately 10-15 feet thick. These near-surface sediments have been characterized by the USGS as overlying a thick sequence of sediments which are identified as Older Alluvial Fan Deposits (USGS 1972) or basin fill deposits of the Alameda Formation (USGS 1957). These deeper sediments are composed of sandy, silty clays with discontinuous coarse-grained units (USGS 1957). The Older Alluvial Fan Deposits or Alameda Formation sediments are likely approximately 200-400 feet thick in the area of the Site and

overlie bedrock of the Knoxville and Franciscan Formations (Rogers/Pacific 1991; Alameda County Flood Control and Water Conservation District 1993).

ENVIRON obtained a search of the data base of Alameda County East Bay Plain Wells on January 26, 1994. No water supply wells were identified on the Site or within approximately one-half miles of the Site. Outside of this area, isolated wells are identified as irrigation, industrial and domestic supply wells and they are typically 100- to 500-feet deep, screened in the deeper units of the Alameda Formation or Older Alluvial Fan Deposits. None of these relatively distant wells appear to be located downgradient of the Site.

2.3 Former Oliver Tire's Chemical Use

The former Site owner, Oliver Tire, operated a tire and rubber goods factory at the Site from approximately 1947 and 1985. Historical aerial photographs of the area indicate that the facility underwent a number of expansions during this time until the factory nearly occupied the entire property (Pacific Aerial Surveys, 1949-1985). Limited records about Oliver Tire's former activities at this property were available to ENVIRON; however, the available records indicate that chemicals were used in bulk and subsurface sumps were employed in Oliver Tire's factory buildings

The records reviewed by ENVIRON regarding Oliver Tire's operation are Sanborn maps (1951 and 1967), a 1971 building plan prepared by Oliver Tire which was on file at the Emeryville Building Department, and a rough demolition map of Oliver Tire which was provided by Standard Brands. The demolition map is a hand drawing of sumps and pits at the former facility. Copies of these were included in Enviropro's investigation report (1994).

The former chemical use areas identified in the above records are summarized on Figure 3 relative to the current layout of the Site. Figure 3 presents the approximate locations of sumps and pits identified on the building demolition map, one of which was labeled as containing "water and sludge." The chemical use areas identified on the 1971 building plan included hydraulic equipment, spray booths, a solvent storage area, and tanks. Because Oliver Tire's operation was changing during its 32 years at the Site and records are limited, the chemical use areas shown on Figure 3 are likely incomplete.

An oil and gas depot was located at the northeastern corner of the property from at least 1947 through 1950, based on 1947, 1949, and 1953 Pacific Aerial Survey photographs and the 1950 Sanborn map. The approximate location of the oil and gas depot and the fuel pumps is shown on Figure 3. It is possible that an underground storage tank (UST) was associated with the depot since no above-ground storage tanks are visible on the aerial photographs or noted on the Sanborn maps. A magnetic anomaly was identified during ENVIRON's recent field work in the area of the oil and gas depot which may represent an UST; the location of the magnetic anomaly also is shown on Figure 3. The oil and gas depot was apparently removed by Oliver

Tire in the early 1950s (prior to the 1953 aerial photograph). No other records of the oil and gas depot and associated fuel pumps or their removal were found.

According to Mr. George Warren of the Emeryville Fire Department (EFD), former inspector of the former facility, an existing Oliver Rubber facility on 65th Street in Emeryville conducts similar operations as the former facility. A review of EFD's file on the 65th Street facility indicated that their chemical use includes rubber, oils, solvents, and carbon black. Therefore, it is probable that similar chemicals were used at Oliver Tire. No documentation regarding Oliver Tire's chemical use was available at either the Emeryville Fire Department (file review May 21, 1993) or the California Environmental Protection Agency's Department of Toxic Substance Control (file review March 3, 1993).

2.4 Neighboring Properties and UST Sites

The Site is in an area of Emeryville which has had industrial activity since the early 1900's, and a number of neighboring properties have petroleum and solvents in subsurface and ground water which is documented in ACDEH and RWQCB files. The neighboring properties are described briefly below to place the Site in context for the area.

Residential Properties

Five residential lots with apartment buildings and houses are located west of the Site, across Emery Street. Off-site testing for this current investigation was conducted in the area of these residences (borings B-1, B-2, and MW-4, shown on Figure 2). Historical Sanborn maps and aerial photographs indicate that four of these properties have been residential since at least 1911. The fifth property has been residential since approximately 1953, based on review of historical aerial photographs. ENVIRON is not aware of any industrial activity on these properties.

Del Monte Plant 35 Cannery

The vacant Del Monte Cannery, Plant 35, covers approximately 14 acres and is located approximately one half block west of the Site, just west of the residential properties. Testing during ENVIRON's latest phase of investigation was conducted on the easternmost portion of the Del Monte property, east of Watts Street (borings B-3 and B-11, shown on Figure 2). According to Del Montes consultant, CH2M Hill, former cannery operations were located west of Watts Street, and the area east of Watts was used for employee parking (CH2M Hill 1992). Since 1986, Del Monte has conducted a number of investigations west of Watts Street to close USTs and test soil and ground water in preparation for sale of their property. The results of these investigations are presented in numerous reports prepared by Del Monte's consultant, CH2M Hill. Del Monte's approved remediation plans involve excavation of soil with greater than 100 milligrams per kilogram (mg/kg) of Total Petroleum Hydrocarbons (TPH) (CH2M Hill 1994).

Ground water remediation for VOCs is underway in the central and western portions of Del Monte's plant under oversight of the ACDEH and RWQCB. Del Monte plans to complete its soil remediation and to continue ground water extraction and monitoring until ACDEH and RWQCB concur that it is appropriate to discontinue (RWQCB April 19, 1995).

New Century Beverage Company (Pepsi)

The Pepsi property is immediately south of the Site, as shown on Figure 2, and is currently occupied by a Pepsi beverage canning plant. Pepsi has occupied the property since approximately 1958 and their operations have included canning, storage, vehicle and equipment maintenance, and gasoline and diesel fueling (Weiss 1994). During 1994, Pepsi conducted extensive investigations on their property and identified four petroleum ground water plumes, two originating at two fuel USTs, and two apparently originating upgradient (Weiss 1994). Pepsi removed one inactive 10,000-gallon fuel UST with associated piping and two pump islands. The other UST, an 8,000-gallon diesel UST, was removed by Pepsi in 1987. Weiss prepared a Remedial Action Plan, which we understand has been approved by the ACDEH (Weiss 1995). The approved Remedial Action Plan provides for excavating soil with TPH at concentrations greater that 100 mg/kg or with BTEX compounds exceeding EPA Preliminary Remediation Goals, and ground water monitoring.

AC Transit

The AC Transit property is located immediately north of the Site, across 45th Street (Figure 2). This property has been used for bus maintenance and fueling since approximately 1937, though it was previously operated by the Key System Transit Lines. During construction of the facility during the 1980's, petroleum-contaminated soil was remediated under oversight of the ACDEH. An UST tank farm was the site of a 16,000 gallon diesel spill in 1989, resulting in diesel contamination of soil and ground water. Cleanup was conducted under oversight by the RWQCB. Residual gasoline contamination associated with the pre-1986 activities at this property also was detected (AC Transit 1989).

Emeryville Fire Station

This property is immediately south of the Site, as shown on Figure 2. This property consists of a vacant fire station building constructed in 1959, paved parking, two small support buildings and a vehicle fueling station. Sanborn maps and Pacific Aerial Survey photographs indicate that the property has been used as a fire station since at least 1911 and the property appears undeveloped on the 1903 Sanborn map. The station had a 550-gallon UST and pump island, which the City of Emeryville removed during 1994. Soil adjacent to the former UST which

contained TPH/G and TPH/D was excavated, and a monitoring well was installed. We understand that this site is still under ACDEH review.

City of Emeryville - San Pablo Avenue Property

The City of Emeryville's San Pablo Avenue property, at 4300 San Pablo Avenue, is across the street to the southeast of the subject Site, as shown on Figure 2. The property formerly housed a service station and car wash. Service station plans showed that the site had three 550-gallon USTs located under sidewalks along San Pablo Avenue and 43rd Street (Subsurface Consultants, 1991). Six ground water monitoring wells were installed at the property in 1990, including one (MW-6) on the west side of San Pablo Avenue, in front of the Emeryville Fire Station. Ground water flow is reported to be to the northwest, toward the Emeryville Fire Station and the Site (Subsurface Consultants letter report to City of Emeryville dated January 16, 1992). Ground water monitoring in 1990 and 1991 showed low mg/L levels of TEH and low μ g/L levels of BTEX compounds in the on-site wells, but none in MW-6. Only TPH/D at 0.11 mg/L was detected in MW-6 (Subsurface Consultants, 1992). It appears that the most petroleum in ground water from this property is limited to east of San Pablo Avenue.

3.0 SITE HYDROGEOLOGY

3.0 SITE HYDROGEOLOGY

The soil borings, CPTs, and monitoring wells completed for this investigation allowed observation of hydrogeologic conditions at the Site. The boring logs, and monitoring well construction diagrams which record these observations are presented in Appendix A. Appendix C presents an explanation of the CPT logs, and Earth Technology Corporation's report on the CPT investigation. The findings are summarized below.

3.1 Stratigraphy

Investigations by ENVIRON and Enviropro found that shallow soils beneath the Site are primarily silty clay and silt, with discontinuous interbeds of silty and clayey sands and gravels. Three units were identified beneath the Site: artificial fill, an organic silty clay, and silty clay and silt with discontinuous clayey to silty sands and gravels. These units are described below.

<u>Fill Materials</u> The fill materials observed were typically crushed rock, sandy gravel engineered fill, or disturbed soil with construction debris (e.g. brick fragments). The fill was approximately 6-inches below ground surface (BGS) beneath the parking lot and up to 7 feet BGS beneath the store (at boring B-6). The areas of Oliver Tire's former subsurface sumps may have fill materials that extend to greater depths.

Organic Silty Clay The shallowest natural soil unit is an organic silty clay, which varies in color from dark gray to brown to black and locally contains visible decomposed plant material. It locally contains some sand and gravel. This unit was observed to be approximately 10 feet BGS beneath much of the Standard Brands property. In off-site borings completed for this investigation, the organic silty clay was observed to be approximately 4- to 8- BGS.

<u>Silty Clay with Discontinuous Sand and Gravel Lenses</u> Underlying the organic silty clay are light olive brown to gray silty clays with interbedded silty and clayey sands and gravels. The silty clay locally contains some angular gravel, shell fragments, and calcareous nodules. The discontinuous character of the sands and gravels is illustrated on the cross section on Figure 4 (cross section location is shown on Figure 3). The CPT

logs indicate the soils in the upper approximately 25 to 30 feet BGS is in the clay and silt range. Below approximately 25 to 30 feet BGS, there is a general coarsening of the grain sizes; the CPTs indicate that sandy silt/silty sand predominates, with sand and clay interbeds. The increase in grain size in the deeper zone is illustrated on the cross section by an increase in the baseline on the soil behavior type plot for CPT-2 and CPT-8. The deeper sandier soils were also observed near the base of boring B-5.

3.2 Ground Water Levels

The five new wells constructed during this investigation were completed across the water table. Water levels were measured in the wells on two occasions, June 15, 1995 and June 27, 1995. The measured water level elevations are presented in Table 1. During the June 27, 1995 measurements, ENVIRON coordinated with the neighboring landowners, PepsiCo and the Emeryville Fire Station, to measure water levels the same day. The resulting potentiometric surface map for shallow ground water in the area of the Site is presented on Figure 5. The potentiometric surface on Figure 5 indicates that the gradient is westerly to southwesterly with a magnitude of 0.013. The gradient is more westerly closer to 45th Street and more southwesterly to the south, further from 45th Street. This gradient is consistent with measurements at neighboring properties. At the Pepsi site, the ground water gradient is to the southwest (Weiss 1994). At the AC Transit site, located across 45th Street to the north, the ground water gradient is reported to be to the west (Kaiser Engineers July 24, 1989). The depth to ground water at the Standard Brands property increases to the west from approximately 7 feet BGS at MW-1 to an estimated 11 feet BGS in the western portion of the store building.

At the neighboring Del Monte site, water level measurements in similar shallow zone monitoring wells fluctuated over a range of approximately 2 to 4.5 feet from December 1988 to March 1995. The mean water level fluctuation was approximately 3 feet (CH2M Hill 1992, ENVIRON 1995). This range of water level fluctuations would be expected to be similar at the Standard Brands Site. The June 1995 water levels at the Site were measured in the middle of the dry season following an unusual wet season with record high levels of precipitation. In this context, the June 1995 water levels depicted on Figure 5 and in Table 1 may represent approximately the middle of the likely range of water levels for the Site.

3.3 Hydrostratigraphy

Observations during this field program indicate that the ground water system beneath the Site can be generally divided into the vadose zone, shallow ground water which is partly unconfined and partly confined, and deeper confined ground water.

The vadose zone beneath the Site is the unsaturated soil above ground water. As discussed above, the depths to water observed in the shallow wells during the investigation

indicate that the vadose zone during this investigation extended some 7 feet BGS on the east side of the Site, to some 11 feet BGS on the west side of the Site; however, during dryer years the vadose zone undoubtedly extends deeper. Based on the historical water level fluctuations observed at the neighboring Del Monte site, the vadose zone may extend up to approximately 2 feet deeper during dry years and up to approximately 2 feet shallower during wet seasons.

The schematic cross section on Figure 4 illustrates the shallow zone and deeper ground water zones identified during this investigation beneath the Site. The shallow zone extends to approximately 25 to 30 feet BGS, and the top of the deeper ground water zone begins at some 30 to 35 feet BGS. The deeper ground water zone is somewhat coarser grained than the shallow zone, as evidenced by the slight increase in grain size on the CPTs discussed above. The shallow zone and deeper zone appear to be separated by an aquitard in the area of the Site, as shown on the cross section (Figure 6).

The shallow zone appears to be unconfined in some areas while confined in others, resulting from the discontinuous nature of the sandy and gravelly deposits within the zone. At a number of locations it was possible to collect ground water grab samples from the near the water table due to the presence of shallow sandy or gravelly deposits; this indicates unconfined conditions at those locations (e.g. at ENVIRON boring B-2, B-3, CPT-8). At other locations, shallow ground water appeared to be under confined conditions because ground water was not observed during drilling until sandy or gravelly units were encountered up to approximately 20 to 25 feet deep. After these units were penetrated, the ground water level at these locations was observed to rise above the top of the coarse-grained unit.

4.0 CHEMICAL TEST RESULTS

4.0 CHEMICAL TEST RESULTS

The chemical test results for soil and ground water are described in this section. For reference, the laboratory reports by Chromalab and Friedman and Bruya are presented in Appendix B, which also contains a review of quality control samples. Test results are tabulated in accompanying Tables 2 through 4. The chemical test results for soil are described below first, followed by results for ground water.

4.1 Soil

Table 2 presents the results of soil testing from this investigation. Inspection of Table 2 indicates that the main compounds detected were petroleum hydrocarbons. Samples were collected from key areas for petroleum hydrocarbon fingerprinting by Friedman and Bruya, and they coordinated with Chromalab so that samples tested for TEH and TVH would be analyzed using appropriate product standards. Friedman and Bruya identified weathered mineral spirits or stoddard solvent as the main hydrocarbon in subsurface soil beneath the Standard Brands building. For consistency with Enviropro's 1994 investigation report, we refer to the stoddard solvent or mineral spirits at the Site as "thinner." Hydrocarbons in samples from within the Standard Brands building were all identified as containing thinner (borings B-4, B-5, B-6 and B-7). Friedman and Bruya identified other hydrocarbons mixed with the thinner: motor oil in the samples from borings B-4 and B-5, and diesel in the sample from boring B-7. Friedman and Bruya did not identify volatile hydrocarbons as gasoline in any ENVIRON samples, but felt that the volatile hydrocarbons were likely a fraction of the thinner.

A soil sample also was fingerprinted from off-site boring B-11, located on the Del Monte property. The sample from boring B-11 was collected where a visible hydrocarbon sheen was observed in saturated soil near the water table. Friedman and Bruya identified the hydrocarbons in the sample as containing a mixture of thinner and diesel. This identification and its location directly downgradient of the Site, suggests that the hydrocarbons observed at boring B-11 originated from soil beneath the Standard Brands building. Two soil samples collected from onsite boring B-10 contained hydrocarbons identified as motor oil.

Soil test results in Table 2 indicate that BTEX compounds generally are not detected or are present at relatively low concentrations. Benzene and toluene were not detected in soil beneath the Standard Brands store. Ethylbenzene and xylenes are present at relatively low concentrations and appear to be associated with the thinner. Halogenated VOCs were not

detected in 19 of the 20 samples tested. Only trichloroethene (TCE) was reported in one sample from boring B-4 at a concentration of 0.015 mg/kg. Based on these results, neither halogenated VOCs nor BTEX compounds appear to be chemicals of concern.

4.2 Ground Water

Ground water grab sample results from this investigation are presented in Table 3 and monitoring well sample test results are presented in Table 4. Inspection of these tables indicates that the main detections of chemicals are in shallow zone ground water (less than approximately 25 to 30 feet) and petroleum hydrocarbons are the main compounds detected. The reported petroleum hydrocarbons are thinner, with some motor oil, diesel and TVH. Halogenated VOCs were generally not detected; they were reported at trace levels in only three samples just above the detection limits.

BTEX compounds are present in site ground water, but at relatively low concentrations. For the purposes of site characterization, the TEH and TVH results in ground water reported by EPA Method 8015 (Modified) can be summed and considered as Total Petroleum Hydrocarbons (TPH, shown on Tables 3 and 4). TPH was reported over 1.0 mg/L in three ground water samples: the ground water grab sample at CPT-8 on Emery Street (TPH of 8.1 mg/L); at monitoring well MW-3 on Emery Street (TPH of 4.6 mg/L and 3.0 mg/L); and in the ground water grab sample from boring B-11 on the Del Monte property (TPH of 10 mg/L). The hydrocarbons in the Emery Street samples were identified as thinner with associated volatile and extractable hydrocarbons. The sample from boring B-11, on the Del Monte property, was fingerprinted as thinner. These hydrocarbon identifications suggest that a TPH plume containing thinner exits the Site at the location of CPT-8 and well MW-3, and appears to extend as far as boring B-11.

Seven ground water grab samples were collected from the deeper zone beneath the Site (greater than approximately 30 feet BGS), and the results are also included in Table 3. The sample intervals were chosen based on inspection of the CPT results at CPT-1 to CPT-6, to target the first sandy unit in the deeper zone at each location. Additionally, at boring B5, located in the center of the soil contamination, a ground water grab sample was collected from the first apparently "clean" sandy unit below the petroleum contamination. The only confirmed detection was that of an unidentified extractable hydrocarbon in the sample from 32 - 37 feet deep at CPT-6 at 0.060 mg/L. These results indicate that deeper ground water quality has not been degraded by site activities.

5.0 DISCUSSION OF CHEMICAL DISTRIBUTIONS

5.0 DISCUSSION OF CHEMICAL DISTRIBUTIONS

The overall distribution of chemicals detected in soil and ground water is described in this section. Most previous testing at the Site was conducted by Enviropro (1994), and their test results are summarized in Table 5 (for soil) and Table 6 (ground water grab samples). Additionally, the chemical distributions in soil and ground water are illustrated in a series of figures, Figures 6 through 11. The chemical distributions are described below.

5.1 Soil

5.1.1 Petroleum Hydrocarbons

The areas containing petroleum hydrocarbons were generally delineated by Enviropro during their 1994 investigation by analyzing for Total Recoverable Petroleum Hydrocarbons (TRPH) using EPA Method 418.1, an inexpensive screening-level test. Once the areas with hydrocarbons were generally delineated, Enviropro used standard gas chromatography methods (EPA Method 8015M) to verify results by analyzing selected samples for individual extractable hydrocarbons and/or TVH. The results of their testing, together the results of the ENVIRON's investigations, delineate the hydrocarbon distributions, as outlined below.

TRPH

The results of Enviropro's TRPH testing are presented in Figure 7. TRPH was reported as elevated in unsaturated soil in two areas: a larger area beneath the Standard Brands store, and a smaller area just east of the store. In the eastern portion of the property, TRPH appears elevated at the anticipated depth of the capillary fringe, 10 to 11 feet, though overlying unsaturated soil does not have higher reported TRPH values (near borings G7, G13 and G14).

When reviewing TRPH results, it is important to consider that it has been shown to have positive biases from certain types of soils. False positive values have been shown to result if soils being tested have a high clay content, are calcareous, or have a high natural organic carbon content (Thomey et al. 1989). As discussed in Section 3, all of these factors are characteristic of soil beneath the Site. Consistent with this, there was typically no field evidence of contamination at the Site where TRPH was reported under

approximately 100 mg/kg, but where it was over this value soil was typically noted to be discolored or have an odor. Therefore, we generally consider the TRPH results on Figure 7 which are under 100 mg/kg to be an artifact of the testing methodology, not of petroleum hydrocarbons.

Extractable Hydrocarbons

Figure 8 summarizes the results of testing extractable hydrocarbons during this and Enviropro's investigation. The results verify TRPH testing, and indicate that the main area where soil contains extractable hydrocarbons is beneath the store. As discussed previously, these hydrocarbons are characterized as thinner with some motor oil and diesel. The smaller release just east of the store also corresponds to an area identified by the TRPH tests; the hydrocarbons in this area were characterized as motor oil and diesel.

TVH

Figure 9 summarizes the results of testing for TVH in soil. As shown on the Figure, there are two areas where TVH were detected: in the area of the Standard Brands store, and in the area of the former oil and gas depot. Results indicate that the thinner in soil beneath the Standard Brands store contains a volatile fraction in the area of Enviropro boring G26 and in capillary fringe soils to the north and west of this boring. At the oil and gas depot, TVH was reported at the anticipated depth of the water table, and these may represent a degraded gasoline. No TVH was identified in shallow soil in the vicinity of the oil and gas depot.

As discussed in Section 4.0, Friedman and Bruya did not identify gasoline in any ENVIRON samples, in contrast with Enviropro's report of TPH/G in their borings G9 and G26. ENVIRON collected samples from borings immediately adjacent to where Enviropro reported TPH/G (ENVIRON borings B5 and B7) and the volatile hydrocarbons were identified as a fraction of the thinner. Consistent with this interpretation, BTEX compounds are reported at non-detectable or relatively low concentrations, not at concentrations which would be characteristic of gasoline. Enviropro's reported TPH/G is reported here as "volatile hydrocarbons."

Vertical Extent

The depth of petroleum hydrocarbons in soil is illustrated on the geologic cross section on Figure 6. The cross section on Figure 6 transects the main area containing TPH beneath the Standard Brands building (cross section location is shown on Figure 3). The TPH concentrations shown are summed from individual results by EPA Method 8015 (modified) or 418.1. The TPH concentrations shown are presented in the tables with soil

chemical test results. As shown on Figure 6, TPH concentrations in soil are highest above and near the water table, and generally attenuate to relatively low concentrations below approximately 20 feet BGS. At boring B-5, TPH was evident from field evidence and analytical result near the base of the shallow zone.

5.1.2 Halogenated VOCs

As summarized in Tables 2 and 5, numerous unsaturated soil samples were tested for halogenated VOCs during this and previous investigations. Of the 55 samples tested, 49 had no detectable halogenated VOCs (other than the common lab contaminant, methylene chloride) and the remaining samples had detections of two compounds at trace levels. Trichloroethylene (TCE) was reported at a maximum concentration of 0.079 mg/kg and trans-1,2-dichloroethene (trans-1,2-DCE) was reported at a maximum concentration of 0.071 mg/kg. No other halogenated VOCs were reported in soil at the Standard Brands site, and they do not appear to be chemicals of concern in Site soils.

Methylene chloride was reported by Enviropro in soil beneath the store building in their borings G5 and G9, but we believe these to be false positive results. At adjacent ENVIRON borings B-4 and B-5, samples collected across the same depth ranges as Enviropro's samples had no detectable methylene chloride. Methylene chloride is a common lab contaminant, and is frequently reported due to its presence and use in the laboratory. Elevated false positive concentrations (in the mg/kg range) may be reported if the samples require dilution prior to analysis due to the presence of other compounds. The soil in these borings contains thinner and diesel, which could trigger dilution in the laboratory. Based on these considerations, we consider Enviropro's reported methylene chloride results to be false positives and have footnoted the results in Table 5 accordingly.

5.2 Shallow Ground Water

Testing of shallow ground water beneath the Site has identified petroleum hydrocarbons and low levels of halogenated VOCs which appear to originate from the Site.

5.2.1 Petroleum Hydrocarbons

Inspection of Tables 3, 4 and 6 reveals that BTEX compounds are present at relatively low concentrations in ground water. Therefore, the petroleum hydrocarbons can be considered as TPH by summing the concentrations of petroleum hydrocarbons detected by EPA Method 8015 (Modified). The summed TPH concentrations are shown in the tables presenting ground water results. An isoconcentration map of TPH in shallow ground water is presented on Figure 10. The isoconcentration map depicts a TPH plume

originating in the area of the Standard Brands Paint store, from the area where the soil has been affected by thinner, diesel and motor oil. The highest concentrations are immediately beneath the building. The schematic geologic cross section on Figure 6 illustrates the TPH concentrations in ground water in blue, and shows the depth of TPH in ground water beneath the building. At borings B-4 and B-5, the highest concentrations are 20-25 feet BGS. However, further west along Emery Street, TPH is mainly shallower, less that 15-20 feet BGS.

Ground water testing near Oliver Tire's former oil and gas depot indicates that there is only minor impact to ground water quality in this area. As shown in Figure 10, TPH in samples from Enviropro borings G16 and G17 are slightly elevated in comparison to samples from surrounding upgradient and cross-gradient borings. However, only trace levels of ethylbenzene and xylenes were reported in well MW1, constructed immediately downgradient of this area.

5.2.2 Halogenated VOCs

The distribution of halogenated VOCs in shallow ground water is summarized on Figure 11. The distribution of these compounds generally coincides with the TPH plume, but the halogenated VOCs concentrations are substantially lower than the TPH concentrations and they appear to be present over a smaller area. An isoconcentration contour of 10 micrograms per liter (μ g/L) of total halogenated VOCs is presented on Figure 11. The compounds present are TCE with lower concentrations of 1,2-dichloroethene (both cisand trans- isomers), 1,1-dichloroethene, and vinyl chloride.

As shown on Figure 11, Enviropro reported methylene chloride in ground water grab samples from borings G5 (1,000 µg/L) and G9 (2,400 µg/L) beneath the Standard Brands store. Methylene chloride was reported at several other locations by Enviropro, but at lower concentrations. ENVIRON's analytical results suggest that these are false positive results, as no methylene chloride was identified in ENVIRON's ground water samples from across the Site. This interpretation is supported by the coincidence that the ground water samples with the highest reported methylene chloride concentrations are from the same borings (G5 and G9) as the soil samples with false positives of methylene chloride. The factors discussed earlier which indicate that methylene chloride results in soil are false positives apply equally to ground water: it is a common laboratory contaminant and laboratory dilutions can result in apparently high reported concentrations. Because of these considerations, the methylene chloride results for ground water are footnoted as being suspected false positive results on Figure 11 and in Table 6.

5.3 Deeper Zone Ground Water

Seven ground water grab samples were collected from the deeper zone beneath the Site, and the results are summarized on Figure 12. The test results on Figure 12 indicate that deeper ground water quality is essentially unaffected by the Site. The schematic geologic cross section on Figure 6 presents the TPH results for deeper ground water in context of the ground water zones. The shallow and deeper ground water zones, which were defined based on site stratigraphy, appear to be supported by the TPH (and other chemical) distributions. Chemicals appear to be restricted to the shallow zone, and are essentially absent from the deeper zone.

6.0 SUMMARY

6.0 SUMMARY

This section summarizes ENVIRON's findings with respect to Site hydrogeology and chemicals in soils and ground water.

<u>Hvdrogeology</u>

Two hydrostratigraphic zones were identified beneath the Site: a shallow zone which extends to approximately 25 to 30 feet BGS, and a deeper zone which is deeper than approximately 30 to 35 feet BGS. The two zones are separated beneath the Site by a clay aquitard.

Ground water was approximately 7 to 11 feet deep during this investigation.

Ground water flow at the site is to the west, and flow appears to be channelized in discontinuous and relatively thin silty and clayey sand and gravel deposits.

Chemicals in Soil

Analytical testing of soils at the Site principally detected petroleum hydrocarbons. Halogenated VOCs are not present at concentrations of concern (no concentrations exceed 0.150 mg/kg total VOCs.) Petroleum hydrocarbons at the Site occur in three areas, as described below.



Beneath the Standard Brands building, where maximum reported concentrations are 7,600 mg/kg TRPH, 7,300 mg/kg TEH hydrocarbons, and 1,600 mg/kg TVH. These petroleum hydrocarbons extend to 20 to 25 feet BGS, which is below the current water table.


East of the Standard Brands building, maximum reported concentrations are TRPH of 10,000 mg/kg and TEH of 2,400 mg/kg. No TVH was detected.

Near the oil and gas depot, 154 mg/kg of TVH was reported in soil at the capillary fringe immediately downgradient, suggesting a small TVH release may have occurred in this area. A magnetic anomaly observed at the oil and gas depot suggests that a UST associated with the oil and gas depot may still be present, though this has not been verified.

Soils were tested for PCBs where Enviropro reported "heavy oils"; none were detected.

Chemicals in Ground Water

Analytical testing of ground water at the Site indicates that petroleum hydrocarbons in soil have degraded shallow ground water quality on-site and in a limited area off-site. The areas of degradation are as follows:



Petroleum hydrocarbon concentrations reported in ground water at the former oil and gas depot are relatively low, suggesting minimal impact to water quality from this former facility.

Halogenated VOCs are reported in ground water in a limited area, approximately coincident with the petroleum hydrocarbon plume but much smaller in areal extent. Maximum halogenated VOCs detected were 140 μ g/L (total). Water quality in the deeper ground water zone appears to be unaffected by activities at the Site.

Methylene Chloride

The presence of methylene chloride in soil and ground water, reported during previous investigations, appears unlikely and is likely an artifact of laboratory contamination.

Necessity for Remediation

Chemical concentrations in soil and ground water at the Site appear sufficiently elevated that remediation will be required by local oversight agencies. The detected concentrations of petroleum hydrocarbons in soil beneath the Site are higher than those allowed to remain in place at neighboring sites. Additionally, soil remediation appears necessary in anticipation of site redevelopment, which will involve subsurface excavation and construction. A remediation plan will be developed to address soil and ground water contamination at the Site.

7.0 REFERENCES

7.0 REFERENCES

- Alameda-Contra Costa Transit District (AC Transit). 1989. Site Characterization and Conceptual Remedial Action Plan Diesel Leak at AC Transit, Emeryville. July 24.
- Alameda County Flood Control and Water Conservation District. 1993. Geologic Framework of the East Bay Plain Groundwater Basin, Alameda County, California. Prepared by K. S. Muir. August.
- CH2M Hill. 1995. Quarterly Groundwater Monitoring and Groundwater Extraction and Treatment System Status Report for Del Monte Plant 35 West Parcel. January 31.
- CH2M Hill. 1994. Draft Remediation Plan. Del Monte Plant 35, Emeryville, California. April.
- CH2M Hill. 1992. Phase I/II/III Compilation Report, Volumes 1 and 2 Del Monte Plant 35.

 March.
- ENVIRON. 1995. Letter Report. Measured Shallow Ground Water Elevations, Planned Kaiser Permanente Medical Center, Emeryville, California. June 30.
- ENVIRON. 1993. Letter Report. Subsurface Investigation Standard Brands Property.

 December 3.
- Enviropro, Inc. 1994. Subsurface Environmental Investigation Report for 4343 San Pablo Avenue, Emeryville, CA. August 31. (Standard Brands property)
- Kaiser Engineers. 1989. Characterization and Conceptual Remedial Action Plan for Soil at a Portion of AC Transit's Emeryville Facility. July 24.
- Pacific Aerial Surveys. Aerial Photographs: AV-11-5-14 (03/24/47), AV-28-12-33 (9/16/49), AV-119-9-29 (05/14/53), AV337-6-26 (07/03/59), AV-995-4-18 (05/19/71), AV-1750-6-18 (09/14/79), AV-2640-6-19 (05/15/85).

- Regional Water Quality Control Board (RWQCB), San Francisco Bay Region. 1995. Letter to Del Monte. April 19.
- Rogers/Pacific, Inc. 1991. Report. Engineering Geologic Site Characterization of the Greater Oakland-Alameda Area, Alameda and San Francisco Counties, California. December 30.
- Sanborn Mapping & Geographic Information Services. Sanborn Fire Insurance Maps. 1903, 1911, 1950/1951, 1967.
- Subsurface Consultants. 1992. Letter report to City of Emeryville regarding Emeryville Senior Housing Project site. January 16.
- Subsurface Consultants, Inc. 1991. Preliminary Environmental Assessment Phase 3 Emeryville Senior Housing Project. January 8.
- Thomey, N., D. Bratberg, and C. Kalisz. 1989. "A Comparison of Methods for Measuring Total Petroleum Hydrocarbons in Soil". In *Proceedings of the Conference on Petroleum Hydrocarbons and Organic Chemicals in Ground Water: Prevention, Detection, and Restoration*. American Petroleum Institute, sponsors. Dublin, Ohio: National Water Well Association, publishers.
- United States Geological Survey (USGS). 1972. Geologic Map of Late Cenozoic Deposits of Alameda County, California. Map MF-429.
- United States Geological Survey (USGS). 1957. Areal and Engineering Geology of the Oakland West Quadrangle, California. Miscellaneous Geologic Investigations Map I-239.
- Weiss Associates. 1995. Remedial Action Plan for the New Century Beverage Company Facility 1150 Park Avenue, Emeryville, California. January 27.
- Weiss Associates. 1994. Draft Environmental Site Assessment Phase II. New Century Beverage Company, Emeryville, California. July 14.

TABLE 1 — GROUND WATER ELEVATIONS

Remedial Investigation

Standard Brands, Emeryville, California

		Surve	ying Information	1	June 15, 1995	June 27, 1995
Well	Northing (1)	Easting (1)	Ground	Top of Casing	Ground Water	Ground Water
			Elevation (2)	Elevation	Elevation	Elevation
STANDA	 RD BRANDS					
MWl	6017.36	4697.85	41.28	40.84	33.80	33.80
MW2	5833.13	4733.91	42.85	42.38	32.77	32.81
MW3	5847.90	4491.67	39.21	38.70	30.03	30.25
MW4	5811.29	4306.47	36.03	35.59	27.28	27.76
MW5	5771.91	4149.27	33.44	32.90	25.55	25.99
EMERYV	 /ILLE FIRE I	DEPARTME	NT			
FDMW-1	5715 (3)	4713 (3)	43 (3)	42.5 (3)	N/A	33
PEPSICO	Provided by	Weiss Assoc	iates)			
MW-1	N/A	N/A	N/A	. 38.74	N/A	31.05 (4)
MW-2	N/A	N/A	N/A	38.87	N/A	31.53
MW-3	N/A	N/A	N/A	40.79	N/A	30.36
MW-4	N/A	N/A	N/A	40.15	N/A	32.25
MW-5	N/A	N/A	N/A	36.49	N/A	27.50
MW-6	N/A	N/A	N/A	35.53	N/A	25.51
MW-7	N/A	N/A	N/A	37.53	N/A	29.63
MW-8	N/A	N/A	N/A	33.11	N/A	23.47
MW-9	N/A	N/A	N/A	36.06	N/A	27.75
MW-10	N/A	N/A	N/A	35.03	N/A	25.44
MW-11	N/A	N/A	N/A	32.74	N/A	23.88
MW-12	N/A	N/A	N/A	36.18	N/A	26.62
MW-13	N/A	N/A	N/A	34.65	N/A	25.66
MW-14	N/A	N/A	N/A	N/A	N/A	N/A

All measurements are in feet.

⁽¹⁾ Northing and Easting are based on Kaiser Emeryville grid plan.

⁽²⁾ Elevations are feet above mean sea level, using the Emeryville Old City Hall benchmark as a datum.

⁽³⁾ Survey data for FDMW-1 is approximate, based on tape measurements and calculations using digitized basemap.

⁽⁴⁾ Apparently anomalous result

TABLE 2 — CHEMICAL TEST RESULTS FOR SOIL SAMPLES

Remedial Investigation

Standard Brands, Emeryville, California

	Boring:	B-1	B-2	B-3	B-4	B-4	B-4	B-4	B-5	B-5
Dep	th Interval:	10 5-11 ft	6 0-6.5 ft	6 0-6.5 ft	8 0-8 5 R	8.5-9.0 ft	9.5-10 0 ft	15.0-15.5 ft	5.5-6.0 ft	18 5-19 0 R
Dat	e Collected:	5/16/95	5/17/95	5/17/95	5/15/95	5/15/95	5/15/95	5/15/95	5/15/95	5/15/95
TOTAL EXTRACTABLE HYDROCARBONS	S (ГЕН)						7.1 <u></u>	*****		
Kerosene	mg/kg	< 10	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 20	< 5.0
Diesel	mg/kg	< 1.0	< 1.0	< 1.0	< 1.0	0,1 >	< 1.0	< 1.0	< 20	< 5.0
Motor Oil	mg/kg	< 10	< 10	< 10	< 10	< 10	17	< 10	< 200	< 50
Stoddard Solvent or Mineral Spirits (Thinner)	mg/kg	ND	ND	ND	ND	ND	1.3	18	300	120
Unidentified	mg/kg	ND	ND	ND	ND	ND	ND	NĐ	ND	ND
TOTAL VOLATILE HYDROCARBONS (TV	H)									
Volatile Hydrocarbons THE SES	mg/kg	< 1.0	< 1.0	< 1.0 (1)	< 1.0	< 1.0	< 1.0	< 20	< 500	< 20
Benzene	mg/kg	< 0.005	< 0.005	< 0.005 (1)	< 0.005	< 0.005	< 0.005		< 2.5	< 0.1
Toluene	mg/kg	< 0.005	< 0.005	< 0.005 (1)	< 0.005	< 0.005	< 0.005	< 0.1	< 2.5	< 0.1
Ethyl Benzene	mg/kg	< 0.005	< 0.005	< 0.005 (1)	< 0.005	< 0.005	< 0.005	0.2	< 2.5	< 0.1
Total Xylenes	mg/kg	< 0 005	< 0 005	< 0.005 (1)	< 0.005	< 0.005	0.0095	1.0	5.0	0.070
TPH (TEH + TVH)	mg/kg	ND	ND	ND	ND	ND	18	19	300	120
HALOGENATED VOCs										
Trichloroethene	mg/kg	< 0.005	< 0 005	< 0.005	< 0.005	0.015	< 0 005	< 0.005	< 0.005	< 0.005
No other halogenated VOCs were detected.	2 0			. •		~~~~		- 0,000	- 0.003	- 0.000

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

[&]quot;mg/kg" indicates milligrams per kilogram

[&]quot;--" indicates not tested for this analyte.

[&]quot;ND" indicates not detected.

[&]quot;yes" indicates compounds identified by Friedman and Bruya but not quantified.

⁽¹⁾ Results are qualified because tests were run one day past hold time

⁽²⁾ Friedman and Bruya identified these hydrocarbons as motor oil or weathered Bunker C oil.

TABLE 2 — CHEMICAL TEST RESULTS FOR SOIL SAMPLES

Remedial Investigation

Standard Brands, Emeryville, California

	Boring:	B-5	B-5	B-6	B-6	B-6	B-6	B-7	B-8
Dep	th Interval:	24 5-25 0 ft	32.5-33.0 ft	6.0-6 5 ft	9.5-10 0 ft	13.5-14.0 ft	20.5-21 0 A	9.0-9.5 ft	9.0-9.5 R
Date	e Collected;	5/15/95	5/15/95	5/15/95	5/15/95	5/15/95	5/15/95	5/15/95	5/15/95
TOTAL EXTRACTABLE HYDROCARBONS	(TEII)	· · · · · · · · · · · · · · · · · · ·					·		
Kerosene	mg/kg	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1 0	< 50	< 1.0
Diesel	mg/kg	< 1.0	< 1.0	< 10	< 1.0	< 1.0	< 10	520	< 1.0
Motor Oil	mg/kg	< 10	< 10	< 10	< 10	< 10	< 10	< 500	< 10
Stoddard Solvent or Mineral Spirits (Thinner)	mg/kg	8.3	ND	34	17	27	ND	680	ND
Unidentified	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
TOTAL VOLATILE HYDROCARBONS (TVI	I)								
Volatile Hydrocarbons	mg/kg	< 20	< 1.0	< 100	< 4.0	< 200	< 1.0	< 1,000	< 1.0
Benzene	mg/kg	< 0.1	< 0.005	< 0.5	< 0.020	< 1.0	< 0.005	< 5.0	< 0.005
Toluene	mg/kg	< 0.1	< 0.005	< 0.5	< 0.020	< 1.0	< 0.005	< 5.0	< 0.005
Ethyl Benzene	mg/kg	< 0.1	< 0.005	< 0.5	< 0.020	< 1.0	< 0.005	5.4	< 0.005
Total Xylenes	mg/kg	0.14	< 0.005	1.2	0.081	2.1	< 0.005	35	< 0.005
TPH (TEH + TVH)	mg/kg	8	ND	35	17	29	ND	1240	ND
HALOGENATED VOCs									
Trichloroethene	mg/kg	< 0 005	< 0.005	< 0.005	< 0.005	< 0 005	< 0.005	< 0.005	< 0.005
No other halogenated VOCs were detected.									

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

[&]quot;mg/kg" indicates milligrams per kilogram.

[&]quot;--" indicates not tested for this analyte.

[&]quot;ND" indicates not detected.

[&]quot;yes" indicates compounds identified by Friedman and Bruya but not quantified.

⁽¹⁾ Results are qualified because tests were run one day past hold time.

⁽²⁾ Friedman and Bruya identified these hydrocarbons as motor oil or weathered Bunker C oil.

TABLE 2 — CHEMICAL TEST RESULTS FOR SOIL SAMPLES

	Boring:	B-8	В-9	B-9	B-10	B-10	B-10	B-11	B-11
Dep	th Interval:	18.0-18.5 ft	9 5-10.0 R	18 0-18.5 ft	2.6-3.0 ft	11 0-11.5 ft	11.5-12 0 N	4.5-5 0 ft	10.5-11 0 ft
Date	Collected:	5/16/95	5/15/95	5/15/95	5/16/95	5/16/95	5/16/95	5/17/95	5/18/95
TOTAL EXTRACTABLE HYDROCARBONS	(TEH)	····							
Kerosene	mg/kg	< 1.0	< 1.0	< 1.0	< 10			< 10	
Diesel	mg/kg	< 1.0	< 10	< 1.0	< 1.0			< 1.0	yes
Motor Oil	mg/kg	< 10	< 10	< 10	180 (2)	yes	yes	< 10	••
Stoddard Solvent or Mineral Spirits (Thinner)	mg/kg	ND	ND	ND	ND			ND	yes
Unidentified	mg/kg	ND	ND	ND	2.9			ND	
TOTAL VOLATILE HYDROCARBONS (TVI	1)								
Volatile Hydrocarbons	mg/kg	< 1.0	< 1.0	< 1.0				< 1.0 (1)	
Benzene	mg/kg	< 0.005	< 0.005	< 0.005				< 0.005 (1)	
Toluene	mg/kg	< 0 005	< 0 005	< 0.005				< 0.005 (1)	
Ethyl Benzene	mg/kg	< 0.005	< 0.005	< 0.005			**	< 0.005 (1)	
Total Xylenes	mg/kg	< 0.005	< 0 005	< 0 005				< 0.005 (1)	
TPH (TEH + TVH)	mg/kg	ND	ND	ND	183	yes	yes	ND	yes
HALOGENATED VOCs									
Trichloroethene	mg/kg	< 0.005	< 0.005	< 0.005				< 0.005	
No other halogenated VOCs were detected.	_								

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

[&]quot;mg/kg" indicates milligrams per kilogram.

[&]quot;--" indicates not tested for this analyte

[&]quot;ND" indicates not detected.

[&]quot;yes" indicates compounds identified by Friedman and Bruya but not quantified

⁽¹⁾ Results are qualified because tests were run one day past hold time.

⁽²⁾ Friedman and Bruya identified these hydrocarbons as motor oil or weathered Bunker C oil.

TABLE 3 — CHEMICAL TEST RESULTS FOR GROUND WATER GRAB SAMPLES

Во	oring:	B-1	B-2	B-3	B-5	B-8	B-9	B-11	B-HD	CPT-1	CPT-2
Depth Int	erval:	5-15 ft	3-13 ft	1-16 R	29-33 ft	21-31 ft	21-31 ft	3-13 ft	3-13 ft	30-35 ft	31-36 N
Date Colle	ected:	5/16/95	5/17/95	5/17/95	5/15/95	5/16/95	5/15/95	5/17/95	5/17/95	5/17/95	5/17/95
TOTAL EXTRACTABLE HYDROCARBONS (TEI])					, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		<u> </u>		*****	
Kerosene	mg/L	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 10		< 0.05	< 0.05
Diesef	mg/t,	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 1.0	••	< 0.05	< 0.05
Motor Oil	mg/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10		< 0.5	< 0.5
Stoddard Solvent or Mineral Spirits (Thinner)	mg/L	ND	ND	ND	ND	ND	ND	61		ND	ND
Unidentified	mg/L	ND	ND	ND	ND	ND	ND	ND		ND	ND
TOTAL VOLATILE HYDROCARBONS (TVH)											
Volatile Hydrocarbons	mg/L	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Benzene	μg/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	μg/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Ethyl Benzene	μg/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 2.0	< 2.0	< 0.5	< 0.5
Total Xylenes	$\mu g/L$	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 15	< 15	< 0.5	< 0.5
TPH (TEH + TVH)	mg/J_	ND	ND	ND	ND	ND	ND	10	ND	ND	ND
HALOGENATED VOCs											
Cis-1,2-Dichloroethene	μg/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Trichloroethene	μg/L.	0.9	< 0.5	< 0.5	< 0.5	0.9	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
No other halogenated VOCs were detected.											

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

[&]quot;mg/L" indicates milligrams per liter.

[&]quot;µg/L" indicates micrograms per liter

[&]quot;--" indicates not tested for this analyte.

[&]quot;ND" indicates not detected

TABLE 3 — CHEMICAL TEST RESULTS FOR GROUND WATER GRAB SAMPLES

Bo	oring:	СРТ-3	CPT-3D	CPT-4	CPT-4	CPT-4R	CPT-5	СРТ-5	СРТ-6	CPT-6
Depth Into	• •	31-36 ft	31-36 ft	30-35 ft	46.5-51 5 ft	46.5-49 5 ft	23-28 ft	35-40 ft	15 5-17.5 ft	18-23 ft
Date Colle		5/17/95	5/17/95	5/16/95	5/17/95	6/9/95	5/16/95	5/16/95	5/16/95	5/16/95
TOTAL EXTRACTABLE HYDROCARBONS (TEH	T)						·			
Kerosene	mg/L	< 0.05	< 0.05		< 0.05		< 0.05	< 0.05	< 0.05	< 0.05
Diesel	mg/L	< 0.05	< 0.05		< 0.05		< 0.05	< 0.05	< 0.05	< 0.05
Motor Oil	mg/L	< 0.5	< 0.5		< 0.5		< 0.5	< 0.5	< 0.5	< 0.5
Stoddard Solvent or Mineral Spirits (Thinner)	mg/L	ND	ND		ND		ND	ND	ND	ND
Unidentified	mg/L	ND	ND		ND		ND	ND	ND	ND
TOTAL VOLATILE HYDROCARBONS (TVH)										
Volatile Hydrocarbons	mg/L	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Benzene	μg/l.	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	μg/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Ethyl Benzene	μg/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Total Xylenes	μg/L	< 0.5	< 0.5	< 0.5	4.7	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
TPH (TEII + TVH)	mg/L	ND	ND	ND	0.0047	ND	ND	ND	ND	ND
HALOGENATED VOCs										
Cis-1,2-Dichloroethene	μg/L	< 0.5	< 0.5	< 0.5	< 0.5		1.6	< 0.5	< 0.5	< 0.5
Trichloroethene	μg/L	< 0.5	< 0.5	< 0.5	< 0.5		< 0.5	< 0.5	< 0.5	< 0.5
No other halogenated VOCs were detected.	_									

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

[&]quot;mg/L" indicates milligrams per liter.

[&]quot;µg/L" indicates micrograms per liter.

[&]quot;--" indicates not tested for this analyte

[&]quot;ND" indicates not detected

TABLE 3 — CHEMICAL TEST RESULTS FOR GROUND WATER GRAB SAMPLES

В	oring:	CPT-6	СРТ-8	SB051695TB	SB051795TB	SB051895TB	SB060995TB
Depth Int	erval:	32-37 ft	8-13 ft	Trip Blank	Trip Blank	Trip Blank	Trip Blank
Date Coll	ected:	5/16/95	5/18/95	5/16/95	5/17/95	5/18/95	6/9/95
TOTAL EXTRACTABLE HYDROCARBONS (TEI	1)						
Kerosene	mg/L	< 0.05	< 0.05				
Diesel	mg/L	< 0.05	< 0.05				
Motor Oil	mg/L	< 0.5	< 0.5	••			
Stoddard Solvent or Mineral Spirits (Thinner)	mg/L	ND	2.5				
Unidentified	mg/t,	0.06	1.4	**			
TOTAL VOLATILE HYDROCARBONS (TVH)							
Volatile Hydrocarbons	mg/L	< 0.05	4.2	< 0.05	< 0.05	< 0.05	< 0.05
Benzene	μg/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Toluene	μg/L	< 0.5	1.1	< 0.5	< 0.5	< 0.5	< 0.5
Ethyl Benzene	μg/L	< 0.5	< 0.5	. < 0.5	< 0.5	< 0.5	< 0.5
Total Xylenes	μg/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
ТРН (ТЕН + TVH)	mg/L	0.06	8.1				
HALOGENATED VOCs							
Cis-1,2-Dichloroethene	μg/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
Trichloroethene	μg/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
No other halogenated VOCs were detected.							

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx

[&]quot;mg/L" indicates milligrams per liter.

[&]quot;µg/L" indicates micrograms per liter.

[&]quot;--" indicates not tested for this analyte.

[&]quot;ND" indicates not detected.

TABLE 4 — CHEMICAL TEST RESULTS FOR WATER SAMPLES FROM MONITORING WELLS

Monitoring	: Well:	MWI	MW2	MW3	MW3 (Dup)	MW4	MW5	MWTB 061595
Screen In	terval:	7-17 ft	5-15 ft	5-15 ft	5-15 ft	5-15 ft	5-15 ft	Trip Blank
Date Col	lected:	6/15/95	6/15/95	6/15/95	6/15/95	6/15/95	6/15/95	6/15/95
TOTAL EXTRACTABLE HYDROCARBONS (TE	:H)							
Kerosene	mg/L	< 0.05	< 0.05	< 0.1	< 0.1	< 0.05	< 0.05	
Diesel	mg/L	< 0.05	< 0.05	0.8	0.44	< 0.05	< 0.05	
Motor Oil	mg/L	< 0.5	< 0.5	< 1.0	< 1.0	< 0.5	< 0.5	
Stoddard Solvent or Mineral Spirits (Thinner)	mg/L	ND	ND	3.8	2.57	ND	ND	
TOTAL VOLATILE HYDROCARBONS (TVH)								
Volatile Hydrocarbons	mg/L	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05
Benzene	μg/L	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Tofuenc	μg/L	< 0.5	< 0.5	< 0.5	1.7	< 0.5	< 0.5	< 0.5
Ethyl Benzene	μg/L	5.1	< 0.5	0.8	1.2	< 0.5	< 0.5	< 0.5
Total Xylenes	μg/L	22	< 0.5	3.8	6.4	< 0.5	< 0.5	< 0.5
TPH (TEH + TVH)	mg/L	0.027	ND	4.6	3.0	ND	ND	
HALOGENATED VOCs								
Trans-1,2-Dichloroethene	μg/L	< 0.5	< 0.5	0.9	0.7	< 0.5	< 0.5	< 0.5
Cis-1,2-Dichloroethene	μg/L	< 0.5	< 0.5	1.9	1.3	< 0.5	< 0.5	< 0.5
Trichloroethene	μg/L	< 0.5	< 0.5	1.7	0.9	< 0.5	< 0.5	< 0.5
No other halogenated VOCs were detected.								

[&]quot;< xx" indicates analyte was not detected at reporting limit of xx.

[&]quot;mg/L" indicates milligrams per liter."

[&]quot;µg/L" indicates micrograms per liter."

[&]quot;--" indicates not tested

[&]quot;ND" indicates not detected.

TABLE 5 — CHEMICAL TEST RESULTS FOR ENVIROPRO'S SOIL SAMPLES

Borin	g:	Gl	G2	G2	G3	G3	G4	G4	G4	G5	G5	G5	G5	G5
Top of Depth Interva	ıl:	13 ft	5 ft	11 5 R	3 ft	11 11	3 ft	8 ft	11 ft	2 በ	7 N	12 ft	15 ft	18 ft
Date Collecte	d:	6/15/94	6/13/94	6/13/94	6/13/94	6/13/94	6/13/94	6/13/94	6/13/94	6/15/94	6/15/94	6/15/94	6/15/94	6/15/94
TOTAL RECOVERABLE PETROLEUM			<u></u>				· ····					·		. ,
HYDROCARBONS (TRPH)	mg/kg	12			78	28				130	14	180	20001	14
EXTRACTABLE HYDROCARBONS													* :	
Diesel	mg/kg			< 10								< 10	}	
Oif (1)	mg/kg												}	
Paint Thinner Range Organics	mg/kg									610 (3)	< 10	55	551	< 10
TOTAL VOLATILE HYDROCARBONS (TVH)											• •		Ì	
Volatile Hydrocarbons (2)	mg/kg	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		. F. 1 (160		55
Benzene	mg/kg	< 0 005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005			< 0.05	\	< 0.05
Toluene	mg/kg	< 0.005	< 0 005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005			< 0.05		< 0 05
Ethyl Benzene	mg/kg	< 0.005	< 0 005	< 0.005	< 0.005	0.015	< 0.005	< 0.005	< 0.005			< 0.05	1	< 0.05
Total Xylenes	mg/kg	< 0.01	< 0.01	< 0 01	< 0.01	0.07	< 0.01	< 0.01	< 0.01			< 0.1	~/	< 0.1
TPH (greater of TRPH or [TEH+TVH])	mg/kg	12	0	0	78	28	0	0	0	610	14	215	2000	55
HALOGENATED VOCs														
Methylene Chloride	mg/kg	< 0.05	< 0.05		< 0.05		< 0.05	< 0.05	< 0.05			3.9 (4)		2.2 (4)
Trans-1,2-Dichloroethene	mg/kg	< 0.005	< 0.005		< 0.005		< 0 005	< 0.005	< 0.005			< 0.1		< 0.1
Trichloroethene .	mg/kg	< 0.005	< 0.005		< 0.005		< 0.005	< 0.005	< 0.005			< 0.1		< 0.1
No other halogenated VOCs were detected.														

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

[&]quot;mg/kg" indicates milligrams per kilogram.

[&]quot;--" indicates not tested for this analyte.

TABLE 5 — CHEMICAL TEST RESULTS FOR ENVIROPRO'S SOIL SAMPLES

emedial Investigation									j	714			ı É		
Standard Brands, Emeryville, California										3. = 3. 1. 1	y) ,		,	•	,
Bor	ing:	G6	G6	G6	G7	G7	G8	G8	G8); 'J'; G9	G9	G9	G9	G9	G10
Top of Depth Inter	val:	3 N	£ 8	n n	4 ft	11 A	3 ft	7 N	10.5 R	3 N	8 ft	11 R	15 R	19 R	3 N
Date Collec	ted;	6/13/94	6/13/94	6/13/94	6/13/94	6/13/94	6/13/94	6/13/94	6/13/94	6/15/94	6/15/94	6/15/94	6/15/94	6/15/94	6/15/94
TOTAL RECOVERABLE PETROLEUM	<u></u>														
HYDROCARBONS (TRPH)	mg/kg				18	170	5800	1900	10000	84	290	4000	1000	280	12
EXTRACTABLE HYDROCARBONS											'1 \$,
Diesel	mg/kg						1400 (5)		< 100			< 10		!	'
Oil (1)	mg/kg						-		2400				, 		
Paint Thinner Range Organics	mg/kg								< 100	< 10	65	180 (6)	50 (6)	45	
TOTAL VOLATILE HYDROCARBONS (TVI)														
Volatile Hydrocarbons (2)	mg/kg	< 1	< 1	< 1			< 1		< !			150			***
Benzene	mg/kg	< 0 005	< 0.005	< 0 005	< 0.005	< 0 005	< 0.005.		< 0 005						
Toluene	mg/kg	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005		< 0.005						
Ethyl Benzene	mg/kg	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005		< 0.005		**				
Total Xylenes	mg/kg	< 0.01	< 0.01	< 0.01	< 0 01	< 0.01	< 0.01		< 0.01						
TPH (greater of TRPH or [TEH+TVII])	mg/kg	0	0	0	18	170	5800	1900	10000	84	290	4000	1000	280	12
HALOGENATED VOCs															
Methylene Chloride	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05	< 0 05	< 0 05		< 0.05			3.4 (4)	3.3 (4)	5.3 (4)	
Trans-1,2-Dichloroethene	mg/kg	< 0 005	< 0.005	< 0.005	< 0.005	< 0.005	0.005		0.071			< 0.1	< 0.1	< 0.1	
Trichloroethene	mg/kg	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.026		0.079			< 0.1	< 0.1	< 0.1	
No other halogenated VOCs were detected.															

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

[&]quot;mg/kg" indicates milligrams per kilogram.

[&]quot;--" indicates not tested for this analyte

TABLE 5 — CHEMICAL TEST RESULTS FOR ENVIROPRO'S SOIL SAMPLES

Barin	g:	Gt0	G10	G10	G10	GH	GH	6 11	GH	G12	G12	G12	G13	G13
Top of Depth Interva	al:	7 ft	11 ft	15 R	19 ft	3 R	7 N	12 ft	15 ft	3 ft	7 ft	11 ft	3 N	7 fl
Date Collecte	d:	6/15/94	6/15/94	6/15/94	6/15/94	6/15/94	6/15/94	6/15/94	6/15/94	6/13/94	6/13/94	6/13/94	6/13/94	6/13/94
TOTAL RECOVERABLE PETROLEUM					***************************************				····			****		
HYDROCARBONS (TRPH)	mg/kg	20	16	38	16	10	10	8	32	3500	260	2800	16	58
EXTRACTABLE HYDROCARBONS														
Diesel	mg/kg									40 (5)	70 (5)	< 10		< 10
Oil (1)	mg/kg											370		
Paint Thinner Range Organics	mg/kg				••									
TOTAL VOLATILE HYDROCARBONS (TVH)														
Volatile Hydrocarbons (2)	mg/kg												•-	
Benzene	mg/kg	•									< 0.005			
Toluene	mg/kg										< 0.005			
Ethyl Benzene	mg/kg										< 0.005			
Total Xylenes	mg/kg							*-			< 0.01			
TPH (greater of TRPH or TEH+TVH)	mg/kg	20	16	38	16	10	10	8	32	3500	260	2800	16	58
HALOGENATED VOCs														
Methylene Chloride	mg/kg	< 0.05								< 0.05	< 0.05	< 0.05		< 0.05
Trans-1,2-Dichforoethene		< 0.005								< 0.005	0.006	< 0.005		< 0.005
Trichloroethene	mg/kg	< 0.005								< 0 005	0.079	0.006		< 0.005
No other halogenated VOCs were detected.														

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

[&]quot;mg/kg" indicates milligrams per kilogram.

[&]quot;--" indicates not tested for this analyte.

TABLE 5 — CHEMICAL TEST RESULTS FOR ENVIROPRO'S SOIL SAMPLES

Borin Top of Depth Interva Date Collecte	al:	G13 11 ft 6/13/94	G14 3 ft 6/14/94	G14 7 ft 6/14/94	G14 10 ft 6/14/94	G15 3 ft 6/14/94	G15 11 ft 6/14/94	G16 3 ft 6/14/94	G16 7 ft 6/14/94	G16 11 ft 6/14/94	G17 5 ft 6/14/94	G17 9 ft 6/14/94	G17 11 ft 6/14/94	G18 7 ft 6/14/94
Date Concre		0/15/74			0/11//		3,17,71	V ,						
TOTAL RECOVERABLE PETROLEUM						-								
HYDROCARBONS (TRPH)	mg/kg	180	30	28	420					30			24	-
EXTRACTABLE HYDROCARBONS														
Diesef	mg/kg													
Oil (1)	mg/kg	< 10							**		••		< 10	
Paint Thinner Range Organics	mg/kg													
TOTAL VOLATILE HYDROCARBONS (TVII)														
Volatile Hydrocarbons (2)	mg/kg				< 1	< 1	< [< 1	<	150	< i	1.8	1.7	< I
Benzene	mg/kg				< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	0.12	< 0.005	< 0.005	< 0.005	< 0.005
Toluene	mg/kg				< 0.005	< 0 005	< 0.005	< 0.005	< 0.005	0.59	< 0.005	< 0.005	0.005	< 0.005
Ethyl Benzene	mg/kg				< 0.005	< 0.005	< 0.005	< 0 005	< 0.005	0.78	< 0.005	< 0.005	0.007	< 0.005
Total Xylenes	mg/kg				< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	3.0	< 0.01	< 0.01	0.013	< 0.01
TPH (greater of TRPH or TEH+TVH)	mg/kg	180	30	28	420	0	0	0	0	154	0	1.8	24	0
HALOGENATED VOCs														
Methylene Chloride	mg/kg					< 0 05	< 0.05							
Trans-1,2-Dichloroethene	mg/kg					< 0.005	< 0.005				••	••		* -
Trichloroethene	mg/kg					< 0.005	< 0.005	***						
No other halogenated VOCs were detected.														

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

[&]quot;mg/kg" indicates milligrams per kilogram.

[&]quot;--" indicates not tested for this analyte.

TABLE 5 — CHEMICAL TEST RESULTS FOR ENVIROPRO'S SOIL SAMPLES

Borin	t :	G19	G21	G21	G21	G21	G21	G22	G22	G22	G22	G23	G23	G23
Top of Depth Interva	l:	Η£	3 ft	7 ft	li ft	15 ft	19 ft	4 ft	8 ft	13 N	16 ft	4 ft	B fl	14 N
Date Collected	l:	6/14/94	6/14/94	6/14/94	6/14/94	6/14/94	6/14/94	6/16/94	6/16/94	6/16/94	6/16/94	6/16/94	6/16/94	6/16/94
TOTAL RECOVERABLE PETROLEUM							·		·					
HYDROCARBONS (TRPH)	mg/kg			~~	16	180	610	72	16	300	16	10	22	32
EXTRACTABLE HYDROCARBONS														
Diesel	mg/kg													
Oil (1)	mg/kg						310							
Paint Thinner Range Organics	mg/kg			***		100 (3)	< 10		**	150				
TOTAL VOLATILE HYDROCARBONS (TVH)														
Volatile Hydrocarbons (2)	mg/kg	< I								100				
Benzene	mg/kg	< 0.005					 ,			< 0.005				
Toluene	mg/kg	< 0 005								0.058				
Ethyl Benzene	mg/kg	< 0 005	***							0.63				
Total Xylenes	mg/kg	< 0.01								0.81				
TPH (greater of TRPH or TEH+TVH)	mg/kg	0			16	180	610	72	16	300	16	10	22	32
HALOGENATED VOCs														
Methylene Chloride	mg/kg		< 0.05	< 0.05	< 0.05					< 0.05			< 0.05	
Trans-1,2-Dichtoroethene	mg/kg		< 0.005	< 0 005	< 0.005					< 0.005			< 0.005	
Trichloroethene	mg/kg		0.018	< 0.005	< 0 005					< 0.005			< 0.005	
No other halogenated VOCs were detected.														

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

[&]quot;mg/kg" indicates milligrams per kilogram.

[&]quot;--" indicates not tested for this analyte

TABLE 5 — CHEMICAL TEST RESULTS FOR ENVIROPRO'S SOIL SAMPLES

Boring Top of Depth Interva Date Collected	l:	G23 17 ft 6/16/94	G24 5 ft 6/16/94	G24 8 ft 6/16/94	G24 14 ft 6/16/94	G24 16 ft 6/16/94	G24 18 ft 6/16/94	G24 20 ft 6/16/94	G25 5 ft 6/16/94	G25 10 ft 6/16/94	G25 13 ft 6/16/94	G25 17 ft 6/16/94	G25 20 ft 6/16/94	G26 6 ft 6/16/94	G26 8 ft 6/16/94	Ç
TOTAL RECOVERABLE PETROLEUM		·				····					,/			 -	""	
HYDROCARBONS (TRPH)	mg/kg	140	14	12	16	1200	82	74	1200	8	580	500	21	4100	670	
EXTRACTABLE HYDROCARBONS															, ,	
Diesel	mg/kg													1500 (8)	7300 (8)	- ₫
Oil (1)	mg/kg					130 (7)			< 10		< 10					•
Paint Thinner Range Organics	mg/kg						••	-	880		590			 , ,	, ,	١,
TOTAL VOLATILE HYDROCARBONS (TVH)														* `"	1.1.1	
Volatile Hydrocarbons (2)	mg/kg													1300	1600	
Benzene	mg/kg		< 0.005	< 0 005	< 0.005	< 0 005	 .							< 0.5	< 0.5	
Toluene	mg/kg		< 0.005	< 0.005	< 0.005	< 0.005								0.16	0.16	
Ethyl Benzene	mg/kg		< 0.005	< 0 005	< 0 005	< 0.005								< 0.5	0.29	
Total Xylenes	mg/kg		< 0.01	< 0.01	< 0.01	0.08								3.3	5.1	
TPH (greater of TRPH or TEH+TVH)	mg/kg	140	14	12	16	1200	82	74	1200	8	590	500	21	4100	8900	
HALOGENATED VOCs								•	•							
Methylene Chloride	mg/kg	< 0.05	< 0.05	< 0.05	< 0.05	0.054 (4)		1	 ,					•-		
Trans-1,2-Dichloroethene	mg/kg	< 0 005	< 0 005	< 0.005	< 0.005	< 0 005		 ,								
Trichloroethene	mg/kg	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005		4-							*-	
No other halogenated VOCs were detected.																

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

[&]quot;mg/kg" indicates milligrams per kilogram.

[&]quot;--" indicates not tested for this analyte.

TABLE 5 — CHEMICAL TEST RESULTS FOR ENVIROPRO'S SOIL SAMPLES

Remedial Investigation

ξ:	G26	G26
l:	12 ft	18 ft
1:	6/16/94	6/16/94
		······································
mg/kg	7600	38
mg/kg	360 (8)	< 10
mg/kg		
mg/kg		
mg/kg	1500	< i
mg/kg	0.097	< 0 005
mg/kg	0.21	< 0.005
mg/kg	0.38	< 0.005
mg/kg	3.8	< 0.01
mg/kg	7600	38
mg/kg		
mg/kg		
mg/kg		
	mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg	mg/kg 7600 mg/kg 360 (8) mg/kg mg/kg 0.097 mg/kg 0.21 mg/kg 0.38 mg/kg 3.8 mg/kg 7600 mg/kg mg/kg 0.18

⁽¹⁾ Results were quantitated against a Diesel standard.

[&]quot;< xx" indicates analyte was not detected above

a reporting limit of xx.

[&]quot;mg/kg" indicates milligrams per kitogram.

[&]quot;--" indicates not tested for this analyte.

⁽²⁾ Volatile hydrocarbons were characterized by Enviropro as gasoline, but this was not confirmed during this study.

⁽³⁾ Identified as a heavier-than-paint-thinner hydrocarbon fuel resembling Diesel.

⁽⁴⁾ Suspected false positive result

⁽⁵⁾ Identified as resembling fuel oil

⁽⁶⁾ Identified as a hydrocarbon mixture resembling paint thinner and waste oil.

⁽⁷⁾ Identified as a fuel hydrocarbon mixture resembling paint thinner and Diesel.

⁽⁸⁾ Identified as a mixture of Diesel and paint thinner fuels

TABLE 6 — CHEMICAL TEST RESULTS ENVIROPRO'S GROUND WATER GRAB SAMPLES

Standard Brands, Emeryville, California

	Boring:	GU	G2	G3	G4	G5	G6	G7	G8	G9	G10	G15	G16	G17	G18
	Date Collected:	6/15/95	6/13/95	6/13/95	6/13/95	6/15/95	6/13/95	6/13/95	6/13/95	6/15/95	6/15/95	6/14/95	6/14/95	6/14/95	6/14/95
								·							
EXTRACTABLE HYDROCARB	ONS														
Diesel	mg/l		< 1		< 1		<		< 10	< 20					
Oil (1)	mg/[100					<	
Paint Thinner Range Organics	mg/l					120	< I		< 10	520	42 (3)				
TOTAL VOLATILE HYDROCA	RBONS (TVII)														
Volatile Hydrocarbons (2)	mg/l	< 0.1	< 0.1	< 0.1	< 0.1	36	< 0.1		0.1	22000		< 0.1	0.3	0.2	< 0.1
Benzene	μg/L	< 0.5	0.5	< 0.5	< 0.5	< 25	< 0.5		1.2			< 0.5	1.2	0.5	< 0.5
Toluene	μg/L	1.3	1.1	1.3	1.2	< 25	0.9		1,1			1.2	2.6	1.7	1.2
Ethyl Benzene	μg/L	< 0.5	< 0.5	0.6	< 0.5	< 25	< 0.5		< 0.5			< 0.5	2.1	0.9	< 0.5
Total Xylenes	μg/l ₋	1.8	2.5	3.2	2.7	< 50	2.5		1.7			2.5	6.3	2.5	2.2
TPH (TEH + TVH)	mg/i	0.0031	0.0041	0.0051	0.0039	156	0.0034		100	22500	42	0.0037	0.31	0.21	0.0034
HALOGENATED VOCs															
Chloromethane	μg/l.	< 1	< 1		< 1	< 50	< 1	< 1	1	< 100	< 1	< 1			
Vinyl Chloride	μg/L	< 1	< 1		< 1	< 50	< 1	< 1	3	< 100	< 1	< 1	••		
1,1-Dichloroethene	μg/L	< 1	< 1		< 1	< 50	< 1	< t	2	< 100	<	< J			
Methylene Chloride	μg/L	< 5	29		24	1000	22	77	49	2400	< 5	< 5			
Trans-1,2-Dichloroethene	μg/L	< 1	< 1		< 1	< 50	< 1	< 1	41	₹100	< 1	< 1			
Chloroform	μg/L	3.4	< 1		< t ;	< 50	< 1	< \	< 1	k 100	< {	< \			
Trichloroethene	μg/L	< 1	< 1		< 1 /	140	< i	< 1	13	< 100	< I	< 1			
No other halogenated VOCs were						3									
					1				<u>-</u> .						

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

Property of 3

Page 1 of 2

ENVIRON

[&]quot;mg/L" indicates milligrams per liter.

[&]quot;µg/L" indicates micrograms per liter.

[&]quot;--" indicates not tested for this analyte.

TABLE 6 — CHEMICAL TEST RESULTS ENVIROPRO'S GROUND WATER GRAB SAMPLES

Boring:		G19	G20	G21	G26
Date Collected:		6/14/95	6/14/95	6/14/95	6/16/95
EXTRACTABLE HYDROCARBONS		<u> </u>		7	-
Diesel	mg/L				30 (4)
Oil (1)	mg/L				
Paint Thinner Range Organics	mg/L		••	75 (3)	
TOTAL VOLATILE HYDROCARBONS (TVII)					
Volatile Hydrocarbons (2)	mg/L	< 0.1	< 0 1		37
Benzene	μg/L	0.5	< 0.5	-	5.0
Toluene	μg/L	1.7	1.5		13
Ethyl Benzene	μg/L	< 0.5	< 0.5		26
Total Xylenes	μg/l.	2.1	2.2		100
TPH (TEH + TVH)	mg/L	0.0043	0.0037	75	67
HALOGENATED VOCs					
Chloromethane	μg/L			< 1	
Vinyl Chloride	μg/L			14	
1,1-Dichloroethene	μg/L			2.6	-+
Methylene Chloride	μg/L			Ħ	
Trans-1,2-Dichloroethene	μg/L			25	
Chloroform	μg/L			< 1	
Trichloroethene	μg/L			40	
No other halogenated VOCs were detected.					

[&]quot;< xx" indicates analyte was not detected above a reporting limit of xx.

[&]quot;mg/L" indicates milligrams per liter.

[&]quot;µg/L" indicates micrograms per liter.


[&]quot;--" indicates not tested for this analyte.


⁽¹⁾ Results were quantified against a Diesel standard.


⁽²⁾ Volatile hydrocarbons were characterized by Enviropro as gasoline, but this was not confirmed during this study


⁽³⁾ Identified as a mixture of Diesel fuel and a heavy hydrocarbon fuel resembling waste oil.

⁽⁴⁾ Identified as a mixture of Diesel and paint thinner.














42° %

















APPENDIX A

FIELD PROGRAM DOCUMENTATION

k.\hld stndbrnd 03-4603e\appa.txt

APPENDIX A

FIELD PROGRAM DOCUMENTATION

The subsurface investigation at Standard Brands was conducted in May and June 1995. During the first phase of the investigation (May 15 through 18, 1995), eight cone penetration tests (CPTs) were completed, eleven soil borings were drilled, and ground water grab samples were collected at many of the locations. During the second phase of the investigation (June 5 through 15, 1995), six soil borings were drilled and five shallow zone monitoring wells were installed, developed and sampled. Two ground water levels were subsequently measured on two separate occasions. The locations are shown in Figure 2 in the main body of the report.

A.1 Cone Penetration Test Procedure

The CPT and deeper ground water grab sampling was conducted by Earth Technology Corporation (Ertec) of Irvine, California, under the supervision of an ENVIRON geologist. Six CPTs (CPT-1 to CPT-6) were advanced to an approximate depths of 60 feet and two CPTs to approximately 40 feet (CPT-7 and CPT-8). A CPT rig from Gregg Drilling and Testing Inc. of Martinez, California, was used to collect one replicate ground water grab sample in the vicinity of the CPT-4 location. Ertec's report is presented in Appendix C.

The electronic cone penetration procedure consisted of advancing a cone tipped cylindrical probe (piezocone) attached to a string of 1.5-inch diameter steel pipe into the ground at a constant penetration rate of 2 centimeters per second (cm/sec). The piezocone contains two strain gauged load cells which measure the tip resistance, the soil shear resistance along the cylindrical sleeve and pore water pressure. The ratio of the sleeve resistance to the tip resistance provides an indication of subsurface lithology based on interpretation of soil behavior.

The CPT probes were advanced to approximate depths of 40 and 60 feet below ground surface. Upon completion of the CPT test procedure, the steel pipe assembly and piezocone tip were removed from the probe hole. The hollow steel pipe without the instrument tip and a plastic tremie pipe were advanced to the total depth of the probe. The open hole was then grouted with a bentonite slurry from the bottom, up to the ground surface using the tremie method.

A.2 Ground Water Grab Sample Collection with the CPT Rig

A total of 11 ground water grab samples and one quality control duplicate were collected using the Push-In-PVC-Piezometer (PIPP). The PIPP groundwater sampling probe was pushed into the ground using the CPT rig. The PIPP is a hardened steel cylindrical probe (approximately 2-inch O.D.) with a disposable cone shaped stainless steel drive tip. A drive tip and PVC screen was slipped into the PIPP's steel barrel, sealing the PVC screen inside the barrel with an O-ring. The

PIPP was then pushed into the ground to the desired sampling depth, and the push pipes were retracted approximately five feet, exposing the PVC screen. Ground water flowed into the screen and samples were collected by lowering a small diameter (0.66 or 0.75 inch) PVC or Teflon bailer down the push pipes from the surface. When sampling was completed, flexible plastic tubing was inserted to the bottom of the hole, and the sampler was removed, leaving the drive tip and plastic tubing in place. A bentonite slurry was pumped through the plastic tubing using the tremie method, sealing the probe hole from the bottom up.

After the PIPP was removed from the ground, it was disassembled and decontaminated in before reassembly. The PIPP was washed and scrubbed using a low phosphate (Alconox and deionized water) solution. The components of the probe were then rinsed twice in deionized water. A new PVC screen and stainless steel tip were used at each location.

A summary of ground water grab sample collection depths and locations are presented in Table A-1. For quality assurance/quality control (QA/QC) purposes, approximately 10% duplicate samples were collected and submitted for analyses.

A.3 Soil Borings

Seventeen soil borings were drilled and sampled. Eleven soil borings were drilled by Precision Sampling, Inc. (Precision) of San Rafael, California using a compression driven soil coring system. The coring devices (the Precision XD-1 and DA-1 systems) were manufactured by Precision Sampling, Inc. Six soil borings were drilled by Gregg Drilling and Testing, Inc. (Gregg) of Martinez, California using a Mobile B-53 hollow-stem-auger drill rig.

The soil borings drilled by Precision were drilled to approximate depths of 10 to 30 feet below ground surface (BGS) by simultaneously advancing two nested tubes into the ground with the rig. A smaller diameter inner rod was used to obtain and retrieve the soil cores, while an outer tube served as a temporary drive casing to prevent sloughing of the formation. Soil samples were collected during drilling by driving a 1-5/8-inch diameter by 3-foot long sample barrel into undisturbed soil. The sampler was lined with 6-inch long stainless steel liners to contain the soil samples. Upon removal from the borehole, soil samples selected for analytical testing were covered at the ends with TeflonTM film, capped, sealed with nonadhesive silicon tape, labeled, and placed in an iced cooler for transport to the analytical laboratory. A summary of soil samples submitted for analytical testing are presented in Table A-1. Samples not selected for analytical testing were extruded from the liners for logging.

The drilling rods and sampling equipment were cleaned with a high pressure, hot water washer prior to their arrival on-site, and between samples and boreholes. Soil cuttings and rinsate generated during the investigation were placed in 55-gallon steel drums and stored at the Del Monte site (1250 Park Avenue, Emeryville, California) for temporary storage prior to disposal.

The soil borings drilled by Gregg were drilled to approximate depths of 15 to 17 feet BGS with 6.25-inch outside diameter augers (3.25-inch inside diameter) and a 7-inch drill bit. Soil

samples were collected continuously using a 5-foot long (2.5-inch inner diameter) core barrel. The augers were steamed cleaned prior to use to minimize the potential for cross contamination. The 5-foot long core barrel was cleaned in a Liquinox wash prior to collection of the soil samples. All rinsate, residual solids, and soil cuttings were placed in 55-gallon drums and transported to the Del Monte Site (1250 Park Avenue, Emeryville, California) for temporary storage prior to disposal pending analytical results from the borings.

An ENVIRON geologist was present during drilling to obtain samples of subsurface materials, maintain a continuous log of the borings, make observations of site conditions, conduct health and safety monitoring for organic vapors during drilling, and provide technical assistance as required. The soil samples were screened using either a flame ionization detector or a photo ionization detector, and the soils were classified according to the Unified Soil Classification System (see Figure A-1). The boring logs containing the field data for each location (soil description, OVM readings, depth to ground water) were reviewed by either Kimberly S. Jolitz or David E. Harnish, California Registered Geologists, and are presented in Figures A-2 through A-17. The well construction logs are presented in Figures A-18 through A-23.

A.4 Ground Water Grab Sample Collection from Borings

Ground water grab samples for chemical analysis were collected at selected boring locations drilled by precision (B-1, B-2, B-3, B-5, B-8, B-9, and B-11). After determining by visual inspection that the targeted water bearing zone had been penetrated, the drive casing was retracted and a temporary one-inch diameter PVC well was placed in the borehole. The wells had 10- or 15-feet of slotted screen with a bottom cap. Prior to collecting the grab samples, three casing volumes of water were removed from the temporary well casing. A pre-cleaned stainless-steel bailer and a dedicated nylon rope were used to purge and sample ground water at each location. During purging, field water quality parameters were monitored to evaluate temperature, pH, and specific conductance. Up to three sets of readings were recorded at each borehole to check that parameters were stable. All ground water grab samples were appropriately labeled and placed in an iced cooler for transport to the analytical laboratory under chain-of-custody control.

A.5 Well Construction

Monitoring wells were constructed in accordance with the California Department of Water Resources and Alameda Zone 7 Water Agency regulations. Wells were placed into borings drilled using 10-inch outside diameter (6-5/8-inch inside diameter) augers using Gregg's Mobile B-53 drill rig. All of the monitoring wells were constructed of 4-inch diameter Schedule 40 PVC casing. The well screen was placed to intercept the water table. The top of the sandpack was sounded during placement to assure that the sand was rising, and not bridging, as it was poured through the augers. A one- to two- foot bentonite pellet seal was emplaced and allowed to hydrate. Neat cement grout (to seal MW1, MW2, and MW3) and cement-bentonite grout (to seal

MW4. and MW5) was used from the top of the bentonite seal to the ground surface to seal the wells emplace. The wells were completed with traffic-rated Christy boxes. Table A-2 provides a summary of well construction information, and well details are presented on the well construction diagrams.

A.6 Well Development

Blaine Tech Services, Inc. of San Jose, California developed the wells under the supervision of an ENVIRON geologist. The well development occurred at least 48 hours following installation to allow adequate time for the grout seal to set. The wells were developed by a combination of surging and pumping. The wells were developed between June 12 and 13, 1995. Between 10 and 14 casing volumes of water were removed from wells MW1, MW2, MW3, and MW5 to produce relatively sediment-free water; the last turbidity reading was below 30 Nephelometric Turbidity Units (NTU) in each well. Twenty-six casing volumes (117 gallons) of water was removed from MW4 to produce a relatively sediment-free water.

A.7 Water Level Measurements

Ground water levels were measured with a Solinst electronic water level probe with gradations marked at 0.02 foot intervals on June 15 and 27, 1995 by ENVIRON and Blaine Tech Services personnel in five monitoring wells. Depth to ground water was measured from a surveyed reference point at the top of casing until two consecutive readings were within 0.01 foot of each other. The water level probe is calibrated annually with a steel engineering tape.

The measurement of water levels on June 27, 1995 was coordinated with two neighboring property owners. A representative for the Pepsi Site, 1150 Park Avenue (Weiss Associates of Emeryville) was met and a water level measurement was taken in Pepsico well (P)MW-8 with the ENVIRON Solinst sounder and with the Weiss slope indicator; the water level measurements were exactly the same. A representative for Emeryville Fire Department (SEACOR of San Francisco) was also met, who unlocked well FDMW-1 and the water level was measured. The water level data is presented in Table 1 in the main body of the report.

A.8 Well Sampling

Ground water sampling was conducted by Blaine Tech Services. The wells (MW1 through MW5) were sampled June 15, 1995. Water level and total depth were measured to calculate casing volume. A minimum of three casing volumes of water was purged from the well prior to sampling to ensure that samples represent aquifer conditions as much as possible.

The Middleburg style pump (a positive displacement pneumatic pump) which is made entirely of stainless steel and Teflon, was used in the wells. During purging, field water quality

parameters (pH, conductivity, temperature, and turbidity) were monitored to evaluate the onset of steady-state conditions, indicating fresh water was being sampled. This information was recorded on ENVIRON's Water Purging and Sampling Logs included in this appendix.

When the purge parameters had stabilized and a minimum of three casing volumes of water had been evacuated from the well, ground water samples were collected using a decontaminated (steam-cleaned) stainless steel bailer gently lowered down the well by hand. Ground water samples were placed directly into laboratory-supplied bottles, sealed, labeled, and placed in an iced cooler for transport to the laboratory. Samples were delivered by courier to Chromalab, in Pleasanton, California.

All water generated during purging, sampling, and decontamination activities were placed in 55-gallon steel drums and stored at the Del Monte site 1250 Park Avenue, Emeryville, California for future disposal pending analytical results.

A.9 Health and Safety

ENVIRON followed the health and safety procedures described in the Site Safety Plan dated April 28, 1995 which is on file at ENVIRON. Air quality of the breathing zone was monitored during drilling to assure worker safety using either a photo ionization detector (PID, such as an organic vapor monitor [OVM], or Mini-Rae) or a flame ionization detector (FID, such as an organic vapor analyzer [OVA]). At most soil boring locations, the PID or FID was also used to measure the concentration of VOCs in the head space of a sealable plastic bag containing sample. FID and PID measurements are recorded on the boring logs.

The following tables and attachments complete this appendix:

Table A-1 Summary of Samples by Location

Table A-2 Well Design Summary

Attachment A Soil Boring and Well Construction Logs

Attachment B Well Purging and Sampling Logs

TABLE A-1 — SUMMARY OF SAMPLES BY LOCATION

Standard Brands, Emeryville, California

Boring, CPT, or Monitoring Well	Total Depth of Boring, CPT or Well	Sample Date	Sample Type	Sample Depth	Analytical Tests
B-1	16 ft	5/16/95 5/16/95	Soil Water	10.5-11.0 ft 5-15 ft	TVH, TEH, VOCs TVH, TEH, VOCs
B-2	13 ft	5/17/95 5/17/95 5/17/95	Soil Soil Water	6.0-6.5 ft 10.0-10.5 ft 3-13 ft	TVH, TEH, VOCs Hydrocarbon Fuel Scan TVH, TEH, VOCs
B-3	16 ft	5/17/95 5/17/95	Soil Water	6.0-6.5 ft 1-16 ft	TVH, TEH, VOCs TVH, TEH, VOCs
B-4	16 ft	5/15/95 5/15/95 5/15/95 5/15/95 5/15/95	Soil Soil Soil Soil	8.0-8.5 ft 8.5-9.0 ft 9.5-10.0 ft 14.5-15.0 ft 15.0-15.5 ft	TVH, TEH, VOCs TVH, TEH, VOCs TVH, TEH, VOCs Hydrocarbon Fuel Scan TVH, TEH, VOCs
B-5	33 ft	5/15/95 5/15/95 5/15/95 5/15/95 5/15/95 5/15/95	Soil Soil Soil Soil Soil Water	5.5-6.0 ft 7.0-7.5 ft 18.5-19.0 ft 24.5-25.0 ft 32.5-33.0 ft 21-33 ft	TVH, TEH, VOCs Hydrocarbon Fuel Scan TVH, TEH, VOCs TVH, TEH, VOCs TVH, TEH, VOCs TVH, TEH, VOCs
B-6	21 ft	5/15/95 5/15/95 5/15/95 5/15/95 5/15/95	Soil Soil Soil Soil	6.0-6.5 ft 9.5-10.0 ft 13.5-14.0 ft 14.5-15.0 ft 20.5-21.0 ft	TVH, TEH, VOCs TVH, TEH, VOCs TVH, TEH, VOCs Hydrocarbon Fuel Scan TVH, TEH, VOCs
B-7	10 ft	5/15/95 5/15/95	Soil Soil	8.0-8.5 ft 9.0-9.5 ft	Hydrocarbon Fuel Scan TVH, TEH, VOCs
B-8	31 ft	5/15/95 5/16/95 5/16/95	Soil Soil Water	9.0-9.5 ft 18.0-18.5 ft 21-31 ft	TVH, TEH, VOCs TVH, TEH, VOCs TVH, TEH, VOCs
B-9	31 ft	5/15/95 5/15/95 5/15/95 5/15/95	Soil Soil Soil Water	9.5-10.0 ft 17.5-18.0 ft 18.0-18.5 ft 21-31 ft	TVH, TEH, VOCs Hydrocarbon Fuel Scan TVH, TEH, VOCs TVH, TEH, VOCs

Notes:

^{(1) &}quot;TVH" indicates testing for total volatile hydrocarbons [Total Petroleum Hydrocarbons as Gasoline (TPH/G): benzene, toluene, ethyl benzene, xylenes (BTEX compounds)] by EPA test method 8015 modified.

^{(2) &}quot;TEH" indicates testing for total extractable hydrocarbons [TPH as Diesel (TPH/D), stoddard solvent/mineral spirits (thinner), motor oil. kerosene] by EPA test method 8015 modified.

^{(3) &}quot;VOCs" indicates testing for halogenated volatile organic compounds, by EPA test method 8010.

^{(4) &}quot;Hydrocarbon Fuel Scan" indicates hydrocarbon fuel type identification by Friedman and Bruya.

TABLE A-1 — SUMMARY OF SAMPLES BY LOCATION

Standard Brands, Emeryville, California

Boring, CPT, or Monitoring Well	Total Depth of Boring, CPT or Well	Sample Date	Sample Type	Sample Depth	Analytical Tests
B-10	13 ft	5/16/95 5/16/95	Soil Soil	2.6-3.0 ft 11.0-11.5 ft	TEH Hydrocarbon Fuel Scan
		5/16/95	Soil	11.5-12.0 ft	Hydrocarbon Fuel Scan, PCBs
B-11	13 ft	5/17/95	Soil	4.5~5.0 ft	TVH, TEH, VOCs
		5/17/95 5/17/95	Soil Water	10.5-11.0 ft 3-13 ft	Hydrocarbon Fuel Scan TVH, TEH, VOCs
Duplicate Samp	le	5/17/95 5/17/95	Water	3-13 ft	TVH, VOCs
		5/17/95	Water	3-13 ft	Hydrocarbon Fuel Scan
B-12	16 ft	6/6/95	No Samples Ta	ken	
B-13	16 ft	6/6/95	No Samples Ta	ken	
B-14	15 ft	6/7/95	No Samples Ta	ken	
B-15	15 ft	6/7/95	No Samples Ta	ken	
B-16	15 ft	6/8/95	No Samples Ta	ken	
B-17	15 ft	6/8/95	No Samples Ta	ken	
CPT-1	60 ft	5/17/95	Water	30-35 ft	TVH, TEH, VOCs
CPT-2	60 ft	5/17/95	Water	31-36 ft	TVH, TEH, VOCs
CPT-3	60 ft	5/17/95	Water	31-36 ft	TVH, TEH, VOCs
Duplicate Samp		5/17/95	Water	31-36 ft	TVH, TEH, VOCs
CPT-4	60 ft	5/16/95	Water	30-35 ft	TVH, VOCs
		5/17/95	Water	46.5-51.5 ft	TVH, TEH, VOCs
CPT-4R	60 ft	6/9/95	Water	46.5-49.5 ft	TVH
CPT-5	60 ft	5/16/95	Water	23-28 ft	TVH, TEH, VOCs
		5/16/95	Water	35-40 ft	TVH, TEH, VOCs
CPT-6	60 ft	5/16/95	Water	15.5-17.5 ft	TVH, TEH, VOCs
		5/16/95 5/16/95	Water	18-23 ft	TVH, TEH, VOCs
CD = -		5/16/95	Water	32-37 ft	TVH, TEH, VOCs
CPT-7	40 ft	5/18/95	No Samples Tal	ken	
CPT-8	40 ft	5/18/95	Water	8-13 ft	TVH, TEH, VOCs

Notes

^{(1) &}quot;TVH" indicates testing for total volatile hydrocarbons [Total Petroleum Hydrocarbons as Gasoline (TPH/G), benzene, toluene, ethyl benzene, xylenes (BTEX compounds)] by EPA test method 8015 modified

^{(2) &}quot;TEH" indicates testing for total extractable hydrocarbons [TPH as Diesel (TPH/D), stoddard solvent/mineral spirits (thinner), motor oil, kerosene] by EPA test method 8015 modified.

^{(3) &}quot;VOCs" indicates testing for halogenated volatile organic compounds, by EPA test method 8010.

^{(4) &}quot;Hy drocarbon Fuel Scan" indicates hydrocarbon fuel type identification by Friedman and Bruya

^{(5) &}quot;PCBs" indicates testing for polychlorinated biphenyls.

TABLE A-1 — SUMMARY OF SAMPLES BY LOCATION

Remedial Investigation

Standard Brands, Emeryville, California

Boring, CPT, or Monitoring Well	Total Depth of Boring, CPT or Well	Sample Date	Sample Type	Sample Depth	Analytical Tests
MWI	17 ft	6/15/95	Water	7-17 ft	TVH, TEH, VOCs
MW2	15 ft	6/15/95	Water	5-15 ft	TVH, TEH, VOCs
MW3 Duplicate Samp	15 ft ile	6/15/95 6/15/95	Water Water	5-15 ft 5-15 ft	TVH, TEH, VOCs TVH, TEH, VOCs
MW4	15 ft	6/15/95	Water	5-15 ft	TVH, TEH, VOCs
MW5	15 ft	6/15/95	Water	5-15 ft	TVH, TEH, VOCs

Notes

^{(1) &}quot;TVH" indicates testing for total volatile hydrocarbons [Total Petroleum Hydrocarbons as Gasoline (TPH/G); benzene. toluene, ethyl benzene. xylenes (BTEX compounds)] by EPA test method 8015 modified.

^{(2) &}quot;TEH" indicates testing for total extractable hydrocarbons [TPH as Diesel (TPH/D), stoddard solvent/mineral spirits (thinner), motor oil. kerosene] by EPA test method 8015 modified

^{(3) &}quot;VOCs" indicates testing for halogenated volatile organic compounds, by EPA test method 8010.

^{(4) &}quot;Hydrocarbon Fuel Scan" indicates hydrocarbon fuel type identification by Friedman and Bruya

FIGURE A-2 — WELL DESIGN SUMMARY

Standard Brands, Emeryville, California

				Filter Pack	·		Cement-	
Well	Target Zone	Total Depth (feet)	Screen Interval (feet b.g.s.)	Interval (Number 2/16) (feet b.g.s.)	Bentonite Pellets/Chips (feet b.g.s.)	Neat Cement Seal (feet b.g.s.)	Bentonite Grout Seal (feet b.g.s.)	Surface Completion
MWI	Water table	17	7 - 17	5 - 17	3 - 5	0.5 - 3		Christy Box
MW2	Water table	15	5 - 15	3 - 15	2 - 3	0.5 - 2		Christy Box
MW3	Water table	15	5 - 15	3 - 15	2 - 3	0.5 - 2		Christy Box
MW4	Water table	15	5 - 15	5 - 15	2 - 3		0.5 - 2	Christy Box
MW5	Water table	15	5 - 15	3 - 15	2 - 3		0.5 - 2	Christy Box

Notes:

"feet b.g.s." = feet below ground surface

SOIL BORING AND WELL CONSTRUCTION LOGS

k: hld stndbrnd 03-4603e appa.txt

RAJOR DIVISIONS			GRAPHIC SYMBOL	SOIL CODE	DESCRIPTIONS
9		CLEAN GRAVELS	0.0	ем	WELL GRADED GRAVELS, WITH OR WITHOUT SAND, LITTLE OR NO FINES
#200 sieve	GRAVELS more than half	WITH LITTLE OR NO FINES	000	유	POORLY GRADED GRAVELS, WITH OR WITHOUT SAND, LITTLE OR NO FINES
	coarse fraction is larger than no. 4 sieve	GRAVELS WITH		БМ	SILTY GRAVELS, SILTY GRAVELS WITH SAND
COARSE-GRAINED SOTLS half is coarser than	NO. 4 SIEVE	OVER 12% FINES		ec	CLAYEY GRAVELS, CLAYEY GRAVELS WITH SAND
SE-GHAI is coar	SANDS more than half coarse fraction is smaller than no. 4 sieve	CLEAN SANDS WITH LITTLE OR NO FINES		SM	WELL GRADED SANDS, WITH OR WITHOUT GRAVEL, LITTLE OR NO FINES
H 1				SP	POORLY GRADED SANDS, WITH OR WITHOUT GRAVEL, LITTLE OR NO FINES
than		SANDS WITH		SM	SILTY SANDS, WITH OR WITHOUT GRAVEL
More	110. 4 32676	OVER 12% FINES		sc	CLAYEY SANDS, WITH OR WITHOUT GRAVEL
	SILTS AND CLAYS liquid limit 50 or less			ML	INORGANIC SILTS AND VERY FINE SANDS, ROCK FLOUR, CLAYEY SILTS OF LOW PLASTICITY
r.s				a	INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, CLAYS WITH SANDS AND GRAVELS, LEAN CLAYS
ED SOT				OL	ORGANIC SILTS OR CLAYS OF LOW PLASTICITY
FINE-GRAINED SOILS				MH	INORGANIC SILTS, MICACEOUS OR DIATOMACEOUS, FINE SANDY OR SILTY SOILS, ELASTIC SILTS
	SILTS AND CLAYS liquid limit greater than 50			СН	INORGANIC CLAYS OF HIGH PLASTICITY, FAT CLAYS
	· •			ОН	ORGANIC SILTS OR CLAYS OF MEDIUM TO HIGH PLASTICITY
	HIGHLY ORGANIC SOILS			PT	PEAT AND OTHER HIGHLY ORGANIC SOILS

SOIL SAMPLE RECOVERY KEY

Soil Sample (relatively undisturbed)
Complete Recovery

Soil Sample (disturbed)
Partial Recovery

Continuous Core Run
Sample Recovery

Continuous Core Run
No Recovery

ENVIRON


Counsel in Health and Environmental Science

Key to Unified Soil Classification System Standard Brands Remedial Design Investigation 4343 San Pablo Avenue Emeryville, California

. .90. 6

A-1

Drafter. RS Date: 8/1/95 Contract Number: 03-4603B Approved: Revised:




NVIRON Counsel in Health and Environmental Science

8/1/95 Job No 03-4603B Approved:

LOG OF BORING

Standard Brands Remedial Design Investigation 4343 San Pablo Ave., Emeryville, California

Page 1 of 1



 \in N \vee I R \bigcirc N


Counsel in Health and Environmental Science

06/95 Job No.03-4603B Approved:

LOG OF BORING

Standard Brands Remedial Design Investigation 4343 San Pablo Ave., Emeryville, California

Page 1 of 1



ENVIRON
Counsel in Health and Environmental Science

Approved:

JOD NO.03-4603B


8/16/95 En

LOG OF BORING

Standard Brands Remedial Design Investigation 4343 San Pablo Ave., Emeryville, California

Page 1 of 1

A-4



ENVIRON

Counsel in Health and Environmental Science


Job No 03-4603B Approved: 06/95

LOG OF BORING

Standard Brands Remedial Design Investigation 4343 San Pablo Ave., Emeryville, California

Page 1 of 1

A-5



Counsel in Health and Environmental Science

Jos No 03-46038

Approved: 8/16/95


LOG OF BORING

Standard Brands Remedial Design Investigation 4343 San Pablo Ave., Emeryville, California

Page 1 of 2

FIGURE

B-5 |




Counsel in Health and Environmental Science

Approved:

06/95

Job No 03-4603B

Standard Brands Remedial Design Investigation 4343 San Pablo Ave., Emeryville, California



ENVIRON

Counsel in Health and Environmental Science

Approved:

Job No 03-4603B


06/95 E


LOG OF BORING

Standard Brands Remedial Design Investigation 4343 San Pablo Ave., Emeryville, California

Page 1 of 1

A-7





Counsel in Health and Environmental Science

Job No 03-4603B Approved: 8/1/95


LOG OF BORING


Standard Brands Remedial Design Investigation 4343 San Pablo Ave., Emeryville, California

Page 1 of 2

B-9

A-9





Counsel in Health and Environmental Science

Job No.03-4603B Approved:

LOG OF BORING

06/95


Standard Brands Remedial Design Investigation 4343 San Pablo Ave., Emeryville, California

Page 1 of 1

FIGURE

B-10

A-11



ENVIRON

Counsel in Health and Environmental Science

Approved:

06/95


Job No.03-4603B


LOG OF BORING
Standard Brands Remedial Design Investigation
4343 San Pablo Ave.,
Emeryville, California


Page 1 of 1 FIGURE


B-11


A-12












NVIRON Counsel in Health and Environmental Science

Job No.03-4603D Approved:

8/1/95

Standard Brands Remedial Design Investigation 4343 San Pablo Ave., Emeryville, California


B - 17



Job No.03-4603D Approved:

8/16/95

Emeryville, California




7/31/95 Job No 03-4603B Approved:


LOG OF BORING AND WELL CONSTRUCTION DETAILS Standard Brands Remedial Design Investigation

4343 San Pablo Ave., Emeryville, California

1 of 2

A-19 MW2 (B-8)





Counsel in Health and Environmental Science

Job No.03-4603D


Approved:

8/8/95

LOG OF BORING

Standard Brands Remedial Design Investigation 4343 San Pablo Ave., Emeryville, California


MW3



7/31/95 Job No.03-4603D Approved.

4343 San Pablo Ave., Emeryville, California

MW4



WELL PURGING AND SAMPLING LOGS

(MONITORING WELLS)

k: hid stndbmd 03-4603e\appa.txt

Counsel in Health and Environmental Science -5820 Shellmound St. Suite 700 Emeryville, California 94608

WATER PURGING AND SAMPLING LOG

	WELL NOMW\L
PROJECT NAME Standard Brands Mase I	SAMPLING DATE 15 June 1995
CONTRACT NUMBER 03-4603D	P.M./SAMPLER(S) Hamish / Rossin
EQUIPMENT MODEL/TYPE SERIAL NO. Flohe 5/ K/1 Themometer 5605/35 HF Instruments DRT-15C (tab.) m/a Myron L PDS Meter 117033E	DATE TEMP (°C) STANDARD/ACTUA Self-Calibrating 2/23/95 See Blaine Calibration Log 6/15/95 Zfc 7.0/7.0
PURGING/SAMPLING METHOD Middle hery / Te EQUIPMENT CLEANING METHOD(S) Steam Clean	eflon Beiler
PURGE WATER DISPOSAL METHOD Welded for a	Num S
	DATA PURGING RATE (gpm) 1 92m.
SINCE START 13.57/ 7 13.03/. 14 13.05/ 19.5 14 15.67 15.67 16.67 17.2 16.61.27 17.0 18.661.27 18.661.27	CONDUCTIVITY TURBIDITY OTHER (umnos/cm) 41.8 400 41.8 400 20.3 400 17.1
PURGING STOP TIME	
OBSERVATIONS/COMMENTS	CASING VOLUMES PURGED 3
	SAMPLE LD. MW/06/595

Counsel in Health and Environmental Science 5820 Shellmound St., Suite 700 Emeryville, California 94608

WATER PURGING AND SAMPLING LOG

			WELL NO.	MW.	3	
PROJECT NAME Standar	d Brands Dha	E I	S AMPLING DAT		1995	
CONTRACT NUMBER 03-	4603D		P.M./SAMPLER(1.5	
EQUIPMENT MODELITE Flohe 51 K/S Themore HF Instruents Det 151 Myron L DDS Meter	neter 560 2 (turkiclimate) n	AL NO.	DATE	TEMP (°C)	STANDARDIAN Calibration L 7.0/7.0	
						
WELL CASING RAD TOTAL DEPTH (TD) DEPTH TO WATER (HOD(S) Stemmer HOD(S) Stemmer HOD Welched SAMPLING LOCATION HUS (CR) (in) 4 OF WELL (tt) 1	Clocario -top Da MW3 1.98 3.67	Railer MS			
		DI 100 11 -	-			
PURGING START TIME 12	10	PURGING DA		17		
TIME/GALLONS SINCE START	TEMP (CT) F	PL pH	e RGING RATE (و CONDUCTIVIT (پیریشان)			HER
1215/4 1222/8 1231/12.5	66.0 F 67.2 F 67.8 F	7.2 7.2 7.2	600 600	174 43 74.	.2 Cla	ody
PURGING STOP TIME	231		· · · · · · · · · · · · · · · · · · ·	-		
GALLONS PURGED	12.5	CA	SING VOLUMES	PURGED	2	
OBSERVATIONS/COMMENTS Blaine Tech Crow: M	like Diloughney			- 0,100		
LABORATORY NAME CHO	LOMA LAB	SAI	WPLEID MA	12061595	5 × MW306150	57

Counsel in Health and Environmental Science -5820 Sheitmound St., Suite 700 Emeryville, California 94608

WATER PURGING AND SAMPLING LOG

	-		WELL NO.	_ Mus	
PROJECT NAME	SANCE CALLED	5 -4/4 /	SAMPLING DATE	ل شعرا	1945
CONTRACT NUMBER	03-46030			1/10 201	
EQUIPMENT MORE Fluke 51 K/1 The HELENNER'S DET HYMAN L. DOGNER	-150 /tishingles)	ERIAL NO. 05:35 70:35	DATE TE CALIBRATED Se	MP (*C)	STANDARD/ACTUAL
PURGING/SAMPLING M EQUIPMENT CLEANING PURGE WATER DISPOS	METHOD(S) STEAM	1 C. Elmin	16	13-R	
WELL CASIN TOTAL DEPTH DEPTH TO W	ER OR SAMPLING LOCATION G RADIUS (CR) (in) H (TD) OF WELL (ft) ATER (DTW) (ft) JME (gai) = (TD-DTW) (CF	4 14.80 7.35	4.8 gal.		
		PURGING D	ΔΤΔ		
	58.8 58.6 58.4 1035 0+15-35	7.6 7.6 7.6 7.6 7.6 7.6 7.6 7.6	SING VOLUMES PUR	7.35 (s. 78.3 12.4	7 (Middle box) =
OBSERVATIONS/COMMEN				<u> </u>	<i>J</i> /
73.7 60	an item it u	A SUCHALL	1.10 411		
LABORATORY NAME:	During Lab	SAI	APLEID 19250	11/05	

APPENDIX B

LABORATORY REPORTS AND DATA QUALITY REVIEW

APPENDIX B

LABORATORY REPORTS AND DATA QUALITY REVIEW

The analytical laboratory reports for soil and ground water samples are presented in this appendix. A total of 31 soil samples, 25 ground water grab samples, three duplicate ground water grab samples, five monitoring well ground water samples, and one monitoring well ground water duplicate sample were analyzed. Most samples were analyzed for Total Volatile Hydrocarbons (TVH) and Total Extractable Hydrocarbons (TEH) by EPA Test Method 8015 Modified and halogenated volatile organic compounds (VOCs) by EPA Test Method 8010. The TVH analysis included Total Petroleum Hydrocarbons as gasoline and benzene, toluene, ethylbenzene, and xylenes (TPH/G and BTEX). The TEH analysis included TPH as diesel (TPH/D), stoddard solvent/mineral spirits (thinner), motor oil and kerosene. A summary of samples collected and the analytical tests performed are presented in Table A-1 in Appendix A. The chemical analyses were performed by Chromalab, a California-certified laboratory, located in Pleasanton, California. Friedman & Bruya, Inc. of Seattle, Washington was retained to identify the type of hydrocarbons in split samples collected from key areas. Table B-1 presents the listing of the water and soil samples and the respective laboratory reports. A brief summary of quality control sample results follows.

B.1 Field Quality Control Samples

The ground water grab samples and well samples collected were submitted to the laboratory with trip blanks to monitor for potential false positive results introduced during transport or in the laboratory. Five trip blanks were analyzed for TVH and four trip blanks for VOCs. No compounds were detected in any of the trip blanks, indicating no positive bias was introduced. A summary of the test results for trip blanks is presented in Table B-2.

Duplicate samples were collected at boring B11 (soil sample from 3-13 feet), CPT-3 (ground water grab sample from 31-36 feet) and monitoring well MW3. No compounds were detected in both primary and duplicate samples collected at B11 and CPT-3. For the ground water samples collected at monitoring well MW3, the detected compounds were generally consistent between both the primary and duplicate samples. The duplicate sample from MW3 reported a concentration of 1.7 μ g/L of toluene while the primary sample indicated <0.5 μ g/L for toluene. Since the reported toluene concentration is very low and near the detection limit it may be a false positive.

B.2 Laboratory Quality Control

The samples were analyzed within the specified hold times for each analysis with the exception of the soil samples from B-3 @ 6.0-6.5 and B-11 @ 4.5-5.0. These samples were analyzed one day outside of hold time for EPA Test Method 8015 modified for TVH; TVH compounds were not detected in these samples.

The internal laboratory quality control consisted of method blanks, matrix spike samples, and laboratory control spike samples. These quality control samples characterized the precision and accuracy of laboratory results and evaluated if any matrix interference affects analytical results. Surrogate spike recoveries were within acceptable ranges for all samples, indicating that no matrix interference existed and that no unusual bias affected sample results in the laboratory. The results of the laboratory quality control blank spike samples and matrix spike samples prepared with each sample batch were within acceptable control limits. The results of the laboratory quality control indicates that the test results in this report are of sufficient quality to support the conclusions presented.

The following tables followed by the laboratory reports are included and complete this appendix.

Table B-1 Key to Laboratory Reports

Table B-2 Summary of Field Quality Control Samples

TABLE B-1 — KEY TO LABORATORY REPORTS

Remedial Investigation

Standard Brands, Emeryville, California

Boring, CPT, or Monitoring Well	Sample Date	Sample Type	Sample Depth	Laboratory Submission Number	Laboratory Report Date
B-1	5/16/95	Soil	10.5-11.0 ft	9505210	6/5/95
	5/16/95	Water	5-15 ft	9505210	6/5/95
B-2	5/17/95	Soil	6.0-6.5 ft	9505222	6/15/95
	5/17/95	Soil	10.0-10.5 ft	Friedman and Bruya	5/31/95
	5/17/95	Water	3-13 ft	9505222	6/15/95
B-3	5/17/95	Soil	6.0-6.5 ft	9505222	6/15/95
	5/17/95	Water	1-16 ft	9505222	6/15/95
B-4	5/15/95	Soil	8.0-8.5 ft	9505199	6/7/95
	5/15/95	Soil	8.5-9.0 ft	9505199	6/7/95
	5/15/95	Soil	9.5-10.0 ft	9505199	6/7/95
	5/15/95	Soil	14.5-15.0 ft .	Friedman and Bruya	5/19/95
	5/15/95	Soil	15.0-15.5 ft	9505199	6/7/95
B-5	5/15/95	Soil	5.5-6.0 ft	9505199	6/7/95
	5/15/95	Soil	7.0-7.5 ft	Friedman and Bruya	5/19/95
	5/15/95	Soil	18.5-19.0 ft	9505199	6/7/95
	5/15/95	Soil	24.5-25.0 ft	9505199	6/7/95
	5/15/95	Soil	32.5-33.0 ft	9505199	6/7/95
	5/15/95	Water	29-33 ft	9505199	6/7/95
B-6	5/15/95	Soil	6.0-6.5 ft	9505199	6/7/95
	5/15/95	Soil	9.5-10.0 ft	9505199	6/7/95
	5/15/95	Soil	13.5-14.0 ft	9505199	6/7/95
	5/15/95	Soil	14.5-15.0 ft	Friedman and Bruya	5/19/95
	5/15/95	Soil	20.5-21.0 ft	9505199	6/7/95
B-7	5/15/95	Soil	8.0-8.5 ft	Friedman and Bruya	5/19/95
	5/15/95	Soil	9.0-9.5 ft	9505199	6/7/95
B-8	5/15/95	Soil	9.0-9.5 ft	9505199	6/7/95
	5/16/95	Soil	18.0-18.5 ft	9505210	6/5/95
	5/16/95	Water	21-31 ft	9505210	6/5/95
B-9	5/15/95	Soil	9.5-10.0 ft	9505199	6/7/95
	5/15/95	Soil	17.5-18.0 ft	Friedman and Bruya	5/19/95
	5/15/95	Soil	18.0-18.5 ft	9505199	6/7/95
	5/15/95	Water	21-31 ft	9505199	6/7/95
B-10	5/16/95	Soil	2.6-3.0 ft	9505210	6/5/95
	5/16/95	Soil	11.0-11.5 ft	Friedman and Bruya	5/24/95
	5/1 <i>6</i> /95	Soil	11.5-12.0 ft	Friedman and Bruya	5/24/95
B-11	5/17/95	Soil	4.5-5.0 ft	9505222	6/15/95
	5/17/95	Soil	10.5-11.0 ft	Friedman and Bruya	5/31/95

TABLE B-1 — KEY TO LABORATORY REPORTS

Remedial Investigation

Standard Brands, Emeryville, California

Boring, CPT, or Monitoring Well	Sample Date	Sample Type	Sample Depth	Laboratory Submission Number	Laboratory Report Date
Duplicate sample	5/17/95 5/17/95 5/17/95	Water Water Water	3-13 ft 3-13 ft 3-13 ft	9505222 9505222 Friedman and Bruya	6/15/95 6/15/95 5/31/95
CPT-1	5/17/95	Water	30-35 ft	9505222	6/15/95
CPT-2	5/17/95	Water	31-36 ft	9505222	6/15/95
CPT-3 Duplicate sample	5/17/95 5/17/95	Water Water	31-36 ft 31-36 ft	9505222 9505222	6/15/95 6/15/95
CPT-4	5/16/95 5/17/95	Water Water	30-35 ft 46.5-51.5 ft	9505205 9505222	6/15/95 6/15/95
CPT-4R	6/9/95	Water	46.5-49.5 ft	9506125	6/19/95
CPT-5	5/16/95 5/16/95	Water Water	23-28 ft 35-40 ft	9505205, 9505210 9505205, 9505210	6/5/95, 6/15/95 6/5/95, 6/15/95
CPT-6	5/16/95 5/16/95 5/16/95	Water Water Water	15.5-17.5 ft 18-23 ft 32-37 ft	9505205, 9505210 9505205, 9505210 9505205, 9505210	6/5/95, 6/15/95 6/5/95, 6/15/95 6/5/95, 6/15/95
CPT-8	5/18/95	Water	8-13 ft	9505246	6/5/95
MW1	6/15/95	Water	7-17 ft	9506215	6/23/95
MW2	6/15/95	Water	5-15 ft	9506215	6/23/95
MW3 Duplicate sample	6/15/95 6/15/95	Water Water	5-15 ft 5-15 ft	9506215 9506215	6/23/95 6/23/95
MW4	6/15/95	Water	5-15 ft	9506215	6/23/95
MW5	6/15/95	Water	5-15 ft	9506215	6/23/95

TABLE B-2 — SUMMARY OF QUALITY CONTROL SAMPLES

Remedial Investigation

Standard Brands, Emeryville, California

Sample	Sample	Analytical	
1.D.	Date	Tests	Summary of Detections
<u>Duplicates</u>			
B11 3-13ft	5/17/95	TEH, VOCs	No compounds detected in both the primary and duplicate samples at or below laboratory detection limit.
CPT-3 31-36 ft.	5/17/95	TVH, TEH, VOCs	No compounds detected in both the primary and duplicate samples at or below laboratory detection limit.
MW3	6/15/95	TVH, TEH, VOCs	See Table 4 in the main body of the report.
Trip Blanks			
SB051695TB	5/16/95	TVH, VOCs	No compounds detected at or below laboratory detection limit.
SB 051795TB	5/17/95	TVH, VOCs	No compounds detected at or below laboratory detection limit.
SB051895TB	5/18/95	TVH, VOCs	No compounds detected at or below laboratory detection limit.
SB060695TB	6/9/95	TVH	No compounds detected at or below laboratory detection limit.
MWTB 061595	6/15/95	TVH, VOCs	No compounds detected at or below laboratory detection limit.
		•	

Notes:

^{(1) &}quot;TVII" indicates testing for total volatile hydrocarbons [Total Petroleum Hydrocarbons as Gasoline (TPH/G); benzene, toluene, ethyl benzene, xylenes (BTEX compounds)] by EPA test method 8015 modified.

^{(2) &}quot;TEH" indicates testing for total extractable hydrocarbons [TPH as Diesel (TPH/D), stoddard solvent/mineral spirits (thinner), motor oil, kerosene] by EPA test method 8015 modified.

^{(3) &}quot;VOCs" indicates testing for halogenated volatile organic compounds, by EPA test method 8010.

Laboratory Report for Soil and Ground Water Grab Samples Sampling Date: May 16, 1995

Chromalab Environmental Services Submission Number: 9505205 Report Date: June 15, 1995

Sample Locations
CPT-4 (Partial Report)
CPT-5 (Partial Report)
CPT-6 (Partial Report)

CHROMALAB, INC.

Environmental Services (SDB)

May 30, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

Surrogate report for 2 samples for Gasoline and BTEX analysis.

Matrix: SOIL Lab Run#: 6773

Method: EPA 5030/8015M/8020

Analyzed: May 23, 1995

Sample#	Client Sample ID	Surrogate	% Recovered
88653	B-8 @ 9.0-9.5	TRIFLUOROTOLUENE	77
88654	B-9 @ 9.5-10.0	TRIFLUOROTOLUENE	105
Sample#	QC Sample Type	Surrogate	% Recovered
89512	Method blank (MDB)	TRIFLUOROTOLUENE	110
89513	Blank Spike (BSP)	TRIFLUOROTOLUENE	101

Environmental Services (SDB)

May 30, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST. Project#: 03-3118L

Received: May 15, 1995

Surrogate report for 5 samples for Gasoline and BTEX analysis.

Matrix: SOIL

Lab Run#: 6829 Analyzed: May 26, 1995

Method: EPA 5030/8015M/8020

			8
Sample#	Client Sample ID	Surrogate	Recovered
88655	B-9 @ 18.0-18.5	TRIFLUOROTOLUENE	110
88658	B-4A @ 8.0-8.5	TRIFLUOROTOLUENE	113
88659	B-4A @ 9.5-10.0	TRIFLUOROTOLUENE	94
88660	B-4A @ 15.0-15.5	TRIFLUOROTOLUENE	70
88698	B-7 9.0-9.5	TRIFLUOROTOLUENE	65
			%
Sample#	OC Sample Type	Surrogate	Recovered
90079	Method blank (MDB)	TRIFLUOROTOLUENE	107
90080	Blank Spike (BSP)	TRIFLUOROTOLUENE	93

OCSURR JACK 30-May-85 08:24 24

PROJECT NAME: Standard Brands CASE NO.: 03-3482 03-4403B	COLLECTION DATE	COLLECTED BY (initials)	MATRIX	TOTAL NO. OF	14W.	-, .				//	//	//	//	/ / /	7		(510) 655-7400
ENVIRON SAMPLE ID.					/ Q	1/4	/ <u>è</u>	7	_		_				_	_	COMMENTS
PI-5-23-28	Traf	PC_	WATER	33	X									<u> </u>			* RUSH 24 ON
PT-5-35-40	E/16/92	۹ د	wher	3	X								ļ				8010 * CHR
PF-5-	5/16,	İ													ļ		
PT-6-15:5-17:5	195	P.C.	WHER	3	X												RESULTS TO
PT-6-18-23	571./ 195	P.C.	WATER	3	X_					,					<u> </u>		KIM JOHTZ
PT-6-32-37	3/16/	P.C.	water	3	X.								C				
PT-4-30-35	116/	P.C.	water	3	X		X			4	4						LEVEL 2 REPO
TOTAL	\times	X	\searrow														

CHROMALAB, INC.
SAMPLE RECEIPT CHECKLIST

Client Name ENVIRON	Date/Time Rec	eived 5//4/	45-	1700
	Received by	B Morra	ev /	Time
Project	Carrier name			
	Logged in by_	779	5/10	195
by: 5/7/95		Initials	; / I	Datle
Signature / Date	Matrix			
Shipping container in good condition?		ν∧	Yes	no
Custody seals present on shipping contain	er? Intact	Broken	Yes	• ; =
Custody seals on sample bottles?	Intact	Broken	Yes	1:0
Chain of custody present?			Yes_	No
Chain of custody signed when relinquished	and received?	,	Yes	No
Chain of custody agrees with sample label	s?		Yes_V	No
Samples in proper container/bottle?			Yes	_No
Samples intact? .			Yes	No
Sufficient sample volume for indicated te	st?		Yes.)!'\
VOA vials have zero headspace?		NA	Yes	110
Trip Blank received?		NA	Yes	No
All samples received within holding time?			Yes	110
Container temperature?				
pH upon receiptpH adjusted	Check pe	erformed by:		:57
Any NO response must be detailed in the applicable, they should be marked NA.	comments sect	ion below.	If items	are not
Client contacted?	Date cont	acted?		
Person contacted?	Contacted	by?		<u></u>
Regarding?				
Comments:				
			·	
				<u>.</u>
Corrective Action:				
				
				
				MPERFOD CK

Environmental Services (SDB)

May 30, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: Matrix spike report for Gasoline and BTEX analysis.

Matrix: SOIL

Lab Run#: 6776 Instrument: GC1-1

Analyzed: May 24, 1995

Method: EPA 5030/8015M/8020

Analyte	Spiked Sample Result	Spike Amt	% Spike Rec	Dup Spike Rec	Control Limits	% RPD	% RPD Lim
GASOLINE BENZENE TOLUENE ETHYL BENZENE XYLENES	N.D. mg/Kg N.D. ug/Kg N.D. ug/Kg N.D. ug/Kg N.D. ug/Kg	5.0 mg/Kg 25 ug/Kg 25 ug/Kg 25 ug/Kg 50 ug/Kg	99 107 108 109 113	89.0 90.0 107 122	80-118 80-127 80-130 81-119 83-125	N/A 18 18 1.9 7.7	N/A 20 20 20 20 20

Sample Spiked: 88643
Submission #: 9505199

Client Sample ID: B-4 @ 8.5-9.0

Environmental Services (SDB)

May 30, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: Surrogate report for 6 samples for Gasoline and BTEX analysis.

Matrix: SOIL

Lab Run#: 6776 Analyzed: May 24, 1995

Method: EPA 5030/8015M/8020

			*	
<u>Sample#</u>	<u>Client Sample ID</u>	Surrogate	Recovered	
88643	B-4 @ 8.5-9.0	TRIFLUOROTOLUENE	81	
88645	B-5 @ 5.5-6.0	TRIFLUOROTOLUENE	100	
88646	B-5 @ 18.5-19.0	TRIFLUOROTOLUENE	98	
88647	B-5 @ 24.5-25.0	TRIFLUOROTOLUENE	91	
88648	B-5 @ 32.5-33.0	TRIFLUOROTOLUENE	104	
88649	B-6 @ 6.0-6.5	TRIFLUOROTOLUENE	95	
			%	
Sample#	OC Sample Type	Surrogate	Recovered	
89594	Method blank (MDB)	TRIFLUOROTOLUENE	98	
89595	Blank Spike (BSP)	TRIFLUOROTOLUENE	104	
89597	Matrix spike (MS)	TRIFLUOROTOLUENE	105	SPK1
89598	Matrix spike duplicate	(MSD) TRIFLUOROTOLUENE	88	8712

OCSURR JACK 30-May 95 00:24 24

Environmental Services (SDB)

June 21, 1995

Submission #: 9505199

Analyzed: May 23, 1995

ENVIRON

Revised from May 30, 1995

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: 16 samples for Gasoline and BTEX analysis.

Matrix: SOIL

Sampled: May 15, 1995 Run: 6773-J

Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL ID	Gasoline (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
88653 B-8 @ 9.0-9.5	N.D.	N.D.	N.D.	N.D.	N.D.
<i>88654</i> B-9 @ 9.5-10.0	N.D.	N.D.	N.D.	N.D.	N.D.

Matrix: SOIL

Sampled: May 15, 1995 Run: 6776-J Analyzed: May 24, 1995

Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL ID	Gasoline (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
88643 B-4 @ 8.5-9.0	N.D.	N.D.	N.D.	N.D.	N.D.
88645 B-5 @ 5.5-6.0	N.D.	N.D.	N.D.	N.D.	5000
Note: GAS DET.LIM	T=500mg/Kg,BTEX	C DET.LIMIT=2	500ug/Kg	•,,-,-	2000
<i>88646</i> B-5 @ 18.5-19.0	N.D.	N.D.	ND	N.D.	70
Note: GAS DET.LIMI	T=20mg/Kg,BTEX	DET.LIMIT=10	Oua/Ka	11.2.	, 0
<i>88647</i> B-5 @ 24.5-25.0	N.D.	N.D.	ממ	N.D.	140
Note: GAS DET.LIMI	T=20mg/Kg,BTEX	DET. LIMIT=10	Oua/Ka	14.10.	140
38648 B-5 @ 32.5-33.0	N.D.	N.D.	N.D.	N.D.	N.D.
88649 B-6 @ 6.0-6.5	N.D.	N.D.	N.D.		
	T=100mg.Kg,BTEX	. N.D. Det tîmtt_s	1N . D .	N.D.	1200
tiotti dho bhi bhi	oung. Ng, bich	. <i>Dei</i> .nimil=3	ooug/kg		

Matrix: SOIL

Sampled: May 15, 1995 Run: 6778-J Analyzed: May 24, 1995

Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL ID	Gasoline (mg/Kq)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
88650 B-6 @ 9.5-10.0	N.D.	N.D.	N.D.	N.D.	81
Note: GAS DET.LIMIT		<i>DET.LIMIT=20u</i>	g/Kg		
<i>88651</i> B-6 @ 13.5-14.0	N.D.	N.D.	N.D.	N.D.	2100
Note: GAS DET.LIMIT	=200mg/Kg,BTEX	C DET.LIMIT=1	000ug/Kg		
88652 B-6 @ 20.5-21.0	N.D.	N.D.	N.D.	N.D.	N.D.

Environmental Services (SDB)

June 21, 1995

Submission #: 9505199

Page 2

ENVIRON

Revised From May 30, 1995

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: 16 samples for Gasoline and BTEX analysis, continued.

Matrix: SOIL

Sampled: May 15, 1995 Run: 6829-J Analyzed: May 26, 1995

Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL ID	Gasoline (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (ug/Kg)
88655 B-9 @ 18.0-18.5	N.D.	N.D.	N.D.	N.D.	N.D.
88658 B-4A @ 8.0-8.5	N.D.	N.D.	N.D.	N.D.	N.D.
88659 B-4A @ 9.5-10.0	N.D.	N.D.	N.D.	N.D.	9.5
88660 B-4A @ 15.0-15.5	N.D.	N.D.	N.D.	200	1000
Note: GAS DET.LIMIT=2	20 mg/Kg,BTEX	DET.LIMIT=1	00ug/kG		
<i>88698</i> B-7 9.0-9.5	N.D.	N.D.	N.D.	5400	35000
Note: GAS DET.LIMIT=	1000mg/Kg,BTE	X DET.LIMIT=:	5000ug/Kg		
Reporting Limits	1.0	5.0	5.0	5.0	5.0
Blank Result	N.D.	N.D.	N.D.	N.D.	N.D.
Blank Spike Result (%)	93	101	100	101	108

Jack Kelly Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-4A @ 9.5-10.0

Spl#: 88659 Matrix: SOIL

Sampled: May 15, 1995 Run#: 6750 Analyzed: May 18, 1995

≥thod: EPA 8010/8260

ANALYTE	RESULT	REPORTING LIMIT (ug/Kg)	BLANK RESULT (ug/Kg)	BLANK SPIKE RESULT (%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
ETHYLENE CHLORIDE	N.D.	5.0	N.D.	
RANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D	
CARBON TETRACHLORIDE	N.D.	5.0 5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	- -
TRICHLOROETHENE	N.D.	5.0	N.D.	120
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	
ROMODICHLOROMETHANE	N.D.	5.0	N.D.	
-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0 5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	- -
1,1,2-TRICHLOROETHANE	N.D.	5.0 5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0 5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	116
BROMOFORM	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	

Oleg Newson

Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

S.S. PHASE I SITE INVEST. Project#: 03-3118L Project:

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-4A @ 15.0-15.5

Matrix: SOIL SpI#: 88660

Sampled: May 15, 1995 Analyzed: May 18, 1995 Run#: 6750

Method: EPA 8010/8260

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(uq/Kg)	(ug/Kg)	(uq/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
METHYLENE CHLORIDE	N.D.	5.0	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	- -
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	- -
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	120
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	
BROMODICHLOROMETHANE	N.D.	5.0	N.D.	
2-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	Ŋ.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	116
BROMOFORM	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0 5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	

Oleg Nemtsov

Chemist

Environmental Services (SDB)

May 23, 1995

Submission #: 9505199

Page 2

ENVIRON

Atten: Kim Jolitz

Project: S.B. PHASE I SITE INVEST

Project#: 03-3118L

Received: May 15, 1995

16 samples for Total Extractable Petroleum Hydrocarbons (TEPH)

Matrix: SOIL

Extracted: May 19, 1995

Run#: 6751

Analyzed: May 23, 1995

Sampled: May 15, 1995 Method: EPA 3550/8015M

Kerosene Diesel Motor Oil Spl # CLIENT SMPL ID (mg/Kg) (mq/Kq)(mq/Kq)

88698 B-7 9.0-9.5 N.D. 520 N. Note: Reporting limit increased 50X due to dilution. N.D.

Note: Unknown hydrocarbons in the Kerosene range, conc. = 680mg/Kg.

Reporting Limits

Blank Result

1.0 N.D. 1.0

10

Blank Spike Result (%)

N.D. 70

N.D.

Sininat Chulleton

Sirirat (Sindy) Chullakorn

Chemist

Ali Kharrazi

Organic Manager

Environmental Services (SDB)

June 5, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: Matrix spike report for Total Extractable Petroleum Hydrocarbons (TEPH) ana

Matrix: SOIL
Lab Run#: 6751

Instrument: GC2-EXT-S

Extracted: May 19, 1995 Analyzed: May 22, 1995

Method: EPA 3550/8015M

 Spiked
 %
 Dup
 %

 Sample
 Spike
 Spike
 Spike
 Control %
 RPD

 Analyte
 Result
 Amt
 Rec
 Rec
 Limits
 RPD
 Lim

 DIESEL
 N.D. mg/Kg
 6.7 mg/Kg
 72.8 70.5 60-130 3.2 20

Sample Spiked: 88655
Submission #: 9505199

Client Sample ID: B-9 @ 18.0-18.5

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

ethod: EPA 8010/8260

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-9 @ 18.0-18.5

Analyzed: May 18, 1995

.,	RESULT	REPORTING LIMIT	BLANK RESULT	BLANK SPIKE RESULT
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D. N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
ETHYLENE CHLORIDE	N.D.	5.0 5.0	N.D.	
RANS-1,2-DICHLOROETHENE	N.D. N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	120
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	
ROMODICHLOROMETHANE	N.D.	5.0 5.0	N.D.	
-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0 5.0 5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	116
BROMOFORM	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	***
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	

Reg Newser

Oleg Nemtsov Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-4A @ 8.0-8.5

Spl#: 88658 Matrix: SOIL

Sampled: May 15, 1995 Run#: 6750 Analyzed: May 18, 1995

Method: EPA 8010/8260

2011 0010, 0100		REPORTING		BLANK SPIKE
	RESULT	LIMIT	result	RESULT
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
METHYLENE CHLORIDE	N.D.	5.0	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	120
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	
BROMODICHLOROMETHANE	N.D.	5.0	N.D.	
2-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	116
BROMOFORM	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE	Ŋ.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	

Oleg Nemtsov

Chemist

Environmental Services (SDB)

June 5, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: Surrogate report for 16 samples for Total Extractable Petroleum

Hydrocarbons (TEPH) analysis.

 Matrix:
 SOIL
 Extracted:
 May 19, 1995

 Lab Run#:
 6751
 Analyzed:
 May 22, 1995

Method: EPA 3550/8015M

_			%
Sample#	Client Sample ID	Surrogate	Recovered
88643	B-4 @ 8.5-9.0	O-TERPHENYL	83
88645	B-5 @ 5.5-6.0	O-TERPHENYL	101
88646	B-5 @ 18.5-19.0	O-TERPHENYL	95
8 8547	B-5 @ 24.5-25.0	O-TERPHENYL	98
88648	B-5 @ 32.5-33.0	O-TERPHENYL	82
88649	B-6 @ 6.0-6.5	O-TERPHENYL	83
88650	B-6 @ 9.5-10.0	O-TERPHENYL	83
88651	B-6 @ 13.5-14.0	O-TERPHENYL	78
38652	B-6 @ 20.5-21.0	O-TERPHENYL	82
88653	B-8 @ 9.0-9.5	O-TERPHENYL	86
88654	B-9 @ 9.5-10.0	O-TERPHENYL	115
88655	B-9 @ 18.0-18.5	O-TERPHENYL	84
88658	B-4A @ 8.0-8.5	O-TERPHENYL	79
88659	B-4A @ 9.5-10.0	O-TERPHENYL	84
88660	B-4A @ 15.0-15.5	O-TERPHENYL	77
			%
Sample#	QC Sample Type	Surrogate	Recovered
99340	Method blank (MDB)	O-TERPHENYL	94
39341	Blank Spike (BSP)	O-TERPHENYL	93
89342	Matrix spike (MS)	O-TERPHENYL	0.6
89343	Matrix spike duplicate		
	massam sprine dapareace	(MOD) O-IDKENEMID	95 🕶

OCSURR RUDO 05-Jun-95 06.27.36

Environmental Services (SDB)

May 23, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Profess C. C. Dynam T

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: 2 samples for Total Extractable Petroleum Hydrocarbons (TEPH)

Matrix: WATER Extracted: May 17, 1995
Sampled: May 15, 1995 Run#: 6740 Analyzed: May 20, 1995

Method: EPA 3510/8015M

Spl # CLIENT SMPL ID	Kerosene	Diesel	Motor Oil
	(uq/L)	(ug/L)	(ug/L)
88644 B-5	N.D.	N.D.	N.D.
88656 B-9	N.D.		N.D.
Reporting Limits Blank Result Blank Spike Result (%)	50 N.D.	50 N.D. 115	500 N.D.

Swinet Challaton

Sirirat (Sindy) Chullakorn

Chemist

Environmental Services (SDB)

June 5, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: Matrix spike report for Total Extractable Petroleum Hydrocarbons (TEPH) ana

Matrix: WATER

Lab Run#: 6740 Instrument: GC2-EXT-A

Extracted: May 17, 1995 Analyzed: May 20, 1995

Method: EPA 3510/8015M

 Spiked
 %
 Dup
 %

 Sample
 Spike
 Spike
 Spike
 Control %
 RPD

 Analyte
 Result
 Amt
 Rec
 Rec
 Limits
 RPD
 Lim

 DIESEL
 N.D. ug/L
 200 ug/L
 110 112 60-130 1.8 20

Sample Spiked: 88644 Submission #: 9505199 Client Sample ID: B-5

Environmental Services (SDB)

June 5, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: Surrogate report for 2 samples for Total Extractable Petroleum

Hydrocarbons (TEPH) analysis.

 Matrix: WATER
 Extracted: May 17, 1995

 Lab Run#: 6740
 Analyzed: May 20, 1995

Method: EPA 3510/8015M

Sample#	Client Sample ID	Surrogate	% Recovered	
88644 88656	B-5 B-9	O-TERPHENYL O-TERPHENYL	108 99	
Sample#	OC Sample Type	Surrogate	% Recovered	
89259	Method blank (MDB)	O-TERPHENYL	123	
89260	Blank Spike (BSP)	O-TERPHENYL	92	
89460	Matrix spike (MS)	O-TERPHENYL	107	8PK1
89461	Matrix spike duplicate	(MSD)O-TERPHENYL	107	BPK2

Environmental Services (SDB)

June 15, 1995

Submission #: 9505205

ENVIRON

5820 Shellmound St., Suite 700 Emeryville, CA 94608

Attn: Kim Jolitz

RE: Analysis for project STANDARD BRANDS, number 03-4603B.

REPORTING INFORMATION

Samples were received cold and in good condition on May 16, 1995. They were refrigerated upon receipt and analyzed as described in the attached report. ChromaLab followed EPA or equivalent methods for all testing reported.

No discrepancies were observed or difficulties encountered with the testing.

SAMPLES TESTED IN THIS REPORT

Client Sample ID	<u>Matrix</u>	Date collected	Sample #
CPT-5-23-28	WATER	May 16, 1995	88750
CPT-5-35-40	WATER	May 16, 1995	88751
CPT-6-15.5-17.5	WATER	May 16, 1995	88752
CPT-6-18-23	WATER	May 16, 1995	88753
CPT-6-32-37	WATER	May 16, 1995	88754
CPT-4-30-35	WATER	May 16, 1995	88756

Jill Thomas

Quality Assurance Manager

Eric Tam

Laboratory Director

Environmental Services (SDB)

June 9, 1995

Submission #: 9505205

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 16, 1995

re: 1 sample for Gasoline and BTEX analysis.

Matrix: WATER

Sampled: May 16, 1995

Run#: 6947

Analyzed: June 3, 1995

Method: EPA 5030/8015M/602/8020

Spl # CLIENT SMPL ID	Gasoline (mg/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)
88756 CPT-4-30-35	N.D.	N.Ď.	N.D.	N.D.	N.D.
Reporting Limits Blank Result Blank Spike Result (%)	0.05 N.D. 92	0.5 N.D. 118	0.5 N.D. 119	0.5 N.D. 122	1.0 N.D. 126

Billy Thach

Chemist

Ali Kharrazi

Organic Manager

Environmental Services (SDB)

June 15, 1995

Submission #: 9505205

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Received: May 16, 1995

Project#: 03-4603B

re: Matrix spike report for Gasoline and BTEX analysis.

Matrix: WATER

Lab Run#: 6947 Instrument: GC1-

Method: EPA 5030/8015M/602/8020

Analyzed: June 3, 1995

Analyte	Spiked Sample Result	Spike Amt	% Spike Rec	Dup Spike Rec	Control Limits	% RPD	% RPD Lim
GASOLINE BENZENE TOLUENE ETHYL BENZENE XYLENES	N.D. mg/L N.D. ug/L N.D. ug/L N.D. ug/L N.D. ug/L	1.0 mg/L 5.0 ug/L 5.0 ug/L 5.0 ug/L 15 ug/L	92 123 121 119 113	114 114 111 111	80-118 80-127 80-122 81-119 83-125	N/A 7.6 6.0 7.0 3.5	N/A 20 20 20 20

Sample Spiked: 89402 Submission #: 9505285 Client Sample ID: MW-13

Environmental Services (SDB)

June 15, 1995

Submission #: 9505205

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 16, 1995

Project#: 03-4603B

Surrogate report for 1 sample for Gasoline and BTEX analysis.

Matrix: WATER Lab Run#: 6947

Method: EPA 5030/8015M/602/8020

Analyzed: June 3, 1995

Sample#	Client Sample ID	Surrogate	% Recovered
88756	CPT-4-30-35	TRIFLUOROTOLUENE	94 9
Sample#	QC Sample Type	Surrogate	Recovered
90963	Method blank (MDB)	TRIFLUOROTOLUENE	100
90964	Blank Spike (BSP)	TRIFLUOROTOLUENE	94

Environmental Services (SDB)

May 17, 1995

Submission #: 9505205

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 16, 1995

Project#: 03-4603B

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: CPT-4-30-35

Spl#: 88756 Sampled: May 16, 1995 sthod: EPA 8010

Matrix: WATER

Run#: 6692 Analyzed: May 17, 1995

ANALYTE	RESULT	REPORTING LIMIT (ug/L)	BLANK RESULT (ug/L)	BLANK SPIKE RESULT (%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	102
"ETHYLENE CHLORIDE	N.D.	0.5	N.D.	
RANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	111
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
ROMODICHLOROMETHANE	N.D.	0.5	N.D.	
-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	115
BROMOFORM	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	
Oleg Newson		Alir	Chif	

Oleg Nemtsov

Chemist

Environmental Services (SDB)

May 17, 1995

Submission #: 9505205

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 16, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: CPT-5-23-28

Spl#: 88750 Sampled: May 16, 1995

Method: EPA 8010

Matrix: WATER

Run#: 6692

Analyzed: May 17, 1995

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(uq/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	Ŋ.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5 0.5 0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	102
METHYLENE CHLORIDE	Ŋ.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	Ŋ.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	1.6	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	Ŋ.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	Ŋ.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	111
1,2-DICHLOROPROPANE BROMODICHLOROMETHANE	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	- -
	N.D.	0.5	N.D. N.D.	
TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE	N.D. N.D.	0.5 0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	115
BROMOFORM	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1.3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	- -
1.2-DICHLOROBENZENE	N.D.	0.5	N.D.	- -
TRICHLOROTRIFLUQROETHANE	N.D.	0.5	N.D.	
p				

Oleg Nemtsov Chemist

Environmental Services (SDB)

May 17, 1995

Submission #: 9505205

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 16, 1995

Project#: 03-4603B

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: CPT-5-35-40

Spl#: 88751

Matrix: WATER

Sampled: May 16, 1995

Run#: 6692

ethod: EPA 8010

Analyzed: May 17, 1995

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	- -
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	- -
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	102
"ETHYLENE CHLORIDE	N.D.	0.5	N.D.	
RANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE TRICHLOROETHENE	N.D.	0.5	N.D.	
1 3-DICHIODODDODANE	N.D.	0.5	N.D.	111
1,2-DICHLOROPROPANE PROMODICHLOROMETHANE	N.D.	0.5	N.D.	
-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	- -
1,1,2-TRICHLOROETHANE	N.D. N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D. N.D.	0.5	Ŋ.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	
BROMOFORM	N.D.	0.5 0.5	N.D.	115
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	
70011021111212	24.2.	0.5	N.D.	

Oleg Nemtsov

Chemist

Environmental Services (SDB)

May 17, 1995

Submission #: 9505205

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 16, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: CPT-6-15.5-17.5

Sp1#: 88752 Sampled: May 16, 1995 Method: EPA 8010

Matrix: WATER Run#: 6692

Analyzed: May 17, 1995

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	102
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D. N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DÍCHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	Ŋ.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	Ŋ.D.	0.5 0.5 0.5 0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	Ŋ.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	111
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
BROMODICHLOROMETHANE	Ŋ.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D. N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	-
CIS-1,3-DICHLOROPROPENE 1,1,2-TRICHLOROETHANE	Ŋ.D.	0.5	N.D.	
TETRACHLOROETHANE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	Ŋ.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	115
BROMOFORM	N.D. N.D.	0.5 0.5	N.D.	112
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5 0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1 A-DICHLODORENZENE	N.D.	0.5	N.D. N.D.	
1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	
INT CHECKOTATE HOOKOETAME	14.17.	0.5	ילם.אל	= =

Oleg 'Nemtsov Chemist

Environmental Services (SDB)

May 17, 1995

Submission #: 9505205

Analyzed: May 17, 1995

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 16, 1995

One sample for Volatile Halogenated Organics analysis.

Sample ID: CPT-6-18-23

Spl#: 88753 sampled: May 16, 1995
ethod: EPA 8010

Run#: 6692

etnod: EPA 8010				
		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE .	N.D.	0.5	N.D.	102
ÉTHYLENE CHLORIDE	N.D.	0.5	N.D.	
rans-1,2-dichloroethene	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	111
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
ROMODICHLOROMETHANE	N.D.	0.5	N.D.	
∠-CHLOROETHYLVINYL ETHER	N.D.	0.5	Ŋ.D.	- -
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D. N.D.	0.5	Ŋ.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	Ŋ.D.	0.5	N.D.	115
CHLOROBENZENE	N.D.	0.5	N.D.	112
BROMOFORM	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	

Matrix: WATER

Oleg Nemtsov

Chemist

Organic Manager

Environmental Services (SDB)

May 17, 1995

Submission #: 9505205

03-4603B

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 16, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: CPT-6-32-37

Spl#: 88754 Sampled: May 16, 1995

Matrix: WATER

Run#: 6692

Analyzed: May 17, 1995 Method: EPA 8010

Project#:

	RESULT	REPORTING LIMIT	BLANK RESULT	BLANK SPIKE RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	102
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	- -
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	111 .
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	115
BROMOFORM	N.D.	0.5	N.D. N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
T'S-DICHTOKORENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	

Reg Newson

Chemist

Organic Manager

Environmental Services (SDB)

May 17, 1995

Submission #: 9505205

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 16, 1995

re: Matrix spike report for Volatile Halogenated Organics analysis.

Matrix: WATER

Lab Run#: 6692

'ethod: EPA 8010

Instrument: GC/MS-VOL-O

Analyzed: May 17, 1995

Analyte	Spiked Sample Result	Spike Amt	% Spike Rec	Dup Spike Rec	Control Limits	% RPD	% RPD Lim
1,1-DICHLOROETHENE TRICHLOROETHENE CHLOROBENZENE	N.D. ug/L N.D. ug/L N.D. ug/L	20 ug/L 20 ug/L 20 ug/L	104 114 116		56-118 78-129 70-120	18 10 14	20 20 20 20

Sample Spiked: 88751 Submission #: 9505205 Client Sample ID: CPT-5-35-40

Environmental Services (SDB)

May 17, 1995

Submission #: 9505205

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 16, 1995

re: Surrogate report for 6 samples for Volatile Halogenated Organics

analysis.

Matrix: WATER
Lab Run#: 6692
Method: EPA 8010

Analyzed: May 17, 1995

			8	
Sample#	Client Sample ID	Surrogate	Recovered	
88750	CPT-5-23-28	1,4-DICHLOROBUTANE	123	
88751	CPT-5-35-40	1,4-DICHLOROBUTANE	114	
88752	CPT-6-15.5-17.5	1,4-DICHLOROBUTANE	115	
88753	CPT-6-18-23	1,4-DICHLOROBUTANE	114	
88754	CPT-6-32-37	1,4-DICHLOROBUTANE	128	
88756	CPT-4-30-35	1,4-DICHLOROBUTANE	120	
			%	
<u>Sample#</u>	OC Sample Type	Surrogate	Recovered	
88855	Method blank (MDB)	1,4-DICHLOROBUTANE	119	
8885 <i>6</i>	Blank Spike (BSP)	1,4-DICHLOROBUTANE	117	
88857	Matrix spike (MS)	1,4-DICHLOROBUTANE	112	6PK1
88858	Matrix spike duplicate	(MSD)1,4-DICHLOROBUTANE	104	SPK2

QCSURR OLEG 17-May-95 16 39-18

Environmental Services (SDB)

May 30, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: Surrogate report for 3 samples for Gasoline and BTEX analysis.

Matrix: SOIL
Lab Run#: 6778

Lab Run#: 6778 Analyzed: May 24, 1995

Method: EPA 5030/8015M/8020

			*
Sample#	Client Sample ID	Surrogate	Recovered
88650	B-6 @ 9.5-10.0	TRIFLUOROTOLUENE	61
88651	B-6 @ 13.5-14.0	TRIFLUOROTOLUENE	101
88652	B-6 @ 20.5-21.0	TRIFLUOROTOLUENE	110
			%
Sample#	OC Sample Type	Surrogate	Recovered
89599	Method blank (MDB)	TRIFLUOROTOLUENE	94
89600	Blank Spike (BSP)	TRIFLUOROTOLUENE	97
	-		

Environmental Services (SDB)

May 23, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: 2 samples for Gasoline and BTEX analysis.

Matrix: WATER

Sampled: May 15, 1995

Run#: 6758

Analyzed: May 23, 1995

Method: EPA 5030/8015M/602/8020

Spl # CLIENT SMPL ID	Gasoline (mg/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (uq/L)	Total Xylenes (uq/L)
88644 B-5	N.D.	N.D.	N.D.	N.D.	N.D.
88656 B-9	N.D.	N.D.	N.D.	N.D.	N.D.
Reporting Limits	0.05	0.5	0.5	0.5	0.5
Blank Result	N.D.	N.D.	N.D.	N.D.	N.D.
Blank Spike Result (%)	109	109	107	107	114

Jack Kelly Chemist

Environmental Services (SDB)

May 30, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: Matrix spike report for Gasoline and BTEX analysis.

Matrix: WATER

Lab Run#: 6758 Instrument: GC1-1

Analyzed: May 23, 1995

Method: EPA 5030/8015M/602/8020

Analyte	Spiked Sample Result	Spike Amt	% Spike Rec	Dup Spike Rec	Control Limits	% RPD	% RPD Lim
GASOLINE BENZENE TOLUENE ETHYL BENZENE	N.D. mg/Kg N.D. ug/Kg N.D. ug/Kg N.D. ug/Kg	1.0 mg/Kg 5.0 ug/Kg 5.0 ug/Kg 5.0 ug/Kg	109 115 108 109	116 94.0 108	80-118 80-127 80-130 81-119	N/A 0.9 14 0.9	N/A 20 20 20
XYLENES	47.0 ug/Kg	15 ug/Kg		104	83-125	4.9	20

Sample Spiked: 88639 Submission #: 9505198 Client Sample ID: SS2-1

Environmental Services (SDB)

May 30, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: Surrogate report for 2 samples for Gasoline and BTEX analysis.

Matrix: WATER Lab Run#: 6758

Lab Run#: 6758
Method: EPA 5030/8015M/602/8020

Analyzed: May 23, 1995

			*
Sample#	Client Sample ID	Surrogate	Recovered
88644	B-5	TRIFLUOROTOLUENE	99
88656	B-9	TRIFLUOROTOLUENE	101
			%
Sample#	OC Sample Type	Surrogate	Recovered
89420	Method blank (MDB)	TRIFLUOROTOLUENE	99
89421	Blank Spike (BSP)	TRIFLUOROTOLUENE	105

Laboratory Report for Soil and Ground Water Grab Samples Sampling Date: May 15, 1995

Chromalab Environmental Services Submission Number: 9505199 Report Date: June 7, 1995

Sample Locations

B-4

B-5

B-6

B-7

B-8 (Partial Report)

B-9

CHROMALAB, INC. SAMPLE RECEIPT CHECKLIST

Client Name ENVIRON	Date/Time Received 3/16/85 170
Project	Received by By Mondow 13me
0.026	Carrier name
Checklist completed 5/17/95-by: Signature / Date	Logged in by S/17/95 Matrix Soll / Date Date
Shipping container in good condition?	NAYesNo
Custody seals present on shipping contained	er? IntactBrokenYesNo
Custody seals on sample bottles?	IntactBrokenYesNo
Chain of custody present?	Yes
Chain of custody signed when relinquished	and received? Yes
Chain of custody agrees with sample labels	
Samples in proper container/bottle?	Yes_V_No
Samples intact?	YesNo
Sufficient sample volume for indicated te	st? Yes Yes No
VOA vials have zero headspace?	NAYes
Trip Blank received?	NAYes
All samples received within holding time?	Yes No
Container temperature?	<u>.</u>
pH upon receiptpH adjusted	Check performed by:NA
Any NO response must be detailed in the applicable, they should be marked NA.	comments section below. If items are no
Client contacted?	Date contacted?
Person contacted?	Contacted by?
Regarding?	
Comments:	
Corrective Action:	st

Environmental Services (SDB)

June 7, 1995

Submission #: 9505199

ENVIRON
5820 Shellmound St., Suite 700
Emeryville, CA 94608

Attn: Kim Jolitz

RE: Analysis for project S.S. PHASE I SITE INVEST., number 03-3118L.

REPORTING INFORMATION

Samples were received cold and in good condition on 05/15/95. They were refrigerated upon receipt and analyzed as described in the attached report. ChromaLab followed EPA or equivalent methods for all testing reported.

No discrepancies were observed or difficulties encountered with the testing.

SAMPLES SUBMITTED IN THIS REPORT

Client Sample ID	Matrix	Date collecte	d Sample #
B-4 @ 8.5-9.0	SOIL	May 15, 1995	88643
B-5	WATER	May 15, 1995	88644
B-5 @ 5.5-6.0	SOIL	May 15, 1995	88645
B-5 @ 18.5-19.0	SOIL	May 15, 1995	88646
B-5 @ 24.5-25.0	SOIL	May 15, 1995	88647
B-5 @ 32.5-33.0	SOIL	May 15, 1995	88648
B-6 @ 6.0-6.5	SOIL	May 15, 1995	
B-6 @ 9.5-10.0	SOIL	May 15, 1995	
B-6 @ 13.5-14.0	SOIL	May 15, 1995	
B-6 @ 20.5-21.0	SOIL	May 15, 1995	
B-8 @ 9.0-9.5	SOIL	May 15, 1995	
B-9 @ 9.5-10.0	SOIL	May 15, 1995	
B-9 @ 18.0-18.5	SOIL	May 15, 1995	
B-9	WATER	May 15, 1995	
SB051595TB	WATER	May 15, 1995	
B-4A @ 8.0-8.5	SOIL	May 15, 1995	
B-4A @ 9.5-10.0	SOIL	May 15, 1995	
B-4A @ 15.0-15.5	SOIL	May 15, 1995	
B-7 9.0-9.5	SOIL	May 15, 1995	

fill Thomas

Quality Assurance Manager

Eric Tam

Laboratory Director

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-9

Sampled: May 15, 1995 Run#: 6752 Analyzed: May 17, 1995 Method: EPA 8010

REPORTING BLANK BLANK SPIKE RESULT LIMIT RESULT RESULT ANALYTE CHLOROMETHANE <u>(ug/L)</u> (ug/L) (ug/L) (%) N.D. N.D. N.D. 0.5 0.5 VINYL CHLORIDE BROMOMETHANE 0.5 N.D. N.D. 0.5 CHLOROETHANE N.D. N.D. _ _ TRICHLOROFLUOROMETHANE N.D. N.D. 1,1-DICHLOROETHENE N.D. N.D. 102 METHYLENE CHLORIDE 0.5 N.D. N.D. TRANS-1,2-DICHLOROETHENE CIS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE 0.5 N.D. N.D. 000000000 N.D. N.D. N.D. N.D. CHLOROFORM N.D. N.D. 1,1,1-TRICHLOROETHANE N.D. N.D. CARBON TETRACHLORIDE N.D. N.D. 1,2-DICHLOROETHANE N.D. .N.D. TRICHLOROETHENE N.D. N.D. 111 1,2-DICHLOROPROPANE N.D. N.D. 0000000000 BROMODICHLOROMETHANE N.D. N.D. 2-CHLOROETHYLVINYL ETHER TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE 1,1,2-TRICHLOROETHANE N.D. N.D. N.D. N.D. N.D. N.D. N.D. N.D. TÉTRACHLOROETHENE N.D. N.D. DIBROMOCHLOROMETHANE N.D. N.D. CHLOROBENZENE N.D. 115 N.D. N.D. 0.5 BROMOFORM N.D. 1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 0.5 0.5 0.5 N.D. N.D. N.D. N.D. 1,4-DICHLOROBENZENE N.D. N.D. 1,2-DICHLOROBENZENE N.D. TRICHLOROTRIFLUOROETHANE N.D.

Oleg Nemtsov

Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-5 @ 5.5-6.0

Spl#: 88645

Matrix: SOIL

Sampled: May 15, 1995

Run#: 6750 Analyzed: May 18, 1995

Method: EPA 8010/8260

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
METHYLENE CHLORIDE	N.D.	5.0	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0 5.0	N.D	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	Ŋ.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	
3ROMODICHLOROMETHANE	N.D.	5.0	N.D.	
2-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE DIRROMOCULOROMETHANE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE CHLOROBENZENE	N.D. N.D.	5.0	Ŋ.D.	116
BROMOFORM	N.D.	5.0	N.D.	116
1,1,2,2-TETRACHLOROETHANE	N.D. N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0 5.0	N.D.	
1,4-DICHLOROBENZENE	N.D.	5.0	N.D. N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE				
TATCHDOROTATEBOOKOETHANE	N.D.	5.0	N.D.	

Oleg Nemtsov

Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-5 @ 18.5-19.0

Spl#: 88646

Matrix: SOIL

Sampled: May 15, 1995

Run#: 6750 Analyzed: May 18, 1995

Method: EPA 8010/8260

Method: EPA 8010/8260				
		reporting	BLANK	
	RESULT	LIMIT	RESULT	
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
METHYLENE CHLORIDE	N.D.	5.0	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	- -
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	- -
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	- -
TRICHLOROETHENE	N.D.	5.0	N.D.	
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	- -
BROMODICHLOROMETHANE	N.D.	5.0	N.D.	- -
2-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	116
BROMOFORM	N.D.	5.0	Ŋ.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE	Ŋ.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	-

Oleg Nemtsov

Chemist

Organic Manager

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-4 @ 8.5-9.0

 Spl#: 88643
 Matrix: SOIL

 Sampled: May 15, 1995
 Run#: 6750

Analyzed: May 18, 1995

fethod: EPA 8010/8260

,		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	55.
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
METHYLENE CHLORIDE	N.D.	5.0	N.D.	
FRANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	15	5.0	N.D.	120
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	
ROMODICHLOROMETHANE	N.D.	5.0	N.D.	
2-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	116
BROMOFORM	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	

Oleg Nemtsov

Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-5

Spl#: 88644 Matrix: WATER Sampled: May 15, 1995

Run#: 6752 Analyzed: May 17, 1995

Method: EPA 8010

		REPORTING	BLANK	
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	- -
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	102
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	111
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	115
BROMOFORM	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	, N.D.	.
Olig Newson		Ali	N.D. N.D.	

Oleg Nemtsov

Chemist

Organic Manager .

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.B. PHASE I SITE INVEST

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-7 9.0-9.5

'ethod: EPA 8010/8260

Analyzed: May 18, 1995

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0 5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0 5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
ETHYLENE CHLORIDE	N.D.	5.0 5.0 5.0	N.D.	
RANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	Ŋ.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	·N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	120
1,2-DICHLOROPROPANE ROMODICHLOROMETHANE	N.D.	5.0 5.0 5.0	N.D.	
-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TPAME 1 2 DICHLOROPPOPER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D. N.D.	5.0 5.0 5.0	N.D.	
TETRACHLOROETHENE		5.0	N.D.	
DIRROMOCHLOROMETHAME	N.D. N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE CHLOROBENZENE	N.D.	5.0	N.D.	316
BROMOFORM	N.D.	5.0 5.0 5.0	N.D.	116
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1.4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE	N.D.	5.0 5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	M.D.	5.0	N.D.	
TATCHDOROTATEDOOROBIDANE	N.D.	5.0	N.D.	

Oleg Newson

Oleg Nemtsov Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: Matrix spike report for Volatile Halogenated Organics analysis.

Matrix: SOIL

Lab Run#: 6750 Instrument: GC/MS-VOL-O Analyzed

Analyzed: May 18, 1995

Method: EPA 8010/8260

	Spiked		ક	Dup			8
	Sample	Spike	Spike	Spike	Control	8	RPD
<u>Analyte</u>	Result	Amt	Rec_	Rec	Limits_	RPD	Lim
1,1-DICHLOROETHENE	N.D. ug/Kg	20 ug/Kg	104	111	65-116	6.5	20
TRICHLOROETHENE	15 ug/Kg	20 ug/Kg	92.0	102	70-117	10	20
CHLOROBENZENE	N.D. ug7Kg	20 ug/Kg	107	106	70-120	0.9	20

Sample Spiked: 88643 Submission #: 9505199

Client Sample ID: B-4 @ 8.5-9.0

Environmental Services (SDB)

June 7, 1995

ENVIRON Submission #: 9505199

Atten: Kim Jolitz

Project: S.B. PHASE I SITE INVEST Project#: 03-3118L

re: Surrogate report for 16 samples for Volatile Halogenated

Organics analysis.

Matrix: SOIL Lab Run #: 6750 Method: EPA 8010

Analyzed: May 18, 1995

			*
Sample#	Client Sample ID	Surrogate	Recovered
88643	B-4 @ 8.5-9.0	1,4-DICHLOROBUT	
88645	B-5 @ 5.5-6.0	1,4-DICHLOROBUT	
88646	B-5 @ 18.5-19.0	1,4-DICHLOROBUT	
88647	B-5 @ 24.5-25.0	1,4-DICHLOROBUT	
88648	B-5 @ 32.5-33.0	1,4-DICHLOROBUT	
88649	B-6 @ 6.0-6.5	1,4-DICHLOROBUT	
88650	B-6 @ 9.5-10.0	1,4-DICHLOROBUT	
88651	B-6 @ 13.5-14.0	1,4-DICHLOROBUT	
88652	B-6 @ 20.5-21.0	1,4-DICHLOROBUT	
88653	B-8 @ 9.0-9.5	1,4-DICHLOROBUT	
88654	B-9 @ 9.5-10.0	1,4-DICHLOROBUT	
88655	B-9 @ 18.0-18.5	1,4-DICHLOROBUT	
88658	B-4A @ 8.0-8.5	1,4-DICHLOROBUT	
88659	B-4A @ 9.5-10.0	1,4-DICHLOROBUT	
88660	B-4A @ 15.0-15.5	1,4-DICHLOROBUT	
88698	B-7 9.0-9.5	1,4-DICHLOROBUT	
		_,	%
Sample#	OC Sample Type	Surrogate	=
89336	Method blank (MDB)	1,4-DICHLOROBUT	
88337	Blank Spike (BSP)	1,4-DICHLOROBUT	
88338	Matrix spike (MS)	1,4-DICHLOROBUT	
88339	Matrix spike duplicate	(MSD) 1,4-DICHLOROBUT	
	2 1	, -,,,, -, -, -, -, -, -,	

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: Matrix spike report for Volatile Halogenated Organics analysis.

Matrix: WATER

Lab Run#: 6752 Instrument: GC/MS-VOL-O

Analyzed: May 17, 1995

Method: EPA 8010

Analyte	Spiked Sample Result	Spike	_	_	Control		% RPD
		<u>Amt</u>	Rec	Rec	Limits	RPD	<u>Lim</u>
1,1-DICHLOROETHENE	$N.\overline{D}. ug/L$	20 ug/L	81.0	87.0	56-118	7.1	20
TRICHLOROETHENE	N.D. ug/L	20 ug/L	112	114	78-129	1.8	20
CHLOROBENZENE	N.D. ug/L	20 ug/L	112	111	70-120	0.9	20

Sample Spiked: 88644 Submission #: 9505199 Client Sample ID: B-5

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: Surrogate report for 2 samples for Volatile Halogenated Organics

analysis.

Matrix: WATER
Lab Run#: 6752
'ethod: EPA 8010

Analyzed: May 17, 1995

G		_	*	
Sample#	Client Sample ID	Surrogate	Recovered	
88644	B-5	1,4-DICHLOROBUTANE	124	
88656	B-9	1,4-DICHLOROBUTANE	119	
		•	8	
Sample#	QC Sample Type	Surrogate	Recovered	
89344	Method blank (MDB)	1,4-DICHLOROBUTANE	119	
89345	Blank Spike (BSP)	1,4-DICHLOROBUTANE	117	
<i>9346</i>	Matrix spike (MS)	1,4-DICHLOROBUTANE	126	8PK1
9347	Matrix spike duplicate	(MSD)1,4-DICHLOROBUTANE	122	8PK2
		•		

Environmental Services (SDB)

May 23, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST. Project#: 03-3118L

Received: May 15, 1995

16 samples for Total Extractable Petroleum Hydrocarbons (TEPH)

Matrix: SOIL Extracted: May 19, 1995 Run#: 6751 Analyzed: May 20, 1995 Sampled: May 15, 1995

Method: EPA 3550/8015M

110 0110 0 1 111 0 0 0 0 0 0 0 1 1 1				
Spl # CLIENT SMPL ID	Kerosene (mg/Kg)			
88643 B-4 @ 8.5-9.0	N.D.			
88648 B-5 @ 32.5-33.0	N.D.	N.D.	N.D.	
88649 B-6 @ 6.0-6.5 Note: Unknown hydrocarbons	N.D.	N.D.	N.D.	
88650 B-6 @ 9.5-10.0 Note: Unknown hydrocarbons :	N.D.	N.D.	N.D.	/
				17mg/Kg.
88651 B-6 @ 13.5-14.0	N.D.	N.D.	N.D.	0.55 /25
Note: Unknown hydrocarbons				27mg/Kg.
<i>88652</i> B-6 @ 20.5-21.0	N.D.			
<i>88653</i> B-8 @ 9.0-9.5	N.D.	N.D.	N.D.	
<i>88654</i> B-9 @ 9.5-10.0	N.D.			
<i>88655</i> B-9 @ 18.0-18.5	N.D.			
	N.D.			
88659 B-4A @ 9.5-10.0	N.D.	N.D.	17-	
Note: Unknown hydrocarbons				
88660 B-4A @ 15.0-15.5 Note: Unknown hydrocarbons	N.D.	N.D.	N.D.	/
Note: Unknown hydrocarbons	in the Kerose	ene range,	conc.=	18mg/Kg.

Matrix: SOIL Extracted: May 19, 1995 Analyzed: May 22, 1995 Run#: 6751 Sampled: May 15, 1995

Method: EPA 3550/8015M

Spl # CLIENT SMPL ID	(mq/Kq)	Diesel (mg/Kg)	Motor Oil (mg/Kg)
88645 B-5 @ 5.5-6.0 Note: Reporting limit incre Note: Unknown hydrocarbons in	N.D. eased 20x du	N.D. e to dilu	N.D. tion.
88646 B-5 @ 18.5-19.0	N.D.	N.D.	conc.= 300mg/Kg. N.D.
Note: Reporting limit 5X du Note: Unknown hydrocarbons in	the Kerose	ne range,	
88647 B-5 @ 24.5-25.0 Note: Unknown hydrocarbons in	N.D. the Kerose	N.D. ne range,	N.D. $conc.= 8.3mg/Kg$.

Matrix: SOIL Extracted: May 19, 1995 Run#: 6751 Analyzed: May 23, 1995 Sampled: May 15, 1995

Method: EPA 3550/8015M

Kerosene Diesel Motor Oil (mg/Kg) (ma/Ka) (mg/Kg) Spl # CLIENT SMPL ID

CHROMALAB, INC.
SAMPLE RECEIPT CHECKLIST

Client Name ENVIRON	Date/Time Received	5/95 1700
'	Received by B. Morri	ate /- Time
Project	Carrier name	-
	Logged in by RM	5/15/95
Checklist completed 5/16/95 by: Signature / Date	Matrix Soil / Initia	ls Date
Signature / Date		
Shipping container in good condition?	NA	Yes tio
Custody seals present on shipping contain	iner? Intact Broken	_ Yes No
Custody seals on sample bottles?	Intact Broken	Yestho
Chain of custody present?		Yes No
Chain of custody signed when relinquished	ed and received?	YesNo
Chain of custody agrees with sample labe	els?	Yes No
Samples in proper container/bottle?		YesNo
Samples intact?		YesNo
Sufficient sample volume for indicated t	test?	Yes No
VOA vials have zero headspace?	NA	YesNo
Trip Blank received?	NA	YesNo
All samples received within holding time	e?	YesNo
Container temperature?	····	
pH upon receiptpH adjusted	Check performed by:	AN
Any NO response must be detailed in the applicable, they should be marked NA.	e comments section below.	If items are not
Client contacted? left message Person contacted? Kins Jolitz	Date contacted? 5/	16/95
~ .	a sample	
Comments: Sample 1D's: B.		R-96, 180-18.5
Commence .	not have samp	A
Sample 1D: B7-9-9.5		but not
listed on COC	more ourique	<u> </u>
Corrective Action: Spake will	Kim Jolita 5/1	4/25 @ 12:43
Sample & B-96, 9.5.	-10.0 × B9@ 18.0	-///
	+ included as	-41 - 11
9505-199 Received oka	4 117-	9-9.5 to
COC for BOID+ FRED		Btex.
W. 11 receive fax state	ng this	

197, 33643-87110-1

ENVIRON

Counsel in Health and Environmental Science

CHAIN-of-CUSTODY FORM

21975

Sheet | Of 2 5820 Shellmound St., Suite 700 Emeryville, California 94608 (510) 655-7400

PROJECT NAME: S.B. Phase I SHE have CASE NO.: 03-3/18L ENVIRON SAMPLE ID.	COLLECTION DATE	COLLECTED BY (initials)	MATRIX	TOTAL NO. OF	Sail AN	10 / 10 / 10 / 10 / 10 / 10 / 10 / 10 /	1 Sept 102	10 10 10 10 10 10 10 10 10 10 10 10 10 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<i>/////////////////////////////////////</i>		<i> </i>		//	COMMENTS
B-4 Q 8.5-9.0	SIF	i WID	soil	T	1	l	١								Compare to thinner
8-5			maka	8	3	2	3								Level 2 report
B-5 C 55-6.0			soil	1	1	{	1								Extractables = motor oil, diesel, kerosene, thinnar
B-5 @ 185-19.0			Ì	1	·	l	1								send results to
B-5 @ 24.5-25				1	(1	1								Can Johitz
B-5 @ 325-33					Ì	l									
B-60 6-6.5				1	l	1									
B-6@ 95-10				١		1									* RECEIVED OF 15°C
B-6@ 13.5-14	4	1	4	1		l							· · · · · · · · · · · · · · · · · · ·		
TOTAL	\times	\boxtimes	> <	16	X	X	X								
Relimquished by.	\sim		Date: \$\int 5/9		Time [78	•: 2	Rec	eive	d by	par	1	Co	mpa	ny:	Date: 5:15:95 Time:

ENVIRON

Counsel in Health and Environmental Science

CHAIN-of-CUSTODY FORM

アア・

2/975

Sheet Of 25820 Shellmound St., Suite 700 Emeryville, California 94608

(510) 655-7400

PROJECT NAME: S.B. Phose I Sie houst CASE NO.: 03-318L ENVIRON SAMPLE ID.	COLLECTION DATE	COLLECTED BY (initials)	MATRIX	TOTAL NO. OF CONTAINERS	AN.	100 + 11 SE.							COMMENTS
B-6@20.5-21	5/10	MO	401		χ	χ	X						Compare to thinner
B-8@9.0-9.5	j	KSJ			K	×	K						Level a report
B-9 @95-10.0		KST		(x	K	K						Extradables=
B-9 @ 18.0-18.5		KSJ	7	1	X	X	X						motor oil, diesel,
B-9		(55)	MOFEN	7	3	1	3						kerosene, thinner
58/051595TB	4	ho	go water	1	χ	X	X						
B-4A @ 8.0-8.5	5/15	HU7	soil	1	Х	χ	X						Send results to
B-4A @ 9.5-10	5/5	HUP	801)	١	×	X	×						KimJolita
B-4A @ 15.0-15.5	915	mo	8011	1	X	X	X						TECEIVED OF 15th
TOTAL	\times	\times	\times	17	K	Y	X						
7 . (())					-	··· • • • • • • • • • • • • • • • • • •		 		 `	<u> </u>	<u>-</u>	

Relinquish	ed by	Alin	
	01		_

Date: 5/5/95

Time: /200

Received by:

Company:

Date: 5-65-65

Time: (7/10)

SENT BY: ENVIRON-EMERYVILLE ; 5-16-95 ;12:56PM ; ENVIRON-EMERYVILLE

510 484 1096;# 1/ 1

9505199

ENVIRON

FACSIMILE COVER LETTER

Contract Number: 03-4603B

Date: May 16, 1995

Total Number of Pages (including this cover page): 1

Confidential: Yes

To: Chris Roley

Company: Chroma

Location: Pleasanton Fax Phone No. 510-484-1096

From: Kim Jolitz Extension: 265

Time Transmitted: 12:51 pm perator: kj

Comments/Special Instructions: As we discussed on the telephone this afternoon, please add the sample labeled B7 from 9.0-9.5 feet to the chain of custody for the Standard Brands Phase I investigation submitted on 5/15/95. The requested analyses are EPA Method 8010, TPH/gas and BETX (mod. 8015), and total extractable petrolcum sydrocarbons (mod. 8015). As was mentioned on the chain we would like a comparison to thinner and a Level 2 report.

PLEASE CALL IMMEDIATELY IF THE FAX YOU RECEIVE IS INCOMPLETE OR ILLEGIBLE

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-8 @ 9.0-9.5

Spl#: 88653

Matrix: SOIL Run#: 6750

Sampled: May 15, 1995 ethod: EPA 8010/8260 Analyzed: May 18, 1995

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	
ETHYLENE CHLORIDE	N.D.	5.0	N.D.	***
RANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	120
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	
ROMODICHLOROMETHANE	N.D.	5.0 5.0	N.D.	
-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE	N.D. N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE		5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	116
BROMOFORM	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
T, Z-DICUDOKOBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	

Oleg Nemtsov

Ali Kharrazi Organic Manager

Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-9 @ 9.5-10.0

Spl#: 88654 Matrix: SOIL

Sampled: May 15, 1995 Run#: 6750 Analyzed: May 18, 1995 Method: EPA 8010/8260

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
METHYLENE CHLORIDE	N.D.	5.0	N.D.	- -
TRANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	120
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	
BROMODICHLOROMETHANE	N.D.	5.0	N.D.	
2-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	116
BROMOFORM	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE	Ŋ.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	

Oleg Nemtsov

Oleg Newson

Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

fethod: EPA 8010/8260

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-6 @ 13.5-14.0

 Spl#:
 88651
 Matrix:
 SOIL

 Sampled:
 May 15, 1995
 Run#:
 6750

Analyzed: May 18, 1995

ANALYTE	RESULT	REPORTING LIMIT	BLANK RESULT	BLANK SPIKE RESULT
CHLOROMETHANE	(ug/Kg) N.D.	<u>(ug/Kg)</u>	<u>(na/Ka)</u>	(%)
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D. N.D.	-
CHLOROETHANE	N.D.	5.0 5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
METHYLENE CHLORIDE	N.D.	5.0	N.D.	122
RANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	• -
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	120
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	120
PROMODICHLOROMETHANE	N.D.	5.0	N.D.	- -
-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	116
BROMOFORM	N.D.	5.0	N.D.	110
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	

Oleg Nemtsov
Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST. Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-6 @ 20.5-21.0

Sp1#: 88652

Matrix: SOIL

Sampled: May 15, 1995

Analyzed: May 18, 1995 Run#: 6750

Method: EPA 8010/8260

•		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/Rg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
METHYLENE CHLORIDE	N.D.	5.0	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0 5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	- -
BROMODICHLOROMETHANE	N.D.	5.0	N.D.	
2-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TÉTRACHLOROETHENE DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	116
BROMOFORM	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	

Oleg Nemtsov

Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-6 @ 6.0-6.5

ethod: EPA 8010/8260

Analyzed: May 18, 1995

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	รก	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
ETHYLENE CHLORIDE	N.D.	5.0	N.D.	
rans-1,2-Dichloroethene	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM 1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	120
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	
ROMODICHLOROMETHANE	N.D.	5.0	N.D.	
2-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	- -
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE CHLOROBENZENE BROMOFORM	N.D.	5.0 5.0	N.D.	116
	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1 A DICHLOROBENZENE	N.D.	5.0 5.0	N.D.	
1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICULOROUDIELLIOROUMITANIA	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	= =

Oleg Nemtsov

Oleg Newson

Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-6 @ 9.5-10.0

Spl#: 88650 Matrix: SOIL

Sampled: May 15, 1995 Run#: 6750 Analyzed: May 18, 1995 Method: EPA 8010/8260

REPORTING BLANK BLANK SPIKE RESULT LIMIT RESULT RESULT ANALYTE (ug/Kg) (ug/Kg) (ug/Kg) (%) CHLOROMETHANE N.D. 5.0 N.D. VINYL CHLORIDE 5.0 N.D. N.D. BROMOCHLOROMETHANE 5.0 N.D. N.D. --CHLOROETHANE N.D. 5.0 N.D. TRICHLOROFLUOROMETHANE N.D. 5.0 N.D. 1,1-DICHLOROETHENE N.D. 5.0 122 N.D. METHYLENE CHLORIDE N.D. N.D. TRANS-1, 2-DICHLOROETHENE N.D. 5.0 N.D. CIS-1, 2-DICHLOROETHENE N.D. 5.0 N.D. 1,1-DICHLOROETHANE N.D. N.D. _ _ CHLOROFORM N.D. N.D. 1,1,1-TRICHLOROETHANE N.D. 5.0 N.D. CARBON TETRACHLORIDE 5.0 5.0 N.D. N.D. 1,2-DICHLOROETHANE N.D. N.D. TRICHLOROETHENE N.D. 120 5.0 1,2-DICHLOROPROPANE N.D. N.D. BROMODICHLOROMETHANE N.D. N.D. 2-CHLOROETHYL VINYL ETHER N.D. TRANS-1,3-DICHLOROPROPENE N.D. 5.0 N.D. CIS-1,3-DICHLOROPROPENE 1,1,2-TRICHLOROETHANE N.D. 5.0 N.D. N.D. 5.0 N.D. TETRACHLOROETHENE N.D. N.D. --

N.D.

N.D.

N.D.

N.D.

N.D.

N.D.

N.D.

Oleg Newson

DIBROMOCHLOROMETHANE

1,3-DICHLOROBENZENE

1,4-DICHLOROBENZENE

1.2-DICHLOROBENZENE

1,1,2,2~TETRACHLOROETHANE

TRICHLOROTRIFLUOROETHANE

CHLOROBENZENE

BROMOFORM

Ali Kharrazi Organic Manager

N.D.

N.D.

N.D.

N.D.

N.D.

N.D.

5.0

5.0

5.0

5.0

5.0

Oleg Nemtsov Chemist 116

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

fethod: EPA 8010/8260

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-5 @ 24.5-25.0

 Spl#:
 88647
 Matrix:
 SOIL

 Sampled:
 May 15, 1995
 Run#:
 6750

Analyzed: May 18, 1995

201104. 2111 0010/0200				
		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
1ETHYLENE CHLORIDE	N.D.	5.0	N.D.	
FRANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	120
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	
ROMODICHLOROMETHANE	N.D.	5.0	N.D.	
2-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	- -
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	*** ***
1,1,2-TRICHLOROETHANE	N.D.	5.0 5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	116
BROMOFORM	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	
Oleg Newson		Al	:Kh/	

Oleg Nemtsov Chemist

Environmental Services (SDB)

May 22, 1995

Submission #: 9505199

ENVIRON

Atten: Kim Jolitz

Project: S.S. PHASE I SITE INVEST.

Project#: 03-3118L

Received: May 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-5 @ 32.5-33.0

Spl#: 88648 Matrix: SOIL

Sampled: May 15, 1995 Run#: 6750 Analyzed: May 18, 1995

Method: EPA 8010/8260

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	- -
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	122
METHYLENE CHLORIDE	N.D.	5.0	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	120
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	
BROMODICHLOROMETHANE	N.D.	5.0	N.D.	
2-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	116
BROMOFORM	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	

Oleg Wentson

Chemist

Laboratory Report for Soil and Ground Water Grab Samples Sampling Date: May 16, 1995

Chromalab Environmental Services Submission Number: 9505210 Report Date: June 5, 1995

> Sample Locations B-1 B-8 (Partial Report) CPT-5 (Partial Report) CPT-6 (Partial Report)

Environmental Services (SDB)

June 5, 1995

Submission #: 9505210

ENVIRON

5820 Shellmound St., Suite 700 Emeryville, CA 94608

Attn: Kim Jolitz

RE: Analysis for project STANDARD BRANDS PHASE I, number 03-4603B.

REPORTING INFORMATION

Samples were received cold and in good condition on 05/16/95. They were refrigerated upon receipt and analyzed as described in the attached report. ChromaLab followed EPA or equivalent methods for all testing reported.

No discrepancies were observed or difficulties encountered with the testing.

SAMPLES SUBMITTED IN THIS REPORT

Client Sample ID	<u> Matrix</u>	Date collected	Sample #
B-1 @ 10.5-11	SOIL	May 16, 1995	88764
B-8A @ 18-18.5	SOIL	May 16, 1995	88765
B-10A @ 2.5-3.0	SOIL	May 16, 1995	88766
B-1	WATER	May 16, 1995	88767
B-8	WATER	May 16, 1995	88768
SB051695TB	WATER	May 16, 1995	88769
CPT-5-23-28	WATER	May 16, 1995	88770
CPT-5-35-40	WATER	May 16, 1995	88771
CPT-6-15.5-17.5	WATER	May 16, 1995	88772
CPT-6-18-23	WATER	May 16, 1995	88773
CPT-6-32-37	WATER	May 16. 1995	88774

Jill Thomas

Quality Assurance Manager

Eric Tam

Laboratory Director

RECEIVED

JUN - 6 1995

Environmental Services (SDB)

May 31, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: 8 samples for Gasoline and BTEX analysis.

Matrix: WATER

Sampled: May 16, 1995 Run

Run#: 6800 Analyzed: May 25, 1995

Method: EPA 5030/8015M/602/8020

Spl # CLIENT SMPL ID	Gasoline (mg/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)
88767 B-1	N.D.	N.D.	N.D.	N.D.	N.D.
<i>88768</i> B-8	N.D.	N.D.	N.D.	N.D.	N.D.
88769 SB051695TB	N.D.	N.D.	N.D.	N.D.	N.D.

Matrix: WATER

Sampled: May 16, 1995 Run#: 6825

Method: EPA 5030/8015M/602/8020

Analyzed: May 25, 1995

アナト・・フ

77-1-1

Spl # CLIENT SMPL ID	Gasoline (mg/L)	Benzene (uq/L)	Toluene (ug/L)	Benzene (ug/L)	Xylenes (ug/L)
88770 CPT-5-23-28	N.D.	N.D.	N.D.	N.D.	N.D.
<i>88771</i> CPT-5-35-40	N.D.	N.D.	N.D.	N.D.	N.D.
88772 CPT-6-15.5-17.5	N.D.	N.D.	N.D.	N.D.	N.D.
<i>88773</i> CPT-6-18-23	N.D.	N.D.	N.D.	N.D.	N.D.
88774 CPT-6-32-37	N.D.	N.D.	N.D.	N.D.	N.D.
Reporting Limits	0.05	0.5	0.5	0.5	0.5
Blank Result	N.D.	N.D.	N.D.	N.D.	N.D.
Blank Spike Result (%)	94	106	107	110	111

Jack Kelly Chemist

Environmental Services (SDB)

May 25, 1995

Submission #: 9505210

ENVIRON

Kim Jolitz Atten:

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

2 samples for Gasoline and BTEX analysis. re:

Matrix: SOIL

Gasoline

N.D.

N.D.

(mg/Kg)

Sampled: May 16, 1995 Run#: 6799

Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL ID

88764 B-1 @ 10.5-11

88765 B-8A @ 18-18.5

Ethyl Total Benzene Toluene Benzene Xylenes (ug/Kg) (ug/Kg) (ug/Kg) N.D. N.D. N.D. N.D. N.D. N.D.

Analyzed: May 25, 1995

Reporting Limits 1.0 5.0 5.0 5.0 5.0 Blank Result N.D. N.D. N.D. N.D. N.D. Blank Spike Result (%) 91 109 115 111 110

<u>(ug/Kg)</u>

N.D.

N.D.

Jack Kelly Chemist

Environmental Services (SDB)

May 23, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

STANDARD BRANDS PHASE I Project:

Project#: 03-4603B

Received: May 16, 1995

7 samples for Total Extractable Petroleum Hydrocarbons (TEPH)

Matrix: WATER Extracted: May 21, 1995 Sampled: May 16, 1995 Run#: 6775 Analyzed: May 22, 1995

Method: EPA 3510/8015M

Spl # CLIENT SMPL ID	Keros (ug/L		Motor Oil (ug/L)	
88767 B-1	N.D.	N.D.	N.D.	
<i>88768</i> B-8	N.D.	N.D.	N.D.	
88770 CPT-5-23-28	N.D.	N.D.	N.D.	
88771 CPT-5-35-40	N.D.	N.D.	N.D.	
88772 CPT-6-15.5-17.5	N.D.	N.D.	N.D.	
88773 CPT-6-18-23	N.D.	N.D.	N.D.	
88774 CPT-6-32-37	N.D.	N.D.	N.D.	
Note: Çompoundș i	n the Diesel range	do not match	h any of our pet	roleum

hydrocarbon standard profiles. Compared to our Diesel standard, amount is 60 ug/L.

50 500 Reporting Limits 50 Blank Result N.D. N.D. N.D. Blank Spike Result (%) 66

Sinat Challakorn

Sirirat (Sindy) Chullakorn

Chemist

Environmental Services (SDB)

May 23, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

3 samples for Total Extractable Petroleum Hydrocarbons (TEPH)

Matrix: SOIL Extracted: May 22, 1995 Sampled: May 16, 1995 Run#: 6763 Analyzed: May 23, 1995

Method: EPA 3550/8015M

Spl # CLIENT SMI		Kerosene (mg/Kg)	Diesel (mg/Kg)	Motor Oil (mg/Kg)	
88764 B-1 @ 10.5		N.D.	N.D.	N.D.	
88765 B-8A @ 18.	-18.5	N.D.	N.D.	N.D.	
88766 B-10A @ 2	.5-3.0	N.D.	N.D.	180	
Note: Com	pounds in the Diese.	l range do 1	not match a	nv of our petrole	eum
hydi	rocarbon standard p	rofiles. Co	ompared to	our Diesel standa	ird.

amount is 2.9 mg/Kg.

Reporting Limits 1.0 1.0 10 lank Result N.D. N.D. N.D. Blank Spike Result (%) 113

Sirvat Chullakern

Sirirat (Sindy) Chullakorn

Chemist

Organic Manager

Environmental Services (SDB)

May 23, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-1 @ 10.5-11

Spl#: 88764 Sampled: May 16, 1995 Method: EPA 8010/8260

Matrix: SOIL
Run#: 6761 Analyzed: May 22, 1995

REPORTING BLANK BLANK SPIKE RESULT LIMIT RESULT RESULT ANALYTE (ug/Kg) (ug/Kg) (ug/Kg) (%) CHLOROMETHANE N.D. N.D. 5.0 N.D. VINYL CHLORIDE 5.0 N.D. BROMOCHLOROMETHANE N.D. 5.0 N.D. CHLOROETHANE N.D. 5.0 N.D. TRICHLOROFLUOROMETHANE N.D. 5.0 N.D. 1,1-DICHLOROETHENE N.D. 5.0 N.D. 102 METHYLENE CHLORIDE 5.0 N.D. N.D. TRANS-1,2-DICHLOROETHENE CIS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE N.D. 5.0 N.D. N.D. 5.0 N.D. N.D. 5.0 N.D. 5.0 CHLOROFORM N.D. N.D. 1,1,1-TRICHLOROETHANE N.D. N.D. CÁRBON TETRACHLORIDE N.D. N.D. 5.0 , 2-DICHLOROETHANE N.D. N.D. TRICHLOROETHENE N.D. N.D. 111 1,2-DICHLOROPROPANE N.D. N.D. BROMODICHLOROMETHANE N.D. N.D. 2-CHLOROETHYL VINYL ETHER TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE 1,1,2-TRICHLOROETHANE 5.0 N.D. N.D. 5.0 N.D. N.D. N.D. 5.0 N.D. N.D. 5.0 N.D. 5.0 TETRACHLOROETHENE N.D. N.D. DIBROMOCHLOROMETHANE N.D. N.D. CHLOROBENZENE N.D. N.D. 107 **BROMOFORM** N.D. N.D. 1,1,2,2-TETRACHLOROETHANE 5.0 N.D. N.D. 1,3-DICHLOROBENZENE 5.0 N.D. N.D. 1,4-DICHLOROBENZENE N.D. 5.0 N.D. 1,2-DICHLOROBENZENE N.D. 5.0 N.D. TRICHLOROTRIFLUOROETHANE N.D. N.D.

Oleg Nemtsov

Chemist

Environmental Services (SDB)

May 23, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I Project#: 03-4603B

Received: May 16, 1995

One sample for Volatile Halogenated Organics analysis.

Sample ID: B-8A @ 18-18.5

Spl#: 88765 Matrix: SOIL Sampled: May 16, 1995 Run#: 6761

fethod: EPA 8010/8260

Analyzed: May 22, 1995

	RESULT	REPORTING LIMIT	BLANK RESULT	
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0 5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	102
METHYLENE CHLORIDE	N.D.	5.0	N.D.	
RANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0 5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.00 5.00 5.00 5.00 5.00	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	111
1,2-DICHLOROPROPANE	N.D. N.D.	5.0	N.D.	
ROMODICHLOROMETHANE	N.D.	5.0	N.D.	
-CHLOROETHYL VINYL ETHER	N.D.	5.0 5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0 5.0 5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	107
BROMOFORM	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	

Oleg'Nemtsov

Chemist

Ali Kharrazi

Organic Manager

Environmental Services (SDB)

May 23, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

REPORTING

Received: May 16, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-1

Spl#: 88767 Sampled: May 16, 1995

Matrix: WATER

Run#: 6765

Analyzed: May 17, 1995

BLANK BLANK SPIKE

Method: EPA 8010

	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	102
METHYLENE CHLORIDE	N.D.	0.5	N.D.	- -
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5 0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	0.9	0.5	N.D.	111
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	- -
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE BROMOFORM	Ŋ.D.	0.5	N.D.	115
	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D. N.D.	0.5 0.5	N.D. N.D.	
INTERDORUTATE DUROCTARNE	N.D.	_		
		. // 1	// 1	

Oley Newsor

Oleg Nemtsov Chemist

Environmental Services (SDB)

May 23, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-8

Spl#: 88768 Sampled: May 16, 1995 Matrix: WATER

Sampled: May 16, 1995 Run#: 6765 Method: EPA 8010

Analyzed: May 17, 1995

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
<u>ANALYTE</u>	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D. N.D.	102
METHYLENE CHLORIDE	N.D. N.D.	0.5 0.5	N.D.	
RANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D	
CARBON TETRACHLORIDE	N.D.	0.5 0.5 0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.55555	N.D.	
TRICHLOROETHENE	0.9	0.5	N.D. N.D.	111
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	
-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE CHLOROBENZENE	N.D.	0.5	N.D.	
BROMOFORM	N.D.	0.5	N.D.	115
	N.D.	0.5 0.5 0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5		
1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	

Oleg Nemtsov

Chemist

Environmental Services (SDB)

May 23, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: SB051695TB

Spl#: 88769 Sampled: May 16, 1995

Matrix: WATER

Run#: 6765

Analyzed: May 17, 1995

Method: EPA 8010

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5 0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	102
METHYLENE CHLORIDE	N.D.	0.5 0.5 0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	111
1,2-DICHLOROPROPANE	N.D.	0.5 0.5	N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE		0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE CHLOROBENZENE	Ŋ.D.	0.5	Ŋ.D.	
CHLOROBENZENE	Ŋ.D.	0.5	N.D.	115
BROMOFORM	Ŋ.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE	N.D.	0.5	Ŋ.D.	
1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE	N.D.	0.5	Ŋ.D.	
	N.D.	0.5	Ŋ.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	

Oleg Newson

Chemist

Environmental Services (SDB)

June 5, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

Blank spike and duplicate report for 7 samples for Total Extractable Petroleu

Hydrocarbons (TEPH) analysis.

Matrix: WATER Lab Run#: 6775

>thod: EPA 3510/8015M

Extracted: May 21, 1995

Analyzed: May 22, 1995

	Spike	% Spike	Dup Spike	Control	8	% RPD
Analyte	Amt	Rec	Rec	<u>Limits</u>	RPD	Lim
DIESEL	200 ug/L	66.0	67.5	60-130	2.2	20

Reagent spike sample #:89539 Duplicate spike sample #:89538

Environmental Services (SDB)

June 20, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I Project#: 03-4603B

Received: May 16, 1995

Surrogate report for 7 samples for Total Extractable Petroleum Hydrocarbons (TEPH) analysis.

Matrix: WATER Extracted: May 21, 1995 Lab Run#: 6775 Analyzed: May 23, 1995

Method: EPA 3510/8015M

	,		%
Sample#	Client Sample ID	Surrogate	Recovered
88767	B-1	O-TERPHENYL	100
88768	B-8	O-TERPHENYL	100
88770	CPT-5-23-28	O-TERPHENYL	61
88771	CPT-5-35-40	O-TERPHENYL	75
88772	CPT-6-15.5-17.5	O-TERPHENYL	74
88773	CPT-6-18-23	O-TERPHENYL	67
88774	CPT-6-32-37	O-TERPHENYL	86
			ક્ષ
Sample#	QC Sample Type	Surrogate	Recovered
89537	Method blank (MDB)	O-TERPHENYL	97
89538	Blank Spike (BSP)	O-TERPHENYL	98
89539	Blank Spike Duplicate (BSD)	O-TERPHENYL	96

Environmental Services (SDB)

June 5, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: Matrix spike report for Total Extractable Petroleum Hydrocarbons (TEPH) ana

Matrix: SOIL

Lab Run#: 6763 Instrument: GC2-EXT-S

Extracted: May 22, 1995 Analyzed: May 23, 1995

Method: EPA 3550/8015M

	Spiked		8	Dup			8
Analyte	Sample Result	Spike Amt		Spike Rec	Control Limits		RPD
DIESEL						RPD	Lin
DIESER	N.D. mg/Kg	6.7 mg/Kg	103	103	60-130	0 0	20

Sample Spiked: 88764
Submission #: 9505210

Client Sample ID: B-1 @ 10.5-11

Environmental Services (SDB)

June 5, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: Surrogate report for 3 samples for Total Extractable Petroleum

Hydrocarbons (TEPH) analysis.

 Matrix: SOIL
 Extracted: May 22, 1995

 Lab Run#: 6763
 Analyzed: May 23, 1995

Method: EPA 3550/8015M

			%	
Sample#	Client Sample ID	Surrogate	Recovered	
88764	B-1 @ 10.5-11	O-TERPHENYL	83	
88765	B-8A @ 18-18.5	O-TERPHENYL	87	
88766	B-10A @ 2.5-3.0	O-TERPHENYL	89	
			%	
Sample#	OC Sample Type	Surrogate	Recovered	
89467	Method blank (MDB)	O-TERPHENYL	96	
89468	Blank Spike (BSP)	O-TERPHENYL	102	
89469	Matrix spike (MS)	O-TERPHENYL	90	SPK1
89470	Matrix spike duplicate	(MSD)O-TERPHENYL	103	8PK2

Environmental Services (SDB)

May 23, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: Matrix spike report for Volatile Halogenated Organics analysis.

Matrix: SOIL

Lab Run#: 6761 Instrument: GC/MS-VOL-O

Analyzed: May 22, 1995

Method: EPA 8010/8260

Anolose	Spiked Sample	Spike	=	-	Control		% RPD
<u>Analyte</u>	Result	Amt	Rec	Rec	Limits	RPD	Lim
1,1-DICHLOROETHENE	N.D. ug/Kg	20 ug/Kg	93.0	88.0	65-116	5.5	20
TRICHLOROETHENE	N.D. ug/Kg	20 ug/Kg	104	106	70-117	1.9	20
CHLOROBENZENE	N.D. uğ/Kğ	20 ug/Kg	101	100	70-120	1.0	20

Sample Spiked: 88764
Submission #: 9505210

Client Sample ID: B-1 @ 10.5-11

Environmental Services (SDB)

June 20, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: Surrogate report for 2 samples for Volatile Halogenated Organics

analysis.

Matrix: SOIL Lab Run#: 6761

Lab Run#: 6761 Analyzed: May 22, 1995 Method: EPA 8010/8260

Sample#	Client Sample ID	Commo ma h	- %	
88764	B-1 @ 10.5-11	Surrogate 1,4-DICHLOROBUTANE	Recovered	
88765	B-8A @ 18-18.5	1,4-DICHLOROBUTANE	114	
G1-#	0.0	_	*	
Sample#	QC Sample Type	Surrogate	Recovered	
89451	Method blank (MDB)	1,4-DICHLOROBUTANE	116	
89452	Blank Spike (BSP)	1,4-DICHLOROBUTANE	107	
89453	Matrix spike (MS)	1,4-DICHLOROBUTANE	107	SPE1
89454	Matrix spike duplicate	(MSD) 1, 4-DICHLOROBUTANE	103	₽FK2

QCSURR MUOD 20-Jun-96 08:36:17

Environmental Services (SDB)

June 5, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I Project#: 03-4603B

Received: May 16, 1995

Blank spike and duplicate report for 3 samples for Volatile Halogenated

Organics analysis.

Matrix: WATER Tab Run#: 6765 sthod: EPA 8010

Analyzed: May 17, 1995

	Spike	% Spike	Dup Spike	Control	ૠ	% RPD
<u>Analyte</u>	Amt_	Rec	Rec	Limits	RPD	Lim
1,1-DICHLOROETHENE	20 ug/L	102.0	0.0	56-118	N/A	20
TRICHLOROETHENE	20 ug/L	111.0	0.0	78-129	N/A	20
CHLOROBENZENE	20 ug/L	115.0	0.0	70-120	N/A	20

Reagent spike sample #: 0 Duplicate spike sample #:89478

Environmental Services (SDB)

June 5, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: Surrogate report for 3 samples for Volatile Halogenated Organics

analysis.

Matrix: WATER
Lab Run#: 6765
Method: EPA 8010

Analyzed: May 17, 1995

			ૠ
Sample#	Client Sample ID	Surrogate	Recovered
88767	B-1	1,4-DICHLOROBUTANE	126
88768	B-8	1,4-DICHLOROBUTANE	120
88769	SB051695TB	1,4-DICHLOROBUTANE	124
			%
Sample#	OC Sample Type	Surrogate	Recovered
89477	Method blank (MDB)	1,4-DICHLOROBUTANE	119
89478	Blank Spike (BSP)	1,4-DICHLOROBUTANE	117

Environmental Services (SDB)

June 5, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: Matrix spike report for Gasoline and BTEX analysis.

Matrix: SOIL

Lab Run#: 6799 Instrument: GC1-2

Analyzed: May 25, 1995

Method: EPA 5030/8015M/8020

Analyte	Spiked Sample Result	Spike Amt	% Spike <u>Rec</u>	Dup Spike Rec	Control Limits	% RPD	% RPD Lim
GASOLINE BENZENE TOLUENE ETHYL BENZENE XYLENES	N.D. mg/Kg N.D. ug/Kg N.D. ug/Kg N.D. ug/Kg N.D. ug/Kg	5.0 mg/Kg 25 ug/Kg 25 ug/Kg 25 ug/Kg 50 ug/Kg	91 124 121 121* 118	126 124 125 * 122	80-118 80-127 80-130 81-119 83-125	N/A 1.6 2.4 3.3 3.3	N/A 20 20 20 20 20

Sample Spiked: 88917
Submission #: 9505222

Client Sample ID: B-2 @ 6.0-6.5

^{*} Although the spike recoveries for ethyl benzene is greater than the upper control limit, the precision was verified by the RPD.

Environmental Services (SDB)

June 5, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: Surrogate report for 2 samples for Gasoline and BTEX analysis.

Matrix: SOIL

Lab Run#: 6799

Analyzed: May 25, 1995

Method: EPA 5030/8015M/8020

Sample#	Client Sample ID	Surrogate	% Recovered	
88764 88765	B-1 @ 10.5-11 B-8A @ 18-18.5	TRIFLUOROTOLUENE TRIFLUOROTOLUENE	100 100 %	
Sample#	OC Sample Type	Surrogate	Recovered	
89872	Method blank (MDB)	TRIFLUOROTOLUENE	90	
89873	Blank Spike (BSP)	TRIFLUOROTOLUENE	84	
89875	Matrix spike (MS)	TRIFLUOROTOLUENE	97	SPK1
89876	Matrix spike duplicate	(MSD) TRIFLUOROTOLUENE	96	SPR.2

Environmental Services (SDB)

June 5, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: Matrix spike report for Gasoline and BTEX analysis.

Matrix: WATER

Lab Run#: 6800 Instrument: GC1-4

Analyzed: May 25, 1995

Method: EPA 5030/8015M/602/8020

	Spiked		શ્રુ	Dup			ક્ર
	\mathtt{Sample}	Spike	Spike	Spike	Control	8	RPD
Analyte	<u>Result</u>	Amt	Rec	Rec	Limits	RPD	Lim
GASOLINE	N.D. mg/L	$1.0~{ m mg/L}$	89		80-118	N/A	N/A

Sample Spiked: 88767
Submission #: 9505210

Client Sample ID: B-1

Environmental Services (SDB)

June 5, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Received: May 16, 1995

Project#: 03-4603B

e: Surrogate report for 3 samples for Gasoline and BTEX analysis.

Matrix: WATER Lab Run#: 6800

Method: EPA 5030/8015M/602/8020

Analyzed: May 25, 1995

			%
Sample#	Client Sample ID	Surrogate	Recovered
88767	B-1	TRIFLUOROTOLUENE	109
88768	B-8	TRIFLUOROTOLUENE	106
88769	SB051695TB	TRIFLUOROTOLUENE	110
			%
Sample#	QC Sample Type	Surrogate	Recovered
89877	Method blank (MDB)	TRIFLUOROTOLUENE	97
89878	Blank Spike (BSP)	TRIFLUOROTOLUENE	96
	-		

Environmental Services (SDB)

June 5, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: Blank spike and duplicate report for 8 samples for Gasoline and BTEX analysis

continued.

Matrix: WATER
Lab Run#: 6825

Extracted: May 21, 1995 Analyzed: May 22, 1995

ethod: EPA 5030/8015M/602/8020

	Spike	% Spike	Dup Spike	Control	8	% RPD
Analyte	Amt	Rec	Rec	Limits	RPD	Lim
BENZENE	5.0 ug/L	106.0	0.0	80-127	N/A	20
TOLUENE	5.0 ug/L	107.0	0.0	80-122	N/A	20
ETHYL BENZENE	5.0 ug/L	110.0		81-119	N/A	20
XYLENES	15 ug7L	111.0	0.0	83-125	N/A	20

Reagent spike sample #:89982 Duplicate spike sample #:89981

Environmental Services (SDB)

June 5, 1995

Submission #: 9505210

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE I

Project#: 03-4603B

Received: May 16, 1995

re: Surrogate report for 5 samples for Gasoline and BTEX analysis.

Matrix: WATER Lab Run#: 6825

Method: EPA 5030/8015M/602/8020

Analyzed: May 25, 1995

			*
Sample#	Client Sample ID	Surrogate	Recovered
88770	CPT-5-23-28	TRIFLUOROTOLUENE	102
88771	CPT-5-35-40	TRIFLUOROTOLUENE	97
88772	CPT-6-15.5-17.5	 TRIFLUOROTOLUENE 	89
88773	CPT-6-18-23	TRIFLUOROTOLUENE	79
88774	CPT-6-32-37	TRIFLUOROTOLUENE	91
			*
<u>Sample#</u>	QC Sample Type	Surrogate	Recovered
89980	Method blank (MDB)	TRIFLUOROTOLUENE	105
89 981	Blank Spike (BSP)	TRIFLUOROTOLUENE	107

Counsel in Health and Environmental Science

CHAIN-of-CUSTODY FORM

5820 Shellmound St., Suite 700 Emeryville, California 94608

(510) 655-7400

PROJECT NAME:	1			1	•												
Standard Brands Phase I Site Investigation CASE NO.: 03-4603B	COLLECTION DATE	COLLECTED BY (initials)	MATRIX	TOTAL NO. OF	2/4/	2010 + 14 X SE.	51 25 mg #50 113	16 + 8 18 4 18 18 18 18 18 18 18 18 18 18 18 18 18	**************************************	//	//	//	//	//	<u> </u>	/ //	OCH POR A STAR
ENVINOR GAMPLE ID.						1/	/ / / /	/	<u> </u>								COMMENTS
V_B-1 = 15-11	5/16	HUD	Soil	1	X	Х	X										TEPH/TPH - EPA 8015
1/8-8A 9 185	,		SOIL	(х	X	X	 	<u> </u>			 					modified
/ B-109 @ 2.5-3 ·	<u> </u>	t		1		X	<u> </u>		 				 				
			Soil			_		ļ	 	ļ			ļ				Standard turnaround
5-10A@ 11.5-12	5/16	HLD	sal -	-		 			├	ļ			┼──	1			hme
1/b-9: :		l	soil	i	Х	×	×	\		ock	(-	C 10		00			please send the
1 3.90 18-185	5/15	HLD	soil	1	X	×	X	7	Ė	iogo	eq 1 21	tor	950	5199			results attention
B-1	5/16	HLD	water	7	Х	X	×	,									Kim Jolitz
/ B-8	5/16	PhD	water	7	X		X			0108	evec	W	HCI	,			
/ 5BØ51695TB	5/16	HLD	water	2	X		X	,	/		i						
TOTAL	X	X	\times	اړ	7	7	7										

Relinquished by: Heidi Suffantaol	Date: 5/16/95	Time:	Received by:	Company:	Date: <u>5-16-15</u>	Time: / <u>/////</u>
		-	***			

1505210

ENVIRON

Counsel in Health and Environmental Science

CHAIN-of-CUSTODY FORM

21983 sh

Sheet 2 Of 2 5820 Shellmound St., Suite 700 Emeryville, California 94608 (510) 655-7400

PROJECT NAME: STANDARD BRANDS CASE NO.: 03-4603B ENVIRON SAMPLE ID.	COLLECTION DATE	COLLECTED BY (initials)	MATRIX	TOTAL NO. OF CONTAINERS	TELL AM.	12 1 1 SES.			1							COMMENTS
CPT-5-23:28	Kof	* FC	WHIER	4		3										Compare to thinner
CPT-5-35-40	57/h/	P.C.	water	4	1	3										Level 2 report
CPT-6-15,5-17,5			WATER		1	3										,
CPT-6-18-23	416/95	P.c.	water	4	. /	3					:					RESUUS TO
CPT-6-32-37	5/14 ₉₅	1. (.		4	1	3									<u> </u>	KIM SOUTZ
																STANDARD FAT
TOTAL	\times	\times	\times	A,												
Relinquished by:			Date: 5/16/95		Tim /700	e: <u>)</u>	Rec	eive	d by): 	Sal	Co	mpa ///	iny:	l de	Date: Time:

Laboratory Report for Soil and Ground Water Grab Samples Sampling Date: May 17, 1995

Chromalab Environmental Services Submission Number: 9505222 Report Date: June 15, 1995

Sample Locations

B-2

B-3

B-11

CPT-1

CPT-2

CPT-3

CPT-4 (Partial Report)

Environmental Services (SDB)

RECEIVED
JUN 2 8 1995

ENVIRON

June 15, 1995

Submission #: 9505222

ENVIRON

5820 Shellmound St., Suite 700 Emeryville, CA 94608

Attn: Kim Jolitz

RE: Analysis for project STANDARD BRANDS, number 03-4603B.

REPORTING INFORMATION

Samples were received cold and in good condition on May 17, 1995. They were refrigerated upon receipt and analyzed as described in the attached report. ChromaLab followed EPA or equivalent methods for all testing reported.

No discrepancies were observed or difficulties encountered with the testing.

SAMPLES TESTED IN THIS REPORT

Client Sample ID	<u>Matrix</u>	Date collected	Sample #
CPT-4-46.5-51.5	WATER	May 17, 1995	88907
CPT-1-30-3.5	WATER	May 17, 1995	88908
CPT-2-31-36	WATER	May 17, 1995	88909
- CPT-3-31-36	WATER	May 17, 1995	88910
CPT-3D-31-36	WATER	May 17, 1995	88911
B-2	WATER	May 17, 1995	88912
B-3	WATER	May 17, 1995	88913
B-11	WATER	May 17, 1995	88914
B-11D	WATER	May 17, 1995	88915
SB051795TB	WATER	May 17, 1995	88916
B-2 @ 6.0-6.5	SOIL	May 17, 1995	88917
B-3 @ 6.0-6.5	SOIL	May 17, 1995	88918
B-11 @ 4.5-5.0	SOIL	May 17, 1995	88919

Jill Thomas

Quality Assurance Manager

Eric Tam

Laboratory Director

Environmental Services (SDB)

May 24, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B Received: May 17, 1995

One sample for Volatile Halogenated Organics analysis.

Sample ID: CPT-4-46.5-51.5

Spl#: 88907 Sampled: May 17, 1995 Method: EPA 8010

Matrix: WATER Run#: 6790

Analyzed: May 19, 1995

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	112
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
BROMODICHLOROMETHANE	Ŋ.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	- -
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	- -
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE CHLOROBENZENE	N.D.	0.5	N.D.	- -
BROMOFORM	N.D.	0.5	N.D. N.D.	111
BRUMUFURM	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE TRICHLOROTRIFLUOROETHANE	Ŋ.D.	0.5	и.Д.	
1,3-DICHLOROBENZENE	Ŋ.D.	0.5	N.D.	
I, 4-DICELOROBENZENE	N.D.	0.5	N.D.	
T, Z-DICHOROBENZENE TPICUI OPOTRI EL HODOTRIANE	N.D.	0.5	N.D.	
TRICALOROIRIFLUOROETHANE	N.D.	0.5	N.D.	
Olig Newser		Al. H		

Oleg Nemtsov

Chemist

Environmental Services (SDB)

May 24, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 17, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: CPT-1-30-3.5

Spl#: 88908 Sampled: May 17, 1995 Method: EPA 8010 Matrix: WATER

Run#: 6790 Analyzed: May 19, 1995

Project#: 03-4603B

MCCHOU. EFA OULU				
		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(uq/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	115
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D. N.D. N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	112
1,2-DICHLOROPROPANE	N.D.	0.5	N.D. N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	- -
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE 1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHANE	N.D.	0.5	N.D.	
TEIRACIDOROEITANE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE CHLOROBENZENE BROMOFORM	N.D. N.D.	0.5	N.D.	
BROMOFORM	N.D. N.D.		N.D.	111
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	Ŋ.D.	
1,3-DICHLOROBENZENE	N.D. N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE	N.D.	V.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5 0.5 0.5 0.5 0.5	N.D.	
/ / / CILDICOTATE DOOROGINAND	IV . L/ .	V.5	N.D.	
		. //	111 12	

Mee Newson

Chemist

Environmental Services (SDB)

May 24, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 17, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: CPT-2-31-36

Spl#: 88909 Matrix: WATER

Sampled: May 17, 1995 Run#: 6790 Analyzed: May 19, 1995

Method: EPA 8010

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D. N.D.	 -
1,1-DICHLOROETHENE	N.D.	0.5 0.5 0.5	N.D.	115
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	Ŋ.D.	
CHLOROFORM	N.D.	0.5	N.D.	- -
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	-
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	- -
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	112
TRICHLOROETHENE	N.D.	0.5 0.5	N.D.	
1,2-DICHLOROPROPANE BROMODICHLOROMETHANE	N.D. N.D.	0.5	N.D. N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5 0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIC 1 2 DICHLOROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE 1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	
BROMOFORM	N D	0.5	N.D.	~ - -
1,1,2,2-TETRACHLOROETHANE	N.D. N.D.	0.5	N.D.	- -
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N D	0.5	N.D.	- -
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	- -
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	- -
/	#1 ·		11/12	

lleg Newson

Oleg Nemtsov

Chemist

Environmental Services (SDB)

May 24, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 17, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: CPT-3-31-36

Spl#: 88910 Sampled: May 17, 1995

Run#: 6790

Matrix: WATER Analyzed: May 19, 1995 Method: EPA 8010

ANALYTE	RESULT	REPORTING LIMIT	BLANK RESULT	RESULT
CHLOROMETHANE	<u>(na/r</u>)	(ug/L)	(ug/L)	<u>(%)</u>
VINYL CHLORIDE	N.D.	0.5	N.D.	- +
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	
METRYLEND OULODED	N.D.	0.5	N.D.	115
METHYLENE CHLORIDE	N.D.	0.5 0.5	N.D.	
TRANS-1, 2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	- -
CHLOROFORM	N.D.	0.5	N.D.	- -
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	- -
TRICHLOROETHENE	N.D.	0.5	N.D.	112
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
- CIS-I, 3-DICHLOROPROPENE	N.D.	0.5	N.D.	
- L, L, Z-IRICHLOROFTHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	111
BROMOFORM	N.D.	0.5	N.D.	111
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5		
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	
/ /	м.р.	0.5	N.D.	

Elig News: V Oleg Nemtsov Chemist

Environmental Services (SDB)

May 24, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 17, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: CPT-3D-31-36

Spl#: 88911 Sampled: May 17, 1995 Method: EPA 8010

Matrix: WATER Run#: 6790

Analyzed: May 19, 1995

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(왕)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N D	
	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	
METHYLENE CHLORIDE	ND	0.5	ND	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	NΓ	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5		
CARBON TETRACHLORIDE	N.D.	0.5		
	N.D.	0.5	N.D.	
	N.D.	0.5	N.D.	112
1,2-DICHLOROPROPANE	N.D.	0.5	N.D. N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	= -
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	_ =
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE CHLOROBENZENE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	111
BROMOFORM	N.D.	0.5	N.D.	- -
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	- -
I,3-DICHLOROSENZENE	N.D.	0.5	N.D.	
I,4-DICHLOROSENZENE	N.D.	0.5	N.D.	
T, Z-DICHLOROSENZENE	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	- -
Cley Newsol		Alik	Il f	

Oleg Nemtsov Chemist

Environmental Services (SDB)

May 24, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 17, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-2

Spl#: 88912 Sampled: May 17, 1995 Method: EPA 8010

Matrix: WATER

Run#: 6790

Analyzed: May 19, 1995

	RESULT	REPORTING LIMIT		BLANK SPIKE
ANALYTE	(ug/L)	(ug/L)	RESULT	RESULT
CHLOROMETHANE	N.D.	0.5	(ug/L)	(용)
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	- -
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	
METHYLENE CHLORIDE	N.D.	0.5	N.D.	115
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	-
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	
1,2-DICHLOROPROPANE	M D	0.5	N.D.	112
BROMODICHLOROMETHANE	N.D. N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D. N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5		
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D. N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D. N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	- -
CHLOROBENZENE	N.D.	0.5	N.D.	111
BROMOFORM	N.D.	0.5	N.D.	777
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	$N.\overline{D}$.	0.5	N.D.	
Oleg Newson		(Ala A	The first of the second	

Oleg Nemtsov Chemist

Environmental Services (SDB)

June 5, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

STANDARD BRANDS Project#: 03-4603B

Received: May 17, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-3

 Spl#: 88913
 Matrix: WATER

 Sampled: May 17, 1995
 Run#: 6969

Method: EPA 8010

Analyzed: May 31, 1995

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(uq/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	89
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	<u>N</u> .D	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	91
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	- -
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	Ŋ.D.	0.5	N.D.	- -
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D. N.D.	0.5	N.D.	
BROMOFORM		0.5	N.D.	90
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE	N.D. N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D. N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D. N.D.	0.5 0.5	N.D.	
THETHOMOTHER HOOKOPINENE	14.17.	0.5	N.D.	

Aaron McMichael

Chemist

Environmental Services (SDB)

June 5, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 17, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-11

Sampled: May 17, 1995 Run#: 6969 Analyzed: May 31, 1995 Method: EPA 8010

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	89
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	Ŋ.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	91
1,2-DICHLOROPROPANE BROMODICHLOROMETHANE	N.D.	0.5	N.D.	- -
2-CUI ODOERINI MINI ERHED	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D. N.D.	0.5	Ŋ.D.	
TETDACUI ODOETUEND		0.5	N.D.	- -
DIBROMOCHLOROMETHANE	N.D. N.D.	0.5	й.D.	
CHLOROBENZENE	N.D.	0.5 0.5	N.D.	
BROMOFORM	N.D.	0.5 0.5	N.D.	90
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	- -
1,2-DICHLOROBENZENE	N.D.	0.5 0.5 0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	
THE THE PROPERTY OF THE PROPER	IV . 17 .	U.5	N.D.	

Aaron McMichael

Chemist

Environmental Services (SDB)

June 5, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 17, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-11D

Spl#: 88915 Sampled: May 17, 1995 Matrix: WATER
Run#: 6969 Analyzed: May 31, 1995

Method: EPA 8010

Medica. Lea colo				
		REPORTING		BLANK SPIKE
	RESULT	LIMIT	RESULT	
ANALYTE	(ug/L)	(uq/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	000000000000000000000000000000000000000	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	89
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE CIS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE CHLOROFORM	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	
	N.D.	0.5	N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE	$N \cdot D$.	0.5	Ŋ.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	- -
I, I, Z-TRICHLOROETHANE	N.D.	0.55	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	Ŋ.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	90
BROMOFORM	N.D.	0.5	Ŋ.D.	
1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1.4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	
, n		. /	11/	

Aaron McMichael

Chemist

Environmental Services (SDB)

May 24, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 17, 1995

Project#: 03-4603B

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: SB051795TB

Spl#: 88916 Sampled: May 17, 1995 Method: EPA 8010

Matrix: WATER

Run#: 6791 Analyzed: May 22, 1995

	D	REPORTING	BLANK	· · · · · · · · · · · · · · · · · · ·
እእርአ ፓ አለጠም)	RESULT	LIMIT	RESULT	
ANALYTE CHLOROMETHANE	(uq/L)	(ug/L)	(ug/L)	(%)
VINVI CHIODIDE	N.D.	0.5	N.D.	
VINYL CHLORIDE BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE METHYLENE CHLORIDE	N.D.	0.5	N.D.	102
METHYLENE CHLORIDE	N.D.	0.5	N.D. N.D.	- -
TRANS-1,2-DICHLOROETHENE CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	 -
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	Ŋ.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	Ŋ.D.	0.5 0.5 0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	111
BROMODICHLOROMETHANE	Ŋ.D.	0.5 0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANCELLINATION ELHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROPROPENE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	
BROMOFORM	N.D.	0.5	N.D.	107
	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	<u></u>
1 4-DICH ODODENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	
TRICHOROTRIFHOURDETHANE	N.D.	0.5	N.D.	

Oleg Nemtsov

Chemist

Environmental Services (SDB)

May 24, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 17, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-2 @ 6.0-6.5

 Spl#: 88917
 Matrix: SOIL

 Sampled: May 17, 1995
 Run#: 6791

Sampled: May 17, 1995 Run#: 6791 Analyzed: May 22, 1995 Method: EPA 8010/8260

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	E 0	N.D.	102 102 111
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE CHLOROETHANE	N.D.	5.0	N.D.	
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	102
METHYLENE CHLORIDE	N.D.	5.0	N.D.	
TRANS-1, 2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CHLOROETHANE TRICHLOROFLUOROMETHANE 1,1-DICHLOROETHENE METHYLENE CHLORIDE TRANS-1,2-DICHLOROETHENE CIS-1,2-DICHLOROETHENE 1,1-DICHLOROETHANE CHLOROFORM 1,1,1-TRICHLOROETHANE CARBON TETRACHLORIDE 1,2-DICHLOROETHANE TRICHLOROETHANE	N.D.	000000000000000000000000000000000000000	N.D.	
CHLOROFORM	N.D.	5.0	N.D.	
I, I, I - IRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE 1,2-DICHLOROETHANE TRICHLOROETHENE 1,2-DICHLOROPROPANE BROMODICHLOROMETHANE	N.D.	500000000000000000000000000000000000000	N.D.	- -
T, Z-DICHLOROETHANE	N.D.	5.0	N.D.	
1 C DIGHTODODDODAND	N.D.	5.0	N.D.	111
T, Z-DICHLOROPROPANE	N.D.	5.0	N.D.	
2 CUI ODOPPINI HIMRI PERIDD	N.D.	5.0	N.D.	
TPANS-1 3-DIGHT ORODDODEND	N.D.	5.0	N.D.	
CIS-1 3-DICHLOROPROPENE	N.D.	5.0	M.D.	
1 1 2-TPICHIOROPROPENE	N.D.	5.0	N.D.	
TETRACHI ODOETHENE	N.D.	5.0	N.D.	
2-CHLOROSTHYL VINYL ETHER TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE 1,1,2-TRICHLOROSTHANE TETRACHLOROSTHENE DIBROMOCHLOROMETHANE CHLOROBENZENE BROMOFORM	M.D.	00000000000000000000000000000000000000	N.D.	
CHLOROBENZENE	ת א	2.0	N.D.	107
BROMOFORM	N.D.	5.0	N.D.	107
1.1.2.2-TETRACHLOROFTHANE	N.D.	5.0	N.D. N.D. N.D. N.D. N.D.	
1.3-DICHLOROBENZENE	ת א	5.0	N.D.	
1.4-DICHLOROBENZENE	N D	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	
	-		. /	

Oleg Nemtsov

Chemist (

Environmental Services (SDB)

June 5, 1995

Submission #: 9505222

Analyzed: May 31, 1995

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 17, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-3 @ 6.0-6.5

Michael

Method: EPA 8010/8260 BY 8260

ANALYTE	RESULT (ug/Kg)	REPORTING LIMIT (ug/kg)	BLANK RESULT _(ug/Kg)	BLANK SPIKE RESULT
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0	N.D.	= =
CHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	124
METHYLENE CHLORIDE	N.D.	5.0	N.D.	12 ⁻
TRANS-1,2-DICHLOROETHENE	N.D.	5.0 5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0 5.0	N.D.	- -
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	N.D.	5.0 5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	94
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	- - -
BROMODICHLOROMETHANE	N.D.	5.0	N.D.	<u> </u>
2-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	- -
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	- -
1,1,2-TRICHLOROETHANE	N.D.	5.0	N.D.	
TETRACHLOROETHENE	N.D.	5.0	N.D.	
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	- -
CHLOROBENZENE BROMOFORM	N.D.	5.0	N.D.	97
	N.D.	5.0	N.D.	- -
1,1,2,2-TETRACHLOROETHANE	N.D.	5.0	N.D.	- -
1,3-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0	N.D.	
- RECHLOROTREF DUOROETHANE	N.D.	5.0	N.D.	- -

Aaron McMichael

Chemist

Environmental Services (SDB)

June 5, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 17, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: B-11 @ 4.5-5.0

Spl#: 88919 Matrix: SOIL

Sampled: May 17, 1995 Run#: 6971 Analyzed: May 31, 1995

Method: EPA 8010/8260 BY 8260

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/Kg)	(ug/Kg)	(ug/Kg)	(%)
CHLOROMETHANE	N.D.	5.0	N.D.	
VINYL CHLORIDE	N.D.	5.0	N.D.	
BROMOCHLOROMETHANE	N.D.	5.0 5.0	N.D.	
CHLOROETHANE	N.D. N.D.	5.0 5.0	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	5.0	N.D.	
1,1-DICHLOROETHENE	N.D.	5.0	N.D.	
METHYLENE CHLORIDE	N.D.	5.0 5.0	$N_{-}D_{-}$	
TRANS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	5.0	N.D.	
1,1-DICHLOROETHANE	N.D.	5.0	N.D.	- -
CHLOROFORM	N.D.	5.0	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	5.0	N.D.	
CARBON TETRACHLORIDE	Ŋ.D.	5.0	N.D.	
1,2-DICHLOROETHANE	N.D.	5.0	N.D.	
TRICHLOROETHENE	N.D.	5.0	N.D.	94
1,2-DICHLOROPROPANE	N.D.	5.0	N.D.	
BROMODICHLOROMETHANE	Ŋ.D.	5.0	N.D.	
2-CHLOROETHYL VINYL ETHER	N.D.	5.0	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	5.0	N.D.	- -
1,1,2-TRICHLOROETHANE TETRACHLOROETHENE	N.D.	5.0	N.D.	<u> </u>
DIBROMOCHLOROMETHANE	N.D.	5.0	N.D.	
CHLOROBENZENE	N.D.	5.0	N.D.	
BROMOFORM	N.D.	5.0	N.D.	97
	N.D. N.D.	5.0	N.D.	
1 3-DICHLOPODENZEME	N.D.	5.0	Ŋ.D.	
1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE	N.D.	5.0	N.D.	
1,2-DICHLOROBENZENE	N.D.	5.0	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	5.0 5.0	N.D.	
THE CHARLET HOUSE THATE	IN . D .	5.0	N.D.	- -

Aaron McMichael

Chemist

Environmental Services (SDB)

May 24, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Received: May 17, 1995

Project#: 03-4603B

re: Matrix spike report for Volatile Halogenated Organics analysis.

Matrix: WATER

Lab Run#: 6790

Instrument: GC/MS-VOL-O

Analyzed: May 19, 1995

Method: EPA 8010

Analyte	Spiked Sample Result	Spike Amt	% Spike Rec	Dup Spike Rec	Control Limits	% RPD	% RPD Lim
1,1-DICHLOROETHENE TRICHLOROETHENE CHLOROBENZENE	N.D. ug/L N.D. ug/L N.D. ug/L	20 ug/L 20 ug/L 20 ug/L	85.0 109 102	74.0 105 103	56-118 78-129 70-120	14 3.7 1.0	20 20 20 20

Sample Spiked: 88907

Submission #: 9505222

Client Sample ID: CPT-4-46.5-51.5

1220 Quarry Lane • Pleasanton, California 94566-4756 (510) 484-1919 • Facsimile (510) 484-1096 Federal ID #68-0140157

QCMSPK OLEG 24-May-95 14-44-18

Environmental Services (SDB)

May 24, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 17, 1995

re: Surrogate report for 6 samples for Volatile Halogenated Organics

analysis.

Matrix: WATER
Lab Run#: 6790
Method: EPA 8010

Analyzed: May 19, 1995

<u>Sample#</u> 88907 88908	Client Sample ID CPT-4-46.5-51.5 CPT-1-30-3.5	Surrogate 1,4-DICHLOROBUTANE	Recovered 88	
88909 88910 88911 88912	CPT-2-31-36 CPT-3-31-36 CPT-3D-31-36 B-2	1,4-DICHLOROBUTANE 1,4-DICHLOROBUTANE 1,4-DICHLOROBUTANE 1,4-DICHLOROBUTANE 1,4-DICHLOROBUTANE	114 111 111 118 114	
Sample#	OC Sample Type	Stamma ma to	8	
89674	Method blank (MDB)	Surrogate	Recovered	
89675	Blank Spike (BSP)	1,4-DICHLOROBUTANE	106	
<i>89676</i>		1,4-DICHLOROBUTANE	106	
-	Matrix spike (MS)	1,4-DICHLOROBUTANE	111	SPKT
8967-7	Matrix spike duplicate	(MSD)1,4-DICHLOROBUTANE	113	SPKZ

QCSUPR OLES 24-May-95 14 44 44

Environmental Services (SDB)

June 5, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 17, 1995

Project#: 03-4603B

re: Matrix spike report for Volatile Halogenated Organics analysis.

Matrix: SOIL

Lab Run#: 6971 Instrument: GC/MS-VOL-A Ana.

Analyzed: May 31, 1995

Method: EPA 8010/8260

Analyte	Spiked Sample Result	Spike Amt	% Spike Rec	Dup Spike Rec	Control Limits	% RPD	% RPD Lim
1,1-DICHLOROETHENE TRICHLOROETHENE CHLOROBENZENE	N.D. ug/Kg N.D. ug/Kg N.D. ug/Kg	20 ug/Kg 20 ug/Kg 20 ug/Kg		125* 91.0	65-116 70-117	3.3 10 3.3	20 20 20 20

Sample Spiked: 88919
Submission #: 9505222
Client Sample ID: B-11 @ 4.5-5.0

^{*} Although the spike recoveries are outside the control limits, the precision is verified by the RPD.

Environmental Services (SDB)

June 20, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 17, 1995

Surrogate report for 2 samples for Volatile Halogenated Organics

analysis.

Matrix: SOIL

Lab Run#: 6971 Analyzed: May 31, 1995

Method: EPA 8010/8260

				%	
Sample#	Client Sample ID	Surrogate	Rec	covered	
88918	B-3 @ 6.0-6.5	4-BROMOFLUOROBENZENE		89	
88918	B-3 @ 6.0-6.5	1,2-DICHLOROETHANE -	D4	105	
88918	B-3 @ 6.0-6.5	TOLUENE - D8		93	
88919	B-11 @ 4.5-5.0	4-BROMOFLUOROBENZENE		86	
	B-11 @ 4.5-5.0	1,2-DICHLOROETHANE -	D4	106	
	B-11 @ 4.5-5.0	TOLUENE - D8		94	
91065	Method blank (MDB)	4-BROMOFLUOROBENZENE		92	
91065	Method blank (MDB)	1,2-DICHLOROETHANE -	D4	104	
91065	Method blank (MDB)	TOLUENE - D8		93	
91066	Blank Spike (BSP)	4-BROMOFLUOROBENZENE		93	
91066	Blank Spike (BSP)	1,2-DICHLOROETHANE -	D4	103	
91066	Blank Spike (BSP)	TOLUENE - D8		92	
91068	Matrix spike (MS)	.4-BROMOFLUOROBENZENE		89	SPET
91068	Matrix spike (MS)	1,2-DICHLOROETHANE -	D4	107	5 4 75,1
91068	Matrix spike (MS)	TOLUENE - D8		92	SPK1
91070	Matrix spike duplicate	(MSD)4-BROMOFLUOROBENZENE		90	SPECE .
91070	Matrix spike duplicate	(MSD)1,2-DICHLOROETHANE -	D4	105	SP1.2
91070	Matrix spike duplicate	(MSD) TOLUENE - D8		92	SPK2

QCSURR RUDG 20-Am-95 06 36:56

Environmental Services (SDB)

June 3, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 17, 1995

Project#: 03-4603B

2 samples for Gasoline and BTEX analysis.

Matrix: SOIL

Sampled: May 17, 1995

Run#: 6900 Analyzed: June 1, 1995 Method: EPA 5030/8015M/8020

Spl # CLIENT SMPL ID	Gasoline (mg/Kg)	Benzene (ug/Kg)	Toluene (ug/Kg)	Ethyl Benzene (ug/Kg)	Total Xylenes (uq/Kg)
88918 B-3 @ 6.0-6.5	N.D.	N.D.	N.D.	N.D.	N.D.
88919 B-11 @ 4.5-5.0	N.D.	N.D.	N.D.	N.D.	N.D.
Reporting Limits	1.0	5.0	5.0	5.0	5.0
Blank Result	N.D.	N.D.	N.D.	N.D.	N.D.
Blank Spike Result (%)	93	103	102	104	106

Chemist

Environmental Services (SDB)

June 23, 1995

ENVIRON

Submission #: 9505222
Revision to report dated

May 30, 1995

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 17, 1995

re: 10 samples for Gasoline and BTEX analysis.

Matrix: WATER

Sampled: May 17, 1995 Run: 6824-J Analyzed: May 25, 1995

Method: EPA 5030/8015M/602/8020

Spl # CLIENT SMPL ID	Gasoline (mg/L)	Benzene (ug/L)	Toluene	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)
88907 CPT-4-46.5-51.5	N.D.	N.D.	N.D.	N.D.	4.7
88912 B-2	N.D.	N.D.	N.D.	N.D.	N.D.
88916 SB051795TB	N.D.	N.D.	N.D.	N.D.	N.D.

Matrix: WATER

Sampled: May 17, 1995 Run: 6860-J Analyzed: May 30, 1995

Method: EPA 5030/8015M/602/8020

Spl # CLIENT SMPL ID	Gasoline (mg/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)
88908 CPT-1-30-3.5	N.D.	N.D.	N.D.	N.D.	N.D.
88909 CPT-2-31-36	N.D.	N.D.	N.D.	N.D.	N.D.
88910 CPT-3-31-36	N.D.	N.D.	N.D.	N.D.	N.D.
88911 CPT-3D-31-36	N.D.	N.D.	N.D.	N.D.	N.D.

Matrix: WATER

Sampled: May 17, 1995 Run: 6882-J Analyzed: May 31, 1995

Method: EPA 5030/8015M/602/8020

Spl # CL	IENT	SMPL I	0	Gasoline (mg/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)
88913 B-	3			N.D.	N.D.	N.D.	N.D.	N.D.
88914 B-	11			N.D.	N.D.	N.D.	N.D.	N.D.
No:	te: .	Detection	Limit	:: Ethyl Benz	zene = 2ug/1	& Xylenes = 15	Sug/l	
88915 B-	11D			N.D.	N.D.	N.D.	N.D.	N.D.
Not	te: .	Detection	. Limit	:: Ethyl ben:	zene = 2 ug/1	& Xylenes = 1	15 ug/l	
Not	te:	Compounds	in th	ne Gasoline i	range do not	match any of o	our petroleum	
		hydrocarh amount is			les. Compare	ed to our Gasol	line standard,	

Environmental Services (SDB)

June 23, 1995

Submission #: 9505222

Page 2

ENVIRON

Revision to report dated dated May 30, 1995

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 17, 1995

re: 10 samples for Gasoline and BTEX analysis, continued.

Matrix: WATER

Sampled: May 17, 1995

Run: 6882-J

Analyzed: May 31, 1995

Method: EPA 5030/8015M/602/8020

Spl # CLIENT SMPL ID	Gasoline (mg/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)
Reporting Limits	0.05	0.5	0.5	0.5	0.5
Blank Result	N.D.	N.D.	N.D.	N.D.	N.D.
Blank Spike Result (%)	85	106	102	99	99

Chemist

Ali Kharrazi Organic Manager

all. Khy

Environmental Services (SDB)

June 6, 1995

Submission #: 9505222

DOMSPK EXCE. AUDO 06-Jun-25-12-16

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 17, 1995

re: Matrix spike report for Gasoline and BTEX analysis.

Matrix: WATER

Lab Run#: 6860 Instrument: GC1-2 Analyzed: May 30, 1995

Method: EPA 5030/8015M/602/8020

	Spiked		%	Dup			%
	Sample	Spike	Spike	Spike	Control	ષ્ઠ	RPD
Analyte	Result	Amt	Rec	Rec	Limits	RPD	<u>Lim</u>
GASOLINE	N.D. mg/L	1.0 mg/L	95		80-118	N/A	N/A
BENZENE	N.D. ug/L	5.0 ug/L	135	124	80-127	8.5	20
TOLUENE	N.D. ug/L	5.0 ug/L	131	120	80-122	8.8	20
ETHYL BENZENE	N.D. ug/L	5.0 ug/L	126	111	81-119	13	20
XYLENES	N.D. ug/L	15 ug/Ĺ	123	111	83-125	10	20

Sample Spiked: 88908
Submission #: 9505222
Client Sample ID: CPT-1-30-3.5

^{*} Although some spike recoveries are outside the control limits, the precision was verified by the RPD.

Environmental Services (SDB)

June 6, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 17, 1995

re: Surrogate report for 4 samples for Gasoline and BTEX analysis.

Matrix: WATER

Lab Run#: 6860 Analyzed: May 30, 1995

Method: EPA 5030/8015M/602/8020

			%	
Sample#	Client Sample ID	Surrogate	Recovered	
88908	CPT-1-30-3.5	TRIFLUOROTOLUENE	94	
88909	CPT-2-31-36	TRIFLUOROTOLUENE	92	
88910	CPT-3-31-36	TRIFLUOROTOLUENE	90	
88911	CPT-3D-31-36	TRIFLUOROTOLUENE	96	
			8	
Sample#	OC Sample Type	Surrogate	_ Recovered	
90355	Method blank (MDB)	TRIFLUOROTOLUENE	94	
90356	Blank Spike (BSP)	TRIFLUOROTOLUENE	73	
90358	Matrix spike (MS)	TRIFLUOROTOLUENE	95	SPIC1
90359	Matrix spike duplicate	(MSD)TRIFLUOROTOLUENE	83	\$P12

Environmental Services (SDB)

May 25, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 17, 1995

Project#: 03-4603B

re: Matrix spike report for Gasoline and BTEX analysis.

Matrix: SOIL

Lab Run#: 6799 Instrument: GC1-2

Analyzed: May 25, 1995

COMSPR JACK 25-May-95 15 27 17

Method: EPA 5030/8015M/8020

	Spiked		%	Dup			%
	Sample	Spike	Spike	Spike	Control	%	RPD
Analyte	Result	Amt	Rec	Rec	Limits	RPD	Lim
GASOLINE	N.D. mg/Kg	5.0 mg/Kg	91		80-118	N/A	N/A
BENZENE	N.D. ug/Kg	25 ug/Kg	124	126	80-127	1.6	20
TOLUENE	N.D. ug/Kg	25 ug/Kg	121	124	80-130	2.4	20
ETHYL BENZENE	N.D. ug/Kg	25 ug/Kg	121*	125*	81-119	3.3	20
XYLENES	N.D. ug/Kg	50 ug/Kg	118	122	83-125	3.3	20

Sample Spiked: 88917 Submission #: 9505222

Client Sample ID: B-2 @ 6.0-6.5

^{*} Although matrix spike recoveries are greater than the upper control limit, the precision is verified by the RPD.

Environmental Services (SDB)

May 25, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 17, 1995

re: Surrogate report for 1 sample for Gasoline and BTEX analysis.

Matrix: SOIL

Lab Run#: 6799 Analyzed: May 25, 1995

Method: EPA 5030/8015M/8020

, , , , , , , , , , , , , , , , , , , ,		%	
Client Sample ID	Surrogate	Recovered	
B-2 @ 6.0-6.5	TRIFLUOROTOLUENE	102	
OC Sample Type	Surrogate	•	
Method blank (MDB)	TRIFLUOROTOLUENE	90	
Blank Spike (BSP)	TRIFLUOROTOLUENE	84	
Matrix spike (MS)	TRIFLUOROTOLUENE	97	SPK?
Matrix spike duplicate	(MSD) TRIFLUOROTOLUENE	96	SPE2
•	OC Sample Type Method blank (MDB) Blank Spike (BSP) Matrix spike (MS)	B-2 @ 6.0-6.5 TRIFLUOROTOLUENE OC Sample Type Surrogate Method blank (MDB) TRIFLUOROTOLUENE Blank Spike (BSP) TRIFLUOROTOLUENE Matrix spike (MS) TRIFLUOROTOLUENE	Client Sample ID Surrogate Recovered B-2 @ 6.0-6.5 TRIFLUOROTOLUENE 102 % QC Sample Type Surrogate Recovered Method blank (MDB) TRIFLUOROTOLUENE 90 Blank Spike (BSP) TRIFLUOROTOLUENE 84 Matrix spike (MS) TRIFLUOROTOLUENE 97

OCSURR JACK 25-May 25 15 27 29

Environmental Services (SDB)

June 3, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 17, 1995

re: Matrix spike report for Gasoline and BTEX analysis.

Matrix: SOIL

Lab Run#: 6900 Instrument: GC1-4

Analyzed: June 1, 1995

Method: EPA 5030/8015M/8020

	Spiked		ક	Dup			%
	${\tt Sample}$	Spike	Spike	Spike	Control	8	RPD
Analyte	Result	Amt	Rec	Rec	Limits	RPD	Lim
GASOLINE	N.D. mg/Kg	5.0 mg/Kg	93		80-118	N/A	N/A
BENZENE	N.D. ug/Kg	25 ug/Kg	109	108	80-127	0.9	20
TOLUENE	N.D. ug/Kg	25 ug/Kg	107	106	80-130	0.9	20
ETHYL BENZENE	N.D. ug/Kg	25 ug/Kg	106	105	81-119	0.9	20
XYLENES	N.D. ug/Kg	50 ug/Kg	107	106	83-125	0.9	20

Sample Spiked: 88918

Submission #: 9505222

Client Sample ID: B-3 @ 6.0-6.5

1220 Quarry Lane • Pleasanton, California 94566-4756 (510) 484-1919 • Facsimile (510) 484-1096

用っとうようには 作わむ ロチベウェビス

GCMSPK JACK 03-Jun-95 10-27 29

90

Environmental Services (SDB)

June 3, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 17, 1995

re: Surrogate report for 2 samples for Gasoline and BTEX analysis.

Matrix: SOIL

Lab Run#: 6900 Analyzed: June 1, 1995

Method: EPA 5030/8015M/8020

Sample#	Client Sample ID	Surrogate	% Recovered	
88918 88919	B-3 @ 6.0-6.5 B-11 @ 4.5-5.0	TRIFLUOROTOLUENE TRIFLUOROTOLUENE	123 113 %	
Sample#	QC Sample Type	Surrogate	Recovered	
90638	Method blank (MDB)	TRIFLUOROTOLUENE		
		INITIOUNUIULNE	109	
90639	Blank Spike (BSP)	TRIFLUOROTOLUENE	109	
90639 90641		-	- · ·	SPC1

QCSURR JACK 03-aun-95 10-27 40

Environmental Services (SDB)

June 6, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 17, 1995

Project#: 03-4603B

Surrogate report for 3 samples for Gasoline and BTEX analysis.

Matrix: WATER Lab Run#: 6882

Method: EPA 5030/8015M/602/8020

Analyzed: May 31, 1995

Sample# 88913	Client Sample ID	Surrogate	% Recovered
88914 88915	B-11 B-11D	TRIFLUOROTOLUENE TRIFLUOROTOLUENE TRIFLUOROTOLUENE	86 38 75
Sample#	QC Sample Type	Surrogate	% Recovered
90542 90544	Method blank (MDB) Blank Spike (BSP)	TRIFLUOROTOLUENE TRIFLUOROTOLUENE	86 85

Environmental Services (SDB)

June 6, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 17, 1995

re: Surrogate report for 3 samples for Gasoline and BTEX analysis.

Matrix: WATER

Lab Run#: 6824 Analyzed: May 25, 1995

Method: EPA 5030/8015M/602/8020

			` %
Sample#	Client Sample ID	Surrogate	Recovered
88907	CPT-4-46.5-51.5	TRIFLUOROTOLUENE	73
88912	B-2_	TRIFLUOROTOLUENE	96
88916	SB051795TB	TRIFLUOROTOLUENE	91
			o _c
Sample#	QC Sample Type	Surrogate	Recovered
89971	Method blank (MDB)	TRIFLUOROTOLUENE	95
89972	Blank Spike (BSP)	TRIFLUOROTOLUENE	97

Environmental Services (SDB)

June 6, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Received: May 17, 1995

Project#: 03-4603B

e: Blank spike and duplicate report for 8 samples for Total Extractable Petroleu

Hydrocarbons (TEPH) analysis, continued.

Matrix: WATER Lab Run#: 6924

Analyte DIESEL

Method: EPA 3510/8015M

Extracted: May 31, 1995 Analyzed: June 5, 1995

% Dup % RPD
Spike Spike Control

Amt Rec Rec Limits RPD Lim
200 ug/L 67.8 70.2 60-130 3.5 20

Reagent spike sample #:90748 Duplicate spike sample #:90747

Environmental Services (SDB)

June 5, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 17, 1995

Project#: 03-4603B

re: 2 samples for Total Extractable Petroleum Hydrocarbons (TEPH)

Sampled: May 17, 1995

Method: EPA 3550/8015M

Matrix: SOIL Extracted: May 31, 1995 Run#: 6911

Analyzed: June 3, 1995

Spl # CLIENT SMPL ID	Kerosene	Diesel	Motor Oil
	(mg/Kg)	(mg/Kg)	(mg/Kg)
88918 B-3 @ 6.0-6.5	N.D.	N.D.	N.D.
88919 B-11 @ 4.5-5.0	N.D.	N.D.	N.D.
Reporting Limits Blank Result Blank Spike Result (%)	1.0 N.D.	1.0 N.D. 71	10 N.D.

Sirvet Challeton

Sirirat (Sindy) Chullakorn

Chemist

Organic Manager

Environmental Services (SDB)

May 24, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 17, 1995

6 samples for Total Extractable Petroleum Hydrocarbons (TEPH)

Sampled: May 17, 1995

Matrix: WATER Run#: 6788

Extracted: May 23, 1995 Analyzed: May 24, 1995

Method: EPA 3510/8015M

Spl # CLIENT SMPL ID	Kerosene (ug/L)	Diesel (ug/L)	Motor Oil (ug/L)
88907 CPT-4-46.5-51.5 88908 CPT-1-30-3.5 88909 CPT-2-31-36 88910 CPT-3-31-36 88911 CPT-3D-31-36 88912 B-2	N.D. N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D. N.D.	N.D. N.D. N.D. N.D. N.D.
Reporting Limits Blank Result Blank Spike Result (%)	50 N.D.	50 N.D. 87	500 N.D.

Sinat Challakorn

Sirirat (Sindy) Chullakorn

Chemist

Organic Manager

Environmental Services (SDB)

June 20, 1995

Submission #: 9505222

Project#: 03-4603B

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 17, 1995

re: Surrogate report for 2 samples for Total Extractable Petroleum

Hydrocarbons (TEPH) analysis.

Matrix: WATER Extracted: May 31, 1995

Lab Run#: 6924 Analyzed: June 1, 1995

Method: EPA 3510/8015M

Sample#	Client Sample ID	Surrogate	% Recovered
88913 88914	B-3 B-11	O-TERPHENYL O-TERPHENYL	73 94
Sample#	QC Sample Type	Surrogate	% Recovered
90746	Method blank (MDB)	O-TERPHENYL	94
90747	Blank Spike (BSP)	O-TERPHENYL	84
90748	Blank Spike Duplicate (BSD)	O-TERPHENYL	7 7

Environmental Services (SDB)

June 6, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 17, 1995

Project#: 03-4603B

re: Blank spike and duplicate report for 8 samples for Total Extractable Petrolet

Hydrocarbons (TEPH) analysis.

Matrix: WATER Lab Run#: 6788

Analyte DIESEL

#: 6788

Extracted: May 23, 1995 Analyzed: May 24, 1995

왐

Method: EPA 3510/8015M

	¥	Dup		ક	RPD
Spike	Spike	Spike	Control		
Amt	Rec			RPD	Lim
200 ug/L	86.9	94.3	60-130	8.2	20

Reagent spike sample #:89671 Duplicate spike sample #:89670

Environmental Services (SDB)

June 20, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 17, 1995

re: Surrogate report for 6 samples for Total Extractable Petroleum

Hydrocarbons (TEPH) analysis.

 Matrix: WATER
 Extracted: May 23, 1995

 Lab Run#: 6788
 Analyzed: May 24, 1995

Method: EPA 3510/8015M

Sample#	Client Sample ID	Surrogate	Recovered
88907	CPT-4-46.5-51.5	O-TERPHENYL	121
88908	CPT-1-30-3.5	O-TERPHENYL	128
88909	CPT-2-31-36	O-TERPHENYL	125
88910	CPT-3-31-36	O-TERPHENYL	132
88911	CPT-3D-31-36	O-TERPHENYL	118
88912	B-2	O-TERPHENYL	129
			%
<u>Sample#</u>	OC Sample Type	Surrogate	Recovered
89669	Method blank (MDB)	O-TERPHENYL	105
89670	Blank Spike (BSP)	O-TERPHENYL	108
89671	Blank Spike Duplicate	(BSD) O-TERPHENYL	109

Environmental Services (SDB)

June 6, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 17, 1995

Project#: 03-4603B

Matrix spike report for Total Extractable Petroleum Hydrocarbons (TEPH) and

Matrix: SOIL

Lab Run#: 6764

Instrument: GC2-EXT-S

Extracted: May 22, 1995

Analyzed: May 23, 1995

Method: EPA 3550/8015M

	Spiked		%	Dup			%
_	Sample	Spike	Spike	Spike	Control	%	RPD
Analyte	Result	Amt	Rec	Rec	Limits	RPD	Lim
DIESEL	N.D. mg/Kg	6.7 mg/Kg	99.4	108	60-130	8.3	20

Sample Spiked: 88917 Submission #: 9505222

Client Sample ID: B-2 @ 6.0-6.5

Environmental Services (SDB)

June 6, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 17, 1995

Project#: 03-4603B

re: Surrogate report for 1 sample for Total Extractable Petroleum

Hydrocarbons (TEPH) analysis.

Matrix: SOIL Lab Run#: 6764

Extracted: May 22, 1995

Method: EPA 3550/8015M

Analyzed: May 23, 1995

<u>Sample#</u> 88917	Client Sample ID B-2 @ 6.0-6.5	Surrogate	% Recovered	_
Sample#	OC Sample Type	O-TERPHENYL Surrogate	123 % Recovered	
89471 89472 89474 89475	Method blank (MDB) Blank Spike (BSP) Matrix spike (MS) Matrix spike duplicate	O-TERPHENYL O-TERPHENYL O-TERPHENYL	93 118 124 119	

OCSURA EXCELIRUDO DE Jun 95 12 17 44

Environmental Services (SDB)

June 6, 1995

Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 17, 1995

Project#: 03-4603B

re: Matrix spike report for Total Extractable Petroleum Hydrocarbons (TEPH) ana

Matrix: SOIL Lab Run#: 6911 Instrument: GC2-EXT-S Extracted: May 31, 1995
Analyzed: June 1, 1995

Method: EPA 3550/8015M

	Spiked		%	Dup			%
	Sample	Spike	Spike	Spike	Control	8	RPD
Analyte	Result	Amt	Rec	Rec	Limits	RPD	Lim
DIESEL	N.D. mg/Kg	6.7 mg/Kg	72.9	77.9	60-130	6.6	20

Sample Spiked: 88919
Submission #: 9505222

Client Sample ID: B-11 @ 4.5-5.0

Environmental Services (SDB)

June 6, 1995 Submission #: 9505222

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 17, 1995

re: Surrogate report for 2 samples for Total Extractable Petroleum

Hydrocarbons (TEPH) analysis.

Matrix: SOIL Extracted: May 31, 1995

Lab Run#: 6911 Analyzed: June 1, 1995

Method: EPA 3550/8015M


			%	
Sample#	Client Sample ID	Surrogate	Recovered	
88918	B-3 @ 6.0-6.5	O-TERPHENYL	87	
88919	B-11 @ 4.5-5.0	O-TERPHENYL	91	
			%	
Sample#	QC Sample Type	Surrogate	Recovered	
90672	Method blank (MDB)	O-TERPHENYL	94	
90673	Blank Spike (BSP)	O-TERPHENYL	- -	
90674	Matrix spike (MS)	O-TERPHENYL	90	SPK1
90675	Matrix spike duplicate	(MSD)O-TERPHENYL	95	SPK2
90675	Matrix spike duplicate	(MSD)O-TERPHENYL	95	

Gasoline Chromatogram

Sample Hame: 950222/CPT-4-16.5 Sample #: 88907 Page 1 of 1

Method : 281EXD3.ins Time of Injection: 5/26/95 02:16 PM

Scale Factor: 1 Plot Offset: -70 aU Plot Scale: 1663 aU



CHROMALAB, INC. SAMPLE RECEIPT CHECKLIST

Client Name ENVIRON	Date/Time Received 1/17/95 1652
Project	Received by D Soll S Date Time
Reference/Subm # 22000/9505772	Carrier name
Checklist completed 5/19/95 by: Signature / Date	Logged in by 774 /17/95 Matrix H2 O Initials / Date
Shipping container in good condition?	NAYesNo
Custody seals present on shipping contained	er? IntactBroken Wes Wo
Custody seals on sample bottles?	IntactBrokenYesNo
Chain of custody present?	Yes_V
Chain of custody signed when relinquished	and received? Yes
Chain of custody agrees with sample labels	
Samples in proper container/bottle?	Yes_ <u>√</u> ∷o
Samples intact?	Yes_VNo
Sufficient sample volume for indicated tes	st? YesNo
VOA vials have zero headspace?	NAYes
Trip Blank received?	NAYesNo
All samples received within holding time?	Yes
Container temperature?	
pH upon receiptpH adjusted	Check performed by:NA
Any $\underline{\text{NO}}$ response must be detailed in the applicable, they should be marked NA.	comments section below. If items are no
Client contacted?	Date contacted?
	Contacted by?
Person contacted?	,
Regarding?	
Comments:	
Corrective Action:	

ENVIRON Counsel in Health and Environmental Science	(<i>ــ ا</i>	/ / CH	. :	1 (1) 11 : 12 : 12 : 14	1.1	(19.50) (19.50) (19.50)							•	_ <	5820 Shellmound St., Emeryville, California (510) 655-74	94608
PROJECT NAME: Standard Brands CASE NO.: 03-4603B ENVIRON SAMPLE ID.	COLLECTION DATE	COLLECTED BY (initials)	MATRIX	TOTAL NO. OF CONTAINERS	7	1 E. C. 17 SES.	19 1 (0) 0 th								//		COMMENTS	S
CPT-48-46.5-51,5	5/17/ 95	Rc.	water	ア	3	1	3										STANDARD TAT	···
CPT-1-30-35	1/1/95	D.C.	warer	7	3	1	3										Level 2 Rego	<u> </u>
/C PT-2 ~ 31~36	195	100	אפשטנון	17	3	1	3										Please send	
/CPT-3-31-36	3/7/ 195	P.C.	mater	7	3	1.	3	ļ		-							results no	······································
CPT-3D-31-36	5/17/ 25	P.C.	WATER	7	3	1	3				ļ	<u> </u>					Kim SoliTE	
		ļ	ļ					-			ļ				ļ 			
A-12-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	<u> </u>	-		ļ					 							ļ		
**************************************	-	-		-				ļ			 				<u> </u>	 		
TOTAL	\times	\times	>															
Relinquished by:	·	<u> </u>	Date: 5/17/9:	\$	Tim	e: 50	Rec	eive	d by	j. Zol	r			mpa <u>Hac</u>	ny:	LAB	. ,	ne: :50
																		

Counsel in Health and Environmental Science

Relinquished by:

CHAIN-of-CUSTODY FORM

Sheet LOT 5820 Shellmound St., Suite 700 Emeryville, California 94608

(510) 655-7400

18-3	PROJECT NAME: Standard Brands Place I Six Investigation CASE NO.: 03-4603B ENVIRON SAMPLE ID.	COLLECTION DATE	COLLECTED BY (initials)	MATRIX	TOTAL NO. OF CONTAINERS	4	75/0 × 60/5E.	12 18 18 13	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		//	7	7	COMMENTS
B-11	<u>√8-2</u>	5-17	HUD	water		X	X	i						
B-11	18-3	517	mo	water	7	X	X	X						 aranad
18-3@6.0-6.5 511 HND soil 1 X X X Please send results 8-11 @ 4.5-5.0 511 HND soil 1 X X X Q QHEATTON KIM Water 2 X X Q QHEATTE Caport	<u> 18-11</u>	517	mo	water	046	X	X	X-						TEPH/TPH/6 au
18-7 @ 6.0-6.5 517 HLD Soil X X X Please send results B-11 @ 4.5-5.0 517 HLD Soil X X X attention kim Whit; 150 \$\phi 51745 \text{TB} \text{517 HLD water } 2 \text{ X } \text{ X } Incompare the proof of the pr	VB-11D					X		X						EPA 8015 modified
B-3 @ 6.0-6.5	1B-2@ 6.0-6.5	517	HLD	Soil	1	X	X	X	-11 - ,					
B-11 @ 4.5-5.0 5-17 HzD soil 1 × x x 1 attention kim Witz VSB Ø51795 TB 5-17 HzD water 2 X X 1 level I Report	18-30 6.0-6.5	517	HUD	soil	1	X	X	7	***********		 			Ploase send vosults
VSB Ø51795 TB 517 HD Water 2 1/X X Level II Paport	B-11 @ 4.5 -5.0	5-17	HID	Soil	1	X	X	./						
	VSB Ø51795 TB	517	HLO	water	2	X		X						A COLUMN TO THE STATE OF THE ST
										 				LOVEL TO POMY+
IUIAL IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	TOTAL	\times	X	><										 TOUR I ALL DEPORT

Relinquished by: Heide Deliferback	Date: <u>5-17-95</u>	Time: 1650	Received by:	Company: <u>CHROMALAB</u>	Date: 5/17/95	Time: 16:48
	·					
						

Facsimile Cover Letter

Contract Number: 03-4603B (Standard Brands Phase 1 site investigation)

Date:

May 26, 1995

Subject:

Clearance to test samples.

Confidential:

No

Total No. of Pages (including cover page):

To:

Gary Cook

Company:

Chromalab

Location:

1220 Quarry Lane, Pleasanton, CA

Fax No.: 510-484-1096

From: Jake Russin & Kim Jolitz

Extension: 247

Time Transmitted: 5:02 pm

Operator:

1 130 222 Add to 9505222 Hod D Time up 5/31

Comments/Instructions: Please proceed with the analyses of samples from our borings B-3 and B-11. Our reason to hold these analyses has been cleared. A copy of the chain of custody form is attached.

Please call immediately if the fax you receive is incomplete or illegible.

CHAIN-of-CUSTODY FORM

Sheet Of 5820 Shellmon, St., State 700 Emeryville, Caffornia 94608 (510) 655-7400

	4	T	1	T	1	····	y			,							(310) 655-7400
PROJECT NAME: Standard Brunds Phase I. SI'P Invastigation CASE NO.: 03-4603B	OLLECTION DATE	COLLECTED BY (Initials)	MATRIX	TOTAL NO. OF	A	0 × 6.2 / SE.O.	12/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/	13 7 8 8 8 8 8 7 V	1 to 1	/	//		/] 		;
ENVIRON SAMPLE ID.	Ö				\delta E			<u> </u>									COMMENTS
B-2- V	5.17	HUD	Water	コ	Х	×	X										Standard-turn-
B-3	6{7	mo	Walox	7	X	X	X			————. I				 		†	aland
B-11	517	KLD	Wuter	1116	X	X	X	 						 -		ļ	11
B-11 D			water		X		X					 	ļ			 	TEPH/TPH/6 by EPA 8015 modified
B-2 @ 6.0-6.5	5-(7	HID	Soil	1	X	X	X						-	ļ			CTIT BUIS [NOUN IX]
B-3@ 6.0-6.5		t	501	1	X	X	X]				· · · · · · · · · · · · · · · · · · ·	<u> </u>	Plane med variety
B-11 0 4.5 - 5.0	1	†	Soll	1	X	X	X								ļ		Planse send vosults
58 \$51795 TB	f	 		2	<u>\ </u>	^	X	 							! 		atlantion kim Jaitz
טונזוויק טי	 	""	**414								<u> </u>	 				 	
TOTAL																	1010 T. Raport
·TOTAL								Ī				1	1				. =======

Ivadi Noblewool	Date: <u>5-17-95</u>	Time:	Received by:	Company:	Date: 5/11/65	Time:

				1		-

SENT BY:ENVIRON-Emeryville

: 5-26-85 : 5:

51085565171

510 454 10951#

Laboratory Report for Hydrocarbon Fuel Scan of Soil Samples Sampling Date: May 15, 1995

Friedman and Bruya, Inc. Report Date: May 19, 1995


Sample Locations


B-4


B-5


B-7


B-9













Laboratory Report for Ground Water Grab Sample Sampling Date: May 18, 1995

Chromalab Environmental Services Submission Number: 9505246 Report Date: June 5, 1995

Sample Location CPT-8





Environmental Services (SDB)

June 5, 1995

Submission #: 9505246

ENVIRON 5820 Shellmound St., Suite 700 Emeryville, CA 94608

Attn: Kim Jolitz

RE: Analysis for project STANDARD BRANDS, number 03-4603B.

REPORTING INFORMATION

Samples were received cold and in good condition on 05/18/95. They were refrigerated upon receipt and analyzed as described in the attached report. ChromaLab followed EPA or equivalent methods for all testing reported.

No discrepancies were observed or difficulties encountered with the testing.

SAMPLES SUBMITTED IN THIS REPORT

Client Sample ID	<u> Matrix</u>	Date collected	Sample #
CPT-8-8-13	WATER	May 18, 1995	89105
SB051895TB	WATER	May 18, 1995	89106

Till Thomas

Quality Assurance Manager

Eric Tam

Laboratory Director

Environmental Services (SDB)

May 25, 1995

Submission #: 9505246

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 18, 1995

Project#: 03-4603B

One sample for Volatile Halogenated Organics analysis.

Sample ID: CPT-8-8-13

Spl#: 89105 Sampled: May 18, 1995 Matrix: WATER

Run#: 6802

Analyzed: May 23, 1995

Method: EPA 8010

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	104
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	109
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-I, 3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	101
BROMOFORM	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	

Oleg Nemtsov Chemist

Ali Kharrazi Organic Manager

Environmental Services (SDB)

May 25, 1995

Submission #: 9505246

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 18, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: SB051895TB

Spl#: 89106

Matrix: WATER

Sampled: May 18, 1995

Run#: 6802 Method: EPA 8010

Analyzed: May 23, 1995

ANALYTE	RESULT	REPORTING LIMIT (ug/L)	BLANK RESULT (ug/L)	BLANK SPIKE RESULT (%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	104
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	109
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	109
BROMODICHLOROMETHANE	N.D.	0.5	M.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	и.D.	
IRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	- -
CHLOROBENZENE	N.D. N.D.	0.5	N.D.	
BROMOFORM	й.р.	0.5	N.D.	101
1 1 2 2 TETER CIT OF CERTARY	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE 1,3-DICHLOROBENZENE	Ŋ.D.	0.5	N.D.	
1 A DICH ODODENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	~ ~
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	
		<i>f</i> .	10 .	

Oleg Nemtsov

Chemist

Organic Manager

Environmental Services (SDB)

May 25, 1995

Submission #: 9505246

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 18, 1995

re: Matrix spike report for Volatile Halogenated Organics analysis.

Matrix: WATER

Lab Run#: 6802

Instrument: GC/MS-VOL-O

Analyzed: May 23, 1995

Method: EPA 8010

	Spiked		8	Dup			%
	Sample	Spike	Spike	Spike	Control	ક્ર	RPD
Analyte	Result	Amt	Rec_	Rec	Limits	RPD	Lim
1,1-DICHLOROETHENE	N.D. ug/L	20 ug/L	70.0	88.0	56-118	23*	20
TRICHLOROETHENE	N.D. uq/L	20 ug/L	101	99.0	78-129	2.0	20
CHLOROBENZENE	N.D. ug/L	20 ug/L	98.0	99.0	70-120	1.0	20

Sample Spiked: 89105 Submission #: 9505246 Client Sample ID: CPT-8-8-13

* All other QC data for the batch is within acceptable limits.

CHROMALAB, INC. SAMPLE RECEIPT CHECKLIST

Client Name ENVIRON	Date/Time Received 5/18/55-16/
Project	Received by PSous Date / Time
Reference/Subm # 22021 /9505246	Carrier name
Checkled completed 5/19/95 by: Signature / Date	Logged in by TH 5/18/93 Matrix HZ O Initials / Date
Shipping container in good condition?	NAYesNo
Custody seals present on shipping contain	er? IntactBrokenYesNo
Custody seals on sample bottles?	IntactBrokenYesNo
Chain of custody present?	Yes_V No
Chain of custody signed when relinquished	and received? YesNo
Chain of custody agrees with sample label	s? Yes No
Samples in proper container/bottle?	Yes_No
Samples intact?	YesNo
Sufficient sample volume for indicated te	st? YesNo
VOA vials have zero headspace?	NA YesNo
Trip Blank received?	NAYes/No
All samples received within holding time? Container temperature? 50	Yes No
pH upon receiptpH adjusted	Check performed by: NA
Any NO response must be detailed in the applicable, they should be marked NA.	
Client contacted?	Date contacted?
Person contacted?	Contacted by?
Regarding?	
Comments:	
······································	
Corrective Action:	

Environmental Services (SDB)

June 15, 1995

Submission #: 9505246

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Project#: 03-4603B

Received: May 18, 1995

re: Surrogate report for 2 samples for Gasoline and BTEX analysis.

Matrix: WATER

Lab Run#: 6861 Analyzed: May 30, 1995

Method: EPA 5030/8015M/602/8020

Sample#	Client Sample ID	Surrogate	% Recovered
89105	CPT-8-8-13	TRIFLUOROTOLUENE	117
89106	SB051895TB	TRIFLUOROTOLUENE	102
Sample#	OC Sample Type	Surrogate	% Recovered
90366	Method blank (MDB)	TRIFLUOROTOLUENE	98
90368	Blank Spike (BSP)	TRIFLUOROTOLUENE	76

24	0/E	3 (<u>?0</u>	<u>5-</u>	<u>පැ</u>	100
<u>E N</u>	1 , A	<u>I P</u>	O	N	

Counsel in Health and Environmental Science

- 1966 7 - 150534 - 2611 66 - 61633 - 1892 660 - 653 - - 05535 65 - 653 - 170 - 1

actor

Sheet Of 5820 Shellmound St., Suite 700 Emeryville, California 94608 (510) 655-7400

RF

PROJECT NAME: STANDARD Brands CASE NO.: 03-46030 ENVIRON SAMPLE ID.	COLLECTION DATE	COLLECTED BY (initials)	MATRIX	TOTAL NO. OF	50, AM.	200 F. Co. 7 1 86.00		ŽŽ	<u> </u>	//				COMMENTS
CPT-8-8-13	7/14/	P.C.	mater	7	X	X	<u></u> X							spandard TAT
5BØ518957B	199	Pc	water	3	X		X						1	Cevel II Revort
														Results 10
Market 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							İ				 			Kim Solitz
														* RECEIVED OF
TOTAL	\times	X	\times											

Relinquished by:	Date: 5//8/95		Received by: Refin dan	Company:	Date: <u>5/18/9,</u>	Time: <u>/6:16</u>

Environmental Services (SDB)

June 1, 1995

Submission #: 9505246

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Received: May 18, 1995

FANDARD BRANDS Project#: 03-4603B

re: 2 samples for Gasoline and BTEX analysis.

Matrix: WATER

Sampled: May 18, 1995 Run#: 6861

Method: EPA 5030/8015M/602/8020

Analyzed: May 30, 1995

Spl # CLIENT SMPL ID	Gasoline (mg/L)	Benzene (uq/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)
89105 CPT-8-8-13	4.2	N.D.	1.1	N.D.	N.D.
89106 SB051895TB	N.D.	N.D.	N.D.	N.D.	N.D.
Reporting Limits	0.05	0.5	0.5	0.5	0.5
Blank Result	N.D.	N.D.	N.D.	N.D.	N.D.
Blank Spike Result (%)	84	95	93	93	99

Jack Kelly Chemist

Environmental Services (SDB)

June 5, 1995

Submission #: 9505246

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 18, 1995

re: Blank spike and duplicate report for 2 samples for Gasoline and BTEX analysis

Matrix: WATER
Lab Run#: 6861

Extracted: May 23, 1995 Analyzed: May 25, 1995

Method: EPA 5030/8015M/602/8020

Analyte	Spike Amt	% Spike Rec	Dup Spike Rec	Control Limits	% RPD	% RPD Lim
BENZENE	5.0 ug/L	95.0	0.0	80-127	N/A	20
TOLUENE	5.0 ug/L	93.0	0.0	80-122	N/A	20
ETHYL BENZENE	5.0 ug/L	93.0	0.0	81-119	N/A	20
XYLENES	15 ug7L	99.0	0.0	83-125	N/A	20

Reagent spike sample #:90370 Duplicate spike sample #:90368

Environmental Services (SDB)

May 25, 1995

Submission #: 9505246

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Project#: 03-4603B

Received: May 18, 1995

re: Surrogate report for 2 samples for Volatile Halogenated Organics

analysis.

Matrix: WATER Lab Run#: 6802 Method: EPA 8010

Analyzed: May 23, 1995

Sample#	Client Sample ID	Surrogate	% Recovered	
89105 89106	CPT-8-8-13 SB051895TB	1,4-DICHLOROBUTANE 1,4-DICHLOROBUTANE	107 107	
Sample#	OC Sample Type	Surrogate	% Recovered	
89886 89887 89888	Method blank (MDB) Blank Spike (BSP) Matrix spike (MS)	1,4-DICHLOROBUTANE 1,4-DICHLOROBUTANE	115 101	
89889	Matrix spike duplicate	1,4-DICHLOROBUTANE (MSD)1,4-DICHLOROBUTANE	111 114	SPK1 SPK2

OCSURR OLEO 25-May-96 08:52:29

Environmental Services (SDB)

May 25, 1995

Submission #: 9505246

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 18, 1995

Project#: 03-4603B

1 sample for Total Extractable Petroleum Hydrocarbons (TEPH)

Sampled: May 18, 1995

Method: EPA 3510/8015M

Matrix: WATER Extracted: May 23, 1995 Run#: 6788 Analyzed: May 25, 1995

Kerosene Diesel Motor Oil Spl # CLIENT SMPL ID (ug/L) (ug/L) (ug/L)

89105 CPT-8-8-13 N.D. N.D. Unknown hydrocarbons in the Kerosene range were found, conc. = 2500 ug/L. *Note:*

Note: Compounds in the Diesel range do not match any of our petroleum hydrocarbon standard profiles. Compared to our Diesel standard, amount is 1400 ug/L.

Reporting Limits

Blank Result

Blank Spike Result (%)

50 N.D.

50 N.D. 500

87

N.D.

Singt alulation

Sirirat (Sindy) Chullakorn

Chemist

Ali Kharrazi

Organic Manager

Environmental Services (SDB)

June 5, 1995

Submission #: 9505246

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS Received: May 18, 1995

Project#: 03-4603B

Blank spike and duplicate report for 1 sample for Total Extractable Petroleum

Hydrocarbons (TEPH) analysis.

Matrix: WATER Lab Run#: 6788

>thod: EPA 3510/8015M

Extracted: May 23, 1995

Analyzed: May 25, 1995

	Spike	% Spike	Dup Spike	Control	ક	% RPD
Analyte	<u>Amt</u>	Rec	Rec	Limits	RPD	Lim
DIESEL	200 ug/L	86.9	94.3	60-130	8.2	20

Reagent spike sample #:89671 Duplicate spike sample #:89670

Environmental Services (SDB)

June 15, 1995

Submission #: 9505246

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS

Received: May 18, 1995

Project#: 03-4603B

Surrogate report for 1 sample for Total Extractable Petroleum

Hydrocarbons (TEPH) analysis.

Matrix: WATER Extracted: May 23, 1995 Lab Run#: 6788 Analyzed: May 24, 1995

Method: EPA 3510/8015M

Sample# Client Sample ID <u>Surrogate</u> <u>Recovered</u> 89105 CPT-8-8-13 O-TERPHENYL 107 ૠ Sample# QC Sample Type Surrogate Recovered 89669 Method blank (MDB) O-TERPHENYL 105 89670 Blank Spike (BSP) O-TERPHENYL 108 Blank Spike Duplicate (BSD) O-TERPHENYL 89671

109

Laboratory Report for Ground Water Grab Sample Sampling Date: June 9, 1995

Chromalab Environmental Services Submission Number: 9506125 Report Date: June 19, 1995

> Sample Location CPT-4R

Environmental Services (SDB)

RECEIVED

JUL 2 1 1995

ENVIRON

July 19, 1995

Submission #: 9506125

ENVIRON

5820 Shellmound St., Suite 700

Emeryville, CA 94608

Attn: Kim Jolitz

RE: Analysis for project STANDARD BRANDS PHASE 2, number 03-4603D.

REPORTING INFORMATION

Samples were received cold and in good condition on June 9, 1995. They were refrigerated upon receipt and analyzed as described in the attached report. ChromaLab followed EPA or equivalent methods for all testing reported.

No discrepancies were observed or difficulties encountered with the testing.

Please call us if you have questions regarding them.

SAMPLES SUBMITTED IN THIS REPORT

Client Sample ID	<u> Matrix</u>	<u>Date collected</u>	Sample #
CPT-4-46.5-49.5	WATER	June 9, 1995	91791
SB060995TB	WATER	June 9, 1995	91792

Jill Thomas

Quality Assurance Manager

Eric Tam

Laboratory Director

Environmental Services (SDB)

RECEIVED

JUN 23 1995

ENVIRON

June 16, 1995

Submission #: 9506125

Analyzed: June 15, 1995

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE 2

Project#: 03-4603D

Received: June 9, 1995

Sampled: June 9, 1995

2 samples for Gasoline and BTEX analysis.

Matrix: WATER

Method: EPA 5030/8015M/602/8020

Spl # CLIENT SMPL ID	Gasoline (mg/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)
91791 CPT-4-46.5-49.5	N.D.	N.D.	N.D.	N.D.	N.D.
91792 SB060995TB	N.D.	N.D.	N.D.	N.D.	N.D.
Reporting Limits	0.05	0.5	0.5	0.5	0.5
Blank Result	N.D.	N.D.	N.D.	N.D.	N.D.
Blank Spike Result (%)	86	110	109	111	111

Run: 7188-B

Billy Thach

Chemist

Environmental Services (SDB)

July 19, 1995

Submission #: 9506125

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE 2

Project#: 03-4603D

Received: June 9, 1995

re: Matrix spike report for Gasoline and BTEX analysis.

Matrix: WATER

Lab Run#: 7188 Instrument: GC1-4

ent: GC1-4 Analyzed: June 15, 1995

Method: EPA 5030/8015M/602/8020

Analyte	Spiked Sample <u>Result</u>	Spike Amt	% Spike Rec	Dup Spike Rec	Control Limits	% RPD	% RPD Lim
GASOLINE	N.D. mg/L	1.0 mg/L	86		80-118	N/A	N/A
BENZENE TOLUENE	N.D. ug/L N.D. ug/L	20 ug/L 20 ug/L		88.0 88.0	80-127 80-122	7.7	20 20
ETHYL BENZENE	N.D. ug/L	20 ug/L		88.0	81-119	7.7	20
XYLENES	N.D. ug/L	60 ug/L	93.0	87.0	83-125	6.7	20

Sample Spiked: 91803
Submission #: 9506127
Client Sample ID: FS22-5

Environmental Services (SDB)

July 19, 1995

Submission #: 9506125

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE 2

Project#: 03-4603D

Received: June 9, 1995

re: Surrogate report for 2 samples for Gasoline and BTEX analysis.

Matrix: WATER

Lab Run#: 7188 Analyzed: June 15, 1995

Method: EPA 5030/8015M/602/8020

			%
Sample#	Client Sample ID	Surrogate	Recovered
91791	CPT-4-46.5-49.5	TRIFLUOROTOLUENE	96
91792	SB060995TB	TRIFLUOROTOLUENE	111
			%
Sample#	QC Sample Type	Surrogate	Recovered
92590	Method blank (MDB)	TRIFLUOROTOLUENE	101
92588	Blank Spike (BSP)	TRIFLUOROTOLUENE	106

DY FORM

Sheet , Of \ 5820 Shellmound St., Suite 700 Emeryville, California 94608

-	N	V	1	K	ON				
οu	nsel in h	iealth a	nd En	vironm	nental Science				

(510) 655-7400 PROJECT NAME: COLLECTION DATE COLLECTED BY (initials) STD BRANDS PHASE 2 REMEDIAL DESIGN MATRIX HOLD ON CASE NO .: 03-4603P 8010+ Freen 113 AND TEPH ANALYSES **ENVIRON SAMPLE ID.** COMMENTS 945 JR WATTER 7 CPT-4-46.5-49.5 PLEASE COMPARE 45 KT WATER 6 SB060995TB TO PREVIOUS RESULTS & FREDHAN-BRUYA PROVIDED HATERIAL STANDARD TURN AROUND TIME RESULTS: KIM JOUTZ TOTAL 多3

Relinguist	by:	Olita	
Jana J	# /		\sum
			フ

Date: Time: Received by: Company: Date: Time:

Laboratory Report for Monitoring Well Water Samples Sampling Date: June 15, 1995

Chromalab Environmental Services Submission Number: 9506215 Report Date: June 23, 1995

Sample Locations

MW1

MW2

MW3

MW4

MW5

Environmental Services (SDB)

RECEIVED

AUG 1 5 1995

ENVIRON

Date Revised: August 9, 1995

ENVIRON Submission #: 9506215

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II Project#: 03-4603D

REPORTING INFORMATION

Samples were received cold and in good condition on June 15, 1995. They were refrigerated on receipt, and analyzed on the date shown on the attached report. ChromaLab followed EPA or equivalent methods for all analyses reported.

For samples MWl 061595 and MW2 the initially reported BTEX surrogate recoveries were from the first run. The report has been revised to show the results of the reanalysis.

No difficulties were encountered with the analysis.

Jill Thomas

Quality Assurance Manager

Eric Tam

Laboratory Director

Environmental Services (SDB)

June 22, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II Project#: 03-4603D

Received: June 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: MW1 061595

Spl#: 92713

Matrix: WATER

Sampled: June 15, 1995

Run: 7295-0 Analyzed: June 20, 1995

Method: EPA 8010

notice. Elli out		REPORTING	BLANK	BLANK SPIKE
,	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(uq/L)	(ug/L)	(왕)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	- -
CHLOROETHANE	N.D.	0.5	N.D.	- -
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	95
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	- -
CHLOROFORM	N.D.	0.5	N.D.	- -
1,1,1-TRICHLOROETHANE	N.D.	000000000000000000000000000000000000000	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	-
1,2-DICHLOROETHANE	$\mathbf{N} \cdot \mathbf{D} \cdot$	0.5	Ŋ.D.	175
TRICHLOROETHENE	N.D.	0.5	Ŋ.D.	115
	N.D.	ŭ - 5	Ŋ.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	- - -
2-CHLOROETHYLVINYL ETHER	N.D.	Ď.5	N.D.	
TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D. N.D.	
	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	V. 2	N.D.	108
CHLOROBENZENE	N.D. N.D.	0.5	N.D.	
BROMOFORM		0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	- -
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	- -
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE TRICHLOROTRIFLUOROETHANE		0.5	N.D.	-~
/	N.D.	. 1	11/1	
Reg Newson		Al.	Kh	
i .		11	•	

Oleg Nemtsov

Chemist

Environmental Services (SDB)

Revised from August 8, 1995

August 9, 1995 Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II Project#: 03-4603D

Received: June 15, 1995

re: Surrogate report for 7 samples for Gasoline and BTEX analysis.

Matrix: WATER

Lab Run#: 7244 Analyzed: June 19, 1995

Method: EPA 5030/8015M/602/8020

			%	
Sample#	Client Sample ID	_Surrogate	Recovered	
92713	MW1 061595	TRIFLUOROTOLUENE	105	
92714	MW2 061595	TRIFLUOROTOLUENE	106	
92715	MW3 061595	TRIFLUOROTOLUENE	99	
92716	MW3 061595D	TRIFLUOROTOLUENE	105	
92717	MW4 061595	TRIFLUOROTOLUENE	105	
92718	MW5 061595	TRIFLUOROTOLUENE	100	
92719	MWTB 061595	TRIFLUOROTOLUENE	103	
			8	
<u>ample#</u>	OC Sample Type	Surrogate	Recovered	
93019	Method blank (MDB)	TRIFLUOROTOLUENE	106	
93021	Blank Spike (BSP)	TRIFLUOROTOLUENE	98	
93023	Matrix spike (MS)	TRIFLUOROTOLUENE	98	SPC1
93024	Matrix spike duplicate	(MSD)TRIFLUOROTOLUENE	100	5PIC2

Environmental Services (SDB)

June 22, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II

Project#: 03-4603D

Received: June 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: MW2 061595

Spl#: 92714 Matrix: WATER

Sampled: June 15, 1995 Run: 7295-0 Analyzed: June 20, 1995

ethod: EPA 8010

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(uq/L)	(uq/L_)	(왕)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5 0.5 0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	95
ETHYLENE CHLORIDE	N.D.	0.5	N.D.	
RANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	115
1,2-DICHLOROPROPANE	N.D.	0.5	Ŋ.D.	
ROMODICHLOROMETHANE	N.D. N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D. N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D.	0.5 0.5	N.D.	108
BROMOFORM	N.D.	0.5	N.D. N.D.	108
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	

Oleg Nemtsov

Deg Newson

Chemist

Environmental Services (SDB)

June 22, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II Project#: 03-4603D

Received: June 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: MW3 061595

Spl#: 92715 Sampled: June 15, 1995

Matrix: WATER

Run: 7295-0

Analyzed: June 20, 1995

Method: EPA 8010

220. 0020		DEDODETIC	DT 3377	D. 3377 (D. 777)
	Description	REPORTING	BLANK	
3 3 7 3 7 3 rmm	RESULT	LIMIT	RESULT	
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(왕)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	95
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	0.9	0.5	N.D.	- -
CIS-1,2-DICHLOROETHENE	1.9	000000000000000000000000000000000000000	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	- -
CHLOROFORM	N.D.	55555555	N.D.	- -
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5 0.5 0.5	N.D.	- -
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	1.7	0.5	N.D.	115
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	- -
2-CHLOROETHYLVINYL ETHER	N.D.	0.5 0.5 0.5	N.D.	- -
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	- -
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	- -
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	- -
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	- -
CHLOROBENZENE	N.D.	0.5	N.D.	108
BROMOFORM	N.D.	0.5	N.D.	- -
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	- -
1,3-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	- -
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	

Oley Newson

Chemist

Organic Manager

Environmental Services (SDB)

June 22, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II

Project#: 03-4603D

Received: June 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: MW5 061595

Spl#: 92718 Matrix: WATER

Sampled: June 15, 1995 Run: 7295-0 Analyzed: June 20, 1995

ethod: EPA 8010

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	95
ETHYLENE CHLORIDE	N.D.	0.5	N.D.	
'RANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	и.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	115
1,2-DICHLOROPROPANE	Ŋ.D.	0.5	N.D.	
ROMODICHLOROMETHANE	й.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	Ŋ.D.	
TRANS-1, 3-DICHLOROPROPENE	N.D.	0.5	Ŋ.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE TETRACHLOROETHENE	N.D.	0.5	Ŋ.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	7.00
BROMOFORM	N.D.	0.5	N.D.	108
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,1,2,2-1EIRACHLOROEIHANE 1,3-DICHLOROBENZENE	N.D.	0.5 0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
TRICHLOROTRIFLUORQETHANE	N.D.		N.D.	- -
TRICHBORUTRIFLUORGETHANE	N.D.	0.5	N.D.	~ -
Oleg Newson		Ah. K	h	

Oleg Nemtsov

Chemist

Environmental Services (SDB)

June 22, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

STANDARD BRANDS PHASE II

Project#: 03-4603D

Received: June 15, 1995

One sample for Volatile Halogenated Organics analysis.

Sample ID: MWTB 061595

Spl#: 92719

Matrix: WATER

Sampled: June 15, 1995 Method: EPA 8010

Run: 7295-0 Analyzed: June 20, 1995

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(uq/L_)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	95
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	 -
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	<u> </u>
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	$ \underline{\mathbf{N}} \cdot \underline{\mathbf{D}} $	0.5	N.D.	115
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	- -
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	Ŋ.D.	
TETRACHLOROETHENE DIBROMOCHLOROMETHANE	N.D.	0.5	Ŋ.D.	
CHLOROBENZENE	N.D.	0.5	Ŋ.D.	
BROMOFORM	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D. N.D.	0.5 0.5	N.D.	
	N.D. N.D.	0.5	N.D.	- -
1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE	N.D.	0.5 0.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D. N.D.	- -
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D. N.D.	
TRICHLOROTRIFLOOROETHANE	14.17.		N.D.	- -

Oleg Newson

Chemist

Environmental Services (SDB)

July 31, 1995

ENVIRON

Submission #: 9506215

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II Project#: 03-4603D

Received: June 15, 1995

re: Blank spike report for 7 samples for Volatile Halogenated

Organics analysis.

Matrix: WATER
Lab Run#: 7295
Method: EPA 8010

Analyzed: June 20, 1995

	Spike	Spike	Control
Analyte	Amt	Rec	Limits
CHLOROBENZENE	100 ug/L	95	78-129
1,1-DICHLOROTHENE	100 ug/L	108	56-118
TRICHLOROETHENE	100 ug/L	115	70-120

Spike blank sample #: 93396

Environmental Services (SDB)

June 29, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II

Project#: 03-4603D

Received: June 15, 1995

re: Surrogate report for 7 samples for Volatile Halogenated Organics

analysis.

Matrix: WATER Lab Run#: 7295

Analyzed: June 20, 1995

Method: EPA 8010

			%
Sample#	Client Sample ID	Surrogate	Recovered
92713	MW1 061595	1,4-DICHLOROBUTANE	101
92714	MW2 061595	1,4-DICHLOROBUTANE	98
92715	MW3 061595	1,4-DICHLOROBUTANE	96
92716	MW3 061595D	1,4-DICHLOROBUTANE	105
92717	MW4 061595	1,4-DICHLOROBUTANE	101
92718	MW5 061595	1,4-DICHLOROBUTANE	101
92719	MWTB 061595	1,4-DICHLOROBUTANE	100
			96
Sample#	QC Sample Type	Surrogate	Recovered
93395	Method blank (MDB)	1,4-DICHLOROBUTANE	103
93396	Blank Spike (BSP)	1,4-DICHLOROBUTANE	100

Environmental Services (SDB)

June 22, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II

Project#: 03-4603D

Received: June 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: MW3 061595D

Spl#: 92716 Matrix: WATER

Sampled: June 15, 1995 Run: 7295-0 Analyzed: June 20, 1995

'ethod: EPA 8010

		REPORTING	BLANK	BLANK SPIKE
	RESULT	LIMIT	RESULT	RESULT
ANALYTE	(ug/L)	(ug/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	- -
BROMOMETHANE	N.D.	0.5	N.D.	- -
CHLOROETHANE	N.D.	0.5	N.D.	- -
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	-
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	95
ETHYLENE CHLORIDE	N.D.	0.5	N.D.	
'RANS-1,2-DICHLOROETHENE	0.7	0.5	N.D.	- -
CIS-1,2-DICHLOROETHENE	1.3	0.5	N.D.	
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5	N.D.	
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	0.9	0.5	N.D.	115
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	
ROMODICHLOROMETHANE	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	${f N}$. ${f D}$.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	Ŋ.D.	0.5	N.D.	108
BROMOFORM	N.D.	0.5	$\mathtt{N}.\mathtt{D}.$	
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE	N.D.	0.5	Ŋ.D.	
1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE	N.D.	0.5	Ŋ.D.	
	N.D.	0.5	N.D.	- -
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	- -

Oleg Nemtsov

Oley Newson

Chemist

Environmental Services (SDB)

June 22, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II

Project#: 03-4603D

Received: June 15, 1995

re: One sample for Volatile Halogenated Organics analysis.

Sample ID: MW4 061595

Spl#: 92717 Matrix: WATER

Sampled: June 15, 1995 Run: 7295-0 Analyzed: June 20, 1995

Method: EPA 8010

		REPORTING	שוג אוע	BLANK SPIKE
	חפמוד ווו			
3 3 7 3 7 3 7 M T	RESULT	LIMIT	RESULT	
ANALYTE	(ug/L)	(uq/L)	(ug/L)	(%)
CHLOROMETHANE	N.D.	0.5	N.D.	
VINYL CHLORIDE	N.D.	0.5	N.D.	
BROMOMETHANE	N.D.	0.5	N.D.	
CHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROFLUOROMETHANE	N.D.	0.5	N.D.	- -
1,1-DICHLOROETHENE	N.D.	0.5	N.D.	95
METHYLENE CHLORIDE	N.D.	0.5	N.D.	
TRANS-1,2-DICHLOROETHENE	N.D.	0.5	N.D. N.D.	
CIS-1,2-DICHLOROETHENE	N.D.	0.5	N.D.	- -
1,1-DICHLOROETHANE	N.D.	0.5	N.D.	
CHLOROFORM	N.D.	0.5		
1,1,1-TRICHLOROETHANE	N.D.	0.5	N.D.	
CARBON TETRACHLORIDE	N.D.	0.5	N.D.	- -
1,2-DICHLOROETHANE	N.D.	0.5	N.D.	
TRICHLOROETHENE	N.D.	0.5	N.D.	115
1,2-DICHLOROPROPANE	N.D.	0.5	N.D.	- -
BROMODICHLOROMETHANE	N.D.	0.5	N.D.	
2-CHLOROETHYLVINYL ETHER	N.D.	0.5	N.D.	
TRANS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	- -
CIS-1,3-DICHLOROPROPENE	N.D.	0.5	N.D.	
1,1,2-TRICHLOROETHANE	N.D.	0.5	N.D.	
TETRACHLOROETHENE	N.D.	0.5	N.D.	- -
DIBROMOCHLOROMETHANE	N.D.	0.5	N.D.	
CHLOROBENZENE	N.D.	0.5	N.D.	108
BROMOFORM	N.D.	0.5	N.D.	
1,1,2,2-TETRACHLOROETHANE	N.D.	0.5	N.D.	
1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,4-DICHLOROBENZENE	N.D.	0.5	N.D.	
1,2-DICHLOROBENZENE	N.D.	0.5	N.D.	- -
TRICHLOROTRIFLUOROETHANE	N.D.	0.5	N.D.	
1 (i		_		

Reg Newbor

Chemist

Environmental Services (SDB)

June 23, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II Project#: 03-4603D

Received: June 15, 1995

re: 6 samples for Total Extractable Petroleum Hydrocarbons (TEPH)

Extracted: June 19, 1995 Matrix: WATER Sampled: June 15, 1995 Run: 7294-D Analyzed: June 22, 1995

Method: EPA 3510/8015M

Spl # CLIENT SMPL ID		Diesel (ug/L)	
92713 MW1 061595	N.D.	N.D.	N.D.
<i>92714</i> MW2 061595	N.D.		N.D.
<i>92715</i> MW3 061595	N.D.	800	N.D.
Note: HYDROCARBON IN KEROSENE RA BY 2X DUE TO DILUTION	NGE. CONC.=3800	μg/L REPORTII	NG LIMITS RAISED
<i>92716</i> MW3 061595D	N.D.	440	N.D.
Note: HYDROCARBON IN KEROSENE RA BY 2X DUE TO DILUTION	NGE. CONC.=2570	μg/L REPORTII	NG LIMITS RAISED
2717 MW4 061595	N.D.	N.D.	N.D.
92718 MW5 061595	N.D.	N.D.	N.D.
Reporting Limits	50	50	500
Blank Result	N.D.	N.D.	N.D.
Blank Spike Result (%)		73	- -

Chemist

Environmental Services (SDB)

June 23, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II

Project#: 03-4603D

Received: June 15, 1995

re: Blank spike and duplicate report for 6 samples for Total Extractable Petrole

Hydrocarbons (TEPH) analysis.

Matrix: WATER
Lab Run#: 7294

Extracted: June 19, 1995

Method: EPA 3510/8015M

Analyzed: June 22, 1995

 Spike
 Spike
 Spike
 Spike
 Control

 Analyte
 Amt
 Rec
 Rec
 Limits
 RPD
 Lim

 DIESEL
 200 ug/L
 72.9
 73.2
 60-130
 0.4
 20

Reagent spike sample #:93394 Duplicate spike sample #:93393

Environmental Services (SDB)

June 23, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II Project#: 03-4603D

Received: June 15, 1995

Surrogate report for 6 samples for Total Extractable Petroleum

Hydrocarbons (TEPH) analysis.

Matrix: WATER Extracted: June 19, 1995 Lab Run#: 7294 Analyzed: June 20, 1995

athod: EPA 3510/8015M

			્
Sample#_	Client Sample ID	Surrogate	Recovered
92713	MW1 061595	O-TERPHENYL	91
92714	MW2 061595	O-TERPHENYL	97
92715	MW3 061595	O-TERPHENYL	100
<i>92716</i>	MW3 061595D	O-TERPHENYL	67
92717	MW4 061595	O-TERPHENYL	72
92718	MW5 061595	O-TERPHENYL	71
			8
<u>ample#</u>	QC Sample Type	Surrogate	Recovered
93392	Method blank (MDB)	O-TERPHENYL	93
93393	Blank Spike (BSP)	O-TERPHENYL	102
93394	Blank Spike Duplicate	(BSD) O-TERPHENYL	99

Environmental Services (SDB)

June 23, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II

Project#: 03-4603D

Received: June 15, 1995

re: 7 samples for Gasoline and BTEX analysis.

Matrix: WATER

Sampled: June 15, 1995 Run: 7244-J Analyzed: June 19, 1995

Method: EPA 5030/8015M/602/8020

Spl # CLIENT SMPL ID	Gasoline (mg/L)	Benzene (ug/L)	Toluene	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)
<i>92713</i> MW1 061595	N.D.	N.D.	N.D.	5.1	22
<i>92714</i> MW2 061595	N.D.	N.D.	N.D.	N.D.	N.D.
<i>92715</i> MW3 061595	N.D.	N.D.	N.D.	0.8	3.8
<i>92716</i> MW3 061595D	N.D.	N.D.	1.7	1.2	6.4
<i>92717</i> MW4 061595	N.D.	N.D.	N.D.	N.D.	N.D.
<i>92718</i> MW5 061595	N.D.	N.D.	N.D.	N.D.	N.D.
<i>92719</i> MWTB 061595	N.D.	N.D.	N.D.	N.D.	N.D.
Reporting Limits	0.05	0.5	0.5	0.5	0.5
Blank Result	N.D.	N.D.	N.D.	N.D.	N.D.
Blank Spike Result (%)	93	108	106	107	108

Billy Thach

Chemist

-15/12/13 -927/7 VIRON

Counsel in Health and Environmental Science

CHAIN-

Sheet Of 5820 Shellmound St., Suite 700 Emeryville, California 94608 (510) 655-7400

												(310) 655-7400
PROJECT NAME: SANDARD BRANDS PHASETI CASE NO.: 03-4603D ENVIRON SAMPLE ID.	COLLECTION DATE	COLLECTED BY (initials)	MATRIX	TOTAL NO. OF CONTAINERS		10 × 70 / 36.8.	13877 13877		<i> </i>	<i> </i>	<i> </i>	COMMENTS
MW1 061595	b/15/98	12	WATER	6	2	2	2					Please Compare to
MW206/595	415/15	JR	WATER	6	2	2	2					previous results and
MW 306/595	6/15/95	1 1	1	3	Į	1	1					Friedman &- Buya-
MW3061595D	1/198	1/2	WATER	3	l	1	1_					provided materials.
MW 4061595	91915	1R	WATER	6	\mathcal{J}	2	2_					Level 2 rpot.
MW 506 1595	HAG	1/R	WATER,	6	2	2	2_					Standard cum-around
MN TB 06/595	1/19/9	1/2	WATER	4	2		2					time.
		Γ										Results to King ldts.
TOTAL	\times	\boxtimes		34	12	10	12					

Relinquished by: HOB KUSTA	Date: 6/15/95	Time: 1545	Received by:	Company:	Date: 6-/5-95	Time: /555
					***************************************	A11011
		***************************************		***************************************		

CHROMALAB, INC.
SAMPLE RECEIPT CHECKLIST

Client Name ENVIRON	Date/Time Received //5	95 155 ; Time
Project	Received by 15/10WAT	
Reference/Subm # 22461/9506215	Carrier name	10/16/95
Checklist completed 6/19/9	Logged in by Initials	Date
Signature / Date	Matrix	
		Yes No
Shipping container in good condition?	NA	
Custody seals present on shipping contain		YesNo
Custody seals on sample bottles?	Intact Broken	Yes No No
Chain of custody present?		
Chain of custody signed when relinquished	l and received?	Yes No
Chain of custody agrees with sample label	s?	YesNo
Samples in proper container/bottle?		YesNo
Samples intact?		YesNo
Sufficient sample volume for indicated to	est?	YesNo
VOA vials have zero headspace?	NA	YesNo
	NA	Yes No
Trip Blank received?		Yes \ No
All samples received within holding time	ł	
Container temperature?	Check performed by:	377
pH upon receiptph adjusted		
Any NO response must be detailed in the applicable, they should be marked NA.	comments section below.	If items are n.
Client contacted?	Date contacted?	
Person contacted?	Contacted by?	
Regarding?		
Comments:		
Corrective Action:		
CO11000170 11111		

SMPLRECD.CK

Environmental Services (SDB)

July 31, 1995

ENVIRON

Submission #: 9506215

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II Project#: 03-4603D

Received: June 15, 1995

re: Blank spike report for 7 samples for Gasoline and BTEX

analysis.

Matrix: WATER Lab Run#: 7244

Analyzed: June 19, 1995

Method: EPA 5030/8015M/602/8020

	%								
Analyte	Spike Amt	Spike Rec	Control Limits						
GASOLINE	1.0 mg/L	93	80-118						
BENZENE	20 ug/L	108	80-127						
TOLUENE	20 ug/L	106	80-122						
ETHYL BENZENE	20 ug/L	107	81-119						
XYLENES	60 ug/L	108	83-125						

Spike blank sample#: 93021

CHROMALAB, INC.

Environmental Services (SDB)

Revised from August 8, 1995

August 9, 1995

Submission #: 9506215

ENVIRON

Atten: Kim Jolitz

Project: STANDARD BRANDS PHASE II Project#: 03-4603D

Received: June 15, 1995

Matrix spike report for Gasoline and BTEX analysis.

Matrix: WATER

Lab Run#: 7244 Instrument: GC1-4

Analyzed: June 19, 1995

Method: EPA 5030/8015M/602/8020

Analyte	Spiked Sample Result	Spike Amt	% Spike Rec	Dup Spike Rec	Control Limits	% RPD	% RPD Lim
GASOLINE BENZENE TOLUENE ETHYL BENZENE XYLENES	N.D. mg/L N.D. ug/L N.D. ug/L 5.1 ug/L 22 ug/L	0.50 mg/L 20 ug/L 20 ug/L 20 ug/L 60 ug/L	93 108 106 109	109 107 110	80-118 80-127 80-122 81-119 83-125	N/A 0.9 0.9 0.9	N/A 20 20 20 20

Sample Spiked: 92713 Submission #: 9506215 Client Sample ID: MW1 061595

Laboratory Correspondence regarding: Categorization of Previously Unidentified Hydrocarbons


Chromalab Environemental Services, Inc. Correspondence Date: June 15, 1995

F	N	V	1	R	0	N
~		v				

Counsel in Health and Environmental Science

CHAIN-of-CUSTODY FORM 05.19.95 Sheet Of 5820 Shellmound St., Suite 700 Emeryville, California 94608 (510) 655-7400

PROJECT NAME: Stanfold brands Massil Site Investigation CASE NO.: 03-46030 ENVIRON SAMPLE ID.	COLLECTION DATE	COLLECTED BY (initials)	MATRIX	TOTAL NO. OF CONTAINERS	HYOL AM.	CG 100 1850							50] ⁹ /	1/4	9	COMMENTS
8-2 @ 10-10.5	514	411)	341	Ì	×									59	29	4	
B-11 @ 10.5 -11	917	HIS	sell	1	×		No.	re c	slle	ted	5/	17/9	5	5	929	25	alention kim
B-11	517	ind	Water	4	X	7						.5	929	6-	59	299	Jolitz
															<u> </u>		
	}																
														 			
						 								ļ			
		-	<u></u>								_		}_				
				<u> </u>	<u> </u>												
TOTAL	X	\bigvee		6	X	00	\		<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
Relinquished by: 1610 Defforbal		°	Date: 5-18-99		Time 1500	e: - -	Beg	eiy o	d by	n iĝ	30		<u>C9</u>	mpa 45,2	iny:		Date: Time: 5.19.95 9.36



Sig. 2 in C:\HPCHEM\4\DATA\05-20-95\012R0801.D

CHROMALAB, INC.

Environmental Services (SDB)

June 15, 1995

Ms. Kim Jolitz, Mr. David Harnish ENVIRON 5820 Shellmound St., Suite 700 Emeryville, CA 94608

re: Standard Brands Emeryville 9505199, 9505210, 9505222, and 9505246

Dear ENVIRON:

We have analyzed a series of samples at Standard Brands Emeryville, your Project number 03-4603B. In several of the samples, we have found and reported hydrocarbons in the Kerosene range. In others, we have found hydrocarbons in the diesel and in the motor oil ranges.

Categorizing the hydrocarbons

In order to categorize the hydrocarbons found in this investigation, we have reviewed the chromatograms of these hydrocarbons, and identified them as "Hydrocarbon #1", #2, etc. The second page of this letter describes these hydrocarbons, and sample chromatograms are attached.

Comparing the hydrocarbons to those found by Friedman Bruya
Friedman Bruya laboratories of Seattle, Washington, has analyzed
samples from the same site, identifying material in the kerosene
range as "Mineral Spirits or Stoddard Solvents."

In order to compare our findings with Friedman Bruya, they have sent a sample of Mineral Spirits that they used to identify the hydrocarbon.

We have analyzed the Mineral Spirits and find that it exhibits the same characteristic hydrocarbon pattern as many of the samples we analyzed. They are identified as Hydrocarbon #1 in the report attached. See our chromatograms attached.

Therefore, we and Frieman Bruya find the same hydrocarbons at the Standard Brands Emeryville site, identified as Mineral Spirits.

Please call if you have any questions.

Sincerely,

Gary Cook

Director, Business Development

Jill Thomas

Quality Assurance Manager

CHROMALAB, INC.

Environmental Services (SDB)

Ms. Kim Jolitz and Mr. David Harnish ENVIRON
June 15, 1995
page 2

9505222

Hydrocarbons found at Standard Brands, Emeryville

		Hydrocarbon N	lumber		
Lab# Envi	ron Sample ID	#1 #2	4	# 3	#4
88645	B-5@5.5-6.0	300 mg/Kg			
88646	B-5@18.5-19.0	120 mg/Kg			
88647	B-5@24.5-25.0	8.3 mg/Kg			
88649	B-6@6.0-6.5	34 mg/Kg			
88650	B-6@9.5-10.0	17 mg/Kg			
88651	B-6@13.5-14.0	27 mg/Kg			
88659	B-4A@9.5-10.0	1.3 mg/Kg			
88660	B-4A@15.0-15.5				
88698	B-7@9.0-9.5		mg/Kg		
88914	B-11	10000 µg/L	ح. ع.		
88915	B-11D	*			
89105	CPT-8-8-13	$2500~\mu g/L$			1400 μ g/L

Note: Gas/BTEX tests confirm the presence of the material in each of the above instances. TEPH results are reported for this work, as the material found is best reported by this method.

88766	B-10A	2.9 mg/Kg
88774	CPT-6-32-37	60 ug/L
88907	CPT-4-46.5-51.5	Hydrocarbon #1 was observed in the
		Gas/BTEX test in one sample. It was
		not observed in the corresponding
		container by TEPH analysis, nor
		could its presence be confirmed by
		GC/MS. This conclusion was
		confirmed by resample and

#1 Mineral Spirits or Stoddard Solvent nC8-nC13 with max at nC10

reanalysis.


- #2 Similar to Mineral Spirits, with similar range of hydrocarbons to 31, nc8-nC13 but the max is slightly heavier at nC11
- #3 Diesel range material nC13 to nC26, without distinguishing Diesel peaks. No distinct maximum.
- #4 Hydrocarbon in diesel range, from nC13 to nC26, without distinguishing diesel peaks. Max at nC15 contains a few distinct peaks.
- * TEPH was not requested for this sample. The result using Gas/BTEX method is reported in lieu of the TEPH method. M:/9505222.en2


Laboratory Report for Hydrocarbon Fuel Scan of Soil and Ground Water Grab Samples Sampling Date: May 17, 1995


> Friedman and Bruya, Inc. Report Date: May 31, 1995

> > Sample Locations B-2 B-11


ENVIRON Coursel in Health and Environmental Science				Cŀ	IAI	N-0	of-(CU	ST	OD	ΥF	-OF	RM	BO	18 5:1 9:3	Ac 7.9: 39	1	5820 SI Emeryv		Of St., Suite nia 94608 7400	
PROJECT NAME: Standard Brands Phasel CASE NO.: 03-4603B ENVIRON SAMPLE ID.	COLLECTION DATE	COLLECTED BY (initials)	MATRIX	TOTAL NO. OF	HYDD AN.	5 1 1 2 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5												co	MMEN	ıts	
	SIX	ΗD	SOIL	1	×			5	90	23	<u> </u>						Pu	ÐAS€	SEA	D)	
B-567.0-7.5	_	HD	<u> </u>	1	X			5	12	3	3		ļ				RE	<u> </u>	ST	>	
B-42@ 14,5-15,0		HD		1	X			5	12	3	4						AT	TN	OF		
B-70 8.0-8.5	1	HD		1	X			5	96	3	5						۲	. س	عصر	77	
B9@ 17.5-18	5/5/ 4 <u>.</u>	KI	SOIL	1	Х			5	92	3	6										
											ļ						<u> </u>				
																	<u> </u>			-	
																			,		_
TOTAL	\times	\boxtimes	$\geq \leq$	5																	
Relinguished by:	•		Date: SIIJ9	F _ -	ED(EX =: - (POZ.	eivel The	d by	Pug	g		Co	mpa 157	ny:)ate: 5://	<u>'.25</u>	ime: 9:23	3








ENVIRON Coursel in Health and Environmental Science				CH	IAI	1 -c)f-(CU:	ST	DC	ΥF	OF	RM	B	1B 5.18	F.9.	5820 Shellmound S ite 700 Emeryville, California 94608 (510) 655-7400
PROJECT NAME: SaykadBards-Prase1 CASE NO.: 034603B ENVIRON SAMPLE ID.	COLLECTION DATE	COLLECTED BY (Initials)		TOTAL NO. OF		17 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			//	/ /				/ G			COMMENTS
B-10A@11-11.5	shife	N)	Soil	ı	X			5	9 6	2.	72						REASE SEND
B-10A@11.5-12.0	Y14/5		Soil	,	X			5	9	2-	3						ZESULTS TO
				<u> </u>													ATTN OF
									<u> </u>					<u> </u>	<u> </u>		KIM JOUTZ
																	(510) 655-7400
											<u> </u>		_				
	ļ	_			 			ļ		<u> </u>	-	-	-				
				-		<u></u>		 	<u> </u>		}_	_	<u> </u>	_		-	
								_	-	ļ	 		<u> </u>	_	<u> </u>	}	
TOTAL	\times	\propto	\geq	12	X	<u> </u>	<u></u>	1	<u> </u>	1		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>l</u>	
Relinguis Ned By:	/ C	<u> </u>	Date: 5/17/5		Tim —			ejve Lki			ig g	<u></u>		74,	iny: BZ	• •••••	Date: Time:





ENVIRONMENTAL CHEMISTS

Andrew John Friedman James E. Bruya, Ph.D. (206) 285-8282

3012 16th Avenue West Seattle, WA 98119-2029 FAX: (206) 283-5044

May 30, 1995

RECEIVED

JUN - 5 1995

ENVIRON

Kim Jolitz, Project Leader ENVIRON 5820 Shellmound Street, Suite 700 Emeryville, CA 94608

Dear Ms. Jolitz:

Enclosed are the results from the additional testing of material submitted on May 18, 1995 from your #034603B, Standard Brands-Phase 1 project.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

Gredly J Bensen

Bradley T. Benson

Chemist

sao

ENVIRONMENTAL CHEMISTS

Date of Report: May 30, 1995 Date Received: May 18, 1995


Project: #034603B, Standard Brands-Phase 1


Date Samples Extracted: May 24, 1995


RESULTS FROM THE ANALYSIS OF THE SOIL SAMPLE FOR PCB AS AROCHLOR 1254 BY GC/ECD (MODIFIED 8080)

Samples Processed Using Method 3550 per California LUFT Guidelines Results Reported as µg/g (ppm)

Sample ID	<u>PCB</u>	Surrogate Standard (% Recovery)
B-10A @ 11.5-12.0	<0.1	80%
Quality Assurance		
Blank	<0.1	107%
B-10A @ 11.5-12.0 (Duplicate)	<0.1	83%
B-10A @ 11.5-12.0 (Matrix Spike) % Recovery	82%	79%
B-10A @ 11.5-12.0 (Matrix Spike Duplicate) % Recovery	81%	78%
Spike Blank % Recovery	106%	90%
Spike Level	0.67	







ENVIRONMENTAL CHEMISTS

Andrew John Friedman James E. Bruya, Ph.D. (206) 285-8282 3012 16th Avenue West Seattle, WA 98119-2029 FAX: (206) 283-5044

May 24, 1995

RECEIVED
MAY 3 1 1995
ENVIRON

Kim Jolitz, Project Leader ENVIRON 5820 Shellmound Street, Suite 700 Emeryville, CA 94608

Dear Ms. Jolitz:

Enclosed are the results from the testing of material submitted on May 18, 1995 from your project #034603B, Standard Brands-Phase 1.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

Bradley T. Benson

Chemist

jdp

ENVIRONMENTAL CHEMISTS

Date of Report: May 24, 1995 Date Received: May 18, 1995

Project: #034603B, Standard Brands-Phase 1

RESULTS FROM THE ANALYSIS OF SOIL SAMPLES
FOR FINGERPRINT CHARACTERIZATION
BY CAPILLARY GAS CHROMATOGRAPHY
USING A FLAME IONIZATION DETECTOR (FID)
AND ELECTRON CAPTURE DETECTOR (ECD)

Sample ID

GC Characterization


B-10A@ 11-11.5

The GC trace using the flame ionization detector (FID) showed the presence of high boiling compounds. The patterns displayed by these peaks are indicative of motor oil or degraded Bunker C. The high boiling compounds appeared as a regular pattern of peaks eluting from n-C₁₄ to beyond n-C₃₂ showing a maximum near n-C₂₈.


The large peak seen near 25 minutes on the GC/FID trace is pentacosane, added as a quality assurance check for this GC analysis. There is a second internal standard peak seen on the GC/ECD trace at about 26 minutes which is dibutyl chlorendate.

B-10A@ 11.5-12.0


The GC trace using the flame ionization detector (FID) showed the presence of high boiling compounds. The patterns displayed by these peaks are indicative of motor oil or degraded Bunker C. The high boiling compounds appeared as a regular pattern of peaks eluting from n-C₁₄ to beyond n-C₃₂ showing a maximum near n-C₂₈.




Sig. 2 in C:\HPCHEM\4\DATA\05-20-95\011R0801.D




Sig. 1 in C:\HPCHEM\4\DATA\05-20-95\012F0801.D




Sig. 2 in C:\HPCHEM\4\DATA\05-20-95\010R0801.D



Sig. 1 in C:\HPCHEM\4\DATA\05-20-95\011F0801.D



Sig. 2 in C:\HPCHEM\4\DATA\05-20-95\023R1001.D



Sig. 1 in C:\HPCHEM\4\DATA\05-20-95\010F0801.D

FRIEDMAN & BRUYA, INC. ENVIRONMENTAL CHEMISTS

Date of Report: May 31, 1995 Date Received: May 19, 1995

Project: #03-4603B, Standard Brands Phase I Site Investigation

Date Samples Extracted: May 19, 1995

RESULTS FROM THE ANALYSIS OF SOIL SAMPLES FOR FINGERPRINT CHARACTERIZATION BY CAPILLARY GAS CHROMATOGRAPHY USING A FLAME IONIZATION DETECTOR (FID)


Sample ID

GC Characterization

B-11

The GC trace using the flame ionization detector (FID) showed the presence of low boiling compounds. The patterns displayed by these peaks are indicative of mineral spirits or Stoddard solvent.

The low boiling compounds appeared as a regular pattern of peaks eluting from n-C₈ to n-C₁₃ showing a maximum near n-C₁₀.



Sig. 1 in C:\HPCHEM\4\DATA\05-20-95\023F1001.D

ENVIRONMENTAL CHEMISTS

Andrew John Friedman James E. Bruya, Ph.D. (206) 285-8282 3012 16th Avenue West Seattle, WA 98119-2029 FAX: (206) 283-5044

May 31, 1995

RECEIVED

JUN - 5 1995

ENVIRON

Kim Jolitz, Project Leader ENVIRON 5820 Shellmound Street, Suite 700 Emeryville, CA 94608

Dear Ms. Jolitz:

Enclosed are the results from the testing of material submitted on May 19, 1995 from your project #03-4603B, Standard Brands Phase I Site Investigation.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

Bradley T. Benson

Chemist

jdp

ENVIRONMENTAL CHEMISTS

Date of Report: May 31, 1995 Date Received: May 19, 1995

Project: #03-4603B, Standard Brands Phase I Site Investigation

Date Samples Extracted: May 19, 1995

RESULTS FROM THE ANALYSIS OF SOIL SAMPLES FOR FINGERPRINT CHARACTERIZATION BY CAPILLARY GAS CHROMATOGRAPHY USING A FLAME IONIZATION DETECTOR (FID)

Sample ID

GC Characterization

B-2@10-10.5

The GC trace using the flame ionization detector (FID) and the GC electron capture detector (ECD) trace showed an absence of volatile and semi-volatile compounds. The detection limit for this analysis is 20, 50 and 100 ppm for gasoline, diesel and motor oil, respectively.

The large peak seen near 25 minutes on the GC/FID trace is pentacosane, added as a quality assurance check for this GC analysis. There is a second internal standard peak seen on the GC/ECD trace at about 26 minutes which is dibutyl chlorendate.

B-11@10.5-11

The GC trace using the flame ionization detector (FID) showed the presence of low and medium boiling compounds. The patterns displayed by these peaks are indicative of mineral spirits or Stoddard solvent and diesel fuel.

The low boiling compounds appeared as a regular pattern of peaks eluting from n-Cg to n-C13 showing a maximum near n-C11.

The medium boiling compounds appeared as a regular pattern of peaks eluting from $n\text{-}C_{12}$ to $n\text{-}C_{29}$ showing a maximum near $n\text{-}C_{17}$. An absence of a dominant pattern of the n-alkanes was seen for this material. The medium boiling material appears to have undergone chemical/biological degradation due to the loss of the n-alkane peaks.

Laboratory Report for Hydrocarbon Fuel Scan of Soil Samples Sampling Date: May 16, 1995

Friedman and Bruya, Inc. Report Date: May 24, 1995

> Sample Location B-10

ENVIRONMENTAL CHEMISTS

Andrew John Friedman James E. Bruya, Ph.D. (206) 285-8282 3012 16th Avenue West Seattle, WA 98119-2029 FAX: (206) 283-5044

May 19, 1995

RECEIVED

MAY 2 4 1995

ENVIRON

Kim Jolitz, Project Leader ENVIRON 5820 Shellmound Street, Suite 700 Emeryville, CA 94608

Dear Mr. Jolitz:

Enclosed are the results from the testing of material submitted on May 17, 1995 from your project #03-4603B, Standard Brands Phase 1.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

Bradley T. Benson

Chemist

jdp

ENVIRONMENTAL CHEMISTS

Date of Report: May 19, 1995 Date Received: May 17, 1995

Project: #03-4603B, Standard Brands Phase 1

Date Samples Extracted: May 17, 1995

RESULTS FROM THE ANALYSIS OF SOIL SAMPLES FOR FINGERPRINT CHARACTERIZATION BY CAPILLARY GAS CHROMATOGRAPHY USING A FLAME IONIZATION DETECTOR (FID) AND ELECTRON CAPTURE DETECTOR (ECD)

Sample ID

GC Characterization

B-6@14.5-15.0

The GC trace using the flame ionization detector (FID) showed the presence of low boiling compounds. The patterns displayed by these peaks are indicative of mineral spirits or Stoddard solvent.

The low boiling compounds appeared as a regular pattern of peaks eluting from n-C₈ to n-C₁₃ showing a maximum near n-C₁₀.

The large peak seen near 25 minutes on the GC/FID trace is pentacosane, added as a quality assurance check for this GC analysis. There is a second internal standard peak seen on the GC/ECD trace at about 26 minutes which is dibutyl chlorendate.

B-5@7.0-7.5

The GC trace using the flame ionization detector (FID) showed the presence of low and high boiling compounds. The patterns displayed by these peaks are indicative of mineral spirits or Stoddard solvent and motor oil.

The low boiling compounds appeared as a regular pattern of peaks eluting from n-C₈ to n-C₁₁ showing a maximum near n-C₁₀. The high boiling compounds appeared as a regular pattern of peaks eluting from n-C₂₃ to beyond n-C₃₂ showing a maximum near n-C₂₈.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: May 19, 1995 Date Received: May 17, 1995

Project: #03-4603B, Standard Brands Phase 1

Date Samples Extracted: May 17, 1995

RESULTS FROM THE ANALYSIS OF SOIL SAMPLES FOR FINGERPRINT CHARACTERIZATION BY CAPILLARY GAS CHROMATOGRAPHY USING A FLAME IONIZATION DETECTOR (FID) AND ELECTRON CAPTURE DETECTOR (ECD)

Sample ID

GC Characterization

B-4A@ 14.5-15.0

The GC trace using the flame ionization detector (FID) showed the presence of low and high boiling compounds. The patterns displayed by these peaks are indicative of mineral spirits or Stoddard solvent and motor oil.

The low boiling compounds appeared as a regular pattern of peaks eluting from n-C₈ to n-C₁₁ showing a maximum near n-C₁₀. The high boiling compounds appeared as a regular pattern of peaks eluting from n-C₂₃ to beyond n-C₃₂ showing a maximum near n-C₂₈.

The large peak seen near 25 minutes on the GC/FID trace is pentacosane, added as a quality assurance check for this GC analysis. There is a second internal standard peak seen on the GC/ECD trace at about 26 minutes which is dibutyl chlorendate.

B-7@8.0-8.5

The GC trace using the flame ionization detector (FID) showed the presence of low and medium boiling compounds. The patterns displayed by these peaks are indicative of mineral spirits or Stoddard solvent and diesel fuel.

The low boiling compounds appeared as a regular pattern of peaks eluting from n-C₈ to n-C₁₃ showing a maximum near n-C₁₀.

The medium boiling compounds appeared as a regular pattern of peaks eluting from n- C_{12} to n- C_{28} showing a maximum near n- C_{17} . An absence of a dominant pattern of n-alkanes was seen for this material. The medium boiling material appears to have undergone chemical/biological degradation due to the loss of the n-alkane peaks.

The large peak seen near 25 minutes on the GC/FID trace is pentacosane, added as a quality assurance check for this GC analysis. There is a second internal standard peak seen on the GC/ECD trace at about 26 minutes which is dibutyl chlorendate.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: May 19, 1995 Date Received: May 17, 1995

Project: #03-4603B, Standard Brands Phase 1

Date Samples Extracted: May 17, 1995

RESULTS FROM THE ANALYSIS OF SOIL SAMPLES
FOR FINGERPRINT CHARACTERIZATION
BY CAPILLARY GAS CHROMATOGRAPHY
USING A FLAME IONIZATION DETECTOR (FID)
AND ELECTRON CAPTURE DETECTOR (ECD)

Sample ID

B9 @ 17.5-18

GC Characterization

The GC trace using the flame ionization detector (FID) and the GC electron capture detector (ECD) trace showed an absence of volatile and semi-volatile compounds. The detection limit for this analysis is 20, 50 and 100 ppm for gasoline, diesel and motor oil, respectively.

The large peak seen near 25 minutes on the GC/FID trace is pentacosane, added as a quality assurance check for this GC analysis. There is a second internal standard peak seen on the GC/ECD trace at about 26 minutes which is dibutyl chlorendate.

Mineral Spirits Friedman Bruga Min Spirit 390

wie Name : Lebabu-Minebal Belbii

##5.2105032/24160006/b : ems#4111

Method : sdieselb.ins

Start Time : 0.00 min

Snale Factor . 0

End line 35.00 min Plot Offset O mV

Sample 1: 60404

Page 1 of 1


Date : 6/6/95 07:27 PM

Time of Injection: 6/6/95 06:57 PM

Low Paint : 0.00 mV

High Point : 1000 00 mV

Plot Snale: 1000 mV



Sample Name : 05199/88647 NOX

Sample #: 88647R1

Page 1 of 1

FileName : D:\6500DIES\T522004.RAW

Date: 5/23/95 09:24 AM

Method : TKERO.ins Time of Injection: 5/22/95 I1:18 AM


Low Point : 0.00 mV

Start Time : 0.00 min

End Time : 35.00 min

High Point : 1000.00 mV

30



10

20

Time [min]

25

: le Name : 05199/88698 (50X)

FileName : D:\6500DIES\T522007.RAW

Method : TKERO.ins

Start Time : 0.00 min

End Time : 35.00 min

Scale Factor: 0

Plot Offset: 0 mV

Sample #: 88698R1

Date: 5/23/95 10:23 AM


Time of Injection: 5/22/95 01:38 PM

Low Point : 0.00 mV

High Point : 1000.00 sV

Page 1 of 1

Plot Scale: 1000 mV




Page 1 of 1 Sample #: 88766 Sample Name : 05210/810A (5X) Date: 5/23/95 02:04 AM

: d:\6000dies\5522022.raw

FileHame Time of Injection: 5/23/95 01:29 AM : sdieselb.ins Method

High Point : 1000.00 mV Low Point : 0.00 mV End Time : 35.00 min

Start Time : 0.00 min Plot Scale: 1000 mV Plot Offset: 0 m¥ Scale Factor: 0



diese malysis

Sample Name : 05246/CPT8

F' me : d:\6000dles\S524023.raw

Mermod : sdieselb.ins

Start Time : 0.00 min End Time : 35.00 min Scale Factor: 0 Plot Offset: 0 mV

Date : 5/25/95 12:14 PM


Time of Enjection: 3/25/95 11:38 AM

Low Point : 0.00 mV High Point : 1000.00 mV

Sample 4: 99105

Page 1 of 1

Plot Scale: 1000 mV



Sample Name : 05210/CPT-32-37

FileName

Scale Factor: 0

Hethod

: d:\6000dies\5522011.raw

: sdieselb.ins Start Time : 0.00 min

End Time : 35.00 min Plot Offset: 0 mV

Sample #: 88774

Page 1 of 1


Date: 5/22/95 06:23 PM

Time of Injection: 5/22/95 05:48 PM

Low Point : 0.00 mV

High Point : 1000.00 mV

Plot Scale: 1000 mV



APPENDIX C

CONE PENETROMETER TEST (CPT) SOUNDINGS

APPENDIX C

CONE PENETROMETER TEST (CPT) SOUNDINGS

This appendix presents a report by the Earth Technology Corporation (Ertec), which contains the CPT soundings and a correlation chart of CPT measurements with soil behavior type. The CPT soundings can be used as soil-type logs, as outlined below.

Each CPT sounding record consists of a graphical and tabulated presentation of the CPT measurements. Both presentations include measurements of friction ratio, tip resistance and soil behavior type with depth. The CPT measurements have been empirically related to changes in soil grain size on hundreds of sites, and these empirical relations are used to develop a continuous log of soil behavior type. The empirical relations of the CPT measurements and soil type used to develop the continuous logs are shown on Figure 2 of the attached Earth Tech report. On the continuous log of soil behavior type, two vertical lines, one solid and one dashed, are superimposed on the CPT sounding record. The solid line is designated the sand line, and the dashed line is termed the silt line. Where the CPT sounding record crosses the sand line to the right, the CPT probe measurements are indicative of coarse-grained sediments, such as sand and gravel. Between the sand line and the silt line, the CPT probe measurements reflect more fine-grained sediments, intermediate between silts and sands, with values near the silt line representing soil behavior typical of silts. Where the CPT sounding record crosses the silt line to the left, soil behavior has been related to still finer grained sediments such as clays.

May 23, 1995

Mr. Dave Harnish ENVIRON 5820 Shellmound Street, Suite 700 Emeryville, California 94608

Project Name: Standard Brands, Emeryville, California

Project No.: 03-3118L

Enclosed please find copies of the cone penetration test (CPT) data and results for the above referenced project along with a copy of the corresponding invoice.

The cone penetration tests conducted for this project consisted of pushing an instrumented cone-tipped probe into the ground while simultaneously recording the tip resistance and side friction resistance of the soil during penetration.

The cone penetration tests described in this report were conducted in general accordance with the current ASTM specifications (ASTM D3441-86) using an electronic cone penetrometer.

The CPT equipment operated by EARTH TECH (The Earth Technology Corporation) consists of a cone assembly mounted at the end of a series of hollow sounding rods. A set of hydraulic rams is used to continuously push the cone and rods into the soil at a rate of 20-mm per second (approximately 4 feet per minute) while the cone tip resistance and sleeve friction resistance are recorded every 25-mm (approximately 1-inch) and stored in digital form. A specially designed all wheel drive 23-ton truck provides the required reaction weight for pushing the cone assembly and is also used to transport and house the test equipment.

The cone penetrometer assembly used for this project consists of a conical tip and a cylindrical friction sleeve. The conical tip has a 60° apex angle and a diameter of 35.6-mm (1.40-inch) resulting in a projected cross-sectional area of 10 cm² (1.5 square inches). The cylindrical friction sleeve is 133-mm (5.25-inch) in length and has an outside diameter of 35.8-mm (1.41-inch), resulting in a surface area of 150 cm² (23 square inches).

The interior of the cone penetrometer is instrumented with strain gauges that allow simultaneous measurement of cone tip and friction sleeve resistance during penetration. Continuous electric signals from the strain gauges are transmitted by a shielded cable in the sounding rods to the PC-based data acquisition hardware in the CPT truck. The sounding log is also displayed on a monitor.

The CPT data processing is performed using the truck mounted computer based data acquisition and presentation system. The computer generated plots include cone resistance,

Telephone

714.724 1776

Facsimile

714 724.155"

friction resistance, friction ratio (and optional pore pressure ratio) versus depth at a user selectable scale.

Soil Behavior Type and other parameter interpretations are based on the following reference: Robertson, P.K. and Campanella, R.G., 1989 "Guidelines for Geotechnical Design using the Cone Penetrometer Test and CPT with Pore Pressure Measurement." Soil Mechanics series No. 120, Civil Engineering Department, University of British Columbia, Vancouver, B.C., V6T 1Z4, September 1989.

Soil Behavior Type and other parameter interpretations are done using EARTH TECH's proprietary data interpretation and presentation software. It is important to note that the data is not averaged. All interpretations are point interpretations at the corresponding depth listed.

It is also important to note that most of the correlative methods presented herein are based on a combination of theory, field research, research performed under laboratory conditions, and literature review. The tabulated and plotted information should, therefore, be viewed as a guideline rather than as precise measurements. However, an estimated equivalent relative density (D_r) of 20 to 40 percent, for example, having an estimated equivalent blow count (N_1) of less than 10, is clearly a loose granular soil, and cannot be confused with gravel or dense sand. Thus, for preliminary assessments of soil properties and expected site behavior, these interpretations are generally adequate.

Some care is recommended when using the Soil Behavior Type tabulations. If a tabulation depth happens to fall on a soil layer interface, or a seam of soil differing from the rest of the layer, the tabulated data can be misleading. The solution to this problem is the proper use of the CPT logs. The continuous penetration resistance is the primary source of profile description; the Soil Behavior Type tabulations are supplemental. The continuous logs should be examined and layer boundaries delineated in accordance with the project requirements. The Soil Behavior Type tabulations are only representative of the response of the soil to the large shear deformations imposed during cone penetration. This is not necessarily a prediction of grain size distribution. However, it has been found that Soil Behavior Types generally agree well with the soil types defined in accordance with the grain size distribution methods such as used in the Unified Soil Classification System.

Computer generated cone penetration test plots and the results of cone penetrometer test data are included at Attachment A to this letter report.

Limitations

EARTH TECH presents the attached data in accordance with ASTM Standard D3441-86 and generally accepted Cone Penetration Test practices and standards.

The attached data further relates only to the specific project location discussed in the data.

052395.DC/ CPT #2



Judgement may be required to verify the CPT Soil Behavior Interpretations.

The "CLIENT" may distribute this data or excerpts therefrom provided the following statement is prominently displayed and included with the distribution:

"Neither CLIENT nor EARTH TECH make any guarantee or warranty, express or implied, regarding this data. THE USE OF THIS INFORMATION SHALL BE AT THE USER'S SOLE RISK REGARDLESS OF ANY FAULT OR NEGLIGENCE OF THE CLIENT OR EARTH TECH."

Please feel free to call me if you have any questions.

Very truly yours,

EARTH TECH

Dick Carlton

Project Administrator

Dick Carlton


Notes:

- 1. Heavy Lines Indicate SBT Zone Boundaries
- Ratio Used to Estimate 2. Equivalent SPT N(60) Value
- 3. Undrained Shear Strength

$$Su = \frac{q_t - \sigma_v}{N_k}$$

Zone	N _k
	10.0
	12.5
	15.0
	17.0

^{** 1} bar = 100 kPa = 1.0443 tsf





Project No.:

95-380-01102


Dames & Moore/NASNI

Soil Behavior Type Classification Chart (After Robertson and Campanella, 1989)

5-95

Figure 2

 $^{^{*}}$ q_{t} = Cone Tip Resistance Corrected for Unequal and Areas (if applicable)



PROJECT NAME : ENVIRON/STO.BNOS

PROJECT NUMBER : 95-381-12106

DATE/TIME: 05-15-95 10:31



PROJECT No.: 95-381-12106

SOUNDING : CPT-1 PROJECT : ENVIRON/STD.BNDS CONE/RIG : 469/T-3

DATE/TIME: 05-15-95 10:31

PAGE 1 of 3

DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N (60)
(m)	(ft)	(tsf)	(%)	(tsf)		
150	.49	.0	.00	NA		
.300	98	.0	.00	NA NA		0
.450	1.48	23.5	5.06	NA NA	CLAY	24
500	1.97	23.2	4.40	NA	CLAY to SILTY CLAY	15
.750	2.46	21.1	4.26	NA.	CLAY to SILTY CLAY	14
. 900	2.95	18.2	4,30	NA.	CLAY	18
1.050	3.44	11.9	3.85	NA.	CLAY	12
1.200	3.94	12.3	3.75	NA.	CLAY	12
1 350	4.43	14.5	4.55	NA	CLAY	15
1 500	4.92	17.0	5.53	· NA	CLAY	17
1.650	5.41	16.0	4.69	NA	CLAY	16
1.800	5.91	17.3	4.92	NA	CLAY	17
1 950	6.40	17.1	4.74	NA	CLAY	17
2.100	6.89	17.9	3.69	ΝA	CLAY to SILTY CLAY	12
2 250	7.38	18.3	2.68	NА	CLAYEY SILT to SILTY CLAY	9
2.400	7.87	17.7	1.75	NA	SANDY SILT to CLAYEY SILT	7
2.550	8.37	20.7	1.88	NA	SANDY SILT to CLAYEY SILT	8
2.700	8.86	23.5	4.51	NA	CLAY	24
2.850	9.35	28.4	5.14	NA	CLAY	28
3.000	9.84	21.9	5.80	NA	CLAY	22
3.150	10.33	22.5	5.52	NA	CLAY	22
3.300	10.83	35.5	4.09	NA	CLAY to SILTY CLAY	24
3.450	11.32	23.3	4.17	NA	CLAY to SILTY CLAY	16
3.600	11.81	18.0	4.50	AM	CLAY	18
3.750	12.30	17.0	2.59	NA	CLAYEY SILT to SILTY CLAY	8
3.900	12.80	22.7	5.42	NA	CLAY	23
4 050	13.29	17.3	5.04	NA	CLAY	17
4.200	13.78	15.3	3.34	NA	CLAY to SILTY CLAY	10
4 350	14 27	32.3	4.86	NA	CLAY	32
4 500	14.76	39.5	4.59	NA	CLAY to SILTY CLAY	26
4.650	15.26	52.3	4.53	NA	CLAY to SILTY CLAY	35
4 800	15.75	34.0	3.03	NA	CLAYEY SILT to SILTY CLAY	17
4.950	16.24	43.3	4.92	NA	CLAY to SILTY CLAY	29
5.100	16.73	31.6	4.02	NA	CLAY to SILTY CLAY	21
5.250	17.22	28 3	3.32	NA	CLAYEY SILT to SILTY CLAY	14
5 400	17.72	19.8	2.37	NA	CLAYEY SILT to SILTY CLAY	10
5 550	18.21	19.8	2.28	NA	CLAYEY SILT to SILTY CLAY	10
5.700	18 70	19.1	2.83	NA	CLAYEY SILT to SILTY CLAY	10
5.850	19.19	16.8	1.37	NA	SANDY SILT to CLAYEY SILT	7
6 000	19 69	19.5	1.18	NA	SANDY SILT to CLAYEY SILT	8
6.150	20.18	16.9	1.48	NA	SANDY SILT to CLAYEY SILT	7

*

NA = NOT APPLICABLE

TOP 1.0 ft IS DISTURBED SOIL

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf

ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)

DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N (60)
(m)	(ft)	(tsf)	(4)	(tsf)		
6.300	20.67	19.1	2.94	NA	CLAYEY SILT to SILTY CLAY	10
6.450	21.16	19.7	2.94	NA 	CLAYEY SILT to SILTY CLAY	10
6.600	21.65	33.3	1.32	NA	SILTY SAND to SANDY SILT	11
6.750	22.15	17.1	2.16	NA 	CLAYEY SILT to SILTY CLAY	9
6.900	22.64	19.3	1.29	NA	SANDY SILT to CLAYEY SILT	8
7.050	23.13	30.4	4.70	NA	CLAY	30
7.200	23.62	92.0	5.56	NA	*VERY STIFF FINE GRAINED	92
7.350	24.11	92.5	5 63	NA	*VERY STIFF FINE GRAINED	92
7.500	24.61	235.7	2.72	NA	SILTY SAND to SANDY SILT	79
7.650 7.800	25.10 25.59	164.5	3.78	AN	*SAND to CLAYEY SAND	82
		111.2	3.70	NA	SANDY SILT to CLAYEY SILT	44
7.950	26.08	105.7	4.32	NA	*VERY STIFF FINE GRAINED	106
8.100	26.57	86.2	4.64	NA NA	*VERY STIFF FINE GRAINED	86
8.250	27.07	126.8	3.51	AA	SANDY SILT to CLAYEY SILT	51
8.400	27.56	137.1	2.83	NA	SILTY SAND to SANDY SILT	46
8.550	28.05	161.2	3.89	NA	*SAND to CLAYEY SAND	81
8.700	28.54	178.1	3 02	NA	SILTY SAND to SANDY SILT	59
8.850	29.04	75.2	3.60	NA	CLAYEY SILT to SILTY CLAY	38
9.000 9.150	29.53	28.7	4.57	· NA	CLAY to SILTY CLAY	19
9.150	30.02 30.51	104.0	4.75	NA	*VERY STIFF FINE GRAINED	104
9.450	31.00	231.7	2.92	NA	SILTY SAND to SANDY SILT	77
	31.50	174.9	4.36	NA	*VERY STIFF FINE GRAINED	175
9.600 9.750	31.99	254 2 171.9	1.94 3.90	NA NA	SAND to SILTY SAND	64
9.750	32.48	358 0	2.81	NA NA	*SAND to CLAYEY SAND	86
10 050	32.40	298 5		NA NA	*SAND to CLAYEY SAND	179
10 200	33.46	327.2	2.60	NA NA	SILTY SAND to SANDY SILT	100
10,350	33 96	225.9	2.30	NA NA	SILTY SAND to SANDY SILT	109
10,500	34.45	153 1	3.16 4.79	NA NA	SILTY SAND to SANDY SILT	75
10,550	34.94	233.2	3.35	NA NA	*VERY STIFF FINE GRAINED	153
10.830	35.43	97 6	4.22	NA NA	*SAND to CLAYEY SAND CLAYEY SILT to SILTY CLAY	117
10.950	35.93	33.3	2.16	NA NA		49
11,100	36 42	33.3 37.5	1.95	NA NA	SANDY SILT to CLAYEY SILT	13
11,250	36.91	41.3	1.91	NA NA	SANDY SILT to CLAYEY SILT SANDY SILT to CLAYEY SILT	15
11,400	37.40	46.7	3.25	NA NA	CLAYEY SILT to SILTY CLAY	17
11.400	37.89	47 6	3.25 4 B1	NA NA		23
11.330	38.39	48 2	4.57	NA NA	CLAY to SILTY CLAY	32
11.850	38.88	51.3	5.91	NA	CLAY to SILTY CLAY CLAY	32
12.000	39.37	35 1	4.16	NA NA		51
12.000	39.86	35.4	5 03	NA NA	CLAY to SILTY CLAY CLAY	23
12.300	40 35	29.4	5.03	NA AN	CTAI	35
12 450	40.85	28 3	4.16	NA NA	CLAY to SILTY CLAY	29
12.500	41.34	27.9	3.47	NA NA	CLAYEY SILT to SILTY CLAY	19
12.350	41.83	33.3	3.99	AN AN	CLAY to SILTY CLAY	14
12,900	42.32	32.0	2.72	NA AN		22
13.050	42.81	26.6	3.53	NA NA	CLAYEY SILT to SILTY CLAY CLAYEY SILT to SILTY CLAY	16
13 200	43.31	28.1	3.63	NA NA	CLAYEY SILT to SILTY CLAY	13
13.350	43.80	29.4	2.11	NA NA	SANDY SILT to CLAYEY SILT	14
13.550	44.29	26.5	3.59	NA NA	CLAYEY SILT to SILTY CLAY	12
13 650	44.78	29.8	3.39	NA NA	CLAYEY SILT to SILTY CLAY	13 15
		25.0	~ 5,	472 h	cream aim to aimi chai	13

NA = NOT APPLICABLE

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)


DÉPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N(60)
{m}	(ft)	(tsf)	(*)	(tsf)		
13.800	45.28	33.2	8.55	NA	CLAY	33
13.800	45.77	176.8	4.99	NA.	*VERY STIFF FINE GRAINED	177
14.100	46.26	138.8	5.92	NA	*VERY STIFF FINE GRAINED	139
14.250	46.75	79.7	6.11	NA.	*VERY STIFF FINE GRAINED	80
14.400	47.24	178.6	3.00	NA.	SILTY SAND to SANDY SILT	60
14.550	47.74	153.8	4.19	NA	*VERY STIFF FINE GRAINED	154
14.700	48.23	169.6	4.00	NA.	*VERY STIFF FINE GRAINED	170
14.850	48.72	169.3	4.00	NA	*VERY STIFF FINE GRAINED	169
15.000	49.21	222.6	2.60	NA.	SILTY SAND to SANDY SILT	74
15.150	49.70	135.4	4.37	NA.	*VERY STIFF FINE GRAINED	135
15.300	50.20	139.7	3.74	NA.	SANDY SILT to CLAYEY SILT	56
15.450	50 69	124.3	3.96	NA.	CLAYEY SILT to SILTY CLAY	
15.600	51.18	230.7	3.76	NA	*SAND to CLAYEY SAND	115
15.750	51.67	213.5	3.10	NA.	SILTY SAND to SANDY SILT	71
15.900	52.17	220.2	3.68	NA.	*SAND to CLAYEY SAND	110
16.050	52.66	140.5	5.03	NA.	*VERY STIFF FINE GRAINED	140
16 200	53.15	275.7	3.12	NA.	*SAND to CLAYEY SAND	138
16.350	53 64	229.9	4.76	NA.	*VERY STIFF FINE GRAINED	230
16.500	54.13	219.3	3.43		*SAND to CLAYEY SAND	110
16.650	54.63	174.6	2.57	NA NA	SILTY SAND to SANDY SILT	58
16 800	55.12	38.6	4.56	NA NA	CLAY to SILTY CLAY	26
16.950	55.61	29.3	2.46	NA	SANDY SILT to CLAYEY SILT	12
17.100	56 10	55.0	5.35	NA.	CLAY	55
17.250	56.59	41.2	2.62	NA.	SANDY SILT to CLAYEY SILT	16
17.400	57.09	29.4	2.11	NA.	SANDY SILT to CLAYEY SILT	12
17.400	57.58	30.3	1.22	NA NA	SILTY SAND to SANDY SILT	
17.700	58.07	35.0	2.94	NA NA	CLAYEY SILT to SILTY CLAY	
17.700	58.56	30.4	4.35	NA NA	CLAY to SILTY CLAY	20
	59.06	55.4	5.43	NA NA	CLAY	55
18 000	33.00	33.4	3.42	MA	CIMI	33

NA = NOT APPLICABLE

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf ASSUMED DEPTH OF WATER TABLE = 15.0 fc

N(60) = EQUIVALENT SPT VALUE (60% Energy)



SOUNDING NUMBER: CPT-2

PROJECT NAME

: ENVIRON/STD.BNDS

CONE/RIG : 469/T-3

PROJECT NUMBER :

95-381-12106

DATE/TIME: 05-15-95 06:31



SOUNDING: CPT-2 PROJECT No.: 95-381-121

PROJECT : ENVIRON/STD.BNDS CONE/RIG : 469/T-3 DATE/TIME: 05-15-95 06:31

* ******************************

PAGE 1 of 3

DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	M (60)
(m)	(ft)	(tsf)	(%)	(tsf)		

.150	.49	.0	.00	AA		Ō
.300	.98	٥.	.00	NA		0
.450	1.48	52 9	4.67	NA	CLAY to SILTY CLAY	35
.600	1.97	23.6	5.14	NA	CLAY	24
.750	2.46	26.5	5.07	AM	CLAY	26
.900	2.95	24.0	5.17	NA	CLAY	24
1.050	3.44	19.5	4.93	NA	CLAY	19
1.200	3.94	16.5	3.77	NA	CLAY to SILTY CLAY	11
1.350	4.43	15.5	4.19	NA	CLAY	16
1.500	4.92	18.0	4.77	NA.	CLAY	18
1.650	5.41	18.2	4.94	NA	CLAY	18
1.800	5.91	17.8	4.39	NA	CLAY	18
1 950	6.40	18 3	4.44	NA	CLAY	18
2.100	6.89	18.4	3.92	AN	CLAY to SILTY CLAY	12
2 250	7 38	18.5	4.17	AN	CLAY	18
2.400	7.87	16.1	6.04	NA	CLAY	16
2.550	8.37	15.5	4.91	AN	CLAY	15
2 700	8.86	15.0	6.13	NA	CLAY	15
2.850	9.35	22.0	5.83	NA	CLAY	22
3 000	9.84	17.6	5.12	NA	CLAY	18
3.150	10.33	12.5	4.63	NA	CLAY	13
3.300	10.83	11.9	2.93	NA	CLAY to SILTY CLAY	8
3.450	11.32	13.3	2.32	NA	CLAYEY SILT to SILTY CLAY	7
3.600	11.81	17.2	3.95	AN	CLAY to SILTY CLAY	11
3 750	12.30	20.7	3.48	NA	CLAY to SILTY CLAY	14
3.900	12.80	21.8	4.60	NA	CLAY	22
4 050	13.29	25.1	4.54	NA	CLAY	25
4.200	13.78	22.1	4.17	NA	CLAY to SILTY CLAY	15
4.350	14.27	19.7	4.01	NA	CLAY to SILTY CLAY	13
4.500	14.76	19.3	3.52	NA	CLAY to SILTY CLAY	1,3
4.650	15.26	19 7	3.60	NA	CLAY to SILTY CLAY	13
4.800	15.75	21 4	3.78	NA	CLAY to SILTY CLAY	14
4.950	16.24	19.3	2.81	NA	CLAYEY SILT to SILTY CLAY	10
5 100	16.73	19.8	2.48	NA	CLAYEY SILT to SILTY CLAY	10
5.250	17.22	17.6	1.70	NA	SANDY SILT to CLAYEY SILT	7
5.400	17.72	13.0	3.86	NA	CLAY	13
5 550	18.21	20.3	2 57	NA	CLAYEY SILT to SILTY CLAY	10
5.700	18.70	19.8	2.22	NA 	CLAYEY SILT to SILTY CLAY	10
5 850	19 19	24.2	2.52	NA.	CLAYEY SILT to SILTY CLAY	12
6.000	19.69	20.0	1.50	NA NA	SANDY SILT to CLAYEY SILT	8
6.150	20.18	27.9	5.02	NA	CLAY	28

NA = NOT APPLICABLE

TOP 1.0 ft IS DISTURBED SOIL

ASSUMED TOTAL UNIT WT = 110 pcf

ASSUMED DEFTH OF WATER TABLE = 15.0 ft N(50) = EQUIVALENT SPT VALUE (60% Energy)

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N (60)
(m)	(ft)	(tsf)	(¥)	(tsf)		
6.300	20.67	61.4	4.40	AM	CLAYEY SILT to SILTY CLAY	31
6.450	21.16	72.1	4.26	NA.	CLAYEY SILT to SILTY CLAY	36
6.600	21.65	114.1	3.22	NA.	SANDY SILT to CLAYEY SILT	46
6.750	22 15	101.5	4.95	NA	*VERY STIFF FINE GRAINED	101
6.900	22.64	76.2	6.02	NA	*VERY STIFF FINE GRAINED	76
7.050	23.13	118.5	4.15	NA	*VERY STIFF FINE GRAINED	119
7.200	23.62	93.7	4.57	NA	*VERY STIFF FINE GRAINED	94
7.350	24.11	68.8	4.85	NA	*VERY STIFF FINE GRAINED	69
7.500	24.61	43.8	8.19	NA.	CLAY	44
7.650	25.10	60.1	5.39	NA.	CLAY	60
7 800	25.59	67.7	5.04	AИ	*VERY STIFF FINE GRAINED	68
7.950	26.08	131.6	4.24	NA	*VERY STIFF FINE GRAINED	132
8.100	26.57	196.9	3.34	AN	SANDY SILT to CLAYEY SILT	79
8.250	27.07	126.1	3.97	NA	CLAYEY SILT to SILTY CLAY	63
8.400	27.56	158.3	2.84	NA	SILTY SAND to SANDY SILT	53
8.550	28.05	111.8	2.77	AK	SANDY SILT to CLAYEY SILT	45
8.700	28.54	130.9	4.68	NA	*VERY STIFF FINE GRAINED	131
8.850	29.04	120 0	2.96	AN	SANDY SILT to CLAYEY SILT	48
9.000	29.53	2.7	35.19	. NA	ORGANIC MATERIAL	3
9.150	30.02	5.8	21.40	NA	CLAY	6
9.300	30.51	2.4	25.00	NA	ORGANIC MATERIAL	2
9.450	31.00	3.5	52.71	NA	ORGANIC MATERIAL	4
9.600	31 50	136.5	3.13	NA	SANDY SILT to CLAYEY SILT	55
9.750	31.99	30.2	4.53	NA	CLAY to SILTY CLAY	20
9.900	32.48	102.6	3.77	NA	CLAYEY SILT to SILTY CLAY	51
10.050	32.97	149.8	3 50	NA	SANDY SILT to CLAYEY SILT	60
10.200	33.46	213.3	1.84	NA	SAND to SILTY SAND	53
10.350	33.96	195.0	2.17	NA	SILTY SAND to SANDY SILT	65
10 500	34.45	23.7	4.93	NA	CLAY	24
10.650	34 94	18.9	1.22	NA	SANDY SILT to CLAYEY SILT	8
10.800	35.43	18.4	1.53	NA	SANDY SILT to CLAYEY SILT	7
10.950	35 93	35.1	4.10	NA	CLAY to SILTY CLAY	23
11.100	36.42	44.9	4.06	NΑ	CLAYEY SILT to SILTY CLAY	22
11.250	36 91	50.9	5.28	AM	CLAY	51
11.400	37.40	48.3	5.42	NA	CLAY	48
11 550	37.89	45.3	5.72	NA	CLAY	45
11.700	38.39	51 2	5.62	NA	CLAY	51
11 850	38.88	54.0	5.94	NA	CLAY	54
12.005	39.37	49.9	7.21	NA	CLAY	50
12.150	39.86	37 1	5.13	NA	CLAY	37
12 300	40.35	88.5	5.05	AN	*VERY STIFF FINE GRAINED	89
12.450	40.85	72.8	4.01	AN	CLAYEY SILT to SILTY CLAY	36
12.600	41.34	42.5	7.17	NA 	CLAY	43
12 750	41.83	199.2	4.04	NA	*SAND to CLAYEY SAND	100
12.900	42.32	130 1	5 84	NA	*VERY STIFF FINE GRAINED	130
13.050	42.81	181.2	4.52	NA	*VERY STIFF FINE GRAINED	181
13.200	43.31	266.0	3.71	NA NA	*SAND to CLAYEY SAND	133
13 350	43 80	330 0	3.22	NA NA	*SAND to CLAYEY SAND	165
13.500	44.29	123.2	6.52	NA NA	*VERY STIFF FINE GRAINED	123
13 650	44.78	206.3	4.50	NA	*VERY STIFF FINE GRAINED	206

NA = NOT APPLICABLE

 $[\]star$ INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf

ASSUMED DEPTH OF WATER TABLE = 15.0 ft


N(60) = EQUIVALENT SPT VALUE (60% Energy)

DEPTH (m)	DEPTH	TIP RESISTANCE (tsf)	FRICTION RATIO (%)	CONE PORE PRESSURE (tsf)	SOIL BEHAVIOR TYPE	N(60)
					COLUMN COLUMN COLUMN	92
13.800	45.28	276.3	2.85	NA	SILTY SAND to SANDY SILT	106
13.950	45.77	211.7	3.57	NA.	*SAND to CLAYEY SAND	
14.100	46.26	224.9	3.89	AA.	*SAND to CLAYEY SAND	
14.250	46.75	178.1	4.62	NA	*VERY STIFF FINE GRAINED	183
14.400	47.24	183.1	4.12	NA	*VERY STIFF FINE GRAINED	
14.550	47.74	143.9	5.27	NA	*VERY STIFF FINE GRAINED	144
14.700	48.23	171.7	4.30	NA	*VERY STIFF FINE GRAINED	172
14 850	48.72	159.8	4.16	NA	*VERY STIFF FINE GRAINED	160
15 000	49.21	160.2	3.73	NA	*SAND to CLAYEY SAND	80
15 150	49.70	134.8	4.88	AA	*VERY STIFF FINE GRAINED	
15.300	50.20	118.6	3.91	NA	CLAYEY SILT to SILTY CLAY	
15.450	50.69	125.0	3.39	NA	SANDY SILT to CLAYEY SILT	
15 600	51.18	154.5	3.22	NA	SANDY SILT to CLAYEY SILT	62
15.750	51.67	125.4	4.94	NA	*VERY STIFF FINE GRAINED	125
15.900	52.17	128.3	5.04	NA	*VERY STIFF FINE GRAINED	12B
16.050	52.66	134.5	4.43	NA	*VERY STIFF FINE GRAINED	134
16 200	53.15	125.3	4.33	NA	*VERY STIFF FINE GRAINED	125
16 350	53.64	116.2	4.29	NA .	*VERY STIFF FINE GRAINED	116
16 500	54.13	43.7	2.93	NA	SANDY SILT to CLAYEY SILT	17
16 650	54.63	35.2	4.10	NA	CLAY to SILTY CLAY	23
16.800	55.12	33.7	3.15	NA	CLAYEY SILT to SILTY CLAY	
16.950	55. 6 1	77.4	4.93	NA	*VERY STIFF FINE GRAINED	77
17.100	56.10	122.6	4.21	NA	*VERY STIFF FINE GRAINED	
17.250	56.59	27.8	2.23	NA	SANDY SILT to CLAYEY SILT	
17.400	57.09	28.1	1.42	NA	SANDY SILT to CLAYEY SILT	
17.550	57.58	25.6	3.20	NA	CLAYEY SILT to SILTY CLAY	
17.700	58.07	36.3	3.50	AN	CLAYEY SILT to SILTY CLAY	18
17.850	58.56	53.6	5.04	AN	CLAY to SILTY CLAY	36
18.000	59.06	49.6	5.44	NA	CLAY	50
18 150	59.55	33 3	4.06	NA	CLAY to SILTY CLAY	22

NA = NOT APPLICABLE

*INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL
ASSUMED TOTAL UNIT WT = 110 pcf
ASSUMED DEPTH OF WATER TABLE = 15 0 fr

ASSUMED DEPTH OF WATER TABLE = 15.0 ft N(60) = EQUIVALENT SPT VALUE (60% Energy)



SOUNDING NUMBER: CPT-3

PROJECT NAME : ENVIRON/STO.BNDS

05 004 10100

DATE/TIME: 05-15-95 08:49

CONE/RIG : 469/T-3

PROJECT NUMBER : 95-381-12106





SOUNDING : CPT-3 PROJECT No.: 95-381-12106

PROJECT : ENVIRON/STD.BNDS CONE/RIG : 469/T-3

DATE/TIME: 05-15-95 08:49

PAGE 1 of 3

DEPTH	DEPTH	TIP	FRICTION	CONE PORE	SOIL BEHAVIOR TYPE	N(60)
	10.	RESISTANCE	RATIO	PRESSURE		
(m)	(ft)	(tsf)	(%)	(tsf)		
.150	.49	.0	.00	NA		0
.300	.98	.0	.00	NA.		ā
.450	1.48	39.8	4.85	NA.	CLAY to SILTY CLAY	27
.600	1.97	20.8	4.87	NA.	CLAY	21
750	2 46	20.4	5.45	NA	CLAY	20
.900	2 95	21.2	5.28	NA	CLAY	21
1.050	3.44	22.9	4.94	NA	CLAY	23
1.200	3.94	22.5	5.11	NA	CLAY	23
1.350	4.43	23.6	5.30	NA	CLAY	24
1.500	4.92	22.8	5.52	. NA	CLAY	23
1.650	5.41	21.4	6.00	AN	CLAY	21
1.800	5.91	20.8	6.19	NA	CLAY	21
1.950	6.40	22.4	6.44	NA	CLAY	22
2.100	6.89	23.3	4.84	NA	CLAY	23
2.250	7.38	23.5	4.97	NA	CLAY	24
2.400	7.87	23.0	4.17	NA	CLAY to SILTY CLAY	15
2 550	8 37	24.7	4.65	NA	CLAY	25
2.700	8 86	22.4	5.04	NA	CLAY	22
2 850	9.35	26.5	6.84	NA	CLAY	26
3.000	9 84	25.9	5.68	NA	CLAY	26
3 150	10.33	29.7	5.96	NA	CLAY	30
3 300	10.83	20.8	5.35	NA	CLAY	21
3.450	11.32	19.3	3.22	AA	CLAYEY SILT to SILTY CLAY	10
3.600	11.81	24.2	4.58	NA	CLAY	24
3.750	12.30	22.7	5.20	NA	CLAY	23
3.900	12.80	61.6	3.50	NA	CLAYEY SILT to SILTY CLAY	31
4.050	13.29	27.6	6.09	NA	CLAY	28
4.200	13.78	21.8	5.83	NA	CLAY	22
4.350	14.27	18.3	2.95	NA	CLAYEY SILT to SILTY CLAY	9
4.500	14.76	66.8	6.29	NA	*VERY STIFF FINE GRAINED	67
4 650	15.26	67.3	6.00	NA	*VERY STIFF FINE GRAINED	67
4.800	15.75	49.0	4.89	NA	CLAY to SILTY CLAY	33
4.950	16.24	43.5	3.38	NA	CLAYEY SILT to SILTY CLAY	22
5.100	16.73	47.8	4.46	NA	CLAY to SILTY CLAY	32
5.250	17.22	28.9	1.45	NA	SANDY SILT to CLAYEY SILT	12
5.400	17.72	36.1	6.04	NA	CLAY	36
5.550	18.21	60.4	5 54	NA	CLAY	60
5.700	18.70	112.1	5.36	NA	*VERY STIFF FINE GRAINED	112
5 850	19 19	91.4	6.00	NA.	*VERY STIFF FINE GRAINED	91
6 000	19.69	97 5	3.81	NA	CLAYEY SILT to SILTY CLAY	49
6.150	20.18	17.5	86	AA	SANDY SILT to CLAYEY SILT	7

NA = NOT APPLICABLE

TOP 1.0 ft IS DISTURBED SOIL

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf

ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)

DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N(60)
(m)	(ft)	(tsf)	(%)	(tsf)		
6.300	20.67	18.0	.55	NA	SANDY SILT to CLAYEY SILT	7
6 450	21.16	13.3	. 75	NA	SANDY SILT to CLAYEY SILT	5
6.600	21.65	19.0	. 84	NA	SANDY SILT to CLAYEY SILT	8
6.750	22 15	28.5	5.47	NA	CLAY	29
6.900	22.64	75 1	5.84	NA	*VERY STIFF FINE GRAINED	75
7.050	23.13	71.4	5.75	NA	*VERY STIFF FINE GRAINED	71
7.200	23.62	91.3	6.15	NA	*VERY STIFF FINE GRAINED	91
7.350	24.11	93 7	5.14	NA	*VERY STIFF FINE GRAINED	94
7 500	24 61	102.4	4.47	NA	*VERY STIFF FINE GRAINED	102
7.650	25.10	130.6	4.11	NA	*VERY STIFF FINE GRAINED	131
7.800	25.59	120.1	3.00	NA	SANDY SILT to CLAYEY SILT	48
7.95C	26.08	100.8	4 21	NA	CLAYEY SILT to SILTY CLAY	50
8.100	26.57	89.3	4.21	NA.	CLAYEY SILT to SILTY CLAY	45
8.250	27.07	99.6	2.78	NA	SANDY SILT to CLAYEY SILT	40
8.400	27.56	80.7	3.24	NA.	SANDY SILT to CLAYEY SILT	32
8 550	28.05	73.9	3.13	NA	SANDY SILT to CLAYEY SILT	30
8.700	28.54	50.4	3.81	NA	CLAYEY SILT to SILTY CLAY	25
8.850	29.04	58.5	4.13	NA .	CLAYEY SILT to SILTY CLAY	29
9 000	29.53	163.8	3.47	NA	SANDY SILT to CLAYEY SILT	66
9.150	30.02	110.2	4.47	NA	*VERY STIFF FINE GRAINED	110
9.300	30.51	147 8	4.26	NA	*VERY STIFF FINE GRAINED	148
9.450	31.00	315.5	2.67	NA	SILTY SAND to SANDY SILT	105
9 600	31.50	245.4	3.20	NA.	*SAND to CLAYEY SAND	123
9.750	31 99	303.8	2.92	NA	*SAND to CLAYEY SAND	152
9.900	32.48	258.5	3.42	NA	*SAND to CLAYEY SAND	129
10 050	32.97	274.0	3.79	NA	*SAND to CLAYEY SAND	137
10.200	33 46	305.8	2.77	NA	SILTY SAND to SANDY SILT	102
10 350	33.96	204.7	1.89	NA	SAND to SILTY SAND	51
10.500	34.45	120.9	1.64	NA	SILTY SAND to SANDY SILT	40
10.650	34.94	87.9	2.51	NA	SANDY SILT to CLAYEY SILT	35
10.800	35.43	48.1	2.19	NA NA	SANDY SILT to CLAYEY SILT	19
10.950	35 93	20.1	1.00	NA	SANDY SILT to CLAYEY SILT	8
11.100	36.42	19.6	.97	NA NA	SANDY SILT to CLAYEY SILT	8
11.250	36 91	20 6	1.94	NA NA	SANDY SILT to CLAYEY SILT	8
11 400	37.40	23.9	2.34	NA	CLAYEY SILT to SILTY CLAY	12
11.550 11 700	37.89	34.0	3.24	NA NA	CLAYEY SILT to SILTY CLAY	17
11 950	38 39 38.88	36.7 37.6	4.57 4.95	AN AN	CLAY to SILTY CLAY CLAY	24
12.000	39.37	=	5.22		CLAY	38
12.000	39.37	40.0		NA NA		40
12 300	40.35	41.1	5.40 5.20	NA NA	CLAY	41
12 450	40.35	37.1 34.9	5.30	AN AN	CLAY	37
12 450	41.34	30.9	5.93	NA NA	CLAY	35 31
12.750	41.83	27.0	4.73	NA NA	CLAY	27
12.750	42 32	23.6	2.25	NA	CLAYEY SILT to SILTY CLAY	
12 900	42.81	26.2	3.24	NA NA	CLAYEY SILT to SILTY CLAY	12 13
13.200	43 31	28.9	3.02	NA NA	CLAYEY SILT to SILTY CLAY	13
13.200	43 80	29.0	3.03	NA	CLAYEY SILT to SILTY CLAY	14
13.500	44.29	22.0	2.87	NA NA	CLAYEY SILT to SILTY CLAY	11
13.500	44.23	27.6	2.97	AN AN	CLAYEY SILT to SILTY CLAY	14
_5.554	** 10			W.F.	Current Stat to State Cart	7.4

NA = NOT APPLICABLE

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf

ASSUMED DEPTH OF WATER TABLE = 15 0 ft N(60) = EQUIVALENT SPT VALUE (60% Energy)


DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE	SOIL BEHAVIOR TYPE	N(60)
(m)	(ft)	(tsf)	(₺)	(tsf)		
13.800	45.28	25.7	2.88	AN	CLAYEY SILT to SILTY CLAY	13
13.950	45.77	91.0	4.36	NA	CLAYEY SILT to SILTY CLAY	46
14.100	46.26	120.5	4.48	NA	*VERY STIFF FINE GRAINED	121
14.250	46.75	282.8	3.24	AN	*SAND to CLAYEY SAND	141
14.400	47.24	191.4	5.19	NA	*VERY STIFF FINE GRAINED	191
14.550	47.74	232.6	3.28	NA	*SAND to CLAYEY SAND	116
14.700	48.23	158.1	6.25	NA	*VERY STIFF FINE GRAINED	158
14.850	48.72	197.1	4.18	NA	*VERY STIFF FINE GRAINED	197
15,000	49.21	218.7	3.02	NA	SILTY SAND to SANDY SILT	73
15.150	49.70	263.6	1.82	NA	SAND to SILTY SAND	66
15.300	50.20	215.7	2.32	NA.	SILTY SAND to SANDY SILT	72
15.450	50.69	185.9	2.65	NA	SILTY SAND to SANDY SILT	62
15.600	51.18	154.5	2.43	AN	SILTY SAND to SANDY SILT	52
15.750	51 67	140.5	2.16	NA	SILTY SAND to SANDY SILT	47
15.900	52.17	106.5	4.22	NA	*VERY STIFF FINE GRAINED	107
16.050	52.66	135.4	3.66	AN	SANDY SILT to CLAYEY SILT	54
16.200	53.15	137.9	4.13	NA	*VERY STIFF FINE GRAINED	138
16.350	53.64	109.3	4.58	NA	*VERY STIFF FINE GRAINED	109
16.500	54.13	33.7	2.02	· NA	SANDY SILT to CLAYEY SILT	13
16.650	54.63	43.1	2.60	NA	SANDY SILT to CLAYEY SILT	17
16.800	55.12	33.6	4.11	NA	CLAY to SILTY CLAY	22
16.950	55.61	35.8	2.46	NA.	SANDY SILT to CLAYEY SILT	14
17.100	56.10	40.4	2.85	NA	SANDY SILT to CLAYEY SILT	16
17,250	56.59	39.3	1.81	NA	SANDY SILT to CLAYEY SILT	16
17.400	57.09	64 3	5.49	AA	*VERY STIFF FINE GRAINED	64
17.550	57.58	106.5	5.40	NA	*VERY STIFF FINE GRAINED	106
17 700	58 07	35.6	1.99	NA	SANDY SILT to CLAYEY SILT	14
17.850	58.56	35.6	2.78	NA	CLAYEY SILT to SILTY CLAY	18
18.000	59.06	32.3	2.63	NA	SANDY SILT to CLAYEY SILT	13

NA = NOT APPLICABLE

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)



ASSUMED TOTAL UNIT WT = 110 PCF

ASSUMED DEPTH OF WATER TABLE = 15.0 FT

BOIL BEHAVIOR TYPE INTERPRETATIONS BASED ON: QUIDELINES FOR GEOTECHNICAL DESIGN USING THE CPT AND CPTU.
SOIL MECHANICS SERIES ±120. UNIVERSITY OF BRITISH COLUMBIA. SEPTEMBER 1989. BY P.K. ROBERTSON AND R.G. CAMPANELLA.

CONE PENETRATION TEST

SOUNDING NUMBER: CPT-4

PROJECT NAME :

: ENVIRON/STD.BNDS

CONE/RIG : 469/T-3

PROJECT NUMBER : 95-381-12106

DATE/TIME: 05-15-95 13:45



SOUNDING : CPT-4 PROJECT No.: 95-381-12106

* PROJECT : ENVIRON/STD.BNDS CONE/RIG : 469/T-3

* DATE/TIME: 05-15-95 13:45

*

PAGE 1 of 3

DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N(60)
(m)	(ft)	(tsf)	(%)	(tsf)		

.150	.49	. 0	.00	NA		0
.300	.98	.0	.00	NA		0
.450	1.48	.0	.00	NA		0
.600	1.97	19.1	3.82	NA	CLAY to SILTY CLAY	13
.750	2.46	18.8	3.77	NA	CLAY to SILTY CLAY	13
.900	2.95	17.4	3.33	NA	CLAY to SILTY CLAY	12
1 050	3.44	16.6	3.80	NA	CLAY to SILTY CLAY	11
1,200	3.94	13.9	3.17	NA	CLAY to SILTY CLAY	9
1 350	4.43	13.8	2.54	NA	CLAYEY SILT to SILTY CLAY	7
1.500	4.92	13.6	2.28	NA	CLAYEY SILT to SILTY CLAY	7
1.650	5.41	14.0	3.08	NA	CLAY to SILTY CLAY	9
1.800	5.91	16.8	4.99	NA	CLAY	17
1.950	6.40	18.1	4.76	AN	CLAY	18
2.100	6.89	16 9	4.45	NA	CLAY	17
2.250	7 38	17.4	4.08	NA	CLAY	17
2 400	7.87	18.5	3.84	NA	CLAY to SILTY CLAY	12
2.550	8.37	20.5	2.74	NA	CLAYEY SILT to SILTY CLAY	10
2.700	8.86	21.2	4.38	NA	CLAY	21
2 850	9.35	39.6	5.22	NA	CLAY	40
3.000	9.84	58.3	5.19	NA	CLAY	58
3 150	10.33	20 5	3.52	NA	CLAY to SILTY CLAY	14
3.300	10 83	19.4	1.60	NA	SANDY SILT to CLAYEY SILT	8
3 450	11.32	25 0	1.96	NA	SANDY SILT to CLAYEY SILT	10
3 600	11.81	25.7	1.67	NA	SANDY SILT to CLAYEY SILT	10
3 750	12.30	24.3	3.38	NA	CLAYEY SILT to SILTY CLAY	12
3 900	12.80	27.9	3.44	NA	CLAYEY SILT to SILTY CLAY	14
4.050	13 29	28.9	3.74	NA	CLAYEY SILT to SILTY CLAY	14
4 200	13.78	25.6	3.69	NA	CLAYEY SILT to SILTY CLAY	13
4.350	14.27	22.1	3.12	NA	CLAYEY SILT to SILTY CLAY	11
4.500	14.76	25.0	3.44	NA	CLAYEY SILT to SILTY CLAY	12
4.650	15 26	25 1	4.25	NA	CLAY to SILTY CLAY	17
4 300	15.75	37.1	3.85	NA	CLAYEY SILT to SILTY CLAY	19
4.950	16.24	45.5	3.50	NA	CLAYEY SILT to SILTY CLAY	23
5 100	16.73	24 5	2.25	NA	SANDY SILT to CLAYEY SILT	10
5 250	17.22	22.8	2.72	NA	CLAYEY SILT to SILTY CLAY	11
5 400	17 72	26.8	3.51	NA	CLAYEY SILT to SILTY CLAY	13
5 550	18.21	39.5	3 64	NA	CLAYEY SILT to SILTY CLAY	20
5.700	18 70	22.8	2.41	NA	CLAYEY SILT to SILTY CLAY	11
5.850	19.19	21.7	2.49	NА	CLAYEY SILT to SILTY CLAY	11
6.300	19.69	23.0	2.65	NA	CLAYEY SILT to SILTY CLAY	11
6 150	20 18	21.4	2.71	NA	CLAYEY SILT to SILTY CLAY	11

NA = NOT APPLICABLE

TOP 1.5 ft IS DISTURBED SOIL

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf

ASSUMED DEPTH OF WATER TABLE * 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)

DEPTH (m)	DEPTH (ft)	TIP RESISTANCE (tsf)	FRICTION RATIO (%)	CONE PORE PRESSURE (tsf)	SOIL BEHAVIOR TYPE	N(60)
						- -
6.300	20.67	21.8	3.16	NA	CLAYEY SILT to SILTY CLAY	11
6.450	21.16	21.1	2.22	NA	CLAYEY SILT to SILTY CLAY	11
6.600	21.65	48.0	2.98	NA	SANDY SILT to CLAYEY SILT	19
6.750	22.15	32.1	4.85	NA	CLAY	32
6.900	22.64	33.5	5.16	NA	CLAY	34
7.050	23.13	26.8	2.72	NA	CLAYEY SILT to SILTY CLAY	13
7.200	23.62	34.6	4.85	NA	CLAY	35
7.350	24.11	17.4	2.18	NA	CLAYEY SILT to SILTY CLAY	9
7.500	24.61	16.3	1.65	NA	CLAYEY SILT to SILTY CLAY	8
7.650	25.10	17.1	1.64	NA	SANDY SILT to CLAYEY SILT	7
7.800	25.59	18.7	2.20	NA	CLAYEY SILT to SILTY CLAY	9
7.950	26.08	15.1	1.45	NA	SANDY SILT to CLAYEY SILT	6
8.100	26.57	13.7	1.24	NA	SANDY SILT to CLAYEY SILT	5
8.250	27.07	14.1	1.91	NA	CLAYEY SILT to SILTY CLAY	7
8.400	27.56	15.1	1.52	NA	CLAYEY SILT to SILTY CLAY	8
8 550	28.05	14.4	1.32	NA	SANDY SILT to CLAYEY SILT	6
8.700	28.54	15.6	1.61	NA	CLAYEY SILT to SILTY CLAY	8
8.850	29.04	16.6	1.99	NA	CLAYEY SILT to SILTY CLAY	8
9.000	29.53	14.2	2.05	NA	CLAYEY SILT to SILTY CLAY	7
9.150	30.02	13.4	1.57	NA	CLAYEY SILT to SILTY CLAY	7
9.300	30.51	29.0	2.72	NA	CLAYEY SILT to SILTY CLAY	15
9.450	31.00	16.2	.68	NA	SANDY SILT to CLAYEY SILT	6
9.600	31.50	31.6	2 85	NA	CLAYEY SILT to SILTY CLAY	16
9.750	31 99	17.5	1.20	NA	SANDY SILT to CLAYEY SILT	7
9.900	32.48	14.9	1.81	NA	CLAYEY SILT to SILTY CLAY	7
10.050	32 97	14 8	.74	NA	SANDY SILT to CLAYEY SILT	6
10.200	33.46	17.1	2.45	NA	CLAYEY SILT to SILTY CLAY	9
10 350	33.96	19.5	1.64	NA	SANDY SILT to CLAYEY SILT	8
10.500	34.45	19.3	2.07	NA	CLAYEY SILT to SILTY CLAY	10
10.650	34.94	3 7 7	1.67	AN	SANDY SILT to CLAYEY SILT	15
10.800	35.43	21.0	.81	NA	SANDY SILT to CLAYEY SILT	8
10.950	35.93	23.9	1.55	NA	SANDY SILT to CLAYEY SILT	10
11 100	36.42	27.5	2.55	NA	CLAYEY SILT to SILTY CLAY	14
11.250	36 91	64.8	5.11	NA	*VERY STIFF FINE GRAINED	65
11.400	37.40	73.8	5.56	NA	*VERY STIFF FINE GRAINED	74
11.550	37.89	88 9	4.53	NA	*VERY STIFF FINE GRAINED	89
11 700	38.39	77.9	4.49	NA	CLAYEY SILT to SILTY CLAY	39
11.850	38.88	106.4	3.48	NA	SANDY SILT to CLAYEY SILT	43
12.000	39 37	99 1	3.73	NA	CLAYEY SILT to SILTY CLAY	50
12.150	39.86	5 9 5	5.51	NA	CLAY	60
12.300	40.35	34.3	3.67	AM	CLAYEY SILT to SILTY CLAY	17
12 450	40.85	24.6	1.59	NA	SANDY SILT to CLAYEY SILT	10
12.600	41,34	49 7	5.89	NA	CLAY	50
12.750	41.83	42.9	5.71	NA	CLAY	43
12.900	42 32	36.0	5 14	NA	CLAY	36
13 050	42 81	39.4	5.13	NA	CLAY	39
13.200	43.31	97.8	4.89	NA	*VERY STIFF FINE GRAINED	98
13 350	43 80	99.1	4.46	NA	*VERY STIFF FINE GRAINED	99
13.500	44.29	34.0	3.50	NA	CLAYEY SILT to SILTY CLAY	17
13 650	44.78	32.1	1 90	NA	SANDY SILT to CLAYEY SILT	13

NA = NOT APPLICABLE

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT * 110 pcf
ASSUMED DEPTH OF WATER TABLE = 15 0 ft
N(60) = EQUIVALENT SPT VALUE (60% Energy)


DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N(60)
(m)	(ft)	(tsf)	(%)	(tsf)		
13.800	45.28	26.3	2.09	NA	SANDY SILT to CLAYEY SILT	11
13.950	45.77	34.7	2.82	NA	CLAYEY SILT to SILTY CLAY	17
14,100	46.26	193.4	2.94	NA	SILTY SAND to SANDY SILT	64
14.250	46.75	301.9	2.00	NA	SAND to SILTY SAND	75
14 400	47.24	309 9	2.63	NA	SILTY SAND to SANDY SILT	103
14.550	47.74	223.8	3.79	NA	*SAND to CLAYEY SAND	112
14 700	48.23	235.4	3 08	NA	SILTY SAND to SANDY SILT	78
14.850	48.72	133.1	4.11	AN	*VERY STIFF FINE GRAINED	133
15.000	49.21	239.2	2.61	NA.	SILTY SAND to SANDY SILT	80
15.150	49.70	285.6	4.08	NA.	*SAND to CLAYEY SAND	143
15.300	50.20	310.3	3.75	NA	*SAND to CLAYEY SAND	155
15.450	50.69	273.3	3.27	NA	*SAND to CLAYEY SAND	137
15 600	51.18	228.7	2.63	NA.	SILTY SAND to SANDY SILT	76
15.750	51.67	105.3	3 80	NA	CLAYEY SILT to SILTY CLAY	53
15 900	52.17	79.8	5.14	NA	*VERY STIFF FINE GRAINED	80
16.050	52 66	225.8	3.56	NA	*SAND to CLAYEY SAND	113
16 200	53.15	184.5	3.89	NA	*SAND to CLAYEY SAND	92
16.350	53 64	217.0	3.41	AK	*SAND to CLAYEY SAND	109
16.500	54.13	241.3	3.87	· NA	*SAND to CLAYEY SAND	121
15.650	54,63	191.4	3.78	AN	*SAND to CLAYEY SAND	96
16.800	55.12	45.1	2.64	NA	SANDY SILT to CLAYEY SILT	18
16.950	55.61	59.5	2.29	NA	SANDY SILT to CLAYEY SILT	24
17.100	56.10	74 7	3.01	NA	SANDY SILT to CLAYEY SILT	30
17 250	56.59	57.5	2.70	NA	SANDY SILT to CLAYEY SILT	23
17.400	57.09	36.3	3 22	NA	CLAYEY SILT to SILTY CLAY	18
17 550	57.58	30.3	2.41	NA	SANDY SILT to CLAYEY SILT	12
17 700	58.07	25.1	1.60	NA	SANDY SILT to CLAYEY SILT	10
17.850	58.56	33.7	1.30	NA	SILTY SAND to SANDY SILT	
18 000	59.06	43.1	2.48	NA	SANDY SILT to CLAYEY SILT	17

NA - NOT APPLICABLE

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)



SOUNDING NUMBER: CPT-5

PROJECT NAME : ENVIRON/STD.

: ENVIRON/STD.BNDS CONE/RIG : 469/T-3

PROJECT NUMBER : 95-381-12106

DATE/TIME: 05-15-95 14:39



SOUNDING: CPT-5 PROJECT No.: 95-381-12106

PROJECT : ENVIRON/STD.BNDS CONE/RIG : 469/T-3

* DATE/TIME: 05-15-95 14:39

*

DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N(60)
(m)	(ft)	(tsf)	(%)	(tsf)		
.150	.49	.0	.00	NA		0
.300	. 98	. 0	.00	NA		0
.450	1.48	.0	.00	NA		0
.600	1.97	.0	.00	AN		O
.750	2.46	.0	.00	NA		0
.900	2.95	.0	.00	NA		0
1.050	3.44	.0	.00	NA		0
1.200	3.94	.0	.00	NA		0
1.350	4.43	. 0	.00	NA		0
1.500	4.92	.0	.00	. NA		0
1.650	5.41	13.5	2.59	NA	CLAYEY SILT to SILTY CLAY	7
1.800	5.91	15.3	4.50	NA	CLAY	15
1 950	6.40	16 7	4.25	NA	CLAY	17
2.100	6.89	16.9	4.51	NA	CLAY	17
2.250	7.38	16.8	3.92	NA	CLAY to SILTY CLAY	11
2.400	7.87	16.3	3.69	ИA	CLAY to SILTY CLAY	11
2.550	8.37	19.0	3.27	NA	CLAYEY SILT to SILTY CLAY	9
2 700	8.86	20.9	2.15	NA	CLAYEY SILT to SILTY CLAY	10
2.850	9.35	23.6	2.08	NA	SANDY SILT to CLAYEY SILT	9
3 000	9.84	18.3	1.64	NA	SANDY SILT to CLAYEY SILT	7
3 150	10.33	21.2	3.30	NA	CLAYEY SILT to SILTY CLAY	11
3.300	10.83	19.2	3.86	NA	CLAY to SILTY CLAY	13
3.450	11.32	25.9	3.82	NA	CLAY to SILTY CLAY	17
3.600	11.81	22.7	3.88	NA	CLAY to SILTY CLAY	15
3.750	12.30	18.8	4.14	AN	CLAY to SILTY CLAY	13
3.900	12.80	22 5	4.63	NA	CLAY	22
4 050	13.29	24.0	4.83	AM	CLAY	24
4.200	13.78	24.5	3.83	NA	CLAY to SILTY CLAY	16
4 350	14.27	24.5	3.67	NA	CLAY to SILTY CLAY	16
4.500	14.76	22.0	3.18	NA	CLAYEY SILT to SILTY CLAY	11
4.650	15.26	22.3	2.15	AM	CLAYEY SILT to SILTY CLAY	11
4, 800	15 75	31.2	3.37	NA	CLAYEY SILT to SILTY CLAY	16
4.950	16.24	67.8	4.20	NA	CLAYEY SILT to SILTY CLAY	34
5 100	16.73	18.8	2.60	AN	CLAYEY SILT to SILTY CLAY	9
5.250	17.22	17.4	2.12	NA	CLAYEY SILT to SILTY CLAY	9
5 400	17.72	24.3	4.44	NA	CLAY to SILTY CLAY	16
5.550	18.21	20.1	3.18	NA	CLAYEY SILT to SILTY CLAY	10
5 700	18.70	19 7	3.00	NA	CLAYEY SILT to SILTY CLAY	10
5.850	19.19	20.5	3.17	NΑ	CLAYEY SILT to SILTY CLAY	10
6 000	19.69	15.8	2.41	NA	CLAYEY SILT to SILTY CLAY	8
6.150	20.18	15.8	2.35	NA	CLAYEY SILT to SILTY CLAY	8

NA = NOT APPLICABLE

TOP 5 0 ft IS DISTURBED SOIL

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf

ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)

DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N (60)
(m)	(ft)	(tsf)	(%)	(tsf)		
	20.65	17.8	3.09	NA	CLAYEY SILT to SILTY CLAY	9
6.300 6.450	20.67 21.16	15.8	4.24	NA.	CLAY	16
6.600	21.15	17.1	3.38	NA.	CLAY to SILTY CLAY	11
6.750	22.15	22.8	3.07	NA.	CLAYEY SILT to SILTY CLAY	11
6.900	22.15	25.6	2.27	NA.	SANDY SILT to CLAYEY SILT	10
7 050	23.13	22.4	3.13	NA	CLAYEY SILT to SILTY CLAY	11
7.200	23.62	58.8	4.64	NA	CLAY to SILTY CLAY	39
7 350	24.11	136.5	2.79	NA	SILTY SAND to SANDY SILT	46
7 500	24 61	151.6	3.33	NA	SANDY SILT to CLAYEY SILT	61
7.650	25.10	148.8	2.26	NA	SILTY SAND to SANDY SILT	50
7.800	25.59	48.3	2.42	NA.	SANDY SILT to CLAYEY SILT	19
7 950	26.08	20.3	1.13	NA	SANDY SILT to CLAYEY SILT	8
8.100	26.57	18.1	1.44	NA	SANDY SILT to CLAYEY SILT	7
8.250	27.07	16.0	1.13	ΝA	SANDY SILT to CLAYEY SILT	6
8.400	27.56	14.6	1.03	NA	SANDY SILT to CLAYEY SILT	6
8.550	28.05	15.9	2.08	NA	CLAYEY SILT to SILTY CLAY	8
8.700	28.54	14.1	1.84	NA	CLAYEY SILT to SILTY CLAY	7
8.850	29.04	15.3	1.90	AИ	CLAYEY SILT to SILTY CLAY	8
9 000	29 53	14.9	2.01	. NA	CLAYEY SILT to SILTY CLAY	7
9.150	30.02	19.3	3.11	NA	CLAYEY SILT to SILTY CLAY	10
9.300	30.51	58.0	5.16	NA	CLAY	58
9.450	31.00	26.2	2.14	NA	SANDY SILT to CLAYEY SILT	10
9 600	31 50	16.0	2.31	NA	CLAYEY SILT to SILTY CLAY	8
9.750	31.99	26.1	7.73	NA	CLAY	26
9 900	32.48	77 2	5.34	NA	*VERY STIFF FINE GRAINED	77
10.050	32.97	47 7	4.40	NA	CLAY to SILTY CLAY	32
10.200	33.46	37.7	5.52	NA	CLAY	38
10.350	33.96	52.4	5.21	NA	CLAY	52
10 500	34.45	91.8	3.95	NA	CLAYEY SILT to SILTY CLAY	46
10.650	34.94	29.1	5.39	NA	CLAY	29
10 800	35.43	26.5	5.81	NA	CLAY	26
10 950	35.93	20.8	2.55	NA	CLAYEY SILT to SILTY CLAY	70
11.100	36.42	69.1	5.04	NA	*VERY STIFF FINE GRAINED	69
11 250	35.91	160 5	3.28	NA	SANDY SILT to CLAYEY SILT	64
11 400	37 40	121.7	2.35	NA	SILTY SAND to SANDY SILT	41
11.550	37 89	29.2	3.05	NA	CLAYEY SILT to SILTY CLAY	15
11 700	38.39	15.2	2.04	NA	CLAYEY SILT to SILTY CLAY	8
11 850	38.88	42 4	2.24	NA	SANDY SILT to CLAYEY SILT	17 28
12.000	39 37	27.9	6.05	NA	CLAY	107
12.150	39.86	107.1	4.28	NA	*VERY STIFF FINE GRAINED SILTY SAND to SANDY SILT	54
12 300	40.35	160.6	2.60	NA NA	*VERY STIFF FINE GRAINED	78
12 450	40.85	77.6	5.38	NA NA	SANDY SILT to CLAYEY SILT	40
12 600	41 34	101.2	3.07	na na	SANDY SILT to CLAYEY SILT	30
12 750	41.83	75.5	3.31 4 40	NA NA	CLAYEY SILT to SILTY CLAY	33
12.900	42.32	66.9 100.0	2.72	AN AN	SANDY SILT to CLAYEY SILT	40
13.050	42 81	149.8	2.58	NA NA	SILTY SAND to SANDY SILT	50
13 200 13 350	43.31 43.80	131.5	4.62	NA NA	*VERY STIFF FINE GRAINED	132
13.500	44.29	34.3	3.58	NA NA	CLAYEY SILT to SILTY CLAY	17
13.500	44.78	83.9	4.03	NA	CLAYEY SILT to SILTY CLAY	42
-3.03J	47.70	53.5	3.05	****		

NA = NOT APPLICABLE

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf


ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)

DEPTH (m)	DEPTH (ft)	TIP RESISTANCE (tsf)	FRICTION RATIO {%}	CONE PORE PRESSURE (Csf)	SOIL BEHAVIOR TYPE	N(60)
13.800	45.28	27.1	2.11	NA	SANDY SILT to CLAYEY SILT	11
13.950	45.77	21.6	2.97	AM	CLAYEY SILT to SILTY CLAY	11
14.100	46.26	36.5	9.10	NA	CLAX	37
14.250	46.75	209.8	4,12	NA	*VERY STIFF FINE GRAINED	210
14.400	47.24	254.6	4.29	NA	*VERY STIFF FINE GRAINED	255
14.550	47.74	261.1	4.19	NA	*SAND to CLAYEY SAND	131
14.700	48.23	211.6	3.48	NA	*SAND to CLAYEY SAND	106
14.850	48.72	127.8	4.40	NA	*VERY STIFF FINE GRAINED	128
15.000	49.21	161.9	3.94	NA	*SAND to CLAYEY SAND	81
15.150	49.70	146.8	4.20	NA	*VERY STIFF FINE GRAINED	147
15.300	50.20	213.3	3.67	NА	*SAND to CLAYEY SAND	107
15.450	50.69	171.7	4.76	NA	*VERY STIFF FINE GRAINED	172
15.600	51.18	194.9	3.91	NA	*SAND to CLAYEY SAND	97
15.750	51.67	123.7	3.83	NA	CLAYEY SILT to SILTY CLAY	62
15.900	52.17	69.1	5.74	NA	*VERY STIFF FINE GRAINED	69
16,050	52.66	128.3	3.46	NA	SANDY SILT to CLAYEY SILT	51
16.200	53,15	244.2	3.96	NA	*SAND to CLAYEY SAND	122
16.350	53.64	203.5	3.91	NA	*SAND to CLAYEY SAND	102
16.500	54.13	196.8	4.71	. NA	*VERY STIFF FINE GRAINED	197
16 650	54.63	197.4	4.27	NA	*VERY STIFF FINE GRAINED	197
16.800	55.12	200.0	3.17	NA	SANDY SILT to CLAYEY SILT	80
16.950	55 61	78.4	4.61	NA	*VERY STIFF FINE GRAINED	78
17.100	56.10	46.9	2.05	NA	SANDY SILT to CLAYEY SILT	19
17 250	56.59	39.0	1.05	NA	SILTY SAND to SANDY SILT	13
17.400	57.09	25.9	.50	NA	SILTY SAND to SANDY SILT	9
17.550	57.58	22.4	. 98	NA	SANDY SILT to CLAYEY SILT	9
17.700	58.07	27.2	1.73	NA	SANDY SILT to CLAYEY SILT	11
17 850	58 56	29.6	2.16	NA	SANDY SILT to CLAYEY SILT	12
18.500	59.06	31.3	2.11	NA	SANDY SILT to CLAYEY SILT	13
18.150	59.55	26 7	2.14	NA	SANDY SILT to CLAYEY SILT	11

NA = NOT APPLICABLE *INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL ASSUMED TOTAL UNIT WT = 110 pcf ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)



ASSUMED TOTAL UNIT WT = 110 PCF

ASSUMED DEPTH OF WATER TABLE = 15.0 FT

SOIL BEHAVIOR TYPE INTERPRETATIONS BASED ON: QUIDELINES FOR CECTECHNICAL DESIGN USING THE CPT AND CPTU SOIL MECHANICS SERIES #120, UNIVERSITY OF BRITISH COLUMBIR, SEPTEMBER 1989, BY P.K. ROSERTSON AND R.G. CAMPANELLA.

CONE PENETRATION TEST

SOUNDING NUMBER: CPT-6

PROJECT NAME

: ENVIRON/STD.BNDS

CONE/RIG : 469/T-3

PROJECT NUMBER : 95-381-12106

DATE/TIME: 05-15-95 15:24



*

SOUNDING: CPT-6 PROJECT No.: 95-381-12106

PROJECT : ENVIRON/STD.BNDS CONE/RIG : 469/T-3

DATE/TIME: 05-15-95 15:24

* ***********************************

PAGE 1 of 3

DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N(60)
(m)	(ft)	(tsf)	(%)	(tsf)		

.150	.49	361.3	.53	NA	GRAVELLY SAND to SAND	60
.300	. 98	177.0	1.33	AN	SAND to SILTY SAND	44
450	1.48	15.4	4.10	NA	CLAY	15
.600	1.97	14.8	4.32	NA	CLAY	15
750	2.46	12.6	4.68	NA	CLAY	13
. 900	2.95	20.3	4.62	NA	CLAY	20
1.050	3.44	17.3	5.27	NA	CLAY	17
1.200	3.94	21.2	5.27	NA	CLAY	21
1.350	4.43	21.2	4.91	NA	CLAY	21
1.500	4.92	20.1	4.38	· NA	CLAY	20
1.650	5.41	17.1	4.39	NA	CLAY	17
1,800	5.91	16.0	4.38	NA	CLAY	16
1,950	6.40	14.5	3.37	NA	CLAY to SILTY CLAY	10
2.100	6.89	13.8	3.27	NA	CLAY to SILTY CLAY	9
2.250	7.38	12.0	1.17	NA	CLAYEY SILT to SILTY CLAY	6
2 400	7.87	11.3	2.22	NA	CLAYEY SILT to SILTY CLAY	6
2.550	8.37	11.1	1.26	NA	CLAYEY SILT to SILTY CLAY	6
2.700	8.86	14.2	4.08	NA	CLAY	14
2.850	9.35	37.7	2.28	NA	SANDY SILT to CLAYEY SILT	15
3.000	9.84	24.0	5.74	NA	CLAY	24
3.150	10.33	41.3	1.38	NA	SILTY SAND to SANDY SILT	14
3.300	10.83	24.1	2.82	NA	CLAYEY SILT to SILTY CLAY	12
3.450	11.32	18.9	4.18	NA	CLAY	19
3.600	11.81	12.6	2.93	NA	CLAY to SILTY CLAY	8
3.750	12 30	18.3	3.55	NA	CLAY to SILTY CLAY	12
3.900	12.80	10.9	1.47	NA	CLAYEY SILT to SILTY CLAY	5
4.050	13.29	18.9	2.33	NA	CLAYEY SILT to SILTY CLAY	9
4 200	13.78	17.3	1.33	NA	SANDY SILT to CLAYEY SILT	7
4.350	14.27	37.8	1.56	NA	SANDY SILT to CLAYEY SILT	15
4 500	14.76	8 9	2.24	NA	CLAY to SILTY CLAY	6
4.650	15.26	72.3	1.63	NA	SILTY SAND to SANDY SILT	24
4 800	15.75	101.1	. 62	NA	SAND to SILTY SAND	25
4.950	16.24	114.7	. 73	NA	SAND to SILTY SAND	29
5 100	15.73	83.5	1.44	NA	SILTY SAND to SANDY SILT	28
5.250	17.22	48.7	1.81	NA	SILTY SAND to SANDY SILT	16
5 400	17.72	38.0	3.34	NA	CLAYEY SILT to SILTY CLAY	19
5.550	18.21	86.7	1.28	NA	SAND to SILTY SAND	22
5 700	18.70	103.1	1.39	NA	SAND to SILTY SAND	26
5.850	19.19	88.9	1.44	NA	SILTY SAND to SANDY SILT	30
6 000	19.69	81.2	.68	NA	SAND to SILTY SAND	20
6.150	20.18	72.8	.76	NA	SAND to SILTY SAND	18

NA - NOT APPLICABLE

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf

ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)

(m) (fc) (csf) (%) (csf) 6.300 20.57 73.8 .35 NA SAND to SILTY SAND 18 6.4500 21.66 81.6 1.41 NA SAND to SILTY SAND 21 6.600 21.65 81.6 1.41 NA SAND to SILTY SAND 22 6.600 21.65 81.6 1.41 NA SAND to SILTY SAND 30 6.900 22.64 139.4 .88 NA SAND to SILTY SAND 35 7.900 22.64 139.4 .88 NA SAND to SILTY SAND 35 7.200 23.62 16.1 4.79 NA CLAY 7.350 24.61 19.3 1.86 NA SAND to SILTY SAND 16 7.500 24.61 19.3 1.86 NA SAND to SILTY SAND 16 7.500 24.61 19.3 1.86 NA SANDY SILT to SILTY SILT 18 7.650 25.10 12.8 2.50 NA SANDY SILT to CLAYEY SILT 18 7.800 25.59 32.6 2.45 NA SANDY SILT to CLAYEY SILT 18 7.950 24.61 19.3 1.86 NA SANDY SILT to CLAYEY SILT 18 7.800 25.59 32.6 2.45 NA SANDY SILT to CLAYEY SILT 13 7.800 25.59 32.6 2.45 NA SANDY SILT to CLAYEY SILT 13 8.100 26.57 25.5 2.70 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYER SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYER SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYER SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYER SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYER SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYER SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYER SILT 13 8.250 27.07 55.4 4.30 NA SANDY SILT to CLAYER SILT 14 8.250 27.07 27.07 NA SANDY SILT to CLAYER SILT 15 8.250 28.05 179.8 2.29 NA SANDY SILT to CLAYER SILT 15 8.250 28.05 179.8 2.29 NA SANDY SILT to CLAYER SILT 15 8.250 28.05 179.8 2.29 NA SANDY SILT to CLAYER SILT 16 8.250 28.05 179.8 2.29 NA SANDY SILT to CLAYER SILT 16 8.250 28.05 NA SANDY SILT to CLAYER SILT 16 8.250	DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N(60)
6.300 20.67 73.8 .35 NA SAND to SILTY SAND 18 6.450 21.16 83.1 .77 NA SAND to SILTY SAND 21 6.600 21.65 83.6 1.41 NA SILTY SAND to SANDY SILT 27 6.600 21.65 83.6 1.41 NA SILTY SAND to SANDY SILT 27 6.750 22.15 121.7 1.31 NA SAND to SILTY SAND 35 7.050 23.13 135.3 135.3 1.91 NA SAND to SILTY SAND 35 7.050 23.13 135.3 135.3 1.91 NA SAND to SILTY SAND 35 7.050 23.62 16.1 4.79 NA CLAY 7.350 24.11 18.3 2.18 NA CLAYS SILT to SILTY CLAY 3 7.550 24.61 19.3 1.66 NA SANDY SILT to CLAYEY SILT 8 7.650 25.10 32.8 2.50 NA SANDY SILT to CLAYEY SILT 13 7.650 25.10 32.8 2.50 NA SANDY SILT to CLAYEY SILT 13 7.950 26.08 32.5 2.37 NA SANDY SILT to CLAYEY SILT 13 7.950 26.08 32.5 2.37 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 28 8.400 27.56 84.8 4.80 NA "VERY SILT to SILTY CLAY 28 8.550 28.05 179.8 2.99 NA SILTY SAND TO SANDY SILT 60 8.750 28.05 179.8 2.99 NA SILTY SAND TO SANDY SILT 60 8.750 29.04 98.7 3.11 NA SANDY SILT to CLAYEY SILT 39 8.750 29.04 98.7 3.11 NA SANDY SILT to CLAYEY SILT 49 9.000 29.53 48.4 5.22 NA CLAY 9.150 30.02 37.1 3.07 NA CLAYEY SILT to SILTY CLAY 19 9.000 31.50 10.00 122.0 2.40 NA SANDY SILT to CLAYEY SILT 41 9.750 31.59 28.58 3.75 NA SANDY SILT to CLAYEY SILT 41 9.750 31.59 28.58 3.75 NA SANDY SILT to CLAYEY SILT 41 9.750 31.59 28.58 3.75 NA SANDY SILT to CLAYEY SILT 41 9.750 31.59 28.58 3.75 NA SANDY SILT to CLAYEY SILT 41 9.750 31.59 28.58 3.75 NA SANDY SILT to CLAYEY SILT 41 9.750 31.59 28.58 3.75 NA SANDY SILT to CLAYEY SILT 41 9.750 31.59 28.58 3.75 NA SANDY SILT to CLAYEY SILT 41 9.750 31.59 28.58 3.75 NA SANDY SILT to CLAYEY SILT 41 9.750 31.59 31.50 10.00 NA CLAYEY SILT 41 9.750 31.59 31.50 10.00 NA SANDY SILT 41 9.750 31.50 31.50 10.00 NA SANDY SILT 41 9.750 31.50 31.50 10.00 NA SANDY SILT 41 9.750 31.50 31.50 10.00 NA SANDY SILT 41 9.750 31.50 31.50 10.00 NA SANDY SILT 41 9.750 31.50 31.50 10.00 NA SANDY SILT 41 9.750 31.50 31.50 31.50 10.00 NA SANDY SILT 41 9.750 31.50 31.50 10.00 NA SANDY SILT 41 9.750 31.50 31.50 31.50 31.50 31.50 31.50 31.50 31.50 31.							
6.500 21.65 81.6 1.41 NA SILTY SAND 21 6.750 22.15 121.7 1.31 NA SILTY SAND SILT 27 6.750 22.15 121.7 1.31 NA SAND TO SILTY SAND SILT 27 6.750 22.15 121.7 1.31 NA SAND TO SILTY SAND 30 6.900 22.64 139.4 .88 NA SAND TO SILTY SAND 35 7.050 23.62 16.1 4.79 NA CLAY SILT SAND 35 7.050 23.62 16.1 4.79 NA CLAYS SILT TO SANDY SILT 45 7.200 23.62 16.1 19.3 1.86 NA CLAYSY SILT TO SILTY CLAY 9 7.500 24.61 19.3 1.86 NA SANDY SILT TO CLAYEY SILT 13 7.800 25.59 32.6 2.45 NA SANDY SILT TO CLAYEY SILT 13 7.800 25.59 32.6 2.45 NA SANDY SILT TO CLAYEY SILT 13 8.100 26.57 25.5 2.37 NA SANDY SILT TO CLAYEY SILT 13 8.100 26.57 25.5 2.70 NA SANDY SILT TO CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA CLAYSY SILT TO SILTY CLAY 13 8.500 27.56 84.8 4.80 NA SANDY SILT TO CLAYEY SILT 13 8.550 28.05 179.8 2.99 NA SILTY SAND TO SANDY SILT 6 8.700 28.54 93.2 4.78 NA SANDY SILT TO CLAYEY SILT 6 8.700 29.53 48.4 5.23 NA CLAYSY SILT TO SILTY CLAY 19 8.850 29.04 98.77 3.11 NA SANDY SILT TO CLAYEY SILT 6 9.150 30.02 37.1 3.07 NA CLAYSY SILT TO SILTY CLAY 19 9.300 30.51 27.5 5.31 NA CLAY 9.500 31.00 122.0 2.40 NA SANDY SILT TO CLAYEY SILT 6 9.750 31.99 285.8 3.75 NA SANDY SILT TO CLAYEY SILT 4 9.750 31.90 122.0 2.40 NA SANDY SILT TO CLAYEY SILT 6 9.750 31.90 122.0 2.40 NA SANDY SILT TO CLAYEY SILT 6 9.750 31.90 122.0 2.40 NA SANDY SILT TO CLAYEY SILT 6 9.750 31.90 122.0 2.40 NA SANDY SILT TO CLAYEY SAND 10 9.750 31.90 122.0 2.40 NA SANDY SILT TO SANDY SILT 6 9.750 31.90 122.0 2.40 NA SANDY SILT TO CLAYEY SAND 10 10.050 32.48 214.6 4.09 NA SANDY SILT TO SANDY SILT 6 10.050 32.97 256,9 2.12 NA SANDY SILT TO CLAYEY SAND 10 10.050 32.97 356,9 2.12 NA SANDY SILT TO CLAYEY SAND 10 10.050 33.46 24.8 3.39 NA SANDY SILT TO CLAYEY SAND 10 10.050 33.96 257.3 2.25 NA SANDY SILT TO CLAYEY SAND 10 10.050 33.46 24.8 3.39 NA SANDY SILT TO CLAYEY SAND 10 10.050 33.46 24.8 3.39 NA SANDY SILT TO CLAYEY SAND 10 10.050 33.46 24.8 3.39 NA SANDY SILT TO CLAYEY SAND 10 10.050 33.46 24.8 3.39 NA SANDY SILT TO CLAYEY SAND 10 10.050 33.46 24.8 3.39 NA SANDY SILT TO CLAYEY SILT 10						=-	
1.40	=		=		=		
6.750 22.15 121.7 1.31 NA SAND to SILTY SAND 30 6.990 22.64 139.4 .88 NA SAND to SILTY SAND 35 7.050 23.13 135.3 1.91 NA SILTY SAND to SANDY SILT 45 7.200 23.62 16.1 4.79 NA CLAY 16 7.200 23.62 16.1 4.79 NA CLAY 16 7.200 23.62 16.1 18.3 1.86 NA CLAYE SILT to SILTY CLAY 9 7.500 24.61 19.3 1.86 NA SANDY SILT to CLAYEY SILT 13 7.600 25.10 32.8 2.50 NA SANDY SILT to CLAYEY SILT 13 7.600 25.99 32.6 2.45 NA SANDY SILT to CLAYEY SILT 13 7.800 25.99 32.6 2.45 NA SANDY SILT to CLAYEY SILT 13 8.100 26.57 25.5 2.70 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 18.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 18.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 18.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 18.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 18.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 18.250 27.07 55.4 4.30 NA SILTY SAND TO SANDY SILT to SILTY CLAY 19.500 28.54 93.2 4.78 NA SILTY SAND TO SANDY SILT 60 8.500 29.63 179.8 2.99 NA SILTY SAND TO SANDY SILT 60 8.500 29.53 48.4 5.23 NA CLAY 9.150 30.02 37.1 3.07 NA CLAY 9.500 30.51 27.5 5.31 NA CLAY 9.500 31.50 100.0 3.00 NA SANDY SILT to SILTY CLAY 19.500 31.50 100.0 3.00 NA SANDY SILT to CLAYEY SILT 41 9.500 31.50 100.0 3.00 NA SANDY SILT to CLAYEY SILT 41 9.500 31.50 100.0 3.00 NA SANDY SILT to CLAYEY SILT 41 9.500 31.50 100.0 3.00 NA SANDY SILT to CLAYEY SAND 107 9.750 31.59 28.58 3.75 NA SAND TO CLAYEY SAND 107 9.750 31.59 28.58 3.75 NA SAND TO CLAYEY SAND 107 9.750 31.59 28.58 3.75 NA SAND TO CLAYEY SAND 107 9.750 31.59 28.58 3.75 NA SAND TO CLAYEY SAND 107 1.200 31.46 224.8 3.39 NA SANDY SILT TO CLAYEY SAND 107 1.200 31.46 224.8 3.39 NA SAND TO CLAYEY SAND 107 1.200 31.46 224.8 3.39 NA SAND TO SLAYEY SAND 107 1.200 31.46 224.8 3.39 NA SAND TO SLAYEY SAND 107 1.200 31.46 224.8 3.39 NA SAND TO SLAYEY SAND 107 1.200 31.40 22.9 SAND SANDY SILT TO CLAYEY SILT 107 1.200 31.44 22.0 SAND SANDY SILT TO CLAYEY SILT 107 1.200 31.44 22.0 SAND SANDY SILT TO CLAYEY SILT 107 1.200 31.44 22.0 SAND SANDY SILT TO CLAYEY SI		. –				•	
6.900 22.64 139.4 1.88 NA SAND to SILTY SAND 35 7.050 23.13 135.3 1.91 NA SILTY SAND 35 7.200 23.62 16.1 4.79 NA CLAY 7.350 24 11 18.3 2.18 NA CLAYEY SILT to SILTY CLAY 9 7.550 24 11 18.3 2.18 NA SANDY SILT to CLAYEY SILT 18 7.550 25.10 32.8 2.50 NA SANDY SILT to CLAYEY SILT 18 7.650 25.10 32.8 2.50 NA SANDY SILT to CLAYEY SILT 13 7.950 26.08 32.5 2.37 NA SANDY SILT to CLAYEY SILT 13 7.950 26.08 32.5 2.37 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA CLAYEY SILT 10 SILTY CLAY 8.250 27.07 55.4 4.30 NA CLAYEY SILT 10 SILTY CLAY 8.350 27.07 55.4 4.30 NA CLAYEY SILT 10 SILTY CLAY 8.350 27.07 55.4 4.30 NA CLAYEY SILT 10 SILTY CLAY 8.350 27.07 55.4 4.30 NA **VERY SILTF FINE GRANED 85 8.550 28.05 179.8 2.99 NA SILTY SAND to SANDY SILT to CLAYEY SILT 19 8.250 27.07 55.4 4.30 NA *VERY SILTF FINE GRANED 85 8.550 28.05 179.8 2.99 NA SILTY SAND to CLAYEY SILT 19 9.500 29.53 48.4 5.23 NA **CLAY* 9.500 29.53 48.4 5.23 NA **CLAY* 9.500 29.53 48.4 5.23 NA **CLAY* 9.500 30.51 27.5 5.31 NA SANDY SILT to SILTY CLAY 19 9.500 30.51 27.5 5.31 NA CLAYE SILTY SAND to SANDY SILT 4 9.500 31.50 108.0 3.00 NA **SANDY SILT to CLAYEY SILT 39 9.500 30.51 27.5 5.31 NA CLAY 9.500 31.50 108.0 3.00 NA SANDY SILT to SILTY SAND 10 9.500 31.50 108.0 3.00 NA SANDY SILT to CLAYEY SILT 41 9.500 31.50 108.0 3.00 NA SANDY SILT to CLAYEY SAND 10 10.050 32.97 255.9 2.22 NA SAND to CLAYEY SAND 10 10.050 32.97 255.9 2.22 NA SAND to CLAYEY SAND 10 10.500 33.46 224.8 3.39 NA **SAND to CLAYEY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND to CLAYEY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND to CLAYEY SILT 44 10.650 34.45 20.7 2.47 NA SILTY SAND to CLAYEY SILT 41 10.650 34.45 20.7 2.47 NA SILTY SAND to CLAYEY SILT 41 10.650 34.45 20.7 2.47 NA SILTY SAND to CLAYEY SILT 41 10.650 34.45 20.7 2.47 NA SILTY SAND to CLAYEY SILT 41 10.650 34.45 20.7 2.47 NA SILTY SAND to CLAYEY SILT 41 10.650 34.45 20.7 2.47 NA SILTY SAND to CLAYEY SILT 41 10.650 34.45 20.7 2.47 NA SILTY SAND to CLAYEY SILT 41 10.650 34.45 20.7 2.47 NA SILTY SAND to CLAYEY SILT 41 10.65							_
7.050 23.13 135.3 1.91 NA SILTY SAND to SANDY SILT 45 7.200 23.62 16.1 4.79 NA CLAY 16 7.380 24 11 18.3 2.18 NA CLAYS SILT to SILTY CLAY 9 7.500 24.61 19.3 1.86 NA SANDY SILT to CLAYEY SILT 18 7.650 25.10 32.8 2.50 NA SANDY SILT to CLAYEY SILT 13 7.800 25.59 32.6 2.45 NA SANDY SILT to CLAYEY SILT 13 7.800 25.59 32.6 2.45 NA SANDY SILT to CLAYEY SILT 13 8.100 26.57 25.5 2.70 NA SANDY SILT to CLAYEY SILT 13 8.100 26.57 25.5 2.70 NA CLAYEY SILT to SILTY CLAY 28 8.400 27.56 84.8 4.80 NA CLAYEY SILT to SILTY CLAY 13 8.550 28.05 179.8 2.99 NA SILTY SAND to SANDY SILT 66 8.550 28.05 179.8 2.99 NA SILTY SAND to SANDY SILT 66 8.550 29.04 98.7 3.11 NA SANDY SILT to CLAYEY SILT 13 9.100 29.53 48.4 5.23 NA CLAY 9.150 30.02 37.1 3.07 NA CLAYEY SILT to SILTY CLAY 19 9.500 31.50 122.0 2.40 NA CLAYEY SILT to SILTY CLAY 19 9.500 31.50 122.0 2.40 NA SILTY SAND to CLAYEY SILT 41 9.500 31.50 122.0 2.40 NA SILTY SAND to CLAYEY SILT 41 9.500 31.50 128.0 3.00 NA SILTY SAND to CLAYEY SILT 43 9.900 32.48 214.6 4.09 NA SILTY SAND to CLAYEY SILT 43 9.900 32.48 214.6 4.09 NA SANDY SILT to CLAYEY SILT 43 9.900 33.46 224.8 3.39 NA SAND SILTY SAND CLAYEY SILT 43 9.900 33.46 224.8 3.39 NA SAND to SANDY SILT 41 10.500 34.45 220.7 2.67 NA SAND to CLAYEY SAND 107 10.500 34.45 220.7 2.47 NA SAND TO CLAYEY SAND 107 10.500 34.45 220.7 2.47 NA SAND TO CLAYEY SAND 11 10.500 34.94 24.1 1.74 NA SANDY SILT to CLAYEY SILT 43 10.500 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 45 10.500 37.40 24.9 2.99 NA SANDY SILT to CLAYEY SILT 66 10.500 37.40 24.9 2.99 NA SANDY SILT to CLAYEY SILT 74 11.500 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 74 12.500 39.37 26.1 1.80 NA SANDY SILT to CLAYEY SILT 74 12.500 39.37 26.1 1.80 NA SANDY SILT to CLAYEY SILT 74 12.500 39.37 26.1 1.80 NA SANDY SILT to CLAYEY SILT 75 12.500 39.38 30 17.4 8.1 NA SANDY SILT to CLAYEY SILT 76 12.500 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 76 12.500 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 76 12.500 39.37 26.1 1.80 NA SANDY SILT to CLAYEY SILT 76 12.500 39.37 26.1 1.80 NA SANDY S							
7.200 23.62 16.1 4.79 NA CLAY 16 7.350 24.11 18.3 2.18 NA CLAYEY SILT to SILTY CLAY 9 7.500 24.61 19.3 1.86 NA SANDY SILT to CLAYEY SILT 13 7.650 25.10 32.8 2.50 NA SANDY SILT to CLAYEY SILT 13 7.800 25.59 32.6 2.45 NA SANDY SILT to CLAYEY SILT 13 7.950 26.08 32.5 2.37 NA SANDY SILT to CLAYEY SILT 13 8.100 26.57 25.55 2.70 NA CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 13 8.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 13 8.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 28 8.400 27.56 84.8 4.80 NA "VERY STIFF FINE GRAINED 85 8.550 28.05 179.8 2.99 NA SILTY SAND to SANDY SILT 60 8.700 28.54 93.2 4.78 NA "VERY STIFF FINE GRAINED 93 8.850 29.04 98.7 3.11 NA SANDY SILT to CLAYEY SILT 13 9.100 30.51 27.5 5.31 NA CLAY SILT to SILTY CLAY 19 9.150 30.02 37.1 3.07 NA CLAYEY SILT to SILTY CLAY 19 9.300 30.51 27.5 5.31 NA CLAY SILT to SILTY CLAY 19 9.600 31.50 122.0 2.40 NA SILTY SAND to SANDY SILT 41 19.700 30.51 27.5 5.31 NA SANDY SILT to CLAYEY SILT 41 19.700 30.52 37.5 1.30 NA SANDY SILT to SILTY CLAY 19 9.600 31.50 108.0 3.00 NA SANDY SILT to CLAYEY SILT 41 10.500 32.46 214.6 4.09 NA "SAND to CLAYEY SAND 143 9.750 31.99 285.8 3.75 NA "SAND to CLAYEY SAND 143 9.750 32.46 224.8 3.39 NA "SAND to SANDY SILT 46 10.500 32.46 224.8 3.39 NA SAND to SANDY SILT 66 10.500 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 66 10.500 35.43 166.1 3.21 NA SANDY SILT 50 SANDY SILT 61 10.500 36.42 48.7 3.12 NA SANDY SILT to CLAYEY SAND 112 10.550 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SILTY SAND to SANDY SILT 61 11.500 36.42 48.7 3.12 NA CLAYEY SILT to SANDY SILT 61 11.500 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SILTY SAND to SANDY SILT 61 11.500 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 13 11.500 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SIL							
7.350 24 11 18.3 2.18 NA CLAYEY SILT to SILTY CLAY 9 7.500 24.61 19.3 1.86 NA SANDY SILT to CLAYEY SILT 18 7.650 25.10 32.8 2.50 NA SANDY SILT to CLAYEY SILT 13 7.800 25.59 32.6 2.45 NA SANDY SILT to CLAYEY SILT 13 7.800 25.59 32.6 2.45 NA SANDY SILT to CLAYEY SILT 13 8.100 26.57 25.5 2.70 NA SANDY SILT to CLAYEY SILT 13 8.100 26.57 25.5 2.70 NA CLAYEY SILT to SILTY CLAY 13 8.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 28 8.400 27.56 84.8 4.80 NA "VERY SILT TO SILTY CLAY 28 8.550 28.05 179.8 2.99 NA SILTY SAND TO SANDY SILT 66 8.550 29.04 98.7 3.11 NA SANDY SILT TO CLAYEY SILT 19 9.000 29.53 48.4 5.23 NA CLAY 9.150 30.02 37.1 3.07 NA CLAYEY SILT TO CLAYEY SILT 19 9.300 30.51 27.5 5.31 NA CLAY 9.400 31.50 108.0 3.00 NA SILTY SAND TO SANDY SILT 41 9.600 31.50 108.0 3.00 NA SILTY SAND TO SANDY SILT 41 9.600 31.50 108.0 3.00 NA SANDY SILT TO CLAYEY SILT 43 9.900 32.48 214.6 4.09 NA SANDY SILT TO CLAYEY SILT 43 9.900 32.48 214.6 4.09 NA SANDY SILT TO CLAYEY SAND 107 10.050 32.97 255.9 2.12 NA SAND TO CLAYEY SAND 107 10.050 33.46 224.8 3.39 NA "SAND TO CLAYEY SAND 107 10.500 33.46 224.8 3.39 NA SAND TO SANDY SILT 41 10.500 34.45 220.7 2.47 NA SILTY SAND TO SANDY SILT 41 10.500 35.43 166.1 3.21 NA SAND TO SANDY SILT 46 10.500 34.45 220.7 2.47 NA SILTY SAND TO SANDY SILT 41 10.500 35.43 166.1 3.21 NA SAND TO SANDY SILT 41 10.500 37.40 224.9 2.96 NA SILTY SAND TO SANDY SILT 41 10.500 37.40 224.9 2.09 NA SAND TO SANDY SILT 41 10.500 37.89 265.7 2.74 NA SILTY SAND TO SANDY SILT 41 10.500 37.89 265.7 2.74 NA SILTY SAND TO SANDY SILT 41 10.500 37.89 265.7 2.74 NA SILTY SAND TO SANDY SILT 41 10.500 37.89 265.7 2.75 NA SILTY SAND TO SANDY SILT 41 10.500 37.80 2.97 2.95 NA SAND TO SANDY SILT 41 10.500 37.80 2.97 2.97 NA SAND TO SANDY SILT 41 10.500 37.80 2.97 2.98 NA SAND TO SANDY SILT 41 10.500 37.80 2.97 2.98 NA SANDY SILT 50 SANDY SILT 41 10.500 37.80 2.97 2.98 NA SANDY SILT 50 SANDY SILT 41 10.500 37.80 2.97 2.98 NA SANDY SILT 50 SANDY SILT 50 11.100 36.42 48.7 3.12 NA SANDY SILT 50 SANDY SILT 51 11.100 36.42 48.7 3.1							
7.500 24.61 19.3 1.86 NA SANDY SILT TO CLAYEY SILT 13 7.650 25.10 32.8 2.50 NA SANDY SILT TO CLAYEY SILT 13 7.600 25.59 32.6 2.45 NA SANDY SILT TO CLAYEY SILT 13 7.950 25.08 32.5 2.37 NA SANDY SILT TO CLAYEY SILT 13 8.100 26.57 25.5 2.70 NA CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 28 8.400 27.56 84.8 4.80 NA "VERY SILT FINE GRAINED 95 8.550 28.05 179.8 2.99 NA SILTY SAND TO SANDY SILT 60 8.700 28.54 93.2 4.78 NA "VERY SILT FINE GRAINED 93 8.850 29.04 98.7 3.11 NA SANDY SILT TO CLAYEY SILT 39 9.000 29.53 48.4 5.23 NA CLAY 9.150 30.02 37.1 3.07 NA CLAYEY SILT TO SILTY CLAY 19 9.300 30.51 27.5 5.31 NA CLAY 9.400 31.50 108.0 3.00 NA SILTY SAND TO SANDY SILT 41 9.500 31.50 108.0 3.00 NA SANDY SILT TO CLAYEY SILT 43 9.750 31.99 285.8 3.75 NA SANDY SILT TO CLAYEY SILT 43 9.750 31.99 285.8 3.75 NA SANDY SILT TO CLAYEY SILT 43 9.750 31.99 285.8 3.75 NA SANDY SILT TO CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND TO SANDY SILT 41 10.350 33.96 257.3 2.25 NA SAND TO SANDY SILT 46 10.350 33.96 257.3 2.25 NA SILTY SAND TO SANDY SILT 46 10.350 33.96 257.3 2.25 NA SILTY SAND TO SANDY SILT 46 10.350 35.93 164.4 2.96 NA SILTY SAND TO SANDY SILT 46 10.350 35.93 164.4 1.96 NA SANDY SILT TO CLAYEY SAND 107 10.050 35.93 164.4 1.96 NA SANDY SILT TO CLAYEY SAND 112 10.350 35.93 164.4 1.96 NA SANDY SILT TO CLAYEY SILT 46 10.350 37.40 24.9 2.09 NA SANDY SILT TO CLAYEY SILT 46 10.350 37.40 24.9 2.09 NA SANDY SILT TO CLAYEY SILT 47 11.00 36.42 48.7 3.12 NA SANDY SILT TO CLAYEY SILT 48 11.100 36.42 48.7 3.12 NA SANDY SILT TO CLAYEY SILT 47 11.200 37.40 24.9 2.09 NA SANDY SILT TO CLAYEY SILT 47 11.200 37.40 24.9 2.09 NA SANDY SILT TO CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT TO CLAYEY SILT 10 11.500 34.45 22.7 2.74 NA CLAYEY SILT TO SANDY SILT 10 11.500 34.45 22.7 2.74 NA CLAYEY SILT TO SANDY SILT 10 11.500 37.40 24.9 2.09 NA SANDY SILT TO CLAYEY SILT 10 11.500 37.40 24.9 2.09 NA SANDY SILT TO CLAYEY SILT 10 11.500 37.40 24.9 2.09 NA SANDY SILT TO CLAYEY SILT 10 11.500 37.40 24.9 2.09 NA SANDY SILT TO CLA						-	
7.850							
7.800 25.59 32.6 2.45 NA SANDY SILT to CLAYEY SILT 13 7.950 25.08 32.5 2.37 NA SANDY SILT to CLAYEY SILT 13 8.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 13 8.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 28 8.400 27.56 84.8 4.80 NA "VERY SILT FINE GRAINED 95 8.550 28.05 179.8 2.99 NA SILTY SAND TO SANDY SILT 60 8.700 28.54 93.2 4.78 NA "VERY SILT FINE GRAINED 93 9.000 29.53 48.4 5.23 NA CLAY 9.150 30.02 37.1 3.07 NA CLAYEY SILT TO CLAYEY SILT 48 9.150 30.02 37.1 3.07 NA CLAY 9.450 31.00 122.0 2.40 NA SILTY SAND TO SANDY SILT 41 9.500 30.51 27.5 5.31 NA CLAY 9.500 31.50 108.0 3.00 NA SANDY SILT CLAYEY SILT 49 9.500 31.50 108.0 3.00 NA SANDY SILT CLAYEY SILT 41 9.500 32.48 214.6 4.09 NA SANDY SILT CLAYEY SAND 103 10.050 32.97 256.9 2.12 NA SAND TO CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND TO CLAYEY SAND 107 10.050 33.96 257.3 2.25 NA SAND TO CLAYEY SAND 102 10.350 33.96 257.3 2.25 NA SAND TO CLAYEY SAND 102 10.550 34.45 220.7 2.47 NA SILTY SAND TO SANDY SILT 74 10.650 34.94 184.4 2.96 NA SILTY SAND TO SANDY SILT 74 10.650 34.94 184.4 1.96 NA SILTY SAND TO SANDY SILT 74 10.650 35.43 166.1 3.21 NA SANDY SILT TO CLAYEY SILT 66 10.950 35.93 164.4 1.96 NA SILTY SAND TO SANDY SILT 66 10.950 35.93 164.4 1.96 NA SILTY SAND TO SANDY SILT 67 10.650 34.94 184.4 1.96 NA SILTY SAND TO SANDY SILT 67 10.650 35.93 164.4 1.96 NA SILTY SAND TO SANDY SILT 67 10.650 35.93 164.4 1.96 NA SILTY SAND TO SANDY SILT 67 10.650 35.93 164.4 1.96 NA SILTY SAND TO SANDY SILT 67 10.650 36.91 24.1 1.74 NA SANDY SILT TO CLAYEY SILT 10 11.600 37.40 24.9 2.09 NA SANDY SILT TO CLAYEY SILT 10 11.550 38.88 18.0 3.7.7 4.98 NA SANDY SILT TO CLAYEY SILT 10 11.550 38.88 18.0 3.7.7 4.98 NA CLAY SANDY SILT TO CLAYEY SILT 10 12.150 39.86 35.4 33.3 NA CLAY 32 12.200 43.31 35.1 5.13 NA CLAY 32 13.350 43.80 37.7 4.98 NA CLAY 32 13.350 43.80 37.7 4.98 NA CLAY 32 13.350 43.80 37.7 4.98 NA CLAY 32 13.350 44.29 33.8 5.13 NA CLAY 32				=			
7.950							
8.100 26.57 25.5 2.70 NA CLAYEY SILT to SILTY CLAY 13 8.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 28 8.400 27.56 84.8 4.80 NA "VERY SIFF FINE GRAINED 85 8.550 28.05 179.8 2.99 NA SILTY SAND to SANDY SILT 60 28.54 93.2 4.78 NA "VERY SIFF FINE GRAINED 93 8.850 29.04 98.7 3.11 NA SANDY SILT to CLAYEY SILT 39 9.000 29.53 48.4 5.23 NA CLAY 48 9.150 30.02 37.1 3.07 NA CLAYEY SILT to SILTY CLAY 19 9.300 30.51 27.5 5.31 NA CLAY 27 9.450 31.00 122.0 2.40 NA SILTY SAND to SANDY SILT 41 9.500 31.50 108.0 3.00 NA SANDY SILT to CLAYEY SILT 43 9.500 31.50 108.0 3.00 NA SANDY SILT to CLAYEY SILT 43 9.500 31.50 108.0 3.00 NA SANDY SILT to CLAYEY SILT 43 9.500 31.50 22.88 3.75 NA "SAND to CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND to CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND to SILTY SAND 107 10.300 33.46 224.8 3.39 NA "SAND to CLAYEY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND to SANDY SILT 46 10.350 34.45 220.7 2.47 NA SILTY SAND to CLAYEY SAND 112 10.500 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 65 10.500 36.42 48.7 3.12 NA SANDY SILT to CLAYEY SILT 66 11.000 36.42 48.7 3.12 NA SANDY SILT to CLAYEY SILT 67 10.500 36.42 48.7 3.12 NA SANDY SILT to CLAYEY SILT 67 11.000 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10.11.500 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 32.11.500 37.89 26.7 2.74 NA CLAYE							
8.250 27.07 55.4 4.30 NA CLAYEY SILT to SILTY CLAY 28 8.400 27.56 84.8 4.80 NA *VERY STIFF FINE GRAINED 85 8.550 28.05 179.8 2.99 NA SILTY SAND to SANDY SILT 60 8 700 28.54 93.2 4.78 NA *VERY STIFF FINE GRAINED 93 8.850 29.04 98.7 3.11 NA SANDY SILT to CLAYEY SILT 39 9.000 25.53 48.4 5.23 NA CLAY 48 9.150 30.02 37.1 3.07 NA CLAYEY SILT to SILTY CLAY 19 9.300 30.51 27.5 5.31 NA CLAY 48 9.450 31.00 122.0 2.40 NA SILTY SAND to SANDY SILT 41 9.500 31.50 108.0 30.0 NA SANDY SILT to CLAYEY SILT 43 9.750 31.99 288.8 3.75 NA SANDY SILT to CLAYEY SAND 10.7 10.050 32.97 256.9 2.12 NA SAND to CLAYEY SAND 10.7 10.050 32.97 256.9 2.12 NA SAND to CLAYEY SAND 11.0 10.050 33.46 224.8 3.39 NA *SAND to CLAYEY SAND 11.2 10.550 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 61 10.800 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 61 10.800 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 61 10.800 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 61 10.800 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.89 26.7 2.74 NA SILTY SAND to SANDY SILT 61 10.800 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.89 26.7 2.74 NA SILTY SAND to SANDY SILT 61 10.800 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.89 26.7 2.74 NA SILTY SAND to SANDY SILT 61 10.800 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.89 26.7 2.74 NA SILTY SAND to SANDY SILT 51 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10.1500 37.40 24.9 2.09 NA SANDY SILT to CLAYE							
8.400 27.56 84.8 4.8 4.80 NA "VERY STIFF FINE GRAINED 85 8.550 28.05 179.8 2.99 NA SILTY SAND to SANDY SILT 60 8.700 28.54 93.2 4.78 NA "VERY STIFF FINE GRAINED 93 8.850 29.04 98.7 3.11 NA SANDY SILT to CLAYEY SILT 39 9.000 29.53 48.4 5.23 NA CLAY 9.150 30.02 37.1 3.07 NA CLAYEY SILT to SILTY CLAY 19 9.300 30.51 27.5 5.31 NA CLAY 9.450 31.00 122.0 2.40 NA SILTY SAND to SANDY SILT 41 9.600 31.50 108.0 3.00 NA SANDY SILT to CLAYEY SILT 43 9.750 31.99 285.8 3.75 NA "SAND to CLAYEY SAND 143 9.700 32.48 214.6 4.09 NA "SAND to CLAYEY SAND 167 10.050 32.97 256.9 2.12 NA SAND to CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND to CLAYEY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND to SANDY SILT 86 10.500 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 61 10.650 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 61 10.650 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 61 10.650 35.93 164.4 2.96 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 66 10.950 36.91 24.1 1.74 NA SILTY SAND to SANDY SILT 61 11.100 36.42 48.7 3.12 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SILTY SAND to SANDY SILT 61 11.900 39.37 26.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SILTY SAND SILTY CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.550 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 10 11.550 39.86 35.9 35.4 36.2 4.66 NA SANDY SILT to CLAYEY SILT 10 11.550 39.86 35.9 35.4 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 12 12.150 39.86 35.9 6.35 NA CLAY SILT to SILTY CLAY 14 12.150 39.86 35.9 35.9 6.35 NA CLAY SILT to SILTY CLAY 14 12.150 39.86 35.9 5.9 6.35 NA CLAY SILT to SILTY CLAY 14 12.150 40.85 35.9 6.35 NA CLAY SILT to SILTY CLAY 13 13.000 40.35 36.2 4.66 NA CLAY TO SILTY CLAY 13 14.700 42.32 49 1 5.64 NA CLAY TO SILTY CLAY 14 12.150 40.85 35.9	-						
8.550							
8 700							
8.850							
9 000 29.53 48.4 5.23 NA CLAY 48 9.150 30.02 37.1 3.07 NA CLAYEY SILT tO SILTY CLAY 19 9 300 30.51 27.5 5.31 NA CLAY 27 9 450 31.00 122.0 2.40 NA SILTY SAND tO SANDY SILT 41 9.600 31.50 108.0 3.00 NA SANDY SILT tO CLAYEY SAND 143 9.900 32.48 214.6 4.09 NA SANDY SILT SAND tO SLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND tO CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND tO CLAYEY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND tO SANDY SILT 46 10.500 34.45 220.7 2.47 NA SILTY SAND tO SANDY SILT 46 10.650 34.94 184.4 2.96 NA SILTY SAND tO SANDY SILT 46 10.650 35.43 166.1 3.21 NA SANDY SILT 56 10.950 35.93 164.4 1.96 NA SILTY SAND tO SANDY SILT 56 10.950 35.93 164.4 1.96 NA SILTY SAND tO SANDY SILT 55 11.100 36.42 48.7 3.12 NA CLAYEY SILT tO CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.550 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 10 11.550 39.86 35.4 3.6 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.6 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.6 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.6 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 42 12.500 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 42 13.300 42.31 43.51 5.13 NA CLAY 42 13.350 43.80 37.7 4.98 NA CLAY 42 13.350 43.80 37.7 4.98 NA CLAY 42 13.350 43.80 37.7 4.98 NA CLAY 42							
9.150 30.02 37.1 3.07 NA CLAYEY SILT to SILTY CLAY 19 9.300 30.51 27.5 5.31 NA CLAY 27 9.450 31.00 122.0 2.40 NA SILTY SAND to SANDY SILT 41 9.600 31.50 108.0 3.00 NA SANDY SILT to CLAYEY SILT 43 9.750 31.99 285.8 3.75 NA *SAND to CLAYEY SAND 107 10.050 32.48 214.6 4.09 NA SAND to CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND to SLITY SAND 64 10.200 33.46 224.8 3.39 NA *SAND to CLAYEY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND to SANDY SILT 61 10.500 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 61 10.650 34.94 184.4 2.96 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 65 10.950 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 65 11.100 36.42 48.7 3.12 NA SANDY SILT to SLAYEY SILT 65 11.100 36.40 48.7 3.12 NA CLAYEY SILT to SILTY CLAY 24 11.250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.500 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.500 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 24 12.750 40.85 35.9 6.35 NA CLAYEY SILT to SILTY CLAY 24 12.750 41.83 47.1 4.93 NA CLAYEY SILT to SILTY CLAY 24 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 31 13.000 42.81 42.2 5.71 NA CLAY SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 42 13.200 43.31 35.1 5.13 NA CLAY 32 13.350 44.29 31.8 5.13 NA CLAY 32					-		
9 300 30.51 27.5 5.31 NA CLAY 27 9 450 31.00 122.0 2.40 NA SILIY SAND tO SANDY SILT 41 9.600 31.50 108.0 3.00 NA SANDY SILT to CLAYEY SILT 43 9 750 31.99 285.8 3.75 NA *SAND tO CLAYEY SAND 143 9.900 32.48 214.6 4.09 NA *SAND tO CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND tO CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND tO CLAYEY SAND 112 10.350 33.96 224.8 3.39 NA *SAND tO CLAYEY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND tO SANDY SILT 86 10.500 34.45 220.7 2.47 NA SILTY SAND tO SANDY SILT 74 10.650 34.94 184.4 2.96 NA SILTY SAND tO SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT 50 10.950 35.93 164.4 1.96 NA SILTY SAND tO SANDY SILT 65 11.100 36.42 48.7 3.12 NA SANDY SILT to CLAYEY SILT 65 11.100 36.42 48.7 3.12 NA CLAYEY SILT to SILTY CLAY 24 11.250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 7 11.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 11.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 24 12.250 40.85 35.9 4.36 NA CLAYEY SILT to SILTY CLAY 24 12.250 40.85 35.9 5.2 4.66 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.250 40.85 35.9 6.35 NA CLAYEY SILT to SILTY CLAY 24 12.250 40.85 35.9 6.35 NA CLAYEY SILT to SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY TO SILTY CLAY 31 13.350 42.81 42.2 5.31 NA CLAY 38 13.350 42.81 42.2 5.31 NA CLAY 38 13.350 42.81 42.2 5.31 NA CLAY 38 13.350 44.29 31.8 5.13 NA CLAY 38						=: :	
9 450 31.00 122.0 2.40 NA SILTY SAND tO SANDY SILT 41 9.600 31.50 108.0 3.00 NA SANDY SILT to CLAYEY SILT 43 9.750 31.99 285.8 3.75 NA *SAND to CLAYEY SAND 143 9.900 32.48 214.6 4.09 NA *SAND to CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND to SILTY SAND 64 10 200 33.46 224.8 3.39 NA *SAND to SILTY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND to SANDY SILT 86 10.500 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 74 10.650 34.94 184.4 2.96 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILTY SAND to SANDY SILT 66 10 950 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 65 10.100 36.42 48.7 3.12 NA CLAYEY SILT to SILTY CLAY 24 11 250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.550 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 7 12.000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 7 12.000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 24 12.250 40.85 35.9 6.35 NA CLAY SILT to SILTY CLAY 24 12.250 40.85 35.9 6.35 NA CLAY SILT to SILTY CLAY 31 12.750 41.83 47.1 4.93 NA CLAY SILT to SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 5 SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 5 SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 5 SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 5 SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 5 SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 5 SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 5 SILTY CLAY 31 13.350 42.81 42.2 5.71 NA CLAY 5 SILTY CLAY 32 13.350 42.81 42.2 5.71 NA CLAY 5 SILTY CLAY 32 13.350 42.81 42.2 5.71 NA CLAY 32 13.350 42.81 42.2 5.71 NA CLAY 32 14.90 43.31 35.1 5.13 NA CLAY 32 15.300 44.29 31.8 5.13 NA CLAY 32							
9.500 31.50 108.0 3.00 NA SANDY SILT to CLAYEY SILT 43 9.750 31.99 285.8 3.75 NA *SAND to CLAYEY SAND 143 9.900 32.48 214.6 4.09 NA *SAND to CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND to SILTY SAND 64 10.200 33.46 224.8 3.39 NA *SAND to SILTY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND to SANDY SILT 86 10.500 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 74 10.650 34.94 184.4 2.96 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 66 10.950 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 55 11.100 36.42 48.7 3.12 NA SANDY SILT to CLAYEY SILT 55 11.100 36.42 48.7 3.12 NA SANDY SILT to CLAYEY SILT 10 11.550 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 7 12.850 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY 12.450 40.85 35.9 6.35 NA CLAY 12.450 40.85 35.9 6.35 NA CLAY 12.500 42.32 49 1 5.64 NA CLAY 13.200 42.32 49 1 5.64 NA CLAY 13.200 42.32 49 1 5.64 NA CLAY 13.350 42.81 42.2 5.31 NA CLAY 13.350 43.80 37.7 4.98 NA CLAY 13.350 43.80 37.7 4.98 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8					**		_
9 750 31.99 285.8 3.75 NA *SAND to CLAYEY SAND 143 9.900 32.48 214.6 4.09 NA *SAND to CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND to SILTY SAND 64 10 200 33.46 224.8 3.39 NA *SAND to CLAYEY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND to SANDY SILT 86 10.500 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 74 10.650 34 94 184.4 2.96 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 65 10.950 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 55 11.100 36.42 48.7 3.12 NA CLAYEY SILT to CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 13 11.700 38 39 17.4 .81 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 18 12.450 40.85 35.9 6.35 NA CLAY SILTY CLAY 31 12.750 41.83 47.1 4.93 NA CLAY SILTY CLAY 31 12.900 42.32 49 1 5.64 NA CLAY SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 31 12.900 42.31 33.1 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 44.29 31.8 5.13 NA CLAY 38 13.350 44.29 31.8 5.13 NA CLAY 38							
9.900 32.48 214.6 4.09 NA *SAND to CLAYEY SAND 107 10.050 32.97 256.9 2.12 NA SAND to SILTY SAND 64 10.200 33.46 224.8 3.39 NA *SAND to CLAYEY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND to SANDY SILT 86 10.500 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 74 10.650 34 94 184.4 2.96 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 66 10.950 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 55 11.100 36.42 48.7 3.12 NA CLAYEY SILT to SILTY CLAY 24 11.250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 13 11.700 38.39 17.4 .81 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY 12.550 41.83 47.1 4.93 NA CLAY 12.450 40.85 35.9 6.35 NA CLAY 12.550 41.83 47.1 5.64 NA CLAY 13.000 42.32 49.1 5.64 NA CLAY 13.000 43.31 35.1 5.13 NA CLAY 13.350 42.81 42.2 5.31 NA CLAY 13.350 42.81 42.2 5.31 NA CLAY 13.350 43.80 37.7 4.98 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY				-		-	· ·
10.050 32.97 256.9 2.12 NA SAND to SILTY SAND 64 10 200 33.46 224.8 3.39 NA *SAND to CLAYEY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND to SANDY SILT 86 10.500 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 74 10.650 34.94 184.4 2.96 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 66 10.950 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 55 11.100 36.42 48.7 3.12 NA CLAYEY SILT to SILTY CLAY 24 11.250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 13 11.700 38.39 17.4 .81 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.950 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAYEY SILT to SILTY CLAY 31 12.500 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 42 12.450 40.85 35.9 6.35 NA CLAY 10.81 NA CLAY							
10 200 33.46 224.8 3.39 NA *SAND to CLAYEY SAND 112 10.350 33.96 257.3 2.25 NA SILTY SAND to SANDY SILT 86 10.500 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 74 10.650 34.94 184.4 2.96 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 66 10.950 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 55 11.100 36.42 48.7 3.12 NA CLAYEY SILT to SLITY CLAY 24 11.250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to SLITY CLAY 13 11.90 38.39 17.4 .81 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.900 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 40.85 35.9 6.35 NA CLAYEY SILT to CLAYEY SILT 10 12.150 40.85 35.9 6.35 NA CLAYEY SILT to CLAYEY SILT 10 12.150 40.85 35.9 6.35 NA CLAY SILT to CLAYEY SILT 10 12.150 40.85 35.9 6.35 NA CLAY SILT to CLAYEY SILT 10 12.150 40.85 35.9 6.35 NA CLAY 31 12.900 42.32 49.1 5.64 NA CLAY SILTY CLAY 42 12.450 40.85 35.9 6.35 NA CLAY 31 12.900 42.32 49.1 5.64 NA CLAY 42.1 4.93 NA CLAY 42.1 4.93 NA CLAY 42.1 4.93 NA CLAY 42.1 4.93 NA CLAY 42.1 4.93 NA CLAY 4.94 3.93 NA CLAY 4.99 NA CLA							
10.350 33.96 257.3 2.25 NA SILTY SAND to SANDY SILT 86 10.500 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 74 10.650 34 94 184.4 2.96 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 66 10.950 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 55 11.100 36.42 48.7 3.12 NA CLAYEY SILT to SILTY CLAY 24 11.250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to CLAYEY SILT 10 11.550 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 11.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 39.86 35.4 3.36 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 35.9 6.35 NA CLAY 12.450 40.85 35.9 6.35 NA CLAY 12.570 41.83 47.1 4.93 NA CLAY to SILTY CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 12.900 42.32 49.1 5.64 NA CLAY 12.900 42.31 32.1 5.31 NA CLAY 13.350 43.80 37.7 4.98 NA CLAY 13.350 43.80 37.7 4.98 NA CLAY 13.350 43.80 37.7 4.98 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY							
10.500 34.45 220.7 2.47 NA SILTY SAND to SANDY SILT 74 10.650 34 94 184.4 2.96 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 66 10.950 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 55 11.100 36.42 48.7 3.12 NA CLAYEY SILT to SILTY CLAY 24 11.250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 13 11.700 38.39 17.4 .81 NA SANDY SILT to CLAYEY SILT 7 11.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 7 12.150 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.85 35.9 6.35 NA CLAY 12.450 40.85 35.9 6.35 NA CLAY 12.550 41.83 47.1 4.93 NA CLAY 12.750 41.83 47.1 4.93 NA CLAY 12.900 42.32 49.1 5.64 NA CLAY 13.000 42.81 42.2 5.71 NA CLAY 13.000 42.81 42.2 5.31 NA CLAY 13.000 43.31 35.1 5.13 NA CLAY 13.000 43.31 35.1 5.13 NA CLAY 13.000 44.29 31.8 5.13 NA CLAY 13.000 44.29 31.8 5.13 NA CLAY 13.000 44.29 31.8 5.13 NA CLAY 13.000 44.29 31.8 5.13 NA CLAY 13.000 44.29 31.8 5.13 NA CLAY 13.000 44.29 31.8 5.13 NA CLAY 13.000 44.29 31.8 5.13 NA CLAY							
10.650 34 94 184.4 2.96 NA SILTY SAND to SANDY SILT 61 10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 66 10.950 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 55 11.100 36.42 48.7 3.12 NA CLAYEY SILT to SILTY CLAY 24 11.250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 13 11.700 38.39 17.4 .81 NA SANDY SILT to CLAYEY SILT 7 11.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 7 12.000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 35.9 6.35 NA CLAYEY SILT CLAY 24 12.450 40.85 35.9 6.35 NA CLAY TO SILTY CLAY 36 12.600 41.34 42.2 5.71 NA CLAY 12.750 41.83 47.1 4.93 NA CLAY 12.990 42.32 49.1 5.64 NA CLAY 13.050 42.81 42.2 5.31 NA CLAY 13.050 42.81 42.2 5.31 NA CLAY 13.050 43.31 35.1 5.13 NA CLAY 13.050 44.29 31.8 5.13 NA CLAY 38 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 43.80 37.7 4.98 NA CLAY 38							-
10.800 35.43 166.1 3.21 NA SANDY SILT to CLAYEY SILT 66 10.950 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 55 11.100 36.42 48.7 3.12 NA CLAYEY SILT to SILTY CLAY 24 11.250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 13 11.700 38.39 17.4 .81 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 7 12.150 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY 12.600 41.34 42.2 5.71 NA CLAY 12.750 41.83 47.1 4.93 NA CLAY 12.750 41.83 47.1 4.93 NA CLAY 12.900 42.32 49.1 5.64 NA CLAY 13.050 42.81 42.2 5.31 NA CLAY 13.050 42.81 42.2 5.31 NA CLAY 13.050 42.81 42.2 5.31 NA CLAY 13.050 42.81 42.2 5.31 NA CLAY 13.050 43.80 37.7 4.98 NA CLAY 13.350 43.80 37.7 4.98 NA CLAY 13.350 43.80 37.7 4.98 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY 13.350 44.29 31.8 5.13 NA CLAY							
10 950 35.93 164.4 1.96 NA SILTY SAND to SANDY SILT 55 11.100 36.42 48.7 3.12 NA CLAYEY SILT to SILTY CLAY 24 11 250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 13 11 700 38 39 17.4 .81 NA SANDY SILT to CLAYEY SILT 7 11.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 39.86 35.4 3.36 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY SILTY CLAY 36 12.600 41.34 42.2 5.71 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 42 13.200 43.31 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 44.29 31.8 5.13 NA CLAY 38							· ·
11.100 36.42 48.7 3.12 NA CLAYEY SILT to SILTY CLAY 24 11.250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 13 11.700 38.39 17.4 .81 NA SANDY SILT to CLAYEY SILT 7 11.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY SILTY CLAY 36 12.600 41.34 42.2 5.71 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 42 13.050 43.31 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 44.29 31.8 5.13 NA CLAY 38							
11 250 36.91 24.1 1.74 NA SANDY SILT to CLAYEY SILT 10 11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 13 11 700 38.39 17.4 .81 NA SANDY SILT to CLAYEY SILT 7 11.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY 36 12.600 41.34 42.2 5.71 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 31 12.900 42.32 49.1 5.64 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 44.29 31.8 5.13 NA CLAY 38							_
11.400 37.40 24.9 2.09 NA SANDY SILT to CLAYEY SILT 10 11.550 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 13 11.700 38.39 17.4 .81 NA SANDY SILT to CLAYEY SILT 7 11.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAYEY SILT to SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY 36 12.600 41.34 42.2 5.71 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 31 12.900 42.32 49.1 5.64 NA CLAY 31 12.900 42.32 49.1 5.64 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 43.80 37.7 4.98 NA CLAY 32 13.350 44.29 31.8 5.13 NA CLAY 32				=			
11.550 37.89 26.7 2.74 NA CLAYEY SILT to SILTY CLAY 13 11 700 38 39 17.4 .81 NA SANDY SILT to CLAYEY SILT 7 11.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAY TO SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY TO SILTY CLAY 36 12.600 41.34 42.2 5.71 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 31 12.900 42.32 49 1 5.64 NA CLAY 5ILTY CLAY 31 12.900 42.32 49 1 5.64 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 42 13.050 43.31 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 44.29 31.8 5.13 NA CLAY 32							
11 700 38 39 17.4 81 NA SANDY SILT to CLAYEY SILT 7 11.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12 000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAY to SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY 36 12.600 41.34 42.2 5.71 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 31 12.900 42.32 49.1 5.64 NA CLAY 49 13 050 42.81 42.2 5.31 NA CLAY 49 13 200 43.31 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13 500 44.29 31.8 5.13 NA CLAY 32							
11.850 38.88 18.0 1.17 NA SANDY SILT to CLAYEY SILT 7 12.000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAY to SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY 36 12.600 41.34 42.2 5.71 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 51LTY CLAY 31 12.900 42.32 49.1 5.64 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 44.29 31.8 5.13 NA CLAY 38 13.350 44.29 31.8 5.13 NA CLAY 32		•					_
12 000 39.37 26.1 1.88 NA SANDY SILT to CLAYEY SILT 10 12.150 39.86 35.4 3.36 NA CLAYEY SILT to SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAY to SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY 12.600 41.34 42.2 5.71 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 51LTY CLAY 31 12.900 42.32 49.1 5.64 NA CLAY 49 13 050 42.81 42.2 5.31 NA CLAY 49 13 050 42.81 42.2 5.31 NA CLAY 42 13 200 43.31 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13 500 44.29 31.8 5.13 NA CLAY 32							
12.150 39.86 35.4 3.36 NA CLAYEY SILT tO SILTY CLAY 18 12.300 40.35 36.2 4.66 NA CLAY tO SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY 12.600 41.34 42.2 5.71 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 5ILTY CLAY 31 12.900 42.32 49.1 5.64 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 49 13.050 42.81 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13.350 44.29 31.8 5.13 NA CLAY 38							7
12.300 40.35 36.2 4.66 NA CLAY to SILTY CLAY 24 12.450 40.85 35.9 6.35 NA CLAY 36 12.600 41.34 42.2 5.71 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY 31 12.900 42.32 49.1 5.64 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 42 13.200 43.31 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13.500 44.29 31.8 5.13 NA CLAY 32							
12 450 40.85 35.9 6.35 NA CLAY 36 12.600 41.34 42.2 5.71 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY to SILTY CLAY 31 12.900 42.32 49.1 5.64 NA CLAY 49 13 050 42.81 42.2 5.31 NA CLAY 42 13 200 43.31 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13 500 44.29 31.8 5.13 NA CLAY 32							
12.600 41.34 42.2 5.71 NA CLAY 42 12.750 41.83 47.1 4.93 NA CLAY to SILTY CLAY 31 12.900 42.32 49.1 5.64 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 42 13.200 43.31 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13.500 44.29 31.8 5.13 NA CLAY 32							24
12.750 41.83 47.1 4.93 NA CLAY to SILTY CLAY 31 12.900 42.32 49.1 5.64 NA CLAY 49 13.050 42.81 42.2 5.31 NA CLAY 42 13.200 43.31 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13.500 44.29 31.8 5.13 NA CLAY 32							
12.900 42.32 49 1 5.64 NA CLAY 49 13 050 42.81 42.2 5.31 NA CLAY 42 13 200 43.31 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13 500 44.29 31.8 5.13 NA CLAY 32					-		_
13 050 42.81 42.2 5.31 NA CLAY 42 13 200 43.31 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13 500 44.29 31.8 5.13 NA CLAY 32		•		* *			
13 200 43.31 35.1 5.13 NA CLAY 35 13.350 43.80 37.7 4.98 NA CLAY 38 13 500 44.29 31.8 5.13 NA CLAY 32							
13.350 43.80 37.7 4.98 NA CLAY 38 13.500 44.29 31.8 5.13 NA CLAY 32							
13 500 44.29 31.8 5.13 NA CLAY 32							_
•					=	· · · · · · · · · · · · · · · · · · ·	
13 650 44 78 26.4 4.59 NA CLAY 26					· ·		
	13 650	44 78	26.4	4.59	NA	CLAY	26

NA - NOT APPLICABLE

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf

ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)

DEPTH	DEPTH	TIP RESISTANCE (tsf)	FRICTION RATIO (%)	CONE PORE PRESSURE (tsf)	SOIL BEHAVIOR TYPE	R (60)


13.800	45.28	27.0	4.44	NA	CLAY to SILTY CLAY	18
13.950	45.77	26.3	3.01	NA	CLAYEY SILT to SILTY CLAY	13
14.100	46.26	25.3	3.20	NA.	CLAYEY SILT to SILTY CLAY	13
14.250	46.75	29.4	3.17	NA	CLAYEY SILT to SILTY CLAY	15
14.400	47.24	33.5	3.17	NA	CLAYEY SILT to SILTY CLAY	17
14.550	47.74	105.1	5.26	AN	*VERY STIFF FINE GRAINED	105
14.700	48.23	199.1	4.16	NA	*VERY STIFF FINE GRAINED	199
14.850	48.72	176.5	3.63	NA	*SAND to CLAYEY SAND	88
15.000	49.21	212.7	4.63	NA	*VERY STIFF FINE GRAINED	213
15.150	49.70	255.4	3.72	NA	*SAND to CLAYEY SAND	128
15.300	50.20	232.6	3.41	NA	*SAND to CLAYEY SAND	116
15.450	50.69	184.9	3.11	NA	SANDY SILT to CLAYEY SILT	74
15.500	51.18	44.8	3.15	NA	CLAYEY SILT to SILTY CLAY	22
15.750	51.67	45.3	4.64	NA	CLAY to SILTY CLAY	30
15.900	52.17	118,2	2.89	NA	SANDY SILT to CLAYEY SILT	47
16.050	52.66	111.9	3.92	NA	CLAYEY SILT to SILTY CLAY	56
16.200	53.15	105.1	3.56	NA	SANDY SILT to CLAYEY SILT	42
16.350	53.64	58.3	5.03	NA	CLAY to SILTY CLAY	39
16.500	54.13	129.7	5.05	· NA	*VERY STIFF FINE GRAINED	130
16.650	54.63	198.6	2.83	NA	SILTY SAND to SANDY SILT	66
16.800	55.12	194.3	3.09	NA	SILTY SAND to SANDY SILT	65
16.950	55.61	116.0	4.80	NA	*VERY STIFF FINE GRAINED	116
17.100	56.10	42.2	4.07	NA	CLAYEY SILT to SILTY CLAY	21
17.250	56.59	37.0	2.00	NA	SANDY SILT to CLAYEY SILT	15
17.400	57.09	60.1	2.94	NA	SANDY SILT to CLAYEY SILT	24
17.550	57.58	37.9	2.64	NA	SANDY SILT to CLAYEY SILT	15
17.700	58.07	28.8	2.29	NA	SANDY SILT to CLAYEY SILT	12
17.850	58,56	30.4	1.84	NA	SANDY SILT to CLAYEY SILT	12
18.000	59.06	31.4	2.93	NA	CLAYEY SILT to SILTY CLAY	16
18.150	59.55	35.3	2.70	NA	SANDY SILT to CLAYEY SILT	14

NA * NOT APPLICABLE

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf

ASSUMED DEPTH OF WATER TABLE = 15.0 ft N(60) = EQUIVALENT SPT VALUE (60% Energy)



SOUNDING NUMBER: CPT-7

PROJECT NAME

: ENVIRON/STD.BNDS

CONE/RIG : 469/T-3

PROJECT NUMBER : 95-381-12106

DATE/TIME: 05-18-95 08:32



SOUNDING: CPT-7 PROJECT No.: 95-381-12106

* PROJECT : ENVIRON/STD.BNDS CONE/RIG : 469/T-3

* DATE/TIME: 05-18-95 08:32

*

PAGE 1 of 2

DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N(60)
(m)	(ft)	(tsf)	(₺)	(tsf)		
.150	.49	.0	.00	NA		0
.300	.98	.0	.00	NA		Q.
.450	1.48	.0	.00	NA		0
.600	1.97	.0	.00	NA		0
.750	2.46	.0	.00	NA		0
.900	2.95	.0	.00	NA		0
1.050	3.44	.0	.00	NA		0
1.200	3.94	.0	.00	NA		0
1.350	4.43	22.9	3.88	NA	CLAY to SILTY CLAY	15
1.500	4.92	16.0	4.01	, NA	CLAY	16
1.650	5.41	15.2	4.02	NA	CLAY	15
1.800	5.91	16.8	5.01	NA	CLAY	17
1.950	6.40	18.0	5.49	NA	CLAY	18
2.100	6.89	18.1	4.91	NA	CLAY	18
2.250	7.38	17.3	4.80	NA	CLAY	17
2.400	7.87	17.6	4.55	NA	CLAY	1.8
2.550	8.37	19.8	3.98	NA	CLAY to SILTY CLAY	13
2 700	8.86	21.2	3.58	NA	CLAY to SILTY CLAY	14
2.850	9.35	20.6	2.33	NA	CLAYEY SILT to SILTY CLAY	
3.000	9.84	19.3	2.49	NA	CLAYEY SILT to SILTY CLAY	10
3.150	10.33	21.4	3.08	NA	CLAYEY SILT to SILTY CLAY	11
3.300	10.83	29.1	5.88	NA	CLAY	29
3.450	11.32	29.6	4.52	NA 	CLAY to SILTY CLAY	20
3.600	11.81	24.4	3.07	NA	CLAYEY SILT to SILTY CLAY	12
3.750	12.30	25.6	3.60	NA	CLAYEY SILT to SILTY CLAY	
3.900	12.80	26.3	4.00	NA	CLAY to SILTY CLAY	18
4.050	13.29	26.2	4.93	NA	CLAY	26
4.200	13 78	24.5	5.02	NA	CLAY	25
4.350	14.27	22.4	4.11	NA	CLAY to SILTY CLAY	15
4.500	14.76	21.7	4.88	NA	CLAY	22
4.650	15.26	19.5	4.25	NA	CLAY	20
4.800	15 75	19.6	3.16	NA	CLAYEY SILT to SILTY CLAY	10
4.950	16.24	18.1	2.43	NA	CLAYEY SILT to SILTY CLAY	9
5.100	16.73	17.9	3.30	NA	CLAY to SILTY CLAY	12
5.250	17.22	15.7	2.23	NA	CLAYEY SILT to SILTY CLAY	8
5.400	17 72	18.1	3.42	NA	CLAY to SILTY CLAY	12
5 550	18.21	18.4	2.55	NA	CLAYEY SILT to SILTY CLAY	9
5 700	18.70	15.7	3.30	NA	CLAY to SILTY CLAY	10
5.850	19.19	17.6	3 70	NA	CLAY to SILTY CLAY	12
6.000	19.69	16 2	3.15	NA	CLAY to SILTY CLAY	11
6.150	20.18	14.0	2.50	NA	CLAYEY SILT to SILTY CLAY	7

NA = NOT APPLICABLE

TOP 4.0 ft IS DISTURBED SOIL

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf

ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)

PAGE 2 of 2

DEPTH (m)	(ft)	TIP RESISTANCE (tsf)	FRICTION RATIO (%)	CONE PORE PRESSURE (tsf)	SOIL BEHAVIOR TYPE	N (60)


6.300	20.67	11.7	2.57	NA	CLAYEY SILT to SILTY CLAY	
6.450 6 600	21.16	17.3	2.95	NA	CLAYEY SILT to SILTY CLAY	6
6.750	21.65	17.9	4.48	NA	CLAY	9
6.900	22.15	16.9	3.79	NA	CLAY to SILTY CLAY	18
7.050	22 64	16.0	3.55	NA	CLAY to SILTY CLAY	11
7.200	23.13	15.4	2.27	NA	CLAYEY SILT to SILTY CLAY	11
7.350	23.62	16.6	2.71	NA	CLAYEY SILT to SILTY CLAY	8
7.500	24.11	17.1	2.28	NA	CLAYEY SILT to SILTY CLAY	8
7 650	24.61	21.5	2.56	NA	CLAYEY SILT to SILTY CLAY	9
7 800	25.10	15.3	1.17	NA	SANDY SILT to CLAYEY SILT	11
7.950	25.59	17.0	3.82	NA	CLAY to SILTY CLAY	6
8 100	26.08 26.57	15.5	3.36	NA	CLAY to SILTY CLAY	11
8.250	27.07	12.9	2.63	NA	CLAYEY SILT to SILTY CLAY	10
8.400	•	14.5	3.23	NA	CLAY to SILTY CLAY	6
8.550	27.56	14.1	2.47	NA	CLAYEY SILT to SILTY CLAY	10
8 700	28.05	14.8	3,25	NA	CLAY to SILTY CLAY	7
8.850	28.54	14.2	2.47	NA	CLAYEY SILT to SILTY CLAY	10
9.000	29.04 29.53	14.7	2.92	NA	CLAYEY SILT to SILTY CLAY	7
9.150		14.7	2.58	NA	CLAYEY SILT to SILTY CLAY	7
9.300	30.02	14.6	1.84	NA	CLAYEY SILT to SILTY CLAY	7
9.450	30.51 31,00	14.6	2.75	NA	CLAYEY SILT to SILTY CLAY	7
9.600	31.50	16.5	3.15	NA	CLAY to SILTY CLAY	7
9.750	31.99	19.6	4.24	NA	CLAY	11
9.900	32.48	62.6	5.35	NA	CLAY	20
10.050	32.46	49.6	5.76	NA	CLAY	63
10.200	33 46	81.2	5.45	NA	*VERY STIFF FINE GRAINED	50
10.350	33.96	72.3	4.18	NA	CLAYEY SILT to SILTY CLAY	81
10.500	34.45	72.6	3.92	NA	CLAYEY SILT to SILTY CLAY	36
10.650	34 94	47.6	4.98	NA	CLAY to SILTY CLAY	36
10.800	35.43	\$7.5	4.37	NA	CLAYEY SILT to SILTY CLAY	32
10.950	35.93	24.8	2.06	NA	SANDY SILT to CLAYEY SILT	29
11.100	36.42	20.1	1.89	NA	SANDY SILT to CLAYEY SILT	10 8
11 250	36.91	24.0	2.21	NA	SANDY SILT to CLAYEY SILT	-
11 405	37.40	19.0	3.00	NA	CLAYEY SILT TO SILTY CLAY	10
11 550	37.89	17.5	2.17	NA	CLAYEY SILT to SILTY CLAY	10 9
11 700	38.39	19.3	2.49	NA	CLAYEY SILT to SILTY CLAY	
11 850	38 88	17.0	1.06	NA	SANDY SILT to CLAYEY SILT	10
12,000	39 37	27.0	1.96	NA	SANDY SILT to CLAYEY SILT	7
	42 31	36.8	4.21	NA	CLAY to SILTY CLAY	11 25

NA = NCT APPLICABLE

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)



SOUNDING: CPT-8 PROJECT No.: 95-381-12106

PROJECT : ENVIRON/STD.BNDS CONE/RIG : 469/T-3

DATE/TIME: 05-18-95 09:09

DEPTH	DEPTH	TIP RESISTANCE	FRICTION RATIO	CONE PORE PRESSURE	SOIL BEHAVIOR TYPE	N(60)
(m)	(£t)	(tsf)	(%)	(tsf)		
.150	.49	. 0	.00	NA		0
.300	.98	.0	.00	NA		0
.450	1.48	19.4	4.63	NA	CLAY	19
.600	1,97	26.1	5.71	NA	CLAY	26
.750	2.46	28.5	4.78	NA	CITYA	28
.900	2.95	23.9	5.47	NA	CLAY	24
1.050	3,44	27.4	5.65	NA	CLAY	27
1.200	3.94	27.6	5.35	NA	CLAY	28
1.350	4.43	25.3	5.03	NA	CLAY	25
1.500	4.92	21.1	4.88	· NA	CLAY	21
1.650	5.41	19.3	5.17	NA	CLAY	19
1.800	5 91	16.1	4.35	NA	CLAY	16
1.950	6.40	15.8	3.92	NA	CLAY to SILTY CLAY	11
2.100	6.89	13.4	2.91	NA	CLAY to SILTY CLAY	9
2.250	7.38	13.1	2.90	NA	CLAY to SILTY CLAY	9
2.400	7.87	12.5	2.24	N.A	CLAYEY SILT to SILTY CLAY	6
2.550	8.37	11.1	1.62	NA	CLAYEY SILT to SILTY CLAY	
2,700	8.86	11.0	1.90	NA	CLAYEY SILT to SILTY CLAY	6
2.850	9.35	13.0	2.78	AN	CLAY to SILTY CLAY	9
3.000	9.84	8.4	2.73	NA	CLAY to SILTY CLAY	6
3.150	10.33	7.2	1.80	NA	CLAY to SILTY CLAY	5
3.300	10.83	7.2	1.80	NA	CLAY to SILTY CLAY	5
3.450	11.32	17.6	2.55	NA	CLAYEY SILT to SILTY CLAY	9
3.600	11.81	7.1	2.26	NA	CLAY to SILTY CLAY	5
3.750	12.30	7.6	1.72	NA	CLAYEY SILT to SILTY CLAY	
3 900	12.80	8.1	1.61	NA	CLAYEY SILT to SILTY CLAY	
4.050	13.29	7.4	2.44	NA	CLAY to SILTY CLAY	5
4.200	13.78	9.6	3.54	NA	CLAY	10
4 350	14 27	6.9	2.74	NA	CLAY	7
4.500	14.76	7.4	3.11	NA	CLAY	7
4.650	15.26	6.3	2.53	NA	CLAY to SILTY CLAY	4
4.800	15.75	10.0	7.41	NA	CLAY	10
4.950	16.24	23.5	6.47	NA	CLAY	23
5.100	16.73	7.4	5.13	NA	CLAY	7
5.250	17.22	11.4	3.61	NA	CLAY	11
5.400	17.72	12.3	3.18	NA	CLAY to SILTY CLAY	8
5 550	18.21	11.5	4.17	NA	CLAY	12
5.700	18 70	19 3	2.96	NA	CLAYEY SILT to SILTY CLAY	10
5.850	19.19	16.7	3.41	NA	CLAY to SILTY CLAY	11
6.000	19.69	19.4	3.87	NA	CLAY to SILTY CLAY	13
6.150	20.18	17.3	2.60	NA	CLAYEY SILT to SILTY CLAY	9

NA = NOT APPLICABLE

TOP 1.0 ft IS DISTURBED SOIL

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT * 110 pcf

ASSUMED DEPTH OF WATER TABLE # 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)

DEPTH	DEPTH	TIP	FRICTION	CONE PORE	SOIL BEHAVIOR TYPE	N(60)
		RESISTANCE	RATIO	PRESSURE		
(m)	(ft)	(tsf)	(%)	(tsf)		
6.300	20.67	17.5	2.57	NA	CLAYEY SILT to SILTY CLAY	9
6.450	21.16	18.7	2.73	NA	CLAYEY SILT to SILTY CLAY	9
6.600	21.65	19.5	3.34	NA	CLAYEY SILT to SILTY CLAY	10
6.750	22.15	18.7	3.32	NA	CLAY to SILTY CLAY	12
6.900	22.64	19.8	3.64	NA 	CLAY to SILTY CLAY	13
7.050	23.13	17.6	3.29	NA	CLAY to SILTY CLAY	12
7.200	23.62	15.4	2.28	NA	CLAYEY SILT to SILTY CLAY	8
7.350	24.11	19.8	2.63	NA	CLAYEY SILT to SILTY CLAY	10
7.500	24.61	23.7	2.91	NA	CLAYEY SILT to SILTY CLAY	12
7.650	25.10	24.0	3.08	NA	CLAYEY SILT to SILTY CLAY	12
7.800	25.59	23.8	2.43	NA	CLAYEY SILT to SILTY CLAY	12
7.950	26.08	30.0	3.24	NA	CLAYEY SILT to SILTY CLAY	15
8.100	26.57	23.1	3.94	NA	CLAY to SILTY CLAY	15
8.250	27.07	24.4	2.95	NA	CLAYEY SILT to SILTY CLAY	12
8.400	27.56	44.0	2.89	NA	SANDY SILT to CLAYEY SILT	18
8.550	28.05	42.7	5.78	NA	CLAY	43
8.700	28.54	77.4	4.88	NA	*VERY STIFF FINE GRAINED	77
8.850	29.04	32.9	5.28	NA	CLAY	33
9.000	29.53	27.4	3.39	. NA	CLAYEY SILT to SILTY CLAY	14
9.150	30.02	23.6	3.65	NA	CLAY to SILTY CLAY	16
9.300	30.51	31.0	3.99	NA	CLAY to SILTY CLAY	21
9.450	31.00	33.4	2.85	NA	CLAYEY SILT to SILTY CLAY	17
9.600	31.50	56.5	4.74	NA	CLAY to SILTY CLAY	38
9.750	31.99	136.4	4.23	NA	*VERY STIFF FINE GRAINED	136
9.900	32.48	171.3	2.71	NA	SILTY SAND to SANDY SILT	57
10.050	32.97	252.2	2.79	NA	SILTY SAND to SANDY SILT	84
10.200	33.46	220.7	3.00	NA	SILTY SAND to SANDY SILT	74
10.350	33.96	192.3	3.26	NA	SANDY SILT to CLAYEY SILT	77
10.500	34.45	175.8	3.34	NA	SANDY SILT to CLAYEY SILT	70
10.650	34.94	161.5	2.30	NA	SILTY SAND to SANDY SILT	54
10.800	35.43	165.7	2.96	NA	SILTY SAND to SANDY SILT	55
10.950	35.93	191.3	2.89	NA	SILTY SAND to SANDY SILT	64
11.100	36.42	28.8	1.25	NA	SANDY SILT to CLAYEY SILT	12
11.250	36.91	24.7	1.25	NA	SANDY SILT to CLAYEY SILT	10
11.400	37.40	24.3	1.44	NA	SANDY SILT to CLAYEY SILT	10
11 550	37.89	19.9	1.61	NA	SANDY SILT to CLAYEY SILT	8
11 700	38.39	20.7	2.08	NA	CLAYEY SILT to SILTY CLAY	10
11.850	38 88	17.5	1.08	NA	SANDY SILT to CLAYEY SILT	7
12.000	39 37	18.9	1.06	NA	SANDY SILT to CLAYEY SILT	8

NA = NOT APPLICABLE

^{*}INDICATES OVERCONSOLIDATED OR CEMENTED MATERIAL

ASSUMED TOTAL UNIT WT = 110 pcf

ASSUMED DEPTH OF WATER TABLE = 15.0 ft

N(60) = EQUIVALENT SPT VALUE (60% Energy)