SITE INVESTIGATION REPORT

FOR

FOOTHILL BOULEVARD AND MATTOX ROAD PARCEL 6TH STREET AND CASTRO STREET PARCEL HAYWARD AND OAKLAND, CALIFORNIA EXCESS LAND

PREPARED FOR

CALTRANS DISTRICT 4 P.O. BOX 23600 OAKLAND, CALIFORNIA

PREPARED BY

GEOCON ENVIRONMENTAL CONSULTANTS SACRAMENTO, CALIFORNIA

CALTRANS CONTRACT NO. 53W202 TASK ORDER NO. 04-952137-02

GEOCON PROJECT NO. S8100-06-31

OCTOBER 1995





GEOTECHNICAL ENGINEERING AND ENVIRONMENTAL SCIENCES

Project No. S8100-06-31 October 9, 1995

California Department of Transportation District 4 P.O. Box 23600 Oakland, California 94623-4454

Attention:

Mr. Vince Bonner, Contract Manager

Subject:

FOOTHILL BOULEVARD AND MATTOX ROAD PARCEL

6TH STREET AND CASTRO STREET PARCEL

HAYWARD AND OAKLAND, CALIFORNIA EXCESS LAND CONTRACT NO. 53W202, TASK ORDER NO. 04-952137-02

SITE INVESTIGATION REPORT

Dear Mr. Bonner:

In accordance with Caltrans Contract No. 53W202 and Task Order No. 04-952137-02, Geocon Environmental Consultants has performed environmental engineering services at the subject project sites. The project sites include two parcels owned by Caltrans in the cities of Hayward and Oakland, California. The project site in Hayward is located at the south corner of the intersection of Foothill Boulevard and Mattox Road. The project site in Oakland is located at the north corner of 6th Street and Castro Street.

The purpose of the preliminary site investigation was to evaluate whether soil and groundwater at the Hayward and Oakland excess land sites are impacted with petroleum hydrocarbons or heavy metals (notably lead). The investigative results will be used by Caltrans to determine if further site characterization and/or remediation is necessary prior to potential sale of the sites.

The accompanying report summarizes the services performed including a geophysical survey, the advancement of twelve direct-push soil probes (Enviro-Core), and the collection and chemical analysis of soil and groundwater samples. If there are any questions concerning the contents of this report, or if we may be of further service, please contact the undersigned at your convenience.

Very truly yours,

GEOCON ENVIRONMENTAL CONSULTANTS

, Richard H. Walls, PE Project Manager

RHW/JW:mc (5) Addressee

3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 (916) 852-9118 Fax (916) 852-9132 Jeremey Westmark Environmental Scientist The contents of this report reflect the views of Geocon Environmental Consultants Incorporated, who is responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of the State of California or the Federal Highway Administration. This report does not constitute a standard, specification, or regulation.

TABLE OF CONTENTS SITE INVESTIGATION REPORT

	Page	<u>e</u>
INVES	IGATIVE SUMMARY	i
1.0	PROJECT DESCRIPTION	1
2.0	.1 GENERAL OBJECTIVES	3
3.0	NVESTIGATIVE METHODS 1.1 GEOPHYSICAL SURVEY 3.1.1 Rationale 3.1.2 Survey Methodology 2.2 SOIL PROBES 3.2.1 Rationale for Probe Placement 3.2.2 Soil Sample Collection 3.2.3 Groundwater Sample Collection 3.2.4 Laboratory Analytical Methods 3.2.5 Disposition of Decontamination Water	5 5 5 5 6 6
	NVESTIGATIVE RESULTS 1 SITE GEOLOGY 4.1.1 Hayward Site 4.1.2 Oakland Site 2 GEOPHYSICAL SURVEY RESULTS 4.2.1 Hayward Site 4.2.2 Oakland Site 3 ANALYTICAL RESULTS	7 7 7 7 7
5.0	REGULATORY CONTACTS	3
	.1 HAYWARD SITE	9
7.0	CONCLUSIONS AND RECOMMENDATIONS 10 1 CONCLUSIONS 10 2 REMEDIAL OPTIONS 10 3 RECOMMENDATIONS 10	0

TABLE OF CONTENTS (continued) SITE INVESTIGATION REPORT

Figures:

- 1. Vicinity Map
- 2. Site Plan Hayward Excess Land
- 3. Site Plan Oakland Excess Land
- 4. Historical Oakland Site Plan

Tables:

- IA. Summary of Soil Analytical Test Results/Hayward Site Total Lead/Oil and Grease
- IB. Summary of Soil Analytical Test Results/Oakland Site Total Lead/Oil and Grease
- II. Summary of Soil Analytical Test Results/Oakland Site Title 22 Metals
- IIIA. Summary of Soil Analytical Test Results/Hayward Site TPHg/TPHd/BTEX
- IIIB. Summary of Soil Analytical Test Results/Oakland Site TPHg/TPHd/BTEX
- IV. Summary of Groundwater Analytical Test Results/Oakland Site TPHg/TPHd/BTEX

Appendices:

- A. Zone 7 Drilling Permits
- B. Norcal Geophysical Survey Report
- C. Boring Logs
- D. Laboratory Reports and Chain-of-Custody Records Hayward Site
- E. Laboratory Reports and Chain-of-Custody Records Oakland Site

INVESTIGATIVE SUMMARY

The objective of this Site Investigation was to excavate shallow soil borings, collect soil samples, and perform laboratory analyses to evaluate the potential for petroleum hydrocarbon and heavy metal impacted soil and groundwater within the project site boundaries. It is understood that the results of the preliminary site investigation will be used by Caltrans to determine if further site characterization and/or remediation is necessary prior to potential sale of the sites.

The project sites are located in Hayward and Oakland, California and are depicted on the Vicinity Map, Figure 1. The Hayward site is located at the south corner of Foothill Boulevard and Mattox Road and the Oakland site is located at the north corner of 6th Street and Castro Street, as depicted on the Site Plans, Figures 2 and 3, respectively.

Oakland site on July 24 and 25, 1995. The soil probes extended to depths of 0.3 to 7.6 meters (one 10.35 feet) below ground surface (bgs) utilizing a truck-mounted hydraulically-driven sampling system. Soil samples were obtained from the sampling unit at depths ranging from 0.3 to 7.6 meters (one to 25 feet) bgs at the boring locations depicted on Figures 2 and 3. Two groundwater samples were obtained from the Oakland site by advancing 26.4 mm (one inch) diameter polyvinyl chloride pipe with 1.47 meters (five feet) of 0.020 inch slotted casing into the borehole and extracting groundwater samples with a stainless-steel bailer.

The soil samples obtained from the soil probes were analyzed for oil & grease (O&G) following Standard Method 5520 and total lead following EPA Test Method 6010. Selected soil samples and each groundwater sample were submitted for the analyses of total petroleum hydrocarbons as gasoline and diesel (TPHg and TPHd) following EPA Test Method 8015 modified, and benzene, toluene, ethylbenzene and total xylenes (BTEX) following EPA Test Method 8020. Selected soil samples obtained from the Oakland site were further analyzed for Title 22 Total Threshold Limit Concentration (TTLC) 17 metals following EPA Test Method 6010.

The following information summarizes the activities performed, and conclusions and recommendations.

Hayward Site

O&G concentrations ranging from 50 to 7,200 milligrams per kilogram (mg/kg) were reported for 15 of 19 soil samples analyzed. Three soil samples collected at depths of 0.3, 0.6 and 5.2 meters (one, two and 17 feet) bgs had reported O&G concentrations in excess of 1,000 mg/kg.

Laboratory analyses indicate that the reported total lead concentrations do not exceed the Title 22 Total Threshold Limit Concentration (TTLC) of 1,000 mg/kg or ten times the Soluble Threshold Limit concentration (STLC) of 50 mg/kg with the exception of 100 mg/kg reported for sample HAY3-1 and 2,400 mg/kg reported for sample HAY5-3.)TPHg, TPHd and BTEX were not reported

9 T G

porter 04 Gi 4 levoi

gasalin:

netals

above the laboratory test method detection limit for each soil sample analyzed.

Oakland Site

O&G concentrations ranging from 65 to 8,000 mg/kg were reported for 10 of 16 soil samples analyzed. Two samples collected at depths of 0.6 and 0.9 meters (two and three feet) bgs had reported O&G concentrations in excess of 1,000 mg/kg.

The results of the total lead and Title 22 metals analyses indicate that the reported metal concentrations do not exceed their respective TTLC values or ten times the respective STLC values with the exception of 12 soil samples with reported total lead concentrations ranging from 67 to 410 mg/kg. TPHg, TPHd and BTEX were not reported above the laboratory test method detection limit for each soil and groundwater sample analyzed.

Elevated concentrations of O&G have been encountered at each of the project sites. In addition, hazardous and potentially hazardous lead concentrations have been reported for the Hayward and Oakland sites, respectively. The presence of O&G in soil at concentrations up to 7,200 mg/kg (Hayward site) and 8,000 mg/kg (Oakland site) does not confirm that the source of the O&G is from former USTs or hazardous material/waste releases.

Excavated soil with lead concentrations at or above the TTLC and STLC values of 1,000 mg/kg and 5.0 milligrams per liter (mg/ℓ), respectively, is considered a hazardous waste by the California Environmental Protection Agency (Cal-EPA). Therefore, excavated soil with total and soluble lead concentrations in excess of the TTLC and STLC values for lead will require management and disposal as a hazardous waste.

It is likely that the RWQCB would establish site clean-up levels based on groundwater protection policy, proposed site development and exposure potential. Typical clean-up levels for O&G impacted soil could range from background to 1,000 mg/kg depending on site specific factors.

It is recommended that the information presented herein be reviewed by Caltrans, the RWQCB and other appropriate regulatory agencies to determine if additional site characterization is required prior to potential sale and development of the sites. If additional soil investigations is requested by the RWQCB, Geocon recommends that EPA Test Method 8015 Modified be used to analyzed soil samples for the presence of oil range hydrocarbons.

It is further recommended that the temporary wells installed in borings B-1, B-5 and B-6 by ERM and the potential groundwater production well documented near boring B-5 (see Figure 4) at the Oakland site be properly abandoned.

1.0 PROJECT DESCRIPTION

This preliminary site investigation report was prepared for the Hayward and Oakland excess land sites under Caltrans Contract No. 53W202 and Task Order (TO) No. 04-952137-02. The project sites include two parcels owned by Caltrans in the cities of Hayward and Oakland, California. The project site in Hayward is located at the south corner of the intersection of Foothill Boulevard and Mattox Road. The project site in Oakland is located at the north corner of 6th Street and Castro Street. The approximate site locations are depicted on the Vicinity Map, Figure 1. The approximate project boundaries for the Hayward and Oakland parcels are depicted on the Site Plans, Figures 2 and 3, respectively.

The Hayward site is a gravel/asphalt covered vacant lot with the exception of a flower vendor located on the northern portion of the site. Information presented in the referenced TO indicates that the Hayward site was formerly occupied by an Exxon gasoline service station. The Exxon station reportedly ceased operations in the late-1970s and Caltrans records indicate that the underground storage tanks (USTs) were removed from the site in 1979. No soil samples or analytical testing was reported to have occurred in connection with the UST removal, nor has any previous environmental studies been performed at the Hayward site.

The Oakland parcel is currently vacant and unpaved. Two support columns for the Interstate 880 overhead structure are located in the northeast corner of the site. Caltrans reports that the Oakland site was formerly occupied by commercial businesses including a service station, auto repair and machine shop, dairy and laundry facilities, materials warehouse and retail stores prior to 1977. At least four USTs were reportedly associated with the former service station, dairy and warehouse operations.

2.0 INTRODUCTION

2.1 GENERAL OBJECTIVES

The purpose of this TO was to perform a preliminary site investigation to determine the potential for petroleum hydrocarbon and heavy metal impacted soil and groundwater within the project site boundaries. It is understood that the results of the preliminary site investigation will be used by Caltrans to determine if further site characterization and/or remediation is necessary prior to potential sale of the sites.

2.2 PREVIOUS INVESTIGATIONS

Information obtained from Caltrans indicates that no known previous environmental studies have been performed at the Hayward site. Previous environmental studies have been performed at the Oakland site including an *Initial Environmental Site Assessment* (ESA) performed by ERM-West in 1987 and a *Phase One ESA* performed by ENGEO Incorporated in 1993. The following information was obtained from a review of the referenced environmental reports.

ERM-West was retained by Greyhound Lines Inc. to perform an ESA of the Oakland site prior to potential purchase from Caltrans. ERM reported that the USTs associated with the former service station, dairy and warehouse were removed during site demolition in the 1970s. Seven borings (B-1 through B-7) were performed at the site to depths ranging from 4.6 to 5.2 meters (15 to 17 feet) below ground surface (bgs). In addition, temporary well casing was installed in three borings (B-1, B-5 and B-6) to facilitate groundwater sampling. The approximate ERM boring locations and previous facilities at the site are depicted on Figure 4.

Concentrations of toluene, ethylbenzene and xylenes ranging from 0.002 to 7.9 mg/kg were detected in soil samples collected from borings B-1, B-5, B-6 and B-7 at depths between 4.9 to 5.3 meters (16 and 17.5 feet) bgs. Toluene, ethylbenzene and xylenes concentrations ranging from 0.3 to 5.0 micrograms per liter (μ g/ ℓ) were further reported by ERM in a groundwater sample obtained from boring B-1. Groundwater was reported at depths of approximately 4.3 and 4.9 meters (14 and 16 feet) bgs in borings B-1 and B-6, respectively. Groundwater was not reportedly encountered in B-5.

ENGEO was retained by Caltrans to perform an initial ESA of the Oakland site including a site survey, aerial photograph review, and historical and regulatory records review. The temporary well installed in boring B-1 by ERM was noted by ENGEO personnel during a January 1993 site survey. The Oakland Fire Department reportedly issued a permit to Caltrans in January 1971 for the removal of 10,000-, 7,500- and 5,000-gallon USTs at the former onsite service station. Records of the tank removal were not available. ENGEO further reported that the site was referenced on the San Francisco Bay Regional Water Quality Control Board (RWQCB) Fuel Leak List. Based on the results of the ERM site investigation, the RWQCB prepared a letter dated October 30, 1987 recommending that "no new uses or activities preclude clean-up of any soil and groundwater contamination discovered at the site." ENGEO recommended that additional soil and groundwater

investigation be performed and that the temporary wells installed by ERM and a groundwater production well possibly located near boring B-5 be properly abandoned.

2.3 SCOPE OF SERVICES

Outlined below is a summary of the scope of services performed by Geocon under Task Order 04-952137-02.

2.3.1 Pre-Field Activities

- A pre-work site visit was conducted on July 5, 1995, and attended by Mr. Dave Mohanty of Caltrans, and Mr. Jeremey Westmark of Geocon to perform a preliminary survey of the project sites and to review the TO. The Site Visit Checklist and Completion Schedule were discussed and signed by the Geocon project manager designee and the Caltrans contract manager. A Notice to Proceed was also reviewed and signed at the pre-work site visit.
- Obtained drilling permits from the Zone 7 Water Resources Management Agency.
 Copies of the drilling permits are included in Appendix A.
- Contacted Underground Service Alert (USA) on July 18, 1995 (USA Ticket Nos. 145970 and 145978), to advise subscribing utility companies of the soil boring activities.
- Prepared a Workplan, dated July 19, 1995, which describes the requested scope of services, quality assurance/quality control sampling and laboratory procedures and project schedule.
- Prepared a Health and Safety Plan, dated July 5, 1995, to provide guidelines on the use of personal protective equipment during the field activities.

2.3.2 Field Activities

- Performed weed abatement at the Oakland site on July 19, 1995, to provide access for subsequent field activities.
- Retained a subcontractor, Norcal Geophysical Consultants Incorporated (Norcal), to perform geophysical surveys at the Hayward and Oakland sites on July 20 and 21, 1995.
- Retained a subcontractor, Precision Sampling Incorporated, to perform five soil probes at the Hayward site and seven soil probes at the Oakland site, using Enviro-Core direct-push-technology, on July 24 and 25, 1995, respectively. The soil probes

were advanced to depths of 0.3 to 7.6 meters (one to 25 feet) bgs utilizing a truck-mounted hydraulically-driven sampling system.

Discrete soil samples and grab groundwater samples were obtained and submitted to Sparger Technology Incorporated, a California certified laboratory, for chemical analysis following chain-of-custody protocol.

3.0 INVESTIGATIVE METHODS

3.1 GEOPHYSICAL SURVEY

3.1.1 Rationale

Geophysical surveys were performed at each project site to evaluate the potential presence of USTs in addition to potential buried utilities or structures in the vicinity of the proposed soil probes. A geophysical survey report prepared by Norcal, dated August 31, 1995 is presented in Appendix B.

3.1.2 Survey Methodology

Norcal performed the geophysical surveys on July 20 and 21, 1995. The surveys included the use of vertical magnetic gradient (VMG), ground penetrating radar (GPR) and electromagnetic line locating (EMLL) methods. Equipment methodology, data acquisition and analysis, and interpretive results are presented in the Norcal report (Appendix B).

3.2 SOIL PROBES

3.2.1 Rationale for Probe Placement

Five soil probes (HAY1 through HAY5) were advanced at the Hayward site and seven soil probes (OAK1 through OAK7) at the Oakland site. The soil probes were advanced to depths ranging from 0.3 to 7.6 meters (one to 25 feet) bgs to evaluate the potential for petroleum hydrocarbon and heavy metal impacted soil and groundwater. The probe locations were selected based on the historical facility operations and the results of the geophysical surveys. The soil probe locations at the Hayward and Oakland sites are depicted on the Site Plans, Figures 2 and 3, respectively.

3.2.2 Soil Sample Collection

The soil probe (Enviro-Core) system uses direct-push-technology consisting of a skid loader-mounted percussion hammer to drive a sample barrel equipped with stainless-steel tubes into the subsurface soil. Once the desired sampling depth is achieved, the barrel tip is released by removing a pin from the sample barrel. The piston retracts while soil enters the sample tubes. The sample barrel is then pulled from the ground and the sample tubes are removed from the sample barrel.

Soil samples were collected from the 63.5-mm (two and one-half-inch) diameter soil probes at approximate depths of 0.9, 1.8 and 3.0 or 3.7 meters (three, six and ten or 12 feet) bgs utilizing a 50.8-mm (two-inch) diameter sample barrel equipped with 152.4-mm-long by 44.45-mm (six-inchlong by one and three-quarter-inch) diameter stainless-steel sample tubes to facilitate sample handling and storage. The sample tubes were capped, labeled and chilled pending transport to the laboratory following chain-of-custody procedures.

The soil probe borings were logged under the supervision of a California-Certified Engineering Geologist utilizing the Unified Soil Classification System. Soil samples were field screened with a flame-ionization detector (FID) to assess possible qualitative indicators of volatile organic compounds. The soil sample locations are recorded on the boring logs presented in Appendix C.

Quality assurance/quality control (QA/QC) procedures provided during the field exploration activities included cleansing/rinsing of the soil probe and sampling equipment prior to and between borings. Cleansing/rinsing of the sampling equipment was performed prior to the collection of each soil sample by washing the equipment with a trisodium phosphate solution followed by subsequent tap water and deionized water rinses.

3.2.3 Groundwater Sample Collection

Groundwater samples were obtained from two soil probes (OAK2 and OAK6) at the Oakland site. The groundwater samples were collected from 25.4-mm (one-inch) diameter polyvinyl chloride (PVC) casing with a 1.5 meter (five foot) section of 0.25-mm (0.020-inch) slotted screen section. The groundwater samples were placed in laboratory-provided volatile organics analysis (VOA) vials, one-liter amber glass bottles and one-liter clear glass jars, labeled, chilled, and delivered to Sparger Technology Analytical Laboratory (Sparger) following chain-of-custody procedures.

3.2.4 Laboratory Analytical Methods

The soil samples obtained from the soil probes were analyzed for oil & grease (O&G) following Standard Method 5520 and total lead following EPA Test Method 6010. Selected soil samples and each groundwater sample were submitted for the analyses of total petroleum hydrocarbons as gasoline and diesel (TPHg and TPHd) following EPA Test Method 8015 modified, and benzene, toluene, ethylbenzene and total xylenes (BTEX) following EPA Test Method 8020. Selected soil samples obtained from the Oakland site were further analyzed for Title 22 Threshold Limit Concentration (TTLC) 17 metals following EPA Test Method 6010.

3.2.5 Disposition of Decontamination Water

Wastewater generated during the soil probe decontamination operations was placed in two DOT 17-H 55-gallon drums and stored on the subject sites (one drum per site) pending the receipt of analytical data and subsequent disposal following regulatory protocol.

4.0 INVESTIGATIVE RESULTS

4.1 SITE GEOLOGY AND HYDROGEOLOGY

4.1.1 Hayward Site

The soil and geologic conditions encountered during the advancement of the soil probes at the Hayward site generally consisted of alluvial soils overlying serpentine bedrock. The alluvial deposits generally consisted of stiff sandy clay with interbeds of silty sands. Refusal conditions on serpentine rock was encountered at depths ranging from 1.5 to 6.7 meters (5 to 22 feet) bgs. Groundwater conditions were not encountered to the maximum depth explored of 7.0 meters (23 feet) bgs.

4.1.2 Oakland Site

The soil and geologic conditions encountered during the advancement of the soil probes at the Oakland site generally consisted of fill materials overlying alluvial deposits. Fill soils, primarily comprised of sand and gravel, were encountered to depths between 0.3 to 0.9 meters (1 to 3 feet) bgs. Alluvial deposits generally consisting of dense sand was encountered beneath the fill soils to the maximum depth explored of 7.6 meters (25 feet) bgs. Groundwater was encountered in borings OAK2 and OAK6 at a depth of approximately 6.1 meters (20 feet) bgs.

4.2 GEOPHYSICAL SURVEY RESULTS

4.2.1 Hayward Site

The VMG and GPR data obtained by Norcal during the geophysical survey indicates the presence of three anomalies, depicted as A through C on Plate 3 in the Norcal report, which may represent small USTs or large isolated metallic objects such as buried utility structures. Norcal further defined the probable location of the former pump islands and several underground utility locations.

4.2.2 Oakland Site

The VMG and GPR data obtained by Norcal during the geophysical survey indicates the presence of five anomalies, depicted as A through E on Plate 4 in the Norcal report. The anomalies may represent small USTs, large isolated metallic objects such as buried utility structures, and/or zones of isolated debris or disturbed soil. Norcal further defined the location of a storm drain and a potential non-ferrous pipe near boring OAK6.

4.3 ANALYTICAL RESULTS

Analytical results for the soil and groundwater samples analyzed during the site investigations are summarized on Tables I through IV. Analytical reports and chain-of-custody records for the Hayward and Oakland sites are presented in Appendices D and E, respectively.

5.0 REGULATORY CONTACTS

The Zone 7 Water Management Agency was contacted to obtain drilling permit applications for each site. There were no other regulatory contacts made as part of this TO.

6.0 DATA EVALUATION AND DISCUSSION

6.1 HAYWARD SITE

O&G concentrations ranging from 50 to 7,200 mg/kg were reported for 15 of 19 soil samples analyzed. Three samples collected at depths of 0.3, 0.6 and 5.2 meters (one, two and 17 feet) bgs had reported O&G concentrations in excess of 1,000 mg/kg.

The results of the total lead analyses indicates that the reported lead concentrations do not exceed the TTLC (1,000 mg/kg) or ten times the soluble threshold limit concentration (STLC) value (50 mg/kg) with the exception of 100 mg/kg reported for sample HAY3-1 and 2,400 mg/kg reported for sample HAY5-3. TPHg, TPHd and BTEX were not reported above the laboratory test method detection limit for each soil sample analyzed.

6.2 OAKLAND SITE

O&G concentrations ranging from 65 to 8,000 mg/kg were reported for 10 of 16 soil samples analyzed. Two samples collected at depths of 0.6 and 0.9 meters (two and three feet) bgs had reported O&G concentrations in excess of 1,000 mg/kg.

The results of the total lead and Title 22 metals analyses indicates that the reported metal concentrations do not exceed their respective TTLC values or ten times the respective STLC values with the exception of 12 soil samples with reported total lead concentrations ranging from 67 to 410 mg/kg. TPHg, TPHd and BTEX were not reported above the laboratory test method detection limit for each soil and groundwater sample analyzed.

7.0 CONCLUSIONS AND RECOMMENDATIONS

7.1 CONCLUSIONS

Elevated concentrations of O&G have been encountered at each of the project sites. In addition, hazardous and potentially hazardous lead concentrations have been reported for the Hayward and Oakland sites, respectively. The presence of O&G in soil at concentrations up to 7,200 mg/kg (Hayward site) and 8,000 mg/kg (Oakland site) does not confirm that the source of the O&G is from former USTs or hazardous material/waste releases.

Excavated soil with lead concentrations at or above the TTLC and STLC values of 1,000 mg/kg and 5.0 mg/ ℓ , respectively, is considered a hazardous waste by the California Environmental Protection Agency (Cal-EPA). Therefore, excavated soil with total and soluble lead concentrations in excess of the TTLC and STLC values for lead will require management and disposal as a hazardous waste.

It is likely that the RWQCB would establish site clean-up levels based on groundwater protection policy, proposed site development and exposure potential. Typical clean-up levels for O&G impacted soil could range from background to 1,000 mg/kg depending on site specific factors.

7.2 REMEDIAL OPTIONS

Analytical data indicates the presence of elevated total lead and oil and grease concentrations in shallow soil beneath the Hayward site. Additional investigation would be required to evaluate whether the impacts are limited in lateral extent and to estimate the volume of impacted soil. The presence of total lead in soil in excess of the TTLC maximum of 1,000 mg/kg would likely necessitate the excavation and offsite disposal of the impacted soil. The presence of O&G at concentrations up to 7,200 mg/kg would require further evaluation to determine whether the reported O&G is of a petroleum origin. The costs for remediation of the lead impacted soil cannot be calculated until the lateral extent of the impacts are better established.


Analytical data indicates the presence of total lead above background and elevated concentrations of oil and grease (8,000 mg/kg) in shallow soil beneath the Oakland site. Additional investigation would be required to evaluate the hazardous characteristics of the total lead and evaluate whether the reported O&G is of a petroleum origin. The costs for remediation of the lead and O&G impacted soil (if required) cannot be calculated until the nature of the impacts are further evaluated.


7.3 RECOMMENDATIONS

It is recommended that the information presented herein be reviewed by Caltrans, the RWQCB and other appropriate regulatory agencies to determine if additional site characterization is required prior to potential sale and development of the sites. If additional soil investigation is requested by the RWQCB, Geocon recommends that EPA Test Method 8015 Modified be used to analyze soil samples for the presence of petroleum oil range hydrocarbons. Further soil analyses for lead should include


soluble lead using deionized water for an extract.


It is further recommended that the temporary wells installed in borings B-1, B-5 and B-6 by ERM and the potential groundwater production well documented near boring B-5 (see Figure 4) at the Hayward site be properly abandoned.











LEGEND:

STREET

6TH

OAK7 ■ Approximate Boring Location

Oil & Grease Concentration (mg/kg)

Soil Sample Total Lead Concentration (mg/kg)

GS - Below Ground Surface

Not Tested

GEOCON

Task Order No. 04-952137-02



Figure 3

ENVIRONMENTAL CONSULTANTS INCORPORATED 3235 SUNRISE BLVD. - SUITE 6 - RANCHO CORDOVA, CALIFORNIA 95742 PHONE 916 852-9118 - FAX 916 852-9132

Caltrans	District	4 Excess	and
valualia	DISHIBL	T LAUGGO	LOUIU

October 1995

Oakland and Hayward, California	SITE PLAN Oakland
GEOCON Proj. No. S8100-06-31	Excess Land
	l l

TABLE IA SUMMARY OF SOIL ANALYTICAL RESULTS DISTRICT 4 EXCESS LAND HAYWARD SITE TOTAL LEAD/OIL AND GREASE CALTRANS TASK ORDER NO. 04-952137-02 PAGE 1 OF 1

SAMPLE I.D.	SAMPLE DEPTH (feet)	SAMPLE DATE	TOTAL LEAD (mg/kg)	OIL AND GREAS
HAY1-1	1	7/24/95	20	320
HAY1-2	2	7/24/95	20	280
HAY1-3	3	7/24/95	41	200
HAY1-4	17	7/24/95		50
HAY2-1	1	7/24/95	29	120
HAY2-2	2	7/24/95	20	3,000
HAY2-3	3	7/24/95	4.6	55
HAY2-4	17	7/24/95		<50
HAY3-1	1	7/24/95	100	190
HAY3-2	2	. 7/24/95	14	160
HAY3-3	3	7/24/95	<1.0	<50
HAY4-1	1	7/24/95	12	2,300
HAY4-2	2	7/24/95	<1.0	150
HAY4-3	3	7/24/95	19	<50
HAY4-4	. 17	7/24/95		7,200
HAY5-1	. 1	7/24/95	11	85
HAY5-2	2	7/24/95	4.9	260
HAY5-3	3	7/24/95	2,400	<50
HAY5-4	7.5	7/24/95		90

Notes: mg/kg = milligrams per kilogram
< = less than laboratory method detection limit
--- = Not tested

TABLE IB SUMMARY OF SOIL ANALYTICAL RESULTS DISTRICT 4 EXCESS LAND OAKLAND SITE TOTAL LEAD/OIL AND GREASE CALTRANS TASK ORDER NO. 04-952137-02 PAGE 1 OF 1

SAMPLE I.D.	SAMPLE DEPTH (feet)	SAMPLE DATE	TOTAL LEAD (mg/kg)	OIL AND GREASE (mg/kg)
OAK1-1	1	7/25/95	37	150
0AK1-2	2	7/25/95	130	65
0AK1-3	3	7/25/95	190	95
OAK1-4	17	7/25/95		<50
0AK2-1	. 1	7/25/95	140	280
DAK2-2	. 2	7/25/95	140	3,300
OAK2-3	3	7/25/95	410	120
OAK2-4	17	7/25/95		<50
OAK3-1	1	7/25/95	78	
OAK3-2	2	7/25/95	340	
OAK3-3	3	7/25/95	12 .	
OAK4-1	1	7/25/95	24	
OAK4-2	2	7/25/95	230	
OAK4-3	3	7/25/95	94	
OAK5-1	1	7/25/95	28	170
OAK5-2	2	7/25/95	. 73	380
OAK6-1	1	7/25/95	130	110
OAK6-2	2	7/25/95	67	<50
OAK6-3	3	7/25/95	41	8,000 -
OAK7-1	1	7/25/95	3.1	<50
OAK7-2	2	7/25/95	2.7	<50
OAK7-3	3	7/25/95	2.9	<50

Notes: mg/kg = milligrams per kilogram < = less than laboratory method detection limit

--- = Not tested

TABLE II SUMMARY OF SOIL ANALYTICAL RESULTS DISTRICT 4 EXCESS LAND OAKLAND SITE TITLE 22 METALS

TTLCS

		NS TASK ORDER NO PAGE 1 OF	2		<u> </u>
SAMPLE I.D.	OAK4-1	OAK4-2	0AK4-3	OAK6-1	0AK6-2
SAMPLE DATE	7/25/95	7/25/95	7/25/95	7/25/95	7/25/95
SAMPLE DEPTH (feet)	1	2	. 3	1	2
ANALYTE					
Antimony	<6.0	<6.0	<6.0	<6.0	<6.0
Arsenic	<10	<10	<10	<10	<10
. Barium	58	120	64	210	120
Beryllium	<0.50	<0.50	<0.50	<0.50	<0.50
Cadmium	<0.50	0.55	<0.50	<0.50	<0.50
Chromium	28	42	. 29	49	45
Cobalt	6.1	7.7	<5.0	14	7.8
Copper	15	35	11	19	19
Lead	24	230	94	130	67
Mercury	0.12	0.11	0.34	0.11	0.096
Molybdenum	<4.0-	<4.0	<4.0	<4.0	<4.0
Nickel	24	40	21	54	46
Selenium	<10	<10	<10	<10	<10
Silver	<1.0	<1.0	<1.0	<1.0	<1.0
Thallium	<10	<10	<10	<10	<10
Vanadium	23	29	18	40	31
Zinc	40	150	78	110	68

TABLE II SUMMARY OF SOIL ANALYTICAL RESULTS DISTRICT 4 EXCESS LAND OAKLAND SITE TITLE 22 METALS CALTRANS TASK ORDER NO. 04-952137-02 PAGE 2 OF 2						
SAMPLE I.D.	OAK6-3	OAK7-1	. OAK7-2	OAK7-3		
SAMPLE DATE	7/25/95	7/25/95	7/25/95	7/25/95		
SAMPLE DEPTH (feet)	3	1	2	3		
ANALYTE						
Antimony	<6.0	<6.0	<6.0	<6.0		
Arsenic	<10	<10	<10	<10		
Barium	96	48	44	37		
Beryllium	<0.50	<0.50	<0.50	<0.50		
Cadmium	<0.50	<0.50	<0.50	<0.50		
Chromium	38	32	32	36		
Cobalt	8.5	<5.0	<5.0	<5.0		
Copper	19	130	240	5.2		
Lead	41	3.1	2.7	2.9		
Mercury	0.020	0.052	0.023	0.012		
Molybdenum	<4.0	<4.0	<4.0	<4.0		
Nickel	41	21	19	20		
Selenium	<10	<10	<10	<10		
Silver	<1.0	<1.0	<1.0	<1.0		
Thailium	<10	<10	<10	<10		
Vanadium	33	21	20	23		
Zinc	45	54	40	16		

Notes: < = less than laboratory method detection limit

TABLE IIIA SUMMARY OF SOIL ANALYTICAL RESULTS DISTRICT 4 EXCESS LAND HAYWARD SITE TPHg/TPHd/BTEX CALTRANS TASK ORDER NO. 04-952137-02

PAGE 1 OF 1

				ľ			<u> </u>	
SAMPLE I.D. ′	SAMPLE Date	SAMPLE DEPTH	TPHg (mg/kg)	TPHd (mg/kg)	BENZENE (mg/kg)	TOLUENE (mg/kg)	ETHYLBENZENE (mg/kg)	XYLENES (mg/kg)
HAY1-4	7/24/95	17	<1.0	<1.0	<0.005	<0.005	<0.005	<0.005
HAY2-4	7/24/95	17	<1.0	<1.0	<0.005	<0.005	<0.005	<0.005
HAY4-4	7/24/95	17	<1.0	<1.0	<0.005	<0.005	<0.005	<0.005
HAY5-4	7/24/95	7.5	<1.0	<1.0	<0.005	<0.005	<0.005	<0.005

Notes: TPHg = Total petroleum hydrocarbons as gasoline

TPHd = Total petroleum hydrocarbons as gasorme TPHd = Total petroleum hydrocarbons as diesel fuel BTEX = Benzene, Toluene, Ethylbenzene and Total Xylenes mg/kg = milligrams per kilogram

< = less than laboratory method detection limit</pre>

--- = Not tested

TABLE IIIB SUMMARY OF SOIL ANALYTICAL RESULTS DISTRICT 4 EXCESS LAND OAKLAND SITE TPHg/TPHd/BTEX

CALTRANS TASK ORDER NO. 04-952137-02

PAGE 1 OF 1

SAMPLE I.D.	SAMPLE DATE	SAMPLE DEPTH	TPHg (mg/kg)	TPHd (mg/kg)	BENZENE (mg/kg)	TOLUENE (mg/kg)	ETHYLBENZENE (mg/kg)	XYLENES (mg/kg)
OAK1-4	7/25/95	17	<1.0		<0.005	<0.005	<0.005	<0.005
0AK2-4	7/25/95	17	<1.0		<0.005	<0.005	<0.005	<0.005

Notes: TPHg = Total petroleum hydrocarbons as gasoline
TPHd = Total petroleum hydrocarbons as diesel fuel
BTEX = Benzene, Toluene, Ethylbenzene and Total Xylenes
mg/kg = milligrams per kilogram

< = less than laboratory method detection limit</pre>

--- = Not tested

TABLE IV SUMMARY OF GROUNDWATER ANALYTICAL RESULTS DISTRICT 4 EXCESS LAND OAKLAND SITE TPHg/TPHd/BTEX CALTRANS TASK ORDER NO. 04-952137-02 PAGE 1 OF 1						
SAMPLE I.D.	SAMPLE DATE	TPHg (µg/l)	ΤΡΗd (μg/l)	ΒΤΕΧ (μg/l)		
OAK2	7/25/95	<50	<50	<0.3		
OAK6	7/25/95	<50	<50	<0.3		

Notes: TPHg = Total Petroleum Hydrocarbons as gasoline TPHd = Total Petroleum Hydrocarbons as diesel fuel BTEX = Benzene, Toluene, Ethylbenzene and Total Xylenes $\mu g/\ell$ = micrograms per liter (parts per billion) < \simeq less than laboratory test method detection limit

APPENDIX A



ZONE 7 WATER AGENCY

5997 PARKSIDE DRIVE


PLEASANTON, CALIFORNIA 94588

VOICE (510) 484-2600 FAX (510) 462-3914

Atta: Uyman Houg

DRILLING PERMIT APPLICATION

FOR APPLICANT TO COMPLETE	FOR OFFICE USE
LOCATION OF PROJECT PROJECT BOUNDED BY	PERMIT NUMBER 95440 LOCATION NUMBER
BRUSH STREETS DAKLAND CA	EGGATION NOMBEL!
LIENT ame <u>CALTRANS</u> DISTRICT 4 Address 10 box 33600 Voice DAVE MOHANT ity <u>OAFLANO</u> CA ZIP 94623-4454	PERMIT CONDITIONS F - 570- 786- 504 Z Circled Permit Requirements Apply
APPLICANT	
Name OFOCON ENVIRONMENTAL	A. GENERAL
city Kancho Cardova CA Zip 9574Z	 A permit application should be submitted so as to arrive at the Zone 7 office five days prior to proposed starting date. Submit to Zone 7 within 60 days after completion of permitted work the original Department of Water Resources Water Weil
YPE OF PROJECT Well Construction Geotechnical Investigation Cathodic Protection General Water Supply Contamination	Drillers Report or equivalent for well Projects, or drilling logs and location sketch for geotechnical projects. Permit is void if project not begun within 90 days of approval date.
Monitoring Well Destruction	B. WATER WELLS, INCLUDING PIEZOMETERS Minimum surface seal thickness is two inches of cement grout
ROPOSED WATER SUPPLY WELL USE	placed by remie.
Jomestic Industrial Other Municipal Irrigation RILLING METHOD:	 Minimum seal depth is 50 feet for municipal and industrial wells or 20 feet for domestic and irrigation wells unless a lesser depth is specially approved. Minimum seal depth for monitoring wells is the maximum depth practicable or 20 feet.
Mud Rotary Air Rotary Auger	C. GEOTECHNICAL Backfill bore hole with compacted cuttings or
Cable Other W (Direct push technique)	heavy bentonite and upper two feet with compacted material. In
URILLER'S LICENSE NO. 53. 1. 103/0387	areas of known or suspected contamination, tremied cement grout shall be used in place of compacted curings.
/ELL PROJECTS	D. CATHODIC. Fill hole above anode zone with concrete placed by
Drill Hole Diameter 2 in. Maximum Casing Diameter in. Depth 17 ft.	tremie. E. WELL DESTRUCTION. See attached.
Surface Sear Depth ft. Number 7	
GEOTECHNICAL PROJECTS Number of Borings Hole Diameter in. Depth ft.	
ESTIMATED STARTING DATE 7/76/95 STIMATED COMPLETION DATE 7/75/95	Maria Al-10 7 7 2 00
I hereby agree to comply with all requirements of this permit and Alameda inty Ordinance No. 73-68.	Approved Marman Hong Date 18 Jul 95
APPLICANT'S Rehard Walls Date 7/12/95	91992





September 1, 1995

Mr. Jeremey Westmark
GEOCON, Environmental Consultants Inc.
3235 Sunrise Blvd., Suite 6
Rancho Cordova, CA 95742

Dear Mr. Westmark:

This report presents the findings of a geophysical investigation performed by NORCAL Geophysical Consultants, Inc. at two sites located in Hayward and Oakland, California respectively. The Hayward field survey was conducted on July 20, 1995 by geophysicist Donald J. Kirker. The Oakland survey was conducted on July 21, 1995 by geophysicist Derrik Sandberg, and geophysical technician Ted Heinse.

SITE DESCRIPTION

Hayward Site

The area of investigation, as specified by GEOCON, represents a gravel/asphalt covered vacant lot, as shown on the Geophysical Survey Location Map, Plate 1. It measures approximately 120 ft by 160 ft and is bound by a chain link fence. The site is bordered by Mattox Road to the north, Foothill Boulevard to the east, residential property to the west, and a commercial building to the south. A reinforced concrete slab, representing a former structure, is located in the center of the survey area. Several large metal truck trailers are located in the northern half of the site. Five proposed borings are located in the survey area. This site was formerly occupied by a service station.

Oakland Site

The Oakland Site represents a soil covered vacant lot, as shown on the Geophysical Survey Location Map, Plate 2. It measures approximately 200 ft by 350 ft and is bound by a chain link fence. It is bordered by 7th Street to the north, Castro Street to the east, Brush Street to the west, and 6th Street to the south. Two support columns for Interstate 880 are located in the northeast corner of the survey area. Seven proposed borings are located within the survey area. This site was formerly occupied by various industrial facilities.



PURPOSE

The purpose of the geophysical surveys is to investigate both sites for possible underground storage tanks (UST's) as well as investigate proposed boring locations for detectable utility alignments and other potential drilling obstructions.

METHODOLOGY

For the investigation at each site, we used the vertical magnetic gradient (VMG), ground penetrating radar (GPR), and electromagnetic line locating (EMLL) methods. The vertical magnetic gradient method was used to determine the presence of buried ferrous metal. The GPR method was used to characterize the source of detected magnetic anomalies. The EMLL method, as well as the GPR method, was used to investigate the boring locations for detectable utility alignments and drilling obstructions.

Vertical Magnetic Gradiometer

A magnetic gradiometer measures the vertical gradient of the earth's magnetic field. It consists of two total field magnetic sensors separated vertically by one-half meter. The magnetic field strength is measured simultaneously at both of these sensors. The difference in magnetic intensity between these measurements is proportional to the vertical gradient of the earth's magnetic field. Because the vertical gradient is constant with respect to time, the effect of diurnal variations is eliminated. Since a gradiometer is effected less by cultural features, it provides higher sensitivity and better resolution of near surface sources than total field magnetometers. Areas with significant amounts of buried metal typically produce anomalously steep magnetic gradients. Because it is sensitive to ferrous metal sources both above and below ground, site and vicinity surface conditions can affect survey results.

We used an EDA OMNI IV tie-line magnetometer to obtain the vertical magnetic gradient data. The instrument features a built-in memory that stores the vertical magnetic gradient and survey grid information. The information can be down loaded to a computer for further processing.

Ground Penetrating Radar

Ground penetrating radar is a method that provides a continuous, high resolution



cross-section depicting variations in the electrical properties of the shallow subsurface. The method is particularly sensitive to variations in electrical conductivity and electrical permittivity (the ability of a material to hold a charge when an electrical field is applied).

The system operates by continuously radiating an electromagnetic pulse into the ground from a transducer (antenna) as it is moved along a traverse. Since most earth materials are transparent to electromagnetic energy, only a portion of the radar signal is reflected back to the surface from interfaces representing variations in electrical properties. When the signal encounters a metal object, however, all of the incident energy is reflected. The reflected signals are received by the same transducer and are printed in cross-section form on a graphical recorder. Depending upon depth and/or thickness the resulting records can provide information regarding the location of UST's, underground utilities, and variations in the shallow site materials. Generally, electrically conductive materials, such as saturated clay and significant rebar can reduce the penetration capability and limit radar performance.

For this investigation, we used a Geophysical Survey Systems, Inc. SIR-3 Subsurface Interface Radar System equipped with a 500 megahertz (Mhz) antenna. This antenna is near the center of the available frequency range and is used to provide high resolution at shallow depths.

Electromagnetic Line Location

Electromagnetic line location techniques are used to locate the magnetic field resulting from an electric current flowing on a line. These magnetic fields can arise from currents already on the line (passive) or currents applied to a line with a transmitter (active). The most common passive signals are generated by live electric lines and reradiated radio signals. Active signals can be introduced by connecting the transmitter to the line at accessible locations or by induction.

The detection of underground utilities is determined by the composition and construction of the line in question. Utilities detectable with standard line location techniques include any continuously connected metal pipes, cables/wires or utilities with tracer wires. Unless carrying a passive current these utilities must be exposed at the surface or in accessible utility vaults. These generally include water, electric, natural gas, telephone, and other conduits related to facility operations. Utilities that are not detectable using standard electromagnetic line location techniques include



those made of nonelectrically conductive materials such as pvc, fiberglass, vitrified clay, and pipes with insulated connections.

Our instrumentation for this investigation consisted of a Radiodetection RD-400 line locator and a Fisher TW-6 inductive pipe and cable locator.

DATA ACQUISITION

Hayward Site

VMG data were collected at 10 foot intervals (stations) along south-north trending-traverses where access allowed. The traverses were spaced 10 feet apart. VMG data could not be obtained within 20 feet of the truck trailers due to magnetic interference. Therefore, GPR was used to obtain subsurface information in the northeast portion of the survey area. GPR is better suited for investigations in close proximity to above ground metal objects. The GPR data were obtained along southnorth and east-west trending traverses spaced 5 feet apart. GPR was also systematically used over each VMG anomaly.

The investigation at each of the five proposed boring locations included the use of both GPR and EMLL. GPR profiles were obtained along both north-south and east-west trending traverses with the boring location positioned at their intersection. Each of the traverses was approximately 20 feet long. The EMLL system was operated within the same ten foot radius of the boring as the GPR. Detected utilities within these areas were identified and marked with spray paint on the ground surface. The locations of the GPR traverses for the Hayward Site are shown on the Geophysical Survey Location Map, Plate 1.

Oakland Site

At the Oakland Site, VMG data were collected at 10 foot intervals (stations) along east-west trending traverses spaced 10 feet apart. GPR was systematically used over each detected VMG anomaly. The investigation at each of the seven proposed boring locations followed the same procedures as those at Hayward, as described above. The locations of the GPR traverses for the Oakland Site are indicated on the Geophysical Survey Location Map, Plate 2.



DATA ANALYSIS

VMG Data Computer Processing

The magnetic data were down loaded from the magnetometer to a computer. The computer processing included conversion of the data into a format that can be used in a contouring software routine. This contouring package was used to calculate an evenly spaced array of values (gridded) based on the observed field data. Finally, these gridded values were contoured to produce the vertical magnetic gradient contour map.

Contour Map Interpretation

Generally, magnetic values vary smoothly throughout a given region. Within culturally active areas, the ambient vertical magnetic gradient can be relatively large. In comparison, the anomalies produced by buried magnetic sources may be relatively small or subtle. Areas where variations are strong are defined by closely spaced contours and are typically considered anomalous. If the source of a particular anomaly is an isolated object or a group of closely spaced objects, the contours may form circular or elliptical closures. A large accumulation of buried objects may appear as a group of closely spaced anomalies or one large anomaly.

Actual anomaly magnitude and shape are dependent on the relative position and size of the buried objects with respect to the location of the data points. In general, anomaly magnitude will decrease and anomaly width will increase as distance (depth) to the source increases. Anomalies may or may not have paired high and low values creating what are known as magnetic dipoles.

GPR Data Analysis

For data analysis, we examined the GPR records for hyperbolic reflection patterns characteristic of UST's and underground utilities, as well as changes in reflection character that may indicate changes in fill material associated with a UST excavation.

RESULTS

The results of the geophysical investigation for the vacant lots in Hayward and



GEOCON, Environmental Consultants Inc. August 31, 1995 Page 6

Oakland are presented on Plates 1 through 4. The results obtained at each site are presented in the following paragraphs.

Hayward Site

The results of the geophysical investigation in Hayward are presented on the Location Map and Vertical Magnetic Gradient Contour Map, as shown on Plates 1 and 3, respectively. The VMG contour map represents the variations of the vertical magnetic gradient throughout the site. These variations include several magnetic gradients along the north side of the survey area, as well as the southeast corner. We interpret the magnetic gradients along the northern boundary as representing effects caused by the truck trailers. The magnetic gradients in the southeast corner are probably due predominately to the close proximity of the overhead light to the survey area. Magnetic gradients that could not be associated with above ground cultural effects are considered anomalous. These anomalies are labeled A through C on Plate 3.

Anomalies A through C are characterized as low magnitude, mono-polar anomalies with values ranging from 200 to 250 gammas per meter (g/m). It has been our experience that anomalies of these magnitudes and areal extents typically represent small UST's, or large isolated metallic objects such as utility vaults or utility corridors. The GPR data obtained over these anomalies resolved continuous reflection patterns characteristic of homogenous subsurface conditions. Therefore, the source of these anomalies may be buried deeper than the detection limits of the GPR.

The GPR records obtained in the northeast corner of the survey area indicate reflection patterns characteristic of variable subsurface conditions. The most prominent are the near-surface continuous reflections that indicate shallow fill horizons associated with the asphalt and gravel surfaces. The data also indicates patterns indicative of a reinforced concrete (RC) pad. This pad, as shown on Plate 1, extends east from the former facility to Foothill Boulevard. The records show that the RC pad is continuous except for two small north-south trending zones. These zones, approximately 6 to 8 feet wide, are evidenced by the lack of reflections typical of RC. We also used the EMLL technique to confirm the RC pad and north-south trending zones. Generally, the location of these zones corresponds with the location of pump islands at a typical service station. The GPR data do not indicate hyperbolic signatures within the upper three feet that could represent a UST in the northeast corner of the survey area.



GEOCON, Environmental Consultants Inc. August 31, 1995 Page 7

The location of the five proposed borings are shown on Plate 1. As described above, EMLL and GPR were systematically used over each location. During the course of this investigation, we identified several utility alignments. The surface trace of these utilities, as well as the proposed boring locations, were marked with spray paint on the ground surface and are shown on Plate 1.

Oakland Site

The results of the geophysical investigation in Oakland are presented on the Location Map and Vertical Magnetic Gradient Contour Map, Plates 2 and 4 respectively. The contour map indicates five anomalous areas that do not appear to be associated with above ground cultural features. These areas are labeled A through E on Plate 4.

Anomalies A through C are characterized as high magnitude anomalies with values ranging from 600 to 900 g/m. As mentioned above, anomalies of these magnitudes and areal extents typically represent small UST's, or large isolated metallic objects such as utility vaults. However, the GPR data obtained over these anomalies resolved numerous zones of isolated hyperbolic reflection patterns typical of disturbed soils. The GPR data do not indicate hyperbolic signatures within the upper one to three feet that could represent a UST. Therefore, the source of these anomalies may also be buried deeper than the detection limits of the GPR.

Anomalies D and E represent broad areas containing numerous magnetic gradients. Both anomalies comprise areas of approximately 5,000 to 10,000 square feet. The high magnitude values, from 900 to 3,100 g/m, indicate significant disturbance of the magnetic gradient. GPR profiles were obtained over these anomalies and are shown on the Geophysical Survey Location Map, Plate 2. The GPR data resolved numerous zones of isolated hyperbolic reflection patterns. These patterns are typical of isolated debris, as well as zones of disturbed soils. The data do not indicate hyperbolic signatures within the upper two to four feet that could represent a UST. Typically, isolated metal debris do not produce high magnitude anomalies as shown above. Therefore, we believe that the source of these anomalies are buried too deep to be further characterized by the GPR.

The location of the seven proposed borings are shown on Plate 2. During the course of the proposed boring investigation, we identified the location of a storm drain. It was detected approximately 7 feet south of Boring #7 in the southwest corner of the site. Near Boring #6 the GPR investigation resolved hyperbolic reflection patterns



GEOCON, Environmental Consultants Inc. August 31, 1995 Page 8

typical of an isolated object. Since this object did not produce a magnetic anomaly, we interpret the reflection patterns as being due to a large nonmetallic pipe or possibly a nonferrous tank. We estimate the depth to be approximately 2 to 3 feet. It is located approximately 4 feet west of Boring #6. The surface trace of this object, as well as the storm drain and proposed boring locations, were marked with spray paint on the ground surface and are shown on Plate 2.

STANDARD CARE AND WARRANTY

The scope of NORCAL's services for this project consisted of using geophysical methods to characterize the shallow subsurface. The accuracy of our findings is subject to specific site conditions and limitations inherent to the techniques used. We performed our services in a manner consistent with the level of skill ordinarily exercised by members of the profession currently employing similar methods. No other warranty, with respect to the performance of services or products delivered under this agreement, expressed or implied, is made by NORCAL.

We appreciate having the opportunity to provide you with this information.


Respectfully,


NORCAL Geophysical Consultants, Inc.

bonald J. Kirker Donald J. Kirker Geophysicist, GP-997


DJK/jh


Enclosure: Plates 1 through 4











OAKLAND SITE LOCATION MAP

Geophysical Investigation 6th and Brush Streets Oakland, California

NORCAL


GEOPHYSICAL CONSULTANTS INC.


NORCAL

JOE: 95-285.03 APPR: DSK DATE: 7/95

__ C

PLATE





LEGEND

Vertical Magnetic Gradient Contour Contour interval = 40 g/m

HAYWARD SITE VERTICAL MAGNETIC GRADIENT CONTOUR MAP

> Geophysical Investigation Intersection of Mattox Rd. and Foothill Blvd. Hayward, California

NORCAL


CONSULTANT




JOB: 95-285.03 APPR: 65 DATE: 7/95

 $\frac{1}{3}$

PLATE





Vertical Magnetic Gradient Contour Contour interval = 100 g/m

OAKLAND SITE VERTICAL MAGNETIC GRADIENT CONTOUR MAP

> Geophysical Investigation 6th and Brush Streets Oakland, California

NORCAL SEOPHY

Norcal

PLATE

JOB: 95-285.03

APPR: DIK

DATE: 8/95

4

APPENDIX C

PROJE	CT NO.	S8100-	06-31					
r_	Α.Τ. Τ. Τ.			BORING/WELL NO. HAY 1	<u> </u>			
EE T	ETR SIS IS/F	SAMPLE NO.	ITHOLOGY	DATE DRILLED_7/24/95 WATER LEVEL (ATD)	WELL			
	PEN PEN PL	SP	Ė	EQUIPMENT ENVIROCORE DRILLER MICHAEL/JUAN	CONSTRUCTION	HEADSPAC (PPM)		
				SOIL DESCRIPTION				
	i	IAYI-I		6 INCHES ASPHALT CONCRETE/AGGREGATE				
- 1 -		1145 HAY1-2		BASE CONCRETE/AGGREGATE				
- 3 -		1145 HAY1-3 1145		ALLUVIUM Dense, moist, yellow-brown, Silty, fine to coarse SAND (SM)	-			
- 4 -				Very stiff, slightly moist, dark gray, CLAY (CL)				
5 -				-	. '			
		. [
- 8 -				Very stiff, slightly moist, brown, fine to coarse Sandy CLAY (CL)	-			
- 9 -				CLAT (CL)	·			
- 10 -								
- 11 -								
- 12 -								
- 13 -				4				
├ 14 -								
- 15 -				<u>-</u>				
- 16				4				
17	1	IAY1-4 1215	//					
F 18 -		1213		-		,		
- 19 -			111					
20 -		•		Dense, moist, brown-green, Silty, fine to coarse SAND _ (SM)				
21		[· · ·				
22 -			篮	BEDROCK (SERPENTINE)				
- 23 - - 24 -		İ		BORING TERMINATED AT 23 FEET				
25 -		,		GROUNDWATER NOT ENCOUNTERED	'			
26 -								
- 27 -				·				
- 28 -								
- 29 -			-	-	· .			
Figure	A-8. lo	g of Bo	ring H	AY 1				
	ELEVAT			QUANTITY OF FILTER MATERIAL:		D4EL		
		PE OF C	ASING:	WELL SEAL & INTERVAL:				
CASING	INTERV	AL:		WELL SEAL QUANTITY:				
WELL S	CREEN:			ANNULUS SEAL/INTERVAL:	-			
	INTERV	AL:		ADDITIVES:				
WELL C	OVER:			WELL DEPTH:				

ENGINEER/GEOLOGIST: JEREMY WESTMARK NOTE: THE LOG OF SUBSURFACE CONDITIONS SHOWN HEREON APPLIES ONLY AT THE SPECIFIC BORING OR TRENCH LOCATION AND AT THE DATE INDICATED. IT IS NOT WARRANTED TO BE REPRESENTATIVE OF SUBSURFACE CONDITIONS AT OTHER LOCATIONS AND TIMES.

FILTERPACK/INTERVAL:

PROJE	CI NO.	. S8100-	-06-31					
, E i⊷	ET.	Щ	OGY	BORING/WELL NO. HAY 2	<u></u>			
EPT IN FEE'	SIS	SAMPLE NO.	ITHOLOGY	DATE DRILLED 7/24/95 WATER LEVEL (ATD)	WELL	HEADSPACE		
	PENET RESI BLMS.	Š	11	EQUIPMENT ENVIROCORE DRILLER MICHAEL/JUAN	CONSTRUCTION	(PPM)		
				SOIL DESCRIPTION				
		IAY2-1	1111	ASPHALTIC CONCRETE/ AGGREGATE BASE				
		1015 HAY2-2	[]	· ALLUVIUM	-			
2 -] ,	1015		Dense, slightly moist, yellow-brown, Silty, fine to coarse SAND, moderately cemented (SM)				
3 -	·	HAY2-3 1015		Stiff, moist, dark brown, Sandy SILT (ML)				
- 5 -		!		Stiff, moist, yellow-brown, fine to coarse, Sandy	<u> </u>			
- 6 -			$\parallel//$	CLAY (CL)				
7 -				-				
- 8 -				-	İ			
- 9 -				-	İ			
- 10 -								
- 11 -	•			Very stiff, moist, dark gray, CLAY (CL)				
- 12 -				Est out, mous, data gray, chiri (chi] .			
- 13 -						,		
- 14 -	,		//J					
- 15 -				-				
- 16 -			V/	Very stiff, moist, brown, CLAY with some medium				
F 17 -]	HAY2-4		sand (CL)				
- 18 -		1015	IY/J					
- 19 -				· · · · · · · · · · · · · · · · · · ·				
- 20 -				Very dense, slightly moist, yellow-brown, Silty, fine to coarse SAND (SM)				
21 -				BEDROCK (SERPENTINE)				
- 22 -				BORING TERMINATED AT 20 FEET GROUNDWATER NOT ENCOUNTERED -				
23 -	·			- CHOOLEN TO LINCOUNTERED				
24 -				·				
- 25 -				<u>.</u>				
- 26 -				<u>_</u>	•			
- 27 -				· -				
- 28 -								
- 29 -								
Figure	A-9, lo	og of Bo	ring H	AY 2		D4EL		
	ELEVA'			QUANTITY OF FILTER MATERIAL:				
DIAMET	rer & T	YPE OF C	ASING:	WELL SEAL & INTERVAL:		·		
	INTERV	/AL:		WELL SEAL QUANTITY:	WELL SEAL QUANTITY:			
	CREEN:			ANNULUS SEAL/INTERVAL:				
	INTER	VAL:		ADDITIVES:				
WELL COVER:				WELL DEPTH:	WELL DEPTH:			

PROJE(CT NO	. S8100-	-06-31					
RAT.		LE	ITHOLOGY	BORING/WELL NO. HAY 3				
DE T	E SIS	SAMPLE NO.	로	DATE DRILLED 7/24/95 WATER LEVEL (ATD)	WELL	HEADSPACE		
	PENET RESI BLMS.	٠.	ij	EQUIPMENT ENVIROCORE DRILLER MICHAEL/JUAN	CONSTRUCTION	(PPM)		
				SOIL DESCRIPTION				
- 1 - - 2 - - 3 - - 4 - - 5 -]	HAY3-1 1350 HAY3-2 1350 HAY3-3 1350	K/J	6 INCHES ASPHALT CONCRETE/ AGGREGATE BASE ALLUVIUM Very stiff, slightly moist, gray, medium to coarse, Sandy CLAY (CL) BEDROCK (SERPENTINE)				
- 7 - - 8 - - 9 - - 10 -				BORING TERMINATED AT 6 FEET GROUNDWATER NOT ENCOUNTERED				
- 12 - - 13 - - 14 - - 15 - - 16 -				——————————————————————————————————————				
10 - 17 - 18 - 19 - 20 - 21 -								
- 22 - - 23 - - 24 - - 25 - - 26 -				- - -				
- 27 - - 28 - - 29 -								
		log of B	oring I	IAY 3		D4EL		
	ELEVA			• QUANTITY OF FILTER MATERIAL:				
		YPE OF C	ASING:	WELL SEAL & INTERVAL:				
	INTERV	/AL:		WELL SEAL QUANTITY:				
	CREEN:	10.7			ANNULUS SEAL/INTERVAL:			
	INTER	VAL:	- '					
WELL C	OVER:			WELL DEPTH:				

FILTERPACK/INTERVAL:

ENGINEER/GEOLOGIST: JEREMY WESTMARK

NOTE: THE LOG OF SUBSURFACE CONDITIONS SHOWN HEREON APPLIES ONLY AT THE SPECIFIC BORING OR TRENCH LOCATION AND AT THE DATE INDICATED. IT IS NOT WARRANTED TO BE REPRESENTATIVE OF SUBSURFACE CONDITIONS AT OTHER LOCATIONS AND TIMES.

	F	S8100-		PODING/WELL NO	1			
FNT	IRA EST	SAMPLE NO.	ІТНОСОБУ	BORING/WELL NO. HAY 4				
	PENETRA RESIST BLWS/F1	SP.	H	DATE DRILLED 7/24/95 WATER LEVEL (ATD)	WELL CONSTRUCTION	HEADSPACE		
ļ	E E		L	EQUIPMENT ENVIROCORE DRILLER MICHAEL/JUAN	CORSTRUCTION	(PPM)		
				SOIL DESCRIPTION				
- 1 -		HAY4-1 1445 HAY4-2		6 INCHES ASPHALT CONCRETE/ AGGREGATE BASE				
- 2 - - 3 - - 4 -		1445 HAY4-3 1445		ALLUVIUM Dense, slightly moist, yellow-brown, Silty, fine to coarse SAND (SM)				
- 5 - - 6 -				Very stiff, slightly moist, dark brown, CLAY with some coarse sand (CL)				
- 8 - - 9 -				Very stiff, slightly moist, brown, CLAY (CL)	·			
- 10 -				<u>-</u>				
- 12 - - 13 -		·						
- 14 - - 15 -								
- 16 - - 17 - - 18 -		HAY4-4 1505		-Some fine to coarse SAND				
- 19 - - 20 -		,		BEDROCK (SERPENTINE) BORING TERMINATED AT 19 FEET -				
- 21 - - 22 -	-			GROUNDWATER NOT ENCOUNTERED				
- 23 - - 24 -				· 				
- 25 - - 26 -								
- 27 - - 28 -								
- 29 -								
		log of B	oring l	HAY 4		D4EL		
	ELEVA			QUANTITY OF FILTER MATERIAL:				
		YPE OF C	ASING:	WELL SEAL & INTERVAL:	WELL SEAL & INTERVAL:			
	INTER	/AL:		WELL SEAL QUANTITY:				
	CREEN:			ANNULUS SEAL/INTERVAL:				
SCREE	N INTER	YAL:		ADDITIVES:				

FILTERPACK/INTERVAL:

ENGINEER/GEOLOGIST: JEREMY WESTMARK

NOTE: THE LOG OF SUBSURFACE CONDITIONS SHOWN HEREON APPLIES ONLY AT THE SPECIFIC BORING OR TRENCH LOCATION AND
AT THE DATE INDICATED. IT IS NOT WARRANTED TO BE REPRESENTATIVE OF SUBSURFACE CONDITIONS AT OTHER LOCATIONS AND TIMES.

WELL DEPTH:

WELL COVER:

PROJE	CT NO	. S8100-	-06-31					
	L			BORING/WELL NO. HAY 5				
HET THE	PENETRA RESIST BLWS/FT	SAMPLE NO.	ITHOLOGY	DATE DRILLED 7/24/05				
	PEN	85	Ė	EQUIPMENT ENVIROCORE DRILLER MICHAEL/JUAN CONSTRUCTION	HEADSPAC (PPM)			
				DRILLER MICHAEL/JUAN				
<u> </u>	1	HAY5-1		SOIL DESCRIPTION				
<u> </u>		1530		6 INCHES ASPHALT CONCRETE/ AGGREGATE				
- 2 -	<u> </u>	HAY5-2 1530		ALLUVIUM				
3 -]	HAY5-3 1530		Dense, slightly moist, yellow-brown, Silty, fine to coarse SAND (SM)				
4 -	ĺ	1330	\angle	Very stiff, slightly moist, dark gray, CLAY with some				
5 -				Very stiff, slightly moist, brown, CLAY (CL)				
				Tory start, sugartly moist, brown, CLAY (CL)				
8 -	I	HAY5-4	\mathbb{Z}	-				
- 9 -		1600		BEDROCK				
- 10 -				BORING TERMINATED AT 7.5 FEET				
- 11 -]		7				
- 12 -	•	İ		7				
- 13		1						
- 14 -		ĺ						
- 15 -			Ì					
'- 16 -								
├ 17 -		.						
- 18 -		-						
- 19 -								
20 -				-				
21 -		1						
22 -								
23	l							
- 24 -								
- 25 - - 26 -	j			1				
- 27 -	•							
- 28 -								
- 29 -								
		1	<u>L</u> L					
		og of Bo	ring H	IAY 5	D4EL			
CASING		TON: PE OF CA		QUANTITY OF FILTER MATERIAL:				
CASING	·		SING:		WELL SEAL & INTERVAL:			
WELL SO				WELL SEAL QUANTITY: ANNULUS SEAL/INTERVAL:				
SCREEN	INTERV	AL:		ADDITIVES:	·			

WELL DEPTH:

WELL COVER:

FILTERPACK/INTERVAL:

ENGINEER/GEOLOGIST: JEREMY WESTMARK NOTE: THE LOG OF SUBSURFACE CONDITIONS SHOWN HEREON APPLIES ONLY AT THE SPECIFIC BORING OR TRENCH LOCATION AND AT THE DATE INDICATED. IT IS NOT WARRANTED TO BE REPRESENTATIVE OF SUBSURFACE CONDITIONS AT OTHER LOCATIONS AND TIMES.

ADDITIVES:

WELL DEPTH:

SCREEN INTERVAL:

FILTERPACK/INTERVAL:

WELL COVER:

PROJE	CT NO.	S8100-	-06-31	
1_	F T	Ш	Ğγ	BO

BORING/WELL NOOAK 2 DATE DRILLED	<u>۔</u> ۔	HT.	щ	OGY	BORING/WELL NO. OAK 2		
SOIL DESCRIPTION 1		NO.		면		VELL	HEADCDACE
1		PEP RE BL	Š	ij		CONSTRUCTION	(PPM)
1					SOIL DESCRIPTION		
OAK2-2	- 1 -	•	DAK2-1	. O			
ALLUVIUM Dense, very moist, rust brown, fine to medium SAND with some clay (SP) ALLUVIUM Dense, very moist, rust brown, fine to medium SAND with some clay (SP) ALLUVIUM Dense, very moist, rust brown, fine to medium SAND ALLUVIUM Dense, very moist, rust brown, fine to medium SAND ALLUVIUM Dense, very moist, rust brown, fine to medium SAND ALLUVIUM Dense, very moist, rust brown, fine to medium SAND ALLUVIUM Dense, very moist, rust brown, fine to medium SAND ALLUVIUM Dense, very moist, rust brown, fine to medium SAND BORING TERMINATED AT 25 FEET BORING TERMINATED AT 25 FEET		d	DAK2-2	0.0	Loose, dry, light brown, fine to medium SAND with fine to medium gravel (SP)		
Dense, very moist, rust brown, fine to medium SAND with some clay (SP) Dense, very moist, rust brown, fine to medium SAND with some clay (SP) Dense, very moist, rust brown, fine to medium SAND with some clay (SP) Dense, very moist, rust brown, fine to medium SAND with some clay (SP) Dense, very moist, rust brown, fine to medium SAND with some clay (SP) Dense, very moist, rust brown, fine to medium SAND with some clay (SP) Dense, very moist, rust brown, fine to medium SAND with some clay (SP) Dense, very moist, rust brown, fine to medium SAND with some clay (SP) Dense, very moist, rust brown, fine to medium SAND with some clay (SP) Dense, very moist, rust brown, fine to medium SAND with some clay (SP) Dense, very moist, rust brown, fine to medium SAND with some clay (SP) Dense, very moist, rust brown, fine to medium SAND with some clay (SP)	3 -	•	DAK2-3		ALLUVIUM		
- 6 - 7 - 7 - 8 - 9 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 14 - 15 - 19 - 19 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1	- 4 -		1330	• •	Dense, very moist, rust brown, fine to medium SAND		
- 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 0AK2-4 1415 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - BORING TERMINATED AT 25 FEET	- 5 -				with some clay (SP)		
- 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - BORING TERMINATED AT 25 FEET	- 6 -				_		
- 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - BORING TERMINATED AT 25 FEET	- 7 -				_		
- 10					-		
- 11 12 13							
- 12 13 14 15 16 17 - OAK2-4 1415 - 19 20 21 22 23 24 25 - 26 27 28					· -	٠.	
- 13 -					<u> </u>		
- 14 -					-		
- 15 -					_		
- 16 -					_		
OAK2-4 - 18 - - 19 - - 20 - - 21 - - 22 - - 23 - - 24 - - 25 - - 26 - - 27 - - 28 -	1				<u>-</u> -		
1415 - 19 20 21 22 23 24 25 26 27 28 28 28	1			J· · · · .	· <u>-</u>		I
18 - 19 20 21 22 23 24 25 26 27 28 28 28	I	•	OAK 2-4	:			
20 - 21 - 22 - 23 - 24 - 25 - 26 - 26 - 27 - 28 - BORING TERMINATED AT 25 FEET	I		1415		-		ļ
21 - 22 - 23 - 24 - 25 - 26 - 26 - 27 - 28 - BORING TERMINATED AT 25 FEET	- 1	į			· -		
- 22 - - 23 - - 24 - - 25 - - 26 - - 27 - - 28 - BORING TERMINATED AT 25 FEET				: :	· -		
- 23 - - 24 - - 25 - - 26 - - 27 - - 28 - BORING TERMINATED AT 25 FEET	ŀ				-		
- 24 - - 25 - - 26 - - 27 - - 28 - BORING TERMINATED AT 25 FEET				$[\cdots]$	-		
- 25 - - 26 - - 27 - - 28 - BORING TERMINATED AT 25 FEET					-		
BORING TERMINATED AT 25 FEET - 27 28					-		
- 27 - - 28 -	· [POPUNG TERMINATED AT A TOTAL		
- 28 -]	ľ		BURING TERMINATED AT 25 FEET		1
	l'				+		j
⁻ ²⁹ ⁻	ŀ				4		·
, , , , , , , , , , , , , , , , , , ,	- 29 -	-			· · · · · · · · · · · · · · · · · · ·		

Figure A-2, log of Boring OAK 2

D4	EL
----	----

CASING ELEVATION:	QUANTITY OF FILTER MATERIAL:
DIAMETER & TYPE OF CASING:	WELL SEAL & INTERVAL:
CASING INTERVAL:	WELL SEAL QUANTITY:
WELL SCREEN:	ANNULUS SEAL/INTERVAL:
SCREEN INTERVAL:	ADDITIVES:
WELL COVER:	WELL DEPTH:
FILTERPACK/INTERVAL:	ENGINEER/GEOLOGIST: JEREMY WESTMARK

NOTE: THE LOG OF SUBSURFACE CONDITIONS SHOWN HEREON APPLIES ONLY AT THE SPECIFIC BORING OR TRENCH LOCATION AND AT THE DATE INDICATED. IT IS NOT WARRANTED TO BE REPRESENTATIVE OF SUBSURFACE CONDITIONS AT OTHER LOCATIONS AND TIMES.

Ē	ant. Tr.	щ	ITHOLOGY	BORING/WELL NO. OAK 3		
	FEET PENETRAT RESIST. BLUS/FT SAMPLE NO.		면	DATE DRILLED 7/25/95 WATER LEVEL (ATD)	WELL	HEADSPACE
	- - - - - - - - - - - - - - - - - - -	Š	LIT	EQUIPMENT ENVIROCORE DRILLER MICHAEL/JUAN	CONSTRUCTION	(PPM)
				SOIL DESCRIPTION	-	
- 1 - - 2 -	ď	DAK3-1 1330 DAK3-2 1330 DAK3-3	η	FILL Loose, dry, light brown, fine to medium SAND with fine to medium gravel(SP)		
- 4 - - 5 -		1330		BORING TERMINATED AT 3 FEET GROUNDWATER NOT ENCOUNTERED		
- 6 - - 7 -				- -		
- 8 - - 9 - - 10 -				• • • • • • • • • • • • • • • • • • •		
- 11 - - 12 -						
- 13 - - 14 -						
- 15 - - 16 -				- -		
- 17 - - 18 -						
- 19 - - 20 -				· -		
- 21 - - 22 -						
- 23 - - 24 - - 25 -						
- 26 - - 27 -		į				
- 28 - - 29 -						

Figure	A-3,	log	of	Boring	OAK	3

D4	EL
----	----

CASING ELEVATION:	QUANTITY OF FILTER MATERIAL:
DIAMETER & TYPE OF CASING:	WELL SEAL & INTERVAL:
CASING INTERVAL:	WELL SEAL QUANTITY:
WELL SCREEN:	ANNULUS SEAL/INTERVAL:
SCREEN INTERVAL:	ADDITIVES:
WELL COVER:	WELL DEPTH:
FILTERPACK/INTERVAL:	ENGINEER/GEOLOGIST: JEREMY WESTMARK

PROJE	CT NO	. S8100-	-06-31			
E_H	RAT.	H.	ITHOLOGY	BORING/WELL NO. OAK 4		
· HELE	PENETI RESTE BLWS/	SAMPLE NO.	로	DATE DRILLED_ 7/25/95 WATER LEVEL (ATD)	WELL	HEADSPACE
	<u> </u>	Ω	F	EQUIPMENT ENVIROCORE DRILLER MICHAEL/JUAN	CONCTOURT	(PPM)
				SOIL DESCRIPTION		
		0AK4-1	d	FILL	 	
		1658 PAK4-2		Loose, dry, light brown, fine to medium SAND with	1	
2 -	· .	1658	n .4	fine to coarse gravel (SP)	1	
ر ا] `	DAK4-3 1658		ALLUYIUM	1	•
[j .			Dense, moist, rust brown, fine to medium SAND (SP)	1	
- 6 -		1		-	•	
7				- -	1	
_ ′ _				-	1	
- 8 -				-	1	
- 10 -					1	
- 11 -					1	
- 12 -			: . : :	-	1	
13			:	- -		
- 14 -			: ::	-		
15				-	j	
- 16 -					 	
17				-		•
18 -				-	•	
- 19 -				-	İ	
- 20 -				REFUSAL AT 19 FEET	,	
21 -				GROUNDWATER NOT ENCOUNTERED		
- 22 -	.			-	·	
23 -		.				
- 24 -				-		
25 -				-		
- 26 -				_		1
27						
- 28 -						
- 29 -						l
			<u> </u>			<u>.</u>
		og of Bo	ring O	4K 4		D4EL
	ELEVAT			QUANTITY OF FILTER MATERIAL:		
	INTERV	YPE OF C	ASING:	WELL SEAL & INTERVAL:	•	
WELL S		AL:		WELL SEAL QUANTITY:		
	INTERV			ANNULUS SEAL/INTERVAL:		
WELL C		7 244.		WELL DEPTH:		
		TERVAL	:	ENGINEER/GEOLOGIST: JEREMY WES	7T 4 4 Y 77	
~~~			<u> </u>	ENGINEER/GEOLOGIST: JERENIT WES	JIMAKK	

MOTE: THE LOG OF SUBSURFACE CONDITIONS SHOWN HEREON APPLIES ONLY AT THE SPECIFIC BORING OR TRENCH LOCATION AND AT THE DATE INDICATED. IT IS NOT WARRANTED TO BE REPRESENTATIVE OF SUBSURFACE CONDITIONS AT OTHER LOCATIONS AND TIMES.

PROJE	CI NO.	<u>S8100-</u>	-06-31			
= _	F. F. F.	щ	06Y	BORING/WELL NO. OAK 5		
-4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	SIS WS/1	SAMPLE NO.	ITHOLOGY	DATE DRILLED 7/25/95 WATER LEVEL (ATD)	WELL	HEADSPAC
	PENET RESI BLWS	ϋ	H	EQUIPMENT ENVIROCORE DRILLER MICHAEL/JUAN	CONSTRUCTION	(PPM)
				SOIL DESCRIPTION		
_		DAK5-1	a	FILL		
- 2 - - 3 - - 4 - - 5 -		1800 DAK 5-2 1800		Loose, dry, light brown, Gravelly, fine to medium  SAND (SG)  CONCRETE RUBBLE AT 1 FOOT  NO RECOVERY BEYOND 1 FOOT	н.	
- 7 - - 8 - - 9 - - 10 - - 11 - - 12 -						
13 - - 14 - - 15 - - 16 - - 17 -						
- 18 - - 19 - - 20 - - 21 - - 22 -				- - - -		
- 23 - - 24 - - 25 - - 26 - - 27 - - 28 -						
- 29 -				-		
Figure	A-5, lo	g of Bo	ring O	AK 5		D4EL
	ELEVAT			QUANTITY OF FILTER MATERIAL:	· · · · · · · · · · · · · · · · · · ·	
DIAME	TER & TY	PE OF C	ASING:	WELL SEAL & INTERVAL:		
CASING	INTERV	AL:		WELL SEAL QUANTITY:		
WELL S	CREEN:			ANNULUS SEAL/INTERVAL:		
SCREEN	INTERV	AL:		ADDITIVES:		
WELL C	OVER:			WELL DEPTH:		
FILTER	PACK/IN	TERVAL:		ENGINEER/GEOLOGIST: JEREMY WES	TMARK	

NOTE: THE LOG OF SUBSURFACE CONDITIONS SHOWN HEREON APPLIES ONLY AT THE SPECIFIC BORING OR TRENCH LOCATION AND AT THE DATE INDICATED. IT IS NOT WARRANTED TO BE REPRESENTATIVE OF SUBSURFACE CONDITIONS AT OTHER LOCATIONS AND TIMES.

PKOJE	CT NO	<u>. S810</u>	<u> </u>			
[	¤AT.	Ш	.06√	BORING/WELL NO. OAK 6	<u></u>	
	PENETRAT RESIST. BLWS/FT.	SAMPLE NO.	ITHOLOGY	DATE DRILLED 7/25/95 WATER LEVEL (ATD)	WELL	HEADSPACE
	PE R P	<u> </u>	<u> </u>	EQUIPMENT ENVIROCORE DRILLER MICHAEL/JUAN	CONSTRUCTION	(PPM)
	<u></u>			SOIL DESCRIPTION		
Γ	1	OAK6		FILL		
「 <u>;</u> ]	$\left\{ -\frac{1}{\epsilon} \right\}$	1041   DAK6-		Loose, dry, light brown, fine to medium SAND with	· ·	
2 7	1 !	1041		\some gravel (SP)	1	1
3	1	OAK6- 1041	-3 .[].4	Dense, slightly moist, dark brown, Silty, fine to	1	
4 7	'	1		medium SAND with fine to medium gravel (SM)	1	
5	'	1		Medium dense, moist, yellow-brown, fine to medium	1	
6 -	'				<b> </b>	
F 7 7	'				<b> </b>	
- 8 -	1			<u>-</u> -	<b> </b>	
- 9 -	1				1	
10	1			<u> </u>		
- rı -	<b>∤</b> !		:	_'		
- 12 -	1	1			1	
- 13 -	1				<b>j</b>	
- 14 -	1			_'	<u> </u> '	<b>,</b> ,
- 15 -	1 1				<b>]</b> . !	ļ
- 16 -	1				] !	
F 17 -	1 1				ļ !	
18 -		1			. !	
19 -		1				
20 -		ŀ		· _		
21 -	1 1					
22	1 1	1			'	
23 -		1				
24 -	, 1	1		<u> </u>		
25 -		1		7		
26		1		BORING TERMINATED AT 25 FEET		
27		1	'	1		
- 28 -		1	'	I 7	ļ	-
$\begin{bmatrix} 28 \\ 29 \end{bmatrix}$	, ,	1	'	1	1	1
		Ĺ		I ·	1	
Figure	A-6, la	og of F	Boring O	AK 6		D4EL
	ELEVAT			QUANTITY OF FILTER MATERIAL:		
			CASING:			
	INTERV			WELL SEAL QUANTITY:		
	CREEN:			ANNULUS SEAL/INTERVAL:		
	N INTERV	/AL:		ADDITIVES:	<del></del>	
WELL C	PACK/IN			WELL DEPTH:		
FILIEM	PALIKII	1.1.H M A A V		I PACINDED APPOINCES. IEDEMA MEC	TO A A TO BE	


PROJE	CT NO	. S8100-	-06-31					
E ⊢	RAT.	Ш	.0GY	BORING/WELL NO. OAK 7				
	SIS	SAMPLE NO.	ITHOLOGY	DATE DRILLED 7/25/95 WATER LEVEL (ATD)	WELL	HEADSPACE		
	PENET RESI BLWS	σ	Līī	EQUIPMENT ENVIROCORE DRILLER MICHAEL/JUAN	CONSTRUCTION	(PPM)		
				SOIL DESCRIPTION				
- 1 - 2 - 3 4 5 6 7 8 10 11 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 12 - 12 12 12 12 12 - 12 12 12 - 12 12 - 12 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12		DAK7-1 0950 DAK7-2 0950 DAK7-3 0950		FILL Dense, slightly moist, light brown, Silty, fine to medium SAND (SM)  ALLUVIUM Dense, moist, dark brown, fine to medium SAND (SP)  Dense, moist, rust brown, Clayey, fine to medium SAND (SC)  -Less Clay-  Dense, very moist, rust brown, fine to medium SAND (SP)  Dense, wet, rust brown, Clayey, fine to medium SAND (SP)  Dense, wet, rust brown, Clayey, fine to medium SAND (SP)				
- 12 - - 13 - - 14 - - 15 - - 16 -		ar.		BORING TERMINATED AT 15 FEET GROUNDWATER NOT ENCOUNTERED				
- 18 - - 19 - - 20 - - 21 - - 22 - - 23 -								
- 24 - - 25 - - 26 - - 27 - - 28 - - 29 -								
Figure	A-7, le	og of Bo	ring O	AK 7		D4EL		
-	ELEVA'			QUANTITY OF FILTER MATERIAL:				
		YPE OF C	ASING:	WELL SEAL & INTERVAL:				
	INTERV	AL:		WELL SEAL QUANTITY:				
	CREEN:	· 		ANNULUS SEAL/INTERVAL:				
	INTER	VAL:		ADDITIVES:				
WELL C	WELL COVER:			WELL DEPTH:	WELL DEPTH:			

ENGINEER/GEOLOGIST: JEREMY WESTMARK NOTE: THE LOG OF SUBSURFACE CONDITIONS SHOWN HEREON APPLIES ONLY AT THE SPECIFIC BORING OR TRENCH LOCATION AND AT THE DATE INDICATED. IT IS NOT WARRANTED TO BE REPRESENTATIVE OF SUBSURFACE CONDITIONS AT OTHER LOCATIONS AND TIMES.

FILTERPACK/INTERVAL:







August 16, 1995

Mr. Rick Walls Geocon Environmental 3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742

Dear Mr. Walls:

Enclosed is the report for the nineteen (19) soil samples. The samples were received at Sparger Technology Analytical Lab on July 26, 1995.

The samples were received in nineteen (19) stainless steel sleeves. The samples were transported and received under documented chain of custody and stored at four (4) degrees C until analysis was performed.

The report consists of the following sections:

- I. Sample Description
- II. Analysis Request
- III. Quality Control Report
- IV. Analysis Results

No problems were encountered with the analysis of your samples.

If you have questions, please feel free to call.

Sincerely,

R. L. James

Principal Chemist



### I Sample Description

See attached Samples Description Information.

The samples were received under chain-of-custody.

## Il Analysis Request

The following analytical tests were requested:

Lab ID	Your ID	Analysis Description
ST95-07-2027A ST95-07-2028A ST95-07-2029A ST95-07-2030A ST95-07-2031A ST95-07-2032A ST95-07-2033A ST95-07-2035A ST95-07-2036A ST95-07-2036A ST95-07-2038A ST95-07-2039A ST95-07-2040A ST95-07-2040A ST95-07-2041A ST95-07-2043A	HAY1-1 HAY1-2 HAY1-2 HAY1-3 HAY1-3 HAY1-4 HAY1-4 HAY1-4 HAY2-1 HAY2-1 HAY2-1 HAY2-2 HAY2-2 HAY2-3 HAY2-3 HAY2-4 HAY2-4	Total Oil & Grease Total Lead Total Oil & Grease Total Lead Total Oil & Grease Total Lead TPHgas & BTEX TPHdiesel Total Oil & Grease Total Oil & Grease Total Oil & Grease Total Lead Total Oil & Grease Total Lead Total Oil & Grease Total Lead Total Oil & Grease Total Lead Total Oil & Grease Total Lead Total Oil & Grease Total Lead TPHgas & BTEX TPHdiesel
ST95-07-2044A ST95-07-2045A ST95-07-2046A ST95-07-2047A ST95-07-2048A ST95-07-2050A ST95-07-2051A ST95-07-2052A	HAY2-4 HAY3-1 HAY3-2 HAY3-2 HAY3-3 HAY3-3 HAY4-1 HAY4-1	Total Oil & Grease Total Oil & Grease Total Lead Total Oil & Grease Total Lead Total Oil & Grease Total Oil & Grease Total Lead Total Lead Total Oil & Grease Total Lead



Lab ID	Your ID	Analysis Description
ST95-07-2053A ST95-07-2054A ST95-07-2055A ST95-07-2056A ST95-07-2057A ST95-07-2059A ST95-07-2060A ST95-07-2061A ST95-07-2062A ST95-07-2063A ST95-07-2064A ST95-07-2065A ST95-07-2066A	HAY4-2 HAY4-3 HAY4-3 HAY4-4 HAY4-4 HAY5-1 HAY5-1 HAY5-2 HAY5-2 HAY5-3 HAY5-3	Total Oil & Grease Total Lead Total Oil & Grease Total Lead TPHgas & BTEX TPHdiesel Total Oil & Grease Total Oil & Grease Total Lead Total Oil & Grease Total Lead Total Lead Total Lead Total Oil & Grease Total Lead Total Oil & Grease Total Lead Total Oil & Grease
ST95-07-2067A ST95-07-2068A	HAY5-4 HAY5-4	TPHdiesel Total Oil & Grease



### III Quality Control

- A. <u>Project Specific QC.</u> No project specific QC (i.e., spikes and/or duplicates) was requested.
- B. <u>Method Blank Results</u>. A method blank is a laboratory-generated sample which assesses the degree to which laboratory operations and procedures cause false-positive analytical results for your sample.

No target parameters were detected in the method blank associated with your sample at the reporting limit levels noted on the data sheets in the Analytical Results section.

- C. <u>Laboratory Control Spike</u>. A Laboratory Control Spike (LCS) is a sample which is spiked with known analyte concentrations, and analyzed at approximately 10% of the sample load in order to establish method-specific control limits. The LCS results associated with your samples are on the attached Laboratory Control Spike and Laboratory Control Spike Duplicate Analysis Report.
- D. <u>Matrix Spike Results</u>. A Matrix Spike is a sample which is spiked with known analyte concentrations, and analyzed at approximately 10% of the sample load in order to establish method-specific control limits. The Matrix Spike results associated with your samples are on the attached Matrix Spike and Matrix Spike Duplicate Analysis Report.

Accuracy is measured by Percent Recovery as in:

% recovery = (measured concentration) x 100 (actual concentration)

## IV <u>Analysis Results</u>

Results are on the attached data sheets.



# 5520 F. Modified Analysis Report Project: Dist. 4 Excess Land (S8100-06-31/CT 53W202)

Attention:

Mr. Rick Walls

Geocon Environmental 3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 Date Sampled:

Jul 24, 1995

Date Received:

Jul 26, 1995

Date Analyzed: Invoice #:

Jul 31, 1995 5199

Matrix: Soil

Units: ma/ka

1001				Units: mg/kg
Lab ID	Client ID	Amount	Reporting Limit	Dilution 1:
ST95-07-2027A	HAY1-1	320	50	1
ST95-07-2029A	HAY1-2	280	50	1
ST95-07-2031A	HAY1-3	200	50	1
ST95-07-2035A	HAY1-4	50	50	1
ST95-07-2036A	HAY2-1	. 120	50	1
ST95-07-2038A	HAY2-2	3000	50	1
ST95-07-2040A	HAY2-3	55	50	1
ST95-07-2044A	HAY2-4	ND	50	1
ST95-07-2045A	HAY3-1	190	50	1
ST95-07-2047A	HAY3-2	160	50	1

ppb = parts per billion = ug/L = micrograms per Liter

ppm ≈ parts per million = ug/g ≈ micrograms per gram

ppm = parts per million = mg/kg = milligrams per kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 3, 1995

os causoniu



# 5520 F. Modified Analysis Report Project: Dist. 4 Excess Land (S8100-06-31/CT 53W202)

Attention:

Mr. Rick Walls

Geocon Environmental 3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 Date Sampled:

Jul 24, 1995

Date Received:

Jul 26, 1995

Date Analyzed: Invoice #:

Jul 31, 1995 5199

Matrix: Soil

Units: ma/ka

Lob		-,		_Units: mg/kg
Lab ID	Client ID	Amount	Reporting Limit	Dilution 1:
ST95-07-2049A	HAY3-3	ND	50	1
ST95-07-2051A	HAY4-1	2300	50	1 1
ST95-07-2053A	HAY4-2	150	50	1
ST95-07-2055A	HAY4-3	^ND	50	1
ST95-07-2059A	HAY4-4	7200	50	1
ST95-07-2060A	HAY5-1	85	50	1
ST95-07-2062A	HAY5-2	260	50	1
ST95-07-2064A	HAY5-3	ND	50	1
ST95-07-2068A	HAY5-4	90	_ 50	1 1

ppb = parts per billion = ug/L = micrograms per Liter

ppm = parts per million = ug/g = micrograms per gram ppm = parts per million = mg/kg = milligrams per kilogram

NO = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 3, 1995
Date Reported

SPARGER TECHNOLOGY ANALYTICAL LABORATORY, INC. IS CERTIFIED BY THE STATE OF CALIFORNIA.

DEPARTMENT OF HEALTH SERVICES AS A HAZARDOUS WASTE TESTING LABORATORY

(Certification No. 1814)



# Metal, EPA Method 6010 Project: Dist. 4 Excess Land (S8100-06-31/CT 53W202)

Attention:

Mr. Rick Walls

Geocon Environmental 3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 Date Sampled:

Jul 24, 1995

Date Received:

Jul 26, 1995

Date Analyzed: Invoice #:

Jul 29, 1995 5199

Matrix : Soil

Lab	Client	Lead (Pb)		Units: mg/
ID	ID	Result	Reporting Limit	Dilution
ST95-07-2028A	HAY1-1	20		1; 
ST95-07-2030A			1.0	. 1
	HAY1-2	20	1.0	1
ST95-07-2032A	HAY1-3	41	1.0	1
ST95-07-2037A	HAY2-1	29	1.0	1
ST95-07-2039A	HAY2-2	20	1.0	1
ST95-07-2041A	HAY2-3	4.6	1.0	1
ST95-07-2046A	HAY3-1	100	1.0	1
ST95-07-2048A	HAY3-2	14	1.0	1

n = mg/kg = milligrams per kilogram ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Jul 31, 1995

Date Reported

SPARGER TECHNOLOGY ANALYTICAL LABORATORY, INC. IS CERTIFIED BY THE STATE OF CALIFORNIA. DEPARTMENT OF HEALTH SERVICES AS A HAZARDOUS WASTE TESTING LABORATORY (Certification No. 1614)



# Metal, EPA Method 6010 Project: Dist. 4 Excess Land (S8100-06-31/CT 53W202)

Attention:

Mr. Rick Walls

Geocon Environmental 3235 Sunrise Blvd., Suite 6

Rancho Cordova, CA 95742

Date Sampled:

Jul 24, 1995

Date Received:

Jul 26, 1995

Date Analyzed:

Jul 29, 1995

Invoice #:

5199

Matrix: Soil

Units: mg/kg

Lab	Ottoral			Units: mg/kg
ID	Client ID	Lead (Pb) Result	Reporting	Dilution
		result	Limit	<u>1:</u>
ST95-07-2050A	HAY3-3	ND	1.0	1
ST95-07-2052A	HAY4-1	12	1.0	1
ST95-07-2054A	HAŸ4-2	ND	1.0	1
ST95-07-2056A	HAY4-3	19	5 <b>1:0</b>	. 1
ST95-07-2061A	HAY5-1	11	1.0	. 1
ST95-07-2063A	HAY5-2	4.9	1.0	1
ST95-07-2065A	HAY5-3	2400	1.0	1

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

# James

R. L. James, Principal Chemist

Jul 31, 1995

Date Reported

SPARGER TECHNOLOGY ANALYTICAL LABORATORY, INC. IS CERTIFIED BY THE STATE OF CALIFORNIA.
DEPARTMENT OF HEALTH SERVICES AS A HAZARDOUS WASTE TESTING LABORATORY
(Certification No. 1614)



# Metal LCS / LCSD Recoveries

Attention:

Mr. Rick Walls

Date Sampled:

Jul 24, 1995

Geocon Environmental

Date Received:

Jul 26, 1995

3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742

Date Analyzed:

Jul 29, 1995

Project #:

S8100-06-31 (CT 53W202)

Project Name:

Dist. 4 Excess Land

Client ID:

LCS/LCSD

LAB ID:

950728A

Matrix:

Soil

Dilution:

	Spike			<del></del>	U	Init: (mg/Kg)
Element	Spike Conc.	LCS	LCS % Recovery	LCSD	LCSD % Recovery	% RSD
Lead (Pb)	1.0	1.0	100%	1.1	110%	10%

ppm= parts per million = mg/Kg = milligram per Kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Jul 31, 1995

Date Reported

SPARGER TECHNOLOGY ANALYTICAL LABORATORY, INC. IS CERTIFIED BY THE STATE OF CALIFORNIA DEPARTMENT OF HEALTH SERVICES AS A HAZARDOUS WASTE TESTING LABORATORY (Certification No. 1814)



## Metal MS / MSD Recoveries

Attention:

Mr. Rick Walls

Geocon Environmental

3235 Sunrise Blvd., Suite 6

Rancho Cordova, CA 95742

Date Sampled:

Jul 24, 1995

Date Received:

Jul 26, 1995

Date Analyzed:

Jul 29, 1995

Project ID:

S8100-06-31 (CT 53W202)

Project Name:

Dist. 4 Excess Land

Client ID:

MS/MSD

LAB ID:

ST95-07-2028A MS ST95-07-2028A MSD

Matrix:

Soil

Dilution:

Element	Sample Conc.	Spike Conc.	MS	MS % Recovery	MSD	MSD % Recovery	% RSD
Lead (Pb)	20	100	110	90%	110	90%	0%

R. L. James, Principal Chemist

Jul 31, 1995

Date Reported



# 8020/8015 Modified Analysis Report

Attention:	Mr. Rick Walls Geocon Environmental 3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742	Date Sampled: Date Received: Date Analyzed: Date Analyzed:	Jul 24, 1995 Jul 26, 1995 Jul 28, 1995 Aug 1, 1995	TPHgas & BTEX TPHdiesel	
Project #:	S8100-06-31 (CT 53W202)	Project Name:	Dist. 4 Excess L	and	
Client ID:	HAY1-4	LAB ID:		TPHgas & BTEX TPHdiesel	
Matrix:	Soil	Dilution: 1:	ST95-07-2034A 1		
Name		Amount	Detection <u>Limit</u>	Units	
Benzene		ND	0.005	mg/kg	
Toluene	•	NÓ	0.005	mg/kg	
Ethylbenzend	9	ND	0.005	mg/kg	
Xylenes	No.	ND	0.005	mg/kg	
TPHgas		ND	1.0	mg/kg	
TPHdiesel		ND	1.0	mg/kg	
Surrogate %	Recovery of Trifluorotoluene =	78%			

ppb = parts per billion = ug/kg = micrograms per kilogram

ppm= parts per million = mg/kg = milligrams per kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995
Date

SPARGER TECHNOLOGY ANALYTICAL LABORATORY, INC. IS CERTIFIED BY THE STATE OF CALIFORNIA DEPARTMENT OF HEALTH SERVICES AS A HAZARDOUS WASTE TESTING LABORATORY (Certification No. 1614)



# 8020/8015 Modified Analysis Report

Attention:	Mr. Rick Walls Geocon Environmental 3235 Sunnise Blvd., Suite 6 Rancho Cordova, CA 95742	Date Sampled: Date Received: Date Analyzed: Date Analyzed:	Jul 24, 1995 Jul 26, 1995 Jul 28, 1995 Aug 1, 1995	TPHgas & BTEX TPHdiesel
Project #:	S8100-06-31 (CT 53W202)	Project Name:	Dist. 4 Excess L	and
Client ID:	HAY2-4	LAB ID:		TPHgas & BTEX
Matrix:	Soil	Dilution: 1:	ST95-07-2043A 1	TPHdiesel
Name		Amount	Detection Limit	Units
Benzene		ND	0.005	mg/kg
Toluene		ND	0.005	mg/kg
Ethylbenzene	· •	ND	0.005	mg/kg
Xylenes		ND	0.005	mg/kg
TPHgas		ND	1.0	mg/kg
TPHdiesel		ND	1.0	mg/kg
Surrogate %	Recovery of Trifluorotoluene =	68%		

ppb = parts per billion = ug/kg = micrograms per kilogram

ppm= parts per million = mg/kg = milligrams per kilogram

NO = Not Detected. Compound(s) may be present at concentrations below the detection limit

R. L. James, Principal Chemist

Aug 4, 1995

SPARGER TECHNOLOGY ANALYTICAL LABORATORY, INC. IS CERTIFIED BY THE STATE OF CALIFORNIA DEPARTMENT OF HEALTH SERVICES AS A HAZARDOUS WASTE TESTING LABORATORY (Certification No. 1814)



# 8020/8015 Modified Analysis Report

Attention:	Mr. Rick Walls Geocon Environmental 3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742	Date Sampled: Date Received: Date Analyzed: Date Analyzed:	Jul 24, 1995 Jul 26, 1995 Jul 28, 1995 Aug 1, 1995	TPHgas & BTEX	
Project #:	S8100-06-31 (CT 53W202)	Project Name:	Dist. 4 Excess L	and	
Client ID;	HAY4-4	LAB ID:		TPHgas & BTEX	
Matrix:	fatrix: Soil		ST95-07-2058A 1	TPHdiesel	
Name		Amount	Detection Limit	Units	
Benzene		ND	0.005	mg/kg	
Toluene		ND	0.005	mg/kg	
Ethylbenzene	•	ND	0.005	mg/kg	
Xylenes		ND	0.005	mg/kg	
TPHgas		ND	1.0	mg/kg	
TPHdiesel		ND	1.0	mg/kg	
Surrogate %	Recovery of Trifluorotoluene =	69%			

ppb = parts per billion = ug/kg = micrograms per kilogram

ppm= parts per million = mg/kg = milligrams per kilogram

ND = Not Detected Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995

Date

SPARGER TECHNOLOGY ANALYTICAL LABORATORY, INC. IS CERTIFIED BY THE STATE OF CALIFORNIA DEPARTMENT OF HEALTH SERVICES AS A HAZARDOUS WASTE TESTING LABORATORY (Certification No. 1814)



# 8020/8015 Modified Analysis Report

Attention:	Mr. Rick Walls Geocon Environmental 3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742	Date Sampled: Date Received: Date Analyzed: Date Analyzed:	Jul 24, 1995 Jul 26, 1995 Jul 28, 1995 Aug 1, 1995	TPHgas & BTEX TPHdiesel
Project #:	S8100-06-31 (CT 53W202)	Project Name:	Dist. 4 Excess L	and
Client ID;	HAY5-4	LAB ID:		TPHgas & BTEX
Matrix:	Soil	Dilution: 1:	ST95-07-2067A 1	TPHdiesel
Name		Amount	Detection Limit	Units
Benzene		ND	0.005	mg/kg
Toluene		ND	0.005	mg/kg
Ethylbenzene		ND	0.005	mg/kg
Xylenes		ND	0.005	mg/kg
TPHgas		ND	1.0	mg/kg
TPHdiesel		ND	1.0	mg/kg
Surrogate % l	Recovery of Trifluorotoluene =	77%		

ppb = parts per billion = ug/kg = micrograms per kilogram

ppm= parts per million = mg/kg = milligrams per kilogram

ND = Not Detected Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995 Date

SPARGER TECHNOLOGY ANALYTICAL LABORATORY, INC. IS CERTIFIED BY THE STATE OF CALIFORNIA DEPARTMENT OF HEALTH SERVICES AS A HAZARDOUS WASTE TESTING LABORATORY

(Certification No. 1814)



## 8015 Modified Matrix Spike (MS) & Matrix Spike Duplicate (MSD) **TPHdiesel Analysis Report**

Attention:

Mr. Rick Walls

Geocon Environmental

3235 Sunrise Blvd., Suite 6

Rancho Cordova, CA 95742

Project ID:

S8100-06-31 (CT 53W202)

Project Name:

Date Sampled:

Date Received:

Date Analyzed:

Dist. 4 Excess Land

Jul 24, 1995

Jul 26, 1995

Aug 1, 1995

Client ID:

MS/MSD

LAB ID:

ST95-07-2043A MS ST95-07-2043A MSD

Matrix:

Soil

Dilution:

Name	Conc. Spike Added	Sample Result	MS Result	MSD Result	Units	MS % Recovery	MSD % Recovery	% RPD Recovery
TPHdiesel	15 ppm	ND	17	16	ug/g	113%	107%	6%

ppb = parts per billion = ug/kg = micrograms per kilogram

ppm= parts per million = ug/g = micrograms per gram.

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug. 4, 1995 Date Reported

SPARGER TECHNOLOGY ANALYTICAL LABORATORY, INC. IS CERTIFIED BY THE STATE OF CALIFORNIA DEPARTMENT OF HEALTH SERVICES AS A HAZARDOUS WASTE TESTING LABORATORY (Certification No. 1614)



# 8020 Modified Laboratory Control Spike (LCS) & Laboratory Control Spike Duplicate (LCSD) BTEX Analysis Report

Attention:

Mr. Rick Walls

Geocon Environmental

3235 Sunrise Blvd., Suite 6

Rancho Cordova, CA 95742

Date Sampled:

Jul 24, 1995 Date Received: Jul 26, 1995

Date Analyzed:

Jul 28, 1995

Project ID:

S8100-06-31 (CT 53W202)

Project Name:

Dist. 4 Excess Land

Client ID:

LCS/LCSD

LAB ID:

ST95-07-028 LCS ST95-07-028 LCSD

Matrix:

Soil

Dilution:

Name	Conc. Spike Added	Sample Result	LCS Result	LCSD Result	Units	LCS % Recovery	LCSD % Recovery	% RPD Recovery
Benzene	30 ppb	ND	25	30	ug/kg	83%	100%	18%
Toluene	30 ppb	ND	28	29	ug/kg	93%	97%	4%
Ethylbenzene	30 ppb	ND	26	29	ug/kg	87%	97%	11%
Xylenes	30 ppb	ND	25	29	ug/kg	83%	97%	15%

Surrogate % Recovery of Trifluorotoluene =

84% LCS

100% LCSD

R. L. James, Principal Chemist

Aug 4, 1995

Date Reported

ppo = par≥s per billion = ug/kg = micrograms per kilogram

ppm= parts per million = ug/g = micrograms per gram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit



## 8020 Modified Matrix Spike (MS) & Matrix Spike Duplicate (MSD) **BTEX Analysis Report**

Attention:

Mr. Rick Walls

Geocon Environmental

3235 Sunrise Blvd., Suite 6

Rancho Cordova, CA 95742

Date Sampled:

Jul 24, 1995

Date Received: Date Analyzed:

Jul 26, 1995

Jul 28, 1995

Project ID:

S8100-06-31 (CT 53W202)

Project Name:

Dist. 4 Excess Land

Client ID:

MS/MSD (Batch)

LAB ID:

ST95-07-1922A MS

ST95-07-1922A MSD

Matrix:

Soil

Dilution:

Name	Conc. Spike Added	Sample Result	MS Result	MSD Result	Units	MS % Recovery	MSD % Recovery	% RPD Recovery
Benzene	30 ppb	ND	30	31	ug/kg	100%	103%	3%
Toluene	30 ppb	ND	28	31	ug/kg	93%	103%	10%
Ethylbenzene	30 ppb	ND	27	30	ug/kg	90%	100%	11%
Xylenes	30 ppb	ND	27	30	ug/kg	90%	100%	<b>1</b> 1%
Surrogate % R	ecovery of Trif	luorotoluer	ne =	102%		103%	MSD	

ppb = parts per billion = ug/kg = micrograms per kilogram

ppm= parts per million = ug/g = micrograms per gram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995

SPA	RGL TEC	CHN	OLOG	϶Y,	IN	C.							•								US			H	EC	OH	D						,		· .	; ,
Anal	ytical Labor	atory	,						Pho	one: (	(916)	362-	8947			C.	0.0	C. I	No.	. 1	ĻŊ.		8										(5	-19	9	į
	te Circle, #112 Sa	_		27						AX:						Pa	ge_		c	f	2			_			STA	L In	voice	e Nu	<u>umb</u>	er:	<u>```</u> ,			
Compa	any: GEOC	02					Pho	one:	(9)	16)	85	٦_ ~	. 7	118										ANA	LYS	IS F	EQ	UES	T							
	Manager:						F	AX:		•			•			RE	MAI	RKS	: 1	СТ	. کـ	341	20	2						Sar	nole	er's N	Nam	e:		
				Billin	g Nar	ne &			>											·		, ,								J	EI	RE	ME	<u> </u>		
32	Address: 35 SUNRI NCHO COR	56 8	KND #	6												ں ا	-A 1.1	06	E۷	17 6	ε,		0	PL						. ~	Wi	RE) Es	TM	AR	!K	
KA	NCHO COK	<i>U</i> OV A	, CA	95	7	42	_									⊢"	<i>D7-</i> (	00		• ۷۱		-0,		A		No	ne	So	me		-					
Project I	Name:					Proje	ect/Jo	ob#:								L								0			K	1	κ	W	ÉT(	STLO	<u>(</u> )			,
DI	ST. 4 EXC	EZZ	LAN	ענ		•	S	81	00	-	06	-3	1			Co	oler	Tem	p.				°C													
	_ocation:		•					O.#:					,			Sar	nple	Co	nditi	on											TCI	LP				
<del></del>		<b>,</b>	· ·						,			,				рН						<u></u>														
- 1									•	serva						<b> </b>		Ι	,		F	TC	LP								Tot					
		San	npling		Co	ntai	ner	Ţ		Used	i i	┡	Ma	atrix 	i			6											<del></del>		<del> </del>	Х		<b> </b>	TAT	
	•		1															8015	·						1									,	12h	
	-																١	ene(			,508					, (				ľ	ន៍			[	(72hr / 48hr / 24hr / 12hr)	
	•						'										901	SOS			/505				į	18.1			. 1	ĺ	ž				1/2/	
			1			1										-	020/	oi K	8		(ges)				(SQ	H (4				1	g,		, ,		48h	ے ا
																503.	(602/8020/8015)	oto	2.2/5		estic	SBS	4.2	5	3 (55	TRP					Ö	,			Shr /	2
		1		:	٤.۶.	#le	્ર		鱼						:	050	9) 51	٣٢	0/20	0	9 (P	0 (P	0/52	0/52	eas	S)	_			SE	) s		,	,	7) 5:	end
				Į ₹	eeve	r bo	Plast		Š							02/8	춫	嵩	/801	/802	808/	808/	/824	/827	S G	0	Leac			Met	Aetal	Ì		_	Zice	Weel
				ا ۲	Bracs Sleeve	I L amber bottle	250 mL Plastic		HCI/HNO3/CE	a		Er.			F.	BTEX (602/8020)503.	BTEX/TPHgas	TPHdiese TPHmotor oil/kerosene(8015)	EPA 601/8010/502.2/504	EPA 602/8020	EPA 608/8080 (Pesticides)/505/508	EPA 608/8080 (PCB'S)	EPA 624/8240/524.2	EPA 625/8270/525	Total Oil & Grease (5520)	Non-Polar O & G/TRPH (418.1)	Organic Lead			CAM-17 Metals	CAM-5 Metals (Cd,	_		Standard	Rush Services	Holiday/Weekend Rush
NO.	SAMPLE ID	Date	Time	40 mL VOA	9	1 .	250	Other:	로	None	Other:	Water	Soil	Air	Other:	вте	BTE	心	EPA	EPA	EPA	EPA	EPA	EPA	Tota	Non	Ö	2	$\underline{\hspace{0.1cm}}$	ð	8	Lead		Star	Rus	Ę.
1 ·	1AY	7/24/99	1145	<u> </u>	X				X				X												$\times$					_		X		X		
	Ay 1-2		1145	<u> </u>					Ш																Х				$\dashv$	$\dashv$		X				
3 · H			1145	ļ	$\sqcup$								_ _					$\overline{}$							X				-	<del> </del>	-	X				
4' (-	1441-7	-	1215	├	-				$\square$				+		·		X								X		٠,		$\dashv$	$\dashv$				- -		
2, 1	AY2-1 1Ar2-2		1015	├					$\left  - \right  \cdot \left  \cdot \right $				- -												<del>(</del> )							X		+		
61 [	14/2 2	$\vdash\vdash\vdash$	1015		-		$\vdash\vdash$		$\left  - \right  \left  \right $				+-												$\langle \cdot \rangle$				$\dashv$	$\dashv$		X		+	$\dashv$	-
	1AY2-3	$\vdash \vdash$	10/5	├	Н	-	$\vdash\vdash$		$ \cdot $				1-		-		<u></u>								$\Diamond$					-	+	<u>7</u>		+	$\dashv$	
	1AYZ-4	<del>    -   -</del>	1110	├	<del>                                     </del>	<u> </u>	<b> </b>		╌┦╼┨				-	-			_X	X		-					쉿						-	X	-	+		
	1A43-1	1	1350	╟					$\forall$				$\bigvee$		—										$\Leftrightarrow$							쉵	$\dashv$	$\Psi$	$\rightarrow$	$\dashv$
	ighed by:	_Ч	1,20	L	W	Rec	ejxe	d Kv:			!		<u>~</u>			Reli	nguis	shed	by:			1			$^{\leftarrow}$	Rec	eived	d by:	<u>_</u> L			$\sim$ 1		<u> </u>		$\dashv$
	1hw-C						eiye	On	WK	1																		,-								_
Date:_(	117/26/95	Time:	091	5		Date	e: 7	261	95	۲	Time	e: /	7,2	>	]	Date	e:					Time	e:			Date	):						Time	):		

SPARG. 'TEUHNULOGY, IN	<i>IC.</i>	CHAIN OF CUSTODY HEC	<b>10</b> Hp	· · · · · · · · · · · · · · · · · · ·
Analytical Laboratory	Phone: (916) 362-8947	C.O.C. No. 10437		(5799.)
3050 Fite Circle, #112 Sacramento, CA 95827	FAX: (916) 362-0947	Page Z of Z	STAL Invoice	Number:
Company: GEOCON	Phone:	ANALY	SIS REQUEST	
Project Manager:	FAX:	REMARKS: CT 534202		Sampler's Name:
Report Address: Billing Na	ame & Address:			JEREMEY
		HOMOGENIZE FOR A	Pb	WESTMARK
		All	None   Some	WESTPIAKK
Project Name:	Project/Job#:	ок	ок ок	WET(STLC)
	58100-06-31	Cooler Temp. °C		
Project Location:	P.O.#:	Sample Condition		TCLP
		pH		
	Preservative	TCLP	<del></del>	Total
Sampling C	container Used Matrix			X TAT
NO. SAMPLE ID Date Time 85 Seeve 12	1 1 2 1 2 1 2 2 1 2 1 1 1 1 1	BTEX (602/8020)503.1 BTEXTPHgas (602/8020/8015)  [PHdiesel PHmotor oil/kerosene(8015) EPA 601/8010/502.2/504 EPA 602/8020 EPA 608/8080 (PcB'S) EPA 608/8080 (PcB'S) EPA 624/8240/524.2 EPA 625/8270/525	Non-Polar O & G/TRPH (418.1) Organic Lead	CAM-17 Metals CAM-5 Metals (Cd, Cr, Pb, Ni, Zn) Lead Standard Rush Services (72hr / 48hr / 24hr / 12hr) Holiday/Weekend Rush
NO. SAMPLE ID Date Time $\frac{1}{9}$ $\frac{1}{6}$				
2. HAYY-1 1445 1				
31 HAYY-2' / 1445				
4º 1tAy 4 -3 1445			!	X
5, HAYY-4 1505 6, HAY5-1 1530		XX	<del></del>	
61 HAY5-1 1530		X		X
7, HAY 5-2 1530				
81 HAY5-3 1530		X		X
91 HAY5-4 V 1600 V	<b>y</b>	XX		V
10				
Relinguished by:	Received by:	Relinguished by:	Received by:	
Date: 7/26/95 Time: 09/5	Date: 7/24/96 Time: 9:25	Date: Time:	Date:	Time:

APPENDIX E



Mr. Rick Walls Geocon Environmental 3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 RECEIVED
AUG 19 1995
BY:

August 16, 1995

Dear Mr. Walls:

Enclosed is the report for the twenty two (22) soil and two (2) water samples. The samples were received at Sparger Technology Analytical Lab on July 26, 1995.

The samples were received in twenty two (22) stainless steel sleeves, four (4) 40 mL VOA vials, and two (2) 1 L amber bottles. The samples were transported and received under documented chain of custody and stored at four (4) degrees C until analysis was performed.

The report consists of the following sections:

- I. Sample Description
- II. Analysis Request
- III. Quality Control Report
- IV. Analysis Results

No problems were encountered with the analysis of your samples.

If you have questions, please feel free to call.

Sincerely,

R. L. James

**Principal Chemist** 





#### Sample Description

See attached Samples Description Information.

The samples were received under chain-of-custody.

#### Il Analysis Request

The following analytical tests were requested:

Lab ID	Your ID	Analysis Description
ST95-07-1985A	OAK1-1	Total Oil & Grease
ST95-07-1986A	OAK1-1	Total Lead
ST95-07-1987A	OAK1-2	Total Oil & Grease
ST95-07-1988A	OAK1-2	Total Lead
ST95-07-1989A	OAK1-3	Total Oil & Grease
ST95-07-1990A	OAK1-3	Total Lead
ST95-07-1991A	OAK1-4	TPHgas & BTEX
ST95-07-1992A	OAK1-4	Total Oil & Grease
ST95-07-1993A	OAK2-1	Total Oil & Grease
ST95-07-1994A	OAK2-1	Total Lead
ST95-07-1995A	OAK2-2	Total Oil & Grease
ST95-07-1996A	OAK2-2	Total Lead
ST95-07-1997A	OAK2-3	Total Oil & Grease
ST95-07-1998A	OAK2-3	Total Lead
ST95-07-1999A	OAK2-4	TPHgas & BTEX
ST95-07-2000A	OAK2-4	Total Oil & Grease
ST95-07-2001A	OAK3-1	Total Lead
ST95-07-2002A	OAK3-2	Total Lead
ST95-07-2003A	OAK3-3	Total Lead
ST95-07-2004A	OAK4-1	CAM 17 Metals
ST95-07-2005A	OAK4-2	CAM 17 Metals
ST95-07-2006A	OAK4-3	CAM 17 Metals
ST95-07-2007A	OAK5-1	Total Oil & Grease
ST95-07-2008A	OAK5-1	Total Lead
ST95-07-2009A	OAK5-2	Total Oil & Grease
ST95-07-2010A	OAK5-2	Total Lead



Lab ID	Your ID	Analysis Description
ST95-07-2011A ST95-07-2012A ST95-07-2013A ST95-07-2014A ST95-07-2015A ST95-07-2016A ST95-07-2017A ST95-07-2018A ST95-07-2019A ST95-07-2020A ST95-07-2021A ST95-07-2021A ST95-07-2023A ST95-07-2023A ST95-07-2024A ST95-07-2025A	Your ID  OAK6-1  OAK6-1  OAK6-2  OAK6-2  OAK6-3  OAK6-3  OAK7-1  OAK7-1  OAK7-2  OAK7-2  OAK7-3  OAK7-3  OAK2  OAK6	Analysis Description  Total Oil & Grease CAM 17 Metals Total Oil & Grease CAM 17 Metals Total Oil & Grease CAM 17 Metals Total Oil & Grease CAM 17 Metals Total Oil & Grease CAM 17 Metals Total Oil & Grease CAM 17 Metals Total Oil & Grease CAM 17 Metals Total Oil & Grease CAM 17 Metals Total Oil & Grease CAM 17 Metals Total Oil & Grease CAM 17 Metals TPHgas & BTEX TPHdiesel TPHgas & BTEX
ST95-07-2026A	OAK6	TPHdiesel



#### III Quality Control

- A. <u>Project Specific QC.</u> No project specific QC (i.e., spikes and/or duplicates) was requested.
- B. <u>Method Blank Results</u>. A method blank is a laboratory-generated sample which assesses the degree to which laboratory operations and procedures cause false-positive analytical results for your sample.

No target parameters were detected in the method blank associated with your sample at the reporting limit levels noted on the data sheets in the Analytical Results section.

- C. <u>Laboratory Control Spike</u>. A Laboratory Control Spike (LCS) is a sample which is spiked with known analyte concentrations, and analyzed at approximately 10% of the sample load in order to establish method-specific control limits. The LCS results associated with your samples are on the attached Laboratory Control Spike and Laboratory Control Spike Duplicate Analysis Report.
- D. <u>Matrix Spike Results</u>. A Matrix Spike is a sample which is spiked with known analyte concentrations, and analyzed at approximately 10% of the sample load in order to establish method-specific control limits. The Matrix Spike results associated with your samples are on the attached Matrix Spike and Matrix Spike Duplicate Analysis Report.

Accuracy is measured by Percent Recovery as in:

% recovery = (measured concentration) x 100 (actual concentration)

#### IV <u>Analysis Results</u>

Results are on the attached data sheets.



# Metal, EPA Method 6010 Project: S8100-06-31 (CT 53W202)

Attention:

Mr. Rick Walls

Geocon Environmental 3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 Date Sampled:

Jul 25, 1995

Date Received: Date Analyzed:

Jul 26, 1995 Jul 28, 1995

Invoice #:

5198

Matrix: Soil

Units: mg/kg

Lab				Omis: mg/kg
Lab	Client	Lead (Pb)	Reporting	Dilution
ID	ID	Result	Limit	1:
ST95-07-1986A	OAK1-1	37	1.0	1
ST95-07-1988A	OAK1-2	130	1.0	1
ST95-07-1990A	OAK1-3	190	1.0	1
ST95-07-1994A	OAK2-1	140	1.0	1 1
ST95-07-1996A	OAK2-2	140	1.0	1
ST95-07-1998A	OAK2-3	410	1.0	1 1
ST95-07-2001A	OAK3-1	78	1.0	1 1
ST95-07-2002A	OAK3-2	340	1.0	1 1
ST95-07-2003A	OAK3-3	12	1.0	1
ST95-07-2008A	OAK5-1	28	1.0	1
ST95-07-2010A	OAK5-2	73	1.0	1

ppm = parts per million = mg/kg = milligrams per kilogram

NO = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995

Date Reported



Attention:

Mr. Rick Walls

Geocon Environmental

3235 Sunrise Blvd., Suite 6

Rancho Cordova, CA 95742

Date Sampled:

Jul 25, 1995

Date Received: Date Analyzed:

Jul 26, 1995

ed: Aug 2, 1995

Project #:

\$8100-06-31

Project Name:

CT 53W202

Client ID:

OAK4-1

LAB ID:

ST95-07-2004A

Matrix:

Soil

Dilution:

		Reporting	
Name	Amount	Limit	Units
'Antimony (Oh)		: •	
Antimony (Sb)	ND	6.0	mg/Kg
Arsenic (As)	ND	10	mg/Kg
Barium (Ba)	58	10	mg/Kg
Beryllium (Be)	ND	0.50	mg/Kg
Cadmium (Cd)	ND	0.50	mg/Kg
Chromium (Cr)	28	1.0	mg/Kg
Cobait (Co)	6.1	5.0	mg/Kg
Copper (Cu)	15	2.5	mg/Kg
Lead (Pb)	24	1.0	mg/Kg
Mercury (Hg)	0.12	0.010	mg/Kg
Molybdenum (Mo)	ND	4.0	mg/Kg
Nickel (Ni)	24	4.0	mg/Kg
Selenium (Se)	ND	10	mg/Kg
Silver (Ag)	ND	1.0	mg/Kg
Thallium (TI)	ND	10	mg/Kg
Vanadium (V)	23	5.0	mg/Kg
Zinc (Zn)	40	1.5	mg/Kg

ppm= parts per million = mg/Kg = milligram per Kitogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit

# James

R. L. James, Principal Chemist

Aug 4, 1995

Date



# Metals, CAM 17 EPA Method 6010/7000 Modified

Attention:

Mr. Rick Walls

Date Sampled:

Jul 25, 1995

Geocon Environmental

Date Received:

Jul 26, 1995

3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 Date Analyzed:

Aug 2, 1995

Project #:

S8100-06-31

Project Name:

CT 53W202

Client ID:

OAK4-2

LAB ID:

ST95-07-2005A

Matrix:

Soil

Dilution:

,		Reporting	
Name	Amount	Limit	Units
Author to the			
Antimony (Sb)	ND	6.0	mg/Kg
Arsenic (As)	ND	10	mg/Kg
Barium (Ba)	120	10	mg/Kg
Beryllium (Be)	ND	0.50	mg/Kg
Cadmium (Cd)	. 0.55	0.50	mg/Kg
Chromium (Cr)	42	1.0	mg/Kg
Cobalt (Co)	7.7	5.0	mg/Kg
Copper (Cu)	35	2.5	mg/Kg
Lead (Pb)	230	1.0	mg/Kg
Mercury (Hg)	0.11	0.010	mg/Kg
Molybdenum (Mo)	ND	4.0	mg/Kg
Nickel (Ni)	40	4.0	mg/Kg
Selenium (Se)	· ND	10	mg/Kg
Silver (Ag)	ND	1.0	mg/Kg
Thallium (TI)	ND	10	mg/Kg
Vanadium (V)	29	5.0	mg/Kg
Zinc (Zn)	150	1.5	mg/Kg
	_		

ppm= parts per million = mg/Kg ≃ milligram per Kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit

R. L. James, Principal Chemist

Aug 4, 1995

Date



# Metals, CAM 17 EPA Method 6010/7000 Modified

Attention:

Mr. Rick Walls

Date Sampled:

Jul 25, 1995

Geocon Environmental

Date Received:

Jul 26, 1995

3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 Date Analyzed: Aug 2, 1995

Project #:

\$8100-06-31

Project Name:

CT 53W202

Client ID:

OAK4-3

LAB ID:

ST95-07-2006A

Matrix:

Soil

Dilution:

		Reporting	
Name Name	Amount	Limit	Units
Antimoru (Oh)			w•
Antimony (Sb)	ND	6.0	mg/Kg
Arsenic (As)	ND	10	mg/Kg
Barium (Ba)	64	10	mg/Kg
Beryllium (Be)	ND	0.50	mg/Kg
Cadmium (Cd)	ND	0.50	mg/Kg
Chromium (Cr)	29	1.0	mg/Kg
Cobalt (Co)	ND	5.0	mg/Kg
Copper (Cu)	11	2.5	mg/Kg
Lead (Pb)	94	1.0	mg/Kg
Mercury (Hg)	0.34	0.010	mg/Kg
Molybdenum (Mo)	ND	4.0	mg/Kg
Nickel (Ni)	21	4.0	mg/Kg
Selenium (Se)	ND	10	mg/Kg
Silver (Ag)	ND	1.0	mg/Kg
Thallium (TI)	ND	10	mg/Kg
Vanadium (V)	18	5.0	mg/Kg
Zinc (Zn)	78	1.5	mg/Kg

ppm= parts per million = mg/Kg = milligram per Kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995

Date



# Metals, CAM 17 EPA Method 6010/7000 Modified

Attention:

Mr. Rick Walls

Date Sampled:

Jul 25, 1995

Geocon Environmental

Date Received:

Jul 26, 1995

3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 Date Analyzed:

Aug 2, 1995

Project #:

S8100-06-31

Project Name:

CT 53W202

Client ID:

OAK6-1

LAB ID:

ST95-07-2012A

Matrix:

Soil

Dilution:

		Reporting	
Name	Amount	Limit	Units
8 10 1m.			
Antimony (Sb)	ND	6.0	mg/Kg
Arsenic (As)	ND	10	mg/Kg
Barium (Ba)	210	10	mg/Kg
Beryllium (Be)	ND	0.50	mg/Kg
Cadmium (Cd)	″ ND	0.50	mg/Kg
Chromium (Cr)	49	1.0	mg/Kg
Cobait (Co)	14	5.0	mg/Kg
Copper (Cu)	19	2.5	mg/Kg
Lead (Pb)	130	1.0	mg/Kg
Mercury (Hg)	0.11	0.010	rng/Kg
Molybdenum (Mo)	ND	4.0	mg/Kg
Nickel (Ni)	54	4.0	mg/Kg
Selenium (Se)	ND	10	mg/Kg
Silver (Ag)	ND	1.0	mg/Kg
Thallium (TI)	ND	10	mg/Kg
Vanadium (V)	40	5.0	mg/Kg
Zinc (Zn)	110	1.5	mg/Kg

ppm= parts per million = mg/Kg = milligram per Kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit

R. L. James, Principal Chemist

Aug 4, 1995

Date



Attention:

Mr. Rick Walls

Date Sampled:

Jul 25, 1995

Geocon Environmental

Date Received:

Jul 26, 1995

3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 Date Analyzed: Aug 2, 1995

Project #:

S8100-06-31

Project Name:

CT 53W202

Client ID:

OAK6-2

LAB ID:

ST95-07-2014A

Matrix:

Soil

Dilution:

		Reporting	
Name	Amount	Limit	Units
Antimony (Sb)	ND	6.0	mg/Kg
Arsenic (As)	ND	10	mg/Kg
Barium (Ba)	120	10	mg/Kg
Beryllium (Be)	ND	0.50	mg/Kg
Cadmium (Cd)	ND	0.50	mg/Kg
Chromium (Cr)	45	1.0	mg/Kg
Cobalt (Co)	7.8	5.0	mg/Kg
Copper (Cu)	19	2.5	mg/Kg
Lead (Pb)	67	1.0	mg/Kg
Mercury (Hg)	0.096	0.010	mg/Kg
Molybdenum (Mo)	ND	4.0	mg/Kg
Nickel (Ni)	46	4.0	mg/Kg
Selenium (Se)	ND	10	mg/Kg
Silver (Ag)	ND	1.0	mg/Kg
Thallium (TI)	ND	10	mg/Kg
Vanadium (V)	31	5.0	mg/Kg
Zinc (Zn)	··· 68	1.5	mg/Kg

ppm= parts per million = mg/Kg = milligram per Kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995

Date





Attention:

Mr. Rick Walls

Date Sampled:

Jul 25, 1995

Geocon Environmental

Date Received: Date Analyzed:

Jul 26, 1995

3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 Aug 2, 1995

Project #:

S8100-06-31

Project Name:

CT 53W202

Client ID:

**OAK6-3** 

LAB ID:

ST95-07-2016A

Matrix:

Soil

Dilution:

		Reporting	
Name	Amount	Limit	Units
Antimony (Sh)			-
Antimony (Sb)	ND:	6.0	mg/Kg
Arsenic (As)	ND	10	mg/Kg
Barium (Ba)	9 <b>6</b>	10	mg/Kg
Beryllium (Be)	ND	0.50	mg/Kg
Cadmium (Cd)	ND	0.50	mg/Kg
Chromium (Cr)	38	1.0	mg/Kg
Cobalt (Co)	8.5	5.0	mg/Kg
Copper (Cu)	19	e <b>2.5</b>	mg/Kg
Lead (Pb)	41	1.0	mg/Kg
Mercury (Hg)	0.020	0.010	mg/Kg
Molybdenum (Mo)	ND	4.0	mg/Kg
Nickel (Ni)	41	4.0	mg/Kg
Selenium (Se)	ND	10	mg/Kg
Silver (Ag)	ND	1.0	mg/Kg
Thallium (TI)	ND	10	mg/Kg
Vanadium (V)	33	5.0	mg/Kg
Zinc (Zn)	45	1.5	mg/Kg

ppm= parts per million = mg/Kg = milligram per Kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

7170

Aug 4, 1995

Date

R. L. James, Principal Chemist



Attention:

Mr. Rick Walls

Date Sampled:

Jul 25, 1995

Geocon Environmental

Date Received:

Jul 26, 1995

3235 Sunrise Blvd., Suite 6

Date Analyzed:

Rancho Cordova, CA 95742

Aug 2, 1995

Project #:

S8100-06-31

Project Name:

CT 53W202

Client ID:

**OAK7-1** 

LAB ID:

ST95-07-2018A

Matrix:

Soil

Dilution:

•		Reporting	
Name	Amount	Limit	Units
Antimony (Sb)	ND	6.0	ma/Ka
Arsenic (As)	ND	10	mg/Kg mg/Kg
Barium (Ba)	48	10	mg/Kg
Beryllium (Be)	ND	0.50	mg/Kg
Cadmium (Cd)	ND	0.50	mg/Kg
Chromium (Cr)	32	1.0	mg/Kg
Cobalt (Co)	ND	5.0	mg/Kg
Copper (Cu)	130	2.5	mg/Kg
Lead (Pb)	3.1	1.0	mg/Kg
Mercury (Hg)	0.052	0.010	mg/Kg
Molybdeпum (Mo)	ND	4.0	mg/Kg
Nickel (Ni)	21	4.0	mg/Kg
Selenium (Se)	ND	10	mg/Kg
Silver (Ag)	ND	1.0	mg/Kg
Thallium (TI)	ND	10	mg/Kg
Vanadium (V)	21	5.0	mg/Kg
Zinc (Zn)	54	1.5	mg/Kg

ppm= parts per million = mg/Kg ≈ milligram per Kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995



Attention:

Mr. Rick Walls

Date Sampled:

Jul 25, 1995

Geocon Environmental

Date Received:

Jul 26, 1995

3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 Date Analyzed:

Aug 2, 1995

Project #:

S8100-06-31

Project Name:

CT 53W202

Client ID:

OAK7-2

LAB ID:

ST95-07-2020A

Matrix:

Soil

Dilution:

		Reporting	
Name	Amount	Limit	Units
Antimony (Sb)	ND	6.0	mg/Kg
Arsenic (As)	ND .	10	mg/Kg
Barium (Ba)	44	10	mg/Kg
Beryllium (Be)	NĎ	0.50	mg/Kg
Cadmium (Cd)	ND	0.50	mg/Kg
Chromium (Cr)	32	1.0	mg/Kg
Cobalt (Co)	ND	5.0	mg/Kg
Copper (Cu)	240	2.5	mg/Kg
Lead (Pb)	2.7	1.0	mg/Kg
Mercury (Hg)	0.023	0.010	mg/Kg
Molybdenum (Mo)	ND	4.0	mg/Kg
Nickel (Ni)	19	4.0	mg/Kg
Selenium (Se)	ND	10	mg/Kg
Silver (Ag)	ND	1.0	mg/Kg
Thallium (TI)	ND	10	mg/Kg
Vanadium (V)	20	5.0	mg/Kg
Zinc (Zn)	40	1.5	mg/Kg

ppm= parts per million = mg/Kg = milligram per Kilogram

NO = Not Detected. Compound(s) may be present at concentrations below the detection limit.

Hames

R. L. James, Principal Chemist

Aug 4, 1995

Date



Attention:

Mr. Rick Walls

Date Sampled: Date Received: Jul 25, 1995

**Geocon Environmental** 3235 Sunrise Blvd., Suite 6 Jul 26, 1995

Rancho Cordova, CA 95742

Aug 2, 1995

. Project #:

S8100-06-31

Project Name:

Date Analyzed:

CT 53W202

Client ID:

**OAK7-3** 

LAB ID:

ST95-07-2022A

Matrix:

Soil

Dilution:

		Reporting	
Name	Amount	Limit	Units
Antimore (Ob)		-	
Antimony (Sb)	ND	6.0	mg/Kg
Arsenic (As)	ND .	10	mg/Kg
Barium (Ba)	37	10	mg/Kg
Beryllium (Be)	ND	0.50	mg/Kg
Cadmium (Cd)	ND	0.50	mg/Kg
Chromium (Cr)	36	1.0	mg/Kg
Cobait (Co)	ND	5.0	mg/Kg
Copper (Cu)	5.2	2.5	mg/Kg
Lead (Pb)	2.9	1.0	mg/Kg
Mercury (Hg)	0.012	0.010	mg/Kg
Molybdenum (Mo)	ND	4.0	mg/Kg
Nickel (Ni)	20	4.0	mg/Kg
Selenium (Se)	ND	10	mg/Kg
Silver (Ag)	ND	1.0	mg/Kg
Thallium (TI)	ND	10	mg/Kg
Vanadium (V)	23	5.0	mg/Kg
Zinc (Zn)	16	1.5	mg/Kg

ppm= parts per million = mg/Kg = milligram per Kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist



# Metals, CAM 17 Soil LCS / LCSD Recoveries

Attention:

Mr. Rick Walls

Geocon Environmental 3235 Sunrise Blvd., Suite 6

Rancho Cordova, CA 95742

Date Sampled:

Jul 25, 1995

Date Received:

Jul 26, 1995

Date Analyzed:

Aug 2, 1995

Project #:

\$8100-06-31

Project Name:

CT 53W202

Client ID:

LCS/LCSD

LAB ID:

950727D

Matrix:

Soil

Dilution:

Units: (ma/Ka)

						ls: (mg/Kg)
<b>-</b> 1	Spike		LCS %		LCSD %	%
Element	Conc.	LCS	Recovery	LCSD	Recovery	RSD
Antimony (Sb)	50	52	104%	53	106%	2%
Arsenic (As)	50	54	108%	53	106%	2%
Barium (Ba)	50	50	100%	52	104%	4%
Beryllium (Be)	10	9.8	98%	10	100%	2%
Cadmium (Cd)	20	21	105%	22	110%	5%
Chromium (Cr)	50	<b>52</b> .	104%	54	108%	4%
Cobalt (Co)	20	20	100%	21	105%	5%
Copper (Cu)	50	47	94%	49	98%	4%
Lead (Pb)	50	49	98%	50	100%	2%
Mercury (Hg)	0.050	0.049	98%	0.047	94%	4%
Molybdenum (Mo)	20	22	110%	23	115%	4%
Nickel (Ni)	50	54	108%	<b>5</b> 5	110%	2%
Selenium (Se)	50	57	114%	57	114%	0%
Silver (Ag)	5.0	4.8	96%	5.0	100%	4%
Thallium (TI)	50	49	98%	51	102%	4%
Vanadium (V)	20	20	100%	20	100%	0%
Zinc (Zn)	50	52	104%	<b>5</b> 5	110%	6%

ppm= parts per million = mg/Kg = milligram per Kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

NR = Not Requested

R. L. James, Principal Chemist

Aug 4, 1995

Date Reported



# Metals, CAM 17 Soil MS / MSD Recoveries

Attention:

Mr. Rick Walls

Geocon Environmental

3235 Sunrise Blvd., Suite 6

Rancho Cordova, CA 95742

Date Sampled:

Jul 25, 1995

Date Received:

Jul 26, 1995

Date Analyzed:

Aug 2, 1995

Project #:

S8100-06-31

Project Name:

CT 53W202

Client ID:

MS/MSD

LAB ID:

ST95-07-1986A MS ST95-07-1986A MSD

Matrix:

Soil

Dilution:

	Sample	Spike		MS %		MSD %	%
Element	Conc.	Conc.	MS	Recovery	MSD	Recovery	RSD
Antimony (Sb)	ND	50	31	62%	25	50%	21%
Arsenic (As)	ND	50	57	114%	51	102%	11%
Barium (Ba)	76	50	130	108%	130	108%	0%
Beryllium (Be)	ND	50	9.3	19%	8.5	17%	11%
Cadmium (Cd)	· ND	20	21	105%	19	95%	10%
Chromium (Cr)	43	50	100	114%	97	108%	5%
Cobalt (Co)	9.2	20	28	94%	27	89%	5%
Copper (Cu)	14	50	60	92%	58	88%	4%
Lead (Pb)	28	50	78	100%	72	88%	13%
Mercury (Hg)	0.12	0.050	0.18	120%	0.16	80%	40%
Molybdenum (Mo)	ND	20	20	100%	17	85%	16%
Nickel (Ni)	50	50	100	100%	100	100%	0%
Selenium (Se)	ND	50	42	84%	38	76%	
Silver (Ag)	ND	5.0	4.5	90%	4.2	84%	10%
Thallium (TI)	ND	50	43	86%	4.2 39		7%
Vanadium (V)	31	20	54	115%	55	78%	10%
Zinc (Zn) pm= parts per million = mg/Kg =	50	50	100	100%	100	120% 100%	4% 0%

ND = Not Detected Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995

Date Reported



## 8020/8015 Modified Analysis Report

Attention:

Mr. Rick Walls

Date Sampled:

Jul 25, 1995

Geocon Environmental

Date Received:

Jul 26, 1995

3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 Date Analyzed:

Jul 28, 1995

Project ID:

S8100-06-31

Project Name:

CT 53W202

Client ID:

OAK1-4

LAB ID:

ST95-07-1991A

Matrix:

Soil

Dilution:

1:

Name	Amount	Detection Limits	Units
Benzene	ND	0.005	mg/kg
Toluene	ND	0.005	mg/kg
Ethylbenzene	ND	0.005	mg/kg
Xylenes	ND	0.005	mg/kg
TPHgas	ND	1.0	mg/kg
Surrogate % Recovery of TFT=	54% *		

ppb = parts per billion = ug/kg = micrograms per kilogram

R. L. James, Principal Chemist

Aug 4, 1995

Date

ppm= parts per million = mg/kg = milligrams per kilogram

NO = Not Detected Compound(s) may be present at concentrations below the detection limit

^{*} Low surrogate recovery due to matrix effects.



#### 8020/8015 Modified Analysis Report

Attention:

Mr. Rick Walls

Date Sampled:

Jul 25, 1995

Geocon Environmental

Date Received:

Jul 26, 1995

3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742 Date Analyzed:

Jul 28, 1995

Project ID:

S8100-06-31

Project Name:

CT 53W202

Client ID:

OAK2-4

LAB ID:

ST95-07-1999A

Matrix:

Soil

Dilution:

1:

·		Detection	
Name	Amount	Limits	Units
Benzene	ND	0.005	mg/kg
Toluene	ND	0.005	mg/kg
Ethylbenzene	ND	0.005	mg/kg
Xylenes	ND	0.005	mg/kg
TPHgas	ND	1.0	mg/kg
Surrogate % Recovery of TFT=	80%		

ppb = parts per billion = ug/kg = micrograms per kilogram ppm= parts per million = mg/kg = milligrams per kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

NR = Not Requested

R. L. James, Principal Chemist

Aug 4, 1995



## 8020/8015 Modified Analysis Report

Attention:

Mr. Rick Walls

Date Sampled:

Jul 25, 1995

Geocon Environmental

Date Received: Jul 26

Jul 26, 1995

3235 Sunrise Blvd., Suite 6

Date Analyzed: Jul 28, 1995

TPHgas & BTEX

Rancho Cordova, CA 95742

Date Analyzed:

Aug 1, 1995

TPHdiesel

Project #:

S8100-06-31

Project Name:

CT 53W202

Client ID:

OAK2

LAB ID:

ST95-07-2023A TPHgas & BTEX

ST95-07-2024A TPHdiesel

Matrix:

Water

Dilution:

Name	Amount	Detection Limit	Units
Benzene	ND	0.3	ug/L
Toluene	ND	0.3	ug/L
Ethylbenzene	ND	0.3	ug/L
Xylenes	ND	0.3	ug/L
TPHgas	ND	50	ug/L
TPHdiesel	ND	50	ug/L
Surrogate % Recovery of 1	rifluorotoluene =	100%	

ppb = parts per billion = ug/L = micrograms per Liter

ppm= parts per million = ug/mt, = micrograms per milliliter

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995

Date



## 8020/8015 Modified Analysis Report

Attention:	Mr. Rick Walls Geocon Environmental 3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742	Date Sampled: Date Received: Date Analyzed: Date Analyzed:	Jul 26, 1995 Jul 28, 1995	TPHgas & BTEX TPHdiesel
Project #:	S8100-06-31	Project Name:	CT 53W202	
Client ID:	OAK6	LAB ID:		TPHgas & BTEX
Matrix:	Water	Dilution:	ST95-07-2026A	TPHdiesel
Name	Amount	l .	Detection Limit	Units
Benzene	ND	·	0.3	ug/L
Toluene	ND		0.3	ug/L .
Ethylbenzene	ND	•	0.3	ug/L
Xylenes	ND		0.3	ug/L
TPHgas	ND		50	ug/L
TPHdiesel	ND		50	ug/L
Surrogate % F	Recovery of Trifluorotoluene =	. 98%	6	

ppb = parts per billion = ug/L = micrograms per Liter

ppm= parts per million = ug/ml, = micrograms per milliliter

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995



# 8020 Modified Matrix Spike (MS) & Matrix Spike Duplicate (MSD) **BTEX Analysis Report**

Attention:

Mr. Rick Walls

**Geocon Environmental** 

3235 Sunrise Blvd., Suite 6

Rancho Cordova, CA 95742

Date Sampled:

Jul 25, 1995

Date Received: Date Analyzed:

Jul 26, 1995 Jul 28, 1995

S8100-06-31

Project Name:

CT 53W202

Client ID:

Project ID:

MS/MSD (Batch)

LAB ID:

ST95-07-1922A MS ST95-07-1922A MSD

Matrix:

Soil

Dilution:

Name	Conc. Spike Added	Sample Result	MS Result	MSD Result	. Units	MS % Recovery	MSD % Recovery	% RPD Recovery
Benzene	30 ppb	ND	30	31	ug/kg	100%	103%	3%
Toluene	30 ppb	ND	28	31	ug/kg	93%	103%	10%
Ethylbenzene	30 ppb	ND	27	30	ug/kg	90%	100%	11%
Xylenes	30 ppb	ND	27	30	ug/kg	90%	100%	11%
Surrogate % Recovery of Trifluorotoluene =				102%	MS	103%	MSD	·

ppb = parts per billion = ug/kg = micrograms per kilogram

ppm= parts per million = ug/g = micrograms per gram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995



# 8020 Modified Laboratory Control Spike (LCS) & Laboratory Control Spike Duplicate (LCSD) BTEX Analysis Report

Attention:

Mr. Rick Walls

Geocon Environmental

3235 Sunrise Blvd., Suite 6

Rancho Cordova, CA 95742

Date Sampled: Date Received:

Jul 25, 1995

Jul 26, 1995

Date Analyzed:

Jul 28, 1995

Project ID:

S8100-06-31

Project Name:

CT 53W202

Client ID:

LCS/LCSD

LAB ID:

ST95-07-028 LCS ST95-07-028 LCSD

Matrix:

Soil

Dilution:

1000	1000	 	

Name	Spike Added	Sample Result	LCS Resuit	LCSD Resuit	Units	LCS % Recovery	LCSD % Recovery	% RPD Recovery
Benzene	30 ppb	ND	25	30	ug/kg	83%	100%	18%
Toluene	30 ppb	ND	28	29	ug/kg	93%	97%	4%
Ethylbenzene	30 ppb	ND	26	29	ug/kg	87%	97%	11%
Xylenes	30 ppb	ND	25	28	ug/kg	83%	93%	11%
Surrogate % R	ecovery of Trif	luorotoluen	ne =	84%	LCS	100%	LCSD	

ppb = parts per billion = ug/kg = micrograms per kilogram

ppm= parts per million = ug/g = micrograms per gram

NO = Not Detected. Compound(s) may be present at concentrations below the detection limit.

R. L. James, Principal Chemist

Aug 4, 1995 Date Reported



#### 8015 Modified Laboratory Control Spike (LCS) & Laboratory Control Spike Duplicate (LCSD) **TPHdiesel Analysis Report**

Attention:

Mr. Rick Walls

Date Sampled:

Jul 25, 1995

Geocon Environmental

Date Received: Jul 26, 1995

3235 Sunrise Blvd., Suite 6 Rancho Cordova, CA 95742.

Date Analyzed: Aug 1, 1995

Project ID:

S8100-06-31

Project Name:

CT 53W202

Client ID:

LCS/LCSD

LAB ID:

ST95-08-001 LCS ST95-08-001 LCSD

Matrix:

Water

Dilution:

Name	Conc. Spike Added	Sample Result	LCS Result	LCSD Result	Units	LCS % Recovery	LCSD % Recovery	% RPD Recovery
TPHdiesel	600 ppb	ND	707	722	ug/L	118%	120%	2%

ppb = parts per billion = ug/L = micrograms per Liter

R. L. James, Principal Chemist

Aug 4, 1995

Date Reported

ppm= parts per million = ug/g = micrograms per gram

NO = Not Detected. Compound(s) may be present at concentrations below the detection limit.





# 5520 F. Modified Analysis Report Project: S8100-06-31 (CT 53W202)

Attention:

Mr. Rick Walls

Geocon Environmental

3235 Sunrise Blvd., Suite 6

Rancho Cordova, CA 95742

Date Sampled:

Jul 25, 1995

Date Received:

Jul 26, 1995

Date Analyzed:

Jul 31, 1995

Invoice #:

5198

Matrix: Soil

Units: mg/kg

	· · · · · · · · · · · · · · · · · · ·	<b></b>	<u> </u>	Units: mg/kg
Lab ID	Client		Reporting	Dilution
	ID	Amount	Limit	1:
ST95-07-1985A	OAK1-1	150	50	1
ST95-07-1987A	OAK1-2	65	50	1
ST95-07-1989A	OAK1-3	95	50	1
ST95-07-1992A	OAK1-4	ND	50	1
ST95-07-1993A	OAK2-1	280	50	1
ST95-07-1995A	OAK2-2	3300	50	1
ST95-07-1997A	OAK2-3	120	50.	1
ST95-07-2000A	OAK2-4	. ND	50	1
ST95-07-2007A	OAK5-1	170	50	1
ST95-07-2009A	OAK5-2	380	50	
ST95-07-2011A	OAK6-1	110	50	1
ST95-07-2013A	OAK6-2	ND	50	1
ST95-07-2015A	OAK6-3	8000	50	1
ST95-07-2017A	OAK7-1	ND	50	1
ST95-07-2019A	OAK7-2	ND	50	1
ST95-07-2021A	OAK7-3	ND	50	1

ppb = parts per billion = ug/L = micrograms per Liter

ppm = parts per million = ug/g = micrograms per gram

ppm = parts per million = mg/kg = milligrams per kilogram

ND = Not Detected. Compound(s) may be present at concentrations below the detection limit.

A James

R. L. James, Principal Chemist

Aug 3, 1995

Date Reported

3	rARu⊾.?T∈	∪ಗ∖	ULU	Gγ,	. //\	IC.										įΰ	:H	YII.	O	ŀυ	JUS	Sic	וטנ	/ hi	ĽŮ	(O)	۲IJ						,			,
A	nalytical Labo	rator	y						. Pl	none:	(916	362	2-894	17		C	.O.	C.	No	<b>).</b>	10	14:	39										(	519	10	1
,	50 Fite Circle, #112 Sa			827						FAX:	(916	362	2-094	7							3						STA	AL II	nvoid	ce N	lum'	ber:		'/	0	,'
Co	mpany: GEO	لىم					P	hone:	(9	16)	85	2 - 0	911	8										ANA	ALY:	SIS	REC	QUE	ST							
_	ject Manager:	_						FAX:	(9	16)	83	72 -	- 9	/32	<u>-</u>	RI	EMA	RK	S:	_	-T	53	sω	20	2		-			Sa	ımpl	er's l	Nan	ne:		
Hep	oort Address; 235 SUNRISE	. 0		Billir 41	ng Na	ame &	k Add	ress:								ĺ														J	TE/	REM	1E)	J		
0	Adda Gaa		.VV. :	H-60		· •											He	οM.	06	·ΕΛ	//26	=	6	Q	M	FΤ	AI	c		ŀ	h	REM	·	1A 1	RK.	
	ANCHO GRA	OVA,	4	42	74	12											<u></u>					<del>-</del>	, 0	T	All	N	one	<u>Ts</u>	ome	┨					•	
Proj	ect Name:						ject/J				_					1						<u> </u>			DK_		ЭK_	(	ОК	٧	VET(	(STL	<u>C)</u>	Т		
		. •				S	81	00-	-06	<u> </u>	3 (					Cooler Temp. °C																		]		
Proje	ect Location:			:			P	.O.#:								Sample Condition										_	_	$\perp$	-	_	TC	CLP		]		
		<del></del> -		T-		Preservative										þН												上	·	L			·			
		6	npling	1		ontal			1			1					1		<del></del>	т—	, -	TO	CLP	1	, ··-	<del>,</del>	- ₁		_ <b></b> _		To	otal				
		381	npinig	╁╴	T-0	ontai	mer	Τ.	╫┈	Used	<u> </u>	├	<u> </u>	latri)	<u>,                                     </u>	├	┼	<del> </del>	-	<del> </del>	-	-	├		ļ	<u> </u>	-	╀	+			X	<u> </u>	<u> </u>	TAT	
NO.		Date		40 mL VOA	Brass Sleeve &	1 L amber bottle	250 mL Plastic	Other:	нсілниозусе)	None	Other:	Water	Soil	Air	Other:	BTEX (602/8020)503.1	BTEX/TPHgas (602/8020/8015)	TPHdiesel/TPHmotor oil/kerosene(8015)	EPA 601/8010/502.2/504	EPA 602/8020	EPA 608/8080 (Pesticides)/505/508	EPA 608/8080 (PCB'S)	EPA 624/8240/524.2	EPA 625/8270/525	Total Oil & Grease (5520)	Non-Polar O & G/TRPH (418.1)	Organic Lead	RCI		CAM-17 Metals	CAM-5 Metals (Cd, Cr, Pb, Ni, Zn)	-ead		Standard	Rush Services (72hr / 48hr / 24hr / 12hr)	Holiday/Weekend Rush
1.	OAKI-I	7/25/95	1220		X		<u> </u>		X				X												X					┪		ХÌ	_	Ϋ́	-	
<u>2·</u>	OAKI-Z	_	1220	_		ļ.,	ļ								<u> </u>										X							X	T			
3.	0AK1-3'	-	1220	<u> </u>	Ц.								Ц_										. —		X					$\neg$		X		$\Pi$		
4.	OAKI-4	<b></b>	1615	<u> </u>		ļ									<u> </u>		X								X								$\neg$	$\prod$		
5.	OAK2-1		1350		-		_						4												X							X		$\prod$		
71	0AKZ-2 0AK2-3	-{	1350	-	-								4			$\blacksquare$									X						م	X		Ш		
			1350								1														X							X		$\prod$		
	OAKZ-4		1415		-				- -				_				X								X											
	OAK3-1	$\neg \vdash$	1330	<u> </u>				$\dashv$	$\forall$		_		-																			X				
l U Relini	OAK3-2		1330		V	Bos	niko	4 500	- 1				V																			X	١	V	$oxed{\int}$	
	guished by					Rec		THE	A						į	Relir	nguis	ned	Dy:						- [	Rece	eiveo	d by:								
ate:	(7/26/95)	Time:	0915			Date	e: 7	/24/	125		Time					Date	:				<u> </u>	Time	<del></del>			 Date							Time	<del></del>		$\dashv$
	•							PLE							DE	FOR	TER	MS	AND	CC	ומאכ	TIO	NS								_		mile	<u> </u>		

31	ARGLATE	:UHI	VULU	Gr,	, IIN	IC.										į ك	H	MIN	Ol	Fu	JS.	iic	Υניי	'n	EC	OF	۱IJ		;	:		:		.بد ر		, V
An	alytical Labo	ratoi	У						PI	none:	(916	362	-894	7		C	.0.	C.	No	).	10	44	10										ر د	19	8	1
3050	Fite Circle, #112 S	acrame	nto, CA 95	827							_(916										3						STA	۱L In	voice	e N	lumi	ber:			_/	.′
Con	npany: G€0	C0/	)				Ph	none:																ANA	\LYS			UES								
Proje	ct Manager:							FAX;								RE	EMA	RKS	<u> </u>	<u>~</u>	 Т		~27.	10	ma	·				Sa	mol	er's l	Nian			
Repo	rt Address:			Billir	ng Na	ame &	Add	ress:								1				<u>_</u>	1	,	٥	<i>,</i> _	U 2					Sa	7	ER I	Nam	رسم		
																-	11		4.0	_ ر		· —		,	- 0	,	11-	. المساس			7	ERE UE	م رات سوری	مرت ررد	ر ص 1	<i>-</i>
																-	170	J/2	(0	6	70	<u> </u>	<u>_</u>		OK. All		one	TAC		ł		<b>√</b> C	3 //	17	(/\./	1
Proje	ct Name:					Pro	ject/J	ob#:								-									ok OK	1	one DK		ome OK		VET	(STLC	<u></u>			
	•		•			- 1	-	81	<i>0</i> Δ	~(	26.	- 7	: 1			Co	oler	Ten	np.				°C		<del>//\</del>		211		<del>//-</del>		11.11	<u> </u>	<i>-</i> )			
Projec	ct Location:							O.#:	- 0	•	•		,					-	ndil	ion		<del> </del>	<del></del>			1		†	-		TC	CLP		l		
																pН	<del>-</del>				· · · ·							1								
									Pre	serv	ative		•									. TO	LP	·		<u> </u>					To	otal		l		
		Sa	mpling		C	onta	iner			Used	đ		М	atrix						Τ				_						Y		X			TAT	
																		15)			<u> </u>									$\sim$						
۷O.	SAMPLE ID O4K3~3	Date 7/25/-	Time	40 mL VOA	A Brass Steeve S	1 L amber bottle	250 mL Plastic	Other:	HCI/HNOS(ICE)	None	Other:	Water	Soil	Air	Other:	BTEX (602/8020)503.1	BTEXTPHgas (602/8020/8015)	TPHdiesel/TPHmotor oil/kerosene(8015)	EPA 601/8010/502.2/504	EPA 602/8020	EPA 608/8080 (Pesticides)/505/508	EPA 608/8080 (PCB'S)	EPA 624/8240/524.2	EPA 625/8270/525	Total Oil & Grease (5520)	Non-Polar O & G/TRPH (418.1)	Organic Lead	RCI		CAM-17 Metals	CAM-5 Metals (Cd, Cr, Pb, Ni, Zn)	Lead		Standard	Rush Services (72hr / 48hr / 24hr / 12hr)	Holiday/Weekend Rush
	DAK4-1	1 1"	1658	一	1				1				十			$\dashv$										-			$\dashv$		$\dashv$	X	┵	취	$\dashv$	
	OAK4-2"		1658	<del>                                     </del>	+								- -											$\dashv$						$\ddot{\chi}$	$\dashv$	$\dashv$	$\dashv$	H		
	0AK4-3	<del>                                     </del>	1658		$\top$	<u> </u>					<del></del>		$\top$											_				-	<del>- :</del>	X		$\dashv$	<del></del>	╁	$\dashv$	$\dashv$
	OAKS-I		1900	-					-				-\-			$\dashv$	-								Y				-	牪		$\overrightarrow{A}$	╌┼	╂┼	$\dashv$	$\dashv$
6.	0AK5-Z		1800			<u> </u>			-1-1				-			_				- · ·	,				$\sim$	$\dashv$				$\dashv$	<del>-</del>	分	$\dashv$	++		ᅴ
71 (	0AK6-1		1041		$\sqcap$				1				$\top$			_	$\dashv$						_	_	$\frac{X}{X}$	-			<del> -</del> ,	ᆉ		X	$\dashv$	${}$		
	OAK6-2		1041										-/-		一			_				-			$\Diamond$				≺	쉬		<del> -</del>	╌┼	╂┼	$\dashv$	
	OAK6-3		1041						71	_			++		— <del>[</del>							-	-		贫			-+	<del>- </del> (	쉬	-		-+	╂┼	$\dashv$	
	0AK7-1 /	$\nabla$	0950		V			一	V	-			V			$\dashv$									$\langle \cdot \rangle$		-	-		$\langle \cdot  $	$\dashv$				+	[
eling	uished by:					Rec	eiveg	by:		 	<b>_</b>	1	<u>.v  </u>	<u> </u>		Relin	guis	hed	by:				<u></u>	i		Rece	eiveç	i by:		<u>X.</u>						$\dashv$
ate:	1/26/95	Time:	0915			Date	<u>; 7</u>	1261	195		Time	: 5	7;2	25-		Date	:				DND	Time	): :			Date	:						Time	<u> </u>		

5	PARGEN TE	:CHN	IULU	GY,	, <i>II</i> \	IC.		•								ΙÚ	H.	AIN	O	Fυ	เปร	iic	<i>י</i> ט/	' H	EÜ	O	۲IJ								~	
Ai	nalytical Labo	rator	У			•			Pi	hone:	: (916	362	2-894	7		C	0.	C.	No	).	10	42	22										5	19	8	1
	0 Fite Circle, #112 S		nto, CA 95	827						FAX:							2/504 croikerosene(8015) 2/504 croisene(8015) 2/505 croisene(8015) 2/505 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506 croisene(8015) 2/506													lum	ber	:			/	
Со	mpany: GEOC	ON					P	hone:																AN	ALY:									<u> </u>		
	ject Manager:	_						FAX:								IR	EMA	RK	S:			_	26	12	のつ	)				وع	mol	er'e	Mar			
Нер	ort Address:			Billi	ng Na	ame 8	& Add	lress:		·					_	1					- 1		<del>ر</del> د د		ے د	-				150	7	51 3 END 1	14011	10. 17		,
l I																	Не	эм	06	EN	112	ہے	F	-DR	· ,	14-1	4/				Ü	4	Es.	-1 1/41	1.R.K	_
							<u></u>									<b> </b> -	,,,				<u> </u>	T	<u> </u>						ome				σ,			٠.
Proje	ect Name:						ojec/J			-/		, ,				7			, ,			_			OK_	1		- 1			VET	(STL	C)	Г		
<b>.</b>	<b> </b>							310	0-	06	د -	1				1-			<u> </u>			_	°C	↓_		ļ		$\perp$		$oxed{oldsymbol{oldsymbol{oldsymbol{eta}}}}$				1		
Proje	ect Location:			•			P	?.O.#:								_	<u>_</u>	e Co	ondi	ion		-		├		<del> </del>		<del>-</del>		<u> </u>		CLP				
		1		7		<del></del> .			Dec	serv	o tive	1				pH	1					<u> </u>	21.0	<u> </u>		<u> </u>		<u> </u>		├						
		Sai	mpling		С	onta	iner		1	Used		֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	M	latrix	,	-	Т	T	T	1	Τ	Τ'	JLP T	<del>                                     </del>	Γ	Т	<u> </u>	Т-	<del></del>	┡		otal	1	1		-
				T.	T		T	T	1		Ī				<del>`</del>	1	<del> </del>	<u>©</u>	<del>                                     </del>	+	-	H	<del> </del>	<del>                                     </del>	<del>                                     </del>	$\vdash$	-	+	+	M	<del> </del>	┢	<del> </del>	├	TAT	_
NO.		Date		40 mL VOA	Brass-Sleeve S		250 mL Plastic	Other:	HCI/HNO3((CE)	None	Other:	Water	Soil	Air	Other:	BTEX (602/8020)503.1	BTEX/TPHgas (602/8020/8015)	TPHdiesel/TPHmotor oil/kerosene(8015)	EPA 601/8010/502.2/504	EPA 602/8020	EPA 608/8080 (Pesticides)/505/508	EPA 608/8080 (PCB'S)	EPA 624/8240/524.2	EPA 625/8270/525	Total Oil & Grease (5520)	Non-Polar O & G/TRPH (418.1)	Organic Lead	ACI		CAM-17 Metals	CAM-5 Metals (Cd. Cr. Pb. Ni, Zn)	Lead			Services (72hr / 48hr / 24hr / 12hr)	iday/Weekend Rush
1.	0AK7-2	125/95	0950		ĺΧ	-	<del> </del>		X				X												X					X						
3.	OAK7-3 OAK2	<del>                                     </del>	0950	$\overline{}$	X		├─		- -				X												X					X						
4 '		11/	<u> </u>	₩	+	X	┼─	<del>  </del>	V			₩	ļ		-		文	$\overset{\sim}{\sim}$												_						
	TRAVE BLANK	1/25/90		ΙŶ	+		<del> </del>	-	Y			Ŷ					^	$\wedge$									-			$\dashv$	$\dashv$	4				
6		1 1/2	<del>                                     </del>		-	<del> </del>	$\vdash$					<u> </u>																$\vdash \vdash$		$\dashv$	_	4				
7			<u> </u>								$\neg$			-										-					$\vdash \vdash$	$\dashv$						
8										$\neg$				-													-	<del>  </del>	┢═╋							
9								П																												
10		_حِا																																		
Relin	guished by:		•			P39	eiyed	d by:	1							Relin	nguis	hed	by:							Rec	eived	i bu								
ate	7/26/95	Time:	091	5		Date	e: 7,	124/	95	Ţ,	Time	: 9	125	_		Date	e:					Time	3·		$\exists$	Date										
	· -							PLE		RE	AD I	REV	ERS	E S	DE	FOR	TEF	MS	ANI	) C	DND	TIO	NS			vale										