



Chevron

June 18, 1993

Chevron U.S.A. Products Company
2410 Camino Ramon
San Ramon, CA 94583

Mr. Edgar Howell
Alameda County Health Care Services
Department of Environmental Health
80 Swan Way, Room 200
Oakland, CA 94621

Marketing Department
Phone 510 842 9500
Site Assessment & Remediation

**Re: Chevron Service Station #9-1583
5509 Martin Luther King Way, Oakland, CA**

Dear Mr. Howell:

Enclosed is the Quarterly Groundwater Monitoring and Sampling Activities report dated May 12, 1993, prepared by our consultant Groundwater Technology, Inc. for the above referenced site. As indicated in the report, groundwater samples collected were analyzed for total petroleum hydrocarbons as gasoline (TPH-G) and BTEX. Benzene was detected only in monitor wells MW-1, MW-2, and MW-6 at concentrations of 670, 5, and 1 ppb, respectively. Separate-phase hydrocarbons were detected in monitor well MW-3 at a measured thickness of 0.01 ft. Depth to groundwater was measured at approximately 9.9 feet to 12.0 feet below grade, and the direction of flow is to the northwest.

Generally, dissolved hydrocarbon concentrations observed in the monitor wells at this site have decreased since the last sampling event. This most likely is associated with a decrease in ground water elevation over the last quarter. Separate-phase hydrocarbons were detected in monitor well MW-3 and may be a result of the rising and falling ground water liberating small amounts of separate phase hydrocarbons previously trapped in the capillary fringe.

Chevron will continue to monitor and sample all wells at this site on a quarterly basis. A work plan is currently being developed for the installation of additional wells to define the extent of the hydrocarbon constituents in the soil and ground water and will be forwarded to you shortly.

If you have any questions or comments, please do not hesitate to contact me at (510) 842-8134.

Very truly yours,
CHEVRON U.S.A. PRODUCTS COMPANY

Mark A. Miller
Site Assessment and Remediation Engineer

Enclosure

cc: Mr. Eddy So, RWQCB - Bay Area
Mr. M.R. Purcell
File (9-1583 QM4)

MAY 17 '93 J.M.M.

GROUNDWATER TECHNOLOGY, INC.

4057 Port Chicago Highway, Concord, CA 94520 (415) 671-2387

FAX (415) 685-9148

May 12, 1993

Project No. 020302228

Mr. Mark Miller
Chevron U.S.A. Products Company
2410 Camino Ramon
San Ramon, CA 94583-0804

SUBJECT: Groundwater Monitoring and Sampling Activities
Chevron Service Station No. 9-1583
5509 Martin Luther King Jr. Way, Oakland, California

Dear Mr. Miller:

Groundwater Technology, Inc. presents the attached quarterly groundwater monitoring and sampling data collected on April 14, 1993. Five of the six groundwater monitoring wells at this site were gauged to measure depth to groundwater (DTW) and to check for the presence of separate-phase hydrocarbons. Monitoring well MW-5 was not monitored or sampled because a car was parked over the well. Separate-phase hydrocarbons were detected in monitoring well MW-3 at a thickness of 0.01 foot. A potentiometric surface map (Figure 1) and a summary of groundwater monitoring data (Table 2) are presented in Attachments 1 and 2, respectively. After the DTW was measured, each monitoring well, except wells MW-3 and MW-5 was purged and sampled. The groundwater samples were analyzed for benzene, toluene, ethylbenzene, and total xylenes and total petroleum hydrocarbons-as-gasoline. Results of the chemical analyses are summarized in Table 1. The laboratory report and chain-of-custody record are included in Attachment 3. Monitoring-well purge water was transported by Groundwater Technology to the Chevron Terminal in Richmond, California for recycling.

Groundwater Technology is pleased to assist Chevron on this project. If you have any questions or comments, please call our Concord, California office at (510) 671-2387.

Sincerely,
Groundwater Technology, Inc.
Written/Submitted by

Tim Watchers


Tim Watchers
Project Geologist

Groundwater Technology, Inc.
Reviewed/Approved by

David R. Kleesattel

David R. Kleesattel
Registered Geologist
No. 5136

For:
John S. Gaines
Vice President, General Manager
West Region





Attachment 1 Figure
Attachment 2 Table
Attachment 3 Laboratory Report

2228R013

ATTACHMENT 1

FIGURE



GROUNDWATER TECHNOLOGY
 4057 PORT CHICAGO HWY
 CONCORD, CA 94520
 (510) 671-2387

**POTENTIOMETRIC SURFACE MAP
 (4/14/93)**

CLIENT: CHEVRON U.S.A. PRODUCTS CO. SERVICE STATION No. 9-1583		LOCATION: 5509 MARTIN LUTHER KING JR. WAY OAKLAND, CALIFORNIA		REV. NO.: 0	DATE: 5/13/93
PM <i>JWS</i>	PE/RG DRK	DESIGNED TW	DETAILED CY	ACAD FILE: PSM593/SP292	PROJECT NO.: 020302228
					FIGURE: 1

ATTACHMENT 2

TABLE

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-1583
5509 Martin Luther King Jr. Way, Oakland, California

Well ID/ Elev	Date	TPH-as- Gasoline	Benzene	Toluene	Ethyl- benzene	Xylenes	DTW (ft)	SPT (ft)	WTE (ft)
MW-1 *81.97/ 82.42	12/22/83	---	---	---	---	---	10.25	0.00	71.72
	12/30/83	---	---	---	---	---	9.17	0.00	72.80
	03/12/90	50,000	3,000	7,300	1,900	18,000	10.08	0.00	71.89
	03/25/90	---	---	---	---	---	10.46	0.00	71.51
	10/18/90	---	---	---	---	---	---	---	---
	10/31/90	---	---	---	---	---	---	---	---
	11/16/90	---	---	---	---	---	11.58	0.00	70.84
	02/08/91	100,000	4,200	8,400	16,000	2,600	10.11	0.00	72.31
	05/08/91	31,000	200	66	670	2,000	10.45	0.00	71.97
	08/12/91	17,000	81	7.2	270	710	11.23	0.00	71.19
	11/07/91	7,100	24	6	130	170	10.70	0.00	71.72
	02/05/92	110,000	8,900	14,000	2,700	12,000	10.37	0.00	72.05
	05/13/92	19,000	450	85	480	870	10.58	0.00	71.84
	07/17/92	8,500	170	<10	360	600	11.05	0.00	71.37
	10/05/92	22,000	4,300	5,100	570	2,900	11.41	0.00	71.01
	11/11/92	---	---	---	---	---	---	---	---
	11/17/92	---	---	---	---	---	---	---	---
	11/24/92	---	---	---	---	---	---	---	---
	12/01/92	---	---	---	---	---	---	---	---
	12/29/92	---	---	---	---	---	---	---	---
	01/05/93	---	---	---	---	---	---	---	---
	01/08/93	14,000,000	12,000	79,000	270,000	1,300,000	8.11	0.00	74.31
	02/02/93	---	---	---	---	---	---	---	---
04/14/93	***48,000	670	1,100	1,600	6,300	9.85	0.00	72.57	
MW-2 83.48	12/22/83	---	---	---	---	---	10.50	0.00	72.98
	12/30/83	---	---	---	---	---	9.92	0.00	73.56
	03/12/90	800	400	22	18	55	11.02	0.00	72.46
	03/25/90	---	---	---	---	---	11.33	0.00	72.15
	10/18/90	---	---	---	---	---	12.31	0.00	71.17
	10/31/90	---	---	---	---	---	---	---	---
	11/16/90	---	---	---	---	---	---	---	---
	02/08/91	4,600	820	440	720	210	11.05	0.00	72.43
	05/08/91	<50	5	<0.5	<0.5	<0.5	11.36	0.00	72.12
	08/12/91	<50	<0.5	<0.5	<0.5	<0.5	11.97	0.00	71.51
	11/07/91	<50	<0.5	<0.5	<0.5	<0.5	11.50	0.00	71.98
	02/05/92	1,700	390	170	60	200	11.19	0.00	72.29
	05/13/92	**74	9.3	<0.5	<0.5	<0.5	11.49	0.00	71.99
	07/17/92	<50	2.0	<0.5	<0.5	<0.5	11.85	0.00	71.63
	10/05/92	3,500	1,200	530	86	220	12.00	0.00	71.48
	11/11/92	---	---	---	---	---	---	---	---
	11/17/92	---	---	---	---	---	---	---	---
	11/24/92	---	---	---	---	---	---	---	---
	12/01/92	---	---	---	---	---	---	---	---
	12/29/92	---	---	---	---	---	---	---	---
	01/05/93	---	---	---	---	---	---	---	---
	01/08/93	390	140	0.8	7.7	26	8.83	0.00	74.65
	02/02/93	---	---	---	---	---	---	---	---
04/14/93	<50	5	<0.5	<0.5	<0.5	10.79	0.00	72.69	

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-1583
5509 Martin Luther King Jr. Way, Oakland, California

Well ID/ Elev	Date	TPH-as- Gasoline	Benzene	Toluene	Ethyl- benzene	Xylenes	DTW (ft)	SPT (ft)	WTE (ft)
MW-3 84.36/ 84.38	12/22/83	---	---	---	---	---	11.58	0.00	72.78
	12/30/83	---	---	---	---	---	11.17	0.00	73.19
	03/12/90	47,000	1,000	9,900	1,700	9,800	12.14	0.00	72.22
	03/25/90	---	---	---	---	---	12.55	0.00	71.81
	10/18/90	---	---	---	---	---	---	---	---
	10/31/90	---	---	---	---	---	---	---	---
	11/16/90	---	---	---	---	---	13.62	0.00	70.76
	02/08/91	58,000	4,900	5,200	9,500	2,000	12.18	0.00	72.20
	05/08/91	50,000	2,100	1,400	2,000	9,400	12.52	0.00	71.86
	08/12/91	15,000	1,300	160	920	1,900	13.27	0.00	71.11
	11/07/91	26,000	1,000	310	1,900	5,900	12.81	0.00	71.57
	02/05/92	35,000	2,800	1,300	1,500	4,700	12.47	0.00	71.91
	05/13/92	47,000	1,500	1,200	1,100	4,800	12.62	0.00	71.76
	07/17/92	15,000	120	11	88	140	13.13	0.00	71.25
	10/05/92	---	---	---	---	---	13.62	0.24	70.95
	11/11/92	---	---	---	---	---	12.89	0.17	71.63
	11/17/92	---	---	---	---	---	12.89	0.06	71.54
	11/24/92	---	---	---	---	---	12.86	0.05	71.56
	12/01/92	---	---	---	---	---	12.92	0.03	71.48
	12/29/92	---	---	---	---	---	11.24	Sheen	73.14
01/05/93	---	---	---	---	---	11.15	Sheen	73.23	
01/08/93	250,000	5,000	17,000	5,500	28,000	10.10	0.00	74.28	
02/02/93	---	---	---	---	---	---	---	---	
04/14/93	---	---	---	---	---	11.91	0.01	72.48	
MW-4 84.25	10/18/90	---	---	---	---	---	15.75	0.00	68.50
	10/31/90	<50	<0.5	<0.5	<0.5	1	13.90	0.00	70.35
	11/16/90	---	---	---	---	---	14.25	0.00	70.00
	02/08/91	60	17	2	12	<0.5	12.32	0.00	71.93
	05/08/91	65	<0.5	<0.5	<0.5	<0.5	12.23	0.00	72.02
	08/12/91	<50	<0.5	<0.5	<0.5	<0.5	13.93	0.00	70.32
	11/07/91	<50	<0.5	<0.5	<0.5	<0.5	13.42	0.00	70.83
	02/05/92	<50	<0.5	<0.5	<0.5	<0.5	12.83	0.00	71.42
	05/13/92	<50	<0.5	<0.5	<0.5	<0.5	13.28	0.00	70.97
	07/17/92	<50	<0.5	<0.5	<0.5	<0.5	13.98	0.00	70.27
	10/05/92	<50	<0.5	<0.5	<0.5	<0.5	14.23	0.00	70.02
	11/11/92	---	---	---	---	---	---	---	---
	11/17/92	---	---	---	---	---	---	---	---
	11/24/92	---	---	---	---	---	---	---	---
	12/01/92	---	---	---	---	---	---	---	---
	12/29/92	---	---	---	---	---	---	---	---
	01/05/93	---	---	---	---	---	---	---	---
	01/08/93	<50	<0.5	<0.5	<0.5	<0.5	10.16	0.00	74.09
02/02/93	---	---	---	---	---	---	---	---	
04/14/93	<50	<0.5	<0.5	<0.5	<0.5	12.04	0.00	72.21	

TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-1583
5509 Martin Luther King Jr. Way, Oakland, California

Well ID/ Elev	Date	TPH-as- Gasoline	Benzene	Toluene	Ethyl- benzene	Xylenes	DTW (ft)	SPT (ft)	WTE (ft)
MW-5 81.95	10/18/90	---	---	---	---	---	10.78	0.00	71.17
	10/31/90	110	<0.5	<0.5	<0.5	<0.5	10.63	0.00	71.32
	11/16/90	---	---	---	---	---	10.68	0.00	71.27
	02/08/91	<50	<0.5	<0.5	<0.5	<0.5	9.17	0.00	72.78
	05/08/91	<50	<0.5	<0.5	<0.5	<0.5	8.68	0.00	73.27
	08/12/91	<50	<0.5	<0.5	<0.5	<0.5	10.33	0.00	71.62
	11/07/91	<50	<0.5	<0.5	<0.5	<0.5	9.76	0.00	72.19
	02/05/92	**69	<0.5	<0.5	<0.5	<0.5	9.47	0.00	72.48
	05/13/92	**74	<0.5	<0.5	<0.5	<0.5	9.70	0.00	72.25
	07/17/92	880	2.6	<1.2	4.6	11	10.21	0.00	71.74
	10/05/92	120	<0.5	<0.5	0.6	4.9	10.61	0.00	71.34
	11/11/92	---	---	---	---	---	---	---	---
	11/17/92	---	---	---	---	---	---	---	---
	11/24/92	---	---	---	---	---	---	---	---
	12/01/92	---	---	---	---	---	---	---	---
	12/29/92	---	---	---	---	---	---	---	---
	01/05/93	---	---	---	---	---	---	---	---
	01/08/93	**61	<0.5	<0.5	<0.5	<0.5	7.34	0.00	74.61
02/02/93	---	---	---	---	---	---	---	---	
04/14/93	---	---	---	---	---	---	---	---	
MW-6 80.60	10/18/90	---	---	---	---	---	9.79	0.00	70.81
	10/31/90	<50	<0.5	<0.5	<0.5	3	9.69	0.00	70.91
	11/16/90	---	---	---	---	---	9.74	0.00	70.86
	02/08/91	---	---	---	---	---	---	---	---
	05/08/91	56	<0.5	<0.5	<0.5	<0.5	9.54	0.00	71.06
	08/12/91	<50	<0.5	<0.5	<0.5	<0.5	9.50	0.00	71.10
	11/07/91	<50	<0.5	<0.5	<0.5	<0.5	8.89	0.00	71.71
	02/05/92	<50	<0.5	<0.5	<0.5	<0.5	8.59	0.00	72.01
	05/13/92	---	---	---	---	---	---	---	---
	07/17/92	---	---	---	---	---	---	---	---
	10/05/92	---	---	---	---	---	---	---	---
	11/11/92	---	---	---	---	---	---	---	---
	11/17/92	---	---	---	---	---	---	---	---
	11/24/92	---	---	---	---	---	---	---	---
	12/01/92	---	---	---	---	---	---	---	---
	12/29/92	---	---	---	---	---	---	---	---
	01/05/93	---	---	---	---	---	---	---	---
	01/08/93	---	---	---	---	---	---	---	---
02/02/93	<50	2.1	<0.5	<0.5	2.2	7.71	0.00	72.89	
04/14/93	**<50	1	<0.5	<0.5	<0.5	8.19	0.00	72.41	


TABLE 1
HISTORICAL GROUNDWATER ANALYTICAL RESULTS AND MONITORING DATA
Chevron Service Station No. 9-1583
5509 Martin Luther King Jr. Way, Oakland, California

Well ID/ Elev	Date	TPH-as- Gasoline	Benzene	Toluene	Ethyl- benzene	Xylenes	DTW (ft)	SPT (ft)	WTE (ft)
Trip Blank	03/12/90	<50	<0.3	<0.3	<0.3	<0.6	---	---	---
	02/08/91	<50	<0.5	<0.5	<0.5	<0.5	---	---	---
	05/08/91	<50	<0.5	<0.5	<0.5	<0.5	---	---	---
	08/12/91	<50	<0.5	<0.5	<0.5	<0.5	---	---	---
	11/07/91	<50	<0.5	<0.5	<0.5	<0.5	---	---	---
	02/05/92	<50	<0.5	<0.5	<0.5	<0.5	---	---	---
	05/13/92	<50	<0.5	<0.5	<0.5	<0.5	---	---	---
	07/17/92	<50	<0.5	<0.5	<0.5	<0.5	---	---	---
	10/05/92	<50	<0.5	<0.5	<0.5	<0.5	---	---	---
	11/11/92	---	---	---	---	---	---	---	---
	11/17/92	---	---	---	---	---	---	---	---
	11/29/92	---	---	---	---	---	---	---	---
	12/01/92	---	---	---	---	---	---	---	---
	12/29/92	---	---	---	---	---	---	---	---
	01/05/93	---	---	---	---	---	---	---	---
	01/08/93	<50	<0.5	<0.5	<0.5	<0.5	---	---	---
	02/02/93	---	---	---	---	---	---	---	---
	04/14/93	<50	<0.5	<0.5	<0.5	<0.5	---	---	---

- TPH = Total petroleum hydrocarbons
DTW = Depth to water
SPT = Separate-phase hydrocarbon thickness
WTE = Water-table elevation
--- = Not applicable/not sampled/not measured
*81.97/82.42 = March 3, 1990, survey/November 30, 1990, survey
** = The laboratory reported that a nonstandard gasoline pattern was observed in the chromatogram.
*** = Uncategorized compound is not included in gasoline hydrocarbon total.

All elevations are presented as feet above mean sea level.
Analytical results in micrograms per liter, equivalent to parts per billion.

ATTACHMENT 3
LABORATORY REPORT



GTEL

ENVIRONMENTAL
LABORATORIES, INC.

Northwest Region

4080-C Pike Lane
Concord, CA 94520
(510) 685-7852
(800) 544-3422 *from inside California*
(800) 423-7143 *from outside California*
(510) 825-0720 (FAX)

Client Number: 020302228
Consultant Project Number: 020302228.061004
Project ID: Chevron, Martin Luther King Jr.
Work Order Number: C3-04-0212

April 27, 1993

Sandra Lindsey
Groundwater Technology, Inc.
4057 Port Chicago Hwy.
Concord, CA 94520

Enclosed please find the analytical results for samples received by GTEL Environmental Laboratories, Inc. on 04/15/93.

A formal Quality Assurance/Quality Control (QA/QC) program is maintained by GTEL, which is designed to meet or exceed the EPA requirements. Analytical work for this project met QA/QC criteria, unless otherwise stated in the footnotes.

GTEL is certified by the California State Department of Health Services, Laboratory certificate numbers 194 and 1075, to perform analyses for drinking water, wastewater, and hazardous waste materials according to EPA protocols.

If you have any questions concerning this analysis or if we can be of further assistance, please call our Customer Service Representative.

Sincerely,
GTEL Environmental Laboratories, Inc.

Eileen F. Bullen
Laboratory Director

Client Number: 020302228
 Consultant Project Number: 020302228.061004
 Project ID: Chevron, Martin Luther King Jr.
 Work Order Number: C3-04-0212

Table 1
ANALYTICAL RESULTS
 Aromatic Volatile Organics and
 Total Petroleum Hydrocarbons as Gasoline in Water
 EPA Methods 5030, 8020, and Modified 8015^a

GTEL Sample Number		01	03	05	07
Client Identification		TB-LB	MW4	MW6	MW2
Date Sampled		04/14/93	04/14/93	04/14/93	04/14/93
Date Analyzed		04/17/93	04/17/93	04/17/93	04/17/93
Analyte	Detection Limit, ug/L	Concentration, ug/L			
Benzene	0.5	<0.5	<0.5	1	5
Toluene	0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	0.5	<0.5	<0.5	<0.5	<0.5
Xylene, total	0.5	<0.5	<0.5	<0.5	<0.5
BTEX, total	--	--	--	1	5
TPH as Gasoline	50	<50	<50	<50*	<50
Detection Limit Multiplier		1	1	1	1
BFB surrogate, % recovery		82.6	84.7	85.9	83.1

a. Test Methods for Evaluating Solid Waste, SW-846, Third Edition, Revision 0, US EPA November 1986. Modification for TPH as gasoline as per California State Water Resources Control Board LUFT Manual protocols, May 1988 revision. BFB Acceptability limits 70 - 130.

* Uncategorized compound is not included in gasoline hydrocarbon total.

Client Number: 020302228
 Consultant Project Number: 020302228.061004
 Project ID: Chevron, Martin Luther King Jr.
 Work Order Number: C3-04-0212

Table 1 (Continued)

ANALYTICAL RESULTS

**Aromatic Volatile Organics and
 Total Petroleum Hydrocarbons as Gasoline in Water**

EPA Methods 5030, 8020, and Modified 8015^a

GTEL Sample Number		09	041793GC1		
Client Identification		MW1	METHOD BLANK		
Date Sampled		04/14/93	--		
Date Analyzed		04/19/93	04/17/93		
Analyte	Detection Limit, ug/L	Concentration, ug/L			
Benzene	0.5	670	<0.5		
Toluene	0.5	1100	<0.5		
Ethylbenzene	0.5	1600	<0.5		
Xylene, total	0.5	6300	<0.5		
BTEX, total	--	9700	--		
TPH as Gasoline	50	48000*	<50		
Detection Limit Multiplier		25	1		
BFB surrogate, % recovery		89.9	80.7		

- a. Test Methods for Evaluating Solid Waste, SW-846, Third Edition, Revision 0, US EPA November 1986. Modification for TPH as gasoline as per California State Water Resources Control Board LUFT Manual protocols, May 1988 revision. BFB Acceptability limits 70 - 130.
- * Uncategorized compound is not included in gasoline hydrocarbon total.

Client Number: 020302228
Consultant Project Number: 020302228.061004
Project ID: Chevron, Martin Luther King Jr.
Work Order Number: C3-04-0212

QC Matrix Spike and Duplicate Spike Results

Matrix: Water

Analyte	Sample ID	Spike Amount	Units	Recovery, %	Duplicate Recovery, %	RPD, %	Control Limits
Modified EPA 8020:							
Benzene	Reagent Water	20.0	ug/L	90.0	79.5	12.3	70 - 147
Toluene	Reagent Water	20.0	ug/L	99.0	87.0	12.9	67 - 150
Ethylbenzene	Reagent Water	20.0	ug/L	98.5	86.5	12.9	69 - 145
Xylene, total	Reagent Water	60.0	ug/L	102	90.0	12.5	71 - 152

Chevron U.S.A. Inc.
 P.O. BOX 5004
 Ramon, CA 94583
 (415)842-9591

Chevron Facility Number 9-1583
 Facility Address 5509 Martin Luther King Jr.
 Consultant Project Number 020302228. 061004
 Consultant Name Groundwater Technology, Inc.
 Address 4057 Port Chicago Hwy, Concord, CA
 Project Contact (Name) Ms, Sandra L. Lindsey
 (Phone) 671-2387 (Fax Number) 685-9148

Chevron Contact (Name) Mr. Mark Miller
 (Phone) 842-8134
 Laboratory Name Superior Analytical GTL
 Laboratory Release Number 876-6820
 Samples Collected by (Name) Hector Moreno / Greg Mason
 Collection Date 4/14/93
 Signature [Handwritten Signature]

Sample Number	Lab Sample Number	Number of Containers	Matrix S = Soil A = Air W = Water C = Charcoal	Type G = Grab C = Composite D = Discrete	Time	Sample Preservation	Iced (Yes or No)	Analytes To Be Performed												Remarks				
								BTEX + TPH GAS (8020 + 8015)	TPH Diesel (8015)	Oil and Grease (5520)	Purgeable Halocarbons (8010)	Purgeable Aromatics (8020)	Purgeable Organics (8240)	Extractable Organics (8270)	Metals Cd, Cr, Pb, Zn, Ni (ICAP or AA)	Hold								
-LB		1	W	G		Accl.	Yes	X															FB-LB Do not grab Bill 30 KB 4/15/93	
MW4		1			2:30																			
1W4		3			2:30			X																
4W6		1			2:40																			
1W6		3			2:40			X																
MW3																								
4W5																								
MW2		1			2:50																			
1W2		3			2:50			X																
MW3																								
4W3																								
MW1		1			3:00																			
1W1		3	✓	✓	3:00	✓	✓	X																

Released By (Signature) <u>[Handwritten Signature]</u>	Organization <u>GTI</u>	Date/Time <u>4/14/93</u>	Received By (Signature)	Organization	Date/Time	Turn Around Time (Circle Choice) 24 Hrs. 48 Hrs. 5 Days 10 Days <u>As Contracted</u>
Released By (Signature)	Organization	Date/Time	Received By (Signature)	Organization	Date/Time	
Released By (Signature)	Organization	Date/Time	Received For Laboratory By (Signature) <u>[Handwritten Signature]</u>	Date/Time <u>4/15/93 8:30</u>		