

By Alameda County Environmental Health at 2:19 pm, Feb 11, 2014



Brain Waite Project Manager Marketing Business Unit

Chevron Environmental Management Company 6101 Bollinger Canyon Road San Ramon, CA 94583 Tel (925) 790-6486 Fax (925) 549-1441 bwaite@chevron.com

Mr. Mark Detterman, P.G., C.E.G. Alameda County Environmental Health (ACEH) 1131 Harbor Bay Parkway, Suite 250 Alameda, California 94502-6577

Re: Former Chevron Service Station 91583 5509 Martin Luther King Jr. Boulevard

Oakland, California

I have reviewed the attached report dated February 10, 2014.

This information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga Rovers Associates, upon who assistance and advice I have relied.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

Brian A. Waite

Digitally signed by Brian A. Waite
DN: cn=Brian A. Waite, o=Chevron Environmental Management
Company, ou, email=bwaite@chevron.com, c=US
Date: 2014.02.10 09:55:18-08'00'

Brian Waite Project Manager

Attachment: Well Destruction Report



10969 Trade Center Drive, Suite 107 Rancho Cordova, California 95670

Telephone: (916) 889-8900 Fax: (916) 889-8999

www.CRAworld.com

February 10, 2014

Reference No. 611960D

Mr. Mark Detterman, P.G., C.E.G. Alameda County Environmental Health (ACEH) 1131 Harbor Bay Parkway, Suite 250 Alameda, California 94502-6577

Re: Well Destruction Report

Former Chevron Service Station 91583

5509 Martin Luther King Jr. Way

Oakland, California Case No. RO0000002

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) is submitting this *Well Destruction Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company (Chevron). As the final step prior to case closure in accordance with the Alameda County Environmental Health (ACEH) letter dated July 26, 2013 (Attachment A), remaining site monitoring wells (MW-1 through MW-8) and soil vapor wells (VP-1 through VP-5) were destroyed as described below. Well destruction was performed in general accordance with Alameda County Public Works Agency (ACPWA) water resources well permit, dated September 4, 2013. Encroachment and excavation permits were also obtained from the City of Oakland for the destruction of offsite wells MW-5 and MW-6. Copies of all permits are included as Attachment B, including a record of the rescission of the original encroachment permit to access wells MW-5 and MW-6.

On September 25 through 27, 2013, CRA staff observed All Well Abandonment (AWA) (C-57 License No. 848359) destroy wells MW-1 through MW-8, and VP-1 through VP-5 (Figure 2). As approved by ACPWA, wells MW-1 through MW-8 were destroyed by pressure grouting with neat cement grout and removing the well boxes. Soil vapor wells VP-1 through VP-5 were destroyed by drilling out the well casing and annular space to total depth using a 3.5-inch diameter hand auger, backfilling the boreholes with neat cement grout, and removing the well boxes. The well box cavities resulting from well and soil vapor well destruction were backfilled with concrete to match existing surface grade. CRA's standard field procedures for monitoring well destruction are included as Attachment C.

All waste material generated during well destruction was placed in a DOT-approved 55-gallon steel drum and temporarily stored onsite pending disposal at a licensed facility. On December 9, 2013, the drum was removed from the site by Veolia ES Technical, LLC and was

Equal Employment Opportunity Employer



February 10, 2014

2

Reference No. 611960D

transported to Veolia ES Technical, LLC's facility in Azusa, California for disposal. The final copy of the waste manifest is included as Attachment D. Department of Water Resources (DWR) Well Completion/Destruction Forms (Form 188) have been submitted to DWR by mail and ACPWA by email.

We appreciate your assistance with this project and look forward to receipt of the case closure letter. Please contact Nate Allen at (916) 889-8929 if you have any questions or need any additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Nate Allen, P.G.

flath alla

Greg Barclay, P.G. 6260

CA/de/15

Figure 1 Vicinity Map Figure 2 Site Plan

Attachment A ACEH Correspondence


Attachment B Permits

Attachment C Standard Field Procedures Attachment D Drum Disposal Manifest

cc: Mr. Brian Waite, Chevron (electronic copy only)

Mr. Ben V. Shimek and Mrs. Patricia A. Shimek

FIGURES




SOURCE: TOPO! MAPS.

figure 1

VICINITY MAP FORMER CHEVRON SERVICE STATION 91583 5509 MARTIN LUTHER KING JR. WAY Oakland, California





ATTACHMENT A

ACEH CORRESPONDENCE

ALAMEDA COUNTY HEALTH CARE SERVICES AGENCY



ALEX BRISCOE, Agency Director

ENVIRONMENTAL HEALTH DEPARTMENT ENVIRONMENTAL PROTECTION 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

July 26, 2013

Mr. Brian Waite
Chevron Environmental Management Company
6101 Bollinger Canyon Road
San Ramon, CA 94583
(Sent via electronic mail to:
BWaite@chevron.com)

Ms. Evelyn Schlichting c/o Ben Shimek 1475 2nd Street San Rafael, CA 94901

Subject: Monitoring Well Decommissioning for Case Closure of Fuel Leak Case No. RO0000002 and

Geotracker Global ID T0600100348, Chevron #9-1583, 5509 Martin Luther King Jr. Way,

Oakland, CA 94609

Dear Mr. Waite and Ms. Schlichting:

Alameda County Environmental Health (ACEH) and California Regional Water Quality Control Board staff have reviewed the fuel leak case file and case closure summary for the above-referenced site and concur that no further action related to the underground storage tank fuel release is required at this time. Prior to issuance of a remedial action completion certificate, monitoring wells at the site must be properly destroyed, per California Water Code and all current record owners of fee title to the site must be notified by the primary or active responsible party of the proposed closure action.

Site Management Requirements

ACEH is currently assessing whether site management requirements are applicable to this site and will notify Responsible Parties in a separate communication.

Monitoring Well Destruction

ACEH requests that you contact Alameda County Public Works Agency at (510) 567-6791 to obtain the necessary permits, decommission the well, and electronically upload the well destruction report to ACEH's ftp server and the State Water Resources Control Board's GeoTracker website within forty five (60) days from the date of this letter.

Upon our receipt of the report of well decommissioning, (which includes confirmation of investigation derived waste disposal) this office will issue you the remedial action completion certificate.

NOTIFICATION OF FIELDWORK ACTIVITIES

Please schedule and complete the fieldwork activities by the date specified below and provide ACEH with at least three (3) business days notification prior to conducting the fieldwork.

TECHNICAL REPORT REQUEST

Please submit the following deliverable to ACEH (Attention: Mark Detterman), according to the following schedule:

September 27, 2013 – Well Destruction Report

Mr. Waite and Ms. Schlichting RO0000002 July 26, 2013, Page 2

Should you have any questions, please contact me at (510) 567--6876 or send me an electronic mail message at mark.detterman@acgov.org.

Sincerely,

Digitally signed by Mark Detterman DN: cn=Mark Detterman, o, ou,

email=mark.detterman@acgov.org, c=US

Date: 2013.07.26 13:02:53 -07'00'

Mark E. Detterman, PG, CEG Senior Hazardous Materials Specialist

Enclosures:

Attachment 1 - Responsible Party (ies) Legal Requirements / Obligations

Electronic Report Upload (ftp) Instructions

cc:

James Kiernan, 10969 Trade Center Drive, Suite 106, Rancho Cordova, CA 95670 (sent via electronic mail to jkiernan@craworld.com)

Leroy Griffin, Oakland Fire Department, 250 Frank H. Ogawa Plaza, Suite 3341, Oakland, CA 94612-2032 (sent via electronic mail to lgriffin@oaklandnet.com)

Donna Drogos, ACEH, (sent via electronic mail to donna.drogos@acgov.org)

Dilan Roe (Sent via electronic mail to donna.drogos@acgov.org)

Mark Detterman, ACEH, (sent via electronic mail to mark.detterman@acgov.org)

Geotracker, Electronic File

ATTACHMENT 1

Responsible Party(ies) Legal Requirements/Obligations
& ACEH Electronic Report Upload (ftp) Instructions

Attachment 1

Responsible Party(ies) Legal Requirements/Obligations

REPORT/DATA REQUESTS

These reports/data are being requested pursuant to Division 7 of the California Water Code (Water Quality), Chapter 6.7 of Division 20 of the California Health and Safety Code (Underground Storage of Hazardous Substances), and Chapter 16 of Division 3 of Title 23 of the California Code of Regulations (Underground Storage Tank Regulations).

ELECTRONIC SUBMITTAL OF REPORTS

ACEH's Environmental Cleanup Oversight Programs (Local Oversight Program [LOP] for unauthorized releases from petroleum Underground Storage Tanks [USTs], and Site Cleanup Program [SCP] for unauthorized releases of non-petroleum hazardous substances) require submission of reports in electronic format pursuant to Chapter 3 of Division 7, Sections 13195 and 13197.5 of the California Water Code, and Chapter 30, Articles 1 and 2, Sections 3890 to 3895 of Division 3 of Title 23 of the California Code of Regulations (23 CCR). Instructions for submission of electronic documents to the ACEH FTP site are provided on the attached "Electronic Report Upload Instructions."

Submission of reports to the ACEH FTP site is in addition to requirements for electronic submittal of information (ESI) to the State Water Resources Control Board's (SWRCB) Geotracker website. In April 2001, the SWRCB adopted 23 CCR, Division 3, Chapter 16, Article 12, Sections 2729 and 2729.1 (Electronic Submission of Laboratory Data for UST Reports). Article 12 required electronic submittal of analytical laboratory data submitted in a report to a regulatory agency (effective September 1, 2001), and surveyed locations (latitude, longitude and elevation) of groundwater monitoring wells (effective January 1, 2002) in Electronic Deliverable Format (EDF) to Geotracker. Article 12 was subsequently repealed in 2004 and replaced with Article 30 (Electronic Submittal of Information) which expanded the ESI requirements to include electronic submittal of any report or data required by a regulatory agency from a cleanup site. The expanded ESI submittal requirements for petroleum UST sites subject to the requirements of 23 CCR, Division, 3, Chapter 16, Article 11, became effective December 16, 2004. All other electronic submittals required pursuant to Chapter 30 became effective January 1, 2005. Please visit the SWRCB website for more information on these requirements. (https://www.waterboards.ca.gov/water-issues/programs/ust/electronic submittal/)

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 7835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, late reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

Alameda County Environmental Cleanup Oversight Programs (LOP and SCP)

REVISION DATE: July 25, 2012

ISSUE DATE: July 5, 2005

PREVIOUS REVISIONS: October 31, 2005; December 16, 2005; March 27, 2009; July 8, 2010

SECTION: Miscellaneous Administrative Topics & Procedures

SUBJECT: Electronic Report Upload (ftp) Instructions

The Alameda County Environmental Cleanup Oversight Programs (petroleum UST and SCP) require submission of all reports in electronic form to the county's FTP site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities.

REQUIREMENTS

- Please do not submit reports as attachments to electronic mail.
- Entire report including cover letter must be submitted to the ftp site as a single Portable Document Format (PDF) with no password protection.
- It is **preferable** that reports be converted to PDF format from their original format, (e.g., Microsoft Word) rather than scanned.
- Signature pages and perjury statements must be included and have either original or electronic signature.
- Do not password protect the document. Once indexed and inserted into the correct electronic case file, the document will be secured in compliance with the County's current security standards and a password. Documents with password protection will not be accepted.
- Each page in the PDF document should be rotated in the direction that will make it easiest to read on a computer monitor.
- Reports must be named and saved using the following naming convention:

RO#_Report Name_Year-Month-Date (e.g., RO#5555_WorkPlan_2005-06-14)

Submission Instructions

- 1) Obtain User Name and Password
 - a) Contact the Alameda County Environmental Health Department to obtain a User Name and Password to upload files to the ftp site.
 - i) Send an e-mail to .loptoxic@acgov.org
 - b) In the subject line of your request, be sure to include "ftp PASSWORD REQUEST" and in the body of your request, include the Contact Information, Site Addresses, and the Case Numbers (RO# available in Geotracker) you will be posting for.
- 2) Upload Files to the ftp Site
 - a) Using Internet Explorer (IE4+), go to ://alcoftp1.acgov.org
 - (i) Note: Netscape, Safari, and Firefox browsers will not open the FTP site as they are NOT being supported at this time.
 - b) Click on Page located on the Command bar on upper right side of window, and then scroll down to Open FTP Site in Windows Explorer.
 - c) Enter your User Name and Password. (Note: Both are Case Sensitive.)
 - d) Open "My Computer" on your computer and navigate to the file(s) you wish to upload to the ftp site.
 - e) With both "My Computer" and the ftp site open in separate windows, drag and drop the file(s) from "My Computer" to the ftp window.
- 3) Send E-mail Notifications to the Environmental Cleanup Oversight Programs
 - a) Send email to .loptoxic@acgov.org notify us that you have placed a report on our ftp site.
 - b) Copy your Caseworker on the e-mail. Your Caseworker's e-mail address is the entire first name then a period and entire last name @acgov.org. (e.g., firstname.lastname@acgov.org)
 - c) The subject line of the e-mail must start with the RO# followed by **Report Upload**. (e.g., Subject: RO1234 Report Upload) If site is a new case without an RO#, use the street address instead.
 - d) If your document meets the above requirements and you follow the submission instructions, you will receive a notification by email indicating that your document was successfully uploaded to the ftp site.

ATTACHMENT B

APPROVED PERMITS



399 Elmhurst Street Hayward, CA 94544-1395 Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 09/04/2013 By jamesy Permit Numbers: W2013-0723 to W2013-0731 Permits Valid from 09/25/2013 to 09/27/2013

Application Id: 1377287143786 City of Project Site: Oakland

Site Location: 5509 Martin Luther King Jr. Way

Oakland, CA

Project Start Date: 09/25/2013 Completion Date: 09/27/2013

Assigned Inspector: Contact Steve Miller at (510) 670-5517 or stevem@acpwa.org

Applicant: Conestoga-Rovers & Associates - Charley Phone: 925-849-1017

2300 Clayton Rd, Suite 920, Concord, CA 94520

Property Owner: Ben V. and Patricia A. Shimek Phone: --1475 2nd St., San Rafael, CA 94901

Client: Chevron Environmental Management Company Phone: --

6101 Bollinger Canyon Road, San Ramon, CA 94583

Contact: Charley Austin Phone: --Cell: --

> **Total Due:** \$3441.00 Receipt Number: WR2013-0324 Total Amount Paid: \$3441.00 Payer Name: Conestoga-Rovers & Paid By: CHECK PAID IN FULL

Associates

Works Requesting Permits:

Well Destruction-Vapor monitoring well - 5 Wells

Driller: All Well Abandonment - Lic #: 848359 - Method: Hand Work Total: \$265.00

Specifications

Permit #	Issued Date	Expire Date	Owner Well Id	Hole Diam.	Casing Diam.	Seal Depth	Max. Depth	State Well #	Orig. Permit #	DWR #
W2013-	09/04/2013	12/24/2013	VP-1	3.00 in.	0.25 in.	4.50 ft	6.00 ft	1S/4W14K	W2008-	NO
0723									0502	RECORDS
W2013-	09/04/2013	12/24/2013	VP-2	3.00 in.	0.25 in.	4.50 ft	6.00 ft	1S/4W14K	W2008-	NO
0723									0502	RECORDS
W2013-	09/04/2013	12/24/2013	VP-3	3.00 in.	0.25 in.	4.50 ft	6.00 ft	1S/4W14K	W2008-	NO
0723									0502	RECORDS
W2013-	09/04/2013	12/24/2013	VP-4	3.00 in.	0.25 in.	4.50 ft	6.00 ft	1S/4W14K	W2008-	NO
0723									0502	RECORDS
W2013-	09/04/2013	12/24/2013	VP-5	3.00 in.	0.25 in.	4.50 ft	6.00 ft	1S/4W14K	W2008-	NO
0723									0502	RECORDS

Specific Work Permit Conditions

- 1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.
- 2. Compliance with the above well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate state reporting-requirements related to well destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days, including permit number and site map.

- 3. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost, liability in connection with or resulting from the exercise of this Permit including, but not limited to, properly damage, personal injury and wrongful death.
- 4. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.
- 5. Prior to any drilling activities, it shall be the applicant's responsibility to contact and coordinate an Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits or agreements required for that Federal, State, County or City, and follow all City or County Ordinances. No work shall begin until all the permits and requirements have been approved or obtained. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County an Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.
- 6. No changes in construction procedures or well type shall change, as described on this permit application. This permit may be voided if it contains incorrect information.
- 7. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.
- 8. Applicant shall contact Steve Miller for an inspection time at (510) 670-5517 or email to stevem@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.
- 9. Remove the Christy box or similar structure. Destroy well by overdrilling & Tremie Grouting with Cement. After the seal has set, backfill the remaining hole with concrete or compacted material to match existing.
- 10. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.
- 11. Vapor monitoring wells constructed with tubing shall be decomissioned by complete removal of tubing, grout seal, and fill material of sand or bentonite. Fill material may be removed by hand auger if material can be removed completely.

Vapor monitoring wells constructed with pvc pipe less than 2" shall be overdrilled to total depth.

Vapor monitoring wells constructed with 2" pvc pipe or larger may be grouted by tremie pipe (any depth) or pressure grouted (less than 30', 25 psi for 5 min).

Well Destruction-Monitoring - 8 Wells

Driller: All Well Abandonment - Lic #: 848359 - Method: press Work Total: \$3176.00

Specifications

Permit #	Issued Date	Expire Date		Hole Diam.	Ū	Seal Depth	Max. Depth	State Well #	J	DWR #
W2013-	09/04/2013	12/24/2013	Id MW-1	8.00 in.	Diam. 2.00 in.	4.00 ft	20.00 ft	1S/4W14P	Permit # No Records	No Records
0724	03/04/2013	12/24/2013	IVIVV-1	0.00 111.	2.00 111.	4.00 10	20.00 10	10/477141	No records	No records

W2013- 0725	09/04/2013	12/24/2013	MW-2	8.00 in.	2.00 in.	4.00 ft	20.00 ft	1S/4W14P	No Records	No Records
W2013- 0726	09/04/2013	12/24/2013	MW-3	8.00 in.	2.00 in.	4.00 ft	20.00 ft	1S/4W14P	No Records	No Records
W2013-	09/04/2013	12/24/2013	MW-4	8.00 in.	2.00 in.	3.00 ft	25.00 ft	1S/4W14P	No Records	No Records
0727 W2013-	09/04/2013	12/24/2013	MW-5	8.00 in.	2.00 in.	3.00 ft	20.00 ft	1S/4W14P	No Records	No Records
0728 W2013-	09/04/2013	12/24/2013	MW-6	8.00 in.	2.00 in.	3.00 ft	20.00 ft	1S/4W14P	No Records	No Records
0729 W2013-	09/04/2013	12/24/2013	MW-7	8.00 in.	2.00 in.	3.00 ft	20.00 ft	1S/4W14K	94097	Logs Only
0730 W2013-	09/04/2013	12/24/2013	MW-8	8.00 in.	2.00 in.	3.00 ft	20.00 ft	1S/4W14K	97097	Logs Only
0731										

Specific Work Permit Conditions

- 1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.
- 2. Prior to any drilling activities, it shall be the applicant's responsibility to contact and coordinate an Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits or agreements required for that Federal, State, County or City, and follow all City or County Ordinances. No work shall begin until all the permits and requirements have been approved or obtained. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County an Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.
- 3. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well construction or destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Include permit number and site map.
- 4. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.
- 5. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost and liability in connection with or resulting from the exercise of this Permit including, but not limited to, property damage, personal injury and wrongful death.
- 6. Applicant shall contact Steve Miller for an inspection time at (510) 670-5517 or email to stevem@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.
- 7. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.
- 8. Remove the Christy box or similar structure.

Destroy well by grouting neat cement with a tremie pipe or pressure grouting (25 psi for 5min.) to the bottom of the well and by filling with neat cement to three (3-5) feet below surface grade. Allow the sealing material to spill over the top of the casing to fill any annular space between casing and soil.

After the seal has set, backfill the remaining hole with concrete or compacted material to match existing conditions.

9. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.

Well Destruction-Monitoring - 0 Wells

Driller: All Well Abandonment - Lic #: 848359 - Method: OP

** Cancelled Work. Total amount adjusted. **

Work Total: ** \$0.00

Specif	ficat	tions
--------	-------	-------

Permit #	Issued Date Expire Date	Owner Well	Hole Diam.	Casing	Seal Depth	Max. Depth	State Well #	Orig.	DWR#
		ld		Diam.				Permit #	
* Cancelled *		MW-5	8.00 in.	2.00 in.	3.00 ft	20.00 ft			
* Cancelled *		MW-6	8.00 in.	2.00 in.	3.00 ft	20.00 ft			

CITY OF OAKLAND • Department of Planning, Building and Neighborhood Preservation

250 Frank H. Ogawa Plaza, 2nd Floor, Oakland, CA 94612 • Phone (510) 238-3443 • Fax (510) 238-2263

Applications for which no permit is issued within 180 days shall expire by limitation. No refund more than 180 days after expiration or final.

Appl# OB130852

Job Site 5509 M L KING JR WY

Parcel# 014 -1198-004-02

Reserve four parking spaces (100') One NO FEE re: X1302366 Permit Issued 09/10/13 and impact lane per TSD 13-0140 75' on 55th St.

Abandon two monitoring wells on 55th St. Alameda

Nbr of days: 2 Display on Dashboard

Linear feet: 150

Expiration: 09/27/13

SHORT TERM NON-METERED

Applcnt Phone# Lic# --License Classes--

Owner SHIMEK BEN V & PATRICIA A Contractor ALL WELL ABANDONMENT

Effective: 09/26/13

X (530)644-1609 848359 C57

Arch/Engr

Agent CRA/C AUSTIN (225)907-5910
Applic Addr 6626 MERCHANDISE WAY, DIAMOND SPRINGS CA, 95619

\$319.01 FEES TO BE PAID AT FILING

\$.00 FEES TO BE PAID AT ISSUANCE

\$71.00 Applic \$207.00 Permit \$.00 Process \$26.41 Rec Mgmt \$.00 Gen Plan \$.00 Invstg \$.00 Other \$14.60 Tech Enh

Display on Dashboard

JOB SITE



To Have Illegally Parked Vehicle Ticketed Call 510-777-3333.

Applicant arranges towing.

For Towed Car Call 510-238-3021

TCP needs to be approved by Transportation Services every 30 days or whenever deviated from the previously approved plan.

Applicant:

Charley augs

9/10/13

Issued by:

CITY OF OAKLAND

: 09/10/13 Amt Paid: \$755.06 : MKH Register ROZ Receipt# 175749

DIST:

ADDRESS:

CITY OF OAKLAND . Department of Planning, Building and Neighborhood Preservation

250 Frank H. Ogawa Plaza, 2nd Floor, Oakland, CA 94612 • Phone (510) 238-3443 • Fax (510) 238-2263

Applications for which no permit is issued within 180 days shall expire by limitation. No refund more than 180 days after expiration or final.

Appl# X1302366

Job Site 5509 M L KING JR WY

Parcel# 014 -1198-004-02

Descr Abandon two monitoring wells on 55th St. Alameda

Permit Issued 09/10/13

County documentation provided. Call PWA INSPECTION prior to

start: 510-238-3651. 4th FLOOR.

Work Type EXCAVATION-PRIVATE P

USA #

Util Co. Job # 611960

Acctq#:

Util Fund #:

Applent

Phone#

Lic# --License Classes--

Owner SHIMEK BEN V & PATRICIA A

Contractor ALL WELL ABANDONMENT

(530)644-1609 848359 C57

Arch/Engr

Agent CRA/C AUSTIN

(225)907-5910

Applic Addr 6626 MERCHANDISE WAY, DIAMOND SPRINGS CA, 95619

\$436.05 FEES TO BE PAID AT ISSUANCE \$71.00 Applic \$309.00 Permit

\$.00 Process

\$36.10 Rec Mgmt

\$.00 Gen Plan

\$.00 Invstq

\$.00 Other

\$19.95 Tech Enh

JOB SITE

Application Processed By

Date: 9:10:13

Permit Issued By _____ Date: ____

Finaled By

Date:

Application Docs Forwarded To

Date:

Re: EMM(96011

Applications for which no permit is issued within 180 days shall expire by limitation. No refund more than 180 days after expiration or final.

Permit No. X1302366 Parcel #: 014 -1198-004-02 Project Address: 5509 M L KING JR WY

Page 2 of 2

Licensed Contractors' Declaration

I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.

Construction Lending Agency Declaration

I hereby affirm under penalty of perjury that there is a construction-lending agency for the performance of the work for which this permit is issued, as provided by Section 3097 of the Business and Professions Code. N/A under Lender implies No Lending Agency.
Lender Address
Workers' Compensation Declaration
I hereby affirm under penalty of perjury one of the following declarations:
[] I have and will maintain a certificate of consent to self-insure for workers' compensation, as provided for by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued.
[] I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued.
CARRIER:POLICY NO
[] I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California, and agree that if I should become subject to the

workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNLAWFUL, AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS, IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3707 OF THE LABOR CODE, INTEREST, AND ATTORNEY'S FEES.

Hazardous Materials Declaration

I hereby affirm that the intended occupancy [] WILL [] WILL NOT use, handle or store any hazardous, or acutely hazardous, materials. (Checking "WILL" acknowledges that Sections 25505, 25533, & 25534 of the Health & Safety Code, as well as filing instructions, were made available to you.)

I HEREBY CERTIFY THE FOLLOWING: That I have read this document; that the above information is correct; and that I have truthfully affirmed all applicable declarations contained in this document. I agree to comply with all city and county ordinances and state laws relating to building construction, and hereby authorize representatives of this city to enter upon the above-mentioned property for inspection. I am fully authorized by the owner and to perform the work authorized by this permit.

No Fee Document Pursuant To Government Code Section 6103

Recording requested by:

CITY OF OAKLAND

When recorded mail to:

City of Oakland CEDA - Building Services Dalziel Admin Building 250 Ogawa Plaza - 2nd FI Oakland, CA 94612 Attn: City Engineer



11/06/2013 12:06 PM

OFFICIAL RECORDS OF ALAMEDA COUNTY PATRICK O'CONNELL RECORDING FEE: 18 00

18.00



ENMI 96011

Permit no.

Address 5509 M L King Jr Way

014 -1198-004-02 Parcel no.

RESCISSION OF MINOR ENCROACHMENT PERMIT

The City of Oakland hereby rescinds the Minor Encroachment Permit and Indenture Agreement recorded on 01/02/1991; series number 91-000450, for the placement of two (2) monitoring wells (MW-5 and MW-6) in public right-of-way: the street area of 55th Street in Oakland. Said Minor Encroachment Permit and Indenture Agreement were granted to Chevron USA Inc.; Dorty S. Doane, et al., owners of the property commonly known as 5509 M L King Jr Way.

This rescission shall in no way relieve the permittee from any liability arising from the construction and use of said monitoring wells and the permittee retains sole and full responsibility for any and all claims arising from the installation of said monitoring wells and the restoration of the public right-ofway upon its removal. The permittee shall be responsible for repair of the restoration should the restoration fail or be damaged to the extent of creating a menace or of becoming a hazard to the safety of the general public; and that the permittee shall be liable for the expenses connected therewith.

This document shall be binding upon the permittee, the present owner of the property described in the Minor Encroachment Permit and Indenture Agreement, and their successors in interest thereof.

I, Deborah Sandercock, City Engineer of the City of Oakland, California, hereby accept the within instrument for and on behalf of the City of Oakland and request the recordation thereof in the Office of the Recorder of Alameda County, California.

Date: 10-25-13

CITY OF OAKLAND

DAVID HARLAN

Engineering Manager

Department of Planning and Building

For:

DEBORAH SANDERCOCK City Engineer

ATTACHMENT C

STANDARD FIELD PROCEDURES

Conestoga-Rovers & Associates

STANDARD FIELD PROCEDURES FOR DESTROYING MONITORING WELLS

This document presents standard field methods for abandoning ground water monitoring wells. The objective of well abandonment is to destroy wells in a manner that is protective of potential water resources. The two procedures most commonly used are pressure grouting and drilling out the well. These procedures are designed to comply with Federal, State and local regulatory guidelines. Specific field procedures are summarized below.

Pressure Grouting

Pressure grouting consists of injecting neat Portland Type I/II cement through a tremie pipe to the bottom of the well. The cement is composed of about five gallons of water to a 94 lb. sack of Portland I/II Cement. Once the well casing is full of grout, the well casing is pressurized to 25 pounds per square inch (PSI) for five minutes. The well casing is then topped up with grout as necessary and 25 psi of pressure reapplied for another five minutes. The process is repeated as necessary to fill the well voids with grout. The well casing can also be pressurized by extending the well casing to the appropriate height and filling it with grout. In either case, the additional pressure allows the grout to be forced into the sand pack. After grouting the sand pack and casing, the well vault is removed and the area resurfaced or backfilled as required.

Well Drill Out

When well drill out is required, a hollow-stem auger drilling rig is used to drill out the well casing and pack materials. A pilot-bit is used to guide the augers as they drill out the well. Once the well is drilled out, the boring is filled with Portland cement injected through the augers or a tremie pipe under pressure to the bottom of the boring. The well vault is removed and the area resurfaced or backfilled as required.

ATTACHMENT D

DRUM DISPOSAL MANIFEST

NON-HAZARDOUS 1. Generator ID Number WASTE MANIFEST C A L 0 0 0 0 3 0		of 3. Emergen			4. Waste Tr	ncking Num	
5 Generator's Name and Mailing Address	<i>y</i> 1 0 1 4	10			nan mailing addre		
Chevron 91583 PO Box 6004 - Chevron EMC Waste D San Ramon, CA 94583 Generator's Phone: 877 386-6044	esk			rin Lui CA 94	THER KIN	G	
6. Transporter 1 Company Name Violia ES Technical S	olutions .				U.S. EPAID	< 21	631369
7. Transporter 2 Company Name DIULARD ENVIRONMEN	TAI SENII	765		-	U.S. EPA ID		523433
8. Designated Facility Name and Site Address Veolia ES Technical Solutions, LI 1704 West 1st Street	c.	<u> </u>	<u> </u>		U.S. EPA ID	Number	830290
Azusa, CA 91702 Facility's Phone: 626-334-5117			· <u>-</u>				
9. Waste Shipping Name and Description		=	10. Cont No.	atners Type	11. Total Quantity	12. Unii WL/Vol.	· -
NON DOT REGULATED MATERIAL (Soil Contaminated with Petro. Non-Hazardous)	leum Products,		l	DM	300	P	4
2.							
S.							
4: 1							
13. Special Handling Instructions and Additional Information 9b1: PROFILE #503326	Wear level I present) WR-1977 (EF		loves,	goggle	s, splash	prote	ection (if liqu
	WR 125 () The	W. Ing II					•
14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare the marked and labeled/placarded, and are in all respects in proper cond	at the contents of this consignme	ent are fully and a opticable (nternal	accurately di	escribed abov	s by the proper si mental regulation:	npping nam	e, and are classified, package
Commission (City and Department Commission of the Commission of th		Signature		J_{-}	۸5	agen	
15, International Shipments Import to U.S. Transporter Signature (for exports only):	Export for	mos.	Port of	entry/exit:	- tor	CEM	<u> </u>
Transporter Signature (for exports only):			Date le	aving U.S.	1		
A PROPERTY OF A			25.	·			Month Day
A PROPERTY OF A		Signatur	1.4.1		1 12	1	Month Day
A PROPERTY OF A	<u> </u>	Signatur	hat	<u> </u>	1.17	dr	
16. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Transporter 2 Printed/Typed Name Transporter 2 Printed/Typed Name		100	hat Eas		1. H	les	[12/10]
16. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Transporter 2 Printed/Typed Name 17. Discrepancy Indication Space			hat		1. H	ds by	121101
16. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Transporter 2 Printed/Typed Name 17. Discrepancy		State	Har Has Hesidue	W.	Y Partial R	ly ejection	121101
16. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Transporter 2 Printed/Typed Name 17. Discrepancy 17a. Discrepancy Indication Space Quantity	□ туре	State	Hesidue	e Number:	Partial R	· · · · · · · · · · · · · · · · · · ·	
16. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Transporter 2 Printed/Typed Name 17. Discrepancy 17a. Discrepancy Indication Space Quantity	Туре	State		e Number:		· · · · · · · · · · · · · · · · · · ·	LZ LO
18. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Transporter 2 Printed/Typed Name 17. Discrepancy 17a. Discrepancy Indication Space Quantity 17b. Alternate Facility (or Generator) Facility's Phone:	Туре	State		e Number:		· · · · · · · · · · · · · · · · · · ·	LZ LO
18. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Transporter 2 Printed/Typed Name 17. Discrepancy 17a. Discrepancy Indication Space Quantity 17b. Alternate Facility (or Generator) Facility's Phone:	Type	State		e Number:		· · · · · · · · · · · · · · · · · · ·	LZ I Ø □ Full Rejecti
16. Transporter Acknowledgment of Recaipt of Materials Transporter 1 Printed/Typed Name Transporter 2 Printed/Typed Name 17. Discrepancy 17a. Discrepancy Indication Space Quantity 17b. Alternate Facility (or Generator) Facility's Phone: 17c. Signature of Alternate Facility (or Generator)		Sandu	est Referenc	e Number:		· · · · · · · · · · · · · · · · · · ·	LZ I Ø □ Full Rejectio
16. Transporter Acknowledgment of Receipt of Materials Transporter (Printed/Typed Name Transporter 2 Printed/Typed Name 17. Discrepancy 17a. Discrepancy Indication Space Quantity The Alternate Facility (or Generator) Facility's Phone:		Sandu	est Referenc	e Number:		· · · · · · · · · · · · · · · · · · ·	LZ I Ø □ Full Rejecti