

RECEIVED

9:14 am, Jun 28, 2010

Alameda County
Environmental Health

THRIFTY OIL CO.

June 25, 2010

O.104285

Mr. Steven Plunkett
Alameda County Health Care Services
Department of Environmental Health
1131 Harbor Bay Parkway, 2nd Floor
Alameda, CA 94502

Local #RO0000005
RWQCB #01-1479
EDF # 1123194396

RE: **Former Thrifty Oil Co. Station #063**
ARCO Products Company Station #9542
6125 Telegraph Avenue
Oakland, CA
First Semester 2010, Status Report

Dear Mr. Plunkett:

Presented herein is the First Semester 2010, Status Report prepared for former Thrifty Oil Co. (Thrifty) Station #063 located at 6125 Telegraph Avenue, Oakland, California (**Figure 1**). This report includes the results of the semi-annual groundwater-monitoring program and ongoing remediation conducted during the First Semester 2010. Thrifty has retained the services of Earth Management Company (EMC) to conduct semi-annual monitoring and sampling, and remediation system operation and maintenance activities at this site.

On June 9, 2010, Thrifty submitted a *Continuous 5-Day Mobile High Vacuum Dual Phase Extraction Report and Workplan to Conduct a Continuous 30-Day Mobile High Vacuum Dual Phase Extraction Event (HVDPER/WP)*. The HVDPER/WP summarized the results of the continuous 5-day mobile High Vacuum Dual Phase Extraction (HVDPE) event conducted from May 3 through 8, 2010, and recommended an additional continuous 30-day HVDPE event to remove residual contamination from the subsurface soils at the site. As soon as Thrifty receives approval from the ACHCS, we will schedule the continuous 30-day HVDPE event.


I declare, under penalty of perjury, that the information and/or recommendations contained in this document are true and correct to the best of my knowledge.

Should you have any questions regarding this report, please contact Simon Tregurtha (562) 921-3581 Ext. 260 or the undersigned at Ext 390.



13116 Imperial Hwy, Santa Fe Springs, CA 90670-0138 • Ph: (562)921-3581

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Chris Panaitescu", with a long horizontal flourish extending to the right.

Chris Panaitescu
General Manager
Environmental Affairs

cc: BP West Coast Products LLC; Mr. John Skance
File

Summary of Monitoring and Sampling Activities

Thrifty Oil Co. Station #063

First Semester 2010

Reporting Period: 01/01/2010 to 06/30/2010

Site Information:

Site address:	TOC SS #063 (ARCO #9542) 6125 Telegraph Avenue Oakland, CA
Global ID No.:	T0600101366
EDF Confirmation No.:	1123194396
Lead Agency No.:	Local #RO0000005
Lead Agency:	Alameda County Health Care Services
Agency Contact:	Mr. Steven Plunkett / 510 383-1767
Project Manager:	Simon Tregurtha / 562-921-3581 Ext. 260

Field Activity:

Groundwater wells onsite:	5
Groundwater wells offsite:	2
Date(s) monitored:	May 19, 2010
Date(s) sampled:	May 19, 2010
Groundwater wells gauged:	7
Groundwater wells sampled:	7
Purging method:	Bailer / Pump
Treatment / disposal method during sampling event:	Existing groundwater treatment system
Groundwater wells with free product:	0
Free product thickness (feet):	NA
Free product bailouts other than sampling event:	NA
Treatment / disposal method/free product bailouts:	NA

Site Hydrogeology (based on May 19, 2010 data):

Depth to groundwater (feet bgs):	10.56 to 15.14
Groundwater elevation (feet above mean sea level):	132.17 to 137.82
Groundwater gradient and flow direction:	West at approximately 0.053 ft./ft.
Consistent with previous reporting period:	No

Groundwater Conditions (based on May 19, 2010 data):

TPHg concentration (ug/L):	ND<6.6 to 3,360
Benzene concentration (ug/L):	ND<0.18 to 50

Toluene concentration (ug/L):	ND<0.24 to 88
Ethyl benzene concentration (ug/L):	ND<0.21 to 64
Total Xylenes concentration (ug/L):	ND<0.45 to 379
MTBE concentration (ug/L):	ND<0.19 to 12
DIPE concentration (ug/L):	All wells ND<0.20
ETBE concentration (ug/L):	All wells ND<0.23
TAME concentration (ug/L):	All wells ND<0.19
TBA concentration (ug/L):	ND<5.2 to 50

Remediation Activity (1) :

Activity:	Soil excavation during UST removal
When Occurred:	February and March 1998
Hydrocarbon impacted soil removed (tons)	977.22

Remediation Activity (2):

System type:	Mobile HVDPE
Period Conducted:	5/3/10 through 5/8/10
Operation this Semester (hrs):	120
Cumulative Operation (hrs):	120
GW removed this semester:	5,720 (included in GWPT discharge total)
Pounds of vapor phase hydrocarbons removed this semester:	15.80
Cumulative pounds of vapor phase hydrocarbons removed:	15.80

Remediation Activity (3):

System type:	GWPT
System start-up:	4/8/1991
GW discharge this semester (gal.):	26,920 (12/28/09 to 6/15/10)
Total GW discharge (gal.):	3,332,369 (through 6/15/10)

Total Remediation Achievements through June 15, 2010

Total gallons of groundwater removed:	3,332,369
Total pounds of vapor phase hydrocarbons removed	15.80
Total tons of hydrocarbon impacted soil removed	977.22

Groundwater Monitoring

Depth to groundwater is measured in each monitoring well on a semi-annual basis. Groundwater monitoring well locations are presented in **Figure 1**. A groundwater elevation contour map based on the May 19, 2010, groundwater monitoring data is presented in **Figure 2**. The groundwater flow direction is to the west at an approximate gradient of 0.053 feet/foot.

Semi-Annual Groundwater Sampling

As part of the ongoing groundwater-monitoring program, groundwater samples were obtained from monitoring wells MW-1, MW-3, MW-4, MW-5, MW-6, MW-7, and MW-8 on May 19, 2010. Groundwater samples were collected by Earth Management Company (EMC) and delivered in a chilled state following strict Chain-of-Custody procedure to a state-certified laboratory. The samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg) by EPA Method 8015B, and for benzene, toluene, ethylbenzene, xylenes (BTEX) and methyl tert-butyl ether (MTBE) and other oxygenates by EPA Method 8260B. Laboratory analytical results are provided in the **Summary Table, Table 1 and Table 2**. Copies of the Field Status Reports for groundwater sampling are presented in **Appendix A**, and copies of the laboratory analytical reports are contained in **Appendix B**.

Laboratory results for the groundwater samples collected on May 19, 2010 indicate that the highest concentrations of TPHg and MTBE were detected in well MW-7 at 3,360 micrograms per liter ($\mu\text{g/L}$) and 12 $\mu\text{g/L}$, respectively. The highest concentrations of benzene was detected in well MW-4 at 50 $\mu\text{g/L}$ and TBA was detected in only one well (MW-4) at 50 $\mu\text{g/L}$. All other oxygenated compounds were not detected at or above laboratory detection limits in any of the wells.

TPHg, benzene, MTBE, and TBA isoconcentration maps were prepared using results from the May 19, 2010 groundwater sampling and monitoring event, and the results are presented in **Figures 3, 4, 5, and 6**, respectively.

In general, First Semester 2010 concentrations in wells MW-3, MW-4, MW-5 and MW-7 decreased significantly when compared to Second Semester 2009 concentrations (see **Summary Table-Second Semester 2009 vs First Semester 2010**). Concentrations in wells MW-1, MW-6 and MW-8 were non-detect for all hydrocarbon constituents in both the First Semester 2010 and Second Semester 2009. Thrifty believes that the significant decrease in groundwater concentrations as noted above were due to the ongoing groundwater remediation conducted at the site and the continuous 5-Day mobile high vacuum dual phase extraction (HVDPE) event conducted from May 3, 2010 through May 8, 2010.

Remediation Status

Site remedial activities were initiated in April 1991. Currently, the remediation system consists of a Groundwater Treatment System that extracts groundwater from monitoring wells MW-3 and MW-4 with treatment utilizing activated carbon. System operational data is included in **Table 3**. Copies of the Field Status Reports for groundwater remediation system are presented in **Appendix C**, and copies of the laboratory analytical reports are contained in **Appendix D**. During the current reporting period (from December 28, 2009 through June 15, 2010), the groundwater treatment system processed approximately 26,920 gallons (which includes the 5,720 gallons removed and treated during the continuous 5-day HVDPE event conducted from May 3, 2010 through May 8, 2010) of groundwater and has treated approximately 3,332,369 gallons of groundwater since start-up (April 1991). The system was upgraded in the Second Quarter 2005, when a pump was replaced in well MW-3 and MW-4 was added to the extraction well array.

Other Activities

According to the *Underground Storage Tank Removal Report* prepared by Pacific Environmental Group, Inc. and dated August 31, 1998, 977.22 tons of hydrocarbon impacted soil was removed from the site during underground removal activities completed in February and March 1998. The soils were transported to TPS Technologies, Inc. located in Adelanto, California for final disposal.

In a letter received by Thrifty dated December 7, 2005, the Alameda County Health Care Services (ACHCS) requested site information including depth to water, groundwater flow direction, dissolved constituents concentrations, well screen levels, plume stability, and if active remediation was occurring onsite. Thrifty provided the requested information on January 10, 2006. The ACHCS also requested that a site conceptual model (SCM) be prepared for the site; Thrifty uploaded the SCM to the ACHCS FTP website and to Geotracker on April 26, 2006.

In a letter received by Thrifty dated October 24, 2006, the ACHCS requested a Revised SCM (RSCM) and an offsite investigation workplan (Workplan). On behalf of Thrifty, Equipoise Corporation uploaded the RSCM and Workplan to the California Geotracker website and the ACHCS FTP website on November 29, 2006. Subsequently, the ACHCS sent a letter to Thrifty dated December 21, 2006 approving the Workplan for down-gradient off-site assessment. On February 22, 2007, two downgradient groundwater monitoring wells (MW-7 and MW-8) were installed on the adjacent property located to the south of the Site by Test America of Rancho Cordova, California under the supervision of Equipoise Corporation. Results of the additional site assessment were presented in a *Site Assessment/Well Installation Report*, submitted to ACHCS on April 5, 2007.

In an effort to reduce hydrocarbon contamination in the soil and groundwater beneath the site and to move the site towards closure, Thrifty proposed the implementation of a continuous 5-day high vacuum dual-phase extraction (HVDPE) event (with possible additional events to be performed based upon results). The HVDPE was proposed in the Second Quarter 2008 Status Report dated July 2, 2008 and at that time Thrifty indicated that it would submit a workplan detailing the proposed Interim Remedial Action upon your approval. The ACEHS did not respond to Thrifty's proposal and on September 2, 2008 (after waiting 60-days and under the 60-day rule) Thrifty submitted a Remedial Action Plan (RAP). The RAP proposed performing a five consecutive day (24-hours/day) multi-phase extraction (MPE) event to reduce the hydrocarbon concentrations beneath the site. As an alternative to the HVDPE event proposed in the Second Quarter 2008 Status Report, the RAP proposed to utilize the existing groundwater treatment system in combination with a mobile soil vapor extraction (SVE) unit to facilitate the MPE event. The proposed MPE event would be as technically effective as the HVDPE and much more cost-effective by utilizing the existing system for treatment and discharge of groundwater to the sewer (rather than incurring Baker Tank and offsite disposal costs).

In a letter dated December 29, 2008 (the Letter) the Alameda County Health Care Services (ACHCS) indicated that they would not approve the RAP until several outstanding issues have been addressed, including delineating the downgradient extent of the contamination plume and evaluating the associated

human health risks.

On February 4, 2009, Thrifty submitted a Response Letter that addressed several statements and comments included in Item 4 of the Technical Comments Section of the December 29, 2008 ACHCS Letter. The Response Letter included clarification of statements made by both Thrifty and the ACHCS regarding peak concentrations detected in the influent stream of the groundwater extraction system.

On February 18, 2009, Thrifty submitted an *Additional Site Assessment Workplan* (ASAW). The Workplan was also prepared in response to the December 29, 2008 ACHCS Letter, which requested that Thrifty propose a scope of work to: (1) evaluate the lateral and vertical extent of the source area soil contamination; (2) evaluate the lateral and vertical extent of the dissolved phase plume downgradient of the site; (3) collect soil vapor samples to assess the potential risk to on-site and offsite receptors. To comply with the directives in the Letter, the ASAW proposed collecting four soil vapor samples (SV-1 through SV-4) at approximately 3-feet below ground surface (bgs), advancing four soil borings (SB-1 through SB-4) to approximately 30-feet bgs, and installing one offsite groundwater monitoring well (MW-9) to approximately 30-feet bgs.

On June 9, 2010, Thrifty submitted a *Continuous 5-Day Mobile High Vacuum Dual Phase Extraction Report and Workplan to Conduct a Continuous 30-Day Mobile High Vacuum Dual Phase Extraction Event* (HVDPER/WP). The HVDPER/WP summarized the results of the continuous 5-day mobile HVDPE event and recommended an additional continuous 30-day HVDPE event conducted from May 3, 2010 through May 8, 2010 to remove residual contamination from the subsurface soils at the site. During the continuous 5-day HVDPE event, 15.80 pounds of vapor hydrocarbons were removed and destroyed and 5,720 gallons of groundwater were removed and discharged through the existing groundwater treatment system. As soon as Thrifty receives approval from the ACHCS, we will schedule the continuous 30-day HVDPE event.

Activities Planned for Second Semester 2010


The following activities are planned for next reporting period (Second Semester 2010):

- Continue semi-annual groundwater monitoring, sampling; and reporting;
- Continue operations of the groundwater remediation system; and
- Upon receiving ACHCS approval, Thrifty will implement the scope of work outlined in the June 9, 2010 HVDPE/WP



Closing Comments

Interpretations expressed herein are based solely upon data collected and provided by EMC and Associated Laboratories. Should you have any questions regarding this report or require any additional information, please contact Simon Tregurtha at 562-921-3581, Ext. 260.

Sincerely:



Simon Tregurtha
Project Geologist



Larry Higinbotham
Registered Geologist No. 5497

TABLES

**SUMMARY TABLE
CURRENT PERIOD GROUNDWATER DATA
THRIFTY OIL STATION #063, OAKLAND, CA, 94609
T0600101366**

WELL	STATUS	Monit./ Sampl. Date	ANALYTICAL PARAMETERS										MONITORING PARAMETERS				ELEVATION		WELL	
			TPHg (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	DTP (feet)	DTW (feet)	DTB (feet)	PT (feet)	CASING (feet)	GW (feet)	DIA (inch)	SCREEN (feet)
MW-1	ACT	05/19/10	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	<0.20	<0.23	<0.19	<5.2	NP	12.04	28.93	0.00	148.43	136.39	2"	15 - 30
MW-3	ACT	05/19/10	133	<0.18	<0.24	<0.21	<0.45	5.2	<0.20	<0.23	<0.19	<5.2	NP	12.52	28.21	0.00	148.94	136.42	6"	15 - 30
MW-4	ACT	05/19/10	1,870	50	<0.24	105	1.8 J	10	<0.20	<0.23	<0.19	50	NP	12.40	29.20	0.00	148.88	136.48	2"	9 - 29
MW-5	ACT	05/19/10	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	<0.20	<0.23	<0.19	<5.2	NP	14.01	26.23	0.00	149.62	135.61	4"	7 - 27
MW-6	ACT	05/19/10	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	<0.20	<0.23	<0.19	<5.2	NP	10.56	26.77	0.00	148.38	137.82	4"	7 - 27
MW-7	ACT	05/19/10	3,360	18	88	64	379	12	<0.20	<0.23	<0.19	<5.2	NP	12.56	17.44	0.00	148.20	135.64	2"	8 - 18
MW-8	ACT	05/19/10	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	<0.20	<0.23	<0.19	<5.2	NP	15.14	18.29	0.00	147.31	132.17	2"	8 - 18

NOTE:

ACT	Groundwater well currently used for monitoring	TPHg	= Total Petroleum Hydrocarbons as gasoline	MTBE	= Methyl-tert-butyl ether	DTP	= Depth To Product	" - "	= Not analyzed / Not available
INACT	Groundwater well is NOT included in monitoring program	TPHd	= Total Petroleum Hydrocarbons as diesel	DIPE	= isopropyl ether	DTW	= Depth To Water	" < "	= Less than detection level indicated
DRY	Groundwater well is dry and/or cannot be sampled	B	= Benzene	ETBE	= Ethyl-tert-butyl ether	DTB	= Depth To Bottom	" J "	= Flag indicating value
NOACC	Presently no access to groundwater well	T	= Toluene	TAME	= Tert-amyl methyl ether	PT	= Product Thickness		= between MDL & PQL
DEST	Well has been properly destroyed, no longer a conduit to subsurf	E	= Ethylbenzene	TBA	= Tertiary butyl alcohol	GW	= Groundwater	NP	= No free product
AB	Groundwater well is abandoned, but not yet destroyed	X	= Total Xylenes						

**SUMMARY TABLE - Second Semester 2009 vs First Semester 2010
CURRENT PERIOD GROUNDWATER DATA
THRIFTY OIL STATION #063, OAKLAND, CA, 94609
T0600101366**

WELL	STATUS	Monit/ Sampl. Date	ANALYTICAL PARAMETERS										MONITORING PARAMETERS				ELEVATION		WELL	
			TPHg (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	DTP (feet)	DTW (feet)	DTB (feet)	PT (feet)	CASING (feet)	GW (feet)	DIA (inch)	SCREEN (feet)
MW-1	ACT	12/14/09	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	<0.20	<0.23	<0.19	<5.2	NP	14.28	28.94	0.00	148.43	134.15	2"	15 - 30
MW-1	ACT	05/19/10	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	<0.20	<0.23	<0.19	<5.2	NP	12.04	28.93	0.00	148.43	136.39	2"	15 - 30
MW-3	ACT	12/14/09	17,400	118	970	362	2,670	<0.19	<0.20	<0.23	<0.19	25	NP	15.45	28.20	0.00	148.94	133.49	6"	15 - 30
MW-3	ACT	05/19/10	133	<0.18	<0.24	<0.21	<0.45	5.2	<0.20	<0.23	<0.19	<5.2	NP	12.52	28.21	0.00	148.94	136.42	6"	15 - 30
MW-4	ACT	12/14/09	65,600	384	3,610	1,290	9,340	<0.19	<0.20	<0.23	<0.19	<5.2	NP	15.21	29.07	0.00	148.88	133.67	2"	9 - 29
MW-4	ACT	05/19/10	1,870	50	<0.24	105	1.8 J	10	<0.20	<0.23	<0.19	50	NP	12.40	29.20	0.00	148.88	136.48	2"	9 - 29
MW-5	ACT	12/14/09	131	2.4	14	2.6J	14	<0.19	<0.20	<0.23	<0.19	<5.2	NP	16.53	26.23	0.00	149.62	133.09	4"	7 - 27
MW-5	ACT	05/19/10	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	<0.20	<0.23	<0.19	<5.2	NP	14.01	26.23	0.00	149.62	135.61	4"	7 - 27
MW-6	ACT	12/14/09	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	<0.20	<0.23	<0.19	<5.2	NP	12.55	26.80	0.00	148.38	135.83	4"	7 - 27
MW-6	ACT	05/19/10	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	<0.20	<0.23	<0.19	<5.2	NP	10.56	26.77	0.00	148.38	137.82	4"	7 - 27
MW-7	ACT	12/14/09	39,900	271	3,240	1,420	8,890	<19.0	<20.0	<23.0	<19.0	<520.0	NP	12.42	17.45	0.00	148.20	135.78	2"	8 - 18
MW-7	ACT	05/19/10	3,360	18	88	64	379	12	<0.20	<0.23	<0.19	<5.2	NP	12.56	17.44	0.00	148.20	135.64	2"	8 - 18
MW-8	ACT	12/14/09	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	<0.20	<0.23	<0.19	<5.2	NP	12.95	18.29	0.00	147.31	134.36	2"	8 - 18
MW-8	ACT	05/19/10	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	<0.20	<0.23	<0.19	<5.2	NP	15.14	18.29	0.00	147.31	132.17	2"	8 - 18

NOTE: ACT Groundwater well currently used for monitoring
 INACT Groundwater well is NOT included in monitoring program
 DRY Groundwater well is dry and/or cannot be sampled
 NOACC Presently no access to groundwater well
 DEST Well has been properly destroyed, no longer a conduit to subsurface
 AB Groundwater well is abandoned, but not yet destroyed

TPHg = Total Petroleum Hydrocarbons as gasoline
 TP Hd = Total Petroleum Hydrocarbons as diesel
 B = Benzene
 T = Toluene
 E = Ethylbenzene
 X = Total Xylenes

MTBE = Methyl-tert-butyl ether
 DIPE = Isopropyl ether
 ETBE = Ethyl-tert-butyl ether
 TAME = Tert-amyl methyl ether
 TBA = Tertiary butyl alcohol

DTP = Depth To Product
 DTW = Depth To Water
 DTB = Depth To Bottom
 PT = Product Thickness
 GW = Groundwater

" - " = Not analyzed / Not available
 "<" = Less than detection level indicated
 "J" = Flag indicating value between MDL & PQL
 NP = No free product

**TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #063, OAKLAND, CA**

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE (ug/L)					
MONITORING WELL #MW-1											
Screen Interval = 15 to 30 feet						Casing Diameter = 2 inches					
11/21/86	-	-	-	-	-	-	NP	15.42	0.00	99.34	83.92
07/22/91	-	-	-	-	-	-	FILM	20.41	0.00	99.34	78.93
10/24/91	-	-	-	-	-	-	SHEEN	19.06	0.00	99.34	80.28
01/22/92	-	-	-	-	-	-	SHEEN	18.78	0.00	99.34	80.56
03/24/92	-	-	-	-	-	-	SHEEN	13.55	0.00	99.34	85.79
07/15/92	-	-	-	-	-	-	FILM	18.90	0.00	99.34	80.44
10/05/92	-	-	-	-	-	-	FILM	20.50	0.00	99.34	78.84
01/06/93	-	-	-	-	-	-	FILM	14.93	0.00	99.34	84.41
07/13/93	-	-	-	-	-	-	FILM	15.44	0.00	99.34	83.90
10/11/93	-	-	-	-	-	-	FILM	20.36	0.00	99.34	78.98
01/11/94	-	-	-	-	-	-	FILM	19.50	0.00	99.34	79.84
04/12/94	-	-	-	-	-	-	FILM	18.10	0.00	99.34	81.24
07/14/94	-	-	-	-	-	-	FILM	20.03	0.00	99.34	79.31
01/15/96	11,000	2,800	150	780	770	-	NP	19.02	0.00	99.34	80.32
04/15/96	17,000	3,600	330	1,500	3,400	-	NP	18.82	0.00	99.34	80.52
07/15/96	12,000	1,300	200	1,200	4,600	250	NP	#N/A	-	-	-
10/09/96	-	-	-	-	-	-	NP	14.87	0.00	99.34	84.47
01/13/97	27,000	810	6,000	570	4,100	2,700	NP	10.20	0.00	99.34	89.14
04/14/97	2,900	3.0	2.9	<0.3	1.7	9,900	NP	#N/A	-	-	-
07/07/97	5,200	0.57	0.57	<0.3	0.71	16,000	NP	18.75	0.00	99.34	80.59
10/16/97	680	<0.3	0.55	<0.3	<0.5	-	NP	17.92	0.00	99.34	81.42
01/07/98	42,000	980	2,800	1,200	5,200	1.3	NP	9.80	0.00	99.34	89.54
04/06/98	7,100	700	340	170	2,600	1,000	NP	9.60	0.00	99.34	89.74
07/14/98	19,000	2,100	400	890	5,800	1,600	NP	13.70	0.00	99.34	85.64
10/15/98	490	<0.3	<0.3	<0.3	<0.5	1,300	NP	15.25	0.00	99.34	84.09
01/20/99	350	<0.3	<0.3	<0.3	<0.5	* 670 / 820	NP	12.20	0.00	99.34	87.14
04/16/99	320	<0.3	<0.3	<0.3	<0.5	* 540 / 630	NP	12.20	0.00	99.34	87.14
07/14/99	290	<0.3	<0.3	<0.3	<0.5	*590 / 580	NP	13.75	0.00	99.34	85.59
10/07/99	130	<0.3	<0.3	<0.3	<0.5	270	NP	12.15	0.00	99.34	87.19
01/26/00	13,000	460	54	290	3,700	940	NP	13.14	0.00	99.34	86.20
04/19/00	546	<0.25	<0.25	<0.25	<0.5	*430 / 606	NP	10.63	0.00	99.34	88.71
05/26/00	<50	<0.3	<0.3	<0.3	<0.6	<5.0	NP	9.11	0.00	99.34	90.23
07/26/00	<50	<0.3	<0.3	<0.3	<0.6	<5.0	NP	9.10	0.00	99.34	90.24
10/25/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	9.08	0.00	99.34	90.26
01/10/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	12.16	0.00	99.34	87.18
04/23/01	18,100	740	55	650	4,000	*1,850 / 842	NP	10.60	0.00	99.34	88.74
07/16/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	9.07	0.00	99.34	90.27
10/17/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	12.16	0.00	99.34	87.18
01/23/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	15.23	0.00	99.34	84.11
04/10/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	15.17	0.00	99.34	84.17
07/24/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	16.71	0.00	99.34	82.63
10/30/02	<50	2.2	<0.14	<0.18	<0.26	13	NP	15.16	0.00	99.34	84.18
01/15/03	465 J	<0.14	<0.07	<0.08	<0.35	147	NP	16.70	0.00	99.34	82.64
04/16/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	NP	15.16	0.00	99.34	84.18
07/14/03	<15	<0.22	<0.32	<0.31	<0.4	<0.18	NP	13.64	0.00	99.34	85.70
10/08/03	761	11	<0.32	1.4 J	2.9 J	653	NP	15.50	0.00	99.34	83.84
01/15/04	853	<0.04	<0.02	<0.02	<0.06	*1,100 / 558	NP	14.20	0.00	99.34	85.14
04/14/04	494	<2.2	<3.2	<3.1	<4.0	843	NP	12.93	0.00	99.34	86.41
07/29/04	1,040	<2.2	<3.2	<3.1	<4.0	1,070	NP	14.73	0.00	99.34	84.61
10/14/04	3,250	266	<0.32	59	78	811	NP	15.26	0.00	99.34	84.08
01/06/05	197	<0.22	<0.32	<0.31	<0.4	406	NP	15.14	0.00	99.34	84.20
04/13/05	<15	<0.22	<0.32	<0.31	<0.4	<0.18	NP	9.40	0.00	99.34	89.94
07/27/05	<2.9	<0.32	<0.10	<0.24	<0.30	<0.63	NP	16.65	0.00	99.34	82.69

**TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #063, OAKLAND, CA**

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE (ug/L)					
10/12/05	<2.9	<0.32	<0.10	<0.24	<0.30	<0.63	NP	18.19	0.00	99.34	81.15
01/19/06	1,380	58	<0.10	62	113	33	NP	9.37	0.00	99.34	89.97
04/12/06	<5.6	<0.32	<0.10	<0.24	<0.30	<0.63	NP	10.02	0.00	99.34	89.32
07/26/06	8,850	151	649	178	778	133	NP	15.18	0.00	99.34	84.16
10/25/06	<5.6	<0.32	<0.10	<0.24	<0.3	75	NP	15.13	0.00	99.34	84.21
01/24/07	<5.6	<0.32	3.1 J	1.2 J	6.4	<0.63	NP	13.60	0.00	148.43	134.83
04/24/07	3,090	133	3.2 J	114	116	72	NP	15.61	0.00	148.43	132.82
07/25/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	14.67	0.00	148.43	133.76
10/24/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	14.26	0.00	148.43	134.17
01/23/08	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	15.60	0.00	148.43	132.83
04/29/08	<6.6	<0.18	1.4 J	<0.21	1.4 J	<0.19	NP	16.32	0.00	148.43	132.11
07/30/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	15.04	0.00	148.43	133.39
10/29/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	14.23	0.00	148.43	134.20
01/29/09	<6.6	<0.18	1.3 J	<0.21	<0.45	<0.19	NP	14.24	0.00	148.43	134.19
05/06/09	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	15.52	0.00	148.43	132.91
12/14/09	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	14.28	0.00	148.43	134.15
05/19/10	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	12.04	0.00	148.43	136.39

MONITORING WELL #MW-2

Screen Interval = 15 to 30 feet

11/21/86	-	-	-	-	-	-	0.11	14.90	14.79	100.01	96.28
07/22/91	-	-	-	-	-	-	0.38	17.84	17.46	100.01	95.35
10/24/91	-	-	-	-	-	-	16.97	17.00	0.03	100.01	83.03
01/22/92	-	-	-	-	-	-	FILM	16.72	0.00	100.01	83.29
03/24/92	-	-	-	-	-	-	11.98	15.81	3.83	100.01	87.09
07/15/92	-	-	-	-	-	-	FILM	16.37	0.00	100.01	83.64
10/05/92	-	-	-	-	-	-	18.09	18.41	0.32	100.01	81.84
01/06/93	-	-	-	-	-	-	FILM	12.37	0.00	100.01	87.64
07/13/93	-	-	-	-	-	-	FILM	15.19	0.00	100.01	84.82
10/11/93	-	-	-	-	-	-	0.10	18.05	17.95	100.01	95.51
01/11/94	-	-	-	-	-	-	0.03	16.98	16.95	100.01	95.83
04/12/94	-	-	-	-	-	-	FILM	15.54	0.00	100.01	84.47
07/14/94	-	-	-	-	-	-	FILM	17.93	0.00	100.01	82.08
01/15/96	7,100	720	280	48	660	-	NP	17.20	0.00	100.01	82.81
04/15/96	11,000	600	59	420	870	-	NP	17.26	0.00	100.01	82.75
07/15/96	19,000	360	51	610	1,600	<250	#N/A	-	-	-	-
10/09/96	-	-	-	-	-	-	NP	14.42	0.00	100.01	85.59
01/13/97	11,000	230	30	91	700	56	NP	10.25	0.00	100.01	89.76
04/14/97	141	1.2	0.33	0.44	<0.5	20	#N/A	-	-	-	-
07/07/97	<50	<0.3	<0.3	<0.3	<0.5	<20	NP	17.20	0.00	100.01	82.81
10/16/97	<50	<0.3	<0.3	<0.3	<0.5	-	NP	16.20	0.00	100.01	83.81
01/07/98	-	-	-	-	-	-	16.18	16.26	0.08	100.01	83.81

Well Abandoned 1/30/98

MONITORING WELL #MW-3

Screen Interval = 15 to 30 feet

(GROUNDWATER SYSTEM'S PUMPING WELL)

Casing Diameter = 6 inches

11/21/86	-	100	5.1	<1.0	25	-	0.10	16.25	16.15	99.76	95.70
07/22/91	-	-	-	-	-	-	NP	24.00	0.00	99.76	75.76
10/24/91	-	-	-	-	-	-	NP	18.10	0.00	99.76	81.66
01/22/92	-	-	-	-	-	-	SHEEN	25.80	0.00	99.76	73.96
03/24/92	-	-	-	-	-	-	NP	15.60	0.00	99.76	84.16
07/15/92	-	-	-	-	-	-	FILM	25.10	0.00	99.76	74.66
10/05/92	-	-	-	-	-	-	NP	25.20	0.00	99.76	74.56
01/06/93	-	-	-	-	-	-	NP	25.45	0.00	99.76	74.31
07/13/93	-	-	-	-	-	-	NP	14.24	0.00	99.76	85.52

**TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #063, OAKLAND, CA**

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE (ug/L)					
10/11/93	-	-	-	-	-	-	NP	25.60	0.00	99.76	74.16
01/11/94	-	-	-	-	-	-	NP	25.90	0.00	99.76	73.86
04/12/94	-	-	-	-	-	-	NP	25.70	0.00	99.76	74.06
07/14/94	-	-	-	-	-	-	NP	25.10	0.00	99.76	74.66
01/15/96	-	-	-	-	-	-	NP	26.04	0.00	99.76	73.72
04/15/96	-	-	-	-	-	-	NP	21.03	0.00	99.76	78.73
07/15/96	5,900	240	30	270	730	780	#N/A	-	-	-	-
10/09/96	-	-	-	-	-	-	NP	21.43	0.00	99.76	78.33
01/13/97	-	-	-	-	-	-	NP	11.20	0.00	99.76	88.56
07/07/97	-	-	-	-	-	-	NP	23.40	0.00	99.76	76.36
10/16/97	-	-	-	-	-	-	NP	22.30	0.00	99.76	77.46
01/07/98	-	-	-	-	-	-	NP	20.10	0.00	99.76	79.66
07/14/98	-	-	-	-	-	-	NP	14.40	0.00	99.76	85.36
10/15/98	-	-	-	-	-	-	#N/A	-	-	-	-
01/20/99	-	-	-	-	-	-	#N/A	-	-	-	-
04/16/99	-	-	-	-	-	-	NP	11.20	0.00	99.76	88.56
07/14/99	5,600	9.6	1.3	3.5	8.1	*14,000 / 14,000	NP	25.87	0.00	99.76	73.89
10/07/99	-	-	-	-	-	-	NP	15.40	0.00	99.76	84.36
01/26/00	-	-	-	-	-	-	NP	14.25	0.00	99.76	85.51
04/19/00	-	-	-	-	-	-	NP	14.20	0.00	99.76	85.56
05/26/00	-	-	-	-	-	-	NP	15.12	0.00	99.76	84.64
07/26/00	-	-	-	-	-	-	NP	14.30	0.00	99.76	85.46
10/25/00	-	-	-	-	-	-	NP	14.32	0.00	99.76	85.44
01/10/01	-	-	-	-	-	-	NP	13.46	0.00	99.76	86.30
04/23/01	-	-	-	-	-	-	#N/A	-	-	-	-
07/16/01	-	-	-	-	-	-	NP	12.80	0.00	99.76	86.96
10/17/01	-	-	-	-	-	-	NP	15.30	0.00	99.76	84.46
01/23/02	-	-	-	-	-	-	#N/A	-	-	-	-
04/10/02	-	-	-	-	-	-	NP	13.22	0.00	99.76	86.54
07/24/02	-	-	-	-	-	-	NP	14.32	0.00	99.76	85.44
10/30/02	-	-	-	-	-	-	NP	16.20	0.00	99.76	83.56
01/15/03	-	-	-	-	-	-	NP	14.10	0.00	99.76	85.66
04/16/03	-	-	-	-	-	-	#N/A	-	-	99.76	-
07/14/03	2,490	<0.22	<0.32	<0.31	1.3 J	2,050	NP	18.30	0.00	99.76	81.46
10/08/03	3,330	<0.22	<0.32	<0.31	<0.4	4,070	NP	16.65	0.00	99.76	83.11
01/15/04	102	2.1	3.5	<0.02	12	*28 / 17	NP	14.18	0.00	99.76	85.58
04/14/04	464	63	18	<0.31	16	189	NP	13.45	0.00	99.76	86.32
07/29/04	1,560	74	<3.2	30 J	<4.0	729	NP	15.94	0.00	99.76	83.82
10/14/04	2,490	25	<0.32	<0.31	<0.4	2,530	NP	16.11	0.00	99.76	83.65
01/06/05	394	12	<0.32	1.5 J	<0.4	51	NP	15.61	0.00	99.76	84.15
04/13/05	<15	<0.22	<0.32	<0.31	<0.4	<0.18	NP	9.19	0.00	99.76	90.57
07/27/05	383	5.6	<0.10	17	2.4 J	125	NP	16.63	0.00	99.76	83.13
10/12/05	<2.9	<0.32	<0.10	<0.24	<0.30	<0.63	NP	16.97	0.00	99.76	82.79
01/19/06	2,050	93	2.2 J	103	55	273	NP	10.92	0.00	99.76	88.84
04/12/06	70	<0.32	<0.10	<0.24	<0.30	265	NP	12.55	0.00	99.76	87.21
07/26/06	228	<0.32	<0.10	<0.24	26	389	NP	14.94	0.00	99.76	84.82
10/25/06	87,100	26	4,880	2,390	18,500	<6.3	NP	17.49	0.00	99.76	82.27
01/24/07	4,770	1.5	98	86	604	<0.63	NP	13.40	0.00	148.94	135.54
04/24/07	15,700	42	<2.4	404	1,250	<1.9	NP	16.76	0.00	148.94	132.18
07/25/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	15.72	0.00	148.94	133.22
10/24/07	2,100	120	1.5 J	36	4.0 J	499	NP	15.43	0.00	148.94	133.51
01/23/08	59	<0.18	<0.24	<0.21	3.2 J	25	NP	15.43	0.00	148.94	133.51
04/29/08	1,770	34	273	60	361	11	NP	16.30	0.00	148.94	132.64
07/30/08	<6.6	<0.18	<0.24	<0.21	1.9 J	<0.19	NP	15.61	0.00	148.94	133.33

**TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #063, OAKLAND, CA**

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE (ug/L)					
10/29/08	13,500	84	1,190	615	4,080	28	NP	15.42	0.00	148.94	133.52
01/29/09	2,510	81	449	67	448	<1.9	NP	15.40	0.00	148.94	133.54
05/06/09	119	<0.18	2.3 J	2.7 J	22	10	NP	15.26	0.00	148.94	133.68
12/14/09	17,400	118	970	362	2,670	<0.19	NP	15.45	0.00	148.94	133.49
05/19/10	133	<0.18	<0.24	<0.21	<0.45	5.2	NP	12.52	0.00	148.94	136.42
MONITORING WELL #MW-4											
Screen Interval = 9 to 29 feet											
Casing Diameter = 2 inches											
11/21/86	100,000	3,200	2,700	2,400	14,000	-	FILM	16.22	0.00	99.48	83.26
07/22/91	-	-	-	-	-	-	21.35	21.80	0.45	99.48	78.02
10/24/91	-	-	-	-	-	-	SHEEN	20.02	0.00	99.48	79.46
01/22/92	-	-	-	-	-	-	SHEEN	19.78	0.00	99.48	79.70
03/24/92	-	-	-	-	-	-	FILM	13.94	0.00	99.48	85.54
07/15/92	-	-	-	-	-	-	FILM	19.27	0.00	99.48	80.21
10/05/92	-	-	-	-	-	-	FILM	21.44	0.00	99.48	78.04
01/06/93	-	-	-	-	-	-	FILM	14.08	0.00	99.48	85.40
07/13/93	-	-	-	-	-	-	FILM	16.09	0.00	99.48	83.39
10/11/93	-	-	-	-	-	-	FILM	21.33	0.00	99.48	78.15
01/11/94	-	-	-	-	-	-	FILM	20.45	0.00	99.48	79.03
04/12/94	-	-	-	-	-	-	FILM	19.05	0.00	99.48	80.43
07/14/94	-	-	-	-	-	-	FILM	20.41	0.00	99.48	79.07
01/15/96	5,000	370	38	300	390	-	NP	19.89	0.00	99.48	79.59
04/15/96	38,000	300	78	540	470	-	NP	19.62	0.00	99.48	79.86
07/15/96	13,000	880	69	820	1,100	3,600	#N/A	-	-	-	-
10/09/96	-	-	-	-	-	-	NP	15.32	0.00	99.48	84.16
01/13/97	47,000	2,500	2,500	1,100	2,800	70,000	NP	10.80	0.00	99.48	88.68
04/14/97	8,700	<0.3	0.45	<0.3	0.64	29,000	#N/A	-	-	-	-
07/07/97	12,000	<0.3	<0.3	<0.3	<0.5	-	NP	18.80	0.00	99.48	80.68
10/16/97	770	<0.3	<0.3	<0.3	<0.5	-	NP	17.76	0.00	99.48	81.72
01/07/98	75,000	3,000	900	1,400	2,500	110	NP	11.60	0.00	99.48	87.88
04/08/98	18,000	1,200	130	710	1,400	22,000	NP	10.10	0.00	99.48	89.38
07/14/98	21,000	1,300	58	1,200	1,100	23,000	NP	16.30	0.00	99.48	83.18
10/15/98	9,100	1.1	0.62	<0.3	<0.5	30,000	NP	16.90	0.00	99.48	82.58
01/20/99	16,000	<0.3	0.91	0.72	1.4	* 43,000 / 42,000	NP	15.35	0.00	100.48	85.13
04/16/99	17,000	0.48	0.92	0.54	1.4	* 28,000 / 26,000	NP	15.30	0.00	100.48	85.18
07/14/99	8,500	<6.0	<6.0	<6.0	<10	*21,000 / 16,000	NP	18.40	0.00	100.48	82.08
10/07/99	2,500	<1.5	3.1	<1.5	<2.5	4,800	NP	16.89	0.00	100.48	83.59
01/26/00	9,900	350	9.0	460	460	2,800	NP	12.62	0.00	100.48	87.86
04/19/00	8,990	0.7	<0.25	<0.25	<0.5	*3,240 / 5,450	NP	12.28	0.00	100.48	88.20
05/26/00	94	<0.3	<0.3	<0.3	<0.6	*746 / 419	NP	13.81	0.00	100.48	86.67
07/26/00	<50	<0.3	<0.3	<0.3	<0.6	3,110 / 2,060	NP	12.29	0.00	100.48	88.19
10/25/00	2,480	<0.18	<0.14	<0.18	<0.26	*3,690 / 3,040	NP	12.26	0.00	100.48	88.22
01/10/01	<50	<0.18	2.0	<0.18	1.0	962	NP	10.75	0.00	100.48	89.73
04/23/01	482	<0.18	<0.14	<0.18	<0.26	*875 / 453	NP	12.26	0.00	100.48	88.22
07/16/01	71,700	9,440	12,600	514	8,980	*1,330 / 389	NP	13.80	0.00	100.48	86.68
10/17/01	13,500	1,950	425	<5.94	1,110	*829 / 329	NP	16.87	0.00	100.48	83.61
01/23/02	12,100	196	57	68	2,090	*688/738	NP	12.28	0.00	100.48	88.20
04/10/02	655	7.0	8.0	1.0	1.0	587	NP	13.80	0.00	100.48	86.68
07/24/02	17,400	<0.18	1.9	1.4	2.2	12,800	NP	15.33	0.00	100.48	85.15
10/30/02	17,300	400	47	748	131	12,300	NP	17.00	0.00	100.48	83.48
01/15/03	23,000	588	39	832	268	18,300	NP	16.84	0.00	100.48	83.64
04/16/03	15,800	411	15	26	14	18,200	NP	16.86	0.00	100.48	83.62
07/14/03	13,300	145	26	2.8 J	12	17,600	NP	10.69	0.00	100.48	89.79
10/08/03	12,500	64	<3.2	359	24 J	11,400	NP	16.32	0.00	100.48	84.16

**TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #063, OAKLAND, CA**

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE (ug/L)					
01/15/04	12,300	11	4.4	66	4.0	*17,000 / 9,560	NP	14.67	0.00	100.48	85.81
04/14/04	7,340	<11	<16	<15.5	<20	13,500	NP	13.68	0.00	100.48	86.80
07/29/04	5,400	<2.2	<3.2	57	<4.0	6,730	NP	15.50	0.00	100.48	84.98
10/14/04	10,200	197	<3.2	233	13 J	3,940	NP	16.08	0.00	100.48	84.40
01/06/05	4,880	60	<3.2	74	<4.0	4,760	NP	15.24	0.00	100.48	85.24
04/13/05	2,780	57	35	20	251	3,650	NP	9.64	0.00	100.48	90.84
07/27/05	1,990	<0.32	<0.10	<0.24	<0.30	2,590	NP	16.79	0.00	100.48	83.69
10/12/05	25,700	177	<1.0	941	<3.0	4,810	NP	16.78	0.00	100.48	83.70
01/19/06	4,780	96	1.9 J	183	57	210	NP	10.46	0.00	100.48	90.02
04/12/06	1,860	<0.32	<0.10	<0.24	<0.30	192	NP	12.69	0.00	100.48	87.79
07/26/06	6,390	133	343	94	363	1,160	NP	15.18	0.00	100.48	85.30
10/25/06	12,100	51	162	<2.4	2,380	2,050	NP	14.88	0.00	100.48	85.60
01/24/07	21,600	2.9	256	205	1,710	123	NP	13.74	0.00	148.88	135.14
04/24/07	1,840	25	<0.24	80	14	754	NP	16.67	0.00	148.88	132.21
07/25/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	15.44	0.00	148.88	133.44
10/24/07	106	13	<0.24	1.4 J	<0.45	44	NP	15.17	0.00	148.88	133.71
01/23/08	1,520	41	100	18	152	428	NP	16.57	0.00	148.88	132.31
04/29/08	4,340	76	498	138	817	<1.9	NP	17.58	0.00	148.88	131.30
07/30/08	1,280	28	105	26	150	<0.19	NP	16.54	0.00	148.88	132.34
10/29/08	31,500	130	1,870	926	5,510	<19	NP	15.14	0.00	148.88	133.74
01/29/09	184,000	1,620	30,600	5,250	24,000	<4.75	NP	15.15	0.00	148.88	133.73
02/16/09	42,900	525	5,570	<5.25	7,560	<4.75	NP	11.38	0.00	148.88	137.50
05/06/09	2,660	8.7	184	76	452	3.4	NP	16.53	0.00	148.88	132.35
12/14/09	65,600	384.0	3,610	1,290	9,340	<0.19	NP	15.21	0.00	148.88	133.67
05/19/10	1,870	50	<0.24	105	1.8 J	10	NP	12.40	0.00	148.88	136.48
MONITORING WELL #MW-5											
Screen Interval = 7 to 27 feet											
Casing Diameter = 4 inches											
11/21/86	<1,000	4.8	2.1	<0.5	7.4	-	NP	16.10	0.00	100.98	84.88
07/22/91	-	<0.5	1.6	<1.0	2.0	-	NP	18.20	0.00	100.98	82.78
10/24/91	-	-	-	-	-	-	NP	17.67	0.00	100.98	83.31
01/22/92	600	21.0	8.0	2.0	17.0	-	-	#N/A	-	-	-
03/24/92	-	-	-	-	-	-	NP	12.98	0.00	100.98	88.00
07/15/92	<200	<0.5	<0.5	<0.5	<0.5	-	NP	17.29	0.00	100.98	83.69
10/05/92	-	-	-	-	-	-	NP	18.92	0.00	100.98	82.06
01/06/93	300	2.7	<0.5	1.3	26.0	-	NP	13.12	0.00	100.98	87.86
07/13/93	<100	1.1	0.5	1.0	1.5	-	NP	16.15	0.00	100.98	84.83
10/11/93	130	1.2	<0.3	<0.3	<0.6	-	NP	18.75	0.00	100.98	82.23
01/11/94	<50	1.5	<0.3	<0.3	<0.5	-	NP	17.80	0.00	100.98	83.18
04/12/94	<50	<0.3	<0.3	<0.3	<0.5	-	NP	13.59	0.00	100.98	87.39
07/14/94	<50	0.42	<0.3	<0.3	<0.5	-	NP	18.26	0.00	100.98	82.72
07/15/95	100	1.2	<0.5	0.8	<1.0	-	-	#N/A	-	-	-
01/15/96	1,900	21	13	6.2	6.8	-	NP	13.09	0.00	100.98	87.89
04/15/96	250	5.1	2.7	1.7	1.1	-	NP	13.16	0.00	100.98	87.82
07/15/96	270	6.5	1.4	1.8	1.4	230	-	#N/A	-	-	-
10/09/96	-	-	-	-	-	-	NP	15.37	0.00	100.98	85.61
01/13/97	25,000	780	5,700	560	4,000	24,000	NP	10.90	0.00	100.98	90.08
04/14/97	6,300	260	1,600	28	550	9,000	-	#N/A	-	-	-
07/07/97	7,500	300	1,500	12	110	16,000	NP	14.70	0.00	100.98	86.28
10/16/97	4,600	<0.3	0.65	<0.3	<0.5	-	NP	13.60	0.00	100.98	87.38
01/07/98	2,700	33	11	37	580	7.3	NP	10.97	0.00	100.98	90.01
04/08/98	300	9.1	<0.3	<0.3	<0.5	650	NP	10.90	0.00	100.98	90.08
07/14/98	670	5.9	<0.3	<0.3	0.53	2,300	NP	15.20	0.00	100.98	85.78
10/15/98	<50	<0.3	<0.3	<0.3	<0.5	19	NP	15.90	0.00	100.98	85.08

**TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #063, OAKLAND, CA**

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE (ug/L)					
01/20/99	<50	<0.3	<0.3	<0.3	<0.5	<5.0	NP	15.20	0.00	101.98	86.78
04/16/99	<50	<0.3	<0.3	<0.3	<0.5	<5.0	NP	15.25	0.00	101.98	86.73
07/14/99	<50	<0.3	<0.3	<0.3	<0.5	<5.0	NP	15.96	0.00	101.98	86.02
10/07/99	<50	<0.3	<0.3	<0.3	<0.5	<5.0	NP	16.33	0.00	101.98	85.65
01/26/00	<50	<0.3	<0.3	<0.3	<0.5	<5.0	NP	14.80	0.00	101.98	87.18
04/19/00	965	<0.25	<0.25	<0.25	<0.5	<5.0	NP	10.97	0.00	101.98	91.01
05/26/00	<50	<0.3	<0.3	<0.3	<0.6	<5.0	NP	14.43	0.00	101.98	87.55
07/26/00	<50	<0.3	<0.3	<0.3	<0.6	<5.0	NP	14.02	0.00	101.98	87.96
10/25/00	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	14.04	0.00	101.98	87.94
01/10/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	14.80	0.00	101.98	87.18
04/23/01	<50	<0.18	<0.14	<0.18	<0.26	*10 / 4.2	NP	10.97	0.00	101.98	91.01
07/16/01	3,360	430	603	53	429	*41 / 4.2	NP	14.80	0.00	101.98	87.18
10/17/01	<50	<0.18	<0.14	<0.18	<0.26	*16 / 5.2	NP	16.71	0.00	101.98	85.27
01/23/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	14.80	0.00	101.98	87.18
04/10/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	14.42	0.00	101.98	87.56
07/24/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	14.78	0.00	101.98	87.20
10/30/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	15.93	0.00	101.98	86.05
01/15/03	<50	<0.14	<0.07	<0.08	<0.35	<2.0	NP	15.55	0.00	101.98	86.43
04/16/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	NP	15.55	0.00	101.98	86.43
07/14/03	<15	<0.22	<0.32	<0.31	<0.4	<0.18	NP	15.93	0.00	101.98	86.05
10/08/03	<15	<0.22	<0.32	<0.31	<0.4	<0.18	NP	16.35	0.00	101.98	85.63
01/15/04	<15	<0.04	<0.02	<0.02	<0.06	<0.03	NP	15.06	0.00	101.98	86.92
04/14/04	<15	<0.22	<0.32	<0.31	<0.4	<0.18	NP	13.96	0.00	101.98	88.02
07/29/04	659	<2.2	<3.2	<3.1	<4.0	606	NP	15.60	0.00	101.98	86.38
10/14/04	411	<0.22	<0.32	<0.31	<0.4	425	NP	16.17	0.00	101.98	85.81
01/06/05	433	<0.22	<0.32	<0.31	<0.4	491	NP	15.52	0.00	101.98	86.46
04/13/05	161	<0.22	<0.32	<0.31	<0.4	465	NP	10.12	0.00	101.98	91.86
07/27/05	237	<0.32	<0.10	<0.24	<0.30	243	NP	16.66	0.00	101.98	85.32
10/12/05	149	<0.32	<0.10	<0.24	<0.30	183	NP	16.66	0.00	101.98	85.32
01/19/06	66	<0.32	<0.10	<0.24	<0.30	5.9	NP	9.96	0.00	101.98	92.02
04/12/06	<5.6	<0.32	<0.10	<0.24	<0.30	<0.63	NP	11.69	0.00	101.98	90.29
07/26/06	<5.6	<0.32	<0.10	<0.24	<0.30	<0.63	NP	15.53	0.00	101.98	86.45
10/25/06	<5.6	<0.32	<0.10	<0.24	<0.3	<0.63	NP	12.96	0.00	101.98	89.02
01/24/07	60	<0.32	16	3.8 J	17	<0.63	NP	14.37	0.00	149.62	135.25
04/24/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	14.12	0.00	149.62	135.50
07/25/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	17.06	0.00	149.62	132.56
10/24/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	16.50	0.00	149.62	133.12
01/23/08	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	14.16	0.00	149.62	135.46
04/29/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	14.89	0.00	149.62	134.73
07/30/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	15.96	0.00	149.62	133.66
10/29/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	16.47	0.00	149.62	133.15
01/29/09	<6.6	<0.18	1.9 J	<0.21	<0.45	<0.19	NP	16.47	0.00	149.62	133.15
05/06/09	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	14.09	0.00	149.62	135.53
12/14/09	131	2.4	14	2.6 J	14	<0.19	NP	16.53	0.00	149.62	133.09
05/19/10	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	14.01	0.00	149.62	135.61

MONITORING WELL #MW-6	Screen Interval = 7 to 27 feet						Casing Diameter = 4 inches					
11/21/86	<1,000	<2.0	<2.0	<2.0	<2.0	-	NP	12.64	0.00	99.44	86.80	
07/22/91	-	-	-	-	-	-	-	#N/A	-	-	-	
01/22/92	<200	<0.5	<0.5	<0.5	1.5	-	-	#N/A	-	-	-	
03/24/92	-	-	-	-	-	-	NP	10.04	0.00	99.44	89.40	
07/15/92	<200	<0.5	<0.5	<0.5	<0.5	-	NP	13.29	0.00	99.44	86.15	
10/05/92	-	-	-	-	-	-	NP	14.69	0.00	99.44	84.75	

**TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #063, OAKLAND, CA**

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE (ug/L)					
01/06/93	<200	<0.5	<0.5	<0.5	<1.0	-	NP	10.87	0.00	99.44	88.57
07/13/93	<100	<0.5	<0.5	<0.5	<1.0	-	NP	13.10	0.00	99.44	86.34
10/11/93	<60	<0.3	<0.3	<0.3	<0.6	-	NP	14.43	0.00	99.44	85.01
01/11/94	<50	<0.3	<0.3	<0.3	<0.5	-	NP	13.56	0.00	99.44	85.88
04/12/94	<50	<0.3	<0.3	<0.3	<0.3	-	NP	12.10	0.00	99.44	87.34
07/14/94	<50	<0.3	<0.3	<0.3	<0.3	-	NP	14.16	0.00	99.44	85.28
07/15/95	140	<0.5	<0.5	<0.5	<1	-	-	#N/A	-	-	-
01/15/96	56	0.38	0.33	<0.3	<0.5	-	NP	14.29	0.00	99.44	85.15
04/15/96	96	4.5	<0.3	<0.3	0.53	-	NP	14.32	0.00	99.44	85.12
07/15/96	140	2.4	0.44	<0.3	0.70	110	-	#N/A	-	-	-
10/09/96	-	-	-	-	-	-	NP	12.09	0.00	99.44	87.35
01/13/97	210	<0.3	1.2	<0.3	0.68	270	NP	9.85	0.00	99.44	89.59
04/14/97	<50	<0.3	<0.3	<0.3	<0.5	<20	-	#N/A	-	-	-
07/07/97	<50	<0.3	<0.3	<0.3	<0.5	<20	NP	14.20	0.00	99.44	85.24
10/16/97	<50	<0.3	<0.3	<0.3	<0.5	-	NP	13.10	0.00	99.44	86.34
01/07/98	<50	<0.3	<0.3	<0.3	<0.5	0.10	NP	9.80	0.00	99.44	89.64
07/14/98	330	<0.3	<0.3	<0.3	<0.5	380	NP	12.30	0.00	99.44	87.14
10/15/98	<50	<0.3	<0.3	<0.3	<0.5	<5.0	NP	14.30	0.00	99.44	85.14
01/20/99	<50	0.47	<0.3	<0.3	<0.5	<5.0	NP	13.60	0.00	100.44	86.84
04/16/99	<50	<0.3	<0.3	<0.3	<0.5	<5.0	NP	13.50	0.00	100.44	86.94
07/14/99	<50	<0.3	<0.3	<0.3	<0.5	*5.4 / <5.0	NP	14.65	0.00	100.44	85.79
10/07/99	<50	<0.3	0.96	0.35	1.8	<5.0	NP	15.39	0.00	100.44	85.05
01/26/00	<50	<0.3	<0.3	<0.3	0.63	<5.0	NP	13.85	0.00	100.44	86.59
04/19/00	83.1	<0.25	<0.25	<0.25	<0.5	*11 / <5.0	NP	9.65	0.00	100.44	90.79
05/26/00	<50	<0.3	<0.3	<0.3	<0.6	<5.0	NP	13.10	0.00	100.44	87.34
07/26/00	<50	<0.3	<0.3	<0.3	<0.6	<5.0	NP	12.35	0.00	100.44	88.09
10/25/00	<50	<0.18	<0.14	<0.18	<0.26	*7 / 10	NP	12.30	0.00	100.44	88.14
01/10/01	<50	<0.18	<0.14	<0.18	<0.26	78	NP	13.45	0.00	100.44	86.99
04/23/01	<50	<0.18	<0.14	<0.18	<0.26	*9 / 4	NP	9.65	0.00	100.44	90.79
07/16/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	13.09	0.00	100.44	87.35
10/17/01	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	15.37	0.00	100.44	85.07
01/23/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	13.27	0.00	100.44	87.17
04/10/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	13.07	0.00	100.44	87.37
07/24/02	<50	<0.18	<0.14	<0.18	<0.26	<0.24	NP	13.86	0.00	100.44	86.58
10/30/02	<50	1.6	<0.14	<0.18	<0.26	6.4	NP	14.20	0.00	100.44	86.24
01/15/03	<50	<0.14	<0.07	<0.08	0.84	<2.0	NP	15.35	0.00	100.44	85.09
04/16/03	<15	<0.04	<0.02	<0.02	<0.06	<0.03	NP	14.58	0.00	100.44	85.86
07/14/03	<15	<0.22	<0.32	<0.31	<0.4	<0.18	NP	15.35	0.00	100.44	85.09
10/08/03	<15	<0.22	<0.32	<0.31	<0.4	<0.18	NP	13.80	0.00	100.44	86.64
01/15/04	<15	<0.04	<0.02	<0.02	<0.06	<0.03	NP	13.51	0.00	100.44	86.93
04/14/04	<15	<0.22	<0.32	<0.31	<0.4	<0.18	NP	11.62	0.00	100.44	88.82
07/29/04	<15	<0.22	<0.32	<0.31	<0.4	<0.18	NP	13.12	0.00	100.44	87.32
10/14/04	346	<0.22	<0.32	<0.31	<0.4	159	NP	13.53	0.00	100.44	86.91
01/06/05	<15	<0.22	<0.32	<0.31	<0.4	<0.18	NP	13.02	0.00	100.44	87.42
04/13/05	<15	<0.22	<0.32	<0.31	<0.4	<0.18	NP	9.32	0.00	100.44	91.12
07/27/05	<2.9	<0.32	<0.10	<0.24	<0.30	<0.63	NP	13.17	0.00	100.44	87.27
10/12/05	<2.9	<0.32	<0.10	<0.24	<0.30	<0.63	NP	14.55	0.00	100.44	85.89
01/19/06	72	<0.32	<0.10	<0.24	<0.30	12	NP	8.74	0.00	100.44	91.70
04/12/06	<5.6	<0.32	<0.10	<0.24	<0.30	<0.63	NP	9.96	0.00	100.44	90.48
07/26/06	55	<0.32	<0.10	<0.24	<0.30	57	NP	12.56	0.00	100.44	87.88
10/25/06	<5.6	<0.32	<0.10	<0.24	<0.3	<0.63	NP	13.00	0.00	100.44	87.44
01/24/07	<5.6	<0.32	2.2 J	1.1 J	5.6	<0.63	NP	11.87	0.00	148.38	136.51
04/24/07	<5.6	<0.18	<0.24	<0.21	1.5 J	5.7	NP	10.63	0.00	148.38	137.75
07/25/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	13.04	0.00	148.38	135.34

**TABLE 1
GROUNDWATER DATA
THRIFTY OIL STATION #063, OAKLAND, CA**

DATE SAMPLED	ANALYTICAL PARAMETERS						DEPTH TO PRODUCT (feet)	DEPTH TO GROUNDWATER (feet)	PRODUCT THICKNESS (feet)	CASING ELEVATION (feet)	GROUNDWATER ELEVATION (feet)
	TPH (ug/L)	BENZENE (ug/L)	TOLUENE (ug/L)	EthylBenzene (ug/L)	XYLENE (ug/L)	MTBE (ug/L)					
10/24/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	12.53	0.00	148.38	135.85
01/23/08	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	10.70	0.00	148.38	137.68
04/29/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	11.43	0.00	148.38	136.95
07/30/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	13.36	0.00	148.38	135.02
10/29/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	12.51	0.00	148.38	135.87
01/29/09	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	12.50	0.00	148.38	135.88
05/06/09	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	10.63	0.00	148.38	137.75
12/14/09	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	12.55	0.00	148.38	135.83
05/19/10	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	10.56	0.00	148.38	137.82
MONITORING WELL #MW-7 Screen Interval = 8 to 18 feet Casing Diameter = 2 inches											
03/05/07	3,110	16	<0.10	125	725	10	NP	10.84	0.00	148.20	137.36
04/24/07	15,500	42	<2.4	381	1,230	<1.9	NP	15.03	0.00	148.20	133.17
07/25/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	15.03	0.00	148.20	133.17
10/24/07	1,100	72	<0.24	18	1.6 J	221	NP	14.54	0.00	148.20	133.66
01/23/08	149	<0.18	14	4.4 J	25	<0.19	NP	15.00	0.00	148.20	133.20
04/29/08	978	<0.18	4.2 J	25	165	<0.19	NP	13.14	0.00	148.20	135.06
07/30/08	181	<0.18	<0.24	<0.21	22	<0.19	NP	15.13	0.00	148.20	133.07
10/29/08	13,200	108	987	400	2,550	<0.19	NP	14.52	0.00	148.20	133.68
01/29/09	11,100	176	1,360	374	2,380	<1.9	NP	14.51	0.00	148.20	133.69
05/06/09	15,400	241	1,110	342	1,660	<1.9	NP	12.33	0.00	148.20	135.87
12/14/09	39,900	271	3,240	1,420	8,890	<19.0	NP	12.42	0.00	148.20	135.78
05/19/10	3,360	18	88	64	379	12	NP	12.56	0.00	148.20	135.64
MONITORING WELL #MW-8 Screen Interval = 8 to 18 feet Casing Diameter = 2 inches											
03/05/07	<5.6	<0.32	<0.10	<0.24	<0.3	22	NP	11.90	0.00	147.31	135.41
04/24/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	12.37	0.00	147.31	134.94
07/25/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	13.42	0.00	147.31	133.89
10/24/07	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	12.93	0.00	147.31	134.38
01/23/08	<5.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	12.40	0.00	147.31	134.91
04/29/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	15.73	0.00	147.31	131.58
07/30/08	<6.6	<0.18	1.3 J	<0.21	1.1 J	<0.19	NP	13.50	0.00	147.31	133.81
10/29/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	12.92	0.00	147.31	134.39
01/29/09	<6.6	<0.18	4.8 J	<0.21	1.7 J	<0.19	NP	12.89	0.00	147.31	134.42
05/06/09	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	14.93	0.00	147.31	132.38
12/14/09	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	12.95	0.00	147.31	134.36
05/19/10	<6.6	<0.18	<0.24	<0.21	<0.45	<0.19	NP	15.14	0.00	147.31	132.17

NOTE: Monitoring wells MW-1 through MW-8 were surveyed on 3/5/2007

^ Top of casing elevation estimated to be 6 inches below well rim

NP = No free hydrocarbon product

" - " = Not analyzed / Not available

* MTBE 8020 / 8260

Benzene, toluene, ethylbenzene, and xylene analyzed by EPA method 8020/8021B.

Total petroleum hydrocarbons (TPH) analyzed by EPA method 8015 modified for gasoline

Methyl-tert Butyl Ether (MTBE) analyzed by EPA method 8020/8021B

On 10/8/03 & 7/14/2003, BTEX and MTBE analyzed by 8260B

Beginning 4/14/2004, BTEX and MTBE analyzed by 8260B

**TABLE 2
OXYGENATE DATA IN GROUNDWATER
THRIFTY OIL STATION # 063, OAKLAND, CA.**

DATE SAMPLED	OXYGENATES					
	Di-isopropyl Ether (DIPE) (ug/L)	Ethyl-Tert-Butyl Ether (ETBE) (ug/L)	Tert-Amyl Methyl Ether (TAME) (ug/L)	Tert-Butyl Alcohol (TBA) (ug/L)	Ethaanol (ETH) (mg/L)	Methanol (METH) (mg/L)
MONITORING WELL # MW-1						
10/16/97	<20	<20	<20	3,900		
01/07/98	<20	<20	92	<500		
04/03/98	<20	<20	65	<500		
07/14/03	<0.29	<0.17	<0.28	<10		
10/08/03	<0.29	<0.17	15	487		
01/15/04	-	-	-	-		
04/14/04	-	-	-	-		
07/29/04	-	-	-	-		
10/14/04	-	-	-	-		
07/27/05	<0.29	<0.17	<0.28	<10	<20	<20
10/12/05	<0.29	<0.17	<0.28	<10	<20	<20
01/19/06	<0.29	<0.17	<0.28	27	<20	<20
04/12/06	<0.29	<0.17	<0.28	<10	<20	<20
07/26/06	<2.9	<1.7	<2.8	121	-	-
10/25/06	<0.29	<0.17	2.4	11	-	-
01/24/07	<0.29	<0.17	<0.28	<10	-	-
04/24/07	<0.20	<0.23	<0.19	54	-	-
07/25/07	<0.20	<0.23	<0.19	<10	-	-
10/24/07	<0.20	<0.23	<0.19	<10	-	-
01/23/08	<0.20	<0.23	<0.19	<10	-	-
04/29/08	<0.20	<0.23	<0.19	<10	-	-
07/30/08	<0.20	<0.23	<0.19	<5.2	-	-
10/29/08	<0.20	<0.23	<0.19	<5.2	-	-
01/29/09	<0.20	<0.23	<0.19	<5.2	-	-
05/06/09	<0.20	<0.23	<0.19	<5.2	-	-
12/14/09	<0.20	<0.23	<0.19	<5.2	-	-
05/19/10	<0.20	<0.23	<0.19	<5.2	-	-
MONITORING WELL # MW-2						
10/16/97	<20	<20	<20	<500		
Well Abandoned 1/30/98						
MONITORING WELL # MW-3(GROUNDWATER SYSTEM'S PUMPING WELL)						
10/16/97	-	-	-	-		
01/07/98	-	-	-	-		
04/03/98	-	-	-	-		
07/14/03	<0.29	<0.17	24	608		
10/08/03	<0.29	<0.17	30	<10		
01/15/04	-	-	-	-		
04/14/04	-	-	-	-		
07/29/04	-	-	-	-		
10/14/04	-	-	-	-		
07/27/05	<0.29	<0.17	<0.28	24	<20	<20
10/12/05	<0.29	<0.17	<0.28	<10	<20	<20
01/19/06	<0.29	<0.17	3.9	167	<20	<20
04/12/06	<0.29	<0.17	2.5	17	<20	<20
07/26/06	<0.29	<0.17	3.2	205	-	-
10/25/06	<2.9	<1.7	<2.8	<100	-	-
01/24/07	<0.29	<0.17	<0.28	70	-	-
04/24/07	<2.0	<2.3	<1.9	<18	-	-
07/25/07	<0.20	<0.23	<0.19	<10	-	-
10/24/07	<0.20	<0.23	<0.19	1790	-	-
01/23/08	<0.20	<0.23	<0.19	38	-	-
04/29/08	<0.20	<0.23	<0.19	<10	-	-
07/30/08	<0.20	<0.23	<0.19	<5.2	-	-
10/29/08	<0.20	<0.23	<0.19	81	-	-
01/29/09	<2.0	<2.3	<1.9	<52	-	-
05/06/09	<0.20	<0.23	<0.19	<5.2	-	-
12/14/09	<0.20	<0.23	<0.19	<5.2	-	-
05/19/10	<0.20	<0.23	<0.19	<5.2	-	-

**TABLE 2
OXYGENATE DATA IN GROUNDWATER
THRIFTY OIL STATION # 063, OAKLAND, CA.**

DATE SAMPLED	OXYGENATES					
	Di-isopropyl Ether (DIPE) (ug/L)	Ethyl-Tert-Butyl Ether (ETBE) (ug/L)	Tert-Amyl Methyl Ether (TAME) (ug/L)	Tert-Butyl Alcohol (TBA) (ug/L)	Ethanol (ETH) (mg/L)	Methanol (METH) (mg/L)
MONITORING WELL # MW-4						
10/16/97	<20	<20	<20	14,000		
01/07/98	<20	<20	230	<500		
04/03/98	<200	<200	<200	<5,000		
07/14/03	<0.29	<0.17	62	2,490		
10/08/03	<2.9	<1.7	101	<100		
01/15/04	-	-	-	-		
04/14/04	-	-	-	-		
07/29/04	-	-	-	-		
10/14/04	-	-	-	-		
07/27/05	<0.29	<0.17	<0.28	<10	<20	<20
10/12/05	<2.9	<1.7	<2.8	1,340	<20	<20
01/19/06	<0.29	<0.17	<0.28	138	<20	<20
04/12/06	<0.29	<0.17	<0.28	163	<20	<20
07/26/06	<2.9	<1.7	16	836	-	-
10/25/06	<2.9	<1.7	18	1060	-	-
01/24/07	<0.29	<0.17	<0.28	139	-	-
04/24/07	<0.20	<0.23	11	776	-	-
07/25/07	<0.20	<0.23	<0.19	<10	-	-
10/24/07	<0.20	<0.23	<0.19	62	-	-
01/23/08	<0.20	<0.23	7.3	1,520	-	-
04/29/08	<2.0	<2.3	<1.9	<100	-	-
07/30/08	<0.20	<0.23	<0.19	20	-	-
10/29/08	<20	<23	<19	<520	-	-
01/29/09	<5.0	<5.75	<4.75	<130	-	-
02/16/09	<5.0	<5.75	<4.75	<130	-	-
05/06/09	<0.20	<0.23	<0.19	<5.2	-	-
12/14/09	<0.20	<0.23	<0.19	<5.2	-	-
05/19/10	<0.20	<0.23	<0.19	50	-	-
MONITORING WELL # MW-5						
10/16/97	<20	<20	<20	4,700		
01/07/98	<20	<20	<20	<500		
04/03/98	<20	<20	<20	<500		
07/14/03	<0.29	<0.17	<0.28	<10		
10/08/03	<0.29	<0.17	<0.28	<10		
01/15/04	-	-	-	-		
04/14/04	-	-	-	-		
07/29/04	-	-	-	-		
10/14/04	-	-	-	-		
07/27/05	<0.29	<0.17	<0.28	<10	<20	<20
10/12/05	<0.29	<0.17	<0.28	<10	<20	<20
01/19/06	<0.29	<0.17	<0.28	<10	<20	<20
04/12/06	<0.29	<0.17	<0.28	<10	<20	<20
07/26/06	<0.29	<0.17	<0.28	<10	-	-
10/25/06	<0.29	<0.17	<0.28	<10	-	-
01/24/07	<0.29	<0.17	<0.28	<10	-	-
04/24/07	<0.20	<0.23	<0.19	<1.8	-	-
07/25/07	<0.20	<0.23	<0.19	<10	-	-
10/24/07	<0.20	<0.23	<0.19	<10	-	-
01/23/08	<0.20	<0.23	<0.19	<10	-	-
04/29/08	<0.20	<0.23	<0.19	<10	-	-
07/30/08	<0.20	<0.23	<0.19	<5.2	-	-
10/29/08	<0.20	<0.23	<0.19	<5.2	-	-
01/29/09	<0.20	<0.23	<0.19	<5.2	-	-
05/06/09	<0.20	<0.23	<0.19	<5.2	-	-
12/14/09	<0.20	<0.23	<0.19	<5.2	-	-
05/19/10	<0.20	<0.23	<0.19	<5.2	-	-
MONITORING WELL # MW-6						
10/16/97	<20	<20	<20	<500		
01/07/98	<20	<20	40	<500		
04/03/98	-	-	-	-		
07/14/03	<0.29	<0.17	<0.28	<10		

**TABLE 2
OXYGENATE DATA IN GROUNDWATER
THRIFTY OIL STATION # 063, OAKLAND, CA.**

DATE SAMPLED	OXYGENATES					
	Di-isopropyl Ether (DIPE) (ug/L)	Ethyl-Tert-Butyl Ether (ETBE) (ug/L)	Tert-Amyl Methyl Ether (TAME) (ug/L)	Tert-Butyl Alcohol (TBA) (ug/L)	Ethaanol (ETH) (mg/L)	Methanol (METH) (mg/L)
10/08/03	<0.29	<0.17	<0.28	<10		
01/15/04	-	-	-	-		
04/14/04	-	-	-	-		
07/29/04	-	-	-	-		
10/14/04	-	-	-	-		
07/27/05	<0.29	<0.17	<0.28	<10	<20	<20
10/12/05	<0.29	<0.17	<0.28	<10	<20	<20
01/19/06	<0.29	<0.17	2.7	<10	<20	<20
04/12/06	<0.29	<0.17	<0.28	<10	<20	<20
07/26/06	<0.29	<0.17	47	<10	-	-
10/25/06	<0.29	<0.17	<0.28	<10	-	-
01/24/07	<0.29	<0.17	<0.28	<10	-	-
04/24/07	<0.20	<0.23	2.4	<1.8	-	-
07/25/07	<0.20	<0.23	<0.19	<10	-	-
10/24/07	<0.20	<0.23	<0.19	<10	-	-
01/23/08	<0.20	<0.23	<0.19	<10	-	-
04/29/08	<0.20	<0.23	<0.19	<10	-	-
07/30/08	<0.20	<0.23	<0.19	<5.2	-	-
10/29/08	<0.20	<0.23	<0.19	<5.2	-	-
01/29/09	<0.20	<0.23	<0.19	<5.2	-	-
05/06/09	<0.20	<0.23	<0.19	<5.2	-	-
12/14/09	<0.20	<0.23	<0.19	<5.2	-	-
05/19/10	<0.20	<0.23	<0.19	<5.2	-	-
MONITORING WELL # MW-7						
03/05/07	<0.29	<0.17	<0.28	<10	<20	<20
04/24/07	<2.0	<2.3	<1.9	<18	-	-
07/25/07	<0.20	<0.23	<0.19	<10	-	-
10/24/07	<0.20	<0.23	<0.19	1120	-	-
01/23/08	<0.20	<0.23	<0.19	<10	-	-
04/29/08	<0.20	<0.23	<0.19	<10	-	-
07/30/08	<0.20	<0.23	<0.19	<5.2	-	-
10/29/08	<0.20	<0.23	<0.19	<5.2	-	-
01/29/09	<2.0	<2.3	<1.9	<52	-	-
05/06/09	<2.0	<2.3	<1.9	<52.0	-	-
12/14/09	<20.0	<23.0	<19.0	<520.0	-	-
05/19/10	<0.20	<0.23	<0.19	<5.2	-	-
MONITORING WELL # MW-8						
03/05/07	<0.29	<0.17	<0.28	<10	<20	<20
04/24/07	<0.20	<0.23	<0.19	<1.8	-	-
10/24/07	<0.20	<0.23	<0.19	<10	-	-
07/25/07	<0.20	<0.23	<0.19	<10	-	-
01/23/08	<0.20	<0.23	<0.19	<10	-	-
04/29/08	<0.20	<0.23	<0.19	<10	-	-
07/30/08	<0.20	<0.23	<0.19	<5.2	-	-
10/29/08	<0.20	<0.23	<0.19	<5.2	-	-
01/29/09	<0.20	<0.23	<0.19	<5.2	-	-
05/06/09	<0.20	<0.23	<0.19	<5.2	-	-
12/14/09	<0.20	<0.23	<0.19	<5.2	-	-
05/19/10	<0.20	<0.23	<0.19	<5.2	-	-

NOTE: DIPE, ETBE, TAME, TBA analyzed by EPA Method 8260/8260B

TABLE 3
GROUNDWATER REMEDIATION SYSTEM MONITORING PROGRAM
 Thrifty Oil Co. Station No 063, OAKLAND, CA

Date	Totalizer (gallons)	Total/Cum. Discharge (gallons)	Flow (gal/day)	OUTLET / EFFLUENT					INLET / INFLUENT				
				TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L
4/8/1991	1,669	0	-	-	<0.3	<0.3	<0.3	<0.9	-	1300	120	<7.5	1300
4/15/1991	5,742	4,073	582	-	<0.3	<0.3	<0.3	<0.3	-	700	140	<15	500
4/22/1991	10,240	8,571	643	-	<0.3	<0.3	<0.3	<0.9	-	850	100	34	860
4/29/1991	15,510	13,841	753	-	<0.3	<0.3	<0.3	<0.9	-	220	8.4	<0.3	42
5/6/1991	20,200	18,531	670	-	<0.3	<0.3	<0.3	<0.9	-	280	0.8	<0.3	56
5/13/1991	24,430	22,761	604	-	<0.3	<0.3	<0.3	<0.9	-	190	5.6	<0.3	37
5/20/1991	28,480	26,811	579	-	<0.3	<0.3	<0.3	<0.9	-	150	0.83	1.4	29
5/28/1991	29,310	27,641	104	-	<0.3	<0.3	<0.3	<0.9	-	<0.3	<0.3	<0.3	<0.9
6/3/1991	33,080	31,411	628	-	<0.3	<0.3	<0.3	<0.9	-	58	4	<0.3	33
6/10/1991	36,939	35,270	551	-	<0.3	<0.3	<0.3	<0.9	-	45	<0.3	<0.3	16
6/17/1991	40,673	39,004	533	-	<0.3	<0.3	<0.3	<0.9	-	69	4.9	0.9	21
6/24/1991	44,453	42,784	540	-	<0.3	<0.3	<0.3	<0.9	-	5.4	2	<0.3	6.6
7/1/1991	48,173	46,504	531	-	<0.5	<0.5	<1	<1	-	14	15	<1	9.1
7/8/1991	51,681	50,012	501	-	<0.5	<0.5	<1	<1	-	<0.5	<0.5	<1	6.9
7/15/1991	55,186	53,517	501	-	<0.5	<0.5	<1	<1	-	<0.5	0.6	<1	6.3
7/22/1991	62,150	60,481	995	-	<0.5	<0.5	<1	<1	-	<0.5	<0.5	<1	2.6
7/29/1991	62,150	60,481	-	-	<0.5	<0.5	<1	<1	-	<0.5	<0.5	1.2	19
8/5/1991	63,241	61,572	156	-	<0.5	<0.5	<1	<1	-	<0.5	<0.5	<1	<1
8/12/1991	66,091	64,422	407	-	<0.5	<0.5	<1	<1	-	2.6	<0.5	<1	12
8/19/1991	67,649	65,980	223	-	<0.5	<0.5	<1	<1	-	20	3.3	2.8	70
8/26/1991	70,514	68,845	409	-	<0.5	<0.5	<1	<1	-	<0.5	<0.5	1.2	19
9/9/1991	70,564	68,895	4	-	<0.5	<0.5	<1	<1	-	270	10	13	69
9/16/1991	73,526	71,857	423	System shut down due to damaged compressor pump									
10/7/1991	73,526	71,857	-	-	<0.5	<0.5	<1	<1	-	<0.5	<0.5	<1	3.8
10/14/1991	74,516	72,847	141	-	<0.5	<0.5	<1	<1	-	60	1.1	<1	23
10/21/1991	76,091	74,422	225	-	<0.5	<0.5	<1	<1	-	<0.5	<0.5	<1	<1
10/28/1991	83,242	81,573	1,022	-	<0.5	<0.5	<1	<1	-	<0.5	<0.5	<1	14
11/3/1991	83,242	81,573	-	-	<0.5	<0.5	<1	<1	-	<0.5	<0.5	<1	3.1
11/11/1991	84,351	82,682	139	-	<0.5	<0.5	<1	<1	-	99	1.9	<1	14
11/18/1991	85,647	83,978	185	-	<0.5	<0.5	<1	<1	-	42	1	1	10
11/25/1991	89,512	87,843	552	-	<0.5	<0.5	<1	<1	-	<0.5	<0.5	<1	3.9
12/3/1991	93,407	91,738	487	-	<0.5	<0.5	<1	<1	-	<0.5	<0.5	<1	3.8
12/9/1991	96,210	94,541	467	-	<0.5	<0.5	<1	<1	-	<0.5	<0.5	<1	3.2
12/16/1991	99,045	97,376	405	-	<0.5	<0.5	<0.5	<0.5	-	1.3	<0.5	<0.5	1.5
12/23/1991	102,334	100,665	470	-	<0.5	<0.5	<0.5	<0.5	-	1.7	<0.5	<0.5	2.4
12/30/1991	105,124	103,455	399	-	<0.5	<0.5	<0.5	<0.5	-	22.6	1.2	0.7	4.9
1/15/1992	115,691	114,022	660	-	<0.5	<0.5	<0.5	<0.5	-	130	11	<0.5	50
2/10/1992	124,846	123,177	352	-	<0.5	<0.5	<0.5	<0.5	-	20	0.51	<0.5	3.6
3/9/1992	149,965	148,296	897	<200	<0.5	<0.5	<0.5	<0.5	12,000	2,100	400	170	2,100
4/13/1992	168,567	166,898	531	<200	<0.5	<0.5	<0.5	<0.5	2,100	280	3.9	<2.5	98
5/11/1992	187,170	185,501	664	<200	<0.5	0.7	<0.5	<0.5	<200	<0.5	<0.5	<0.5	<0.5
6/8/1992	190,490	188,821	119	-	<0.5	<0.5	<0.5	<0.5	-	44	3.7	0.7	64
7/6/1992	197,080	195,411	235	-	-	-	-	-	-	-	-	-	-
7/13/1992	197,890	196,221	116	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
7/13/1992	197,890	196,221	-	System shut down for repair of electrical motor									
8/10/1992	197,890	196,221	-	Restart the system									
8/17/1992	201,300	199,631	487	-	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5
9/14/1992	209,647	207,978	298	-	<0.5	<0.5	<0.5	<1	-	<0.5	<0.5	<0.5	<1
10/5/1992	217,360	215,691	367	<200	<0.5	<0.5	<0.5	<1	<200	<0.5	<0.5	<0.5	<1
11/09/92	225,780	224,111	241	-	<0.5	<0.5	<0.5	<1	-	1.1	0.5	<0.5	10
12/14/92	243,048	241,379	493	-	<0.5	<0.5	<0.5	<1	-	720	46	<10	1,700
01/04/93	252,510	250,841	451	-	<0.5	<0.5	<0.5	<1	-	400	32	<25	520
02/15/93	266,210	264,541	326	<200	<0.5	<0.5	<0.5	<1	9,000	1,400	330	260	1,200

TABLE 3
GROUNDWATER REMEDIATION SYSTEM MONITORING PROGRAM
 Thrifty Oil Co. Station No 063, OAKLAND, CA

Date	Totalizer (gallons)	Total/Cum. Discharge (gallons)	Flow (gal/day)	OUTLET / EFFLUENT					INLET / INFLUENT					
				TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	
03/08/93	269,330	267,661	149	-	<0.5	<0.5	<0.5	<1	-	1,100	150	7.5	1,000	
04/26/93	271,290	269,621	40	<100	<0.5	<0.5	<0.5	<1	7,200	1,100	100	25	780	
04/26/93	271,290	269,621	-	System shut down for repair										
07/15/93	272,577	270,908	16	Restart the system										
08/11/93	284,230	282,561	432	-	<0.5	<0.5	<0.5	<1	-	1.3	<0.5	<0.5	1.6	
09/16/93	298,832	297,163	406	<60	<0.3	<0.3	<0.3	<0.6	<60	<0.3	<0.3	<0.3	<0.6	
10/08/93	305,641	303,972	310	-	-	-	-	-	-	-	-	-	-	
10/11/93	307,068	305,399	476	<60	<0.3	<0.3	<0.3	<0.6	<60	<0.3	<0.3	<0.3	<0.6	
10/15/93	308,495	306,826	357	-	-	-	-	-	-	-	-	-	-	
11/12/93	318,203	316,534	347	<50	<0.3	<0.3	<0.3	<0.5	<50	<0.3	<0.3	<0.3	<0.5	
12/10/93	329,947	328,278	419	<50	<0.3	<0.3	<0.3	<0.5	<50	<0.3	<0.3	<0.3	<0.5	
01/13/94	345,860	344,191	468	-	<0.3	<0.3	<0.3	<0.5	-	<0.3	<0.3	<0.3	<0.5	
02/10/94	359,662	357,993	493	-	<0.3	<0.3	<0.3	<0.5	-	430	41	36	480	
02/18/94	618,620	357,993	-	Changed air filters. The water flowmeter jumped from 359,662 to 618,620.										
03/10/94	627,540	366,913	446	-	<0.3	<0.3	<0.3	<0.5	-	<0.3	<0.3	<0.3	7.7	
04/14/94	645,330	384,703	508	<50	<0.3	<0.3	<0.3	<0.5	170	1.5	<0.3	0.38	0.73	
05/19/94	653,520	392,893	234	<50	<0.3	<0.3	<0.3	<0.5	1,500	46	4.1	0.5	84	
06/16/94	664,015	403,388	375	<50	<0.3	<0.3	<0.3	<0.5	12,000	860	37	<13	1,600	
07/14/94	672,750	412,123	312	<50	<0.3	<0.3	<0.3	<0.5	<50	<0.3	<0.3	<0.3	<0.5	
08/11/94	681,920	421,293	328	<50	<0.3	<0.3	<0.3	<0.5	<50	<0.3	<0.3	<0.3	<0.5	
09/15/94	692,083	431,456	290	<50	<0.3	<0.3	<0.3	<0.5	<50	<0.3	<0.3	<0.3	<0.5	
10/17/94	699,979	439,352	247	<50	<0.3	<0.3	<0.5	<0.5	<50	<0.3	<0.3	<0.5	<0.5	
11/14/94	712,539	451,912	449	<50	<0.3	<0.3	<0.5	<0.5	<50	<0.3	<0.3	<0.5	<0.5	
12/19/94	734,620	473,993	631	<50	<0.3	<0.3	<0.5	<0.5	<50	<0.3	<0.3	<0.5	<0.5	
01/10/95	742,072	481,445	339	-	-	-	-	-	-	-	-	-	-	
01/16/95	742,074	481,447	0	System shut down for repair of compressor pump										
02/06/95	742,074	481,447	-	Restart the system										
02/13/95	744,063	483,436	284	<50	<0.3	<0.3	<0.5	<0.5	<50	<0.3	<0.3	<0.5	<0.5	
03/13/95	758,930	498,303	531	<100	<0.5	<0.5	<0.5	<1	1,300	<0.5	<0.5	<0.5	<1	
04/17/95	768,276	507,649	267	<100	<0.5	<0.5	<0.5	<1	6,200	410	73	97	280	
05/15/95	780,716	520,089	444	<100	<0.5	<0.5	<0.5	<1	1,300	0.6	<0.5	<0.5	<1	
06/12/95	784,514	523,887	136	<100	<0.5	<0.5	<0.5	<1	<100	<0.5	<0.5	<0.5	<1	
07/18/95	794,158	533,531	268	<100	<0.5	<0.5	<0.5	<1	1,100	<0.5	<0.5	<0.5	<1	
08/14/95	795,216	534,589	39	<100	<0.5	<0.5	<0.5	<1	170	<0.5	<0.5	<0.5	<1	
09/06/95	797,631	537,004	105	<100	<0.5	<0.5	<0.5	<1	1,320	<0.5	<0.5	<0.5	<1	
10/17/95	800,316	539,689	65	<100	<0.5	<0.5	<0.5	<1	2,400	26	2.7	3.9	46	
11/20/95	806,264	545,637	175	150	<0.3	<0.3	<0.3	<0.5	450	0.31	<0.3	<0.3	<0.5	
12/11/95	809,236	548,609	142	300	<0.3	<0.3	<0.3	0.59	470	<0.3	<0.3	<0.3	<0.5	
01/15/96	822,734	562,107	386	510	<0.3	<0.3	<0.3	<0.5	900	0.39	<0.3	<0.3	<0.5	
02/19/96	848,213	587,586	728	800	<0.3	0.57	<0.3	0.83	1700	23	3.7	<0.3	80	
03/19/96	849,587	588,960	47	930	<0.3	<0.3	<0.3	<0.5	1,600	5.5	1.4	<0.3	94	
04/15/96	852,042	591,415	91	990	<0.3	<0.3	<0.3	<0.5	1,100	0.43	<0.3	<0.3	<0.5	
05/13/96	890,214	629,587	1,363	840	<0.3	<0.3	<0.3	<0.5	910	<0.3	<0.3	<0.3	<0.5	
05/13/96	890,214	629,587	-	System shut down for carbon change										
06/14/96	890,214	629,587	-	Restart the system										
06/18/96	890,818	630,191	151	<50	<0.3	<0.3	<0.3	<0.5	1,000	92	8.7	3.4	55	
07/01/96	892,781	632,154	151	-	-	-	-	-	-	-	-	-	-	
07/08/96	894,210	633,583	204	System shut down due to burglary and damaged air compressor										
08/05/96	894,210	633,583	-	Restart the system										
08/13/96	896,220	635,593	251	<50	<0.3	<0.3	<0.3	<0.5	3,500	160	110	220	650	
09/23/96	899,410	638,783	78	<50	<0.3	<0.3	<0.3	<0.5	<50	0.49	<0.3	<0.3	<0.5	
10/09/96	899,845	639,218	27	<50	<0.3	<0.3	<0.3	<0.5	730	1.7	0.42	2.1	2.5	
11/11/96	901,348	640,721	46	<50	<0.3	<0.3	<0.3	<0.5	81	<0.3	<0.3	<0.3	<0.5	

TABLE 3
GROUNDWATER REMEDIATION SYSTEM MONITORING PROGRAM
 Thrifty Oil Co. Station No 063, OAKLAND, CA

Date	Totalizer (gallons)	Total/Cum. Discharge (gallons)	Flow (gal/day)	OUTLET / EFFLUENT					INLET / INFLUENT				
				TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L
12/09/96	901,576	640,949	8	<50	<0.3	<0.3	<0.3	<0.5	<50	<0.3	<0.3	<0.3	<0.5
01/13/97	904,630	644,003	87	<50	<0.3	<0.3	<0.3	<0.5	13,000	590	250	180	850
02/10/97	912,610	651,983	285	82	<0.3	0.38	<0.3	<0.5	700	0.92	0.75	<0.3	4.1
03/10/97	921,020	660,393	300	<50	<0.3	<0.3	<0.3	<0.5	600	<0.3	<0.3	<0.3	<0.5
04/14/97	932,410	671,783	325	<50	<0.3	<0.3	<0.3	<0.5	4,400	<0.3	<0.3	<0.3	<0.5
05/12/97	941,028	680,401	308	<50	<0.3	<0.3	<0.3	<0.5	5,600	7.3	0.32	<0.3	17
06/23/97	943,183	682,556	51	-	-	-	-	-	-	-	-	-	-
07/07/97	945,821	685,194	188	<50	<0.3	<0.3	<0.3	<0.5	1,500	3.4	<0.3	<0.3	26
08/04/97	951,020	690,393	186	-	-	-	-	-	-	-	-	-	-
09/02/97	957,933	697,306	238	System shut down due to stolen air compressor					-	-	-	-	-
10/06/97	961,030	700,403	91	-	-	-	-	-	-	-	-	-	-
10/16/97	961,077	700,450	5	<50	<0.3	<0.3	<0.3	<0.5	550	<0.3	<0.3	<0.3	<0.5
11/17/97	970,920	710,293	308	-	-	-	-	-	-	-	-	-	-
12/23/97	986,016	725,389	419	-	-	-	-	-	-	-	-	-	-
01/05/98	991,520	730,893	423	-	-	-	-	-	-	-	-	-	-
01/07/98	992,365	731,738	423	<50	<0.3	<0.3	<0.3	<0.5	65,000	690	8,400	3,100	20,000
02/02/98	996,874	736,247	173	-	-	-	-	-	-	-	-	-	-
02/09/98	-	736,247	-	System shut down due to the UST replacement and station remodeling					-	-	-	-	-
02/17/98	-	736,247	-	<50	<0.3	<0.3	<0.3	<0.5	35,000	150	<15	<15	8,900
04/13/98	53,000	736,247	-	Replaced carbons and restarted system with new meter (53,000)					-	-	-	-	-
4/13 - 6/1/98	-	736,247	-	System was undergoing several maintenance / piping / hose replacement					-	-	-	-	-
06/01/98	53,780	737,027	16	-	-	-	-	-	-	-	-	-	-
07/14/98	56,905	740,152	73	<50	<0.3	<0.3	<0.3	<0.5	3,500	14	0.56	<0.3	26
08/13/98	59,426	742,673	84	-	-	-	-	-	-	-	-	-	-
09/11/98	62,356	745,603	101	-	-	-	-	-	-	-	-	-	-
10/15/98	62,714	745,961	11	<50	<0.3	<0.3	<0.3	<0.5	2,200	21	4	<0.3	100
11/06/98	62,952	746,199	11	-	-	-	-	-	-	-	-	-	-
11/20/98	-	746,199	-	System shut down for flowmeter replacement					-	-	-	-	-
12/01/98	0.0	746,199	-	Restart the system with flowmeter at 000					-	-	-	-	-
12/31/98	5,340.0	751,539	178	-	-	-	-	-	-	-	-	-	-
01/11/99	15,020.0	761,219	880	System shut down					-	-	-	-	-
1/11 - 2/1/99	-	761,219	-	System was undergoing maintenance for the compressor					-	-	-	-	-
01/20/99	-	761,219	-	<50	<0.3	<0.3	<0.3	<0.5	110	0.43	0.42	<0.3	<0.5
02/01/99	15,600.0	761,799	28	Restart system					-	-	-	-	-
02/12/99	22,840.0	769,039	658	-	-	-	-	-	-	-	-	-	-
02/22/99	22,840.0	769,039	-	System shut down for carbon canister replacement					-	-	-	-	-
03/26/99	22,840.0	769,039	-	Restart the system					-	-	-	-	-
03/31/99	24,620.0	770,819	356	-	-	-	-	-	-	-	-	-	-
04/16/99	29,605.0	775,804	312	<50	<0.3	<0.3	<0.3	<0.5	<50	<0.3	<0.3	<0.3	<0.5
05/11/99	36,010.0	782,209	256	-	-	-	-	-	-	-	-	-	-
05/25/99	46,000.0	792,199	714	System shut down due to carbon canister leaking					-	-	-	-	-
09/02/99	46,000.0	792,199	-	Restart system					-	-	-	-	-
09/17/99	46,217.0	792,416	14	-	-	-	-	-	-	-	-	-	-
10/07/99	46,809.0	793,008	30	<50	<0.3	<0.3	<0.3	<0.5	65	<0.3	<0.3	<0.3	<0.5
10/21/99	47,278.0	793,477	34	System shut down for carbon change					-	-	-	-	-
11/24/99	47,283.0	793,482	0	Restart system					-	-	-	-	-
12/30/99	49,386.0	795,585	58	-	-	-	-	-	-	-	-	-	-
01/26/00	50,569.0	796,768	44	<50	<0.3	<0.3	<0.3	<0.5	<50	<0.3	<0.3	<0.3	<0.5
02/25/00	51,983.0	798,182	47	-	-	-	-	-	-	-	-	-	-
03/24/00	54,603.0	800,802	94	-	-	-	-	-	-	-	-	-	-
04/19/00	56,754.0	802,953	83	<5	<0.25	<0.25	<0.25	<0.5	<50	1.3	<0.25	<0.25	<0.5
04/30/00	58,022.0	804,221	115	-	-	-	-	-	-	-	-	-	-
05/26/00	60,086.0	806,285	79	-	-	-	-	-	923	<0.6	2	85	80

TABLE 3
GROUNDWATER REMEDIATION SYSTEM MONITORING PROGRAM
 Thrifty Oil Co. Station No 063, OAKLAND, CA

Date	Totalizer (gallons)	Total/Cum. Discharge (gallons)	Flow (gal/day)	OUTLET / EFFLUENT					INLET / INFLUENT				
				TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L
06/16/00	61,889.0	808,088	86	<50	<0.3	<0.3	<0.3	<0.6	3,820	<0.3	<0.3	<0.3	<0.6
07/26/00	65,987.0	812,186	102	<50	<0.3	<0.3	<0.3	<0.6	<50	<0.3	<0.3	<0.3	<0.6
08/25/00	68,630.0	814,829	88	-	-	-	-	-	-	-	-	-	-
09/29/00	85,661.0	831,860	487	-	-	-	-	-	-	-	-	-	-
10/13/00	96,212.0	842,411	754	-	-	-	-	-	-	-	-	-	-
10/20/00	99,700.0	845,899	498	Shut down system for QWS and replaced flowmeter starting at 000 (old meter estimated at 99,700). System restarted on 10/25/00 after QWS									
10/25/00	0.0	845,899	-	<50	<0.18	<0.14	<0.18	<0.26	17,100	111	121	141	972
10/27/00	2,160	848,059	1,080	-	-	-	-	-	-	-	-	-	-
11/03/00	7,420	853,319	751	-	-	-	-	-	-	-	-	-	-
11/24/00	16,560	862,459	435	-	-	-	-	-	-	-	-	-	-
12/22/00	51,530	897,429	1,249	-	-	-	-	-	-	-	-	-	-
01/10/01	54,520	900,419	157	<50	<0.18	<0.14	<0.18	<0.26	10,000	384	223	<0.18	1,330
02/19/01	99,640	945,539	1,128	-	-	-	-	-	-	-	-	-	-
03/19/01	144,170	990,069	1,590	-	-	-	-	-	-	-	-	-	-
04/09/01	167,050	1,012,949	1,090	378	<0.18	<0.14	<0.18	<0.26	4,040	191	4	42	38
04/13/01	169,210	1,015,109	540	Shut down system for replacement of carbon drums									
04/18/01	169,210	1,015,109	-	Restart system									
04/23/01	177,140	1,023,039	1,586	93	<0.18	<0.14	<0.18	<0.26	1,400	<0.18	<0.14	<0.18	<0.26
05/02/01	186,800	1,032,699	1,073	Shut down system for carbon change									
05/18/01	186,900	1,032,799	6	Restart system									
05/30/01	200,850	1,046,749	1,163	<50	<0.18	<0.14	<0.18	<0.26	3,100	15	<0.14	1	2
06/25/01	266,720	1,112,619	2,533	-	-	-	-	-	-	-	-	-	-
07/09/01	278,760	1,124,659	860	<50	<0.18	<0.14	<0.18	<0.26	748	15	<0.14	2	2.7
08/13/01	399,700	1,245,599	3,455	-	-	-	-	-	-	-	-	-	-
09/24/01	451,240	1,297,139	1,227	-	-	-	-	-	-	-	-	-	-
10/01/01	488,310	1,334,209	5,296	<50	<0.18	<0.14	<0.18	<0.26	956	1.2	<0.14	<0.18	<0.26
11/12/01	636,260	1,482,159	3,523	-	-	-	-	-	-	-	-	-	-
12/31/01	674,080	1,519,979	772	-	-	-	-	-	-	-	-	-	-
01/14/02	688,450	1,534,349	1,026	<50	<0.18	<0.14	<0.18	<0.26	232	1	1	<0.18	<0.26
02/18/02	738,420	1,584,319	1,428	-	-	-	-	-	-	-	-	-	-
03/25/02	814,570	1,660,469	2,176	-	-	-	-	-	-	-	-	-	-
04/08/02	828,510	1,674,409	996	<50	<0.18	<0.14	<0.18	<0.26	105	<0.18	<0.14	<0.18	<0.26
04/22/02	895,910	1,741,809	4,814	-	-	-	-	-	-	-	-	-	-
05/06/02	895,920	1,741,819	1	System off; Restart									
05/13/02	929,130	1,775,029	4,744	-	-	-	-	-	-	-	-	-	-
06/03/02	-	1,839,639	-	-	<0.5	<0.7	<0.8	<3.3	Outlet sampling results from EBMUD (sample collected by EBMUD inspector)				
06/03/02	993,740	1,839,639	3,077	<50	<0.18	<0.14	<0.18	<0.26	Split-sample results (sample collected by us)				
06/24/02	1,001,590	1,847,489	374	-	-	-	-	-	-	-	-	-	-
07/08/02	-	1,847,489	-	<50	<0.18	<0.14	<0.18	<0.26	4,710	1	1.2	<0.18	2
07/12/02	1,051,430	1,897,329	2,769	-	-	-	-	-	-	-	-	-	-
07/29/02	1,052,820	1,898,719	82	System shut down for carbon change									
08/16/02	1,052,820	1,898,719	-	Restart									
08/30/02	1,069,050	1,914,949	1,159	-	-	-	-	-	-	-	-	-	-
09/20/02	-	1,952,309	-	-	<0.5	<0.7	<0.8	<3.3	Outlet sampling results from EBMUD (sample collected by EBMUD inspector)				
09/20/02	1,106,410	1,952,309	1,779	<50	<0.1	<0.15	<0.06	-	Split-sample results (sample collected by us, analysis by EPA 624 & 8015M)				
09/30/02	1,110,180	1,956,079	377	-	-	-	-	-	-	-	-	-	-
10/07/02	1,114,720	1,960,619	649	<50	<0.18	<0.14	<0.18	<0.26	128	<0.18	<0.14	<0.18	<0.26
10/28/02	1,127,540	1,973,439	610	-	-	-	-	-	-	-	-	-	-
11/25/02	1,149,730	1,995,629	793	-	-	-	-	-	-	-	-	-	-
12/20/02	1,166,840	2,012,739	684	-	-	-	-	-	-	-	-	-	-
12/30/02	1,173,420	2,019,319	658	-	-	-	-	-	-	-	-	-	-
01/06/03	1,182,610	2,028,509	1,313	<50	<0.14	1.2	<0.08	2.4	9,860	<1.4	29	14	2,420
01/13/03	1,189,320	2,035,219	959	Shut down for QWS									

TABLE 3
GROUNDWATER REMEDIATION SYSTEM MONITORING PROGRAM
 Thrifty Oil Co. Station No 063, OAKLAND, CA

Date	Totalizer (gallons)	Total/Cum. Discharge (gallons)	Flow (gal/day)	OUTLET / EFFLUENT					INLET / INFLUENT					
				TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	
01/15/03	1,189,320	2,035,219	-	Restart										
02/24/03	1,223,450	2,069,349	853	-	-	-	-	-	-	-	-	-	-	-
03/10/03	1,238,640	2,084,539	1,085	-	-	-	-	-	-	-	-	-	-	-
03/17/03	1,257,710	2,103,609	2,724	System off	-	-	-	-	-	-	-	-	-	-
03/28/03	1,257,710	2,103,609	-	Restart	-	-	-	-	-	-	-	-	-	-
03/31/03	1,266,150	2,112,049	2,813	-	-	-	-	-	-	-	-	-	-	-
04/02/03	1,272,100	2,117,999	2,975	-	-	-	-	-	-	-	-	-	-	-
04/07/03	1,286,160	2,132,059	2,812	<15	<0.04	2.2	<0.02	<0.06	14,000	20	20	2.2	14	
04/14/03	1,294,060	2,139,959	1,129	System shut down for QWS										
04/16/03	1,294,080	2,139,979	10	Restart	-	-	-	-	-	-	-	-	-	-
04/21/03	1,299,660	2,145,559	1,116	-	-	-	-	-	-	-	-	-	-	-
04/28/03	1,302,140	2,148,039	354	-	-	-	-	-	-	-	-	-	-	-
05/05/03	1,302,710	2,148,609	81	System shut down for carbon change										
05/07/03	1,302,710	2,148,609	-	Restart	-	-	-	-	-	-	-	-	-	-
05/12/03	1,303,230	2,149,129	104	-	-	-	-	-	-	-	-	-	-	-
05/19/03	1,318,460	2,164,359	2,176	-	-	-	-	-	-	-	-	-	-	-
05/30/03	1,321,830	2,167,729	306	-	-	-	-	-	-	-	-	-	-	-
06/02/03	1,327,490	2,173,389	1,887	-	-	-	-	-	-	-	-	-	-	-
06/09/03	1,336,370	2,182,269	1,269	-	-	-	-	-	-	-	-	-	-	-
06/16/03	1,347,480	2,193,379	1,587	-	-	-	-	-	-	-	-	-	-	-
06/23/03	1,359,690	2,205,589	1,744	-	-	-	-	-	-	-	-	-	-	-
07/01/03	1,366,090	2,211,989	800	-	-	-	-	-	-	-	-	-	-	-
07/07/03	1,369,730	2,215,629	607	System shut down for QWS										
07/15/03	1,369,730	2,215,629	-	Restart	-	-	-	-	-	-	-	-	-	-
07/21/03	1,382,630	2,228,529	2,150	<15	<0.04	1.0	<0.02	<0.06	7,710	<0.04	<0.02	<0.02	<0.06	
07/28/03	1,389,840	2,235,739	1,030	-	-	-	-	-	-	-	-	-	-	-
08/04/03	1,408,710	2,254,609	2,696	-	-	-	-	-	-	-	-	-	-	-
08/15/03	1,411,520	2,257,419	255	System shut down for carbon change										
08/29/03	1,411,560	2,257,459	3	Restart	-	-	-	-	-	-	-	-	-	-
09/03/03	1,419,210	2,265,109	1,530	-	-	-	-	-	-	-	-	-	-	-
09/12/03	1,423,520	2,269,419	479	-	-	-	-	-	-	-	-	-	-	-
09/15/03	1,427,810	2,273,709	1,430	-	-	-	-	-	-	-	-	-	-	-
09/22/03	1,429,700	2,275,599	270	System shut down for installation of new 24-hour timer										
09/26/03	1,429,700	2,275,599	-	Restart	-	-	-	-	-	-	-	-	-	-
09/29/03	1,430,560	2,276,459	287	-	-	-	-	-	-	-	-	-	-	-
10/06/03	1,431,140	2,277,039	83	System shut down for QWS										
10/08/03	1,431,140	2,277,039	-	Restart	-	-	-	-	-	-	-	-	-	-
10/10/03	-	-	-	-	< 0.50	< 0.70	< 0.80	< 3.30	Outlet sampling results from EBMUD (sample collected by EBMUD inspector)					
10/10/03	1,432,290	2,278,189	575	<15	<0.04	<0.02	<0.02	<0.06	16,200	<0.04	4.4	4.8	46	
10/17/03	1,433,790	2,279,689	214	-	-	-	-	-	-	-	-	-	-	-
10/22/03	-	-	-	-	< 0.50	< 0.70	< 0.80	< 3.30	Outlet sampling results from EBMUD (sample collected by EBMUD inspector)					
10/22/03	1,434,590	2,280,489	160	<15	<0.04	<0.02	<0.02	<0.06	Split-sample results (sample collected by us)					
10/27/03	1,435,610	2,281,509	204	-	-	-	-	-	-	-	-	-	-	-
11/03/03	1,438,740	2,284,639	447	-	-	-	-	-	-	-	-	-	-	-
11/14/03	1,443,620	2,289,519	444	-	-	-	-	-	-	-	-	-	-	-
11/21/03	1,447,510	2,293,409	556	-	-	-	-	-	-	-	-	-	-	-
12/05/03	1,452,410	2,298,309	350	-	-	-	-	-	-	-	-	-	-	-
12/09/03	1,458,320	2,304,219	1,478	-	-	-	-	-	-	-	-	-	-	-
12/17/03	1,462,410	2,308,309	511	-	-	-	-	-	-	-	-	-	-	-
12/26/03	1,468,630	2,314,529	691	-	-	-	-	-	-	-	-	-	-	-
12/31/03	1,469,710	2,315,609	216	-	-	-	-	-	-	-	-	-	-	-
01/06/04	1,472,000	2,317,899	382	<15	<0.04	<0.02	<0.02	<0.06	7,900	658	1,560	62	1,090	
01/14/04	1,474,650	2,320,549	331	System shut down for QWS; Restarted 1/15/04					-	-	-	-	-	-

TABLE 3
GROUNDWATER REMEDIATION SYSTEM MONITORING PROGRAM
 Thrifty Oil Co. Station No 063, OAKLAND, CA

Date	Totalizer (gallons)	Total/Cum. Discharge (gallons)	Flow (gal/day)	OUTLET / EFFLUENT					INLET / INFLUENT				
				TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L
01/28/04	-	-	-	-	< 0.50	< 0.70	< 0.80	< 3.30	Outlet sampling results from EBMUD (sample collected by EBMUD inspector)				
01/28/04	1,485,790	2,331,689	857	<15	<0.04	<0.02	<0.02	<0.06	Split-sample results (sample collected by us)				
02/04/04	1,492,340	2,338,239	936	-	-	-	-	-	-	-	-	-	-
02/10/04	1,494,550	2,340,449	368	-	-	-	-	-	-	-	-	-	-
02/20/04	1,498,790	2,344,689	424	-	-	-	-	-	-	-	-	-	-
02/25/04	1,499,360	2,345,259	114	-	-	-	-	-	-	-	-	-	-
03/03/04	1,514,700	2,360,599	2,191	-	-	-	-	-	-	-	-	-	-
03/09/04	1,517,300	2,363,199	433	-	-	-	-	-	-	-	-	-	-
03/17/04	1,519,100	2,364,999	225	-	-	-	-	-	-	-	-	-	-
03/24/04	1,524,600	2,370,499	786	-	-	-	-	-	-	-	-	-	-
04/01/04	1,529,300	2,375,199	588	-	-	-	-	-	-	-	-	-	-
04/07/04	1,531,200	2,377,099	317	<15	<0.22	<0.32	<0.31	<0.4	1,380	113	93	16	76
04/14/04	1,533,000	2,378,899	257	System shut down for QWS on 4/7; Restarted 4/14					-	-	-	-	-
04/22/04	1,576,400	2,422,299	5,425	-	-	-	-	-	-	-	-	-	-
04/28/04	1,623,500	2,469,399	7,850	-	-	-	-	-	-	-	-	-	-
05/06/04	1,668,920	2,514,819	5,678	-	-	-	-	-	-	-	-	-	-
05/13/04	1,691,100	2,536,999	3,169	-	-	-	-	-	-	-	-	-	-
05/20/04	1,726,500	2,572,399	5,057	-	-	-	-	-	-	-	-	-	-
05/28/04	1,748,910	2,594,809	2,801	-	-	-	-	-	-	-	-	-	-
06/04/04	1,749,320	2,595,219	59	Found system off; for replacement of on and off switch					-	-	-	-	-
06/11/04	1,749,320	2,595,219	-	Restarted					-	-	-	-	-
06/16/04	1,751,910	2,597,809	518	-	-	-	-	-	-	-	-	-	-
06/22/04	1,753,550	2,599,449	273	-	-	-	-	-	-	-	-	-	-
07/02/04	1,756,530	2,602,429	298	-	-	-	-	-	-	-	-	-	-
07/08/04	1,759,110	2,605,009	430	<15	<0.22	<0.32	<0.31	<0.4	652	31	<0.32	<0.31	2.1J
07/15/04	1,759,260	2,605,159	21	-	-	-	-	-	-	-	-	-	-
07/22/04	1,760,630	2,606,529	196	-	-	-	-	-	-	-	-	-	-
07/28/04	1,762,810	2,608,709	363	Shut down system for carbon change					-	-	-	-	-
08/05/04	1,762,810	2,608,709	-	Restarted					-	-	-	-	-
08/12/04	1,765,370	2,611,269	366	-	-	-	-	-	-	-	-	-	-
08/20/04	1,767,950	2,613,849	323	-	-	-	-	-	-	-	-	-	-
08/27/04	1,771,100	2,616,999	450	-	-	-	-	-	-	-	-	-	-
09/03/04	1,773,750	2,619,649	379	-	-	-	-	-	-	-	-	-	-
09/07/04	1,777,590	2,623,489	960	-	-	-	-	-	-	-	-	-	-
09/10/04	1,778,460	2,624,359	290	Shut down system due to operator vacation					-	-	-	-	-
09/29/04	1,778,460	2,624,359	-	Restarted					-	-	-	-	-
10/06/04	1,779,260	2,625,159	114	<15	<0.22	<0.32	<0.31	<0.4	<15	<0.22	<0.32	<0.31	<0.4
10/12/04	1,782,540	2,628,439	547	Shut down system for QWS					-	-	-	-	-
10/21/04	1,782,680	2,628,579	16	Restarted					-	-	-	-	-
10/27/04	1,784,630	2,630,529	325	-	-	-	-	-	-	-	-	-	-
11/03/04	1,784,680	2,630,579	7	-	-	-	-	-	-	-	-	-	-
11/11/04	1,787,490	2,633,389	351	-	-	-	-	-	-	-	-	-	-
11/19/04	1,789,350	2,635,249	233	-	-	-	-	-	-	-	-	-	-
12/01/04	1,789,800	2,635,699	38	-	-	-	-	-	-	-	-	-	-
12/10/04	1,792,780	2,638,679	331	-	-	-	-	-	-	-	-	-	-
12/15/04	1,795,460	2,641,359	536	-	-	-	-	-	-	-	-	-	-
12/22/04	1,798,000	2,643,899	363	-	-	-	-	-	-	-	-	-	-
12/29/04	1,800,580	2,646,479	369	-	-	-	-	-	-	-	-	-	-
01/05/05	1,803,140	2,649,039	366	<15	<0.22	<0.32	<0.31	<0.4	291	9.1	<0.32	1.2 J	<0.4
01/13/05	1,803,290	2,649,189	19	System turned off for QWS on 1/5/05; Restarted on 1/13/05					-	-	-	-	-
01/20/05	1,804,020	2,649,919	104	Shut down system for repair and upgrade					-	-	-	-	-
04/30/05	1,804,020	2,649,919	-	System still off pending repairs and upgrade					-	-	-	-	-
05/10/05	1,804,020	2,649,919	-	Restarted system with MW-3 only					-	-	-	-	-

TABLE 3
GROUNDWATER REMEDIATION SYSTEM MONITORING PROGRAM
 Thrifty Oil Co. Station No 063, OAKLAND, CA

Date	Totalizer (gallons)	Total/Cum. Discharge (gallons)	Flow (gal/day)	OUTLET / EFFLUENT					INLET / INFLUENT				
				TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L
05/20/05	1,805,010	2,650,909	99	Added MW-4 to the system					-	-	-	-	-
05/26/05	1,807,630	2,653,529	437	-	-	-	-	-	-	-	-	-	
06/03/05	1,812,100	2,657,999	559	-	-	-	-	-	-	-	-	-	
06/10/05	1,816,540	2,662,439	634	-	-	-	-	-	-	-	-	-	
06/17/05	1,819,870	2,665,769	476	Compressor needs repair					-	-	-	-	
06/24/05	1,823,140	2,669,039	467	Replace with new pump MW-3					-	-	-	-	
06/29/05	1,827,540	2,673,439	880	-	-	-	-	-	-	-	-	-	
07/08/05	1,829,830	2,675,729	254	-	-	-	-	-	-	-	-	-	
07/14/05	1,829,970	2,675,869	23	<2.9	<0.17	<0.22	<0.14	<0.38	4,270	130	3.6 J	348	188
07/22/05	1,832,760	2,678,659	349	-	-	-	-	-	-	-	-	-	
07/26/05	1,833,920	2,679,819	290	Shut down system for QWS					-	-	-	-	
08/05/05	1,833,970	2,679,869	5	Restart sytem after QWS					-	-	-	-	
08/09/05	1,836,930	2,682,829	740	-	-	-	-	-	-	-	-	-	
08/19/05	1,837,560	2,683,459	63	-	<0.10	<0.15	<0.06	<0.40	Split-sample results during EBMUD inspection & sampling				
08/25/05	1,837,920	2,683,819	60	Shut down system for carbon change					-	-	-	-	
09/01/05	1,837,980	2,683,879	9	Restarted					-	-	-	-	
09/09/05	1,838,530	2,684,429	69	-	-	-	-	-	-	-	-	-	
09/16/05	1,841,230	2,687,129	386	-	-	-	-	-	-	-	-	-	
09/23/05	1,843,410	2,689,309	311	-	-	-	-	-	-	-	-	-	
09/30/05	1,844,820	2,690,719	201	-	-	-	-	-	-	-	-	-	
10/06/05	1,845,250	2,691,149	72	<2.9	<0.10	<0.15	<0.06	<0.40	2,410	<3.2	<1.0	28 J	<3.0
10/11/05	1,846,030	2,691,929	156	System turned off for QWS on 10/11/05; Restarted on 10/14/05					-	-	-	-	
10/14/05	-	-	-	-	<0.05	<0.07	<0.08	<0.33	Outlet sampling results from EBMUD (sample collected by EBMUD inspector)				
10/14/05	1,846,590	2,692,489	187	-	<0.10	<0.15	<0.06	<0.40	Split-sample results during EBMUD inspection & sampling				
10/21/05	1,847,810	2,693,709	174	-	-	-	-	-	-	-	-	-	
11/02/05	1,849,720	2,695,619	159	-	-	-	-	-	-	-	-	-	
11/08/05	-	-	-	-	<0.05	0.62	<0.08	<0.33	Outlet sampling results from EBMUD (sample collected by EBMUD inspector)				
11/10/05	1,850,760	2,696,659	130	-	-	-	-	-	-	-	-	-	
11/17/05	1,851,420	2,697,319	94	-	-	-	-	-	-	-	-	-	
11/23/05	1,854,560	2,700,459	523	-	-	-	-	-	-	-	-	-	
11/30/05	1,856,650	2,702,549	299	-	-	-	-	-	-	-	-	-	
12/09/05	1,858,340	2,704,239	188	-	-	-	-	-	-	-	-	-	
12/15/05	1,859,780	2,705,679	240	-	-	-	-	-	-	-	-	-	
12/22/05	1,860,420	2,706,319	91	-	-	-	-	-	-	-	-	-	
12/30/05	1,862,470	2,708,369	256	-	-	-	-	-	-	-	-	-	
01/06/06	1,866,760	2,712,659	613	-	-	-	-	-	-	-	-	-	
01/11/06	1,867,740	2,713,639	196	698	<0.32	<0.10	<0.24	<0.30	6,120	210	<0.10	419	130
01/18/06	1,870,240	2,716,139	357	Shut down system for QWS and carbon change					-	-	-	-	
01/27/06	1,870,280	2,716,179	4	Restarted after QWS and carbon change					-	-	-	-	
02/01/06	-	-	-	-	<0.70	<0.67	<0.65	<2.0	Outlet sampling results from EBMUD (sample collected by EBMUD inspector)				
02/01/06	1,870,530	2,716,429	50	-	<0.17	<0.22	<0.14	<0.38	Split-sample results during EBMUD inspection & sampling				
02/10/06	1,877,370	2,723,269	760	-	-	-	-	-	-	-	-	-	
02/17/06	1,879,230	2,725,129	266	-	-	-	-	-	-	-	-	-	
02/24/06	1,880,710	2,726,609	211	-	-	-	-	-	-	-	-	-	
03/01/06	1,882,270	2,728,169	312	-	-	-	-	-	-	-	-	-	
03/10/06	1,889,370	2,735,269	789	-	-	-	-	-	-	-	-	-	
03/17/06	1,889,660	2,735,559	41	-	-	-	-	-	-	-	-	-	
03/21/06	1,890,930	2,736,829	318	-	-	-	-	-	-	-	-	-	
03/29/06	1,891,880	2,737,779	119	-	-	-	-	-	-	-	-	-	
04/05/06	1,893,340	2,739,239	209	<5.6	<0.32	<0.10	<0.24	<0.30	1,520	72	<0.10	199	28
04/11/06	1,895,480	2,741,379	357	-	-	-	-	-	-	-	-	-	
04/11/06	-	2,741,379	-	Shut down system for QWS					-	-	-	-	
04/14/06	1,895,490	2,741,389	3	Restart sytem after QWS					-	-	-	-	

TABLE 3
GROUNDWATER REMEDIATION SYSTEM MONITORING PROGRAM
 Thrifty Oil Co. Station No 063, OAKLAND, CA

Date	Totalizer (gallons)	Total/Cum. Discharge (gallons)	Flow (gal/day)	OUTLET / EFFLUENT					INLET / INFLUENT				
				TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L
04/21/06	1,897,130	2,743,029	234	-	-	-	-	-	-	-	-	-	-
04/26/06	1,898,330	2,744,229	240	-	-	-	-	-	-	-	-	-	-
05/03/06	1,900,240	2,746,139	273	-	-	-	-	-	-	-	-	-	-
05/12/06	1,903,700	2,749,599	384	-	-	-	-	-	-	-	-	-	-
05/19/06	1,905,570	2,751,469	267	-	-	-	-	-	-	-	-	-	-
05/23/06	1,907,810	2,753,709	560	<5.6	<0.32	<0.10	<0.24	<0.30	683,000	3,600	135,000	25,100	165,000
05/26/06	1,909,780	2,755,679	657	-	-	-	-	-	-	-	-	-	-
06/02/06	1,911,010	2,756,909	176	-	-	-	-	-	-	-	-	-	-
06/09/06	1,912,670	2,758,569	237	-	-	-	-	-	77,300	668	19,300	1,660	8,800
06/16/06	1,914,330	2,760,229	237	-	-	-	-	-	-	-	-	-	-
06/23/06	1,917,210	2,763,109	411	-	-	-	-	-	-	-	-	-	-
06/27/06	1,919,740	2,765,639	633	-	-	-	-	-	-	-	-	-	-
07/06/06	1,921,470	2,767,369	192	3,730	44	874	26	503	4,450	8.6 J	99	34 J	149
07/14/06	1,921,980	2,767,879	64	-	-	-	-	-	-	-	-	-	-
07/18/06	1,922,070	2,767,969	23	Shut down system for carbon change									
08/04/06	1,922,090	2,767,989	1	System restarted after carbon change									
08/04/06	1,922,090	2,767,989	1	<5.6	<0.32	<0.10	<0.24	<0.30	763	<0.32	<0.10	<0.24	<0.30
08/18/06	1,928,690	2,774,589	471	-	-	-	-	-	-	-	-	-	-
08/25/06	1,929,580	2,775,479	127	-	-	-	-	-	-	-	-	-	-
09/01/06	1,932,440	2,778,339	409	-	-	-	-	-	-	-	-	-	-
09/08/06	1,936,240	2,782,139	543	-	-	-	-	-	-	-	-	-	-
09/14/06	1,938,420	2,784,319	363	-	-	-	-	-	-	-	-	-	-
09/20/06	1,939,710	2,785,609	215	-	-	-	-	-	-	-	-	-	-
10/04/06	1,942,100	2,787,999	171	<5.6	<0.32	<0.10	<0.24	1.1 J	14,400	78	1,110	440	1,440
10/13/06	1,945,320	2,791,219	358	-	-	-	-	-	-	-	-	-	-
10/19/06	1,947,230	2,793,129	318	-	-	-	-	-	-	-	-	-	-
10/24/06	1,948,670	2,794,569	288	Shut down system for QWS									
10/27/06	1,948,670	2,794,569	-	Restart system after QWS									
11/01/06	1,949,120	2,795,019	90	-	-	-	-	-	-	-	-	-	-
11/09/06	1,951,030	2,796,929	239	-	-	-	-	-	-	-	-	-	-
11/16/06	1,951,817	2,797,716	112	-	-	-	-	-	-	-	-	-	-
11/22/06	1,952,010	2,797,909	32	-	-	-	-	-	-	-	-	-	-
11/30/06	1,956,730	2,802,629	590	Shut down system for maintenance									
12/01/06	1,956,730	2,802,629	-	Restarted system									
12/07/06	1,958,510	2,804,409	297	-	-	-	-	-	-	-	-	-	-
12/12/06	1,959,720	2,805,619	242	Shut down system due to operator vacation									
01/03/07	1,959,230	2,805,129	(22)	Restarted system									
01/05/07	1,959,670	2,805,569	220	-	-	-	-	-	-	-	-	-	-
01/11/07	1,961,280	2,807,179	268	-	-	-	-	-	-	-	-	-	-
01/18/07	1,963,200	2,809,099	274	System shut down for QWS									
01/24/07	1,963,200	2,809,099	-	<5.6	<0.17	<0.22	<0.14	<0.38	8,920	<1.6	115	91	612
01/25/07	1,963,860	2,809,759	660	-	-	-	-	-	-	-	-	-	-
02/02/07	1,967,120	2,813,019	408	-	-	-	-	-	-	-	-	-	-
02/06/07	1,969,320	2,815,219	550	-	-	-	-	-	-	-	-	-	-
02/16/07	1,971,040	2,816,939	172	-	-	-	-	-	-	-	-	-	-
02/19/07	1,971,760	2,817,659	240	-	-	-	-	-	-	-	-	-	-
02/28/07	1,978,320	2,824,219	729	-	-	-	-	-	-	-	-	-	-
03/16/07	1,983,620	2,829,519	331	-	-	-	-	-	-	-	-	-	-
03/23/07	1,985,120	2,831,019	214	-	-	-	-	-	-	-	-	-	-
03/30/07	1,987,330	2,833,229	316	-	-	-	-	-	-	-	-	-	-
04/05/07	1,989,120	2,835,019	298	-	-	-	-	-	-	-	-	-	-
04/12/07	1,991,300	2,837,199	311	<5.6	<0.17	<0.22	<0.14	<0.38	6,640	43	916	296	1,810
04/20/07	1,992,720	2,838,619	178	Shut down system for QWS									

TABLE 3
GROUNDWATER REMEDIATION SYSTEM MONITORING PROGRAM
 Thrifty Oil Co. Station No 063, OAKLAND, CA

Date	Totalizer (gallons)	Total/Cum. Discharge (gallons)	Flow (gal/day)	OUTLET / EFFLUENT					INLET / INFLUENT				
				TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L
04/27/07	1,992,730	2,838,629	1	Restart sytem after QWS									
05/03/07	1,994,500	2,840,399	295	-	-	-	-	-	-	-	-	-	-
05/10/07	2,002,410	2,848,309	1,130	-	-	-	-	-	-	-	-	-	-
05/17/07	2,004,320	2,850,219	273	-	-	-	-	-	-	-	-	-	-
05/25/07	2,004,810	2,850,709	61	-	-	-	-	-	-	-	-	-	-
06/01/07	2,005,210	2,851,109	57	-	-	-	-	-	-	-	-	-	-
06/14/07	2,006,540	2,852,439	102	-	-	-	-	-	-	-	-	-	-
06/19/07	2,008,320	2,854,219	356	-	-	-	-	-	-	-	-	-	-
06/21/07	2,008,740	2,854,639	210	-	-	-	-	-	15,800	186	1,890	410	2,060
06/29/07	2,016,480	2,862,379	968	-	-	-	-	-	-	-	-	-	-
07/06/07	2,014,260	2,864,599	317	-	-	-	-	-	-	-	-	-	-
07/13/07	2,013,420	2,865,439	120	-	-	-	-	-	-	-	-	-	-
07/20/07	2,015,230	2,867,249	259	-	-	-	-	-	-	-	-	-	-
07/24/07	2,015,620	2,867,639	98	Shut down system for QWS					-	-	-	-	-
07/27/07	2,015,670	2,867,689	17	Restart sytem after QWS					-	-	-	-	-
08/03/07	2,016,310	2,868,329	91	-	-	-	-	-	-	-	-	-	-
08/10/07	2,017,430	2,869,449	160	-	-	-	-	-	-	-	-	-	-
08/17/07	2,017,960	2,869,979	76	<5.6	<0.15	<0.12	<0.09	<0.26	-	-	-	-	-
08/24/07	2,018,100	2,870,119	20	-	-	-	-	-	-	-	-	-	-
08/31/07	2,018,210	2,870,229	16	-	-	-	-	-	-	-	-	-	-
09/07/07	2,018,630	2,870,649	60	Shut down system for repairs					-	-	-	-	-
09/14/07	2,019,810	2,871,829	169	Restart system					-	-	-	-	-
09/21/07	2,027,200	2,879,219	1,056	-	-	-	-	-	-	-	-	-	-
09/28/07	2,031,500	2,883,519	614	-	-	-	-	-	-	-	-	-	-
10/05/07	2,038,620	2,890,639	1,017	-	-	-	-	-	-	-	-	-	-
10/12/07	2,042,100	2,894,119	497	-	-	-	-	-	-	-	-	-	-
10/19/07	2,049,120	2,901,139	1,003	-	-	-	-	-	-	-	-	-	-
10/23/07	2,051,240	2,903,259	530	Shut down system for QWS					-	-	-	-	-
10/26/07	2,053,410	2,905,429	723	Restart sytem after QWS					-	-	-	-	-
11/06/07	2,064,180	2,916,199	979	<5.6	<0.15	<0.12	<0.09	<0.26	Split-sample results during EBMUD inspection & sampling				
11/20/07	2,075,400	2,927,419	801	<5.6	<0.15	<0.12	<0.09	<0.26	2,240	84	<0.24	46	5.7
11/30/07	2,082,110	2,934,129	671	-	-	-	-	-	-	-	-	-	-
12/14/07	2,086,930	2,938,949	344	-	-	-	-	-	3,980	102	869	229	1400
12/21/07	2,091,340	2,943,359	630	-	-	-	-	-	-	-	-	-	-
12/28/07	2,094,210	2,946,229	410	-	-	-	-	-	-	-	-	-	-
01/04/08	2,097,490	2,949,509	469	-	-	-	-	-	-	-	-	-	-
01/11/08	2,106,370	2,958,389	1,269	Shut down system for QWS					-	-	-	-	-
01/15/08	-	-	-	<5.6	<0.15	<0.12	<0.09	<0.26	804	54	3.2 J	45	11
01/25/08	2,109,820	2,961,839	246	Restart sytem after QWS					-	-	-	-	-
02/01/08	2,119,680	2,971,699	1,409	-	-	-	-	-	-	-	-	-	-
02/08/08	2,129,200	2,981,219	1,360	-	-	-	-	-	97,800	183	16,900	3,510	20,400
02/15/08	2,138,190	2,990,209	1,284	-	-	-	-	-	-	-	-	-	-
02/22/08	2,139,640	2,991,659	207	-	-	-	-	-	-	-	-	-	-
02/29/08	2,143,260	2,995,279	517	-	-	-	-	-	-	-	-	-	-
03/05/08	2,148,020	3,000,039	952	-	-	-	-	-	-	-	-	-	-
03/14/08	2,163,950	3,015,969	1,770	-	-	-	-	-	6,160	36	1,070	18	1,290
03/26/08	2,164,230	3,016,249	23	-	-	-	-	-	-	-	-	-	-
03/27/08	2,165,320	3,017,339	1,090	-	-	-	-	-	-	-	-	-	-
04/23/08	2,165,360	3,017,379	1.5	<6.6	<0.15	<0.12	<0.09	<0.26	-	-	-	-	-
05/02/08	2,174,340	3,026,359	998	-	-	-	-	-	-	-	-	-	-
05/09/08	2,196,620	3,048,639	3,183	-	-	-	-	-	-	-	-	-	-
05/16/08	2,196,620	3,048,639	-	-	-	-	-	-	-	-	-	-	-
05/23/08	2,196,620	3,048,639	-	-	-	-	-	-	-	-	-	-	-

TABLE 3
GROUNDWATER REMEDIATION SYSTEM MONITORING PROGRAM
 Thrifty Oil Co. Station No 063, OAKLAND, CA

Date	Totalizer (gallons)	Total/Cum. Discharge (gallons)	Flow (gal/day)	OUTLET / EFFLUENT					INLET / INFLUENT				
				TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L
06/05/08	2,196,620	3,048,639	-	-	-	-	-	-	-	-	-	-	-
06/10/08	2,198,960	3,050,979	468	-	-	-	-	-	-	-	-	-	-
06/20/08	2,205,410	3,057,429	645	-	-	-	-	-	-	-	-	-	-
06/25/08	2,213,010	3,065,029	1,520	-	-	-	-	-	26,600	54	721	629	4,320
07/03/08	2,221,620	3,073,639	1,076	-	-	-	-	-	-	-	-	-	-
07/09/08	2,230,580	3,082,599	1,493	<6.6	<0.18	<0.24	<0.21	<0.45	6,220	103	655	188	1,040
07/18/08	2,231,140	3,083,159	62	-	-	-	-	-	-	-	-	-	-
07/25/08	2,237,110	3,089,129	853	-	-	-	-	-	-	-	-	-	-
08/04/08	2,237,120	3,089,139	1.0	-	-	-	-	-	-	-	-	-	-
08/08/08	2,240,350	3,092,369	808	-	-	-	-	-	9,480	65	1,080	375	2,120
08/22/08	2,249,810	3,101,829	676	-	-	-	-	-	-	-	-	-	-
08/24/08	2,255,420	3,107,439	2,805	-	-	-	-	-	-	-	-	-	-
09/04/08	2,261,960	3,113,979	595	-	-	-	-	-	-	-	-	-	-
09/11/08	2,264,120	3,116,139	309	-	-	-	-	-	-	-	-	-	-
09/18/08	2,270,870	3,122,889	964	-	-	-	-	-	-	-	-	-	-
09/24/08	-	-	-	-	<0.51	<0.51	<0.41	< 1.3 / < 0.37	Outlet sampling results from EBMUD (sample collected by EBMUD inspector)				
09/24/08	2,270,960	3,122,979	15	<6.6	<0.18	<0.24	<0.21	<0.45	Split-sample results during EBMUD inspection & sampling				
09/26/08	2,272,540	3,124,559	790	-	-	-	-	-	-	-	-	-	-
10/03/08	2,280,060	3,132,079	1,074	-	-	-	-	-	-	-	-	-	-
10/08/08	2,286,630	3,138,649	1,314	-	-	-	-	-	-	-	-	-	-
10/16/08	2,294,110	3,146,129	935	-	-	-	-	-	-	-	-	-	-
10/28/08	2,307,750	3,159,769	1,137	-	-	-	-	-	8,490	100	1,130	308	1,680
11/07/08	2,316,370	3,168,389	862	-	-	-	-	-	-	-	-	-	-
11/14/08	2,322,890	3,174,909	931	-	-	-	-	-	-	-	-	-	-
11/21/08	2,330,420	3,182,439	1,076	-	-	-	-	-	-	-	-	-	-
11/26/08	2,337,570	3,189,589	1,430	-	-	-	-	-	-	-	-	-	-
12/05/08	2,344,350	3,196,369	753	-	-	-	-	-	-	-	-	-	-
12/10/08	2,351,080	3,203,099	1,346	-	-	-	-	-	-	-	-	-	-
12/18/08	2,358,770	3,210,789	961	-	-	-	-	-	-	-	-	-	-
12/19/08	2,358,920	3,210,939	150	-	-	-	-	-	-	-	-	-	-
12/23/08	2,366,510	3,218,529	1,898	<6.6	<0.18	<0.24	<0.21	<0.45	8,230	60	1,730	279	1,720
01/06/09	2,382,280	3,234,299	1,126	-	-	-	-	-	-	-	-	-	-
01/07/09	2,382,410	3,234,429	130	-	-	-	-	-	-	-	-	-	-
01/12/09	2,391,510	3,243,529	1,820	-	-	-	-	-	-	-	-	-	-
01/19/09	2,398,100	3,250,119	941	-	-	-	-	-	-	-	-	-	-
01/28/09	2,408,760	3,260,779	1,184	Shut down system for QWS					-	-	-	-	-
01/30/09	2,408,790	3,260,809	15	Restart system after QWS					-	-	-	-	-
02/04/09	2,415,390	3,267,409	1,320	-	-	-	-	-	-	-	-	-	-
02/11/09	2,424,020	3,276,039	1,233	-	-	-	-	-	-	-	-	-	-
02/13/09	2,424,210	3,276,229	95	System found off because of power failure, left system off for resampling of MW-4					-	-	-	-	-
02/24/09	2,424,210	3,276,229	-	Restart system after resampling of MW-4					-	-	-	-	-
03/03/09	2,424,510	3,276,529	43	-	-	-	-	-	-	-	-	-	-
03/08/09	2,425,820	3,277,839	262	-	-	-	-	-	-	-	-	-	-
03/11/09	2,426,810	3,278,829	330	-	-	-	-	-	-	-	-	-	-
03/18/09	2,427,010	3,279,029	29	Found system off. Air Compressor switch tripped					-	-	-	-	-
03/25/09	2,427,640	3,279,659	90	-	-	-	-	-	-	-	-	-	-
03/30/09	2,428,090	3,280,109	90	-	-	-	-	-	-	-	-	-	-
04/13/09	2,429,710	3,281,729	116	-	-	-	-	-	-	-	-	-	-
04/23/09	2,431,060	3,283,079	135	-	-	-	-	-	8,180	49	976	299	2,160
04/27/09	2,431,770	3,283,789	178	-	-	-	-	-	-	-	-	-	-
05/05/09	2,432,710	3,284,729	118	Shut down system for QWS					-	-	-	-	-
05/07/09	2,432,760	3,284,779	25	Restart system after QWS					-	-	-	-	-
05/12/09	2,433,180	3,285,199	84	System shut down for carbon change					-	-	-	-	-

TABLE 3
GROUNDWATER REMEDIATION SYSTEM MONITORING PROGRAM
 Thrifty Oil Co. Station No 063, OAKLAND, CA

Date	Totalizer (gallons)	Total/Cum. Discharge (gallons)	Flow (gal/day)	OUTLET / EFFLUENT					INLET / INFLUENT				
				TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L
05/29/09	2,433,290	3,285,309	6	System restarted after carbon change					-	-	-	-	-
06/08/09	2,434,090	3,286,109	80	-	-	-	-	-	-	-	-	-	
06/15/09	2,434,720	3,286,739	90	<6.6	<0.18	<0.24	<0.21	<0.45	1,310	191	94	2.9 J	101
06/16/09	2,434,830	3,286,849	110	-	-	-	-	-	-	-	-	-	
06/22/09	2,435,510	3,287,529	113	Replaced pressure switch, System restarted					-	-	-	-	-
07/06/09	2,436,320	3,288,339	58	-	-	-	-	-	-	-	-	-	
07/14/09	2,437,200	3,289,219	110	-	-	-	-	-	-	-	-	-	
07/20/09	2,437,950	3,289,969	125	-	-	-	-	-	-	-	-	-	
07/29/09	2,438,670	3,290,689	80	-	-	-	-	-	-	-	-	-	
08/03/09	2,439,360	3,291,379	138	-	-	-	-	-	-	-	-	-	
08/11/09	2,439,980	3,291,999	78	-	-	-	-	-	-	-	-	-	
08/18/09	2,440,700	3,292,719	103	-	-	-	-	-	-	-	-	-	
08/25/09	2,441,210	3,293,229	73	-	-	-	-	-	-	-	-	-	
09/01/09	2,442,070	3,294,089	123	-	-	-	-	-	-	-	-	-	
09/09/09	2,442,820	3,294,839	94	-	-	-	-	-	-	-	-	-	
09/14/09	-	-	-	-	<0.51	< 0.51	< 0.41	< 1.3 / < 0.37	Outlet sampling results from EBMUD (sample collected by EBMUD inspector)				
09/14/09	2,443,040	3,295,059	44	<6.6	<0.23	<0.23	<0.26	<0.81	Split-sample results during EBMUD inspection & sampling				
09/22/09	2,443,780	3,295,799	93	Shut down system for maintenance					-	-	-	-	-
09/25/09	2,443,790	3,295,809	3	Restart system after maintenance					-	-	-	-	-
09/30/09	2,444,430	3,296,449	128	-	-	-	-	-	-	-	-	-	
10/09/09	2,445,290	3,297,309	96	-	-	-	-	-	-	-	-	-	
10/15/09	2,445,970	3,297,989	113	-	-	-	-	-	-	-	-	-	
10/20/09	2,446,620	3,298,639	130	-	-	-	-	-	-	-	-	-	
10/28/09	2,447,640	3,299,659	128	-	-	-	-	-	-	-	-	-	
11/02/09	2,448,390	3,300,409	150	-	-	-	-	-	-	-	-	-	
11/09/09	2,449,210	3,301,229	117	-	-	-	-	-	-	-	-	-	
11/16/09	2,449,930	3,301,949	103	-	-	-	-	-	-	-	-	-	
11/23/09	2,450,800	3,302,819	124	-	-	-	-	-	-	-	-	-	
11/30/09	2,451,420	3,303,439	89	-	-	-	-	-	-	-	-	-	
12/07/09	2,451,660	3,303,679	34	-	-	-	-	-	-	-	-	-	
12/10/09	2,451,990	3,304,009	110	<6.6	<0.18	<0.24	<0.21	<0.45	15,400	177	1560	481	2920
12/11/09	2,451,990	3,304,009	-	System Shut down for QWS					-	-	-	-	-
12/17/09	2,452,040	3,304,059	7	Restart system after QWS					-	-	-	-	-
12/21/09	2,452,410	3,304,429	93	-	-	-	-	-	-	-	-	-	
12/28/09	2,453,430	3,305,449	146	-	-	-	-	-	-	-	-	-	
01/04/10	2,454,210	3,306,229	111	-	-	-	-	-	-	-	-	-	
01/11/10	2,455,100	3,307,119	127	-	-	-	-	-	-	-	-	-	
01/18/10	2,456,220	3,308,239	160	-	-	-	-	-	-	-	-	-	
01/25/10	2,457,200	3,309,219	140	-	-	-	-	-	-	-	-	-	
02/01/10	2,458,090	3,310,109	127	-	-	-	-	-	-	-	-	-	
02/11/10	2,459,320	3,311,339	123	<6.6	<0.18	<0.24	<0.21	<0.45	-	-	-	-	-
02/15/10	2,459,750	3,311,769	108	-	-	-	-	-	-	-	-	-	
02/22/10	2,460,460	3,312,479	101	-	-	-	-	-	-	-	-	-	
03/01/10	2,461,530	3,313,549	153	-	-	-	-	-	-	-	-	-	
03/08/10	2,462,510	3,314,529	140	-	-	-	-	-	-	-	-	-	
03/15/10	2,463,370	3,315,389	123	-	-	-	-	-	-	-	-	-	
03/23/10	2,464,280	3,316,299	114	-	-	-	-	-	-	-	-	-	
04/01/10	2,465,250	3,317,269	108	-	-	-	-	-	-	-	-	-	
04/06/10	2,466,110	3,318,129	172	-	-	-	-	-	-	-	-	-	
04/14/10	2,466,980	3,318,999	109	-	-	-	-	-	-	-	-	-	
04/20/10	2,467,780	3,319,799	133	-	-	-	-	-	-	-	-	-	

TABLE 3
GROUNDWATER REMEDIATION SYSTEM MONITORING PROGRAM
 Thrifty Oil Co. Station No 063, OAKLAND, CA

Date	Totalizer (gallons)	Total/Cum. Discharge (gallons)	Flow (gal/day)	OUTLET / EFFLUENT					INLET / INFLUENT				
				TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L	TPH-g ug/L	B ug/L	T ug/L	E ug/L	X ug/L
04/28/10	2,468,590	3,320,609	101	-	-	-	-	-	-	-	-	-	-
05/11/10	2,474,780	3,326,799	476	-	-	-	-	-	-	-	-	-	-
05/12/10	2,474,910	3,326,929	130	-	-	-	-	-	-	-	-	-	-
05/18/10	2,475,880	3,327,899	162	System shutdown for QWS.					-	-	-	-	-
05/20/10	2,476,060	3,328,079	90	System restarted after QWS.					-	-	-	-	-
05/27/10	2,477,040	3,329,059	140	-	-	-	-	-	-	-	-	-	-
06/03/10	2,478,140	3,330,159	157	-	-	-	-	-	-	-	-	-	-
06/08/10	2,479,370	3,331,389	246	-	-	-	-	-	-	-	-	-	-
06/15/10	2,480,350	3,332,369	140	-	-	-	-	-	-	-	-	-	-

WD PERMIT LIMITS:	NE	5.0	5.0	5.0	5.0
--------------------------	-----------	------------	------------	------------	------------

Note: < = less than laboratory detection level indicated
 - = no sample / not analyzed
 NE = Permit Limit not established

TPH is analyzed by EPA Method 8015 M
 BTEX is analyzed by EPA Method 8021 or 8260
 *MTBE by 8020 / 8260

In February 2000, the total cumulative discharge amount was corrected to reflect all system maintenance and flowmeter changeouts since the startup of the system. The total number may be different from previous versions of this table.

FIGURES

RESIDENTIAL

62ND STREET

RESIDENTIAL

REMEDIATION
COMPOUND

STA #063
BLDG

MW-5

B-4 DISPENSER
ISLAND

EXISTING
UST

MW-3
MW-4

B-1
MW-2

MW-6

B

B-2
MW-1

MW-7

8101
TELEGRAPH AVE.

COMMERCIAL

MW-8

RESIDENTIAL

TELEGRAPH AVENUE

61ST STREET

EXPLANATION

- ◆ GROUNDWATER MONITORING WELL
- ⊕ GROUNDWATER RECOVERY WELL
- ⊙ ABANDONED GROUNDWATER MONITORING WELL
- ⊙ SOIL BORING

0 30
APPROXIMATE SCALE
IN FEET



SITE PLAN

Thrifty Station No. 063
6125 Telegraph Avenue
Oakland, California

FIGURE:	1
SHEET:	of
REVISION NO.:	0
DATE:	03/07

PROJECT NO.

RESIDENTIAL

62ND STREET

RESIDENTIAL

REMEDIAION
COMPOUND

STA #063
BLDG

MW-5

135.61

DISPENSER
ISLAND

MW-4

136.40

MW-1

136.39

MW-6

137.82

135.64

MW-7

6101
TELEGRAPH AVE.

COMMERCIAL

MW-8

132.17

RESIDENTIAL

TELEGRAPH AVENUE

EXPLANATION

- ◆ GROUNDWATER MONITORING WELL
- ⊕ GROUNDWATER RECOVERY WELL
- ABANDONED GROUNDWATER MONITORING WELL
- ⊙ SOIL BORING

61ST STREET

0 30
APPROXIMATE SCALE
IN FEET

FIGURE: 2

Groundwater gauging conducted on 5-19-10
Elevations reported in feet above mean sea-level
* = not used to determine groundwater contour lines

Groundwater Elevation Contour Map

Thrifty Station No. 063
6125 Telegraph Avenue
Oakland, California

SHEET: of
REVISION NO: 0
DATE: 03/07

PROJECT NO.

RESIDENTIAL

62ND STREET

RESIDENTIAL

REMEDIA
TION
COMPOUND

STA #063
BLDG

MW-5
26.6

B-4

DISPENSER
ISLAND

133

MW-3

EXISTING
UST

B-1
MW-2

26.6
MW-6

MW-4
1870

B-2
MW-1
26.6

3360
MW-7

6101
TELEGRAPH AVE.

26.6 COMMERCIAL
MW-8

RESIDENTIAL

TELEGRAPH AVENUE

EXPLANATION

- ◆ GROUNDWATER MONITORING WELL
- ⊕ GROUNDWATER RECOVERY WELL
- ABANDONED GROUNDWATER MONITORING WELL
- ⊙ SOIL BORING

61ST STREET

0 30
APPROXIMATE SCALE
IN FEET



TPHg Isoconcentration Map

FIGURE: 3

units in µg/L
Samples collected on 5-19-10

Thrifty Station No. 063
6125 Telegraph Avenue
Oakland, California

SHEET: of

REVISION NO: 0

DATE: 03/07

PROJECT NO.

RESIDENTIAL

62ND STREET

RESIDENTIAL

REMEDIA
TION
COMPOUND

STA #063
BLDG


MW-5
40-18

DISPENSER
ISLAND

40-18

B-4

MW-3



B-1

40-18

MW-4

B

50

MW-2

MW-6

18

MW-7

B-2
MW-1
40-18

6101
TELEGRAPH AVE.

40-18 COMMERCIAL


MW-8

RESIDENTIAL

TELEGRAPH AVENUE

EXPLANATION

- ⊕ GROUNDWATER MONITORING WELL
- ⊕ GROUNDWATER RECOVERY WELL
- ⊕ ABANDONED GROUNDWATER MONITORING WELL
- ⊕ SOIL BORING



61ST STREET

units in µg/L
Samples collected on 5-19-10

Benzene Isoconcentration Map

Thrifty Station No. 063
6125 Telegraph Avenue
Oakland, California

FIGURE:	4
SHEET:	of
REVISION NO:	0
DATE:	03/07

PROJECT NO.

RESIDENTIAL

62ND STREET

RESIDENTIAL

REMEDIA
TION
COMPOUND

STA #063
BLDG

MW-5
40-19
B-4

DISPENSER
ISLAND

5-2

MW-3

EXISTING
LUST

B-1
MW-2

40-19

MW-6

MW-4

B

B-2

MW-1

40-19

12

MW-7

6101
TELEGRAPH AVE.

40-19 COMMERCIAL

MW-8

RESIDENTIAL

TELEGRAPH AVENUE

EXPLANATION

- ⊕ GROUNDWATER MONITORING WELL
- ⊕ GROUNDWATER RECOVERY WELL
- ⊕ ABANDONED GROUNDWATER MONITORING WELL
- ⊕ SOIL BORING

61ST STREET

0 30
APPROXIMATE SCALE
IN FEET

FIGURE: 5

MTBE Isoconcentration Map

units in µg/L
Samples collected on 5-19-10

Thrifty Station No. 063
6125 Telegraph Avenue
Oakland, California

SHEET: of
REVISION NO: 0
DATE: 03/07

PROJECT NO.

RESIDENTIAL

62ND STREET

RESIDENTIAL

REMEDIA
TION
COMPOUND

STA #063
BLDG

MW-5

45.2

B-4

DISPENSER
ISLAND

45.2

MW-3

B-3

50

MW-4

B

10

B-2

MW-1

45.2

B-1

MW-2

45.2

MW-6

45.2

MW-7

6101
TELEGRAPH AVE.

45.2 COMMERCIAL

MW-8

RESIDENTIAL

TELEGRAPH AVENUE

EXPLANATION

- ⊕ GROUNDWATER MONITORING WELL
- ⊕ GROUNDWATER RECOVERY WELL
- ⊕ ABANDONED GROUNDWATER MONITORING WELL
- ⊕ SOIL BORING

61ST STREET



TBA Isoconcentration Map

Thrifty Station No. 063
6125 Telegraph Avenue
Oakland, California

FIGURE:	6.
SHEET:	of
REVISION NO:	0
DATE:	03/07

units in µg/L
Samples collected on 5-19-10

PROJECT NO.

APPENDIX A



PROJECT STATUS REPORT

SITE: THRIFTY OIL CO. #063
 ADDRESS: 6125 TELEGRAPH AVE.
OAKLAND, CA.94609
 DATE: 05-19-2010
 PERSONNEL: SERBATH P -

WELL ID	DTP (FT)	DTW (FT)	DTB (FT)	PT (FT)	WC (FT)	DIA (IN)	PURGE (GAL)		COMMENT
							EST.	ACT.	
<i>QUARTERLY</i>									
MW-1		12.04	28.93		16.90	2"	8	10	
MW-3		12.52	28.21		15.69	6"	64	70	
MW-4		12.40	29.20		16.80	2"	8	10	
MW-5		14.01	26.23		12.22	4"	23	25	
MW-6		10.56	26.77		16.21	4"	30	35	
MW-7		12.56	17.44		4.88	2"	2	5	OFFSITE
MW-8		15.14	18.29		3.15	2"	1.5	5	OFFSITE

FREE PRODUCT REMOVED: APPROX. 0 GALLONS

PURGE-WATER REMOVED: APPROX. 160 GALLONS

REMARKS: - MONITORING WELLS, THREE WATER SAMPLES FROM 8 WELLS
- PURGE WATER WAS COLLECT IN HOLDING TANK



FIELD DATA - GROUNDWATER PURGING & SAMPLING

Site: **THRIFTY OIL CO. # 063** Date: **05-19-2010**

Address: **6125 TELEGRAPH AVE, OAKLAND CA 94604** Well ID#: **MW-4**

Personnel: **SERBAN P.** Weather: **RAIN**

Purging Equipment:
 Bailor Diaphragm Pump Electric submersible Pneumatic submersible
 Disposable Bailor Vacuum Truck Extraction Pump Other

Monitoring Eq.: Water level instrument: **YELLOW JACKET** pH/Temp/Cond Meter: **HANNA**

Sampling Equipment:
 Disposable Bailor
 Other

Time of measurement: **9:00** Well casing dia. (in): **2** Multipliers for purge volume estimation:

Well Dia	1"	2"	4"	5"	12"
3 Casing Vol.	0.12	0.49	1.96	4.40	17.62
Borehole Vol.	0.40	0.77	1.51	2.57	7.71

Total Well Depth (ft): **29.20** Depth To Product (ft): Note for borehole volume, add 1/2 BH vol for each subsequent passes

Depth To Water (ft): **12.40** Product Thickness (ft):

Water Column (ft): **16.80**

Purge Vol Calculation: Casing Vol. Borehole Vol. (SD) **16.80 x 0.49 = 8**
water column multiplier

PURGING DATA

Time		Volume removed (gallons)	Temp °F or °C	pH	Cond µS	Turbidity	Observations
(hh:mm)	(min)						
12:50							
12:52	2	2	70.4	5.40	1340	CLEAR	
12:54	2	2	70.6	5.83	1410	CLEAR	
12:56	2	2	70.7	5.80	1360	CLEAR	
12:58	2	2	70.6	5.74	1340	CLEAR	
13:00	2	2	70.5	5.84	1340	CLEAR	
DTW Immed. after purge (ft):		12.34	Actual purged volume (gal):		10	Avg Purge Rate (gpm): 1	

RECOVERY CALCULATION

Method: Total Well Depth: 80% Recovery = $[\text{Water Column}] \times 0.20 + [\text{DTW Initial}] = 15.76$ ft

Max Drawdown (SD): 80% Recovery = $([\text{DTW after purge}] - [\text{DTW Initial}]) \times 0.20 + [\text{DTW Initial}] =$ _____ ft

SAMPLING DATA

Date: **05-19-2010** Time: **15:05** am / pm

pH (if required): _____ D.O. (if required): _____ O.R.P. (if required): _____

Depth To Water Before Sampling (ft): **16.11** Notes: _____

Comments: _____



EARTH MANAGEMENT CO. Environmental Remediation

FIELD DATA - GROUNDWATER PURGING & SAMPLING

Site: **THRIFTY OIL CO. # 063** Date: **05-19-2010**

Address: **6125 TELEGRAPH AVE OAKLAND CA 94609** Well ID#: **MW-7**

Personnel: **SERBAN P.** Weather: **RAIN AND SUNNY**

Purging Equipment:
 Bailer Diaphragm Pump Electric submersible Pneumatic submersible
 Disposable Bailer Vacuum Truck Extraction Pump Other

Monitoring Eq.: Water level instrument: **YELLOW JACKET** pH/Temp/Cond Meter: **HANNA**

Sampling Equipment:
 Disposable Bailer
 Other

Time of measurement: **8:50** Well casing dia. (In) **2** Multipliers for purge volume estimation:

Well Dia	1"	2"	4"	6"	12"
3 Casing Vol	0.12	0.49	1.96	4.40	17.62
Borehole Vol	0.40	0.77	1.51	2.57	7.71

Total Well Depth (ft): **17.14** Depth To Product (ft): Note for borehole volume: add 1/2 BH vol for each subsequent passes

Depth To Water (ft): **12.56** Product Thickness (ft):

Water Column (ft): **4.88**

Purge Vol Calculation: Casing Vol. Borehole Vol. (SD) **4.88 x 0.49 = 2**
water column multiplier

PURGING DATA

Time (hh:mm)	(min)	Volume removed (gallons)	Temp °F or °C	pH	Cond µS	Turbidity	Observations	
								12:35
12:36	1	1	71.4	5.83	1340	CLEAR		
12:37	1	1	70.8	5.74	1360	CLEAR		
12:38	1	1	70.4	5.73	1320	CLEAR		
12:39	1	1	70.6	5.76	1330	CLEAR		
12:40	1	1	70.3	5.74	1320	CLEAR		
DTW Immed. after purge (ft):		12.59	Actual purged volume (gal):		5	Avg Purge Rate (gpm):		1

RECOVERY CALCULATION

Method: Total Well Depth: 80% Recovery = $[4.88] \times 0.20 + [12.56] = 13.53$ ft
Water Column DTW Initial

Max Drawdown (SD): 80% Recovery = $([] - []) \times 0.20 + [] = []$ ft
DTW after purge DTW Initial DTW Initial

SAMPLING DATA

Date: **05.19.2010** Time: **14:45** am / pm

pH (if required): D.O. (if required): O.R.P. (if required):

Depth To Water Before Sampling (ft): **13.06** Notes:

Comments:



EARTH MANAGEMENT CO. Environmental Remediation

FIELD DATA - GROUNDWATER PURGING & SAMPLING

Site: **THRIFTY OIL CO. # 063** Date: **05-19-2010**

Address: **6125 TELEGRAPH AVE, OAKLAND CA, 94604** Well ID#: **MW-3**

Personnel: **SERBAN P.** Weather: **RAIN**

Purging Equipment:
 Bailor Diaphragm Pump Electric submersible Pneumatic submersible
 Disposable Bailor Vacuum Truck Extraction Pump Other

Monitoring Eq.: Water level instrument: **YELLOW JACKET** pH/Temp/Cond Meter: **HANNA**

Sampling Equipment:
 Disposable Bailor
 Other

Time of measurement: **8:10** Well casing dia. (in): **6**
 Total Well Depth (ft): **28.20** Depth To Product (ft):
 Depth To Water (ft): **12.52** Product Thickness (ft):
 Water Column (ft): **15.64**

Well Dia	1"	2"	4"	6"	12"
3 Casing Vol	0.12	0.49	1.96	4.40	17.62
Borehole Vol	0.40	0.77	1.51	2.57	7.71

Note for borehole volume: add 1/2 BH vol for each subsequent pass

Estimated Purge Volume (gal): **15.64 x 4.40 = 69**
water column multiplier

Purge Vol Calculation: Casing Vol. Borehole Vol. (SD)

PURGING DATA

Time		Volume removed (gallons)	Temp °F or °C	pH	Cond µS	Turbidity	Observations
(hh:mm)	(min)						
11:15							
11:29	14	14	70.4	5.52	1140	CLEAR	
11:43	14	14	70.5	5.67	1160	CLEAR	
11:57	14	14	70.6	5.71	1180	CLEAR	
12:11	14	14	70.8	5.70	1120	CLEAR	
12:25	14	14	70.8	5.73	1130	CLEAR	
DTW immed. after purge (ft):		12.30	Actual purged volume (gal):		70	Avg Purge Rate (gpm): 1	

RECOVERY CALCULATION

Method: Total Well Depth: 80% Recovery = $\left[\frac{15.64}{\text{Water Column}} \times 0.20 + \left[\frac{12.52}{\text{DTW Initial}} \right] \right] = 15.65$ ft

Max Drawdown (SD): 80% Recovery = $\left(\left[\frac{\text{DTW after purge}}{\text{DTW Initial}} \right] - \left[\frac{\text{DTW Initial}}{\text{DTW Initial}} \right] \right) \times 0.20 + \left[\frac{\text{DTW Initial}}{\text{DTW Initial}} \right] =$ _____ ft

SAMPLING DATA

Date: **05.19.2010** Time: **14:35** am / pm

pH (if required): _____ D.O. (if required): _____ O.R.P. (if required): _____

Depth To Water Before Sampling (ft): **16.06** Notes: _____

Comments: _____



EARTH MANAGEMENT CO. Environmental Remediation

FIELD DATA - GROUNDWATER PURGING & SAMPLING

Site: **THRIFTY OIL CO. # 063** Date: **05-19-2010**

Address: **6225 TELEGRAPH AVE. OAKLAND CA 94604** Well ID#: **MW-8**

Personnel: **SERBAN P.** Weather: **RAIN, SUNNY**

Purging Equipment:
 Bailor Diaphragm Pump Electric submersible Pneumatic submersible
 Disposable Bailor Vacuum Truck Extraction Pump Other

Monitoring Eq.: Water level Instrument: **YELLOW JACKET** pH/Temp/Cond Meter: **HANNA**

Sampling Equipment:
 Disposable Bailor
 Other

Time of measurement: **8:30** Well casing dia. (in): **2** Multipliers for purge volume estimation:
 Total Well Depth (ft): **18.29** Depth To Product (ft): Note for borehole volume, add 1/2 BH vol for each subsequent passes
 Depth To Water (ft): **15.14** Product Thickness (ft):
 Water Column (ft): **3.15**

Well Dia	1"	2"	4"	6"	12"
3 Casing Vol	0.12	0.49	1.96	4.48	17.62
Borehole Vol	0.40	0.77	1.51	2.57	7.71

Estimated Purge Volume (gal): **3.15 x 0.49 = 1.5**
water column multiplier

Purge Vol Calculation: Casing Vol. Borehole Vol. (SD)

PURGING DATA

Time (hh:mm)	(min)	Volume removed (gallons)	Temp °F or °C	pH	Cond µS	Turbidity	Observations	
								11:00
11:01	1	1	70.8	6.01	1120	CLEAR		
11:02	1	1	71.1	5.83	1130	CLEAR		
11:03	1	1	70.9	5.86	1120	CLEAR		
11:04	1	1	70.7	5.83	1130	CLEAR		
11:05	1	1	70.7	5.82	1130	CLEAR		
DTW Immed. after purge (ft):		15.12	Actual purged volume (gal):		5	Avg Purge Rate (gpm):		1

RECOVERY CALCULATION

Method: Total Well Depth: 80% Recovery = $[\frac{3.15}{\text{Water Column}}] \times 0.20 + [\frac{15.14}{\text{DTW Initial}}] = 15.77$ ft

Max Drawdown (SD): 80% Recovery = $([\frac{\text{DTW after purge}}{\text{DTW Initial}}] - [\frac{\text{DTW Initial}}{\text{DTW Initial}}]) \times 0.20 + [\frac{\text{DTW Initial}}{\text{DTW Initial}}] =$ _____ ft

SAMPLING DATA

Date: **05.19.2010** Time: **13:30** am / pm

pH (if required): D.O. (if required): O.R.P. (if required):

Depth To Water Before Sampling (ft): **16.03** Notes:

Comments:



FIELD DATA - GROUNDWATER PURGING & SAMPLING

Site: **THRIFTY OIL CO. # 063** Date: **05-19-2010**

Address: **6125 TELEGRAPH AVE OAKLAND CA 94609** Well ID#: **MW-6**

Personnel: **SERBAN P.** Weather: **RAIN, SUNNY**

Purging Equipment:
 Bailor Diaphragm Pump Electric submersible Pneumatic submersible
 Disposable Bailor Vacuum Truck Extraction Pump Other

Monitoring Eq.: Water level instrument: **YELLOW JACKET** pH/Temp/Cond Meter: **HANNA**

Time of measurement: **8:20** Well casing dia. (in): **4** Multipliers for purge volume estimation:

Well Dia	1"	2"	4"	6"	12"
3 Casing Vol	0.12	0.49	1.96	4.48	17.62
Borehole Vol	0.49	9.77	1.51	2.57	7.71

Total Well Depth (ft): **26.77** Depth To Product (ft): Product Thickness (ft):

Depth To Water (ft): **10.56**

Water Column (ft): **16.21**

Purge Vol Calculation: Casing Vol. Borehole Vol. (SD) **16.21 x 1.96 = 3.0**

Note for borehole volume, add 1/2 BH vol for each subsequent pass

Estimated Purge Volume (gal): **3.0**

water column multiplier

PURGING DATA

Time	Volume removed (gallons)	Temp °F or °C	pH	Cond µS	Turbidity	Observations
10:10						
10:17	7	5.82	70.3	1270	CLF/ATR	
10:24	7	5.62	70.5	1260	CLF/ATR	
10:31	7	5.42	70.2	1240	CLF/ATR	
10:38	7	6.38	70.6	1230	CLF/ATR	
10:45	7	5.38	70.4	1240	CLF/ATR	
DTW Immed. after purge (ft): 10.43		Actual purged volume (gal): 35			Avg Purge Rate (gpm): 1	

RECOVERY CALCULATION

Method: Total Well Depth: 80% Recovery = $[10.56] \times 0.20 + [16.21] = 18.32$ ft

Max Drawdown (SD): 80% Recovery = $([] - []) \times 0.20 + [] = []$ ft

Water Column DTW Initial DTW after purge DTW Initial DTW Initial

SAMPLING DATA

Date: **05.19.2010** Time: **13:20** am / pm

Depth To Water Before Sampling (ft): **15.20** Notes:

pH (if required): D.O. (if required): O.R.P. (if required):

Comments:



FIELD DATA - GROUNDWATER PURGING & SAMPLING

Site: **THRIFTY OIL CO. # 063** Date: **05-19-2010**

Address: **6125 TELEGRAPH AVE OAKLAND CA. 94609** Well ID#: **MW-5**

Personnel: **SERBAN P.** Weather: **RAIN, SUNNY**

Purging Equipment:
 Bailor Diaphragm Pump Electric submersible Pneumatic submersible
 Disposable Bailor Vacuum Truck Extraction Pump Other

Monitoring Eq.: Water level instrument: **YELLOW JACKET** pH/Temp/Cond Meter: **HANNA**

Sampling Equipment:
 Disposable Bailor
 Other

Time of measurement: **8:10** Well casing dia. (in): **4** Multipliers for purge volume estimation:

Well Dia	1"	2"	4"	6"	12"
3 Casing Vol	0.12	0.49	1.96	4.40	17.62
Borehole Vol	0.40	0.77	1.51	2.57	7.71

Total Well Depth (ft): **26.23** Depth To Product (ft):
 Depth To Water (ft): **14.01** Product Thickness (ft):
 Water Column (ft): **12.22**

Note for borehole volume, add 1/2 BH vol for each subsequent passes

Purge Vol Calculation: Casing Vol. Borehole Vol. (SD) **12.22 x 1.96 = 23**
water column multiplier

PURGING DATA

Time		Volume removed (gallons)	Temp °F or °C	pH	Cond µS	Turbidity	Observations
(hh:mm)	(min)						
9:30							
9:35	5	5	70.0	5.25	1270	CLEAR	
9:40	5	5	70.8	5.29	1260	CLEAR	
9:45	5	5	70.9	5.32	1250	CLEAR	
9:50	5	5	70.7	5.31	1260	CLEAR	
9:55	5	5	70.4	5.32	1260	CLEAR	

DTW Immed. after purge (ft): **13.90** Actual purged volume (gal): **25** Avg Purge Rate (gpm): **1**

RECOVERY CALCULATION

Method: Total Well Depth: 80% Recovery = $[12.22] \times 0.20 + [14.01] = 16.45$ ft
Water Column DTW initial

Max Drawdown (SD): 80% Recovery = $([] - []) \times 0.20 + [] =$ ft
DTW after purge DTW initial DTW initial

SAMPLING DATA

Date: **05-19-2010** Time: **13:15** am / pm

pH (if required): D.O. (if required): O.R.P. (if required):

Depth To Water Before Sampling (ft): **16.30** Notes:

Comments:



FIELD DATA - GROUNDWATER PURGING & SAMPLING

Site: **THRIFTY OIL CO. # 063** Date: **05-19-2010**

Address: **6125 TELEGRAPH AVE, OAKLAND CA 94609** Well ID#: **MW-1**

Personnel: **SERBAN P.** Weather: **RAIN, SUNNY**

Purging Equipment:
 Bailor Diaphragm Pump Electric submersible Pneumatic submersible
 Disposable Bailor Vacuum Truck Extraction Pump Other

Monitoring Eq.: Water level instrument: **YELLOW JACKET** pH/Temp/Cond Meter: **HANNA**

Time of measurement: **8:00** Well casing dia. (in): **2** Multipliers for purge volume estimation:

Well Dia	1"	2"	4"	6"	12"
3 Casing Vol	0.12	0.49	1.96	4.40	17.62
Borshole Vol	0.40	0.77	1.51	2.57	7.71

Note for borshole volume, add 1/2 BH vol for each subsequent passes

Total Well Depth (ft): **28.94** Depth To Product (ft):

Depth To Water (ft): **12.04** Product Thickness (ft):

Water Column (ft): **16.90**

Purge Vol Calculation: Casing Vol. Borshole Vol. (SD)

Estimated Purge Volume (gal): **16.90 x 0.49 = 8**
water column multiplier

PURGING DATA

Time		Volume removed (gallons)	Temp °F or °C	pH	Cond µS	Turbidity	Observations	
(hh:mm)	(min)							
9:10		STOP PURGING						
9:12	2	2	70.6	5.86	1320	CLEAR		
9:14	2	2	70.4	5.74	1340	CLEAR		
9:16	2	2	70.5	5.55	1300	CLEAR		
9:18	2	2	70.5	5.46	1280	CLEAR		
9:20	2	2	70.2	5.46	1280	CLEAR		
DTW immed. after purge (ft):		12.00	Actual purged volume (gal):		10	Avg Purge Rate (gpm):		1

RECOVERY CALCULATION

Method: Total Well Depth: 80% Recovery = $[\text{Water Column}] \times 0.20 + [\text{DTW Initial}] = \underline{15.42}$ ft

Max Drawdown (SD): 80% Recovery = $([\text{DTW after purge}] - [\text{DTW Initial}]) \times 0.20 + [\text{DTW Initial}] = \underline{\quad}$ ft

SAMPLING DATA

Date: **05.19.2010** Time: **13:10** am / pm

pH (if required): D.O. (if required): O.R.P. (if required):

Depth To Water Before Sampling (ft): **16.03** Notes:

Comments:

APPENDIX B



ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714/771-6900

1-103771
RECEIVED
JUN 02 2010 JS
ENVIRONMENTAL
FAX 714/538-1209
SS#063

CLIENT Thrifty Oil Company (8871)
ATTN: Jeff Suryakusuma
13116 Imperial Hwy.
P.O. Box 2128
Santa Fe Springs, CA 90670

LAB REQUEST 255132

REPORTED 05/27/2010

RECEIVED 05/20/2010

PROJECT Station #063
6125 Telegraph Ave., Oakland

SUBMITTER Client

COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

<u>Order No.</u>	<u>Client Sample Identification</u>
1081310	TOC #063 MW-4
1081311	TOC #063 MW-7
1081312	TOC #063 MW-3
1081313	TOC #063 MW-8
1081314	TOC #063 MW-6
1081315	TOC #063 MW-5
1081316	TOC #063 MW-1
1081317	Trip Blank
1081318	Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Edward S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

163

Order #: 1081310

Client Sample ID: TOC #063 MW-4

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 15:05

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	50	1.0	1	0.18	ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/22/10 RP
Ethyl benzene	105	1.0	5	0.21	ug/L	05/22/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	10	1.0	1	0.19	ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	50	1.0	10	5.2	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	1.8J	1.0	5	0.45	ug/L	05/22/10 RP
				Units	Control Limits	
Surrogates						
Surr1 - Dibromofluoromethane	92			%	70 - 135	
Surr2 - 1,2-Dichloroethane-d4	97			%	70 - 135	
Surr3 - Toluene-d8	101			%	70 - 135	
Surr4 - p-Bromofluorobenzene	104			%	70 - 135	
8015B - Gasoline						
Gasoline	1870	1.0	50	6.6	ug/L	05/23/10 LT
				Units	Control Limits	
Surrogates						
p-Bromofluorobenzene (Sur)	88			%	60 - 140	

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra

ASSOCIATED LABORATORIES

Analytical Results Report

Lab Request 255132 results. page 1 of 9



Order #: 1081311

Client Sample ID: TOC #063 MW-7

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 14:45

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	18	1.0	1	0.18	ug/L	05/25/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/25/10 RP
Ethyl benzene	64	1.0	5	0.21	ug/L	05/25/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/25/10 RP
Methyl-tert-butylether (MTBE)	12	1.0	1	0.19	ug/L	05/25/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/25/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2	ug/L	05/25/10 RP
Toluene	88	1.0	5	0.24	ug/L	05/25/10 RP
Xylenes, total	379	1.0	5	0.45	ug/L	05/25/10 RP

Surrogates		Units	Control Limits
Surr1 - Dibromofluoromethane	93	%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	104	%	70 - 135
Surr3 - Toluene-d8	100	%	70 - 135
Surr4 - p-Bromofluorobenzene	110	%	70 - 135

8015B - Gasoline

Gasoline	3360	5.0	250.0	33.0	ug/L	05/21/10 LT
----------	------	-----	-------	------	------	-------------

Surrogates		Units	Control Limits
p-Bromofluorobenzene (Sur)	99	%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081312

Client Sample ID: TOC #063 MW-3

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 14:35

Analyte	Result	DF	PQL	MDL Units	Date/Analyst
---------	--------	----	-----	-----------	--------------

8260B BTEX/MTBE

Benzene	ND	1.0	1	0.18 ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20 ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21 ug/L	05/22/10 RP
Ethyl-tertbuylether (ETBE)	ND	1.0	1.0	0.23 ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	5.2	1.0	1	0.19 ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19 ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2 ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24 ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45 ug/L	05/22/10 RP

Surrogates

		Units	Control Limits
Surr1 - Dibromofluoromethane	96	%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	115	%	70 - 135
Surr3 - Toluene-d8	101	%	70 - 135
Surr4 - p-Bromofluorobenzene	108	%	70 - 135

8015B - Gasoline

Gasoline	133	1.0	50	6.6 ug/L	05/21/10 LT
----------	-----	-----	----	----------	-------------

Surrogates

		Units	Control Limits
p-Bromofluorobenzene (Sur)	92	%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081313

Client Sample ID: TOC #063 MW-8

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 13:30

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	ND	1.0	1	0.18	ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21	ug/L	05/22/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	ND	1.0	1	0.19	ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45	ug/L	05/22/10 RP
Surrogates						
					Units	Control Limits
Surr1 - Dibromofluoromethane	97				%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	117				%	70 - 135
Surr3 - Toluene-d8	102				%	70 - 135
Surr4 - p-Bromofluorobenzene	108				%	70 - 135
8015B - Gasoline						
Gasoline	ND	1.0	50	6.6	ug/L	05/20/10 LT
Surrogates						
					Units	Control Limits
p-Bromofluorobenzene (Sur)	83				%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081314

Client Sample ID: TOC #063 MW-6

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 13:20

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	ND	1.0	1	0.18	ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21	ug/L	05/22/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	ND	1.0	1	0.19	ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45	ug/L	05/22/10 RP
Surrogates						
Surr1 - Dibromofluoromethane	99				%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	116				%	70 - 135
Surr3 - Toluene-d8	102				%	70 - 135
Surr4 - p-Bromofluorobenzene	108				%	70 - 135
8015B - Gasoline						
Gasoline	ND	1.0	50	6.6	ug/L	05/20/10 LT
Surrogates						
p-Bromofluorobenzene (Sur)	84				%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081315

Client Sample ID: TOC #063 MW-5

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 13:15

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	ND	1.0	1	0.18	ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21	ug/L	05/22/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	ND	1.0	1	0.19	ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45	ug/L	05/22/10 RP
Surrogates						
				Units	Control Limits	
Surr1 - Dibromofluoromethane	98			%	70 - 135	
Surr2 - 1,2-Dichloroethane-d4	121			%	70 - 135	
Surr3 - Toluene-d8	101			%	70 - 135	
Surr4 - p-Bromofluorobenzene	106			%	70 - 135	
8015B - Gasoline						
Gasoline	ND	1.0	50	6.6	ug/L	05/20/10 LT
Surrogates						
				Units	Control Limits	
p-Bromofluorobenzene (Sur)	83			%	60 - 140	

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081316

Client Sample ID: TOC #063 MW-1

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 13:10

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
---------	--------	----	-----	-----	-------	--------------

8260B BTEX/MTBE

Benzene	ND	1.0	1	0.18	ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21	ug/L	05/22/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	ND	1.0	1	0.19	ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45	ug/L	05/22/10 RP

Surrogates

		Units	Control Limits
Surr1 - Dibromofluoromethane	96	%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	114	%	70 - 135
Surr3 - Toluene-d8	103	%	70 - 135
Surr4 - p-Bromofluorobenzene	105	%	70 - 135

8015B - Gasoline

Gasoline	ND	1.0	50	6.6	ug/L	05/20/10 LT
----------	----	-----	----	-----	------	-------------

Surrogates

		Units	Control Limits
p-Bromofluorobenzene (Sur)	83	%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081317

Client Sample ID: Trip Blank

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 00:00

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	ND	1.0	1	0.18	ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45	ug/L	05/22/10 RP
Surrogates						
Surr1 - Dibromofluoromethane	97				Units	Control Limits
Surr2 - 1,2-Dichloroethane-d4	117				%	70 - 135
Surr3 - Toluene-d8	104				%	70 - 135
Surr4 - p-Bromofluorobenzene	105				%	70 - 135
8015B - Gasoline						
Gasoline	ND	1.0	50	6.6	ug/L	05/20/10 LT
Surrogates						
p-Bromofluorobenzene (Sur)	88				Units	Control Limits
					%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081318

Client Sample ID: Laboratory Method Blank

Matrix: WATER

Analyte	Result	DF	PQL	MDL Units	Date/Analyst
---------	--------	----	-----	-----------	--------------

8260B BTEX/MTBE

Benzene	ND	1.0	1	0.18 ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20 ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21 ug/L	05/22/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23 ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	ND	1.0	1	0.19 ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19 ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2 ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24 ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45 ug/L	05/22/10 RP

Surrogates

		Units	Control Limits
Surr1 - Dibromofluoromethane	97	%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	121	%	70 - 135
Surr3 - Toluene-d8	100	%	70 - 135
Surr4 - p-Bromofluorobenzene	104	%	70 - 135

8015B - Gasoline

Gasoline	ND	1.0	50	6.6 ug/L	05/20/10 LT
----------	----	-----	----	----------	-------------

Surrogates

		Units	Control Limits
p-Bromofluorobenzene (Sur)	83	%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



**ASSOCIATED LABORATORIES
LCS REPORT FORM**

QC Sample: G1-LCS&LCSD

Matrix: WATER

Prep. Date: May 20, 2010

Analysis Date 5/20/10-5/21/10

Lab ID#'s in Batch: 254719 , 255015 , 255132 .

LAB CONTROLLED SPIKE / LAB CONTROLLED DUPLICATE RESULT

Reporting Units = µg/L

Test	Method	Method	Spike	LCS	LCSD	%Rec	%Rec	RPD
		Blank	Added	Spike	Spk. Dup	LCS	LCSD	
TPH	8015M-G	ND	500	427	427	85	85	0

*ND = Not Detected**LCS Result = Lab Control Sample Result**%REC-LCS & LCSD = Percent Recovery of LCS Spike & LCS Spike Duplicate**RPD = Relative Percent Difference of LCS Spike and LCS Spike Duplicate***%REC LIMITS = 70 - 130****RPD LIMITS = 30****SURROGATE RECOVERY**

Sample No.	BFB
QC Limit	60-140
Method Blank	83
LCS	93
LCSD	94

BFB = p-Bromofluorobenzene

**ASSOCIATED LABORATORIES
LCS REPORT FORM**

QC Sample: G5-LCS&LCSD

Matrix: WATER

Prep. Date: May 23, 2010

Analysis Date 5/23/10-5/24/10

Lab ID#'s in Batch: 255132 , 255081 , 255239 .

LAB CONTROLLED SPIKE / LAB CONTROLLED DUPLICATE RESULT

Reporting Units = µg/L

Test	Method	Method Blank	Spike Added	LCS Spike	LCSD Spk. Dup	%Rec LCS	%Rec LCSD	RPD
TPH	8015M-G	ND	500	422	435	84	87	3

ND - Not Detected

LCS Result = Lab Control Sample Result

%REC-LCS & LCSD = Percent Recovery of LCS Spike & LCS Spike Duplicate

RPD - Relative Percent Difference of LCS Spike and LCS Spike Duplicate

%REC LIMITS = 70 - 130

RPD LIMITS = 30

SURROGATE RECOVERY

Sample No.	BFB
QC Limit	60-140
Method Blank	95
LCS	98
LCSD	99

BFB - p-Bromofluorobenzene

ASSOCIATED LABORATORIES

QA / QC EPA Methods 8260, 624, & 524.2 GCMS # 6

Sample ID: MS/MSD Water Sample 255080-118

Date Prepared: May 21, 2010

Date Analyzed: 5/21-5/22/10

Sample Matrix: Water

Units: µg/L

Lab ID#'s in Batch: 255183, 255136, 255101, 255080, 255132, 255081

Compound	Sample Conc.	Spike Added	Spike Res	Dup Res	Spike % Rec	Dup % Rec	RPD	QC RPD	Limits % Rec
1,1-Dichloroethene	0.00	50.0	44.9	47.0	90	94	5	22	59 - 172
MTBE	0.00	50.0	54.9	51.7	110	103	6	24	62 - 137
Benzene	0.00	50.0	44.8	45.2	90	90	1	24	62 - 137
Trichloroethene	0.00	50.0	44.1	45.6	88	91	3	21	66 - 142
Toluene	0.00	50.0	44.3	44.5	89	89	0	21	59 - 139
Chlorobenzene	0.00	50.0	45.6	45.5	91	91	0	21	60 - 133

Sample ID: LCS

Compound	Spike Added	Spike Res	Spike % Rec	Limits % Rec
1,1-Dichloroethene	50.0	48.6	97	59 - 172
MTBE	50.0	54.7	109	62 - 137
Benzene	50.0	47.6	95	62 - 137
Trichloroethene	50.0	48.3	97	66 - 142
Toluene	50.0	47.2	94	59 - 139
Chlorobenzene	50.0	48.8	98	60 - 133

*=Outside QC limits due to high concentration in sample
 If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

Compound	MB 1 % Rec	MB 2 % Rec	MS % Rec	MSD % Rec	LCS % Rec	Limits % Rec
Dibromofluoromethane	92	97	99	98	97	70 - 135
1,2-Dichloroethane-d4	114	121	109	107	100	70 - 135
Toluene-d8	105	100	100	100	101	70 - 135
p-Bromofluorobenzene	106	104	96	98	99	70 - 135

ASSOCIATED LABORATORIES

QA / QC EPA Methods 8260, 624, & 524.2 GCMS # 6

Sample ID: *MS/MSD Water Sample* 255134-321

Date Prepared: May 24, 2010

Date Analyzed: 5/24-5/25/10

Sample Matrix: Water

Units: µg/L

Lab ID#'s in Batch: 255134, 255261, 255221, 255132, 255081, 255043, 255212, 255073, 255275, 255015, 255213, 254719

Compound	Sample Conc.	Spike Added	Spike Res	Dup Res	Spike % Rec	Dup % Rec	RPD	QC RPD	Limits % Rec
1,1-Dichloroethene	0.00	50.0	48.2	37.6	96	75	25	22	59 - 172
MTBE	0.00	50.0	48.9	41.0	98	82	18	24	62 - 137
Benzene	0.00	50.0	44.7	35.7	89	71	22	24	62 - 137
Trichloroethene *	24.60	50.0	62.5	51.9	76	55	19	21	66 - 142
Toluene	0.00	50.0	43.4	35.2	87	70	21	21	59 - 139
Chlorobenzene	0.00	50.0	43.0	35.6	86	71	19	21	60 - 133

Sample ID: *LCS*

Compound	Spike Added	Spike Res	Spike % Rec	Limits % Rec
1,1-Dichloroethene	50.0	47.9	96	59 - 172
MTBE	50.0	52.1	104	62 - 137
Benzene	50.0	45.8	92	62 - 137
Trichloroethene	50.0	46.0	92	66 - 142
Toluene	50.0	43.9	88	59 - 139
Chlorobenzene	50.0	46.9	94	60 - 133

*=Outside QC limits due to high concentration in sample
If Sample Result > 4 times Spike Added, then "NC"


Surrogate Recovery

Compound	MB 1 % Rec	MB 2 % Rec	MS % Rec	MSD % Rec	LCS % Rec	Limits % Rec
Dibromofluoromethane	92	94	101	101	99	70 - 135
1,2-Dichloroethane-d4	112	112	114	115	106	70 - 135
Toluene-d8	105	99	99	98	100	70 - 135
p-Bromofluorobenzene	110	107	97	99	105	70 - 135

Chain of Custody Record

Company THIRPTTY OPL CO.		Phone 562-9213581		A.L. Job No. 255132		Page 1 of 1			
Project Manager JEFF SUPYAKUSUMA		Fax 562-9217510		Analysis Requested				Test Instructions & Comments	
Project Name Q. W. S.		Project # 063							
Site Name and Address 6125 TELEGRAPH AVE. OAKLAND CA. 94609				TPHg (7015M) BTEX (8260A) OXYGENATE					
Sample ID	Lab ID	Date	Time	Matrix	Container Number/Size	Pres.			
1 MW-4	0.5	05.19.2010	15:05	H2O	4-VOA	NO	X	X	X
2 MW-7	1	↑	14:45	↑	↑	↑	X	X	X
3 MW-3	2		14:35				X	X	X
4 MW-8			13:30				X	X	X
5 MW-6			13:20				X	X	X
6 MW-5			13:15				X	X	X
7 MW-1			13:10				X	X	X
8 TRIP BLANK			05.19.2010				00:00	H2O	2VOA
9									
10									
11									
12									
13									
14									
15									

Sample Receipt - To Be Filled By Laboratory				Relinquished by Sampler: E.M.C	Relinquished by 2.	Relinquished by 3.
Total Number of Containers	Property Cooled Y/N/NA	Samples Intact Y/N/NA	Samples Accepted Y/N	Signature: <i>[Signature]</i>	Signature:	Signature:
Custody Seals Y/N/NA				Printed Name: SERBITA P	Printed Name:	Printed Name:
Received in Good Condition Y/N				Date: 05.19.10 Time: 17:00	Date: Time:	Date: Time:
Turn Around Time				Received By: G.P.O 1.	Received By: 2.	Received By: 3.
<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush <input type="checkbox"/> Same Day <input type="checkbox"/> 48 hrs. <input type="checkbox"/> 24 hrs. <input type="checkbox"/> 72 hrs.				Signature: <i>[Signature]</i>	Signature:	Signature:
				Printed Name: [Name]	Printed Name:	Printed Name:
				Date: 5-20-10 Time: 9:09	Date: Time:	Date: Time:



ASSOCIATED LABORATORIES

806 North Batavia -- Orange, California 92868 -- 714-771-6900

FAX 714-538-1209

SAMPLE ACCEPTANCE CHECKLIST

Section 1
 Client: TOC Project: TOC# 0636125 Telegraph Ave
 Date Received: 5-20-10 Sampler's Name: Yes No DAK, CA 94609
 Sample(s) received in cooler: Yes No (Skip Section 2)
 Shipping Information: 6507PK# 106467162

Section 2
 Was the cooler packed with: Ice Ice Packs Bubble Wrap Styrofoam
 Paper None Other _____
 Cooler or box temperature: 2.0C
 (Acceptance range is 2 to 6 Deg. C.)

Section 3	YES	NO	N/A
Was a COC received?	<input checked="" type="checkbox"/>		
Is it properly completed? (IDs, sampling date and time, signature, test)	<input checked="" type="checkbox"/>		
Were custody seals present?		<input checked="" type="checkbox"/>	
If Yes - were they intact?			<input checked="" type="checkbox"/>
Were all samples sealed in plastic bags?	<input checked="" type="checkbox"/>		
Did all samples arrive intact? If no, indicate below.	<input checked="" type="checkbox"/>		
Did all bottle labels agree with COC? (ID, dates and times)	<input checked="" type="checkbox"/>		
Were correct containers used for the tests required?	<input checked="" type="checkbox"/>		
Was a sufficient amount of sample sent for tests indicated?	<input checked="" type="checkbox"/>		
Was there headspace in VOA vials?		<input checked="" type="checkbox"/>	
Were the containers labeled with correct preservatives?			<input checked="" type="checkbox"/>
Was total residual chlorine measured (Fish Bioassay samples only)? *			<input checked="" type="checkbox"/>

*: If the answer is no, please inform Fish Bioassay Dept. immediately.

Section 4
 Explanations/Comments

Section 5
 Was Project Manager notified of discrepancies: Y N/A

Completed By: Henry Date: 5-20-10



ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714/771-6900

FAX 714/538-1209

CLIENT Thrifty Oil Company (8871)
ATTN: Jeff Suryakusuma
13116 Imperial Hwy.
P.O. Box 2128
Santa Fe Springs, CA 90670

LAB REQUEST 255132 ✓

REPORTED 05/27/2010

RECEIVED 05/20/2010

PROJECT Station #063 ✓
6125 Telegraph Ave., Oakland

SUBMITTER Client


COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

<u>Order No.</u>	<u>Client Sample Identification</u>
1081310	TOC #063 MW-4
1081311	TOC #063 MW-7
1081312	TOC #063 MW-3
1081313	TOC #063 MW-8
1081314	TOC #063 MW-6
1081315	TOC #063 MW-5
1081316	TOC #063 MW-1
1081317	Trip Blank
1081318	Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,


Edward S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 1081310

Client Sample ID: TOC #063 MW-4

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 15:05

Analyte	Result	DF	PQL	MDL Units	Date/Analyst
8260B BTEX/MTBE					
Benzene	50	1.0	1	0.18 ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20 ug/L	05/22/10 RP
Ethyl benzene	105	1.0	5	0.21 ug/L	05/22/10 RP
Ethyl-terbutylether (ETBE)	ND	1.0	1.0	0.23 ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	10	1.0	1	0.19 ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19 ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	50	1.0	10	5.2 ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24 ug/L	05/22/10 RP
Xylenes, total	1.8J	1.0	5	0.45 ug/L	05/22/10 RP

Surrogates

		Units	Control Limits
Surr1 - Dibromofluoromethane	92	%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	97	%	70 - 135
Surr3 - Toluene-d8	101	%	70 - 135
Surr4 - p-Bromofluorobenzene	104	%	70 - 135

8015B - Gasoline

Gasoline	1870	1.0	50	6.6 ug/L	05/23/10 LT
----------	------	-----	----	----------	-------------

Surrogates

		Units	Control Limits
p-Bromofluorobenzene (Sur)	88	%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	18	1.0	1	0.18	ug/L	05/25/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/25/10 RP
Ethyl benzene	64	1.0	5	0.21	ug/L	05/25/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/25/10 RP
Methyl-tert-butylether (MTBE)	12	1.0	1	0.19	ug/L	05/25/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/25/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2	ug/L	05/25/10 RP
Toluene	88	1.0	5	0.24	ug/L	05/25/10 RP
Xylenes, total	379	1.0	5	0.45	ug/L	05/25/10 RP
Surrogates						
Surr1 - Dibromofluoromethane	93				Units	Control Limits
Surr2 - 1,2-Dichloroethane-d4	104				%	70 - 135
Surr3 - Toluene-d8	100				%	70 - 135
Surr4 - p-Bromofluorobenzene	110				%	70 - 135
8015B - Gasoline						
Gasoline	3360	5.0	250.0	33.0	ug/L	05/21/10 LT
Surrogates						
p-Bromofluorobenzene (Sur)	99				Units	Control Limits
					%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081312

Client Sample ID: TOC #063 MW-3

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 14:35

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	ND	1.0	1	0.18	ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21	ug/L	05/22/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	5.2	1.0	1	0.19	ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45	ug/L	05/22/10 RP

Surrogates

		Units	Control Limits
Surr1 - Dibromofluoromethane	96	%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	115	%	70 - 135
Surr3 - Toluene-d8	101	%	70 - 135
Surr4 - p-Bromofluorobenzene	108	%	70 - 135

8015B - Gasoline

Gasoline	133	1.0	50	6.6	ug/L	05/21/10 LT
----------	-----	-----	----	-----	------	-------------

Surrogates

		Units	Control Limits
p-Bromofluorobenzene (Sur)	92	%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081313

Client Sample ID: TOC #063 MW-8

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 13:30

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	ND	1.0	1	0.18	ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21	ug/L	05/22/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	ND	1.0	1	0.19	ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45	ug/L	05/22/10 RP
Surrogates						
Surr1 - Dibromofluoromethane	97				Units	Control Limits
Surr2 - 1,2-Dichloroethane-d4	117				%	70 - 135
Surr3 - Toluene-d8	102				%	70 - 135
Surr4 - p-Bromofluorobenzene	108				%	70 - 135
8015B - Gasoline						
Gasoline	ND	1.0	50	6.6	ug/L	05/20/10 LT
Surrogates						
p-Bromofluorobenzene (Sur)	83				Units	Control Limits
					%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081314
 Matrix: WATER

Client Sample ID: TOC #063 MW-6
 Date Sampled: 05/19/2010 Time Sampled: 13:20

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	ND	1.0	1	0.18	ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21	ug/L	05/22/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	ND	1.0	1	0.19	ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45	ug/L	05/22/10 RP

Surrogates		Units	Control Limits
Surr1 - Dibromofluoromethane	99	%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	116	%	70 - 135
Surr3 - Toluene-d8	102	%	70 - 135
Surr4 - p-Bromofluorobenzene	108	%	70 - 135

8015B - Gasoline						
Gasoline	ND	1.0	50	6.6	ug/L	05/20/10 LT

Surrogates		Units	Control Limits
p-Bromofluorobenzene (Sur)	84	%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081315

Client Sample ID: TOC #063 MW-5

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 13:15

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	ND	1.0	1	0.18	ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21	ug/L	05/22/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	ND	1.0	1	0.19	ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45	ug/L	05/22/10 RP
Surrogates						
					Units	Control Limits
Surr1 - Dibromofluoromethane	98				%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	121				%	70 - 135
Surr3 - Toluene-d8	101				%	70 - 135
Surr4 - p-Bromofluorobenzene	106				%	70 - 135
8015B - Gasoline						
Gasoline	ND	1.0	50	6.6	ug/L	05/20/10 LT
Surrogates						
					Units	Control Limits
p-Bromofluorobenzene (Sur)	83				%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081316

Client Sample ID: TOC #063 MW-1

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 13:10

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	ND	1.0	1	0.18	ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21	ug/L	05/22/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	ND	1.0	1	0.19	ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45	ug/L	05/22/10 RP
Surrogates						
					Units	Control Limits
Surr1 - Dibromofluoromethane	96				%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	114				%	70 - 135
Surr3 - Toluene-d8	103				%	70 - 135
Surr4 - p-Bromofluorobenzene	105				%	70 - 135
8015B - Gasoline						
Gasoline	ND	1.0	50	6.6	ug/L	05/20/10 LT
Surrogates						
					Units	Control Limits
p-Bromofluorobenzene (Sur)	83				%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Order #: 1081317

Client Sample ID: Trip Blank

Matrix: WATER

Date Sampled: 05/19/2010 Time Sampled: 00:00

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	ND	1.0	1	0.18	ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45	ug/L	05/22/10 RP
Surrogates						
					Units	Control Limits
Surr1 - Dibromofluoromethane	97				%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	117				%	70 - 135
Surr3 - Toluene-d8	104				%	70 - 135
Surr4 - p-Bromofluorobenzene	105				%	70 - 135
8015B - Gasoline						
Gasoline	ND	1.0	50	6.6	ug/L	05/20/10 LT
Surrogates						
					Units	Control Limits
p-Bromofluorobenzene (Sur)	88				%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Tra



Matrix: WATER

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	ND	1.0	1	0.18	ug/L	05/22/10 RP
Di-isopropyl ether (DIPE)	ND	1.0	1.0	0.20	ug/L	05/22/10 RP
Ethyl benzene	ND	1.0	5	0.21	ug/L	05/22/10 RP
Ethyl-tertbutylether (ETBE)	ND	1.0	1.0	0.23	ug/L	05/22/10 RP
Methyl-tert-butylether (MTBE)	ND	1.0	1	0.19	ug/L	05/22/10 RP
Tert-amylmethylether (TAME)	ND	1.0	1.0	0.19	ug/L	05/22/10 RP
Tertiary butyl alcohol (TBA)	ND	1.0	10	5.2	ug/L	05/22/10 RP
Toluene	ND	1.0	5	0.24	ug/L	05/22/10 RP
Xylenes, total	ND	1.0	5	0.45	ug/L	05/22/10 RP
Surrogates						
					Units	Control Limits
Surr1 - Dibromofluoromethane	97				%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	121				%	70 - 135
Surr3 - Toluene-d8	100				%	70 - 135
Surr4 - p-Bromofluorobenzene	104				%	70 - 135
8015B - Gasoline						
Gasoline	ND	1.0	50	6.6	ug/L	05/20/10 LT
Surrogates						
					Units	Control Limits
p-Bromofluorobenzene (Sur)	83				%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



ASSOCIATED LABORATORIES

QA / QC EPA Methods 8260, 624, & 524.2 GCMS # 6

Sample ID: *MS/MSD Water Sample* 255080-118

Date Prepared: May 21, 2010

Date Analyzed: 5/21-5/22/10

Sample Matrix: Water

Units: µg/L

Lab ID#'s in Batch: 255183, 255136, 255101, 255080, 255132, 255081

Compound	Sample Conc.	Spike Added	Spike Res	Dup Res	Spike % Rec	Dup % Rec	RPD	QC RPD	Limits % Rec
1,1-Dichloroethene	0.00	50.0	44.9	47.0	90	94	5	22	59 - 172
MTBE	0.00	50.0	54.9	51.7	110	103	6	24	62 - 137
Benzene	0.00	50.0	44.8	45.2	90	90	1	24	62 - 137
Trichloroethene	0.00	50.0	44.1	45.6	88	91	3	21	66 - 142
Toluene	0.00	50.0	44.3	44.5	89	89	0	21	59 - 139
Chlorobenzene	0.00	50.0	45.6	45.5	91	91	0	21	60 - 133

Sample ID: *LCS*

Compound	Spike Added	Spike Res	Spike % Rec	Limits % Rec
1,1-Dichloroethene	50.0	48.6	97	59 - 172
MTBE	50.0	54.7	109	62 - 137
Benzene	50.0	47.6	95	62 - 137
Trichloroethene	50.0	48.3	97	66 - 142
Toluene	50.0	47.2	94	59 - 139
Chlorobenzene	50.0	48.8	98	60 - 133

=Outside QC limits due to high concentration in sample

If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

Compound	MB 1 % Rec	MB 2 % Rec	MS % Rec	MSD % Rec	LCS % Rec	Limits % Rec
Bromofluoromethane	92	97	99	98	97	70 - 135
1,2-Dichloroethane-d4	114	121	109	107	100	70 - 135
Toluene-d8	105	100	100	100	101	70 - 135
1-Bromofluorobenzene	106	104	96	98	99	70 - 135

ASSOCIATED LABORATORIES

QA / QC EPA Methods 8260, 624, & 524.2 GCMS # 6

Sample ID: *MS/MSD Water Sample* 255134-321

Date Prepared: May 24, 2010

Date Analyzed: 5/24-5/25/10

Sample Matrix: Water

Units: µg/L

Lab ID#'s in Batch: 255134, 255261, 255221, 255132, 255081, 255043, 255212, 255073, 255275, 255015, 255213, 254719

Compound	Sample Conc.	Spike Added	Spike Res	Dup Res	Spike % Rec	Dup % Rec	RPD	QC RPD	Limits % Rec
1,1-Dichloroethene*	0.00	50.0	48.2	37.6	96	75	25	22	59 - 172
MTBE	0.00	50.0	48.9	41.0	98	82	18	24	62 - 137
Benzene	0.00	50.0	44.7	35.7	89	71	22	24	62 - 137
Trichloroethene *	24.60	50.0	62.5	51.9	76	55	19	21	66 - 142
Toluene	0.00	50.0	43.4	35.2	87	70	21	21	59 - 139
Chlorobenzene	0.00	50.0	43.0	35.6	86	71	19	21	60 - 133

Sample ID: *LCS*

Compound	Spike Added	Spike Res	Spike % Rec	Limits % Rec
1,1-Dichloroethene	50.0	47.9	96	59 - 172
MTBE	50.0	52.1	104	62 - 137
Benzene	50.0	45.8	92	62 - 137
Trichloroethene	50.0	46.0	92	66 - 142
Toluene	50.0	43.9	88	59 - 139
Chlorobenzene	50.0	46.9	94	60 - 133

*=Outside QC limits due to high concentration in sample

If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

Compound	MB 1 % Rec	MB 2 % Rec	MS % Rec	MSD % Rec	LCS % Rec	Limits % Rec
Dibromofluoromethane	92	94	101	101	99	70 - 135
1,2-Dichloroethane-d4	112	112	114	115	106	70 - 135
Toluene-d8	105	99	99	98	100	70 - 135
p-Bromofluorobenzene	110	107	97	99	105	70 - 135

**ASSOCIATED LABORATORIES
LCS REPORT FORM**

QC Sample: G1-LCS&LCSD

Matrix: WATER

Prep. Date: May 20, 2010

Analysis Date 5/20/10-5/21/10

Lab ID#'s in Batch: 254719 , 255015 , 255132 .

LAB CONTROLLED SPIKE / LAB CONTROLLED DUPLICATE RESULT

Reporting Units = µg/L

Test	Method	Method Blank	Spike Added	LCS Spike	LCSD Spk. Dup	%Rec LCS	%Rec LCSD	RPD
TPH	8015M-G	ND	500	427	427	85	85	0

ND = Not Detected

LCS Result = Lab Control Sample Result

%REC-LCS & LCSD = Percent Recovery of LCS Spike & LCS Spike Duplicate

RPD = Relative Percent Difference of LCS Spike and LCS Spike Duplicate

%REC LIMITS = 70 - 130

RPD LIMITS = 30

SURROGATE RECOVERY

Sample No.	BFB
QC Limit	60-140
Method Blank	83
LCS	93
LCSD	94

BFB = p-Bromofluorobenzene

**ASSOCIATED LABORATORIES
LCS REPORT FORM**

QC Sample: G5-LCS&LCSD

Matrix: WATER

Prep. Date: May 23, 2010

Analysis Date 5/23/10-5/24/10

Lab ID#'s in Batch: 255132 , 255081 , 255239 .

LAB CONTROLLED SPIKE / LAB CONTROLLED DUPLICATE RESULT

Reporting Units = µg/L

Test	Method	Method Blank	Spike Added	LCS Spike	LCSD Spk. Dup	%Rec LCS	%Rec LCSD	RPD
TPH	8015M-G	ND	500	422	435	84	87	3

ND = Not Detected

LCS Result = Lab Control Sample Result

%REC-LCS & LCSD = Percent Recovery of LCS Spike & LCS Spike Duplicate

RPD = Relative Percent Difference of LCS Spike and LCS Spike Duplicate


<i>%REC LIMITS = 70 - 130</i>

<i>RPD LIMITS = 30</i>

SURROGATE RECOVERY

Sample No.	BFB
QC Limit	60-140
Method Blank	95
LCS	98
LCSD	99

BFB = p-Bromofluorobenzene



ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714-771-6900

FAX 714-538-1209

SAMPLE ACCEPTANCE CHECKLIST

Section 1
 Client: TOC Project: TOC# 0636125 Telegraph Ave
 Date Received: 5-20-10 Sampler's Name: Yes No OAK, CA 94609
 Sample(s) received in cooler: Yes No (Skip Section 2)
 Shipping Information: 6507PKH 106407162

Section 2
 Was the cooler packed with: Ice Ice Packs Bubble Wrap Styrofoam
 Paper None Other _____
 Cooler or box temperature: 2.0C
 (Acceptance range is 2 to 6 Deg. C.)

Section 3	YES	NO	N/A
Was a COC received?	<input checked="" type="checkbox"/>		
Is it properly completed? (IDs, sampling date and time, signature, test)	<input checked="" type="checkbox"/>		
Were custody seals present?		<input checked="" type="checkbox"/>	
If Yes - were they intact?			<input checked="" type="checkbox"/>
Were all samples sealed in plastic bags?	<input checked="" type="checkbox"/>		
Did all samples arrive intact? If no, indicate below.	<input checked="" type="checkbox"/>		
Did all bottle labels agree with COC? (ID, dates and times)	<input checked="" type="checkbox"/>		
Were correct containers used for the tests required?	<input checked="" type="checkbox"/>		
Was a sufficient amount of sample sent for tests indicated?	<input checked="" type="checkbox"/>		
Was there headspace in VOA vials?		<input checked="" type="checkbox"/>	
Were the containers labeled with correct preservatives?			<input checked="" type="checkbox"/>
Was total residual chlorine measured (Fish Bioassay samples only)? *			<input checked="" type="checkbox"/>

*: If the answer is no, please inform Fish Bioassay Dept. immediately.

Section 4
 Explanations/Comments

Section 5
 Was Project Manager notified of discrepancies: Y N N/A

Completed By: Henry A Date: 5-20-10

Chain of Custody Record



Company THRIFTY OIL CO.		Phone 562-9213581		A.L. Job No. 255132 ✓		Page 1 of 1			
Project Manager JEFF SUPYAKUSUMIT		Fax 562-9217510		Analysis Requested TPH4 (2015M) BTEX (826DB) OXYGENATES				Test Instructions & Comments T0600101366	
Project Name Q. W. S. ✓		Project # 063							
Site Name and Address 6125 TELEGRAPH AVE OAKLAND CA. 94609									
Sample ID	Lab ID	Date	Time	Matrix	Container Number/Size	Pres.	TPH4 (2015M)	BTEX (826DB)	OXYGENATES
1 MW-4	0.5	05.19.2010	15:05	H2O	4-VOA	NO	X	X	X
2 MW-7	1	↑	14:45	↑	↑	↑	X	X	X
3 MW-3	2		14:35				X	X	X
4 MW-8			13:30				X	X	X
5 MW-6			13:20				X	X	X
6 MW-5			13:15				X	X	X
7 MW-1		↓	13:10	↓	↓	↓	X	X	X
8 TRIP BLANK		05.19.2010	00:00	H2O	2VOA	NO	X	X	
9									
10									
11									
12									
13									
14									
15									

Sample Receipt - To Be Filled By Laboratory				Relinquished by E.M.C 1.		Relinquished by 2.		Relinquished by 3.	
Total Number of Containers	Properly Cooled Y / N / NA			Signature: <i>[Signature]</i>	Signature:		Signature:		
Custody Seals Y / N / NA	Samples Intact Y / N / NA			Printed Name: SEBITHA A	Printed Name:		Printed Name:		
Received in Good Condition Y / N	Samples Accepted Y / N			Date: 05.19.10 Time: 17:00	Date:	Time:	Date:	Time:	
Turn Around Time				Received By: G.P.O 1.		Received By: 2.		Received By: 3.	
<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush <input type="checkbox"/> Same Day <input type="checkbox"/> 48 hrs. <input type="checkbox"/> 24 hrs. <input type="checkbox"/> 72 hrs.				Signature: <i>[Signature]</i>	Signature:		Signature:		
				Printed Name: Henry A	Printed Name:		Printed Name:		
				Date: 5-20-10 Time: 9:09	Date:	Time:	Date:	Time:	

APPENDIX C

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBACH P.

DATE OF INSPECTION: 06-15-2010

OBSERVATIONS AND COMMENTS: CHECK BELT, AND OILY CHECK
TRANSFER PUMP; CHECK DUMP IN MW-3,
DRAIN WATER FROM COMPRESSOR TANK,
REPLACE HOSES FOR FIRST CARTRIDGE DRAIN/INLET
OUTLET/

FLOW METER READING: -2480350-

SAMPLES OBTAINED: N/A

PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.1

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: [Signature]

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBAN A

DATE OF INSPECTION: 06.03.2010

OBSERVATIONS AND
COMMENTS: CHECK BELT, CHECK AIR FILTER, CHECK
OIL, CHECK TRANSFER PUMP, CHECK PUMP IN MW-4
CHECK HOSES AND DRUMS FOR DAMAGE AND LEAK,
CHECK FILTERS FROM FILTER/REGULATOR FOR MW-3
AND MW-4 PUMP

FLOW METER READING: 2478140

SAMPLES OBTAINED: N/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.3

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBATH P.

DATE OF INSPECTION: 06-08-2010

OBSERVATIONS AND
COMMENTS: CHECK BELT, CHECK OIL, ADD OIL,
CHECK TRANSFER PUMP, CHECK PUMP IN
MW-4, CHECK FILTER/REGULATOR FOR
MW-4 AND MW-3 PUMPS, CHECK HOSES,
CHEAT AIR FILTER FOR COMPRESSOR,

FLOW METER READING: 2479370-

SAMPLES OBTAINED: N/A

PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.1

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: [Signature]

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBANI P.

DATE OF INSPECTION: 05-27-2010

OBSERVATIONS AND
COMMENTS: CHECK BELT, ADD OIL, DRINK WATER
FROM COMPRESSOR TANK, CHECK TRANSFER PUMP
CHECK FILTERS FROM FILTER/REGULATOR FOR
MW-3 AND MW-4 PUMPS, CHECK HOSES
AND DRUMS FOR LEAKS,

FLOW METER READING: 2477040-

SAMPLES OBTAINED: N/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.2

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.0

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: 



EARTH MANAGEMENT CO.
Environmental Remediation

SYSTEM STARTUP / SHUTDOWN REPORT

SITE:

ADDR:

DATE:

PERSON:

TOC # 063
6125 TELEGRAPH AVE
OAKLAND 94604
05-20-2010
SEPARH

Remediation System Type:

- AS
 SVE
 DPE
 GWT
 FPR
 Other

System Type		Action		Hour Meter (hrs)	Totalizer (gal)	Purpose / Comments
		Startup	Shutdown			
AS	Air Sparging					
SVE	Soil Vapor Extraction					
DPE	Dual-Phase Extraction					
GWT	Groundwater Treatment					
FPR	FP Recovery				2476060	
O	Other:					

UTILITIES:

Electrical Meter: N/A
 Nat. gas Meter: N/A
 Propane Tank Level: N/A

OTHER NOTES:

RESTART SYSTEM AFTER Q.W.S.

ALWAYS OBSERVE SAFETY PROCEDURES!

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBAP

DATE OF INSPECTION: 05-20-2010

OBSERVATIONS AND COMMENTS: RESTART SYSTEM AFTER QW

CHECK TRANSFER PUMP, CHECK PUMP IN

MW-3 AND MW-4 WELLS.

FLOW METER READING: -2476060-

SAMPLES OBTAINED: H/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10.

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.1

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBATA P.

DATE OF INSPECTION: 05-18-2010

OBSERVATIONS AND COMMENTS: SHUT DOWN FOR QW.S.

FLOW METER READING: -2475880-

SAMPLES OBTAINED: NO

PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: _____

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: _____

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: _____

INSPECTOR'S SIGNATURE: *[Signature]*



EARTH MANAGEMENT CO.
Environmental Remediation

SYSTEM STARTUP / SHUTDOWN REPORT

SITE:

ADDR:

DATE:

PERSON:

TOC # 063
6125 TELEGRAPH AVE
OAKLAND 94609
05-18-2010
JEDATH

Remediation System Type:

- AS
 SVE
 DPE
 GWT
 FPR
 Other

System Type		Action		Hour Meter (hrs)	Totalizer (gal)	Purpose / Comments
		Startup	Shutdown			
AS	Air Sparging					
SVE	Soil Vapor Extraction					
DPE	Dual-Phase Extraction					
GWT	Groundwater Treatment					
FPR	PP Recovery				2475880	
0	Other:					

UTILITIES:

Electrical Meter: N/A

Nat. gas Meter: N/A

Propane Tank Level: N/A

OTHER NOTES:

SHUT DOWN SYSTEM FOR Q.W.S.

ALWAYS OBSERVE SAFETY PROCEDURES!

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBACH D.

DATE OF INSPECTION: 05-12-2010

OBSERVATIONS AND COMMENTS: DRAIN WATER FROM COMPRESSOR TANK,
CHECK TRANSFER PUMP, CHECK PUMP IN MW-3
CHECK BELT, ADD OIL, CHECK FILTER FOR FILTER
REGULATOR FOR MW-3 AND MW-4 PUMPS,

FLOW METER READING: 2474910

SAMPLES OBTAINED: NO

PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.2

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.3

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: [Signature]

SYSTEM STARTUP / SHUTDOWN REPORT

SITE:

ADDR:

DATE:

PERSON:

TOC # 063
 6125 TELEGRAPH AVE
 OAKLAND, CA 94612
 05-11-2010
 SEBRIN

Remediation System Type: AS SVE DPE QWT FPR Other

System Type		Action		Hour Meter (hrs)	Totalizer (gal)	Purpose / Comments
		Startup	Shutdown			
AS	Air Sparging					
SVE	Soil Vapor Extraction					
DPE	Dual-Phase Extraction					
QWT	Groundwater Treatment		✓		2474780	
FPR	FP Recovery					
O	Other:					

UTILITIES:

Electrical Meter: - N/A
 Nat. gas Meter: - N/A
 Propane Tank Level: - N/A

OTHER NOTES:

RESTART SYSTEM AFTER PILOT TEST.

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBATH P.

DATE OF INSPECTION: 04-28-2010

OBSERVATIONS AND COMMENTS: DRAIN WATER FROM COMPRESSOR TANK
CHECK OIL, BELT, CLEAN AIR FILTER FROM COM-
PRESSOR, CHECK HOSES AND DRUMS FOR LEAK,
CHECK TRANSFER PUMP

FLOW METER READING: 2468590-

SAMPLES OBTAINED: N/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.3

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBAN P.

DATE OF INSPECTION: 04-20-2010

OBSERVATIONS AND
COMMENTS: CHECK BELT, ADD OIL, DRAIN WATER
FROM COMPRESSOR TANK, CHECK TRANSFER PUMP
CHECK DRUMS AND HOSES FOR AIRLEAKS AND LEAKS
CHECK FILTER/REGULATOR FOR MW-3 AND MW-4
PUMPS

FLOW METER READING: - 2467780 -

SAMPLES OBTAINED: N/A

PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.9

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: [Signature]

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBAN P.

DATE OF INSPECTION: 04-14-2010

OBSERVATIONS AND COMMENTS: CITRAC OIL, CITRAC PUMP, CITRAC TRANSFER PUMP; DRAIN WATER FROM COMPRESSOR TANK CITRAC PUMP IN MW-3

FLOW METER READING: -2466980-

SAMPLES OBTAINED: N/A

PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.1

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.3

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.7

INSPECTOR'S SIGNATURE: [Signature]

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBANI P.

DATE OF INSPECTION: 04-06-2010

OBSERVATIONS AND
COMMENTS: DRAIN WATER FROM COMPRESSOR TANK. ADD
OIL, CHECK BELT, CHECK TRANSFER PUMP, CHECK
FILTER FROM FILTER/REGULATOR UNIT FOR MW-3 AND
MW-4 PUMP, CHECK MW-4 PUMP,

FLOW METER READING: -2466110-

SAMPLES OBTAINED: N/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.3

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBAN P.

DATE OF INSPECTION: 04-01-2010

OBSERVATIONS AND
COMMENTS: CHECK OIL, BELT, CHECK TRANSFER PUMP
DRAIN WATER FROM COMPRESSOR TANK, CHECK FILTER
FROM FILTER/REGULATOR FROM MW-4 PUMP,
CHECK HOSES AND DRUMS FOR LEAKS

FLOW METER READING: 2465250

SAMPLES OBTAINED: N/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.3

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.7

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBAN P

DATE OF INSPECTION: 03-23-2010

OBSERVATIONS AND
COMMENTS: CITRICK BELT, ADD OIL, DRAIN WATER
FROM COMPRESSOR TANK, CITRICK TRANSFER
PUMP, CITRICK PUMP IN MW-4, CITRICK DRUM
FOR WATER

FLOW METER READING: 2464280-

SAMPLES OBTAINED: N/A.


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: NO

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.1

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.7

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERRA D.

DATE OF INSPECTION: 03-15-2010

OBSERVATIONS AND COMMENTS: CITECIR OIL, ADD OIL, CITECIR BELT,
CITECIR TRANSFER PUMP, CITECIR DRUM AND
HOSES FOR WATER, CITECIR MW-4 PUMP

FLOW METER READING: 2463370

SAMPLES OBTAINED: N/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.3

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.2

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBATA P.

DATE OF INSPECTION: 03-08-2010

OBSERVATIONS AND
COMMENTS: CHECK OIL, ADD OIL, CHECK BELT,
CHECK TRANSFER PUMP, DRAIN WATER FROM
FILTER/REGULATOR FOR MW3 AND MW-4 PUMPS,
DRAIN WATER FROM COMPRESSOR TANK

FLOW METER READING: ~~246510~~ 2462510 -

SAMPLES OBTAINED: 10


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.2

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.0

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBATH D.

DATE OF INSPECTION: 03-01-2010

OBSERVATIONS AND
COMMENTS: CHECK BELT, CHECK OIL, ADD OIL; CHECK
TRANSFER PUMP, DRAIN WATER FROM COMPRESSOR
TANK, CHECK PUMP IN MW-3 WELL, CHECK

FLOW METER READING: -2461530-

SAMPLES OBTAINED: N/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.2

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.7

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBATA P.

DATE OF INSPECTION: 02-22-2010

OBSERVATIONS AND
COMMENTS: CHECK BELT, ADD OIL, CHECK TRANSFER
PUMP, DRAIN WATER FROM COMPRESSOR TANK,
CHECK DRUMS AND HOSES FOR LEAKS, CHECK
AND DRAIN WATER FROM FILTER/REGULATOR FOR MW'S
AND MW-4 PUMP

FLOW METER READING: 2460460

SAMPLES OBTAINED: N/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.4

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.0

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBATA P.

DATE OF INSPECTION: 02-15-2010

OBSERVATIONS AND
COMMENTS: CITRUC OIL, ADD OIL, CITRUC BENT.
CITRUC TRANSFER PUMP; DRAIN WATER FROM
FILTER / REGULATOR (MW-3, MW-4 PUMPS) DRAIN
WATER FROM COMPRESSOR TANK,

FLOW METER READING: 2459750-

SAMPLES OBTAINED: N/A

PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.1

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBATH P-

DATE OF INSPECTION: 02-11-2010

OBSERVATIONS AND COMMENTS: SPLIT WATER SAMPLING FROM OUTLET WITH INSPECTOR FROM EBMUD

FLOW METER READING: -2459320-

SAMPLES OBTAINED: YES

PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 0

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: 0

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 0

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 0

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0

INSPECTOR'S SIGNATURE: [Signature]

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBAN P.

DATE OF INSPECTION: 02-01-2010

OBSERVATIONS AND
COMMENTS: DRAIN COMPRESSOR DAILY CHECK
TRANSFER PUMP, CHECK PUMP FROM MW-4
CHECK BELT, ADD OIL CHECK FILTER
REGULATOR FOR MW-3 AND MW-4 PUMPS

FLOW METER READING: -2458090-

SAMPLES OBTAINED: N/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 1.0

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.3

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.7

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBATA P

DATE OF INSPECTION: 02-25-2010

OBSERVATIONS AND
COMMENTS: DRAIN COMPRESSOR TANK, CHECK BELT,
ADD OIL, CHECK TRANSFER PUMP, CHECK PUMP IN
MW-4, CHECK FILTER RECOUNT FOR MW-3
AUTO MW-4 PUMP,

FLOW METER READING: -2457200-

SAMPLES OBTAINED: .11A

PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.3

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.1

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: [Signature]

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: JERBAH P

DATE OF INSPECTION: 01-18-2010

OBSERVATIONS AND
COMMENTS: CHECK BELT, AND OIL, CHECK TRANSFER
PUMP, DRAIN WATER FROM COMPRESSOR TANK,
CHECK PUMP IN MW-3, CHECK WELL COVERS FOR TIGHT
CLOSURE FOR DRINK WATER DON'T GO INSIDE WELL

FLOW METER READING: 2456220-

SAMPLES OBTAINED: N/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.1

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.2

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBATT P

DATE OF INSPECTION: 01-11-2010

OBSERVATIONS AND
COMMENTS: CHECK BELT, ADD OIL, DRAIN WATER
FROM COMPRESSOR TANK, CHECK TRANSFER PUMP,
CHECK PUMP IN MW-3,

FLOW METER READING: -2455100-

SAMPLES OBTAINED: N/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____

PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.3

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.2

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: 

063

THRIFTY OIL CO. SERVICE STATION #63
6125 TELEGRAPH AVENUE, OAKLAND, CALIFORNIA
GROUNDWATER EXTRACTION/TREATMENT SYSTEM INSPECTION FORM

NAME OF INSPECTOR: SERBAN P.

DATE OF INSPECTION: 01-04-2010

OBSERVATIONS AND
COMMENTS: CHECK OIL, BELT, DRAIN WATER FROM
COMPRESSOR TANK; CHECK TRANSFER PUMP,
CHECK PUMP IN MW-3

FLOW METER READING: 2454210-

SAMPLES OBTAINED: N/A


PRESSURE GAUGE READING UP STREAM OF THE BAG FILTER: 10

PRESSURE GAUGE READING DOWN STREAM OF THE CARTRIDGE FILTER: _____


PRESSURE GAUGE READING DOWN STREAM OF THE PRIMARY GAC UNIT: 2.1

PRESSURE GAUGE READING DOWN STREAM OF THE SECONDARY GAC UNIT: 1.2

PRESSURE GAUGE READING DOWN STREAM OF THE THIRD GAC UNIT: 0.6

INSPECTOR'S SIGNATURE: 

APPENDIX D



ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714/771-6900

FAX 714/538-1209

CLIENT Thrifty Oil Company (8871)
ATTN: Jeff Suryakusuma
13116 Imperial Hwy.
P.O. Box 2128
Santa Fe Springs, CA 90670

LAB REQUEST 249771 ✓

REPORTED 02/18/2010

RECEIVED 02/12/2010

PROJECT Station #063 ✓
6125 Telegraph Ave., Oakland

SUBMITTER Client

COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Order No.

1057442

1057443


✓
Client Sample Identification

TOC #063 Outlet

Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,


Edward S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 1057442

Client Sample ID: TOC #063 Outlet

Matrix: WATER

Date Analyzed: 02/11/2010 Time Sampled: 09:00

Analyte	Result	DF	PQL	MDL Units	Date/Analyst
8260B BTEX/MTBE					
Benzene	ND	1.0	1	0.18 ug/L	02/17/10 RP
Ethyl benzene	ND	1.0	5	0.21 ug/L	02/17/10 RP
Toluene	ND	1.0	5	0.24 ug/L	02/17/10 RP
Xylenes, total	ND	1.0	5	0.45 ug/L	02/17/10 RP
Surrogates				Units	Control Limits
Surr1 - Dibromofluoromethane	91			%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	111			%	70 - 135
Surr3 - Toluene-d8	99			%	70 - 135
Surr4 - p-Bromofluorobenzene	94			%	70 - 135
8015B - Gasoline					
Gasoline	ND	1.0	50	6.6 ug/L	02/16/10 LT
Surrogates				Units	Control Limits
p-Bromofluorobenzene (Sur)	81			%	60 - 140

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



Matrix: WATER

Analyte	Result	DF	PQL	MDL	Units	Date/Analyst
8260B BTEX/MTBE						
Benzene	ND	1.0	1	0.18 ug/L		02/17/10 RP
Ethyl benzene	ND	1.0	5	0.21 ug/L		02/17/10 RP
Toluene	ND	1.0	5	0.24 ug/L		02/17/10 RP
Xylenes, total	ND	1.0	5	0.45 ug/L		02/17/10 RP
Surrogates				Units	Control Limits	
Surr1 - Dibromofluoromethane	96			%	70 - 135	
Surr2 - 1,2-Dichloroethane-d4	110			%	70 - 135	
Surr3 - Toluene-d8	101			%	70 - 135	
Surr4 - p-Bromofluorobenzene	97			%	70 - 135	
8015B - Gasoline						
Gasoline	ND	1.0	50	6.6 ug/L		02/16/10 LT
Surrogates				Units	Control Limits	
p-Bromofluorobenzene (Sur)	64			%	60 - 140	

PQL = Practical Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
 ND = Not detected below indicated MDL, J=Tra



**ASSOCIATED LABORATORIES
LCS REPORT FORM**

QC Sample: G1-LCS&LCSD

Matrix: WATER

Prep. Date: February 16, 2010

Analysis Date 2/16/10-2/17/10

Lab ID#'s in Batch: 249851 , 249819 , 249771 , 249817 , 249772 , 249796 , 249712 , 249714 , 249930 .

LAB CONTROLLED SPIKE / LAB CONTROLLED DUPLICATE RESULT

Reporting Units = µg/L

Test	Method	Method Blank	Spike Added	LCS Spike	LCSD Spk. Dup	%Rec LCS	%Rec LCSD	RPD
TPH	8015M-G	ND	500	380	415	76	83	9

ND = Not Detected

LCS Result = Lab Control Sample Result

%REC-LCS & LCSD = Percent Recovery of LCS Spike & LCS Spike Duplicate

RPD = Relative Percent Difference of LCS Spike and LCS Spike Duplicate

<i>%REC LIMITS = 70 - 130</i>

<i>RPD LIMITS = 30</i>

SURROGATE RECOVERY

Sample No.	BFB
QC Limit	60-140
Method Blank	64
LCS	94
LCSD	94

BFB = p-Bromofluorobenzene

A. SOCIATED LABORATORIE

QA / QC EPA Methods 8260 - GCMS # 5

Sample ID: *MS/MSD Water Sample* 249769-425
 Date Prepared: February 16, 2010
 Date Analyzed: 2/16-2/17/10
 Sample Matrix: Water
 Units: µg/L

Lab ID#'s in Batch: 249851, 249769, 249816, 249771, 249607, 249712

Compound	Sample Conc.	Spike Added	Spike Res	Dup Res	Spike % Rec	Dup % Rec	RPD	QC RPD	Limits % Rec
1,1-Dichloroethene	0.00	50.0	52.70	51.40	105	103	2	22	59 - 172
MTBE	0.00	50.0	49.80	48.40	100	97	3	24	62 - 137
Benzene	0.00	50.0	51.50	50.00	103	100	3	24	62 - 137
Trichloroethene	0.00	50.0	49.90	48.80	100	98	2	21	66 - 142
Toluene	0.00	50.0	51.90	49.80	104	100	4	21	59 - 139
Chlorobenzene	0.00	50.0	49.90	48.30	100	97	3	21	60 - 133

Sample ID: *LCS*


Compound	Spike Added	Spike Res	Spike % Rec	Limits % Rec
1,1-Dichloroethene	50.0	53.30	107	59 - 172
MTBE	50.0	48.90	98	62 - 137
Benzene	50.0	50.10	100	62 - 137
Trichloroethene	50.0	52.40	105	66 - 142
Toluene	50.0	50.80	102	59 - 139
Chlorobenzene	50.0	50.50	101	60 - 133

*=Outside QC limits due to high concentration in sample

If Sample Result > 4 times Spike Added, then "NC"

Surrogate Recovery

Compound	MB 1 % Rec	MB 2 % Rec	MS % Rec	MSD % Rec	LCS % Rec	Limits % Rec
Dibromofluoromethane	95	96	105	103	111	70 - 135
1,2-Dichloroethane-d4	117	110	103	100	105	70 - 135
Toluene-d8	100	101	101	101	100	70 - 135
p-Bromofluorobenzene	98	97	95	96	98	70 - 135



ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714-771-6900

FAX 714-538-1209

SAMPLE ACCEPTANCE CHECKLIST

Section 1 TAC
 Client: TAC Project: TAC# 063
 Date Received: 2-12-10 Sampler's Name: Yes No
 Sample(s) received in cooler: Yes No (Skip Section 2)
 Shipping Information: _____

Section 2
 Was the cooler packed with: Ice _____ Ice Packs _____ Bubble Wrap _____ Styrofoam
 _____ Paper _____ None _____ Other _____
 Cooler or box temperature: 1.0C
 (Acceptance range is 2 to 6 Deg. C.)

Section 3	YES	NO	N/A
Was a COC received?	<input checked="" type="checkbox"/>		
Is it properly completed? (IDs, sampling date and time, signature, test)	<input checked="" type="checkbox"/>		
Were custody seals present?			<input checked="" type="checkbox"/>
If Yes - were they intact?			<input checked="" type="checkbox"/>
Were all samples sealed in plastic bags?	<input checked="" type="checkbox"/>		
Did all samples arrive intact? If no, indicate below.	<input checked="" type="checkbox"/>		
Did all bottle labels agree with COC? (ID, dates and times)	<input checked="" type="checkbox"/>		
Were correct containers used for the tests required?	<input checked="" type="checkbox"/>		
Was a sufficient amount of sample sent for tests indicated?	<input checked="" type="checkbox"/>		
Was there headspace in VOA vials?		<input checked="" type="checkbox"/>	
Were the containers labeled with correct preservatives?	<input checked="" type="checkbox"/>		
Was total residual chlorine measured (Fish Bioassay samples only)? *			<input checked="" type="checkbox"/>

*: If the answer is no, please inform Fish Bioassay Dept. immediately.

Section 4
 Explanations/Comments

Section 5
 Was Project Manager notified of discrepancies: Y N/A

Completed By: M. Ebert Date: 02-12-10

Chain of Custody Record

ASSOCIATED LABORATORIES

806 North Batavia • Orange, CA 92868

Phone: (714) 771-6900 • Fax: (714) 538-1209



249771 ✓
Page 1 of 1

Company TRIFTY OIL CO.	Phone (562) 921-3581	A.L. Job No.
Project Manager JEFF JURYAKUSUMA	Fax (562) 921-7510	
Project Name SPLIT WATER SAMPLING	Project # 063	Analysis Requested
Site Name and Address 6125 TELEGRAPH AVE OAKLAND CA 94604		Test Instructions & Comments

Sample ID	Lab ID	Date	Time	Matrix	Container Number/Size	Pres.	Analysis Requested		Test Instructions & Comments
1		02-11-2010	9:20	H ₂ O	4-VOA	HON12	X	X	GRAB SAMPLE
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									

BTEX (8260B)
 TPH4 (8015M)

Sample Receipt - To Be Filled By Laboratory				Relinquished by Sampler: EMC. 1.	Relinquished by 2.	Relinquished by 3.
Total Number of Containers	Property Cooled Y/N/NA	Signature: <i>[Signature]</i>		Signature:	Signature:	
Custody Seals Y/N/NA	Samples Intact Y/N/NA	Printed Name: SARBAH P		Printed Name:	Printed Name:	
Received in Good Condition Y/N	Samples Accepted Y/N	Date: 02.11.10 Time: 15:30	Date: Time:	Date: Time:	Date: Time:	
Turn Around Time				Received By: G.S.O 1.	Received By: 2.	Received By: 3.
<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush <input type="checkbox"/> Same Day <input type="checkbox"/> 48 hrs. <input type="checkbox"/> 24 hrs. <input type="checkbox"/> 72 hrs.				Signature: <i>[Signature]</i>	Signature: <i>[Signature]</i>	Signature:
				Printed Name:	Printed Name:	Printed Name:
				Date: Time:	Date: 02/11/10 Time: 5:30	Date: Time: