

Environmental Management
Company
6001 Bollinger Canyon Rd, L4050
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-1589
Fax 925-842-8370

Karen Streich
Project Manager

RO-007

Amir

_____, May 27, 2003

ChevronTexaco

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Alameda County
MAY 27 2003
Environmental Health

Alameda County
MAY 29 2003
Environmental Health

Re: Chevron Service Station # 9-0504

Address: 15900 Heaperian Blvd., San Lorenzo, CA

May 12, 2003

I have reviewed the attached routine groundwater monitoring report dated _____.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

Karen Streich

Karen Streich
Project Manager

Alameda County
MAY 29 2003
Environmental Health

Enclosure: Report



GETTLER-RYAN INC.

TRANSMITTAL

Alameda County

May 12, 2003

G-R #385259

MAY 29 2003

Environmental Health

TO: Mr. Robert Foss
Cambria Environmental Technology, Inc.
5900 Hollis Street, Suite A
Emeryville, CA 94608

CC: Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	May 9, 2003	Groundwater Monitoring and Sampling Report First Semi-Annual - Event of March 31, 2003

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **May 26, 2003**, at which time the final report will be distributed to the following:

- cc: Mr. Larry Seto, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
- Mr. Mike Bakaldin, Hazmat, San Leandro Fire Department, 835 East 14th Street, Suite 200, San Leandro, CA 94577
- Mr. Bodh Kunwar, 3539 Shadow Cre
- Ms. Wendy Helling, Met Life Corpor
- Mr. Scott Bohannon, Bohannon Deve

J, Bellevue, WA 98004-5853
iteo, CA 94403

LETTER

Enclosures

trans/9-0504-ks



GETTLER-RYAN INC.

May 9, 2003
G-R Job #385259

Ms. Karen Streich
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

RE: First Semi-Annual Event of March 31, 2003
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

Dear Ms. Streich:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).


Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.


Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,


Deanna L. Harding
Project Coordinator


Robert C. Mallory
Registered Geologist, R.G. No. 7285



- Figure 1: Potentiometric Map
- Table 1: Groundwater Monitoring Data and Analytical Results
- Table 2: Groundwater Analytical Results - Oxygenate Compounds
- Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



GETTLER - RYAN INC.

6747 Sierra Ct., Suite J
Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

FIGURE

1

PROJECT NUMBER
385259

REVIEWED BY

DATE
March 31, 2003

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (<i>ft.</i>)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	SPHT (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	HVOCs (<i>ppb</i>)
C-1											
06/06/89	--	--	--	--	5,100	250	170	200	990	--	--
12/08/89	--	--	13.14	0.01	--	--	--	--	--	--	--
09/07/90	33.93	19.91	14.04	0.03	--	--	--	--	--	--	--
12/20/90	33.93	20.07	13.87	0.01	--	--	--	--	--	--	--
03/15/91	33.93	22.53	11.40	--	37,000	220	53	53	1,900	--	--
06/28/91	33.93	21.68	12.25	--	3,300	110	6.2	6.2	350	--	--
09/26/91	33.93	19.91	14.02	--	3,200	220	6.9	6.9	710	--	--
01/27/92	33.93	21.30	12.63	--	330	20	0.6	0.6	48	--	--
04/20/92	33.93	23.50	10.43	--	2,700	130	3.4	3.4	690	--	--
07/17/92	33.93	21.32	12.61	--	490	17	<0.5	<0.5	52	--	--
01/20/93	33.93	24.51	9.42	--	--	--	--	--	--	--	--
07/28/93	33.93	23.45	10.48	--	--	--	--	--	--	--	--
10/27/93	32.80	21.48	11.32	--	240	3.6	<0.5	11	23	--	--
03/31/94	32.80	23.35	9.45	--	530	23	1.2	10	120	--	--
06/08/94	32.80	22.87	9.93	--	990	15	1.5	42	89	--	--
09/29/94	32.80	INACCESSIBLE		--	--	--	--	--	--	--	--
11/09/94	32.80	INACCESSIBLE		--	--	--	--	--	--	--	--
12/14/94	32.80	INACCESSIBLE		--	--	--	--	--	--	--	--
03/30/95	32.80	24.79	8.01	--	3,900	21	7.2	190	250	--	--
06/30/95	32.80	22.98	9.82	--	1,400	3.1	0.8	54	95	--	--
09/22/95	32.80	22.20	10.60	--	620 ⁷	0.7	<0.5	3.3	3.5	--	--
12/11/95	32.80	22.50	10.30	--	210	2.4	<0.5	43	85	79	--
03/08/96	32.80	25.15	7.65	--	750	2.1	<0.5	22	34	330	--
06/21/96	32.80	23.52	9.28	--	2,800	9.0	<0.5	94	83	1,300	--
09/27/96	32.80	22.52	10.28	--	770	0.5	<0.5	5.1	6.1	580	--
01/03/97	32.80	24.95	7.85	--	1,800	2.8	<0.5	51	41	110	--
03/28/97	32.80	23.43	9.37	--	720	0.6	<0.5	4.7	3.7	200	--
09/30/97	32.80	MONITORED ANNUALLY		--	--	--	--	--	--	--	--
03/28/98	32.80	25.08	7.72	--	940 ⁸	3.9	<0.5	17	4.7	290	--
03/19/99	32.80	24.29	8.51	--	320	<0.5	<0.5	8.5	2.5	350	--
03/21/00	32.80	24.72	8.08	--	432	<0.5	2.04	5.33	0.658	154	--
08/28/00	32.80	MONITORED /SAMPLED ANNUALLY		--	--	--	--	--	--	--	--
03/02/01	32.80	24.09	8.71	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	32.8	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-1 (cont)											
09/04/01	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/21/02	32.80	24.18	8.62	0.00	<50	<0.50	<0.50	<0.50	<1.5	20	--
09/04/02	32.80	MONITORED /SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/31/03	32.80	23.93	8.87	0.00	<50	<0.5	<0.5	<0.5	<1.5	40	--
C-2											
06/06/89	--	--	--	--	130,000	14,000	28,000	3,400	24,000	--	--
12/08/89	--	--	13.44	0.15	--	--	--	--	--	--	--
09/07/90	34.21	20.01	14.28	0.10	--	--	--	--	--	--	--
12/20/90	34.21	20.16	14.06	0.01	--	--	--	--	--	--	--
03/15/91	34.21	22.63	11.59	0.01	1,200,000	4,700	16,000	13,000	140,000	--	--
06/28/91	34.21	21.66	12.55	--	150,000	3,500	4,200	2,100	16,000	--	--
09/26/91	34.21	20.01	14.20	--	4,900	220	290	130	880	--	--
01/27/92	34.21	21.75	12.46	--	8,200	510	590	230	1,300	--	--
04/20/92	34.21	23.97	10.24	--	19,000	1,700	1,700	930	4,700	--	--
07/17/92	34.21	21.40	12.81	--	20,000	950	950	1,300	4,700	--	--
01/20/93	34.21	25.42	8.79	--	--	--	--	--	--	--	--
10/27/93	33.46	21.10	12.36	--	1,600	63	5.8	5.9	190	--	--
03/31/94	33.46	23.84	9.62	--	12,000	300	96	510	2,700	--	--
06/08/94	33.46	23.48	9.98	--	8,700	140	35	250	1,500	--	--
09/28/94	33.46	INACCESSIBLE	--	--	--	--	--	--	--	--	--
11/09/94	33.46	INACCESSIBLE	--	--	--	--	--	--	--	--	--
12/14/94	33.46	INACCESSIBLE	--	--	--	--	--	--	--	--	--
03/30/95	33.46	25.77	7.69	--	1,400	17	5.4	52	240	--	--
06/30/95	33.46	23.56	9.90	--	730	22	2.6	50	240	--	--
09/22/95	33.46	22.85	10.61	--	2,100 ⁷	66	7.3	140	550	--	--
12/11/95	33.46	23.08	10.38	--	3,700	23	<0.5	68	300	1,000	--
03/08/96	33.46	25.76	7.70	--	2,200	19	<5.0	63	290	1,300	--
06/21/96	33.46	24.09	9.37	--	2,200	23	1.1	70	260	2,300	--
09/27/96	33.46	22.88	10.58	--	5,500	12	0.6	30	110	2,200	--
01/03/97	33.46	25.56	7.90	--	750	4.2	<0.5	29	120	51	--
03/28/97	33.46	24.11	9.35	--	1,300	12	1.5	24	86	310	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (<i>ft.</i>)	GWE (<i>mst</i>)	DTW (<i>ft.</i>)	SPHT (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	HVOCs (<i>ppb</i>)
C-2 (cont)											
09/30/97	33.46	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	33.46	25.46	8.00	--	1,100 ^s	14	<5.0	34	79	710	--
03/19/99	33.46	25.01	8.45	--	1,400	15	<0.5	56	130	460	--
03/21/00	33.46	25.37	8.09	--	5,420	9.69	<0.5	76.5	125	168	--
08/28/00	33.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	33.46	24.68	8.78	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	33.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/21/02	33.46	24.75	8.71	0.00	<50	<0.50	<0.50	<0.50	<1.5	4.5	--
09/04/02	33.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/31/03	33.46	24.53	8.93	0.00	<50	<0.5	1.0	<2.0	2.6	<2.5	--
C-3											
06/06/89	--	--	--	--	2,600	63	20	390	370	--	--
12/08/89	--	--	--	--	680	6.0	1.0	31	58	--	--
09/07/90	35.46	20.15	15.31	--	490	6.0	<0.5	41	120	--	--
09/07/90 (D)	35.46	--	--	--	460	6.0	<0.5	40	110	--	--
12/20/90	35.46	20.29	15.17	--	100	5.0	<0.5	27	130	--	--
03/06/91	35.46	22.19	13.27	--	1,300	7.0	<0.5	75	250	--	--
03/06/91 (D)	35.46	--	--	--	1,400	8.0	<0.5	76	250	--	--
06/28/91	35.46	21.79	13.67	--	770	6.0	<0.5	81	71	--	--
06/28/91 (D)	35.46	--	--	--	990	5.5	<0.5	86	75	--	--
09/26/91	35.46	20.14	15.32	--	1,400	7.9	<0.5	98	340	--	--
01/27/92	35.46	21.55	13.91	--	150	0.7	<0.5	12	12	--	--
04/20/92	35.46	23.80	11.66	--	1,600	9.3	1.0	190	370	--	--
07/17/92	35.46	21.50	13.96	--	460	18	<0.5	20	52	--	--
10/29/92	35.46	19.95	15.51	--	520	2.4	1.0	30	79	--	--
01/20/93	35.46	24.47	10.99	--	4,200	7.4	<0.5	140	380	--	--
05/03/93	35.46	24.49	10.97	--	1,300	6.8	3.2	71	170	--	--
07/28/93	35.46	23.05	12.41	--	220	1.4	<0.5	17	39	--	--
10/27/93	35.46	21.78	13.37	--	1,800	5.5	0.7	68	290	--	--
03/31/94	35.46	23.90	11.56 ¹	--	310	1.2	<0.5	19	54	--	--
06/08/94	35.46	23.39	12.07	--	300	2.7	1.6	19	48	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (%)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-3 (cont)											
09/29/94 ²	35.46	21.62	13.84	--	2,500	<25	<25	<25	220	--	--
11/09/94 ⁵	35.46	--	--	--	170	<0.5	0.8	3.3	16	--	--
12/14/94	35.46	23.61	11.85	--	510	3.2	1.4	28	60	--	--
03/30/95	35.46	25.85	9.61	--	66	<0.5	<0.5	1.1	2.4	--	--
06/30/95	35.46	23.96	11.50	--	1,500	1.9	8.1	100	300	--	--
09/22/95	35.46	22.88	12.58	--	600 ⁷	0.7	<0.5	43	110	--	--
12/11/95	35.46	22.91	12.55	--	670 ⁸	<0.5	<0.5	7.0	13	15	--
03/08/96	35.46	25.80	9.66	--	3,600	7.5	33	130	400	1,100	--
06/21/96	35.46	23.68	11.78	--	310	<0.5	<0.5	16	49	57	--
09/27/96	35.46	23.09	12.37	--	250	<0.5	<0.5	3.6	9.6	44	--
01/03/97	35.46	25.57	9.89	--	170	<0.5	1.2	4.5	15	15	--
03/28/97	35.46	24.50	10.96	--	60	<0.5	<0.5	1.7	1.8	23	--
09/30/97	35.46	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	35.46	25.74	9.72	--	<50	0.88	<0.5	<0.5	<0.5	16	--
03/19/99	35.46	25.44	10.02	--	<50	<0.5	<0.5	<0.5	0.65	12	--
03/21/00	35.46	25.36	10.10	--	122	<0.5	<0.5	4.96	11.7	6.13	--
08/28/00	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	35.46	24.67	10.79	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/21/02	35.46	24.74	10.72	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	35.46	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/31/03	35.46	24.31	11.15	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
C-4											
06/06/89	--	--	--	--	<50	<0.05	<1.0	<1.0	<3.0	--	--
12/08/89	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	35.78	20.20	15.58	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	35.78	20.36	15.42	--	170	1.0	<0.5	<0.5	4.0	--	--
03/06/91	35.78	22.24	13.54	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	35.78	21.85	13.93	--	<50	<0.5	<0.5	<0.5	<0.8	--	--
09/26/91	35.78	20.14	15.64	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	35.78	--	15.64	--	<50	<0.5	<0.5	<0.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (fL)	GWE (msl)	DTW (fL)	SPHT (fL)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-4 (cont)											
01/27/92	35.78	21.82	13.96	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	35.78	24.07	11.71	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	35.78	21.59	14.19	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	35.78	20.06	15.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	35.78	24.61	11.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	35.78	24.84	10.94	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/28/93	35.78	23.38	12.40	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	35.23	21.91	13.32	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	35.23	INACCESSIBLE		--	--	--	--	--	--	--	--
06/08/94	35.23	23.31	11.92	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ^{2,4}	35.23	21.47	13.76	--	<2,500	<25	<25	<25	<25	--	ND ³
11/09/94 ^{4,5}	35.23	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	ND ³
12/14/94 ⁶	35.23	23.44	11.79	--	<50	2.1	3.0	1.9	3.7	--	ND ³
03/30/95	35.23	26.22	9.01	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	35.23	23.79	11.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	35.23	22.72	12.51	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	35.23	22.61	12.62	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	35.23	25.60	9.63	--	<50	<0.5	<0.5	<0.5	0.6	<5.0	--
06/21/96	35.23	23.99	11.24	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	35.23	22.92	12.31	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	35.23	25.54	9.69	--	<50	1.5	7.2	1.3	6.2	<5.0	--
03/28/97	35.23	24.23	11.00	--	<50	5.0	8.3	0.8	4.7	<5.0	--
NOT MONITORED/SAMPLED											
C-5											
06/06/89	--	--	--	--	<50	<0.05	<0.05	<1.0	<3.0	--	--
12/08/89	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	35.31	20.21	15.10	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	35.31	20.37	14.94	--	80	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	35.31	22.25	13.06	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	35.31	21.85	13.46	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	35.31	20.17	15.14	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (<i>l.</i>)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	SPHT (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	HVOCs (<i>ppb</i>)
C-5 (cont)											
01/27/92	35.31	22.00	13.31	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	35.31	24.21	11.10	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	35.31	21.58	13.73	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	35.31	20.11	15.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	35.31	24.59	10.72	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/03/93	35.31	24.88	10.43	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	35.31	23.50	11.81	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	34.61	21.93	12.68	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	34.61	23.61	11.00 ¹	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	34.61	23.35	11.26	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ²	34.61	21.51	13.10	--	<2,500	<25	<25	<25	<25	--	--
11/09/94 ⁵	34.61	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/14/94	34.61	23.24	11.37	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/30/95	34.61	25.64	8.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	34.61	23.78	10.83	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	34.61	22.72	11.89	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	34.61	22.83	11.78	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	34.61	25.59	9.02	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	34.61	23.97	10.64	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	34.61	23.04	11.57	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	34.61	25.59	9.02	--	<50	0.7	3.2	<0.5	2.2	<5.0	--
03/28/97	34.61	24.23	10.38	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
NOT MONITORED/SAMPLED											
C-6											
12/08/89	--	--	--	--	<500	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	36.89	20.06	16.83	--	57	<0.5	<0.5	0.6	4.0	--	--
12/20/90	36.89	20.23	16.66	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	36.89	22.09	14.80	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	36.89	21.73	15.16	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	36.89	20.07	16.82	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	36.89	21.45	15.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-6 (cont)											
04/20/92	36.89	23.72	13.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	36.89	21.45	15.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	36.89	19.91	16.98	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	36.89	24.42	12.47	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	36.89	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	36.89	23.03	13.86	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	36.57	21.72	14.85	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/31/94	36.57	23.57	13.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	36.57	23.13	13.44	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ²	36.57	21.69	14.88	--	<2,500	<25	<25	<25	<25	--	--
11/09/94 ⁵	36.57	--	--	--	<50	<0.5	0.5	<0.5	<0.5	--	--
12/14/94	36.57	23.58	12.99	--	<50	0.9	1.5	1.3	2.6	--	--
03/30/95	36.57	25.80	10.77	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	36.57	23.95	12.62	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	36.57	22.92	13.65	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/11/95	36.57	22.89	13.68	--	140 ⁸	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/08/96	36.57	25.84	10.73	--	<50	<0.5	0.6	<0.5	<0.5	<5.0	--
06/21/96	36.57	24.16	12.41	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	36.57	23.10	13.47	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	36.57	25.57	11.00	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	36.57	24.51	12.06	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
NOT MONITORED/SAMPLED											
C-7											
12/08/89	--	--	--	--	1,700	32	12	17	150	--	--
09/07/90	32.75	19.73	13.02	--	880	84	23	46	180	--	--
12/20/90	32.75	20.47	12.28	--	560	24	3.0	19	21	--	--
03/06/91	32.75	15.83	16.92	--	240	25	2.0	4.0	26	--	--
06/28/91	32.75	21.44	11.31	--	2,400	130	13	82	220	--	--
09/26/91	32.75	20.47	12.28	--	8,100	47	35	350	1,200	--	--
01/27/92	32.75	21.32	11.43	--	12,000	170	40	420	830	--	--
04/20/92	32.75	23.47	9.28	--	1,200	80	11	90	110	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-7 (cont)											
07/17/92	32.75	21.26	11.49	--	2,400	20	7.4	95	200	--	--
10/29/92	32.75	19.70	13.05	--	69	1.3	<0.5	3.8	7.2	--	--
01/20/93	32.75	24.06	8.69	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	32.75	24.07	8.68	--	2,400	29	8.6	140	210	--	--
07/28/93	32.75	22.76	9.99	--	3,600	38	16	290	920	--	--
10/27/93	32.32	21.60	10.72	--	22,000	23	26	990	2,600	--	--
03/31/94	32.32	23.21	9.11	--	2,300	45	7.0	130	190	--	--
06/08/94	32.32	23.10	9.22	--	6,900	46	11	380	820	--	--
09/29/94	32.32	21.00	11.32	--	11,000	10	11	620	810	--	--
11/09/94 ⁵	32.32	--	--	--	7,800	33	18	570	1,100	--	--
12/14/94	32.32	23.33	8.99	--	7,700	63	16	140	1,200	--	--
03/30/95	32.32	25.04	7.28	--	4,100	64	18	170	280	--	--
06/30/95	32.32	23.25	9.07	--	1,200	31	3.7	21	18	--	--
09/22/95	32.32	22.27	10.05	--	1,800	64	5.7	30	38	--	--
12/11/95	32.32	23.02	9.30	--	14,000	80	6.1	91	120	70	--
03/08/96	32.32	24.99	7.33	--	2,300	57	8.4	110	180	37	--
06/21/96	32.32	23.47	8.85	--	1,100	37	3.2	21	29	9.0	--
09/27/96	32.32	23.21	9.11	--	10,000	150	30	270	670	45	--
01/03/97	32.32	24.83	7.49	--	1,800	35	<0.5	34	72	15	--
03/28/97	32.32	23.75	8.57	--	2,200	38	4.1	31	56	19	--
09/30/97	32.32	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	32.32	24.98	7.34	--	2,100 ⁸	28	7.8	70	170	<25	--
03/19/99	32.32	24.61	7.71	--	5,300	63	24	280	370	67 ¹⁰	--
03/21/00	32.32	24.57	7.75	--	2,830	19.5	5.14	116	206	11.7	--
08/28/00	32.32	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/02/01	32.32	24.06	8.26	0.00	7,620 ¹¹	54.7	<25.0	522	945	<250	--
09/04/01	32.32	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/21/02	32.32	24.10	8.22	0.00	9,300	31	8.4	460	850	<20	--
09/04/02	32.32	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/31/03	32.32	23.67	8.65	0.00	3,300	17	3.9	92	190	31	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-8											
12/08/89	--	--	--	--	4,800	62	11	95	180	--	--
09/07/90	33.82	19.50	14.32	--	3,700	170	31	180	270	--	--
12/20/90	33.82	19.61	14.20	--	3,900	120	20	130	180	--	--
03/06/91	33.82	19.02	14.80	--	1,200	45	6.0	34	57	--	--
06/28/91	33.82	21.17	12.65	--	6,900	180	46	340	640	--	--
09/26/91	33.82	19.53	14.29	--	1,400	66	9.8	38	40	--	--
01/27/92	33.82	21.22	12.60	--	3,600	100	26	170	260	--	--
04/20/92	33.82	23.46	10.36	--	2,600	110	32	180	260	--	--
07/17/92	33.82	20.94	12.88	--	1,100	34	5.9	35	52	--	--
10/29/92	33.82	19.43	14.39	--	820	29	4.8	23	27	--	--
01/20/93	33.82	23.80	10.02	--	6,000	81	22	200	310	--	--
05/03/93	33.82	24.07	9.75	--	11,000	75	96	880	2,600	--	--
07/28/93	33.82	22.68	11.14	--	2,800	60	13	92	150	--	--
10/27/93	33.25	21.24	12.01	--	2,700	49	17	60	90	--	--
03/31/94	33.25	22.98	10.27	--	190	8.6	1.7	9.1	11	--	--
06/08/94	33.25	22.69	10.56	--	2,800	52	110	78	110	--	--
09/29/94	33.25	20.83	12.42	--	3,700	120	20	120	85	--	--
11/09/94 ⁵	33.25	--	--	--	3,200	82	44	160	110	--	--
12/14/94	33.25	22.74	10.51	--	5,300	140	30	170	310	--	--
03/30/95	33.25	24.81	8.44	--	3,900	86	19	180	210	--	--
06/30/95	33.25	23.11	10.14	--	1,500	75	21	72	72	--	--
09/22/95	33.25	22.05	11.20	--	3,400	94	24	110	110	--	--
12/11/95	33.25	22.26	10.99	--	7,500	100	<0.5	160	120	130	--
03/08/96	33.25	24.79	8.46	--	3,600	93	8.9	110	88	82	--
06/21/96	33.25	23.28	9.97	--	3,200	69	6.8	100	88	19	--
09/27/96	33.25	22.47	10.78	--	7,000	98	12	150	130	53	--
01/03/97	33.25	24.43	8.82	--	5,700	43	9.3	110	95	17	--
03/28/97	33.25	23.60	9.65	--	4,900	52	4.7	70	47	50	--
09/30/97	33.25	MONITORED ANNUALLY			--	--	--	--	--	--	--
03/28/98	33.25	24.78	8.47	--	3,300 ⁸	33	4.2	110	61	<2.5	--
03/19/99	33.25	24.34	8.91	--	2,600	34	16	34	19	76 ¹⁰	--
03/21/00	33.25	24.43	8.82	--	4,300	8.45	42.3	61.1	20.3	33.3	--
08/28/00	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

WELL ID/ DATE	TOC (<i>ft.</i>)	GWE (<i>mst</i>)	DTW (<i>ft.</i>)	SPHT (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	HVOCs (<i>ppb</i>)
C-8 (cont)											
03/02/01	33.25	23.75	9.50	0.00	2,980 ¹¹	37.4	4.12	22.3	11.3	40.4	--
09/04/01	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/21/02	33.25	23.86	9.39	0.00	3,500	<20	2.0	15	8.3	<10	--
09/04/02	33.25	MONITORED/SAMPLED ANNUALLY			--	--	--	--	--	--	--
03/31/03	33.25	23.45	9.80	0.00	4,700	<20	2.1	22	11	<50	--
C-9											
09/07/90	33.43	19.37	14.06	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	33.43	19.40	14.03	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	33.43	21.31	12.12	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	33.43	21.02	12.41	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	33.43	19.41	14.02	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	33.43	20.90	12.53	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	33.43	23.21	10.22	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	33.43	20.79	12.64	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	33.43	19.23	14.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	33.43	23.71	9.72	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	33.43	23.66	9.55	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	33.43	22.45	10.98	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	32.97	20.99	11.98	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/31/94	32.97	22.80	10.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	32.97	22.44	10.53	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94 ²	32.97	20.57	12.40	--	<5,000	<50	<50	<50	<50	--	--
11/09/94 ⁵	32.97	--	--	--	<50	<0.5	<0.5	<0.5	0.7	--	--
12/14/94	32.97	22.48	10.49	--	69	1.1	2.2	3.4	7.8	--	--
03/30/95	32.97	24.77	8.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	32.97	23.00	9.97	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	32.97	21.90	11.07	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	32.97	21.89	11.08	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/08/96	32.97	24.77	8.20	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	32.97	23.16	9.81	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	32.97	22.06	10.91	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-9 (cont)											
01/03/97	32.97	24.30	8.67	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	32.97	23.50	9.47	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/30/97	32.97	21.36	11.61	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/28/98	32.97	24.71	8.26	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	32.97	22.73	10.24	--	<50	5.7	1.4	1.4	1.8	4.9	--
03/19/99	32.97	24.27	8.70	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	32.97	22.00	10.97	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	32.97	24.38	8.59	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	32.97	22.02	10.95	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	32.97	23.57	9.40	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	32.97	21.66	11.31	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/21/02	32.97	23.72	9.25	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	32.97	21.93	11.04	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	32.97	23.29	9.68	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
C-10											
09/07/90	31.63	19.14	12.49	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	31.63	19.27	12.36	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	31.63	21.18	10.45	--	<50	<0.5	0.8	<0.5	0.8	--	--
06/28/91	31.63	20.69	10.74	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	31.63	19.21	12.42	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	31.63	20.79	10.84	--	<50	<0.5	1.3	<0.5	<0.5	--	--
01/27/92 (D)	31.63	--	--	--	<50	<0.5	1.3	<0.5	<0.5	--	--
04/20/92	31.63	23.06	8.55	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	31.63	20.61	11.02	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	31.63	19.23	12.40	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	31.63	23.49	8.14	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/03/93	31.63	23.71	7.92	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	31.63	22.27	9.36	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	31.16	20.86	10.30	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
03/31/94	31.16	22.71	8.45	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	31.16	22.31	8.85	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (<i>ft.</i>)	GWE (<i>msl</i>)	DTW (<i>ft.</i>)	SPHT (<i>ft.</i>)	TPH-G (<i>ppb</i>)	B (<i>ppb</i>)	T (<i>ppb</i>)	E (<i>ppb</i>)	X (<i>ppb</i>)	MTBE (<i>ppb</i>)	HVOCs (<i>ppb</i>)
C-10 (cont)											
09/29/94 ²	31.16	20.46	10.70	--	<5,000	<50	<50	<50	<50	--	--
11/09/94 ⁵	31.16	--	--	--	<50	<0.5	1.4	0.8	1.2	--	--
12/14/94	31.16	22.55	8.61	--	110	3.9	5.4	4.3	11	--	--
03/30/95	31.16	24.51	6.65	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	31.16	22.86	8.30	--	<50	1.5	1.5	<0.5	2.2	--	--
09/22/95	31.16	21.75	9.41	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/11/95	31.16	21.89	9.27	--	<50	<0.5	<0.5	<0.5	0.5	<5.0	--
03/08/96	31.16	24.53	6.63	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	31.16	23.04	8.12	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	31.16	21.95	9.21	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	31.16	23.84	7.32	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	31.16	23.34	7.82	--	<50	1.2	1.8	<0.5	0.8	<5.0	--
09/30/97	31.16	21.34	9.82	--	<250 ⁹	<2.5	<2.5	<2.5	<2.5	<2.5	--
03/28/98	31.16	24.60	6.56	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	31.16	22.65	8.51	--	<50	<0.5	<0.5	<0.5	<0.5	9.2 ¹⁰	--
03/19/99	31.16	24.00	7.16	--	<50	<0.5	<0.5	<0.5	<0.5	6.38	--
09/21/99	31.16	21.87	9.29	--	<50	<0.5	<0.5	<0.5	<0.5	10.6	--
03/21/00	31.16	24.54	6.62	--	<50	<0.5	<0.5	<0.5	<0.5	7.7	--
08/28/00	31.16	21.86	9.30	0.00	<50	<0.50	<0.50	<0.50	<0.50	<5.00	--
03/02/01	31.16	23.41	7.75	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<2.5	--
09/04/01	31.16	21.54	9.62	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/21/02	31.16	23.56	7.60	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	31.16	21.76	9.40	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	31.16	23.14	8.02	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--
C-11											
09/07/90	31.58	19.36	12.22	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	31.58	19.50	12.08	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	31.58	15.43	16.15	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	31.58	21.06	10.52	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	31.58	19.38	12.20	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	31.58	20.85	10.73	--	<50	<0.5	0.8	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
C-11 (cont)											
04/20/92	31.58	23.02	8.56	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	31.58	20.80	10.78	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	31.58	19.51	12.07	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	31.58	21.61	7.97	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/03/93	31.58	23.63	7.95	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	31.58	22.27	9.31	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	31.23	21.06	10.17	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/31/94	31.23	22.80	8.43	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	31.23	22.47	8.76	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/29/94	31.23	20.69	10.54	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/09/94	--	--	--	--	<50	<0.5	0.6	<0.5	0.7	--	--
12/14/94	31.23	22.73	8.50	--	51	1.1	1.7	1.6	4.0	--	--
03/30/95	31.23	24.38	6.85	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	31.23	22.89	8.34	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	31.23	21.93	9.30	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/11/95	31.23	22.22	9.01	--	<50	<0.5	<0.5	<0.5	1.1	1.1	--
03/08/96	31.23	24.33	6.90	--	<50	<0.5	0.6	<0.5	1.6	<5.0	--
06/21/96	31.23	23.13	8.10	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	31.23	22.16	9.07	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	31.23	24.10	7.13	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	31.23	21.40	9.83	--	120	12	20	2.3	14	<5.0	--
09/30/97	31.23	21.56	9.67	--	<50	0.7	0.8	<0.5	0.6	<5.0	--
03/28/98	31.23	24.40	6.83	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	31.23	22.72	8.51	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	31.23	24.06	7.17	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/21/99	31.23	22.02	9.21	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/21/00	31.23	24.13	7.10	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/28/00	31.23	22.04	9.19	0.00	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	31.23	23.34	7.89	0.00	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	31.23	21.78	9.45	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/21/02	31.23	23.66	7.57	0.00	<250	<1.0	<1.0	<1.0	<3.0	<2.5	--
09/04/02	31.23	21.98	9.25	0.00	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	31.23	23.26	7.97	0.00	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
TRIP BLANK					<50	<0.5	<0.5	<0.5	<0.5	--	--
09/07/90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/20/90	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/06/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/28/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/26/91	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/27/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/20/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
07/17/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
10/29/92	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/20/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
05/03/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
07/28/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
10/27/93	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/31/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/08/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/09/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/14/94	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/30/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/22/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--
12/11/95	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/08/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
06/21/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/27/96	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
01/03/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/28/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/30/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/28/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/19/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/21/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/21/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

WELL ID/ DATE	TOC (<i>µ</i> L)	GWE (msl)	DTW (ft.)	SPHT (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	HVOCs (ppb)
TRIP BLANK (cont)											
08/28/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/02/01	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--
09/04/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
QA											
03/21/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
09/04/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
03/31/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-0504
15900 Hesperian Boulevard
San Lorenzo, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to August 28, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing	TPH-G = Total Petroleum Hydrocarbons as Gasoline	HVOCs = Halogenated Volatile Organic Compounds
(ft.) = Feet	B = Benzene	(ppb) = Parts per billion
GWE = Groundwater Elevation	T = Toluene	(D) = Duplicate
(msl) = Mean sea level	E = Ethylbenzene	ND = Not Detected
DTW = Depth to Water	X = Xylenes	-- = Not Measured/Not Analyzed
SPHT = Separate Phase Hydrocarbons	MTBE = Methyl tertiary butyl ether	QA = Quality Assurance/Trip Blank

- ¹ Depth to water measured from top of well vault.
- ² Detection limit raised due to foaming sample.
- ³ Other HVOCs were not detected at detection limits of 0.5-1.0 ppb.
- ⁴ Chloroform detected at <0.5 ppb.
- ⁵ All site monitoring wells were re-sampled due to an excessive number of foaming samples on the 09/29/94 event.
- ⁶ Chloroform detected at 1.8 ppb.
- ⁷ Laboratory report indicates uncategorized compounds are not included in gas concentration.
- ⁸ Chromatogram pattern indicates an unidentified hydrocarbon.
- ⁹ Laboratory report indicates sample diluted due to foaming.
- ¹⁰ MTBE value was reported from a re-analysis on 04/01/99.
- ¹¹ Laboratory report indicates weathered gasoline C6-C12.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Chevron Service Station #9-0504
 15900 Hesperian Boulevard
 San Lorenzo, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
C-1 03/19/99	<2,500	<500	270	<10	<10	<10
C-2 03/19/99	<2,500	<500	330	<10	<10	<10
C-3 03/19/99	<500	<100	8.0	<2.0	<2.0	<2.0
C-7 03/19/99	<500	<100	<2.0	<2.0	<2.0	<2.0
C-8 03/19/99	<500	<100	10	<2.0	<2.0	<2.0
C-10 03/19/99	<500	<100	6.7	<2.0	<2.0	<2.0

EXPLANATIONS:

Groundwater laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = Tertiary butyl alcohol

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary butyl ether

TAME = Tertiary amyl methyl ether

(ppb) = Parts per billion

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0504 Job Number: 385259
 Site Address: 15900 Hesperian Blvd. Event Date: 3/31/07 (inclusive)
 City: San Lorenzo, CA Sampler: San Hean

Well ID: C-1 Date Monitored: 3/31/07 Well Condition: ok
 Well Diameter: 2 1/8 in.
 Total Depth: 18.23 ft.
 Depth to Water: 8.87 ft.
9.36 xVF .38 = 3.55 x3 (case volume) = Estimated Purge Volume: 10.6 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailor _____
 Stainless Steel Bailor _____
 Stack Pump _____
 Suction Pump X
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailor X
 Pressure Bailor _____
 Discrete Bailor _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1315 Weather Conditions: clean
 Sample Time/Date: 1335 3/31/07 Water Color: cloudy Odor: no
 Purging Flow Rate: 3 gpm. Sediment Description: 1.7/1.1
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1316</u>	<u>3</u>	<u>7.48</u>	<u>669</u>	<u>23.1</u>		
<u>1317</u>	<u>6</u>	<u>7.10</u>	<u>737</u>	<u>21.5</u>		
<u>1318</u>	<u>9</u>	<u>6.95</u>	<u>729</u>	<u>21.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-1</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>

COMMENTS: New total well depth taken

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0504 Job Number: 385259
 Site Address: 15900 Hesperian Blvd. Event Date: 3/31/03 (inclusive)
 City: San Lorenzo, CA Sampler: Jim Herpin

Well ID: C-2 Date Monitored: 3/31/03 Well Condition: O/C
 Well Diameter: 2 1/8 in.
 Total Depth: 17.51 ft.
 Depth to Water: 8.93 ft.
8.58 xVF .38 = 3.26 x3 (case volume) = Estimated Purge Volume: 9.78 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Baller _____
 Stainless Steel Baller _____
 Stack Pump _____
 Suction Pump X
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Baller >
 Pressure Baller _____
 Discrete Baller _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description:
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1345 Weather Conditions: clear
 Sample Time/Date: 1405 3/31/03 Water Color: cloudy Odor: yes
 Purging Flow Rate: 3 gpm. Sediment Description: light
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1346</u>	<u>3</u>	<u>7.67</u>	<u>212</u>	<u>23.1</u>	_____	_____
<u>1347</u>	<u>6</u>	<u>7.49</u>	<u>205</u>	<u>21.1</u>	_____	_____
<u>1348</u>	<u>9</u>	<u>7.28</u>	<u>208</u>	<u>20.3</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-2</u>	<u>3</u> x vob vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: New total well depth taken

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0504
 Site Address: 15900 Hesperian Blvd.
 City: San Lorenzo, CA

Job Number: 385259
 Event Date: 3/31/03 (inclusive)
 Sampler: Jim Heenan

Well ID: C-3
 Well Diameter: 2 1/3 in.
 Total Depth: 19.22 ft.
 Depth to Water: 11.15 ft.
8.07 xVF 38 = 3.06

Date Monitored: 3/31/03 Well Condition: OK see comments

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

x3 (case volume) = Estimated Purge Volume: 9.19 gal.

Purge Equipment:

Disposable Bailor _____
 Stainless Steel Bailor _____
 Stack Pump _____
 Suction Pump 8
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailor 2
 Pressure Bailor _____
 Discrete Bailor _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Bailed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Product Transferred to:	_____

Start Time (purge): 1415 Weather Conditions: clear
 Sample Time/Date: 1430 13/31/03 Water Color: cloudy Odor: no
 Purging Flow Rate: 3 gpm. Sediment Description: Heavy
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1416</u>	<u>3</u>	<u>6.98</u>	<u>867</u>	<u>21.1</u>	_____	_____
<u>1417</u>	<u>6</u>	<u>6.92</u>	<u>881</u>	<u>20.8</u>	_____	_____
<u>1418</u>	<u>9</u>	<u>6.90</u>	<u>882</u>	<u>20.6</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-3</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: Well has flip cap, needs to be replaced
New tool taken

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0504
 Site Address: 15900 Hesperian Blvd.
 City: San Lorenzo, CA

Job Number: 385259
 Event Date: 3/31/03 (inclusive)
 Sampler: Jim Heenan

Well ID: C-7
 Well Diameter: 013 in.
 Total Depth: 24.73 ft.
 Depth to Water: 8.65 ft.

Date Monitored: 3/31/03 Well Condition: See Comments

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

16.08 xVF .17 = 2.73 x3 (case volume) = Estimated Purge Volume: 8.20 gal.

Purge Equipment:

Disposable Bailer: X
 Stainless Steel Bailer: _____
 Stack Pump: _____
 Suction Pump: _____
 Grundfos: _____
 Other: _____

Sampling Equipment:

Disposable Bailer: X
 Pressure Bailer: _____
 Discrete Bailer: _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 10:10 Weather Conditions: clear
 Sample Time/Date: 11:00 3/31/03 Water Color: clear Odor: Yes
 Purging Flow Rate: _____ gpm. Sediment Description: None
 Did well de-water? No If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1043</u>	<u>2.5</u>	<u>7.37</u>	<u>1125</u>	<u>21.8</u>		
<u>1047</u>	<u>5.0</u>	<u>6.91</u>	<u>1101</u>	<u>21.5</u>		
<u>1051</u>	<u>8.0</u>	<u>6.86</u>	<u>1080</u>	<u>21.4</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-7</u>	<u>3</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>

COMMENTS: Well Has Flip cap, Needs to Be Replaced
New total well Depth taken

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0504
 Site Address: 15900 Hesperian Blvd.
 City: San Lorenzo, CA

Job Number: 385259
 Event Date: 3/31/03 (inclusive)
 Sampler: Sim Hecman

Well ID: C-8
 Well Diameter: (2) 1 3 in.
 Total Depth: 24.74 ft.
 Depth to Water: 9.80 ft.
14.94 xVF .17 = 2.54

Date Monitored: 3/31/03 Well Condition: OK *See comments*

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

x3 (case volume) = Estimated Purge Volume: 7.5 gal.

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description:
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1115 Weather Conditions: clear
 Sample Time/Date: 1130 13/31/03 Water Color: clear Odor: yes
 Purging Flow Rate: _____ gpm. Sediment Description: light
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1118</u>	<u>2.5</u>	<u>7.33</u>	<u>991</u>	<u>20.9</u>		
<u>1121</u>	<u>5.0</u>	<u>6.79</u>	<u>989</u>	<u>20.8</u>		
<u>1125</u>	<u>7.5</u>	<u>6.76</u>	<u>985</u>	<u>20.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-8</u>	<u>3</u> x vov vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>

COMMENTS: New twd taken
well has Flp cap, needs to be replaced

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0504
 Site Address: 15900 Hesperian Blvd.
 City: San Lorenzo, CA

Job Number: 385259
 Event Date: 3/31/07 (inclusive)
 Sampler: Sim Hagan

Well ID: C-9
 Well Diameter: 213 in.
 Total Depth: 24.52 ft.
 Depth to Water: 9.90 ft.

Date Monitored: 3-31-07

Well Condition: See comments

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.86	5" = 1.02	6" = 1.50	12" = 5.80

14.72 x VF 1.17 = 2.52 x3 (case volume) = Estimated Purge Volume: 7.56 gal.

Purge Equipment: 14.84
 Disposable Baller X
 Stainless Steel Baller _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Baller X
 Pressure Baller _____
 Discrete Baller _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1750 Weather Conditions: clear
 Sample Time/Date: 1205 3/31/07 Water Color: clear Odor: yes
 Purging Flow Rate: - gpm. Sediment Description: light
 Did well de-water? no If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1153</u>	<u>2.5</u>	<u>8.19</u>	<u>221</u>	<u>18.8</u>	_____	_____
<u>1156</u>	<u>5.0</u>	<u>7.97</u>	<u>187</u>	<u>18.5</u>	_____	_____
<u>1200</u>	<u>7.5</u>	<u>7.90</u>	<u>189</u>	<u>18.3</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-9</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: New tool taken
well has flip cap, needs to be replaced

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0504 Job Number: 385259
 Site Address: 15900 Hesperian Blvd. Event Date: 3/31/07 (inclusive)
 City: San Lorenzo, CA Sampler: Sam Hanna

Well ID: C-10 Date Monitored: 3/31/07 Well Condition: OK See Comments
 Well Diameter: 2 1/3 in.
 Total Depth: 24.51 ft.
 Depth to Water: 8.02 ft.
 Volume Factor (VF): 16.49 x VF .17 = 2.80 x3 (case volume) = Estimated Purge Volume: 8.40 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Product Transferred to: _____

Start Time (purge): 1210 Weather Conditions: clear
 Sample Time/Date: 1230 3/31/07 Water Color: clear Odor: yes
 Purging Flow Rate: _____ gpm. Sediment Description: 1.2H
 Did well de-water? Y If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1214</u>	<u>3</u>	<u>7.39</u>	<u>787</u>	<u>20.2</u>		
<u>1218</u>	<u>6</u>	<u>7.30</u>	<u>854</u>	<u>20.6</u>		
<u>1222</u>	<u>9</u>	<u>7.05</u>	<u>874</u>	<u>20.7</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-10</u>	<u>3</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>

COMMENTS: New Turb taken
well has flip cap lid, needs to be replaced

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0504 Job Number: 385259
 Site Address: 15900 Hesperian Blvd. Event Date: 3/31/03 (inclusive)
 City: San Lorenzo, CA Sampler: Jim Heuer

Well ID: C-11 Date Monitored: 3/31/03 Well Condition: OK See Comments
 Well Diameter: 2 1/3 in.
 Total Depth: 24.55 ft.
 Depth to Water: 7.97 ft.
16.58 xVF .17 = 2.81 x3 (case volume) = Estimated Purge Volume: 8.43 gal.

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.60	12"= 5.80

Purge Equipment:
 Disposable Baller ✓
 Stainless Steel Baller _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Baller ×
 Pressure Baller _____
 Discrete Baller _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Bailed: _____ (2400 hrs)
 Depth to Product: _____ ft.
 Depth to Water: _____ ft.
 Hydrocarbon Thickness: _____ ft.
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal.
 Amt Removed from Well: _____ gal.
 Product Transferred to: _____

Start Time (purge): 1240 Weather Conditions: c/can
 Sample Time/Date: 1305 3/31/03 Water Color: clear Odor: no
 Purging Flow Rate: _____ gpm. Sediment Description: None
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>1249</u>	<u>3</u>	<u>7.48</u>	<u>880</u>	<u>20.3</u>		
<u>1253</u>	<u>6</u>	<u>7.22</u>	<u>870</u>	<u>19.7</u>		
<u>1258</u>	<u>9</u>	<u>7.11</u>	<u>879</u>	<u>19.7</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>C-11</u>	<u>3</u> x vqa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8021)</u>

COMMENTS: New tube taken
well has flip cap, needs to be replaced

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



040203-006

For Lancaster Laboratories use only
 Acct. #: 10904 Sample #: 4077024-37 SCR#: _____

9 847195

Facility #: SS#9-0504 G-R#385259 Global ID#T0600100302
 Site Address: 15900 HESPERIAN BLVD., SAN LORENZO, CA
 Chevron PM: KS Lead Consultant: CAMBRIA
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)
 Consultant Phone #: 925-551-7555 Fax #: 925-551-7899
 Sampler: Jill Herrin
 Service Order #: _____ Non SAR:

Matrix		Analyses Requested													
		Preservation Codes													
Soil	Water	Oil	Air	Total Number of Containers							Preservative Codes				
<input type="checkbox"/> Potable <input type="checkbox"/> NPDES				BTEX + MTBE 8260	TPH 8015 MOD	TPH 8015 MOD PRO	8260 full scan	Oxygenates	Lead 7420	7421					
				2	X	X									
	X			3	X	X									
	X			3	X	X									
	X			3	X	X									
	X			3	X	X									
	X			3	X	X									
	X			3	X	X									
	X			3	X	X									

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD	TPH 8015 MOD PRO	8260 full scan	Oxygenates	Lead 7420	7421
QIA	3/31/03		X						2	X	X					
C-1		1335	X			X			3	X	X					
C-2		1405	X			X			3	X	X					
C-3		1430	X			X			3	X	X					
C-7		1100	X			X			3	X	X					
C-8		1130	X			X			3	X	X					
C-9		1205	X			X			3	X	X					
C-10		1230	X			X			3	X	X					
C-11		1305	X			X			3	X	X					

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)

STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)

QC Summary Type I — Full
 Type VI (Raw Data) Coet Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>[Signature]</u>	Date: <u>3/31/03</u>	Time: <u>1538</u>	Received by: <u>[Signature]</u>	Date: <u>4/2/03</u>	Time: <u>1250</u>
Relinquished by: <u>[Signature]</u>	Date: <u>4/2/03</u>	Time: <u>1430</u>	Received by: <u>Bernardo Amaya</u>	Date: <u>4/2/03</u>	Time: <u>1440</u>
Relinquished by: <u>Bernardo Amaya</u>	Date: <u>4/2/03</u>	Time: <u>1530</u>	Received by: <u>Airborne</u>	Date: <u>4/2/03</u>	Time: _____
Relinquished by Commercial Carrier: UPS FedEx Other: <u>Airborne</u>	Temperature Upon Receipt: <u>3.0 C°</u>		Received by: <u>[Signature]</u>	Date: <u>4/3/03</u>	Time: <u>0925</u>
Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310San Ramon CA 94583
925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425**SAMPLE GROUP**

The sample group for this submittal is 847195. Samples arrived at the laboratory on Thursday, April 03, 2003. The PO# for this group is 99011184 and the release number is STREICH.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-030331	NA Water	4022024
C-1-W-030331	Grab Water	4022025
C-2-W-030331	Grab Water	4022026
C-3-W-030331	Grab Water	4022027
C-7-W-030331	Grab Water	4022028
C-8-W-030331	Grab Water	4022029
C-9-W-030331	Grab Water	4022030
C-10-W-030331	Grab Water	4022031
C-11-W-030331	Grab Water	4022032


ELECTRONIC Gettler-Ryan
COPY TO
1 COPY TO Cambria C/O Gettler- Ryan

Attn: Cheryl Hansen

Attn: Deanna L. Harding

Questions? Contact your Client Services Representative
Teresa L. Cunningham at (717) 656-2300.

Respectfully Submitted,



Victoria M. Martel
Chemist

Lancaster Laboratories Sample No. WW 4022024

Collected: 03/31/2003 00:00

Account Number: 10904

Submitted: 04/03/2003 09:25

ChevronTexaco

Reported: 04/08/2003 at 18:19

6001 Bollinger Canyon Rd L4310

Discard: 05/09/2003

QA-T-030331

NA

Water

San Ramon CA 94583

Facility# 90504

Job# 385259

GRD

15900 Hesperian Blvd

T0600100302 QA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	0.5	ug/l	1
02164	Toluene	108-88-3	N.D.	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	04/07/2003 21:51	Melissa D Mann	1
02159	BTEX, MTBE	SW-846 8021B	1	04/07/2003 21:51	Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	04/07/2003 21:51	Melissa D Mann	n.a.

Lancaster Laboratories Sample No. WW 4022025

Collected: 03/31/2003 13:35 by JH

Account Number: 10904

Submitted: 04/03/2003 09:25

Reported: 04/08/2003 at 18:19

Discard: 05/09/2003

C-1-W-030331

Grab Water

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

 Facility# 90504 Job# 385259
 15900 Hesperian Blvd T0600100302 C-1

GRD

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	0.5	ug/l	1
02164	Toluene	108-88-3	N.D.	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	40.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	04/08/2003 00:34	Melissa D Mann	1
02159	BTEX, MTBE	SW-846 8021B	1	04/08/2003 00:34	Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	04/08/2003 00:34	Melissa D Mann	n.a.

Lancaster Laboratories Sample No. WW 4022026

Collected: 03/31/2003 14:05 by JH

Account Number: 10904

Submitted: 04/03/2003 09:25

ChevronTexaco

Reported: 04/08/2003 at 18:19

6001 Bollinger Canyon Rd L4310

Discard: 05/09/2003

C-2-W-030331

Grab Water

San Ramon CA 94583

Facility# 90504

Job# 385259

GRD

15900 Hesperian Blvd

T0600100302 C-2

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	0.5	ug/l	1
02164	Toluene	108-88-3	1.0	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.	2.0	ug/l	1
02171	Total Xylenes	1330-20-7	2.6	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

Due to the presence of an interferent near its retention time, the normal reporting limit was not attained for ethylbenzene. The presence or concentration of this compound cannot be determined due to the presence of this interferent.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis			Analyst	Dilution Factor
			Trial#	Date and Time			
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	04/08/2003 01:07		Melissa D Mann	1
02159	BTEX, MTBE	SW-846 8021B	1	04/08/2003 01:07		Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	04/08/2003 01:07		Melissa D Mann	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4022027

Collected: 03/31/2003 14:30 by JH

Account Number: 10904

Submitted: 04/03/2003 09:25
 Reported: 04/08/2003 at 18:19
 Discard: 05/09/2003

ChevronTexaco
 6001 Bollinger Canyon Rd L4310

C-3-W-030331 Grab Water
 Facility# 90504 Job# 385259 GRD
 15900 Hesperian Blvd T0600100302 C-3

San Ramon CA 94583

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	0.5	ug/l	1
02164	Toluene	108-88-3	N.D.	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	04/08/2003 01:39		Melissa D Mann	1
02159	BTEX, MTBE	SW-846 8021B	1	04/08/2003 01:39		Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	04/08/2003 01:39		Melissa D Mann	n.a.

Lancaster Laboratories Sample No. WW 4022028

Collected: 03/31/2003 11:00 by JH

Account Number: 10904

Submitted: 04/03/2003 09:25

ChevronTexaco

Reported: 04/08/2003 at 18:19

6001 Bollinger Canyon Rd L4310

Discard: 05/09/2003

C-7-W-030331

Grab

Water

San Ramon CA 94583

Facility# 90504

Job# 385259

GRD

15900 Hesperian Blvd

T0600100302 C-7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	3,300.	50.	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
Due to the nature of the sample matrix, the surrogate standard recovery is above the range of specifications.						
02159	BTEX, MTBE					
02161	Benzene	71-43-2	17.	0.5	ug/l	1
02164	Toluene	108-88-3	3.9	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	92.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	190.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	31.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
Due to the nature of the sample matrix, the surrogate standard recovery is above the range of specifications.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date	Time		
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	04/08/2003	02:12	Melissa D Mann	1
02159	BTEX, MTBE	SW-846 8021B	1	04/08/2003	02:12	Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	04/08/2003	02:12	Melissa D Mann	n.a.

Lancaster Laboratories Sample No. **WW 4022029**

Collected: 03/31/2003 11:30 by JH

Account Number: 10904

Submitted: 04/03/2003 09:25

Reported: 04/08/2003 at 18:19

Discard: 05/09/2003

C-8-W-030331

Facility# 90504

15900 Hesperian Blvd

Grab

Job# 385259

T0600100302 C-8

Water

GRD

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	4,700.	50.	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
Due to the nature of the sample matrix, the surrogate standard recovery is above the range of specifications.						
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	20.	ug/l	1
02164	Toluene	108-88-3	2.1	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	22.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	11.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	50.	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

Due to the presence of interferents near their retention time, normal reporting limits were not attained for MTBE and benzene. The presence or concentration of these compounds cannot be determined below the reporting limits due to the presence of these interferents.

Due to the nature of the sample matrix, the surrogate standard recovery is above the range of specifications.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	04/08/2003 09:49	Melissa D Mann	1
02159	BTEX, MTBE	SW-846 8021B	1	04/08/2003 09:49	Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	04/08/2003 09:49	Melissa D Mann	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 2 of 2

Lancaster Laboratories Sample No. WW 4022029

Collected: 03/31/2003 11:30 by JH

Account Number: 10904

Submitted: 04/03/2003 09:25

Reported: 04/08/2003 at 18:19

Discard: 05/09/2003

C-8-W-030331

Grab Water

Facility# 90504

Job# 385259

GRD

15900 Hesperian Blvd

T0600100302 C-8

ChevronTexaco

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

Lancaster Laboratories Sample No. WW 4022030

Collected: 03/31/2003 12:05 by JH

Account Number: 10904

Submitted: 04/03/2003 09:25

ChevronTexaco

Reported: 04/08/2003 at 18:20

6001 Bollinger Canyon Rd L4310

Discard: 05/09/2003

 C-9-W-030331 Grab Water
 Facility# 90504 Job# 385259 GRD
 15900 Hesperian Blvd T0600100302 C-9

San Ramon CA 94583

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time. A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	0.5	ug/l	1
02164	Toluene	108-88-3	N.D.	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01729	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	04/07/2003 17:31		Melissa D Mann	1
02159	BTEX, MTBE	SW-846 8021B	1	04/07/2003 17:31		Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	04/07/2003 17:31		Melissa D Mann	n.a.

Lancaster Laboratories Sample No. WW 4022031

Collected: 03/31/2003 12:30 by JH

Account Number: 10904

 Submitted: 04/03/2003 09:25
 Reported: 04/08/2003 at 18:20
 Discard: 05/09/2003
 C-10-W-030331

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310

Grab Water

San Ramon CA 94583

 Facility# 90504 Job# 385259 GRD
 15900 Hesperian Blvd T0600100302 C-10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	0.5	ug/l	1
02164	Toluene	108-88-3	N.D.	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	04/07/2003 18:03	Melissa D Mann	1
02159	BTEX, MTBE	SW-846 8021B	1	04/07/2003 18:03	Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	04/07/2003 18:03	Melissa D Mann	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2881 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No **WW 4022032**

Collected: 03/31/2003 13:05 by JH

Account Number: 10904

Submitted: 04/03/2003 09:25

ChevronTexaco

Reported: 04/08/2003 at 18:20

6001 Bollinger Canyon Rd L4310

Discard: 05/09/2003

C-11-W-030331

Grab Water

San Ramon CA 94583

Facility# 90504 Job# 385259
15900 Hesperian Blvd T0600100302 C-11

GRD

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO - Waters					
01730	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						
02159	BTEX, MTBE					
02161	Benzene	71-43-2	N.D.	0.5	ug/l	1
02164	Toluene	108-88-3	N.D.	0.5	ug/l	1
02166	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
02171	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
02172	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO - Waters	N. CA LUFT Gasoline	1	04/07/2003 18:36	Melissa D Mann	1
02159	BTEX, MTBE	SW-846 8021B	1	04/07/2003 18:36	Melissa D Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	04/07/2003 18:36	Melissa D Mann	n.a.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/08/03 at 06:20 PM

Group Number: 847195

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 03094A55A Sample number(s): 4022024-4022028, 4022030-4022032								
TPH-GRO - Waters	N.D.	50.	ug/l	105	105	70-130	1	30
Benzene	N.D.	.5	ug/l	96	99	80-118	2	30
Toluene	N.D.	.5	ug/l	103	102	82-119	0	30
Ethylbenzene	N.D.	.5	ug/l	103	103	81-119	0	30
Total Xylenes	N.D.	1.5	ug/l	104	104	82-120	0	30
Methyl tert-Butyl Ether	N.D.	2.5	ug/l	108	108	79-127	0	30
Batch number: 03094A55B Sample number(s): 4022029								
TPH-GRO - Waters	N.D.	50.	ug/l	105	105	70-130	1	30
Benzene	N.D.	.5	ug/l	96	99	80-118	2	30
Toluene	N.D.	.5	ug/l	103	102	82-119	0	30
Ethylbenzene	N.D.	.5	ug/l	103	103	81-119	0	30
Total Xylenes	N.D.	1.5	ug/l	104	104	82-120	0	30
Methyl tert-Butyl Ether	N.D.	2.5	ug/l	108	108	79-127	0	30

Sample Matrix Quality Control

Analysis Name	MS	MSD	MS/MSD	RPD	BKG	DUP	DUP	Dup
	%REC	%REC	Limits	RPD	MAX	Conc	RPD	RPD Max
Batch number: 03094A55A Sample number(s): 4022024-4022028, 4022030-4022032								
TPH-GRO - Waters	102		70-130					
Benzene	105		67-136					
Toluene	109		78-129					
Ethylbenzene	110		75-133					
Total Xylenes	110		86-132					
Methyl tert-Butyl Ether	109		66-136					
Batch number: 03094A55B Sample number(s): 4022029								
TPH-GRO - Waters	102		70-130					
Benzene	105		67-136					
Toluene	109		78-129					
Ethylbenzene	110		75-133					
Total Xylenes	110		86-132					
Methyl tert-Butyl Ether	109		66-136					

Surrogate Quality Control

Analysis Name: BTEX, MTBE
Batch number: 03094A55A

	Trifluorotoluene-F	Trifluorotoluene-P
4022024	99	115
4022025	94	112
4022026	98	113
4022027	98	116
4022028	152*	172*
4022030	96	115

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 04/08/03 at 06:20 PM

Group Number: 847195

Surrogate Quality Control

4022031	95	113
4022032	98	114
Blank	99	114
LCS	102	112
LCSD	101	114
MS	101	114

Limits: 57-146 66-136

Analysis Name: BTEX, MTBE

Batch number: 03094A55B

Trifluorotoluene-F

Trifluorotoluene-P

4022029	300*	298*
Blank	97	113
LCS	102	112
LCSD	101	114
MS	101	114

Limits: 57-146 66-136

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result falls within the Method Detection Limit (MDL) and Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

Inorganic Qualifiers

A	TIC is a possible aldol-condensation product	B	Value is <CRDL, but ≥DL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns >25%	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.