

URIBE & ASSOCIATES
ENVIRONMENTAL CONSULTING SERVICES



DATE 8/1/94
PAGES INCLUDING COVER PAGE 2

(If you did not receive any of these pages, please contact U&A immediately)

ATTENTION

Jennifer Eberle

phone # 271-4530

COMPANY

Alameda County Hazardous Materials

FAX # 337-9335

FROM

John Borrego

Oakland Palo Alto Bakersfield Livermore

SUBJECT/
COMMENTS:

Summary Table of Product thicknesses
at 2277 Seventh St Oakland.

Please call if you have any questions,
this week we will probably bail on Wednesday

Original will not follow

Original will follow via:

Code:

96-209

OAKLAND

2930 Lakeshore Ave., Suite 200, Oakland, CA 94610
Voice 510-832-2233 Modem 510-832-6690
FAX-832-2237

PALO ALTO

220 California Ave., Suite 201, Palo Alto, CA 94306
Voice 415-325-9195 Modem 415-325-9197
FAX-325-9194

BAKERSFIELD

110 New Stine Road, Suite E, Bakersfield, CA 93309
Voice 805-832-4226 Modem 805-832-0452
FAX-832-8745

LIVERMORE

Lawrence Livermore National Laboratory
DOE T-5974, 7000 East Ave., Livermore, CA 94550
510-422-0710
FAX-423-7601


**Product Column Data for
Groundwater Monitoring Wells at
Shipper's Imperial Site, 2277 Seventh Street, Oakland**

Well Date	Reference Elevation (ft.) ¹	Well Depth ²	Depth to Product ²	Depth to Groundwater ²	Thickness of Product in Well	Estimated Amount Bailed (gal.) ¹
MW-1	14.17	15.4				
6/30/94			9.20	9.75	0.55	1.5
7/08/94			9.12	9.88	0.76	1.5
7/14/94			9.12	9.90	0.78	1.5
7/22/94			9.16	9.78	0.62	na
7/29/94			9.13	10.00	0.87 ↑	3
MW-2	14.38	15.18				
7/22/94			na	9.58	na	na
7/29/94			na	9.51	na	na
MW-3	14.24	15.3				
6/30/94			8.83	14.97	6.14	45
7/08/94			8.34	14.85	6.51	45
7/14/94			8.35	14.41	6.06	45
7/22/94			8.45	14.32	5.87	na
7/29/94			8.90	14.45	5.55 ↓	18

Notes:

na = not applicable

- 1 Reference elevation is top of well casing and relative to Port of Oakland Datum (3.2 feet below MSL). Reference elevations surveyed on June 8, 1994 by Greiner Associates.
- 2 Depths measured from top of well casing.
- 3 For MW-1 the estimated amount bailed is approximately 75% product vs. 25% water, For MW-3 the estimated amount bailed is 100% product.



98-201-1782-34-04

MEASURED FROM DIRECTION
 GEOMONITORING