

DIETZ IRRIGATION

Engineers and Contractors

Serving Agriculture and Industry

Lic. #638281

FAX NUMBER (209) 833-1288

FAX COVER SHEET

DATE:

10/28/98

COMPANY:

Alameda County

ATTENTION:

Randy Seto

LOCATION:

PHONE #:

FAX #: 510 337 9335

NO. OF PAGES:

2

(INCLUDING COVER SHEET)

IF YOU DO NOT RECEIVE THE CORRECT NUMBER OF PAGES PLEASE CALL

(209) 832-2910

COMMENTS/MESSAGE:

*Attached are the PNA results from the second spread
at 208 Jackson St.*

Bernie.

CHROMALAB, INC.

Environmental Services (SDB)

October 22, 1998

Submission #: 9810254

DIETZ IRRIGATION

Atten: Bernie Dietz

Project: SNK OAKLAND
Received: October 15, 1998


re: One sample for Polynuclear Aromatic Hydrocarbons (PAHs) analysis.
Method: SW846 Method 8270A Nov 1990


Client Sample ID: LDS2 COMPOSITE

Spl#: 210672 Matrix: SOIL Extracted: October 16, 1998
Sampled: October 15, 1998 Run#: 15442 Analyzed: October 21, 1998

ANALYTE	RESULT (mg/Kg)	REPORTING LIMIT (mg/Kg)	BLANK RESULT (mg/Kg)	BLANK SPIKE FACTOR (%)	DILUTION FACTOR
NAPHTHALENE	N.D.	0.50	N.D.	--	
ACENAPHTHYLENE	N.D.	0.50	N.D.	--	
ACENAPHTHENE	N.D.	0.50	N.D.	84.0	
FLUORENE	N.D.	0.50	N.D.	--	
PHENANTHRENE	N.D.	0.50	N.D.	--	
ANTHRACENE	N.D.	0.50	N.D.	--	
FLUORANTHENE	N.D.	0.50	N.D.	--	
PYRENE	N.D.	0.50	N.D.	82.9	
BENZO (A) ANTHRACENE	N.D.	0.50	N.D.	--	
CHRYSENE	N.D.	0.50	N.D.	--	
BENZO (B) FLUORANTHENE	N.D.	0.50	N.D.	--	
BENZO (K) FLUORANTHENE	N.D.	1.0	N.D.	--	
BENZO (A) PYRENE	N.D.	0.25	N.D.	--	
INDENO (1, 2, 3-CD) PYRENE	N.D.	1.0	N.D.	--	
DIBENZO (A, H) ANTHRACENE	N.D.	1.0	N.D.	--	
BENZO (GHI) PERYLENE	N.D.	1.0	N.D.	--	

Note: Reporting limits raised due to matrix interference.


Michael Lee
Analyst


Michael Verona
Operations Manager