



ALISTO ENGINEERING GROUP

October 12, 1995

SH

3878

ENVIRONMENTAL PROTECTION

95 OCT 16 PM 2: 58

Mr. Barney Chan
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

10-024-04-002

Subject: Sewer Discharge Permit - Semi-Annual Report
BP Oil Company Service Station No. 11132
3201 35th Street
Oakland, California
Wastewater Discharge Permit No. 502-62901

Dear Mr. Chan:

On behalf of BP Oil Company, we have enclosed a summary of analytical results for the remediation system sampling events and quantity discharged for BP Oil Company Service Station No. 11132, 3201 35th Street, Oakland, California. This report covers the period from April 1 to September 30, 1995.

The total volume discharged for the period is presented in Table 1. The results of influent, intermediate, and effluent sample analysis are presented in Table 2. The sampling locations are shown in Figure 1. The laboratory reports and chain of custody records are presented in Attachment A.


"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Mr. Barney Chan
October 12, 1995
Page 2

Please call if you have questions regarding this report.

Sincerely,

ALISTO ENGINEERING GROUP

A handwritten signature in black ink, appearing to read "Peter Beaver", written over a horizontal line.

Peter Beaver
Engineering Manager

Enclosures

cc: Florencio Gonzalez, East Bay Municipal Utility District
Scott Hooton, BP Oil Company



ALISTO ENGINEERING GROUP

October 12, 1995

Mr. Florencio Gonzalez
East Bay Municipal Utility District
Source Control Division
P.O. Box 24055
Oakland, California 94623

10-024-04-002

Subject: Sewer Discharge Permit - Semi-Annual Report
BP Oil Company Service Station No. 11132
3201 35th Street
Oakland, California
Wastewater Discharge Permit No. 502-62901

Dear Mr. Gonzalez:

On behalf of BP Oil Company, we have enclosed a summary of analytical results for the remediation system sampling events and quantity discharged for BP Oil Company Service Station No. 11132, 3201 35th Street, Oakland, California. This report covers the period from April 1 to September 30, 1995.

The total volume discharged for the period is presented in Table 1. The results of influent, intermediate, and effluent sample analysis are presented in Table 2. The sampling locations are shown in Figure 1. The laboratory reports and chain of custody records are presented in Attachment A.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

TABLE 1 - FLOW DATA FOR GROUNDWATER TREATMENT SYSTEM
 BP OIL COMPANY SERVICE STATION NO. 11132
 3201 35TH STREET, OAKLAND, CALIFORNIA

ALISTO PROJECT NO. 10-024

DATE	FLOW METER READING (Gallons)	EFFLUENT DISCHARGED (Gallons)	AVERAGE FLOW RATE (GPD)	AVERAGE FLOW RATE (GPM)
01/22/93	48860	48860	---	0.00
02/23/93	48860 (a)	0	---	0.00
07/14/93	50770	1910	---	0.00
07/19/93	0 (b)	---	---	0.00
07/26/93	13700	13700	1957	1.36
08/17/93	37367	23667	1076	0.75
09/28/93	64180	26813	638	0.44
10/25/93	86610	22430	831	0.58
11/26/93	95550	8940	279	0.19
12/28/93	116960	21410	669	0.46
01/28/94	117200	240	8	0.01
02/28/94	164070	46870	1512	1.05
03/29/94	208760	44690	1541	1.07
04/29/94	243380	34620	1117	0.78
05/31/94	292140	48760	1524	1.06
09/03/94	410710	118570	1248	0.87
10/05/94	454250	43540	1361	0.94
10/31/94	464410	10160	391	0.27
11/29/94	482970	18560	640	0.44
12/07/94	508770	25800	3225	2.24
01/04/95	508770	0	0	0.00
01/30/95	547720	38950	1498	1.04
02/21/95	570040	22320	1015	0.70
03/30/95	623360	53320	1441	1.00
05/02/95	670240	46880	1421	0.99
05/31/95	705540	35300	1217	0.85
06/28/95	755067	49527	1769	1.23
08/01/95	810087	55020	1618	1.12
08/29/95	846300	36213	1293	0.90
09/28/95	884459	38159	1272	0.88
TOTAL FOR SIX MONTHS		261099	1752	1.22

ABBREVIATIONS:

GPD Gallons per day
 GPM Gallons per minute
 --- Not available/applicable

NOTE:

(a) Flow meter not operating.
 System shut down.
 (b) Flow meter replaced.

TABLE 2 - SUMMARY OF RESULTS OF GROUNDWATER TREATMENT SYSTEM OPERATION
 BP OIL COMPANY SERVICE STATION NO. 11132
 3201 35TH STREET, OAKLAND, CALIFORNIA

ALISTO PROJECT NO. 10-024

Sample ID	Date	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	Acetone (ug/l)	MEK (ug/l)	DCA (ug/l)	Methylene Chloride (ug/l)	LAB
I-1	11/06/92	22000	—	4500	1600	760	3900	—	—	—	—	PACE
I-1	01/22/93	—	120	ND<0.5	250	84	590	54	—	—	—	PACE
I-1	07/26/93	—	620	2600	210	120	960	78	96	—	—	PACE
I-1	08/17/93	—	520	1200	58	35	300	ND<5.0	ND<5.0	—	—	PACE
I-1	09/22/93	4200	370	1000	110	38	520	—	—	—	—	PACE
I-1	10/20/93	—	140	930	32	8	190	—	—	—	—	PACE
I-1	(a) 11/18/93	—	470	970	72	19	410	ND<50	ND<50	—	—	PACE
I-1	12/07/93	—	2100	780	(b) ND<5	ND<5	97	ND<50	ND<50	—	—	PACE
I-1	02/08/94	—	410000	3400	1400	610	7300	ND<2500	ND<2500	—	—	PACE
I-1	02/15/94	42000	6400	4400	2500	820	9400	ND<1200	ND<1200	—	—	PACE
I-1	03/15/94	—	1500	1200	200	38	780	ND<50	ND<50	—	—	PACE
I-1	04/15/94	—	2500	580	27	38	700	ND<50	ND<50	—	—	PACE
I-1	05/12/94	—	430	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	—	—	PACE
I-1	06/16/94	—	ND<50	150	11	ND<5	ND<5	—	—	—	—	PACE
I-1	07/14/94	—	ND<50	ND<5	ND<5	ND<5	ND<5	—	—	—	—	PACE
I-1	08/23/94	—	1100	330	7	200	—	—	—	—	—	PACE
I-1	09/19/94	—	580	280	62	ND<5	—	—	—	—	—	PACE
I-1	10/17/94	—	ND<50	ND<25	ND<25	ND<25	61	—	—	—	—	GTEL
I-1	11/18/94	—	4600	2200	880	140	2300	—	—	—	—	GTEL
I-1	01/17/95	—	960	960	83	6	300	—	—	—	—	ATI
I-1	02/21/95	—	4400	980	130	10	450	ND<50	ND<50	—	—	ATI
I-1	03/14/95	—	3000	740	ND<10	10	300	390 (c)	ND<50	—	—	ATI
I-1	04/18/95	—	—	890	80	2	270	82	ND<50	ND<5	ND<25	ATI
I-1	04/19/95	—	1800	—	—	—	—	—	—	—	—	ATI
QC-1	04/19/95	—	1500	—	—	—	—	—	—	—	—	ATI
I-1	05/16/95	—	1700	910	84	26	250	ND<50	ND<50	14	ND<25	ATI
QC-1	05/16/95	—	1700	780	52	20	170	ND<50	ND<50	13	ND<25	ATI
I-1	06/19/95	—	370	6	ND<2	ND<1	ND<1	15	ND<10	ND<1	ND<5	ATI
I-1	07/18/95	—	1100	180	35	ND<2	380	ND<20	ND<20	3	ND<10	ATI
I-1	08/17/95	—	1600	310	46	ND<2	660	ND<20	ND<20	4	ND<10	ATI
I-1	09/19/95	—	240	22	3	ND<1	37	ND<10	ND<10	ND<1	ND<5	ATI
A-1	11/06/92	—	—	—	—	—	—	—	—	—	—	PACE
A-1	01/22/93	—	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
A-1	07/26/93	—	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
A-1	08/17/93	—	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
A-1	09/22/93	ND<50	—	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	—	—	PACE
A-1	10/20/93	—	—	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	—	—	PACE
A-1	(a) 11/18/93	—	—	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	—	—	PACE
A-1	12/07/93	—	—	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	—	—	PACE
A-1	02/08/94	—	—	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	—	—	PACE
A-1	02/15/94	—	—	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	—	—	PACE
A-1	03/15/94	—	—	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	—	—	PACE
A-1	04/15/94	—	—	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	—	—	PACE
A-1	05/12/94	—	—	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	—	—	PACE
A-1	06/16/94	—	—	ND<5	ND<5	ND<5	ND<5	—	—	—	—	PACE
A-1	07/14/94	—	—	ND<5	ND<5	ND<5	ND<5	—	—	—	—	PACE
A-1	08/23/94	—	—	ND<5	ND<5	ND<5	—	—	—	—	—	PACE
A-1	09/19/94	—	—	ND<5	ND<5	ND<5	—	—	—	—	—	PACE
A-1	10/17/94	—	—	ND<5	ND<5	ND<5	ND<5	—	—	—	—	GTEL
A-1	11/18/94	—	—	ND<5	ND<5	ND<5	ND<5	—	—	—	—	GTEL
A-1	01/17/95	—	—	ND<1	ND<5	ND<1	ND<2	—	—	—	—	ATI
A-1	02/21/95	—	—	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	—	—	ATI
A-1	03/14/95	—	—	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	—	—	ATI
A-1	04/18/95	—	—	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	ND<1	ND<5	ATI
A-1	05/16/95	—	—	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	ND<1	ND<5	ATI
A-1	06/19/95	—	—	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	ND<1	ND<5	ATI
A-1	07/18/95	—	—	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	ND<1	ND<5	ATI
A-1	08/17/95	—	—	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	ND<1	ND<5	ATI
A-1	09/19/95	—	—	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	ND<1	ND<5	ATI

TABLE 2 - SUMMARY OF RESULTS OF GROUNDWATER TREATMENT SYSTEM OPERATION
 BP OIL COMPANY SERVICE STATION NO. 11132
 3201 35TH STREET, OAKLAND, CALIFORNIA

ALISTO PROJECT NO. 10-024


Sample ID	Date	TPH-G (ug/l)	TPH-D (ug/l)	B (ug/l)	T (ug/l)	E (ug/l)	X (ug/l)	Acetone (ug/l)	MEK (ug/l)	DCA (ug/l)	Methylene Chloride (ug/l)	LAB
E-1	11/06/92	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	---	---	PACE
E-1	01/22/93	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
E-1	07/26/93	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
E-1	08/17/93	---	ND<50	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
E-1	09/22/93	ND<50	---	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	---	---	PACE
E-1	10/20/93	---	---	ND<0.5	ND<5	ND<5	ND<5	ND<5	ND<5	---	---	PACE
E-1	(a) 11/18/93	---	---	400	22	5	120	ND<50	ND<5	---	---	PACE
E-1	12/07/93	---	---	ND<5	ND<5	ND<5	ND<5	ND<50	140	---	---	PACE
E-1	02/08/94	---	---	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	---	---	PACE
E-1	02/15/94	---	---	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	---	---	PACE
E-1	03/15/94	---	---	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	---	---	PACE
E-1	04/15/94	---	---	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	---	---	PACE
E-1	05/12/94	---	---	ND<5	ND<5	ND<5	ND<5	ND<50	ND<50	---	---	PACE
E-1	06/16/94	---	---	ND<5	ND<5	ND<5	ND<5	---	---	---	---	PACE
E-1	07/14/94	---	---	ND<5	ND<5	ND<5	ND<5	---	---	---	---	PACE
E-1	08/23/94	---	---	ND<5	ND<5	ND<5	---	---	---	---	---	PACE
E-1	09/19/94	---	---	ND<5	ND<5	ND<5	---	---	---	---	---	PACE
E-1	10/17/94	---	---	ND<5	ND<5	ND<5	ND<5	---	---	---	---	GTEL
E-1	11/18/94	---	---	ND<5	ND<5	ND<5	ND<5	---	---	---	---	GTEL
E-1	01/17/95	---	---	ND<1	ND<5	ND<1	ND<2	---	---	---	---	ATI
E-1	02/21/95	---	---	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	---	---	ATI
E-1	03/14/95	---	---	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	---	---	ATI
QC-1	03/14/95	---	---	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	---	---	ATI
E-1	04/18/95	---	---	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	ND<1	ND<5	ATI
QC-1	04/18/95	---	---	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	ND<1	ND<5	ATI
E-1	05/16/95	---	---	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	ND<1	ND<5	ATI
E-1	06/19/95	---	---	ND<1	ND<2	ND<1	ND<1	11	ND<10	ND<1	ND<5	ATI
QC-1	06/19/95	---	---	ND<1	ND<2	ND<1	ND<1	13	ND<10	ND<1	ND<5	ATI
E-1	07/18/95	---	---	ND<1	ND<2	ND<1	ND<1	55	ND<10	ND<1	ND<5	ATI
QC-1	07/18/95	---	---	ND<1	ND<2	ND<1	ND<1	36	ND<10	ND<1	ND<5	ATI
E-1	08/17/95	---	---	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	ND<1	ND<5	ATI
QC-1	08/17/95	---	---	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	ND<1	ND<5	ATI
E-1	09/19/95	---	---	ND<1	ND<2	ND<1	ND<1	ND<10	ND<10	ND<1	ND<5	ATI

ABBREVIATIONS:

TPH-G Total petroleum hydrocarbons as gasoline
 TPH-D Total petroleum hydrocarbons as diesel
 B Benzene
 T Toluene
 E Ethylbenzene
 X Total xylenes
 MEK 2-Butanone
 DCA 1,2-Dichloroethane
 ug/l Micrograms per liter
 ND Not detected above reported detection limit
 --- Not analyzed/available
 QC-1 Field blank
 PACE Pace, Inc.
 GTEL GTEL Environmental Laboratories, Inc.
 ATI Analytical Technologies, Inc.

NOTES:

(a) Suspected sample identification error.
 (b) Sample dilution required to bring compound within linear calibration range.
 (c) Analyte detected in the associated reagent blank.
 (d) Analyte is a suspected lab contaminant.



LEGEND


- I = INFLUENT
- A = INTERMEDIATE
- E = EFFLUENT
-  SAMPLE PORT

FIGURE 1
**ACTIVATED CARBON TREATMENT
 SYSTEM SAMPLING LOCATIONS**
 BP OIL SERVICE STATION NO. 11132
 3201 35TH AVENUE
 OAKLAND, CALIFORNIA
 PROJECT NO. 10-024



100270--DWC 10-26-93 ROW 1-1

ATTACHMENT A
LABORATORY REPORTS AND CHAIN OF CUSTODY RECORDS



Analytical **Technologies, Inc.**

Corporate Offices 5550 Morehouse Drive San Diego CA 92121 (619) 458-9141

ATI I.D.: 509208

September 28, 1995

ALISTO ENGINEERING
1575 TREAT BOULEVARD, SUITE 201
WALNUT CREEK, CA 94598

Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA
Project # : G247985/10-024-04-001


Attention: PETE BEAVER


Analytical Technologies, Inc. has received the following sample(s):


<u>Date Received</u>	<u>Quantity</u>	<u>Matrix</u>
September 21, 1995	3	WATER

The sample(s) were analyzed with EPA methodology or equivalent methods as specified in the enclosed analytical schedule. The symbol for "less than" indicates a value below the reportable detection limit. If any flags appear next to the analytical data in this report, please see the attached list of flag definitions.

The results of these analyses and the quality control data are enclosed. Please note that the Sample Condition Upon Receipt Checklist is included at the end of this report.


GARY STEWART
VOLATILES SUPERVISOR


FOR ALAN J. KLEINSCHMIDT
LABORATORY MANAGER



SAMPLE CROSS REFERENCE

Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

Report Date: September 28, 199
 ATI I.D. : 509208

ATI #	Client Description	Matrix	Date Collected
1	STA#11132 INF	WATER	19-SEP-95
2	STA#11132 A	WATER	19-SEP-95
3	STA#11132 EFF	WATER	19-SEP-95

---TOTALS---

<u>Matrix</u>	<u># Samples</u>
WATER	3

ATI STANDARD DISPOSAL PRACTICE

The sample(s) from this project will be disposed of in twenty-one (21) days from the date of this report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.

ANALYTICAL SCHEDULE

Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

ATI I.D.: 50920

Analysis	Technique/Description
EPA 624 (GC/MS FOR VOLATILE ORGANICS)	GC/MASS SPECTROMETER
MOD EPA 8015-CDOHS (FUEL HYDROCARBONS: C7-C24)	GC/FLAME IONIZATION DETECTOR

GAS CHROMATOGRAPHY RESULTS

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS: C7-C24)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

ATI I.D. : 509208

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA#11132 INF	WATER	19-SEP-95	22-SEP-95	25-SEP-95	1.00
Parameter		Units	1			
FUEL HYDROCARBONS		MG/L	0.24			
HYDROCARBON RANGE			C7-C14			
HYDROCARBONS QUANTITATED USING			GASOLINE			
SURROGATES						
BIS(2-ETHYLHEXYL) PHTHALATE		%	118			

GAS CHROMATOGRAPHY - QUALITY CONTROL

REAGENT BLANK

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)
 Blank I.D. : 36864
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

ATI I.D. : 509208
 Date Extracted: 22-SEP-95
 Date Analyzed : 25-SEP-95
 Dil. Factor : 1.00

Parameters	Units	Results
FUEL HYDROCARBONS	MG/L	<0.05
HYDROCARBON RANGE		-
HYDROCARBONS QUANTITATED USING		-
<u>SURROGATES</u>		
BIS(2-ETHYLHEXYL) PHTHALATE	%	106

GAS CHROMATOGRAPHY - QUALITY CONTROL

MSMSD

Page 1

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)
 MSMSD # : 78786
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

ATI I.D. : 509208
 Date Extracted: 22-SEP-95
 Date Analyzed : 25-SEP-95
 Sample Matrix : WATER
 REF I.D. : REAGENT WATER

Parameters	Units	Sample Result	Conc Spike	Spiked Sample	% Rec	Dup Spike	Dup % Rec	RPD
FUEL HYDROCARBONS	MG/L	<0.05	1.0	1.1	110	1.1	110	0

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
 RPD (Relative % Difference) = (Spiked Sample Result - Duplicate Spike Result)*100/Average Result

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY RESULTS

Page 6

Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

ATI I.D. : 509208

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA#11132 INF	WATER	19-SEP-95	N/A	22-SEP-95	1.00
2	STA#11132 A	WATER	19-SEP-95	N/A	22-SEP-95	1.00
3	STA#11132 EFF	WATER	19-SEP-95	N/A	25-SEP-95	1.00

Parameter	Units	1	2	3
CHLOROMETHANE	UG/L	<10	<10	<10
VINYL CHLORIDE	UG/L	<5	<5	<5
BROMOMETHANE	UG/L	<10	<10	<10
CHLOROETHANE	UG/L	<5	<5	<5
ACETONE	UG/L	<10	<10	<10
1,1-DICHLOROETHENE	UG/L	<1	<1	<1
METHYLENE CHLORIDE	UG/L	<5	<5	<5
CARBON DISULFIDE	UG/L	<2	<2	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1	<1	<1
1,1-DICHLOROETHANE	UG/L	<1	<1	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1	<1	<1
CHLOROFORM	UG/L	<1	<1	<1
2-BUTANONE (MEK)	UG/L	<10	<10	<10
1,1,1-TRICHLOROETHANE	UG/L	<1	<1	<1
CARBON TETRACHLORIDE	UG/L	<1	<1	<1
1,2-DICHLOROETHANE	UG/L	<1	<1	<1
BENZENE	UG/L	22	<1	<1
TRICHLOROETHENE	UG/L	<1	<1	<1
1,2-DICHLOROPROPANE	UG/L	<1	<1	<1
BROMODICHLOROMETHANE	UG/L	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10	<10	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1	<1	<1
TOLUENE	UG/L	3	<2	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1	<1	<1
2-HEXANONE (MBK)	UG/L	<10	<10	<10
1,1,2-TRICHLOROETHANE	UG/L	<1	<1	<1
TETRACHLOROETHENE	UG/L	<1	<1	<1
DIBROMOCHLOROMETHANE	UG/L	<1	<1	<1
CHLOROBENZENE	UG/L	<1	<1	<1
ETHYLBENZENE	UG/L	<1	<1	<1
XYLENES (TOTAL)	UG/L	37	<1	<1
STYRENE	UG/L	<2	<2	<2
BROMOFORM	UG/L	<5	<5	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<1	<1	<1
DICHLORODIFLUOROMETHANE	UG/L	<10	<10	<10
TRICHLOROFLUOROMETHANE	UG/L	<5	<5	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5	<5	<5
1,2-DICHLOROBENZENE	UG/L	<5	<5	<5

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY RESULTS

Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

ATI I.D. : 509208

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA#11132 INF	WATER	19-SEP-95	N/A	22-SEP-95	1.00
2	STA#11132 A	WATER	19-SEP-95	N/A	22-SEP-95	1.00
3	STA#11132 EFF	WATER	19-SEP-95	N/A	25-SEP-95	1.00

Parameter	Units	1	2	3
1,3-DICHLOROBENZENE	UG/L	<5	<5	<5
1,4-DICHLOROBENZENE	UG/L	<5	<5	<5
SURROGATES				
1,2-DICHLOROETHANE-D4	%	97	92	96
TOLUENE-D8	%	102	104	102
BFB	%	96	98	97

ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

Method : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

WATER
 ATI I.D.: 509208

Sample Parameters	Units	Results
1 METHYL t-BUTYL ETHER	UG/L	600
ALIPHATIC HYDROCARBON C5	UG/L	90
ALIPHATIC HYDROCARBON C6	UG/L	60
ALIPHATIC HYDROCARBON C8	UG/L	20
ALIPHATIC HYDROCARBON C8	UG/L	40
2 METHYL t-BUTYL ETHER	UG/L	200
3 OXYGENATED HYDROCARBON	UG/L	10

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

REAGENT BLANK

Page (

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank I.D. : 36837
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

ATI I.D. : 509208
 Date Extracted: N/A
 Date Analyzed : 21-SEP-95
 Dil. Factor : 1.00

Parameters	Units	Results
CHLOROMETHANE	UG/L	<10
VINYL CHLORIDE	UG/L	<5
BROMOMETHANE	UG/L	<10
CHLOROETHANE	UG/L	<5
ACETONE	UG/L	<10
1,1-DICHLOROETHENE	UG/L	<1
METHYLENE CHLORIDE	UG/L	<5
CARBON DISULFIDE	UG/L	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1
1,1-DICHLOROETHANE	UG/L	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1
CHLOROFORM	UG/L	<1
2-BUTANONE (MEK)	UG/L	<10
1,1,1-TRICHLOROETHANE	UG/L	<1
CARBON TETRACHLORIDE	UG/L	<1
1,2-DICHLOROETHANE	UG/L	<1
BENZENE	UG/L	<1
TRICHLOROETHENE	UG/L	<1
1,2-DICHLOROPROPANE	UG/L	<1
BROMODICHLOROMETHANE	UG/L	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1
TOLUENE	UG/L	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1
2-HEXANONE (MBK)	UG/L	<10
1,1,2-TRICHLOROETHANE	UG/L	<1
TETRACHLOROETHENE	UG/L	<1
DIBROMOCHLOROMETHANE	UG/L	<1
CHLOROBENZENE	UG/L	<1
ETHYLBENZENE	UG/L	<1
XYLENES (TOTAL)	UG/L	<1
STYRENE	UG/L	<2
BROMOFORM	UG/L	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<1
DICHLORODIFLUOROMETHANE	UG/L	<10
TRICHLOROFLUOROMETHANE	UG/L	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5
1,2-DICHLOROBENZENE	UG/L	<5
1,3-DICHLOROBENZENE	UG/L	<5
1,4-DICHLOROBENZENE	UG/L	<5
<u>SURROGATES</u>		
1,2-DICHLOROETHANE-D4	%	95
TOLUENE-D8	%	100
BFB	%	96

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

REAGENT BLANK
ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
Blank I.D. : 36837 ATI I.D. : 509208
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

Parameters	Units	Results
NONE DETECTED	N/A	N/A

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

REAGENT BLANK

Page 11

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank I.D. : 36839
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

ATI I.D. : 509208
 Date Extracted: N/A
 Date Analyzed : 25-SEP-95
 Dil. Factor : 1.00

Parameters	Units	Results
CHLOROMETHANE	UG/L	<10
VINYL CHLORIDE	UG/L	<5
BROMOMETHANE	UG/L	<10
CHLOROETHANE	UG/L	<5
ACETONE	UG/L	<10
1,1-DICHLOROETHENE	UG/L	<1
METHYLENE CHLORIDE	UG/L	<5
CARBON DISULFIDE	UG/L	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1
1,1-DICHLOROETHANE	UG/L	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1
CHLOROFORM	UG/L	<1
2-BUTANONE (MEK)	UG/L	<10
1,1,1-TRICHLOROETHANE	UG/L	<1
CARBON TETRACHLORIDE	UG/L	<1
1,2-DICHLOROETHANE	UG/L	<1
BENZENE	UG/L	<1
TRICHLOROETHENE	UG/L	<1
1,2-DICHLOROPROPANE	UG/L	<1
BROMODICHLOROMETHANE	UG/L	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1
TOLUENE	UG/L	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1
2-HEXANONE (MBK)	UG/L	<10
1,1,2-TRICHLOROETHANE	UG/L	<1
TETRACHLOROETHENE	UG/L	<1
DIBROMOCHLOROMETHANE	UG/L	<1
CHLOROBENZENE	UG/L	<1
ETHYLBENZENE	UG/L	<1
XYLENES (TOTAL)	UG/L	<1
STYRENE	UG/L	<1
BROMOFORM	UG/L	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<2
DICHLORODIFLUOROMETHANE	UG/L	<10
TRICHLOROFLUOROMETHANE	UG/L	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5
1,2-DICHLOROBENZENE	UG/L	<5
1,3-DICHLOROBENZENE	UG/L	<5
1,4-DICHLOROBENZENE	UG/L	<5
<u>SURROGATES</u>		
1,2-DICHLOROETHANE-D4	%	93
TOLUENE-D8	%	100
BFB	%	98

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

REAGENT BLANK
ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
Blank I.D. : 36839 ATI I.D. : 509208
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

Parameters	Units	Results
NONE DETECTED	N/A	N/A

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

MSMSD

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 MSMSD # : 78725
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE OAKLAND, CA

ATI I.D. : 509208
 Date Extracted: N/A
 Date Analyzed : 25-SEP-95
 Sample Matrix : WATER
 REF I.D. : 509158-02

Parameters	Units	Sample Result	Conc Spike	Spiked Sample	% Rec	Dup Spike	Dup % Rec	RPD
1,1-DICHLOROETHENE	UG/L	<1	50	43	86	39	78	10
BENZENE	UG/L	<1	50	47	94	45	90	4
TRICHLOROETHENE	UG/L	<1	50	47	94	46	92	2
TOLUENE	UG/L	<2	50	49	98	48	96	2
CHLOROBENZENE	UG/L	<1	50	53	106	52	104	2

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration

RPD (Relative % Difference) = (Spiked Sample Result - Duplicate Spike Result)*100/Average Result

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

BLANK SPIKE

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank Spike #: 59029
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name : BP SITE#111132/3201 35TH AVE OAKLAND, CA

ATI I.D. : 509208
 Date Extracted: N/A
 Date Analyzed : 21-SEP-95
 Sample Matrix : WATER

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec
1,1-DICHLOROETHENE	UG/L	<1	41	50	82
BENZENE	UG/L	<1	46	50	92
TRICHLOROETHENE	UG/L	<1	46	50	92
TOLUENE	UG/L	<2	47	50	94
CHLOROBENZENE	UG/L	<1	52	50	104

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
 RPD (Relative % Difference) = (Spiked Sample - Blank Result)*100/Average Result

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

BLANK SPIKE

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank Spike #: 59031
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name : BP SITE#11132/3201 35TH AVE OAKLAND, CA

ATI I.D. : 509208
 Date Extracted : N/A
 Date Analyzed : 25-SEP-95
 Sample Matrix : WATER

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec
1,1-DICHLOROETHENE	UG/L	<1	41	50	82
BENZENE	UG/L	<1	48	50	96
TRICHLOROETHENE	UG/L	<1	48	50	96
TOLUENE	UG/L	<2	48	50	96
CHLOROBENZENE	UG/L	<1	53	50	106

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
 RPD (Relative % Difference) = (Spiked Sample - Blank Result)*100/Average Result

ACCESSION #: 509208

INITIALS: L.C.

ATI-SanDiego
SAMPLE CONDITION UPON RECEIPT CHECKLIST
 (FOR RE-ACCESSIONS, COMPLETE #7 THRU #9)

1	Does this project require special handling according to NFESC Levels C, D, AFCEE or CLP protocols? If yes, complete a) and b) a) pH sample aliquoted: yes / no / na b) Either 1) Record Bottle Lot #'s: Or 2) Attach Sample Kit Request Form(s)	YES	<u>NO</u>
2	Number of Coolers Received If more than one cooler received attach Multiple Cooler Documentation Form (MCD) Indicate "see MCD" on Item 11 below		1
3	Are custody seals required for this project ?	YES	<u>N/A</u>
	a) are Custody Seals present on Cooler(s) ?	<u>N/A</u>	<u>NO</u>
	If yes, are seals intact ?	<u>N/A</u>	<u>NO</u>
	b) are Custody Seals present on the sample ?	<u>N/A</u>	<u>NO</u>
	If yes, are seals intact ?	<u>N/A</u>	<u>NO</u>
4	Is there a Chain-Of-Custody (COC)' per cooler ? if not, if a problem is found indicate which samples/test were in the affected cooler on the MCD.	<u>YES</u>	NO
5	Is the COC' complete per cooler ? Relinquished: <u>yes</u> /no Requested analysis: <u>yes</u> /no	<u>YES</u>	NO
6	Is the COC' in agreement with the samples received? # Samples: <u>yes</u> /no Sample ID's: <u>yes</u> /no Date sampled: <u>yes</u> /no Matrix: <u>yes</u> /no # containers: <u>yes</u> /no	<u>YES</u>	NO
7	Are the samples preserved correctly?	<u>YES</u>	NO
8	Is there enough sample for all the requested analyses?	<u>YES</u>	NO
9	Are all samples within holding times for the requested analyses?	<u>YES</u>	NO
10	Record cooler temperature. Contact PM if temperature is not 4°C ± 2°C.		2.0 °C
	Is ice present in cooler?	<u>YES</u>	NO
11	Were all sample containers received intact (ie. not broken, leaking, etc.)?	<u>YES</u>	NO
12	Are samples requiring no headspace, headspace free? N/A	<u>YES</u>	NO
13	Are VOA 1st stickers required?	YES	<u>NO</u>
14	Are there special comments on the Chain of Custody which require client contact?	YES	<u>N/A</u>
15	If yes, was ATI Project Manager notified?	YES	<u>NO</u>

Describe "no" items: _____

Was client contacted? yes / no
 If yes, Date: _____ Name of Person contacted: _____

Describe actions taken or client instructions: _____

*Or other representative documents, letters, and/or shipping memos



CHAIN OF CUSTODY

No. 071256

Page 1 of 1

CONSULTANT'S NAME <i>Alisto Engineering</i>		ADDRESS <i>1575 TREAT Blvd Ste 201 Walnut Creek Ca 94596</i>		CITY	STATE	ZIP CODE
BP SITE NUMBER <i>11132</i>	BP CORNER ADDRESS/CITY <i>3201 35th AVE OAKLAND, CA</i>			CONSULTANT PROJECT NUMBER <i>10-024-CA-001</i>		
CONSULTANT PROJECT MANAGER <i>PLATE BEARER</i>		PHONE NUMBER <i>510 295-1650</i>	FAX NUMBER <i>510 295-1823</i>		CONSULTANT CONTRACT NUMBER <i>024-1905</i>	
BP CONTACT <i>SCOTT HOOTEIN</i>		BP ADDRESS <i>Renton, WA</i>	PHONE NUMBER <i>(206) 251-9208</i>	FAX NO.		
LAB CONTACT <i>CRAIG STEWART</i>		LABORATORY ADDRESS <i>San Diego, CA</i>	PHONE NUMBER <i>(619) 458-9141</i>	FAX NO.		
SAMPLED BY (Please Print Name) <i>JOHN DICKINSON</i>		SAMPLED BY (Signature) <i>John K. Bickel</i>	SHIPMENT DATE <i>9-19-95</i>	SHIPMENT METHOD <i>Fed Ex Bell Air</i>		

TAT: 24 Hours 48 Hours 1 Week Standard 2 Weeks

ANALYSIS REQUIRED

AIRBILL NUMBER
~~1065776~~
1065776
COMMENTS

SAMPLE DESCRIPTION	COLLECTION DATE/TIME	MATRIX SOIL/WATER	CONTAINERS		PRESERVATIVE	HCL	HCL											
			NO.	TYPE (VOL.)														LAB SAMPLE #
STAFF 11132 INF	1100	GW	5	1/2 L	CL	✓	✓											
STAFF 11132 A	1105		3	1/2 L	C2	✓	✓											
STAFF 11132 EFF	1110		3	1/2 L	C3	✓	✓											

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	ADDITIONAL COMMENTS
<i>John K. Bickel</i>	<i>9/19/95</i>	<i>1230</i>	<i>Patricia Lyttan</i>	<i>9/19/95</i>	<i>1240</i>	<i>LAB ID 707208</i>
<i>Patricia Lyttan</i>	<i>9/19/95</i>	<i>1330</i>	<i>Kenny Anderson</i>	<i>9/21/95</i>	<i>8:43 AM</i>	

Temp. 20°



Analytical **Technologies, Inc.**

Corporate Offices 5550 Morehouse Drive San Diego, CA 92121 (619) 458-9141

ATI I.D.: 508187

August 28, 1995

ALISTO ENGINEERING
1575 TREAT BOULEVARD, SUITE 201
WALNUT CREEK, CA 94598

Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA
Project # : G247985/10-024-04-001


Attention: PETE BEAVER

Analytical Technologies, Inc. has received the following sample(s):


<u>Date Received</u>	<u>Quantity</u>	<u>Matrix</u>
August 19, 1995	4	WATER

The sample(s) were analyzed with EPA methodology or equivalent methods as specified in the enclosed analytical schedule. The symbol for "less than" indicates a value below the reportable detection limit. If any flags appear next to the analytical data in this report, please see the attached list of flag definitions.

The results of these analyses and the quality control data are enclosed. Please note that the Sample Condition Upon Receipt Checklist is included at the end of this report.


GARY STEWART
VOLATILES SUPERVISOR


FOR ALAN J. KLEINSCHMIDT
LABORATORY MANAGER





Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

Report Date: August 28, 1995
ATI I.D. : 508187

Table with 4 columns: ATI #, Client Description, Matrix, Date Collected. Rows include STA#11132 INF, STA#11132 A, STA#11132 EFF, and STA#11132 QC1, all with Matrix WATER and Date Collected 17-AUG-95.

---TOTALS---

Summary table with 2 columns: Matrix, # Samples. Row: WATER, 4.

ATI STANDARD DISPOSAL PRACTICE

The sample(s) from this project will be disposed of in twenty-one (21) days from the date of this report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.



Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

ATI I.D.: 50818

Analysis	Technique/Description
EPA 624 (GC/MS FOR VOLATILE ORGANICS) MOD EPA 8015-CDOHS (FUEL HYDROCARBONS: C7-C24)	GC/MASS SPECTROMETER GC/FLAME IONIZATION DETECTOR



Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS: C7-C24)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

ATI I.D. : 508187

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA#11132 INF	WATER	17-AUG-95	22-AUG-95	24-AUG-95	1.00
Parameter		Units	1			
FUEL HYDROCARBONS HYDROCARBON RANGE HYDROCARBONS QUANTITATED USING		MG/L	1.6 C7-C14 GASOLINE			
<u>SURROGATES</u> BIS(2-ETHYLHEXYL) PHTHALATE		%	105			



REAGENT BLANK

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)
 Blank I.D. : 36521
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

ATI I.D. : 508187
 Date Extracted: 22-AUG-95
 Date Analyzed : 24-AUG-95
 Dil. Factor : 1.00

Parameters	Units	Results
FUEL HYDROCARBONS	MG/L	<0.05
HYDROCARBON RANGE		-
HYDROCARBONS QUANTITATED USING		-
<u>SURROGATES</u>		
BIS(2-ETHYLHEXYL) PHTHALATE	%	98



MSMSD

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)
 MSMSD # : 78055
 Client : ALISTO ENGINEERING

ATI I.D. : 508187
 Date Extracted: 22-AUG-95
 Date Analyzed : 25-AUG-95
 Sample Matrix : WATER
 REF I.D. : REAGENT WATER

Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

Parameters	Units	Sample Result	Conc Spike	Spiked Sample	% Rec	Dup Spike	Dup % Rec	RPD
FUEL HYDROCARBONS	MG/L	<0.050	1.0	1.1	110	0.99	99	11

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
 RPD (Relative % Difference) = (Spiked Sample Result - Duplicate Spike Result)*100/Average Result



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

ATI I.D. : 508187

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA#11132 INF	WATER	17-AUG-95	N/A	23-AUG-95	2.00
2	STA#11132 A	WATER	17-AUG-95	N/A	23-AUG-95	1.00
3	STA#11132 EFF	WATER	17-AUG-95	N/A	23-AUG-95	1.00

Parameter	Units	1	2	3
CHLOROMETHANE	UG/L	<20	<10	<10
VINYL CHLORIDE	UG/L	<10	<5	<5
BROMOMETHANE	UG/L	<20	<10	<10
CHLOROETHANE	UG/L	<10	<5	<5
ACETONE	UG/L	<20	<10	<10
1,1-DICHLOROETHENE	UG/L	<2	<1	<1
METHYLENE CHLORIDE	UG/L	<10	<5	<5
CARBON DISULFIDE	UG/L	<4	<2	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<2	<1	<1
1,1-DICHLOROETHANE	UG/L	<2	<1	<1
CIS-1,2-DICHLOROETHENE	UG/L	<2	<1	<1
CHLOROFORM	UG/L	<2	<1	<1
2-BUTANONE (MEK)	UG/L	<20	<10	<10
1,1,1-TRICHLOROETHANE	UG/L	<2	<1	<1
CARBON TETRACHLORIDE	UG/L	<2	<1	<1
1,2-DICHLOROETHANE	UG/L	4	<1	<1
BENZENE	UG/L	310	<1	<1
TRICHLOROETHENE	UG/L	<2	<1	<1
1,2-DICHLOROPROPANE	UG/L	<2	<1	<1
BROMODICHLOROMETHANE	UG/L	<2	<1	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<20	<10	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<2	<1	<1
TOLUENE	UG/L	46	<2	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<2	<1	<1
2-HEXANONE (MBK)	UG/L	<20	<10	<10
1,1,2-TRICHLOROETHANE	UG/L	<2	<1	<1
TETRACHLOROETHENE	UG/L	<2	<1	<1
DIBROMOCHLOROMETHANE	UG/L	<2	<1	<1
CHLOROBENZENE	UG/L	<2	<1	<1
ETHYLBENZENE	UG/L	<2	<1	<1
XYLENES (TOTAL)	UG/L	660	<1	<1
STYRENE	UG/L	<4	<2	<2
BROMOFORM	UG/L	<10	<5	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<2	<1	<1
DICHLORODIFLUOROMETHANE	UG/L	<20	<10	<10
TRICHLOROFLUOROMETHANE	UG/L	<10	<5	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<10	<5	<5
1,2-DICHLOROETHANE	UG/L	<10	<5	<5



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)

Client : ALISTO ENGINEERING

ATI I.D. : 508187

Project # : G247985/10-024-04-001

Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA#11132 INF	WATER	17-AUG-95	N/A	23-AUG-95	2.00
2	STA#11132 A	WATER	17-AUG-95	N/A	23-AUG-95	1.00
3	STA#11132 EFF	WATER	17-AUG-95	N/A	23-AUG-95	1.00

Parameter	Units	1	2	3
1,3-DICHLOROBENZENE	UG/L	<10	<5	<5
1,4-DICHLOROBENZENE	UG/L	<10	<5	<5
SURROGATES				
1,2-DICHLOROETHANE-D4	%	82	78	81
TOLUENE-D8	%	94	97	98
BFB	%	80	80	80



Method : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

WATER
ATI I.D.: 508187

Sample Parameters	Units	Results
1 ALIPHATIC HYDROCARBON C5	UG/L	400
METHYL TERT-BUTYL ETHER	UG/L	1000
ALIPHATIC HYDROCARBON C8	UG/L	80
TRIMETHYL BENZENE ISOMER	UG/L	200
TRIMETHYL BENZENE ISOMER	UG/L	200
2 METHYL PROPANOL	UG/L	20
METHYL TERT-BUTYL ETHER	UG/L	300
3 METHYL PROPANOL	UG/L	20



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

ATI I.D. : 508187

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
4	STA#11132 QC1	WATER	17-AUG-95	N/A	23-AUG-95	1.00

Parameter	Units	4
CHLOROMETHANE	UG/L	<10
VINYL CHLORIDE	UG/L	<5
BROMOMETHANE	UG/L	<10
CHLOROETHANE	UG/L	<5
ACETONE	UG/L	<10
1,1-DICHLOROETHENE	UG/L	<1
METHYLENE CHLORIDE	UG/L	10*L
CARBON DISULFIDE	UG/L	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1
1,1-DICHLOROETHANE	UG/L	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1
CHLOROFORM	UG/L	<1
2-BUTANONE (MEK)	UG/L	<10
1,1,1-TRICHLOROETHANE	UG/L	<1
CARBON TETRACHLORIDE	UG/L	<1
1,2-DICHLOROETHANE	UG/L	<1
BENZENE	UG/L	<1
TRICHLOROETHENE	UG/L	<1
1,2-DICHLOROPROPANE	UG/L	<1
BROMODICHLOROMETHANE	UG/L	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1
TOLUENE	UG/L	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1
2-HEXANONE (MBK)	UG/L	<10
1,1,2-TRICHLOROETHANE	UG/L	<1
TETRACHLOROETHENE	UG/L	<1
DIBROMOCHLOROMETHANE	UG/L	<1
CHLORO BENZENE	UG/L	<1
ETHYLBENZENE	UG/L	<1
XYLENES (TOTAL)	UG/L	<1
STYRENE	UG/L	<2
BROMOFORM	UG/L	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<1
DICHLORODIFLUOROMETHANE	UG/L	<10
TRICHLOROFLUOROMETHANE	UG/L	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5
1,2-DICHLORO BENZENE	UG/L	<5



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

ATI I.D. : 508187

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
4	STA#11132 QC1	WATER	17-AUG-95	N/A	23-AUG-95	1.00

Parameter	Units	4
1,3-DICHLOROBENZENE	UG/L	<5
1,4-DICHLOROBENZENE	UG/L	<5
<u>SURROGATES</u>		
1,2-DICHLOROETHANE-D4	%	82
TOLUENE-D8	%	97
BFB	%	82



Method : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

WATER
ATI I.D.: 508187

Sample Parameters	Units	Results
4 METHYL PROPANOL	UG/L	20



REAGENT BLANK

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank I.D. : 36527
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

ATI I.D. : 508187
 Date Extracted: N/A
 Date Analyzed : 23-AUG-95
 Dil. Factor : 1.00

Parameters	Units	Results
CHLOROMETHANE	UG/L	<10
VINYL CHLORIDE	UG/L	<5
BROMOMETHANE	UG/L	<10
CHLOROETHANE	UG/L	<5
ACETONE	UG/L	<10
1,1-DICHLOROETHENE	UG/L	<1
METHYLENE CHLORIDE	UG/L	<5
CARBON DISULFIDE	UG/L	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1
1,1-DICHLOROETHANE	UG/L	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1
CHLOROFORM	UG/L	<1
2-BUTANONE (MEK)	UG/L	<10
1,1,1-TRICHLOROETHANE	UG/L	<1
CARBON TETRACHLORIDE	UG/L	<1
1,2-DICHLOROETHANE	UG/L	<1
BENZENE	UG/L	<1
TRICHLOROETHENE	UG/L	<1
1,2-DICHLOROPROPANE	UG/L	<1
BROMODICHLOROMETHANE	UG/L	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1
TOLUENE	UG/L	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1
2-HEXANONE (MBK)	UG/L	<10
1,1,2-TRICHLOROETHANE	UG/L	<1
TETRACHLOROETHENE	UG/L	<1
DIBROMOCHLOROMETHANE	UG/L	<1
CHLOROBENZENE	UG/L	<1
ETHYLBENZENE	UG/L	<1
XYLENES (TOTAL)	UG/L	<1
STYRENE	UG/L	<2
BROMOFORM	UG/L	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<1
DICHLORODIFLUOROMETHANE	UG/L	<10
TRICHLOROFLUOROMETHANE	UG/L	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5
1,2-DICHLOROBENZENE	UG/L	<5
1,3-DICHLOROBENZENE	UG/L	<5
1,4-DICHLOROBENZENE	UG/L	<5
<u>SURROGATES</u>		
1,2-DICHLOROETHANE-D4	%	80
TOLUENE-D8	%	98
BFB	%	83



REAGENT BLANK
ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
Blank I.D. : 36527
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

ATI I.D. : 508187

Parameters	Units	Results
NONE DETECTED	N/A	N/A



MSMSD

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 MSMSD # : 78078
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE, OAKLAND, CA

ATI I.D. : 508187
 Date Extracted: N/A
 Date Analyzed : 23-AUG-95
 Sample Matrix : WATER
 REF I.D. : 508187-02

Parameters	Units	Sample Result	Conc Spike	Spiked Sample	% Rec	Dup Spike	Dup % Rec	RPD
1,1-DICHLOROETHENE	UG/L	<1	50	50	100	48	96	4
BENZENE	UG/L	<1	50	54	108	53	106	2
TRICHLOROETHENE	UG/L	<1	50	51	102	47	94	8
TOLUENE	UG/L	<2	50	53	106	53	106	0
CHLOROBENZENE	UG/L	<1	50	56	112	54	108	4

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration

RPD (Relative % Difference) = (Spiked Sample Result - Duplicate Spike Result)*100/Average Result



BLANK SPIKE

Page 1.

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank Spike #: 58487
 Client : ALISTO ENGINEERING
 Project #: G247985/10-024-04-001
 Project Name : BP SITE#11132/3201 35TH AVE, OAKLAND, CA

ATI I.D. : 508187
 Date Extracted: N/A
 Date Analyzed : 23-AUG-95
 Sample Matrix : WATER

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec
1,1-DICHLOROETHENE	UG/L	<1	51	50	102
BENZENE	UG/L	<1	55	50	110
TRICHLOROETHENE	UG/L	<1	51	50	102
TOLUENE	UG/L	<2	55	50	110
CHLOROBENZENE	UG/L	<1	57	50	114

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
 RPD (Relative % Difference) = (Spiked Sample - Blank Result)*100/Average Result

ANALYTICAL TECHNOLOGIES, INC.
SAN DIEGO
FLAGS

ORGANICS

FLAG MESSAGE DESCRIPTION

A A TIC IS A SUSPECTED ALDOL-CONDENSATION PRODUCT
B ANALYTE FOUND IN THE ASSOCIATED REAGENT BLANK
C PESTICIDE, WHERE THE IDENTIFICATION WAS CONFIRMED BY GC/MS
CO THESE COMPOUNDS CO-ELUTE AND ARE QUANTITATED AS ONE PEAK
D COMPOUND IDENTIFIED IN AN ANALYSIS AT SECONDARY DILUTION
E ANALYTE AMOUNT EXCEEDS THE CALIBRATION RANGE
J ESTIMATED VALUE
H QUANTIFIED AS DIESEL BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH THAT OF DIESEL
K QUANTIFIED AS KEROSENE BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH THAT OF KEROSENE
L QUANTIFIED AS GASOLINE BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH THAT OF GASOLINE
N PRESUMPTIVE EVIDENCE OF A COMPOUND
P PESTICIDE/AROCOR TARGET ANALYTE, WHERE THERE IS GREATER THAN 25% DIFFERENCE FOR DETECTED CONCENTRATION BETWEEN 2 GC COLUMNS
TR COMPOUND DETECTED AT AN UNQUANTIFIABLE TRACE LEVEL
U COMPOUND WAS ANALYZED FOR BUT NOT DETECTED
X SEE CASE NARRATIVE
Y SEE CASE NARRATIVE
Z SEE CASE NARRATIVE
* OUTSIDE OF QUALITY CONTROL LIMITS
*D COMPOUND ANALYZED FROM A SECONDARY ANALYSIS
*F RESULT OUTSIDE OF ATI'S QUALITY CONTROL LIMITS
*G RESULT OUTSIDE QUALITY CONTROL LIMITS. INSUFFICIENT SAMPLE FOR RE-EXTRACTION/ANALYSIS
*H RESULT OUTSIDE OF LIMITS DUE TO SAMPLE MATRIX INTERFERENCE
*I BECAUSE OF NECESSARY SAMPLE DILUTION, VALUE WAS OUTSIDE QC LIMITS
*K DUE TO THE NECESSARY DILUTION OF THE SAMPLE, RESULT WAS NOT ATTAINABLE
*L ANALYTE IS A SUSPECTED LAB CONTAMINANT
*P A STANDARD WAS USED TO QUANTITATE THIS VALUE
*R DATA IS NOT USABLE
*T SURROGATE RECOVERY IS OUTSIDE QC CONTROL LIMITS. NO CORRECTIVE ACTION INDICATED BY METHOD
*V SAMPLE RESULT IS >4X SPIKED CONCENTRATION, THEREFORE SPIKE IS NOT DETECTABLE
*Y RESULT NOT ATTAINABLE DUE TO SAMPLE MATRIX INTERFERENCE
@A RESULTS OUT OF LIMITS DUE TO SAMPLE NON-HOMOGENEITY
@C VARIABLE MESSAGE
@D RESULT COULD NOT BE CONFIRMED DUE TO MATRIX INTERFERENCE ON THE CONFIRMATION COLUMN
@E RESULT MAY BE FALSELY ELEVATED DUE TO SAMPLE MATRIX INTERFERENCE
@F RESULT OUTSIDE OF CONTRACT SPECIFIED QUALITY CONTROL LIMITS
@G RESULT OUTSIDE OF CONTRACT SPECIFIED ADVISORY LIMITS
@H DETECTION LIMIT ELEVATED DUE TO MATRIX INTERFERENCE
@M RESULT NOT CONFIRMED BY U.V. DUE TO SAMPLE MATRIX INTERFERENCE
@N RESULT NOT CONFIRMED BY FLUORESCENCE DUE TO SAMPLE MATRIX INTERFERENCE
@P RESULT QUANTITATED USING FLUORESCENCE ONLY DUE TO THE LOW CONCENTRATION
@Q DETECTION LIMIT ELEVATED DUE TO LIMITED SAMPLE FOR ANALYSIS
@T RESULT DUE TO TCLP EXTRACTION MATRIX INTERFERENCE. NO QC LIMITS HAVE BEEN ESTABLISHED
@U SAMPLE CHROMATOGRAM DOES NOT RESEMBLE COMMON FUEL HYDROCARBON FINGERPRINTS
@Z SAMPLE CHROMATOGRAM DOES NOT RESEMBLE A FUEL HYDROCARBON

ATI-San Diego
SAMPLE CONDITION UPON RECEIPT CHECKLIST
 (FOR RE-ACCESSIONS, COMPLETE #7 THRU #9)

1	Does this project require special handling according to NFESC Levels C, D, AFCEE or CLP protocols? If yes, complete a) and b) a) pH sample aliquoted: yes / no / na b) Either 1) Record Bottle Lot #'s: Or 2) Attach Sample Kit Request Form(s)	YES	<input checked="" type="radio"/> NO
2	Number of Coolers Received If more than one cooler received attach Multiple Cooler Documentation Form (MCD) Indicate "see MCD" on Item 11 below	7 (#1169)	
3	Are custody seals required for this project ? a) are Custody Seals present on Cooler(s) ? If yes, are seals intact ? b) are Custody Seals present on the sample ? If yes, are seals intact ?	YES	<input checked="" type="radio"/> N/A
		YES	<input checked="" type="radio"/> NO
		YES	NO
		YES	<input checked="" type="radio"/> NO
		YES	NO
4	Is there a Chain-Of-Custody (COC) per cooler ? if not, if a problem is found indicate which samples/test were in the affected cooler on the MCD.	<input checked="" type="radio"/> YES	NO
5	Is the COC complete per cooler ? Relinquished: <input checked="" type="radio"/> yes / no Requested analysis: <input checked="" type="radio"/> yes / no	<input checked="" type="radio"/> YES	NO
6	Is the COC in agreement with the samples received? # Samples: <input checked="" type="radio"/> yes / no Sample ID's: <input checked="" type="radio"/> yes / no Date sampled: <input checked="" type="radio"/> yes / no Matrix: <input checked="" type="radio"/> yes / no # containers: <input checked="" type="radio"/> yes / no	YES	<input checked="" type="radio"/> NO
7	Are the samples preserved correctly?	<input checked="" type="radio"/> YES	NO
8	Is there enough sample for all the requested analyses?	<input checked="" type="radio"/> YES	NO
9	Are all samples within holding times for the requested analyses?	<input checked="" type="radio"/> YES	NO
10	Record cooler temperature. Contact PM if temperature is not 4°C ± 2°C. Is ice present in cooler?	4.7 °C	<input checked="" type="radio"/> YES
			NO
11	Were all sample containers received intact (ie. not broken, leaking, etc.)?	<input checked="" type="radio"/> YES	NO
12	Are samples requiring no headspace, headspace free? N/A	<input checked="" type="radio"/> YES	NO
13	Are VOA 1st stickers required?	YES	<input checked="" type="radio"/> NO
14	Are there special comments on the Chain of Custody which require client contact?	YES	<input checked="" type="radio"/> N/A
15	If yes, was ATI Project Manager notified?	YES	NO

Describe "no" items: No SAMPLE DATE ON SAMPLE BOTTLES OR COC.
 *UNKNOWN

Was client contacted? yes no
 If yes, Date: 8/21/95 Name of Person contacted: Pattie Yelton Lm 8/22/95
 Describe actions taken or client instructions: Sample date is 8/22/95
 8/17/95. Faxed amended COC on 8/22/95.



ATT #508187

CHAIN OF CUSTODY

No.061525

Page 1 of 1

CONSULTANT'S NAME: AUSTO ENGINEERING ADDRESS: 1575 TREAT Blvd. #201 CITY: Walnut Creek CA STATE: CA ZIP CODE: 94596

BP SITE NUMBER: 11132 BP CORNER ADDRESS/CITY: 3201 35th AVE OAKLAND, CA CONSULTANT PROJECT NUMBER: 10-024-04-001

CONSULTANT PROJECT MANAGER: RENE BRAYER PHONE NUMBER: 510 295 1650 FAX NUMBER: 510 295 1823 CONSULTANT CONTRACT NUMBER: 6247985

BP CONTACT: SCOTT HOOTON BP ADDRESS: Benton, WA PHONE NUMBER: _____ FAX NO: _____

LAB CONTACT: GARY STUART LABORATORY ADDRESS: SAN DIEGO, CA PHONE NUMBER: _____ FAX NO: _____

SAMPLED BY (Please Print Name): John Bradley SAMPLED BY (Signature): [Signature] SHIPMENT DATE: _____ SHIPMENT METHOD: Fed Ex

TAT: 24 Hours 48 Hours 1 Week Standard 2 Weeks ANALYSIS REQUIRED

AIRBILL NUMBER: 6680235671

SAMPLE DESCRIPTION	COLLECTION DATE	MATRIX SOIL/WATER	CONTAINERS		PRESERVATIVE	LAB SAMPLE #	TAT-D	624													COMMENTS		
	COLLECTION TIME		NO.	TYPE (VOL.)	LAB																		
STA# 11132 INF	0745	GW	3	VQA	01		✓	✓															
	0750		2	LT	↓		✓																
STA# 11132 A	0755		3	VQA	02		✓	✓															
STA# 11132 EFF	0800		3	VQA	03		✓	✓															
STA# 11132 QC1	0805		3	VQA	04		✓	✓															

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	ADDITIONAL COMMENTS
<u>John K. Bradley</u>	<u>8/17/95</u>	<u>1218</u>	<u>[Signature]</u>			<u>with me SSA by P. Lyellton and Z. Leonar</u>
			<u>[Signature]</u>	<u>8-19-95</u>	<u>09:10</u>	<u>cooler #1169 = 4.7°</u>



Analytical**Technologies**, Inc.

Corporate Offices: 5550 Morehouse Drive San Diego, CA 92121 (619) 458-9141

ATI I.D.: 507194

August 01, 1995

ALISTO ENGINEERING
1575 TREAT BOULEVARD, SUITE 201
WALNUT CREEK, CA 94598

Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA
Project # : G247985/10-024-04-001


Attention: PETER BEAVER


Analytical Technologies, Inc. has received the following sample(s):


<u>Date Received</u>	<u>Quantity</u>	<u>Matrix</u>
July 20, 1995	4	WATER

The sample(s) were analyzed with EPA methodology or equivalent methods as specified in the enclosed analytical schedule. The symbol for "less than" indicates a value below the reportable detection limit. If any flags appear next to the analytical data in this report, please see the attached list of flag definitions.

The results of these analyses and the quality control data are enclosed. Please note that the Sample Condition Upon Receipt Checklist is included at the end of this report.


GARY STEWART
VOLATILES SUPERVISOR


ALAN J. KLEINSCHMIDT
LABORATORY MANAGER





SAMPLE CROSS REFERENCE

Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

Report Date: August 01, 1995
ATI I.D. : 507194

Table with 4 columns: ATI #, Client Description, Matrix, Date Collected. Rows include STA #11132 INF, STA #11132 A, STA #11132 EFF, and STA #11132 FIELD BLANK.

---TOTALS---

Summary table with 2 columns: Matrix, # Samples. Row for WATER with 4 samples.

ATI STANDARD DISPOSAL PRACTICE

The sample(s) from this project will be disposed of in twenty-one (21) days from the date of this report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.

ANALYTICAL SCHEDULE

Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

ATI I.D.: 50719

Analysis	Technique/Description
EPA 624 (GC/MS FOR VOLATILE ORGANICS)	GC/MASS SPECTROMETER
MOD EPA 8015-CDOHS (FUEL HYDROCARBONS: C7-C24)	GC/FLAME IONIZATION DETECTOR



GAS CHROMATOGRAPHY RESULTS

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS: C7-C24)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

ATI I.D. : 507194

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA #11132 INF	WATER	18-JUL-95	21-JUL-95	24-JUL-95	1.00

Parameter	Units	1
FUEL HYDROCARBONS	MG/L	1.1
HYDROCARBON RANGE		C7-C14
HYDROCARBONS QUANTITATED USING		GASOLINE

SURROGATES
 BIS(2-ETHYLHEXYL) PHTHALATE % 100



GAS CHROMATOGRAPHY - QUALITY CONTROL

REAGENT BLANK

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)
Blank I.D. : 36150
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

ATI I.D. : 507194
Date Extracted: 21-JUL-95
Date Analyzed : 24-JUL-95
Dil. Factor : 1.00

Parameters	Units	Results
FUEL HYDROCARBONS	MG/L	<0.05
HYDROCARBON RANGE		-
HYDROCARBONS QUANTITATED USING		-
<u>SURROGATES</u>		
BIS(2-ETHYLHEXYL) PHTHALATE	%	67

GAS CHROMATOGRAPHY - QUALITY CONTROL

MSMSD

Page 5

 Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)
 MSMSD # : 77313
 Client : ALISTO ENGINEERING

 ATI I.D. : 507194
 Date Extracted: 21-JUL-95
 Date Analyzed : 24-JUL-95
 Sample Matrix : WATER
 REF I.D. : REAGENT WATER

 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

Parameters	Units	Sample Result	Conc Spike	Spiked Sample	% Rec	Dup Spike	Dup % Rec	RPD
FUEL HYDROCARBONS	MG/L	<0.050	1.0	0.65	65	0.64	64	2

$$\% \text{ Recovery} = (\text{Spike Sample Result} - \text{Sample Result}) * 100 / \text{Spike Concentration}$$

$$\text{RPD (Relative \% Difference)} = (\text{Spiked Sample Result} - \text{Duplicate Spike Result}) * 100 / \text{Average Result}$$



GAS CHROMATOGRAPHY/MASS SPECTROSCOPY RESULTS

Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

ATI I.D. : 507194

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA #11132 INF	WATER	18-JUL-95	N/A	30-JUL-95	2.00
2	STA #11132 A	WATER	18-JUL-95	N/A	26-JUL-95	1.00
3	STA #11132 EFF	WATER	18-JUL-95	N/A	26-JUL-95	1.00

Parameter	Units	1	2	3
CHLOROMETHANE	UG/L	<20	<10	<10
VINYL CHLORIDE	UG/L	<10	<5	<5
BROMOMETHANE	UG/L	<20	<10	<10
CHLOROETHANE	UG/L	<10	<5	<5
ACETONE	UG/L	<20	<10	55
1,1-DICHLOROETHENE	UG/L	<2	<1	<1
METHYLENE CHLORIDE	UG/L	<10	<5	<5
CARBON DISULFIDE	UG/L	<4	<2	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<2	<1	<1
1,1-DICHLOROETHANE	UG/L	<2	<1	<1
CIS-1,2-DICHLOROETHENE	UG/L	<2	<1	<1
CHLOROFORM	UG/L	<2	<1	<1
2-BUTANONE (MEK)	UG/L	<20	<10	<10
1,1,1-TRICHLOROETHANE	UG/L	<2	<1	<1
CARBON TETRACHLORIDE	UG/L	<2	<1	<1
1,2-DICHLOROETHANE	UG/L	3	<1	<1
BENZENE	UG/L	180	<1	<1
TRICHLOROETHENE	UG/L	<2	<1	<1
1,2-DICHLOROPROPANE	UG/L	<2	<1	<1
BROMODICHLOROMETHANE	UG/L	<2	<1	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<20	<10	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<2	<1	<1
TOLUENE	UG/L	35	<2	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<2	<1	<1
2-HEXANONE (MBK)	UG/L	<20	<10	<10
1,1,2-TRICHLOROETHANE	UG/L	<2	<1	<1
TETRACHLOROETHENE	UG/L	<2	<1	<1
DIBROMOCHLOROMETHANE	UG/L	<2	<1	<1
CHLOROBENZENE	UG/L	<2	<1	<1
ETHYLBENZENE	UG/L	<2	<1	<1
XYLENES (TOTAL)	UG/L	380	<1	<1
STYRENE	UG/L	<4	<2	<2
BROMOFORM	UG/L	<10	<5	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<2	<1	<1
DICHLORODIFLUOROMETHANE	UG/L	<20	<10	<10
TRICHLOROFLUOROMETHANE	UG/L	<10	<5	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<10	<5	<5
1,2-DICHLOROETHANE	UG/L	<10	<5	<5



GAS CHROMATOGRAPHY/MASS SPECTROSCOPY RESULTS

Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING ATI I.D. : 507194
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA #11132 INF	WATER	18-JUL-95	N/A	30-JUL-95	2.00
2	STA #11132 A	WATER	18-JUL-95	N/A	26-JUL-95	1.00
3	STA #11132 EFF	WATER	18-JUL-95	N/A	26-JUL-95	1.00

Parameter	Units	1	2	3
1,3-DICHLOROBENZENE	UG/L	<10	<5	<5
1,4-DICHLOROBENZENE	UG/L	<10	<5	<5
<u>SURROGATES</u>				
1,2-DICHLOROETHANE-D4	%	101	79	80
TOLUENE-D8	%	102	96	93
BFB	%	78	86	81



ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

Method : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

WATER
ATI I.D.: 507194

Sample Parameters	Units	Results
1 ALIPHATIC HYDROCARBON C5	UG/L	200
TRIMETHYL BENZENE ISOMER	UG/L	60
METHYL TERT-BUTYL ETHER	UG/L	600
CYCLIC HYDROCARBON	UG/L	50
ETHYLMETHYL BENZENE ISOMER	UG/L	30
2 METHYL PROPANOL ISOMER	UG/L	20
METHYL TERT-BUTYL ETHER	UG/L	300
3 METHYL PROPANOL ISOMER	UG/L	30



GAS CHROMATOGRAPHY/MASS SPECTROSCOPY RESULTS

Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING ATI I.D. : 507194
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
4	STA #11132 FIELD BLANK	WATER	18-JUL-95	N/A	26-JUL-95	1.00

Parameter	Units	4
CHLOROMETHANE	UG/L	<10
VINYL CHLORIDE	UG/L	<5
BROMOMETHANE	UG/L	<10
CHLOROETHANE	UG/L	<5
ACETONE	UG/L	36
1,1-DICHLOROETHENE	UG/L	<1
METHYLENE CHLORIDE	UG/L	<5
CARBON DISULFIDE	UG/L	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1
1,1-DICHLOROETHANE	UG/L	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1
CHLOROFORM	UG/L	<1
2-BUTANONE (MEK)	UG/L	<10
1,1,1-TRICHLOROETHANE	UG/L	<1
CARBON TETRACHLORIDE	UG/L	<1
1,2-DICHLOROETHANE	UG/L	<1
BENZENE	UG/L	<1
TRICHLOROETHENE	UG/L	<1
1,2-DICHLOROPROPANE	UG/L	<1
BROMODICHLOROMETHANE	UG/L	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1
TOLUENE	UG/L	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1
2-HEXANONE (MBK)	UG/L	<10
1,1,2-TRICHLOROETHANE	UG/L	<1
TETRACHLOROETHENE	UG/L	<1
DIBROMOCHLOROMETHANE	UG/L	<1
CHLOROBENZENE	UG/L	<1
ETHYLBENZENE	UG/L	<1
XYLENES (TOTAL)	UG/L	<1
STYRENE	UG/L	<2
BROMOFORM	UG/L	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<1
DICHLORODIFLUOROMETHANE	UG/L	<10
TRICHLOROFLUOROMETHANE	UG/L	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5
1,2-DICHLOROBENZENE	UG/L	<5



GAS CHROMATOGRAPHY/MASS SPECTROSCOPY RESULTS

Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING ATI I.D. : 507194
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
4	STA #11132	FIELD BLANK	WATER	18-JUL-95	N/A	26-JUL-95 1.00

Parameter	Units	4
1,3-DICHLOROBENZENE	UG/L	<5
1,4-DICHLOROBENZENE	UG/L	<5

SURROGATES

1,2-DICHLOROETHANE-D4	%	80
TOLUENE-D8	%	95
BFB	%	81



ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

Method : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

WATER
ATI I.D.: 507194

Sample Parameters	Units	Results
-------------------	-------	---------

4	NONE DETECTED	N/A	N/A
---	---------------	-----	-----

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL
REAGENT BLANK

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank I.D. : 36188
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

ATI I.D. : 507194
 Date Extracted: N/A
 Date Analyzed : 26-JUL-95
 Dil. Factor : 1.00

Parameters	Units	Results
CHLOROMETHANE	UG/L	<10
VINYL CHLORIDE	UG/L	<5
BROMOMETHANE	UG/L	<10
CHLOROETHANE	UG/L	<5
ACETONE	UG/L	<10
1,1-DICHLOROETHENE	UG/L	<1
METHYLENE CHLORIDE	UG/L	<5
CARBON DISULFIDE	UG/L	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1
1,1-DICHLOROETHANE	UG/L	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1
CHLOROFORM	UG/L	<1
2-BUTANONE (MEK)	UG/L	<10
1,1,1-TRICHLOROETHANE	UG/L	<1
CARBON TETRACHLORIDE	UG/L	<1
1,2-DICHLOROETHANE	UG/L	<1
BENZENE	UG/L	<1
TRICHLOROETHENE	UG/L	<1
1,2-DICHLOROPROPANE	UG/L	<1
BROMODICHLOROMETHANE	UG/L	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1
TOLUENE	UG/L	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1
2-HEXANONE (MBK)	UG/L	<10
1,1,2-TRICHLOROETHANE	UG/L	<1
TETRACHLOROETHENE	UG/L	<1
DIBROMOCHLOROMETHANE	UG/L	<1
CHLOROBENZENE	UG/L	<1
ETHYLBENZENE	UG/L	<1
XYLENES (TOTAL)	UG/L	<1
STYRENE	UG/L	<2
BROMOFORM	UG/L	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<1
DICHLORODIFLUOROMETHANE	UG/L	<10
TRICHLOROFLUOROMETHANE	UG/L	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5
1,2-DICHLOROBENZENE	UG/L	<5
1,3-DICHLOROBENZENE	UG/L	<5
1,4-DICHLOROBENZENE	UG/L	<5
SURROGATES		
1,2-DICHLOROETHANE-D4	%	88
TOLUENE-D8	UG/L	89*F
BFB	%	90



GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

REAGENT BLANK
ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
Blank I.D. : 36188
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

ATI I.D. : 507194

Parameters	Units	Results
NONE DETECTED	N/A	N/A

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL
REAGENT BLANK

Test	: EPA 8240 (GC/MS FOR VOLATILE ORGANICS)	ATI I.D.	: 507194
Blank I.D.	: 36210	Date Extracted:	N/A
Client	: ALISTO ENGINEERING	Date Analyzed	: 30-JUL-95
Project #	: G247985/10-024-04-001	Dil. Factor	: 1.00
Project Name:	BP SITE#11132/3210 35TH AVE. OAKLAND, CA		

Parameters	Units	Results
CHLOROMETHANE	UG/L	<10
VINYL CHLORIDE	UG/L	<5
BROMOMETHANE	UG/L	<10
CHLOROETHANE	UG/L	<5
ACETONE	UG/L	<10
1,1-DICHLOROETHENE	UG/L	<1
METHYLENE CHLORIDE	UG/L	<5
CARBON DISULFIDE	UG/L	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1
1,1-DICHLOROETHANE	UG/L	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1
CHLOROFORM	UG/L	<1
2-BUTANONE (MEK)	UG/L	<10
1,1,1-TRICHLOROETHANE	UG/L	<1
CARBON TETRACHLORIDE	UG/L	<1
1,2-DICHLOROETHANE	UG/L	<1
BENZENE	UG/L	<1
TRICHLOROETHENE	UG/L	<1
1,2-DICHLOROPROPANE	UG/L	<1
BROMODICHLOROMETHANE	UG/L	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1
TOLUENE	UG/L	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1
2-HEXANONE (MBK)	UG/L	<10
1,1,2-TRICHLOROETHANE	UG/L	<1
TETRACHLOROETHENE	UG/L	<1
DIBROMOCHLOROMETHANE	UG/L	<1
CHLOROBENZENE	UG/L	<1
ETHYLBENZENE	UG/L	<1
XYLENES (TOTAL)	UG/L	<1
STYRENE	UG/L	<2
BROMOFORM	UG/L	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<1
DICHLORODIFLUOROMETHANE	UG/L	<10
TRICHLOROFLUOROMETHANE	UG/L	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5
1,2-DICHLOROBENZENE	UG/L	<5
1,3-DICHLOROBENZENE	UG/L	<5
1,4-DICHLOROBENZENE	UG/L	<5
SURROGATES		
1,2-DICHLOROETHANE-D4	%	100
TOLUENE-D8	%	96
BFB	%	83



GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

REAGENT BLANK
ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

Page 1

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
Blank I.D. : 36210 ATI I.D. : 507194
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

Parameters	Units	Results
NONE DETECTED	N/A	N/A

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

MSMSD

Page 1

 Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 MSMSD # : 77384
 Client : ALISTO ENGINEERING

 ATI I.D. : 507194
 Date Extracted : N/A
 Date Analyzed : 26-JUL-95
 Sample Matrix : WATER
 REF I.D. : 507194-02

 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3210 35TH AVE. OAKLAND, CA

Parameters	Units	Sample Result	Conc Spike	Spiked Sample	% Rec	Dup Spike	Dup % Rec	RPD
1,1-DICHLOROETHENE	UG/L	<1	50	44	88	44	88	0
BENZENE	UG/L	<1	50	51	102	49	98	4
TRICHLOROETHENE	UG/L	<1	50	54	108	49	98	10
TOLUENE	UG/L	<2	50	48	96	49	98	2
CHLOROBENZENE	UG/L	<1	50	54	108	55	110	2

 $\% \text{ Recovery} = (\text{Spike Sample Result} - \text{Sample Result}) * 100 / \text{Spike Concentration}$
 $\text{RPD (Relative \% Difference)} = (\text{Spiked Sample Result} - \text{Duplicate Spike Result}) * 100 / \text{Average Result}$

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

BLANK SPIKE

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank Spike #: 57878
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name : BP SITE#11132/3210 35TH AVE. OAKLAND, CA

ATI I.D. : 507194
 Date Extracted: N/A
 Date Analyzed : 26-JUL-95
 Sample Matrix : WATER

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec
1,1-DICHLOROETHENE	UG/L	<1	51	50	102
BENZENE	UG/L	<1	50	50	100
TRICHLOROETHENE	UG/L	<1	49	50	98
TOLUENE	UG/L	<2	50	50	100
CHLOROBENZENE	UG/L	<1	56	50	112

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
 RPD (Relative % Difference) = (Spiked Sample - Blank Result)*100/Average Result



GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

BLANK SPIKE

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank Spike #: 57900
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name : BP SITE#11132/3210 35TH AVE. OAKLAND, CA

ATI I.D. : 507194
 Date Extracted: N/A
 Date Analyzed : 30-JUL-95
 Sample Matrix : WATER

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec
1,1-DICHLOROETHENE	UG/L	<1	51	50	102
BENZENE	UG/L	<1	53	50	106
TRICHLOROETHENE	UG/L	<1	50	50	100
TOLUENE	UG/L	<2	54	50	108
CHLOROBENZENE	UG/L	<1	56	50	112

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
 RPD (Relative % Difference) = (Spiked Sample - Blank Result)*100/Average Result

ORGANICS

FLAG MESSAGE DESCRIPTION

- A A TIC IS A SUSPECTED ALDOL-CONDENSATION PRODUCT
- B ANALYTE FOUND IN THE ASSOCIATED REAGENT BLANK
- C PESTICIDE, WHERE THE IDENTIFICATION WAS CONFIRMED BY GC/MS
- CO THESE COMPOUNDS CO-ELUTE AND ARE QUANTITATED AS ONE PEAK
- D COMPOUND IDENTIFIED IN AN ANALYSIS AT SECONDARY DILUTION
- E ANALYTE AMOUNT EXCEEDS THE CALIBRATION RANGE
- J ESTIMATED VALUE
- H QUANTIFIED AS DIESEL BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH THAT OF DIESEL
- K QUANTIFIED AS KEROSENE BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH THAT OF KEROSENE
- L QUANTIFIED AS GASOLINE BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH THAT OF GASOLINE
- N PRESUMPTIVE EVIDENCE OF A COMPOUND
- P PESTICIDE/AROCLOR TARGET ANALYTE, WHERE THERE IS GREATER THAN 25% DIFFERENCE FOR DETECTED CONCENTRATION BETWEEN 2 GC COLUMNS
- TR COMPOUND DETECTED AT AN UNQUANTIFIABLE TRACE LEVEL
- U COMPOUND WAS ANALYZED FOR BUT NOT DETECTED
- X SEE CASE NARRATIVE
- Y SEE CASE NARRATIVE
- Z SEE CASE NARRATIVE
- * OUTSIDE OF QUALITY CONTROL LIMITS
- *D COMPOUND ANALYZED FROM A SECONDARY ANALYSIS
- *F RESULT OUTSIDE OF ATI'S QUALITY CONTROL LIMITS
- *G RESULT OUTSIDE QUALITY CONTROL LIMITS. INSUFFICIENT SAMPLE FOR RE-EXTRACTION/ANALYSIS
- *H RESULT OUTSIDE OF LIMITS DUE TO SAMPLE MATRIX INTERFERENCE
- *I BECAUSE OF NECESSARY SAMPLE DILUTION, VALUE WAS OUTSIDE QC LIMITS
- *K DUE TO THE NECESSARY DILUTION OF THE SAMPLE, RESULT WAS NOT ATTAINABLE
- *L ANALYTE IS A SUSPECTED LAB CONTAMINANT
- *P A STANDARD WAS USED TO QUANTITATE THIS VALUE
- *R DATA IS NOT USABLE
- *T SURROGATE RECOVERY IS OUTSIDE QC CONTROL LIMITS. NO CORRECTIVE ACTION INDICATED BY METHOD
- *V SAMPLE RESULT IS >4X SPIKED CONCENTRATION, THEREFORE SPIKE IS NOT DETECTABLE
- *Y RESULT NOT ATTAINABLE DUE TO SAMPLE MATRIX INTERFERENCE
- @A RESULTS OUT OF LIMITS DUE TO SAMPLE NON-HOMOGENEITY
- @C *VARIABLE MESSAGE*
- @D RESULT COULD NOT BE CONFIRMED DUE TO MATRIX INTERFERENCE ON THE CONFIRMATION COLUMN
- @E RESULT MAY BE FALSELY ELEVATED DUE TO SAMPLE MATRIX INTERFERENCE
- @F RESULT OUTSIDE OF CONTRACT SPECIFIED QUALITY CONTROL LIMITS
- @G RESULT OUTSIDE OF CONTRACT SPECIFIED ADVISORY LIMITS
- @H DETECTION LIMIT ELEVATED DUE TO MATRIX INTERFERENCE
- @M RESULT NOT CONFIRMED BY U.V. DUE TO SAMPLE MATRIX INTERFERENCE
- @N RESULT NOT CONFIRMED BY FLUORESCENCE DUE TO SAMPLE MATRIX INTERFERENCE
- @P RESULT QUANTITATED USING FLUORESCENCE ONLY DUE TO THE LOW CONCENTRATION
- @Q DETECTION LIMIT ELEVATED DUE TO LIMITED SAMPLE FOR ANALYSIS
- @T RESULT DUE TO TCLP EXTRACTION MATRIX INTERFERENCE. NO QC LIMITS HAVE BEEN ESTABLISHED
- @U SAMPLE CHROMATOGRAM DOES NOT RESEMBLE COMMON FUEL HYDROCARBON FINGERPRINTS
- @Z SAMPLE CHROMATOGRAM DOES NOT RESEMBLE A FUEL HYDROCARBON

ATI-SanDiego
SAMPLE CONDITION UPON RECEIPT CHECKLIST
 (FOR RE-ACCESSIONS, COMPLETE #7 THRU #9)

1	Does this project require special handling according to NFESC Levels C, D, AFCEE or CLP protocols? If yes, complete a) and b) a) pH sample aliquoted: yes /no /na b) Either 1) Record Bottle Lot #'s: Or 2) Attach Sample Kit Request Form(s)	YES	<input checked="" type="radio"/> NO
2	Number of Coolers Received If more than one cooler received attach Multiple Cooler Documentation Form (MCD) Indicate "see MCD" on Item 11 below		7 (#1199)
3	Are custody seals required for this project ? a) are Custody Seals present on Cooler(s) ? If yes, are seals intact ? b) are Custody Seals present on the sample ? If yes, are seals intact ?	YES	<input checked="" type="radio"/> N/A
		YES	<input checked="" type="radio"/> NO
		YES	NO
		YES	<input checked="" type="radio"/> NO
		YES	NO
4	Is there a Chain-Of-Custody (COC) per cooler ? if not, if a problem is found indicate which samples/test were in the affected cooler on the MCD.	<input checked="" type="radio"/> YES	NO
5	Is the COC complete per cooler ? Relinquished: <input checked="" type="radio"/> yes /no Requested analysis: <input checked="" type="radio"/> yes /no	<input checked="" type="radio"/> YES	NO
6	Is the COC in agreement with the samples received? # Samples: <input checked="" type="radio"/> yes /no Sample ID's: <input checked="" type="radio"/> yes /no Date sampled: <input checked="" type="radio"/> yes /no Matrix: <input checked="" type="radio"/> yes /no # containers: <input checked="" type="radio"/> yes /no	<input checked="" type="radio"/> YES	NO
7	Are the samples preserved correctly?	<input checked="" type="radio"/> YES	NO
8	Is there enough sample for all the requested analyses?	<input checked="" type="radio"/> YES	NO
9	Are all samples within holding times for the requested analyses?	<input checked="" type="radio"/> YES	NO
10	Record cooler temperature. Contact PM if temperature is not 4°C ± 2°C. Is ice present in cooler?		2.3 °C <input checked="" type="radio"/> YES NO
11	Were all sample containers received intact (ie. not broken, leaking, etc.)?	<input checked="" type="radio"/> YES	NO
12	Are samples requiring no headspace, headspace free? N/A	<input checked="" type="radio"/> YES	NO
13	Are VOA 1st stickers required?	YES	<input checked="" type="radio"/> NO
14	Are there special comments on the Chain of Custody which require client contact?	YES	<input checked="" type="radio"/> N/A
15	If yes, was ATI Project Manager notified?	YES	NO

Describe "no" items: _____

Was client contacted? yes / no
 If yes, Date: _____ Name of Person contacted: _____
 Describe actions taken or client instructions: _____

*Or other representative documents, letters, and/or shipping memos



ATI # 507194

CHAIN OF CUSTODY

No 061526

Page 1 of 1

CONSULTANT'S NAME: Alisto Engineers ADDRESS: 1575 TREAT Blvd Ste 201 Walnut Creek, CA CITY: Walnut Creek, CA STATE: CA ZIP CODE: 94596

BP SITE NUMBER: 11132 BP CORNER ADDRESS/CITY: 3201 35th AVE OAKLAND, CA CONSULTANT/PROJECT NUMBER: 10-024-04-001

CONSULTANT PROJECT MANAGER: PEPE BELARUK PHONE NUMBER: 510 295 1650 FAX NUMBER: 510 295 1823 CONSULTANT CONTRACT NUMBER: 6247985

BP CONTACT: SCOTT HOOTON BP ADDRESS: RENTON WA PHONE NUMBER: _____ FAX NO: _____

LAB CONTACT: GARY STEWART LABORATORY ADDRESS: SAN DIEGO, CA PHONE NUMBER: _____ FAX NO: _____

SAMPLED BY (Please Print Name): JOHN BICKING SAMPLED BY (Signature): John K. Bickling SHIPMENT DATE: _____ SHIPMENT METHOD: Fed Ex

TAT: 24 Hours 48 Hours 1 Week Standard 2 Weeks

ANALYSIS REQUIRED

AIRBILL NUMBER: 1818921086

SAMPLE DESCRIPTION	COLLECTION DATE	MATRIX SOIL/WATER	CONTAINERS		PRESERVATIVE	HCL	NONE								COMMENTS	
	COLLECTION TIME		NO.	TYPE (VOL.)	LAB SAMPLE #											
STA# 11132 INF	0845	GW	3	VOA	01	✓										
	0847		2	LT			✓									
STA# 11132 A	0850		3	VOA	02	✓										
STA# 11132 EFF	0855		3		03	✓										
STA# 11132 FIELD BLANK	0858		3		04	✓										

RELINQUISHED BY / AFFILIATION

DATE

TIME

ACCEPTED BY / AFFILIATION

DATE

TIME

ADDITIONAL COMMENTS

John K. Bickling

7/18/95 1005

Nick J. Jahn / ATI

9-20-95 09:30

Cooler # 1199 = 2.30



Analytical **Technologies, Inc.**

Corporate Offices: 5550 Morehouse Drive San Diego, CA 92121 (619) 458-9141

ATI I.D.: 506267

July 12, 1995

ALISTO ENGINEERING
1575 TREAT BOULEVARD, SUITE 201
WALNUT CREEK, CA 94598

Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA
Project # : G247985/10-024-07-001


Attention: PETE BEAVER


Analytical Technologies, Inc. has received the following sample(s):


<u>Date Received</u>	<u>Quantity</u>	<u>Matrix</u>
June 22, 1995	4	WATER

The sample(s) were analyzed with EPA methodology or equivalent methods as specified in the enclosed analytical schedule. The symbol for "less than" indicates a value below the reportable detection limit. If any flags appear next to the analytical data in this report, please see the attached list of flag definitions.

The results of these analyses and the quality control data are enclosed. Please note that the Sample Condition Upon Receipt Checklist is included at the end of this report.


GARY STEWART
VOLATILES SUPERVISOR


ALAN J. KLEINSCHMIDT
LABORATORY MANAGER





Client : ALISTO ENGINEERING
 Project # : G247985/10-024-07-001
 Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

Report Date: July 12, 1995
 ATI I.D. : 506267

ATI #	Client Description	Matrix	Date Collected
1	STA# 11132 INF	WATER	19-JUN-95
2	STA# 11132 A	WATER	19-JUN-95
3	STA# 11132 EFF	WATER	19-JUN-95
4	STA# 11132 FIELD BLANK	WATER	19-JUN-95

---TOTALS---

<u>Matrix</u>	<u># Samples</u>
WATER	4

ATI STANDARD DISPOSAL PRACTICE

The sample(s) from this project will be disposed of in twenty-one (21) days from the date of this report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.



Client : ALISTO ENGINEERING
Project # : G247985/10-024-07-001
Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

ATI I.D.: 506267

Analysis	Technique/Description
EPA 624 (GC/MS FOR VOLATILE ORGANICS)	GC/MASS SPECTROMETER
MOD EPA 8015-CDOHS (FUEL HYDROCARBONS: C7-C24)	GC/FLAME IONIZATION DETECTOR



Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS: C7-C24)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-07-001
 Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

ATI I.D. : 506267

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA# 11132 INF	WATER	19-JUN-95	26-JUN-95	26-JUN-95	1.00
Parameter		Units	1			
FUEL HYDROCARBONS		MG/L	0.37			
HYDROCARBON RANGE			C7-C14			
HYDROCARBONS QUANTITATED USING			GASOLINE			
<u>SURROGATES</u>						
BIS (2-ETHYLHEXYL) PHTHALATE		%	97			



REAGENT BLANK

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)
Blank I.D. : 35861
Client : ALISTO ENGINEERING
Project # : G247985/10-024-07-001
Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

ATI I.D. : 506267
Date Extracted: 26-JUN-95
Date Analyzed : 26-JUN-95
Dil. Factor : 1.00

Parameters	Units	Results
FUEL HYDROCARBONS	MG/L	<0.050
HYDROCARBON RANGE		-
HYDROCARBONS QUANTITATED USING		-
<u>SURROGATES</u>		
BIS (2-ETHYLHEXYL) PHTHALATE	%	96



MSMSD

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)
MSMSD # : 76723
Client : ALISTO ENGINEERING

ATI I.D. : 506267
Date Extracted: 26-JUN-95
Date Analyzed : 27-JUN-95
Sample Matrix : WATER
REF I.D. : REAGENT WATER

Project # : G247985/10-024-07-001
Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

Table with 9 columns: Parameters, Units, Sample Result, Conc Spike, Spiked Sample, % Rec, Dup Spike, Dup % Rec, RPD. Row 1: FUEL HYDROCARBONS, MG/L, <0.050, 1.0, 0.97, 97, 0.95, 95, 2

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
RPD (Relative % Difference) = (Spiked Sample Result - Duplicate Spike Result)*100/Average Result



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-07-001
 Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

ATI I.D. : 506267

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA# 11132 INF	WATER	19-JUN-95	N/A	30-JUN-95	1.00
2	STA# 11132 A	WATER	19-JUN-95	N/A	30-JUN-95	1.00
3	STA# 11132 EFF	WATER	19-JUN-95	N/A	30-JUN-95	1.00

Parameter	Units	1	2	3
CHLOROMETHANE	UG/L	<10	<10	<10
VINYL CHLORIDE	UG/L	<5	<5	<5
BROMOMETHANE	UG/L	<10	<10	<10
CHLOROETHANE	UG/L	<5	<5	<5
ACETONE	UG/L	15	<10	11
1,1-DICHLOROETHENE	UG/L	<1	<1	<1
METHYLENE CHLORIDE	UG/L	<5	<5	<5
CARBON DISULFIDE	UG/L	<2	<2	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1	<1	<1
1,1-DICHLOROETHANE	UG/L	<1	<1	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1	<1	<1
CHLOROFORM	UG/L	<1	<1	<1
2-BUTANONE (MEK)	UG/L	<10	<10	<10
1,1,1-TRICHLOROETHANE	UG/L	<1	<1	<1
CARBON TETRACHLORIDE	UG/L	<1	<1	<1
1,2-DICHLOROETHANE	UG/L	<1	<1	<1
BENZENE	UG/L	6	<1	<1
TRICHLOROETHENE	UG/L	<1	<1	<1
1,2-DICHLOROPROPANE	UG/L	<1	<1	<1
BROMODICHLOROMETHANE	UG/L	<1	<1	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10	<10	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1	<1	<1
TOLUENE	UG/L	<2	<2	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1	<1	<1
2-HEXANONE (MBK)	UG/L	<10	<10	<10
1,1,2-TRICHLOROETHANE	UG/L	<1	<1	<1
TETRACHLOROETHENE	UG/L	<1	<1	<1
DIBROMOCHLOROMETHANE	UG/L	<1	<1	<1
CHLOROBENZENE	UG/L	<1	<1	<1
ETHYLBENZENE	UG/L	<1	<1	<1
XYLENES (TOTAL)	UG/L	<1	<1	<1
STYRENE	UG/L	<2	<2	<2
BROMOFORM	UG/L	<5	<5	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<1	<1	<1
DICHLORODIFLUOROMETHANE	UG/L	<10	<10	<10
TRICHLOROFLUOROMETHANE	UG/L	<5	<5	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5	<5	<5
1,2-DICHLOROBENZENE	UG/L	<5	<5	<5



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-07-001
Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

ATI I.D. : 506267

Table with columns: Sample #, Client ID, Matrix, Date Sampled, Date Extracted, Date Analyzed, Dil. Factor. Includes rows for 1,3-DICHLOROBENZENE, 1,4-DICHLOROBENZENE, and SURROGATES (1,2-DICHLOROETHANE-D4, TOLUENE-D8, BFB).



Method : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-07-001
Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

WATER
ATI I.D.: 506267

Sample Parameters	Units	Results
1 ALIPHATIC HYDROCARBON C5	UG/L	50
OXYGENATED HYDROCARBON	UG/L	900
ALIPHATIC HYDROCARBON C7	UG/L	20
ALIPHATIC HYDROCARBON C8	UG/L	10
ALIPHATIC HYDROCARBON C8	UG/L	30
2 OXYGENATED HYDROCARBON	UG/L	100
METHYL PROPANOL ISOMER	UG/L	20
3 METHYL PROPANOL ISOMER	UG/L	30



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-07-001
 Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

ATI I.D. : 506267

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
4	STA# 11132	FIELD BLANK	WATER	19-JUN-95	N/A	30-JUN-95 1.00
Parameter	Units					
CHLOROMETHANE	UG/L	<10				
VINYL CHLORIDE	UG/L	<5				
BROMOMETHANE	UG/L	<10				
CHLOROETHANE	UG/L	<5				
ACETONE	UG/L	13				
1,1-DICHLOROETHENE	UG/L	<1				
METHYLENE CHLORIDE	UG/L	<5				
CARBON DISULFIDE	UG/L	<2				
TRANS-1,2-DICHLOROETHENE	UG/L	<1				
1,1-DICHLOROETHANE	UG/L	<1				
CIS-1,2-DICHLOROETHENE	UG/L	<1				
CHLOROFORM	UG/L	<1				
2-BUTANONE (MEK)	UG/L	<10				
1,1,1-TRICHLOROETHANE	UG/L	<1				
CARBON TETRACHLORIDE	UG/L	<1				
1,2-DICHLOROETHANE	UG/L	<1				
BENZENE	UG/L	<1				
TRICHLOROETHENE	UG/L	<1				
1,2-DICHLOROPROPANE	UG/L	<1				
BROMODICHLOROMETHANE	UG/L	<1				
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10				
CIS-1,3-DICHLOROPROPENE	UG/L	<1				
TOLUENE	UG/L	<2				
TRANS-1,3-DICHLOROPROPENE	UG/L	<1				
2-HEXANONE (MBK)	UG/L	<10				
1,1,2-TRICHLOROETHANE	UG/L	<1				
TETRACHLOROETHENE	UG/L	<1				
DIBROMOCHLOROMETHANE	UG/L	<1				
CHLOROENZENE	UG/L	<1				
ETHYLBENZENE	UG/L	<1				
XYLENES (TOTAL)	UG/L	<1				
STYRENE	UG/L	<2				
BROMOFORM	UG/L	<5				
1,1,2,2-TETRACHLOROETHANE	UG/L	<1				
DICHLORODIFLUOROMETHANE	UG/L	<10				
TRICHLOROFLUOROMETHANE	UG/L	<5				
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5				
1,2-DICHLOROBENZENE	UG/L	<5				



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-07-001
Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

ATI I.D. : 506267

Table with 6 columns: Sample #, Client ID, Matrix, Date Sampled, Date Extracted, Date Analyzed, Dil. Factor. Row 1: 4, STA# 11132 FIELD BLANK, WATER, 19-JUN-95, N/A, 30-JUN-95, 1.00

Table with 3 columns: Parameter, Units, Value. Row 1: 1,3-DICHLOROENZENE, UG/L, <5. Row 2: 1,4-DICHLOROENZENE, UG/L, <5

Table with 3 columns: SURROGATES, %, Value. Row 1: 1,2-DICHLOROETHANE-D4, %, 84. Row 2: TOLUENE-D8, %, 95. Row 3: BFB, %, 89



Method : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-07-001
Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

WATER
ATI I.D.: 506267

Sample Parameters	Units	Results
4 METHYL PROPANOL ISOMER	UG/L	30



REAGENT BLANK

Page 12

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank I.D. : 35933
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-07-001
 Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

ATI I.D. : 506267
 Date Extracted: N/A
 Date Analyzed : 30-JUN-95
 Dil. Factor : 1.00

Parameters	Units	Results
CHLOROMETHANE	UG/L	<10
VINYL CHLORIDE	UG/L	<5
BROMOMETHANE	UG/L	<10
CHLOROETHANE	UG/L	<5
ACETONE	UG/L	<10
1,1-DICHLOROETHENE	UG/L	<1
METHYLENE CHLORIDE	UG/L	<5
CARBON DISULFIDE	UG/L	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1
1,1-DICHLOROETHANE	UG/L	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1
CHLOROFORM	UG/L	<1
2-BUTANONE (MEK)	UG/L	<10
1,1,1-TRICHLOROETHANE	UG/L	<1
CARBON TETRACHLORIDE	UG/L	<1
1,2-DICHLOROETHANE	UG/L	<1
BENZENE	UG/L	<1
TRICHLOROETHENE	UG/L	<1
1,2-DICHLOROPROPANE	UG/L	<1
BROMODICHLOROMETHANE	UG/L	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1
TOLUENE	UG/L	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1
2-HEXANONE (MBK)	UG/L	<10
1,1,2-TRICHLOROETHANE	UG/L	<1
TETRACHLOROETHENE	UG/L	<1
DIBROMOCHLOROMETHANE	UG/L	<1
CHLOROBENZENE	UG/L	<1
ETHYLBENZENE	UG/L	<1
XYLENES (TOTAL)	UG/L	<1
STYRENE	UG/L	<2
BROMOFORM	UG/L	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<1
DICHLORODIFLUOROMETHANE	UG/L	<10
TRICHLOROFLUOROMETHANE	UG/L	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5
1,2-DICHLOROBENZENE	UG/L	<5
1,3-DICHLOROBENZENE	UG/L	<5
1,4-DICHLOROBENZENE	UG/L	<5
<u>SURROGATES</u>		
1,2-DICHLOROETHANE-D4	%	81
TOLUENE-D8	%	96
BFB	%	84



REAGENT BLANK
ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
Blank I.D. : 35933
Client : ALISTO ENGINEERING
Project # : G247985/10-024-07-001
Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

ATI I.D. : 506267

Parameters	Units	Results
NONE DETECTED	N/A	N/A



MSMSD

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
MSMSD # : 76771
Client : ALISTO ENGINEERING

ATI I.D. : 506267
Date Extracted: N/A
Date Analyzed : 29-JUN-95
Sample Matrix : WATER
REF I.D. : 506272-01

Project # : G247985/10-024-07-001
Project Name: BP SITE#11132/35TH AVE. OAKLAND, CA

Table with 9 columns: Parameters, Units, Sample Result, Conc Spike, Spiked Sample, % Rec, Dup Spike, Dup % Rec, RPD. Rows include 1,1-DICHLOROETHENE, BENZENE, TRICHLOROETHENE, TOLUENE, and CHLOROBENZENE.

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
RPD (Relative % Difference) = (Spiked Sample Result - Duplicate Spike Result)*100/Average Result



BLANK SPIKE

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank Spike #: 57443
 Client : ALISTO ENGINEERING
 Project #: G247985/10-024-07-001
 Project Name : BP SITE#11132/35TH AVE. OAKLAND, CA

ATI I.D. : 506267
 Date Extracted: N/A
 Date Analyzed : 30-JUN-95
 Sample Matrix : WATER

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec
1,1-DICHLOROETHENE	UG/L	<1	48	50	96
BENZENE	UG/L	<1	49	50	98
TRICHLOROETHENE	UG/L	<1	46	50	92
TOLUENE	UG/L	<2	50	50	100
CHLOROBENZENE	UG/L	<1	53	50	106

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
 RPD (Relative % Difference) = (Spiked Sample - Blank Result)*100/Average Result



ATI # 506267

CHAIN OF CUSTODY

No. 061516

Page 1 of 1

CONSULTANT'S NAME: Alisha Engineering Group ADDRESS: 1575 TREAT Blvd Ste 201 CITY: Walnut Creek STATE: CA ZIP CODE: 94596

BP SITE NUMBER: 11132 BP CORNER ADDRESS/CITY: 35th Ave. OAKLAND CA CONSULTANT PROJECT NUMBER: 10-024-01-001

CONSULTANT PROJECT MANAGER: Scott Hoxton PHONE NUMBER: 510 295-1650 FAX NUMBER: 510 295 1823 CONSULTANT CONTRACT NUMBER: 02-17985

BP CONTACT: Scott Hoxton BP ADDRESS: Denton, WA PHONE NUMBER: _____ FAX NO: _____

LAB CONTACT: GARY STENZEL LABORATORY ADDRESS: San Diego, CA PHONE NUMBER: _____ FAX NO: _____

SAMPLED BY (Please Print Name): John Becking SAMPLED BY (Signature): John K. Becking SHIPMENT DATE: _____ SHIPMENT METHOD: Bellair

TAT: 24 Hours 48 Hours 1 Week Standard 2 Weeks

ANALYSIS REQUIRED: _____ AIRBILL NUMBER: 774148

SAMPLE DESCRIPTION	COLLECTION	MATRIX SOIL/WATER	CONTAINERS		PRESERVATIVE	HCC	non-H	COMMENTS
	TIME		NO.	TYPE (VOL.)	LAB SAMPLE #			
STA# 11132 INF	1610	GW	5	2L 3VIA	00801	✓	✓	
STA# 11132 A	1612		3	VOA	00902	✓		
STA# 11132 EFF	1614		3		01203	✓		
STA# 11132 FIELD BLANK	1616	↓	3	↓	N 04	✓		

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	ADDITIONAL COMMENTS
<u>John K. Becking</u>	<u>6/20/95</u>	<u>1100</u>	<u>Walt Tueling (ATT)</u>	<u>6-22-95</u>	<u>08:30</u>	<u>2 order # 471 = 3.90</u>



May 24, 1995

ALISTO ENGINEERING
1777 OAKLAND BOULEVARD, SUITE 200
WALNUT CREEK, CA 94596

Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA
Project # : G247985/10-024-04-001


Attention: PETE BEAVER


Analytical Technologies, Inc. has received the following sample(s):


<u>Date Received</u>	<u>Quantity</u>	<u>Matrix</u>
May 18, 1995	4	WATER

The sample(s) were analyzed with EPA methodology or equivalent methods as specified in the enclosed analytical schedule. The symbol for "less than" indicates a value below the reportable detection limit. If any flags appear next to the analytical data in this report, please see the attached list of flag definitions.

The results of these analyses and the quality control data are enclosed. Please note that the Sample Condition Upon Receipt Checklist is included at the end of this report.


GARY STEWART
VOLATILES SUPERVISOR


For ALAN J KLEINSCHMIDT
LABORATORY MANAGER





Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

Report Date: May 24, 1995
ATI I.D. : 505178

Table with 4 columns: ATI #, Client Description, Matrix, Date Collected. Rows include STA#11132 INF, STA#11132 A, STA#11132 EFF, and STA#11132 FIELD BLANK.

---TOTALS---

Summary table with 2 columns: Matrix, # Samples. Row shows WATER with 4 samples.

ATI STANDARD DISPOSAL PRACTICE

The sample(s) from this project will be disposed of in twenty-one (21) days from the date of this report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.



Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

ATI I.D.: 505178

Analysis	Technique/Description
EPA 624 (GC/MS FOR VOLATILE ORGANICS)	GC/MASS SPECTROMETER
MOD EPA 8015-CDOHS (FUEL HYDROCARBONS: C7-C24)	GC/FLAME IONIZATION DETECTOR



Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS: C7-C24)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

ATI I.D. : 505178

Table with 7 columns: Sample #, Client ID, Matrix, Date Sampled, Date Extracted, Date Analyzed, Dil. Factor. Rows include STA#11132 INF and STA#11132 FIELD BLANK.

Table with 4 columns: Parameter, Units, 1, 4. Rows include FUEL HYDROCARBONS, HYDROCARBON RANGE, and SURROGATES.



REAGENT BLANK

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)
Blank I.D. : 35466
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

ATI I.D. : 505178
Date Extracted: 19-MAY-95
Date Analyzed : 22-MAY-95
Dil. Factor : 1.00

Parameters	Units	Results
FUEL HYDROCARBONS	MG/L	<0.050
HYDROCARBON RANGE		-
HYDROCARBONS QUANTITATED USING		-
<u>SURROGATES</u>		
BIS(2-ETHYLHEXYL) PHTHALATE	%	59



MSMSD

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)
MSMSD # : 75838
Client : ALISTO ENGINEERING

ATI I.D. : 505178
Date Extracted: 19-MAY-95
Date Analyzed : 20-MAY-95
Sample Matrix : WATER
REF I.D. : REAGENT WATER

Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

Table with 9 columns: Parameters, Units, Sample Result, Conc Spike, Spiked Sample, % Rec, Dup Spike, Dup % Rec, RPD. Row 1: FUEL HYDROCARBONS, MG/L, <0.050, 1.0, 1.1, 110, 1.0, 100, 10

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
RPD (Relative % Difference) = (Spiked Sample Result - Duplicate Spike Result)*100/Average Result



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

ATI I.D. : 505178

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA#11132 INF	WATER	16-MAY-95	N/A	24-MAY-95	5.00
2	STA#11132 A	WATER	16-MAY-95	N/A	24-MAY-95	1.00
3	STA#11132 EFF	WATER	16-MAY-95	N/A	24-MAY-95	1.00

Parameter	Units	1	2	3
CHLOROMETHANE	UG/L	<50	<10	<10
VINYL CHLORIDE	UG/L	<25	<5	<5
BROMOMETHANE	UG/L	<50	<10	<10
CHLOROETHANE	UG/L	<25	<5	<5
ACETONE	UG/L	<50	<10	<10
1,1-DICHLOROETHENE	UG/L	<5	<1	<1
METHYLENE CHLORIDE	UG/L	<25	<5	<5
CARBON DISULFIDE	UG/L	<10	<2	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<5	<1	<1
1,1-DICHLOROETHANE	UG/L	<5	<1	<1
CIS-1,2-DICHLOROETHENE	UG/L	<5	<1	<1
CHLOROFORM	UG/L	<5	<1	<1
2-BUTANONE (MEK)	UG/L	<50	<10	<10
1,1,1-TRICHLOROETHANE	UG/L	<5	<1	<1
CARBON TETRACHLORIDE	UG/L	<5	<1	<1
1,2-DICHLOROETHANE	UG/L	14	<1	<1
BENZENE	UG/L	910	<1	<1
TRICHLOROETHENE	UG/L	<5	<1	<1
1,2-DICHLOROPROPANE	UG/L	<5	<1	<1
BROMODICHLOROMETHANE	UG/L	<5	<1	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<50	<10	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<5	<1	<1
TOLUENE	UG/L	84	<2	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<5	<1	<1
2-HEXANONE (MBK)	UG/L	<50	<10	<10
1,1,2-TRICHLOROETHANE	UG/L	<5	<1	<1
TETRACHLOROETHENE	UG/L	<5	<1	<1
DIBROMOCHLOROMETHANE	UG/L	<5	<1	<1
CHLOROBENZENE	UG/L	<5	<1	<1
ETHYLBENZENE	UG/L	26	<1	<1
XYLENES (TOTAL)	UG/L	250	<1	<1
STYRENE	UG/L	<10	<2	<2
BROMOFORM	UG/L	<25	<5	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<5	<1	<1
DICHLORODIFLUOROMETHANE	UG/L	<50	<10	<10
TRICHLOROFLUOROMETHANE	UG/L	<25	<5	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<25	<5	<5
1,2-DICHLOROBENZENE	UG/L	<25	<5	<5



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

ATI I.D. : 505178

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA#11132 INF	WATER	16-MAY-95	N/A	24-MAY-95	5.00
2	STA#11132 A	WATER	16-MAY-95	N/A	24-MAY-95	1.00
3	STA#11132 EFF	WATER	16-MAY-95	N/A	24-MAY-95	1.00

Parameter	Units	1	2	3
1,3-DICHLOROBENZENE	UG/L	<25	<5	<5
1,4-DICHLOROBENZENE	UG/L	<25	<5	<5

SURROGATES

1,2-DICHLOROETHANE-D4	%	94	94	96
TOLUENE-D8	%	96	99	100
BFB	%	96	93	94



Method : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

WATER
ATI I.D.: 505178

Sample Parameters	Units	Results
1 ALIPHATIC HYDROCARBON C4	UG/L	100
ALIPHATIC HYDROCARBON C5	UG/L	300
ALIPHATIC HYDROCARBON C6	UG/L	100
OXYGENATED HYDROCARBON	UG/L	2000
TRIMETHYLBENZENE ISOMER	UG/L	60
2 OXYGENATED HYDROCARBON	UG/L	30
3 OXYGENATED HYDROCARBON	UG/L	20



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

ATI I.D. : 505178

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
4	STA#11132	FIELD BLANK	WATER	16-MAY-95	N/A	24-MAY-95 5.00

Parameter	Units	4
CHLOROMETHANE	UG/L	<50
VINYL CHLORIDE	UG/L	<25
BROMOMETHANE	UG/L	<50
CHLOROETHANE	UG/L	<25
ACETONE	UG/L	<50
1,1-DICHLOROETHENE	UG/L	<5
METHYLENE CHLORIDE	UG/L	<25
CARBON DISULFIDE	UG/L	<10
TRANS-1,2-DICHLOROETHENE	UG/L	<5
1,1-DICHLOROETHANE	UG/L	<5
CIS-1,2-DICHLOROETHENE	UG/L	<5
CHLOROFORM	UG/L	<5
2-BUTANONE (MEK)	UG/L	<50
1,1,1-TRICHLOROETHANE	UG/L	<5
CARBON TETRACHLORIDE	UG/L	<5
1,2-DICHLOROETHANE	UG/L	13
BENZENE	UG/L	780
TRICHLOROETHENE	UG/L	<5
1,2-DICHLOROPROPANE	UG/L	<5
BROMODICHLOROMETHANE	UG/L	<5
4-METHYL-2-PENTANONE (MIBK)	UG/L	<50
CIS-1,3-DICHLOROPROPENE	UG/L	<5
TOLUENE	UG/L	52
TRANS-1,3-DICHLOROPROPENE	UG/L	<5
2-HEXANONE (MBK)	UG/L	<50
1,1,2-TRICHLOROETHANE	UG/L	<5
TETRACHLOROETHENE	UG/L	<5
DIBROMOCHLOROMETHANE	UG/L	<5
CHLOROBENZENE	UG/L	<5
ETHYLBENZENE	UG/L	20
XYLENES (TOTAL)	UG/L	170
STYRENE	UG/L	<10
BROMOFORM	UG/L	<25
1,1,2,2-TETRACHLOROETHANE	UG/L	<5
DICHLORODIFLUOROMETHANE	UG/L	<50
TRICHLOROFUOROMETHANE	UG/L	<25
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<25
1,2-DICHLOROBENZENE	UG/L	<25



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

ATI I.D. : 505178

Table with 7 columns: Sample #, Client ID, Matrix, Date Sampled, Date Extracted, Date Analyzed, Dil. Factor. Row 1: 4, STA#11132 FIELD BLANK, WATER, 16-MAY-95, N/A, 24-MAY-95, 5.00

Table with 3 columns: Parameter, Units, Value. Row 1: 1,3-DICHLOROBENZENE, UG/L, <25. Row 2: 1,4-DICHLOROBENZENE, UG/L, <25

Table with 3 columns: SURROGATES, Units, Value. Row 1: 1,2-DICHLOROETHANE-D4, %, 96. Row 2: TOLUENE-D8, %, 99. Row 3: BFB, %, 95



Method : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

WATER
ATI I.D.: 505178

Sample Parameters	Units	Results
4 ALIPHATIC HYDROCARBON C4	UG/L	80
ALIPHATIC HYDROCARBON C4	UG/L	100
ALIPHATIC HYDROCARBON C5	UG/L	200
ALIPHATIC HYDROCARBON C6	UG/L	90
OXYGENATED HYDROCARBON	UG/L	2000



REAGENT BLANK

Page 12

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank I.D. : 35502
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

ATI I.D. : 505178
 Date Extracted: N/A
 Date Analyzed : 24-MAY-95
 Dil. Factor : 1.00

Parameters	Units	Results
CHLOROMETHANE	UG/L	<10
VINYL CHLORIDE	UG/L	<5
BROMOMETHANE	UG/L	<10
CHLOROETHANE	UG/L	<5
ACETONE	UG/L	<10
1,1-DICHLOROETHENE	UG/L	<1
METHYLENE CHLORIDE	UG/L	<5
CARBON DISULFIDE	UG/L	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1
1,1-DICHLOROETHANE	UG/L	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1
CHLOROFORM	UG/L	<1
2-BUTANONE (MEK)	UG/L	<10
1,1,1-TRICHLOROETHANE	UG/L	<1
CARBON TETRACHLORIDE	UG/L	<1
1,2-DICHLOROETHANE	UG/L	<1
BENZENE	UG/L	<1
TRICHLOROETHENE	UG/L	<1
1,2-DICHLOROPROPANE	UG/L	<1
BROMODICHLOROMETHANE	UG/L	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1
TOLUENE	UG/L	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1
2-HEXANONE (MBK)	UG/L	<10
1,1,2-TRICHLOROETHANE	UG/L	<1
TETRACHLOROETHENE	UG/L	<1
DIBROMOCHLOROMETHANE	UG/L	<1
CHLOROBENZENE	UG/L	<1
ETHYLBENZENE	UG/L	<1
XYLENES (TOTAL)	UG/L	<1
STYRENE	UG/L	<2
BROMOFORM	UG/L	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<1
DICHLORODIFLUOROMETHANE	UG/L	<10
TRICHLOROFLUOROMETHANE	UG/L	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5
1,2-DICHLOROBENZENE	UG/L	<5
1,3-DICHLOROBENZENE	UG/L	<5
1,4-DICHLOROBENZENE	UG/L	<5
<u>SURROGATES</u>		
1,2-DICHLOROETHANE-D4	‰	95
TOLUENE-D8	‰	98
BFB	‰	94



MSMSD

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
MSMSD # : 75895
Client : ALISTO ENGINEERING

ATI I.D. : 505178
Date Extracted: N/A
Date Analyzed : 24-MAY-95
Sample Matrix : WATER
REF I.D. : 505178-02

Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVE. OAKLAND, CA

Table with 9 columns: Parameters, Units, Sample Result, Conc Spike, Spiked Sample, % Rec, Dup Spike, Dup % Rec, RPD. Rows include 1,1-DICHLOROETHENE, BENZENE, TRICHLOROETHENE, TOLUENE, and CHLOROBENZENE.

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
RPD (Relative % Difference) = (Spiked Sample Result - Duplicate Spike Result)*100/Average Result



BLANK SPIKE

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank Spike #: 56705
 Client : ALISTO ENGINEERING
 Project #: G247985/10-024-04-001
 Project Name : BP SITE#11132/3201 35TH AVE. OAKLAND, CA

ATI I.D. : 505178
 Date Extracted: N/A
 Date Analyzed : 24-MAY-95
 Sample Matrix : WATER

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec
1,1-DICHLOROETHENE	UG/L	<1	56	50	112
BENZENE	UG/L	<1	53	50	106
TRICHLOROETHENE	UG/L	<1	51	50	102
TOLUENE	UG/L	<2	54	50	108
CHLOROBENZENE	UG/L	<1	56	50	112

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
 RPD (Relative % Difference) = (Spiked Sample - Blank Result)*100/Average Result

ATI-SanDiego
SAMPLE CONDITION UPON RECEIPT CHECKLIST
(FOR RE-ACCESSIONS, COMPLETE #7 THRU #9)

1	Does this project require special handling according to NFESC Levels C, D, AFCEE or CLP protocols? If yes, complete a) and b) a) pH sample aliquoted: yes /no /na b) Either 1) Record Bottle Lot #'s: Or 2) Attach Sample Kit Request Form(s)	YES	<u>NO</u>
2	Number of Coolers Received If more than one cooler received attach Multiple Cooler Documentation Form (MCD) Indicate "see MCD" on Item 11 below	1	
3	Are custody seals required for this project ? a) are Custody Seals present on Cooler(s) ? If yes, are seals intact ? b) are Custody Seals present on the sample ? If yes, are seals intact ?	YES	<u>N/A</u>
		YES	<u>NO</u>
		YES	NO
		YES	<u>NO</u>
		YES	NO
4	Is there a Chain-Of-Custody (COC) per cooler ? if not, if a problem is found indicate which samples/test were in the affected cooler on the MCD.	<u>YES</u>	NO
5	Is the COC complete per cooler ? Relinquished: yes/no Requested analysis: yes/no	<u>YES</u>	NO
6	Is the COC in agreement with the samples received? # Samples: yes/no Sample ID's: yes/no Date sampled: yes/no Matrix: yes/no # containers: yes/no	<u>YES</u>	NO
7	Are the samples preserved correctly?	<u>YES</u>	NO
8	Is there enough sample for all the requested analyses?	<u>YES</u>	NO
9	Are all samples within holding times for the requested analyses?	<u>YES</u>	NO
10	Record cooler temperature. Contact PM if temperature is not 4°C ± 2°C. Is ice present in cooler?	2.0 °C	<u>YES</u> NO
11	Were all sample containers received intact (ie. not broken, leaking, etc.)?	<u>YES</u>	NO
12	Are samples requiring no headspace, headspace free? N/A	<u>YES</u>	NO
13	Are VOA 1st stickers required?	YES	<u>NO</u>
14	Are there special comments on the Chain of Custody which require client contact?	YES	<u>N/A</u>
15	If yes, was ATI Project Manager notified?	YES	NO

Describe "no" items: _____

Was client contacted? yes / no
 If yes, Date: _____ Name of Person contacted:
 Describe actions taken or client instructions: _____

*Or other representative documents, letters, and/or shipping ments



May 01, 1995

ALISTO ENGINEERING
1777 OAKLAND BOULEVARD, SUITE 200
WALNUT CREEK, CA 94596

Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA
Project # : G247985/10-024-04-001


Attention: PETE BEAVER


Analytical Technologies, Inc. has received the following sample(s):


<u>Date Received</u>	<u>Quantity</u>	<u>Matrix</u>
April 20, 1995	6	WATER

The sample(s) were analyzed with EPA methodology or equivalent methods as specified in the enclosed analytical schedule. The symbol for "less than" indicates a value below the reportable detection limit. If any flags appear next to the analytical data in this report, please see the attached list of flag definitions.

The results of these analyses and the quality control data are enclosed. Please note that the Sample Condition Upon Receipt Checklist is included at the end of this report.


GARY STEWART
VOLATILES SUPERVISOR


ALAN J. KLEINSCHMIDT
LABORATORY MANAGER



Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

Report Date: May 01, 1995
ATI I.D. : 504212

ATI #	Client Description	Matrix	Date Collected
1	STA #11132 INF	WATER	18-APR-95
2	STA #11132 A	WATER	18-APR-95
3	STA #11132 EFF	WATER	18-APR-95
4	STA #11132 FIELD BLANK	WATER	18-APR-95
5	STA #11132 INF	WATER	19-APR-95
6	STA #11132 FIELD BLANK	WATER	19-APR-95

---TOTALS---

<u>Matrix</u>	<u># Samples</u>
WATER	6

ATI STANDARD DISPOSAL PRACTICE

The sample(s) from this project will be disposed of in twenty-one (21) days from the date of this report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.



ANALYTICAL SCHEDULE

Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

ATI I.D.: 504212

Analysis	Technique/Description
EPA 624 (GC/MS FOR VOLATILE ORGANICS)	GC/MASS SPECTROMETER
MOD EPA 8015-CDOHS (FUEL HYDROCARBONS: C7-C24)	GC/FLAME IONIZATION DETECTOR



GAS CHROMATOGRAPHY RESULTS

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS: C7-C24)
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA
 ATI I.D. : 504212

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
5	STA #11132 INF	WATER	19-APR-95	24-APR-95	25-APR-95	1.00
6	STA #11132 FIELD BLANK	WATER	19-APR-95	24-APR-95	25-APR-95	1.00

Parameter	Units	5	6
FUEL HYDROCARBONS	MG/L	1.8	1.5
HYDROCARBON RANGE		C7-C14	C7-C14
HYDROCARBONS QUANTITATED USING		GASOLINE	GASOLINE
<u>SURROGATES</u>			
BIS (2-ETHYLHEXYL) PHTHALATE	%	99	94



GAS CHROMATOGRAPHY - QUALITY CONTROL

REAGENT BLANK

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)
Blank I.D. : 35145
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

ATI I.D. : 504212
Date Extracted: 24-APR-95
Date Analyzed : 25-APR-95
Dil. Factor : 1.00

Parameters	Units	Results
FUEL HYDROCARBONS	MG/L	<0.05
HYDROCARBON RANGE		-
HYDROCARBONS QUANTITATED USING		-
<u>SURROGATES</u>		
BIS (2-ETHYLHEXYL) PHTHALATE	%	51



GAS CHROMATOGRAPHY - QUALITY CONTROL

MSMSD

Test : MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)
 MSMSD # : 75108
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

ATI I.D. : 504212
 Date Extracted: 24-APR-95
 Date Analyzed : 25-APR-95
 Sample Matrix : WATER
 REF I.D. : 504211-01

Parameters	Units	Sample Result	Conc Spike	Spiked Sample	% Rec	Dup Spike	Dup % Rec	RPD
FUEL HYDROCARBONS	MG/L	46	1.0	51	N/A*V 49		N/A*V 4	

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
 RPD (Relative % Difference) = (Spiked Sample Result - Duplicate Spike Result)*100/Average Result

GAS CHROMATOGRAPHY - QUALITY CONTROL

BLANK SPIKE

Test	: MOD EPA 8015-CDOHS (FUEL HYDROCARBONS)	ATI I.D.	: 504212
Blank Spike #:	56051	Date Extracted:	24-APR-95
Client	: ALISTO ENGINEERING	Date Analyzed:	24-APR-95
Project #	: G247985/10-024-04-001	Sample Matrix:	WATER
Project Name	: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA		

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec
FUEL HYDROCARBONS	MG/L	<0.05	0.76	1.0	76

$\% \text{ Recovery} = (\text{Spike Sample Result} - \text{Sample Result}) * 100 / \text{Spike Concentration}$
 $\text{RPD (Relative \% Difference)} = (\text{Spiked Sample} - \text{Blank Result}) * 100 / \text{Average Result}$



GAS CHROMATOGRAPHY/MASS SPECTROSCOPY RESULTS

Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING ATI I.D. : 504212
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA #11132 INF	WATER	18-APR-95	N/A	26-APR-95	5.00
2	STA #11132 A	WATER	18-APR-95	N/A	26-APR-95	1.00
3	STA #11132 EFF	WATER	18-APR-95	N/A	26-APR-95	1.00

Parameter	Units	1	2	3
CHLOROMETHANE	UG/L	<50	<10	<10
VINYL CHLORIDE	UG/L	<25	<5	<5
BROMOMETHANE	UG/L	<50	<10	<10
CHLOROETHANE	UG/L	<25	<5	<5
ACETONE	UG/L	82	<10	<10
1,1-DICHLOROETHENE	UG/L	<5	<1	<1
METHYLENE CHLORIDE	UG/L	<25	<5	<5
CARBON DISULFIDE	UG/L	<10	<2	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<5	<1	<1
1,1-DICHLOROETHANE	UG/L	<5	<1	<1
CIS-1,2-DICHLOROETHENE	UG/L	<5	<1	<1
CHLOROFORM	UG/L	<5	<1	<1
2-BUTANONE (MEK)	UG/L	<50	<10	<10
1,1,1-TRICHLOROETHANE	UG/L	<5	<1	<1
CARBON TETRACHLORIDE	UG/L	<5	<1	<1
1,2-DICHLOROETHANE	UG/L	<5	<1	<1
BENZENE	UG/L	890	<1	<1
TRICHLOROETHENE	UG/L	<5	<1	<1
1,2-DICHLOROPROPANE	UG/L	<5	<1	<1
BROMODICHLOROMETHANE	UG/L	<5	<1	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<50	<10	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<5	<1	<1
TOLUENE	UG/L	80	<2	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<5	<1	<1
2-HEXANONE (MBK)	UG/L	<50	<10	<10
1,1,2-TRICHLOROETHANE	UG/L	<5	<1	<1
TETRACHLOROETHENE	UG/L	<5	<1	<1
DIBROMOCHLOROMETHANE	UG/L	<5	<1	<1
CHLOROBENZENE	UG/L	<5	<1	<1
ETHYLBENZENE	UG/L	2	<1	<1
XYLENES (TOTAL)	UG/L	270	<1	<1
STYRENE	UG/L	<10	<2	<2
BROMOFORM	UG/L	<25	<5	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<5	<1	<1
DICHLORODIFLUOROMETHANE	UG/L	<50	<10	<10
TRICHLOROFLUOROMETHANE	UG/L	<25	<5	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<25	<5	<5
1,2-DICHLOROETHANE	UG/L	<25	<5	<5



GAS CHROMATOGRAPHY/MASS SPECTROSCOPY RESULTS

Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING ATI I.D. : 504212
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
1	STA #11132 INF	WATER	18-APR-95	N/A	26-APR-95	5.00
2	STA #11132 A	WATER	18-APR-95	N/A	26-APR-95	1.00
3	STA #11132 EFF	WATER	18-APR-95	N/A	26-APR-95	1.00

Parameter	Units	1	2	3
1,3-DICHLOROBENZENE	UG/L	<25	<5	<5
1,4-DICHLOROBENZENE	UG/L	<25	<5	<5
<u>SURROGATES</u>				
1,2-DICHLOROETHANE-D4	%	104	106	105
TOLUENE-D8	%	101	101	100
BFB	%	99	99	97

ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

Method : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

WATER
ATI I.D.: 504212

Sample Parameters	Units	Results
1 ALIPHATIC HYDROCARBON C5	UG/L	200
ALIPHATIC HYDROCARBON C6	UG/L	80
OXYGENATED HYDROCARBON	UG/L	2000
TRIMETHYL BENZENE ISOMER	UG/L	70
UNKNOWN HYDROCARBON	UG/L	70
2 OXYGENATED HYDROCARBON	UG/L	20
3 OXYGENATED HYDROCARBON	UG/L	20

Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING ATI I.D. : 504212
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
4	STA #11132	FIELD BLANK	WATER	18-APR-95	N/A	26-APR-95 1.00

Parameter	Units	4
CHLOROMETHANE	UG/L	<10
VINYL CHLORIDE	UG/L	<5
BROMOMETHANE	UG/L	<10
CHLOROETHANE	UG/L	<5
ACETONE	UG/L	<10
1,1-DICHLOROETHENE	UG/L	<1
METHYLENE CHLORIDE	UG/L	<5
CARBON DISULFIDE	UG/L	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1
1,1-DICHLOROETHANE	UG/L	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1
CHLOROFORM	UG/L	<1
2-BUTANONE (MEK)	UG/L	<10
1,1,1-TRICHLOROETHANE	UG/L	<1
CARBON TETRACHLORIDE	UG/L	<1
1,2-DICHLOROETHANE	UG/L	<1
BENZENE	UG/L	<1
TRICHLOROETHENE	UG/L	<1
1,2-DICHLOROPROPANE	UG/L	<1
BROMODICHLOROMETHANE	UG/L	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1
TOLUENE	UG/L	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1
2-HEXANONE (MBK)	UG/L	<10
1,1,2-TRICHLOROETHANE	UG/L	<1
TETRACHLOROETHENE	UG/L	<1
DIBROMOCHLOROMETHANE	UG/L	<1
CHLOROBENZENE	UG/L	<1
ETHYLBENZENE	UG/L	<1
XYLENES (TOTAL)	UG/L	<1
STYRENE	UG/L	<2
BROMOFORM	UG/L	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<1
DICHLORODIFLUOROMETHANE	UG/L	<10
TRICHLOROFLUOROMETHANE	UG/L	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5
1,2-DICHLOROBENZENE	UG/L	<5



Test : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
 Client : ALISTO ENGINEERING ATI I.D. : 504212
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

Sample #	Client ID	Matrix	Date Sampled	Date Extracted	Date Analyzed	Dil. Factor
4	STA #11132	FIELD BLANK	WATER	18-APR-95	N/A	26-APR-95 1.00

Parameter	Units	4
1,3-DICHLOROBENZENE	UG/L	<5
1,4-DICHLOROBENZENE	UG/L	<5

SURROGATES

1,2-DICHLOROETHANE-D4	%	104
TOLUENE-D8	%	100
BFB	%	96



ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

Method : EPA 624 (GC/MS FOR VOLATILE ORGANICS)
Client : ALISTO ENGINEERING
Project # : G247985/10-024-04-001
Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

WATER
ATI I.D.: 504212

Sample Parameters	Units	Results
4 OXYGENATED HYDROCARBON	UG/L	20



REAGENT BLANK

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank I.D. : 35162
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

ATI I.D. : 504212
 Date Extracted: N/A
 Date Analyzed : 26-APR-95
 Dil. Factor : 1.00

Parameters	Units	Results
CHLOROMETHANE	UG/L	<10
VINYL CHLORIDE	UG/L	<5
BROMOMETHANE	UG/L	<10
CHLOROETHANE	UG/L	<5
ACETONE	UG/L	<10
1,1-DICHLOROETHENE	UG/L	<1
METHYLENE CHLORIDE	UG/L	<5
CARBON DISULFIDE	UG/L	<2
TRANS-1,2-DICHLOROETHENE	UG/L	<1
1,1-DICHLOROETHANE	UG/L	<1
CIS-1,2-DICHLOROETHENE	UG/L	<1
CHLOROFORM	UG/L	<1
2-BUTANONE (MEK)	UG/L	<10
1,1,1-TRICHLOROETHANE	UG/L	<1
CARBON TETRACHLORIDE	UG/L	<1
1,2-DICHLOROETHANE	UG/L	<1
BENZENE	UG/L	<1
TRICHLOROETHENE	UG/L	<1
1,2-DICHLOROPROPANE	UG/L	<1
BROMODICHLOROMETHANE	UG/L	<1
4-METHYL-2-PENTANONE (MIBK)	UG/L	<10
CIS-1,3-DICHLOROPROPENE	UG/L	<1
TOLUENE	UG/L	<2
TRANS-1,3-DICHLOROPROPENE	UG/L	<1
2-HEXANONE (MBK)	UG/L	<10
1,1,2-TRICHLOROETHANE	UG/L	<1
TETRACHLOROETHENE	UG/L	<1
DIBROMOCHLOROMETHANE	UG/L	<1
CHLOROBENZENE	UG/L	<1
ETHYLBENZENE	UG/L	<1
XYLENES (TOTAL)	UG/L	<1
STYRENE	UG/L	<2
BROMOFORM	UG/L	<5
1,1,2,2-TETRACHLOROETHANE	UG/L	<1
DICHLORODIFLUOROMETHANE	UG/L	<10
TRICHLOROFLUOROMETHANE	UG/L	<5
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG/L	<5
1,2-DICHLOROBENZENE	UG/L	<5
1,3-DICHLOROBENZENE	UG/L	<5
1,4-DICHLOROBENZENE	UG/L	<5
<u>SURROGATES</u>		
1,2-DICHLOROETHANE-D4	%	104
TOLUENE-D8	%	100
BFB	%	97

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL

MSMSD

Page 15

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 MSMSD # : 75151
 Client : ALISTO ENGINEERING

 Project # : G247985/10-024-04-001
 Project Name: BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

ATI I.D. : 504212
 Date Extracted: N/A
 Date Analyzed : 26-APR-95
 Sample Matrix : WATER
 REF I.D. : 504212-02

Parameters	Units	Sample Result	Conc Spike	Spiked Sample	% Rec	Dup Spike	Dup % Rec	RPD
1,1-DICHLOROETHENE	UG/L	<1	50	51	102	49	98	4
BENZENE	UG/L	<1	50	49	98	46	92	6
TRICHLOROETHENE	UG/L	<1	50	49	98	47	94	4
TOLUENE	UG/L	<2	50	51	102	49	98	4
CHLOROBENZENE	UG/L	<1	50	56	112	53	106	6

$\% \text{ Recovery} = (\text{Spike Sample Result} - \text{Sample Result}) * 100 / \text{Spike Concentration}$

$\text{RPD (Relative \% Difference)} = (\text{Spiked Sample Result} - \text{Duplicate Spike Result}) * 100 / \text{Average Result}$

GAS CHROMATOGRAPHY/MASS SPECTROSCOPY - QUALITY CONTROL
BLANK SPIKE

Test : EPA 8240 (GC/MS FOR VOLATILE ORGANICS)
 Blank Spike #: 56081
 Client : ALISTO ENGINEERING
 Project # : G247985/10-024-04-001
 Project Name : BP SITE#11132/3201 35TH AVENUE, OAKLAND CA

ATI I.D. : 504212
 Date Extracted: N/A
 Date Analyzed : 26-APR-95
 Sample Matrix : WATER

Parameters	Units	Blank Result	Spiked Sample	Spike Conc.	% Rec
1,1-DICHLOROETHENE	UG/L	<1	51	50	102
BENZENE	UG/L	<1	48	50	96
TRICHLOROETHENE	UG/L	<1	49	50	98
TOLUENE	UG/L	<2	51	50	102
CHLOROBENZENE	UG/L	<1	54	50	108

% Recovery = (Spike Sample Result - Sample Result)*100/Spike Concentration
 RPD (Relative % Difference) = (Spiked Sample - Blank Result)*100/Average Result



504212

CHAIN OF CUSTODY

No.055453

Page 1 of 1

CONSULTANT'S NAME ALISTO ENGINEERING GROUP		ADDRESS 1777 OAKLAND BLVD. WALNUT CREEK CA		CITY CA	STATE CA	ZIP CODE 94596
BP SITE NUMBER 11132	BP CORNER ADDRESS/CITY 3201 35th AVENUE OAKLAND CA			CONSULTANT PROJECT NUMBER 10-024-04-001		
CONSULTANT PROJECT MANAGER PETE BEAVER		PHONE NUMBER 510 295-1650	FAX NUMBER 510 295-1823		CONSULTANT CONTRACT NUMBER G247985	
BP CONTACT SCOTT HOOTON		BP ADDRESS RENTON WA		PHONE NUMBER		FAX NO.
LAB CONTACT MARY STEWART		LABORATORY ADDRESS SAN DIEGO, CA		PHONE NUMBER		FAX NO.
SAMPLED BY (Please Print Name) JOHN BICKING		SAMPLED BY (Signature) <i>John Bicking</i>		SHIPMENT DATE 4/19/95		SHIPMENT METHOD FED EX

TAT: 24 Hours 48 Hours 1 Week Standard 2 Weeks

ANALYSIS REQUIRED

AIRBILL NUMBER

SAMPLE DESCRIPTION	COLLECTION DATE	MATRIX SOIL/WATER	CONTAINERS		PRESERVATIVE	LAB SAMPLE #	COMMENTS
	TIME		NO.	TYPE (VOL.)			
STA# 11132 INF	4/18/95 1502	GW	3	VOA	01	624	
STA# 11132 A	1505		3		02		
STA# 11132 EFF	1508		3		03		
STA# 11132 FIELD BLANK	4/5/11		3		04		

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	ADDITIONAL COMMENTS
<i>John Bicking</i>	4/18/95	2215	<i>M. P. Holloman</i>	4/19/95	1930	Received: good condition 2.0'c. #4-20-95

ORGANICS

FLAG MESSAGE DESCRIPTION

A A TIC IS A SUSPECTED ALDOL-CONDENSATION PRODUCT
 B ANALYTE FOUND IN THE ASSOCIATED REAGENT BLANK
 C PESTICIDE, WHERE THE IDENTIFICATION WAS CONFIRMED BY GC/MS
 CO THESE COMPOUNDS CO-ELUTE AND ARE QUANTITATED AS ONE PEAK
 D COMPOUND IDENTIFIED IN AN ANALYSIS AT SECONDARY DILUTION
 E ANALYTE AMOUNT EXCEEDS THE CALIBRATION RANGE
 J ESTIMATED VALUE
 H QUANTIFIED AS DIESEL BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH THAT OF DIESEL
 K QUANTIFIED AS KEROSENE BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH THAT OF KEROSENE
 L QUANTIFIED AS GASOLINE BUT CHROMATOGRAPHIC PATTERN DOES NOT MATCH THAT OF GASOLINE
 N PRESUMPTIVE EVIDENCE OF A COMPOUND
 P PESTICIDE/AROCLOR TARGET ANALYTE, WHERE THERE IS GREATER THAN 25% DIFFERENCE FOR DETECTED CONCENTRATION BETWEEN 2 GC COLUMNS
 TR COMPOUND DETECTED AT AN UNQUANTIFIABLE TRACE LEVEL
 U COMPOUND WAS ANALYZED FOR BUT NOT DETECTED
 X SEE CASE NARRATIVE
 Y SEE CASE NARRATIVE
 Z SEE CASE NARRATIVE
 * OUTSIDE OF QUALITY CONTROL LIMITS
 *D COMPOUND ANALYZED FROM A SECONDARY ANALYSIS
 *F RESULT OUTSIDE OF ATI'S QUALITY CONTROL LIMITS
 *G RESULT OUTSIDE QUALITY CONTROL LIMITS. INSUFFICIENT SAMPLE FOR RE-EXTRACTION/ANALYSIS
 *H RESULT OUTSIDE OF LIMITS DUE TO SAMPLE MATRIX INTERFERENCE
 *I BECAUSE OF NECESSARY SAMPLE DILUTION, VALUE WAS OUTSIDE QC LIMITS
 *K DUE TO THE NECESSARY DILUTION OF THE SAMPLE, RESULT WAS NOT ATTAINABLE
 *L ANALYTE IS A SUSPECTED LAB CONTAMINANT
 *P A STANDARD WAS USED TO QUANTITATE THIS VALUE
 *R DATA IS NOT USABLE
 *T SURROGATE RECOVERY IS OUTSIDE QC CONTROL LIMITS. NO CORRECTIVE ACTION INDICATED BY METHOD
 *V SAMPLE RESULT IS >4X SPIKED CONCENTRATION, THEREFORE SPIKE IS NOT DETECTABLE
 *Y RESULT NOT ATTAINABLE DUE TO SAMPLE MATRIX INTERFERENCE
 @A RESULTS OUT OF LIMITS DUE TO SAMPLE NON-HOMOGENEITY
 @C *VARIABLE MESSAGE*
 @D RESULT COULD NOT BE CONFIRMED DUE TO MATRIX INTERFERENCE ON THE CONFIRMATION COLUMN
 @E RESULT MAY BE FALSELY ELEVATED DUE TO SAMPLE MATRIX INTERFERENCE
 @F RESULT OUTSIDE OF CONTRACT SPECIFIED QUALITY CONTROL LIMITS
 @G RESULT OUTSIDE OF CONTRACT SPECIFIED ADVISORY LIMITS
 @H DETECTION LIMIT ELEVATED DUE TO MATRIX INTERFERENCE
 @M RESULT NOT CONFIRMED BY U.V. DUE TO SAMPLE MATRIX INTERFERENCE
 @N RESULT NOT CONFIRMED BY FLUORESCENCE DUE TO SAMPLE MATRIX INTERFERENCE
 @P RESULT QUANTITATED USING FLUORESCENCE ONLY DUE TO THE LOW CONCENTRATION
 @Q DETECTION LIMIT ELEVATED DUE TO LIMITED SAMPLE FOR ANALYSIS
 @T RESULT DUE TO TCLP EXTRACTION MATRIX INTERFERENCE. NO QC LIMITS HAVE BEEN ESTABLISHED
 @U SAMPLE CHROMATOGRAM DOES NOT RESEMBLE COMMON FUEL HYDROCARBON FINGERPRINTS
 @Z SAMPLE CHROMATOGRAM DOES NOT RESEMBLE A FUEL HYDROCARBON

ATI-SanDiego
SAMPLE CONDITION UPON RECEIPT CHECKLIST
(FOR RE-ACCESSIONS, COMPLETE #7 THRU #9)

1	Does this project require special handling according to NFESC Levels C, D, AFCEE or CLP protocols? If yes, complete a) and b) a) pH sample aliquoted: yes /no /na b) Either 1) Record Bottle Lot #'s: Or 2) Attach Sample Kit Request Form(s)	YES	<input checked="" type="radio"/> NO
2	Number of Coolers Received If more than one cooler received attach Multiple Cooler Documentation Form (MCD) Indicate "see MCD" on Item 11 below		1
3	Are custody seals required for this project ?	YES	<input checked="" type="radio"/> N/A
	a) are Custody Seals present on Cooler(s) ?	YES	<input checked="" type="radio"/> NO
	If yes, are seals intact ?	YES	NO
	b) are Custody Seals present on the sample ?	YES	<input checked="" type="radio"/> NO
	If yes, are seals intact ?	YES	NO
4	Is there a Chain-Of-Custody (COC) per cooler ? if not, if a problem is found indicate which samples/test were in the affected cooler on the MCD.	<input checked="" type="radio"/> YES	NO
5	Is the COC complete per cooler ? Relinquished: <input checked="" type="radio"/> yes/no Requested analysis: <input checked="" type="radio"/> yes/no	<input checked="" type="radio"/> YES	NO
6	Is the COC in agreement with the samples received? # Samples: <input checked="" type="radio"/> yes/no Sample ID's: <input checked="" type="radio"/> yes/no Date sampled: <input checked="" type="radio"/> yes/no Matrix: <input checked="" type="radio"/> yes/no # containers: <input checked="" type="radio"/> yes/no	<input checked="" type="radio"/> YES	NO
7	Are the samples preserved correctly?	<input checked="" type="radio"/> YES	NO
8	Is there enough sample for all the requested analyses?	<input checked="" type="radio"/> YES	NO
9	Are all samples within holding times for the requested analyses?	<input checked="" type="radio"/> YES	NO
10	Record cooler temperature. Contact PM if temperature is not 4°C ± 2°C.	2.0 °C	
	Is ice present in cooler?	<input checked="" type="radio"/> YES	NO
11	Were all sample containers received intact (ie. not broken, leaking, etc.)?	<input checked="" type="radio"/> YES	NO
12	Are samples requiring no headspace, headspace free? N/A	YES	<input checked="" type="radio"/> NO
13	Are VOA 1st stickers required?	YES	<input checked="" type="radio"/> NO
14	Are there special comments on the Chain of Custody which require client contact?	YES	<input checked="" type="radio"/> N/A
15	If yes, was ATI Project Manager notified?	YES	NO

Describe "no" items:
11132 INF for TOL-A: 1 of 2 - 1/2 bottles, has 5-10% headspace. will use other bottle.
11132 Field Blank for TOL-A: 1 of 1 bottles has 5-10% headspace.

Was client contacted? yes / no OK per Gary. MTH 4-20-95

If yes, Date: _____ Name of Person contacted: _____

Describe actions taken or client instructions:

*Or other representative documents, letters, and/or shipping memos