



August 25, 1993

5008J3

93 AUG 26 AM 9:44

Ms. Jennifer Eberle
HAZARDOUS MATERIALS DIVISION
Department of Environmental Health
80 Swan Way, Room 200
Oakland, CA 94621

REFERENCE: Second Quarter Groundwater Monitoring Report 1993
Carnation Company
1310 14th Street
Oakland, California

Dear Ms. Eberle:

Park Environmental Corporation (Park) is pleased to provide this Quarterly Groundwater Monitoring Report on behalf of Nestle USA, Inc. The report documents the work performed as part of the 2nd quarter sampling event for 1993 at the Carnation Company above referenced site.

Please contact **Park's** Roseville office at (916) 784-7400 if you have any questions concerning this submittal.

Sincerely,

PARK ENVIRONMENTAL CORPORATION

A handwritten signature in cursive script that reads "Peter Frank".

Peter Frank
Project Geologist

PF:laa

cc: Mr. Walter Carey
Nestle USA, Inc.
New Milford Farm
600 Boardman Road
New Milford, CT 06776

Mr. Binayak Acharya
Nestle USA, Inc.
800 N. Brand Blvd.
Glendale, CA 91203

Mr. Richard Hiatt
California RWQCB
2101 Webster Street
Suite 500
Oakland, CA 94612



93 AUG 27 AM 11:37

August 26, 1993

Ms. Jennifer Eberle
HAZARDOUS MATERIALS DIVISION
Department of Environmental Health
80 Swan Way, Room 200
Oakland, CA 94621

**REFERENCE: Second Quarter Groundwater
Monitoring Report 1993
1310 14th Street
Oakland, California**

Dear Ms. Eberle:

Enclosed please find the signed signature page for the above mentioned document in your possession. As I explained in the message I left for you today, I had accidentally forwarded this document to you without proper signature. Due to this fact, please accept this page as an addendum to the document as well as my sincere apology for the inconvenience.

Sincerely,
Park Environmental Corporation

A handwritten signature in cursive script that reads "Laura Atchley".

Laura Atchley
Administrator

:laa
Enclosure

are summarized in Table V, in Appendix C. Results are also presented graphically on Figure 5 in Appendix A.

Laboratory reports and chain of custody documents are included in Appendix D.

4.0 LIMITATIONS

The site assessment services performed by **Park** were performed in a manner consistent with the level of care and skill ordinarily exercised by members of the profession currently practicing in the same locality under similar conditions.

The findings presented in this report are based on present conditions and past written and/or oral information provided by regulatory agencies or Nestle, USA. **Park** will not be responsible for any use by or interpretation or subsequent damages by any third party. Conditional changes may occur through time by natural or man-made processes on this or adjacent properties. Additional changes may occur in legislative standards which may or may not be applicable to this report. These changes beyond **Park's** control may render this report invalid partially or wholly.

5.0 SIGNATURES

This report was prepared by:




Peter Frank
Project Geologist

This report was reviewed for technical content by:



Richard J. Zipp, R.G., C.E.G.
Principal Hydrogeologist

PF:la





01-0282

August 26, 1993

CALIFORNIA REGIONAL WATER

AUG 30 1993

QUALITY CONTROL BOARD

Mr. Richard Hiatt
California RWQCB
2101 Webster Street
Suite 500
Oakland, CA 94612

**REFERENCE: Second Quarter Groundwater
Monitoring Report 1993
1310 14th Street
Oakland, California**

Dear Mr. Hiatt:

Enclosed please find the signed signature page for the above mentioned document in your possession. I had accidentally forwarded this document to you without proper signature. Due to this fact, please accept this page as an addendum to the document as well as my sincere apology for the inconvenience.

Sincerely,
Park Environmental Corporation

A handwritten signature in cursive script that reads "Laura Atchley".

Laura Atchley
Administrator

:laa
Enclosure

SECOND QUARTER 1993
GROUNDWATER MONITORING REPORT

CARNATION DAIRY FACILITY
1310 14TH STREET
OAKLAND, CALIFORNIA

PRESENTED TO:

ALAMEDA COUNTY HEALTH AGENCY
DEPARTMENT OF ENVIRONMENTAL HEALTH
DIVISION OF CLEAN WATER PROGRAM
UST LOCAL OVERSIGHT PROGRAM
80 SWAN WAY, ROOM 200
OAKLAND, CALIFORNIA 94621

ON BEHALF OF:

NESTLE USA, INC.
800 NORTH BRAND BOULEVARD
GLENDALE, CALIFORNIA 91203

PREPARED BY:

PARK ENVIRONMENTAL CORPORATION
2140 PROFESSIONAL DRIVE
ROSEVILLE, CALIFORNIA 95661

AUGUST 18, 1993

TABLE OF CONTENTS

1.0	INTRODUCTION	1
1.1	Scope of Services	1
2.0	GROUNDWATER MONITORING WELL SAMPLING METHODOLOGY	1
2.1	Groundwater Measurements	1
2.2	Monitoring Well Purging	2
2.3	Groundwater Analyses	2
2.4	Groundwater Sampling	2
3.0	FINDINGS	3
3.1	Groundwater Conditions	3
3.1.1	Groundwater Flow Direction and Hydraulic Gradient	3
3.1.2	Occurrence of Free Product	3
3.1.3	Results of Laboratory Analyses	3
4.0	LIMITATIONS	3
5.0	SIGNATURES	4

APPENDICES

APPENDIX A	Maps and Figures
Figure 1	Site Location Map
Figure 2	Site Plot Plan
Figure 3	Groundwater Flow Direction Map
Figure 4	Occurrence of Free-Product
Figure 5	Dissolved Chemical Constituents in Sampled Wells, July 27, 1993
APPENDIX B	Alameda County Health Agency Letter , March 3, 1993
APPENDIX C	Tables
	I Groundwater Measurements, July 26 & 27, 1993
	II Groundwater Measurements, March 22, 1992
	III Groundwater Measurements, October 20, 1993
	IV Groundwater Purging Data, July 26 & 27, 1993
	V Analytical Result Tables
APPENDIX D	Laboratory Reports and Chain of Custody (for samples collected July 27, 1993)
APPENDIX E	Laboratory Reports and Chain of Custody (for samples collected March 23, 1993)

1.0 INTRODUCTION

Nestle USA, Inc., (Nestle) has retained **Park Environmental Corporation (Park)** to provide environmental services at its Carnation Company facility in Oakland, California. A site location map and plot plan are included as Figures 1 and 2 in Appendix A. Nestle has authorized **Park** to prepare this Quarterly Groundwater Monitoring Report, which includes brief groundwater sampling methodology and findings sections.

The Alameda County Health Agency (ACHA) is the lead environmental agency. This work was requested by Ms. Susan Hugo and Ms. Jennifer Eberle with the ACHA in accordance with the meeting between ACHA, Mr. Richard Hiatt of the California Regional Water Quality Control Board, Mr. Walter Carey with Nestle, USA, and Mr. Richard Zipp with **Park**, on September 17, 1992. This site is referenced by the ACHA as 1310 14th Street. Modifications to the groundwater sampling plan were made by Ms. Jennifer Eberle in her letter dated March 3, 1993 (Appendix B).

1.1 Scope of Services

- Measure water and/or free product levels in 62 monitoring wells;
- Calculate groundwater flow direction in the vicinity of the free product plume and in the vicinity of the property boundaries;
- Purge and sample twelve monitoring wells (MW-2, MW-3, MW-5, MW-6, MW-13, MW-25, MW-26, MW-27, MW-28, MW-29, MW-30, MW-32) not containing free product;
- Analyze twelve groundwater samples (MW-2, MW-3, MW-5, MW-6, MW-13, MW-25, MW-26, MW-27, MW-28, MW-29, MW-30, MW-32) for total petroleum hydrocarbons as gasoline and diesel, benzene, toluene, ethylbenzene, and total xylenes (BTEX) and two samples (MW-26 and MW-32) for chlorinated volatile organic compounds using EPA Methods 8015, 8020 and 601, respectively; and
- Prepare this Quarterly Monitoring Report documenting the findings.

2.0 GROUNDWATER MONITORING WELL SAMPLING METHODOLOGY

2.1 Groundwater Measurements

Prior to obtaining depth to groundwater measurements in the sampled wells, the wells were

checked for the presence of free product utilizing a new disposable bailer for each well. Depth to groundwater measurements in the sampled wells and unsampled wells were made using a YSI model 3000 T-L-C Meter or Slope Indicator. The depths to water or product were measured from the top of the well casing. Groundwater elevations were calculated using measurements from surveyed monitoring wells not containing free product. Results of these measurements are included in Table I in Appendix C. Groundwater measurements taken during the October, 1992 and March 23, 1993 groundwater sampling episodes are presented in Tables II and III in Appendix C.

2.2 Monitoring Well Purging

Each monitoring well was purged with a submersible pump until at least three well volumes of water had been removed. All of the wells which were purged and sampled were constructed of 4-inch diameter PVC well casing (except MW-6 which is 2-inch in diameter). All purging and sampling equipment was washed in Alconox solution or trisodium phosphate and rinsed in distilled water prior to each usage to reduce the potential for cross contamination between wells.

As groundwater was removed from the wells, pH, temperature and conductivity was monitored and recorded on a field data sheet. These field documents are kept in a permanent project file. Data obtained during the purging of the wells is presented in Table III in Appendix C.

The wells were allowed to stand for a period of time to regain equilibrium prior to sampling. Groundwater purged from the wells was placed in DOT-approved 55 gallon drums. Once the drums are evaluated by chemical analysis, the drum contents will be disposed of using proper methods and protocol.

2.3 Groundwater Analyses

Analyses of the groundwater were performed by a California certified laboratory in accordance with State guidelines and EPA protocols. Groundwater samples from twelve monitoring wells were analyzed for TPH as gasoline and diesel and BTEX using EPA methods 8015 and 8020, respectively. The twelve wells sampled were MW-2, MW-3, MW-5, MW-6, MW-13, MW-25, MW-26, MW-27, MW-28, MW-29, MW-30 and MW-32. In addition, groundwater from monitoring wells MW-26 and MW-32 was analyzed for chlorinated volatile organics using EPA method 601.

2.4 Groundwater Sampling

Proper sample collection and handling are essential to assure the quality of the data obtained from the given sample. Each groundwater sample therefore was collected using a new sterile disposable bailer. The sampled water was placed in sterile 40 milliliter glass containers. The sample containers were filled with water to the top to expel air space and were sealed with teflon-lined caps. Water sample containers were labeled with the name of the sampler, the date, the job number, the preservative, and an identifying well number. The samples were then

transported to Sierra Laboratories, in Anaheim, California. Full chain of custody protocol was followed during sample handling and delivery.

3.0 FINDINGS

3.1 Groundwater Conditions

3.1.1 Groundwater Flow Direction and Hydraulic Gradient

Groundwater monitoring wells containing free product were not used for the calculations of groundwater flow direction or hydraulic gradient. Groundwater measurements taken by Park on July 26 and 27, 1993 indicate that groundwater flow beneath the site is to the north-northwest, which is consistent with previous reporting. The hydraulic gradient was calculated to be approximately 0.0018 or 0.18 feet per 100 feet below the site. Figure 3 in Appendix A shows graphically the groundwater flow direction.

In October, 1992 the groundwater elevation was approximately 4.00 feet above mean sea level (msl) while in March, 1993 it was approximately 7.20 feet msl. The increase is believed to be due to recharge resulting from the above normal precipitation during the winter months. The latest measurements (July 16 and 27, 1993) indicate that the average groundwater elevation is about 5.40 feet msl. It is anticipated that the groundwater elevations will continue to decrease until the wet season begins.

3.1.2 Occurrence of Free Product

Free product was identified in 28 of the 62 wells monitored for this investigation. The maximum free product thickness measured was 2.58 feet. Free product thicknesses increased from October, 1992 to March 1993 while decreasing from March 1993 to July 1993. This condition was predictable based on the rising and falling of the groundwater in the subsurface. As groundwater rose into the vadose zone, petroleum hydrocarbons trapped in the pore spaces of the soil was released and floated on the top of the rising groundwater, showing an apparent increase in product thickness. Conversely, as the water level dropped from March to July, 1993, the free product thickness decreased as it coated the soil in the vadose zone. It is not believed at this time that there is any new free product being released at the site.

Free product thicknesses from the last three groundwater monitoring programs (October, 1992, March 1993, and July, 1993) are presented on Tables I, II, III and in Appendix C. The most recent data is shown graphically on Figure 4 in Appendix A. Free product was not observed in any of the wells off-site (MW-25 through MW-29).

3.1.3 Results of Laboratory Analyses

Laboratory test results of groundwater samples collected on July 27, 1993 for this investigation

are summarized in Table V, in Appendix C. Results are also presented graphically on Figure 5 in Appendix A.

Laboratory reports and chain of custody documents are included in Appendix D.

4.0 LIMITATIONS

The site assessment services performed by **Park** were performed in a manner consistent with the level of care and skill ordinarily exercised by members of the profession currently practicing in the same locality under similar conditions.

The findings presented in this report are based on present conditions and past written and/or oral information provided by regulatory agencies or Nestle, USA. **Park** will not be responsible for any use by or interpretation or subsequent damages by any third party. Conditional changes may occur through time by natural or man-made processes on this or adjacent properties. Additional changes may occur in legislative standards which may or may not be applicable to this report. These changes beyond **Park's** control may render this report invalid partially or wholly.

5.0 SIGNATURES


This report was prepared by:

Peter Frank
Project Geologist


This report was reviewed for technical content by:

Richard J. Zipp, R.G., C.E.G.
Principal Hydrogeologist

PF:la



REFERENCE 1992, ALAMEDA COUNTY, THOMAS GUIDE MAP, PAGE 7





SCALE: 1 INCH
EQUALS 2,200 FEET


SITE LOCATION MAP
CARNATION COMPANY
 1310 14TH STREET
 OAKLAND, CALIFORNIA
 PROJECT # 5008

FIGURE 1








LEGEND


 GROUNDWATER MONITORING WELLS
 SAMPLED JULY, 1993. ADDITIONAL
 WELLS EXIST ON SITE

**SITE PLOT PLAN
 SHOWING GROUNDWATER
 MONITORING WELLS
 SAMPLED JULY, 1993
 CARNATION COMPANY
 1310 14TH STREET
 OAKLAND, CALIFORNIA
 PROJECT # 5008-J3
 5008-J3-2**

FIGURE 2





LEGEND



GROUNDWATER MONITORING WELLS
NOT CONTAINING FREE PRODUCT

GWE GROUNDWATER ELEVATION


— INFERRED LINE OF EQUAL GROUNDWATER
ELEVATION

**GROUNDWATER
ELEVATION MAP**
JULY 26 AND 27, 1993
CARNATION COMPANY
1310 14TH STREET
OAKLAND, CALIFORNIA
PROJECT # 5008-J3
 5008-J3-4



FIGURE 3

OCCURENCE OF FREE PRODUCT
JULY 26 AND 27, 1993
CARNATION COMPANY
1310 14TH STREET
OAKLAND, CALIFORNIA
PROJECT # 5008-J3
5008-J3-6



LEGEND

- GROUNDWATER MONITORING WELLS
- WELLS INSTALLED BY PREVIOUS CONSULTANTS

NOTE: ADDITIONAL WELLS EXIST ON SITE

- 0'-1' OF FREE PRODUCT AREA
- 1'-2' OF FREE PRODUCT AREA
- 2'-3' OF FREE PRODUCT AREA







FIGURE 4

LEGEND

-  FREE PRODUCT AREA
-  GROUNDWATER MONITORING WELLS
-  WELLS INSTALLED BY PREVIOUS CONSULTANTS

ALL CONCENTRATIONS ARE IN PARTS PER BILLION

TPHg - TOTAL PETROLEUM HYDROCARBONS AS GASOLINE

TPHd - TOTAL PETROLEUM HYDROCARBONS AS DIESEL

N.D. - NOT DETECTED AT LISTED DETECTION LIMIT (SEE APPENDIX D)

ppb - PARTS PER BILLION

N/A - NOT ANALYZED

NOTE: ADDITIONAL WELLS EXIST ON SITE

DISSOLVED CHEMICAL CONSTITUENTS

IN SAMPLED WELLS
 JULY 27, 1993
 CARNATION COMPANY
 1310 14TH STREET
 OAKLAND, CALIFORNIA
 PROJECT # 5008-J3
 5008-J3-7





FIGURE 5



5000-13
4
5008 J2ALAMEDA COUNTY
HEALTH CARE SERVICES
AGENCY

DAVID J. KEARS, Agency Director

RAFAT A. SHAHID, ASST. AGENCY DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH
State Water Resources Control Board
Division of Clean Water Programs
UST Local Oversight Program
80 Swan Way, Rm 200
Oakland, CA 94621
(510) 271-4530March 3, 1993
STID 3779Walter Carey
Nestle USA Inc.
100 Manhattanville Rd.
Purchase NY 10577RE: Carnation Dairy
1310-14th St.
Oakland CA 94607

Dear Mr. Carey,

We are in receipt of a letter from Park Environmental (Park) dated 2/16/93, requesting a modification of the quarterly groundwater monitoring program. This proposal involves the quarterly sampling of MW3, MW25, MW26, MW27, MW28, MW29, MW30, and MW32. Most of these wells (MW25 through MW29) are downgradient wells in 16th St. These wells are important in gauging offsite migration of the free product plume. In order to assess the dissolved constituents more accurately, we request that you add the following wells to the sampling matrix: MW2, MW5, MW6, MW7, MW8, MW13, MW14, MW22, MW23, and MW24. Several of these wells contained free product last quarter, and therefore will not in effect be part of the analytical work. Those wells included MW7, MW8, MW22, and MW24. For some reason, MW2 and MW23 were not included in Table 1, Groundwater Measurements of the 12/12/92 "Quarterly Groundwater Monitoring Report" by Park. The reason these wells were not sampled is that they may not have been located, according to a phone conversation between Peter Frank of Park and myself on 2/25/93. Therefore, this may in effect reduce the additional number of wells to be analyzed to four: MW5, MW6, MW13, and MW14.


VOCs have been detected in wells MW26 (downgradient) and MW32 (upgradient). The VOC plume must be fully defined, which may involve adding wells to the VOC sampling matrix in the future. This was discussed with Peter Frank on 2/25/93.

We are also in receipt of a "Workplan for Soil and Groundwater Remediation" by Park, dated 2/10/93. As you know, this workplan involves the use of vapor extraction with thermal oxidation for impacted soil and groundwater. Additional information was received by fax on 2/2/93 from Peter Frank of Park. This information included a time schedule for remedial activities and a piping layout map of the anticipated VES system. With this additional information, the workplan is acceptable for implementation.

Walter Carey
STID 3779
March 3, 1993
page 2 of 2

If you have any questions, please contact me at 510-271-4530.

Sincerely,



Jennifer Eberle
Hazardous Materials Specialist

cc: Richard Zipp, Park Environmental, 2140 Professional Dr.,
Suite 130, Roseville CA 95661
Rich Hiatt, RWQCB
Ed Howell/File

je

TABLE V
Groundwater Chemical Constituent Results

MW-2

All valves reported in micrograms per liter or ug/l

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PESTI-CIDES	8010 OR 8240 COM-POUNDS	SAMPLER
	GAS	DIESEL			B	T	E	X					
3/23/93	ND 100	ND 1000	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK
7/27/93	ND 100	ND 2500	N/A	N/A	ND 1	ND	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK

MW-5

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PESTI-CIDES	8010 OR 8240 COM-POUNDS	SAMPLER
	GAS	DIESEL			B	T	E	X					
3/23/93	120	ND 1000	N/A	N/A	ND 1	ND 1	ND 1	2.2	N/A	N/A	N/A	N/A	PARK
7/27/93	ND 100	ND 2500	N/A	N/A	ND 1	ND 1	ND 1	2.2	N/A	N/A	N/A	N/A	PARK

MW-6

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PESTI-CIDES	8010 OR 8240 COM-POUNDS	SAMPLER
	GAS	DIESEL			B	T	E	X					
3/23/93	ND 100	ND 1000	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK
7/27/93	N.D. 100	N.D. 2500	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK

TABLE V (continued)
Groundwater Chemical Constituent Results

MW-13

All values reported in micrograms per liter or ug/l

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PESTI-CIDES	8010 OR 8240 COM-POUNDS	SAMPLER
	GAS	DIESEL			B	T	E	X					
3/23/93	ND 100	ND 1000	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK
7/27/93	ND 100	ND 2500	N/A	N/A	ND 1	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	PARK

TABLE V (continued)
Groundwater Chemical Constituent Results

~~MWS~~
 All values reported in micrograms per liter or ug/l

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PESTICIDES	8010 OR 8240 COMPOUNDS	SAMPLER
	GAS	DIESEL			B	T	E	X					
6-25-91	ND 50	ND 50	ND 500	ND 5000	22	ND 0.5	ND 0.5	ND 0.5	N/A	N/A	N/A	N/A	HLA
9-17-91	N/A	N/A	N/A	N/A	64	3.6	3.8	2.8	N/A	N/A	N/A	N/A	HLA
12-16-91	N/A	N/A	N/A	N/A	100	8.1	2.9	5.9	N/A	N/A	N/A	N/A	HLA
3-23-92	N/A	N/A	N/A	N/A	31	0.7	ND 0.6	2.2	N/A	N/A	N/A	N/A	HLA
6-23-92	N/A	N/A	N/A	N/A	2.5	1.0	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
10-20-02	N/A	N/A	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK
3-23-93	300	ND	N/A	N/A	35	2.9	2.0	3.2	N/A	N/A	N/A	N/A	PARK
7-27-93	220	ND 2500	N/A	N/A	37	1.0	4.0	1.1	N/A	N/A	N/A	N/A	PARK

* Reported incorrectly by laboratory on April 12, 1993. Result corrected for this table. Please see Appendix E for Certified Laboratory Report.

TABLE V
Groundwater Chemical Constituent Results (continued)
MW-14

All values reported in micrograms per liter or ug/l

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PESTICIDES	8240 COMPOUNDS	SAMPLER
	GAS	DIESEL			B	T	E	X					
3-27-89	ND 500	ND 500	N/A	N/A	ND 0.3	ND 0.3	ND 0.3	ND 0.3	ND 44	N/A	N/A	N/A	AGE
4-27-89	ND 0.5	ND 0.5	N/A	N/A	ND 0.3	ND 0.3	ND 0.3	ND 0.3	ND 44	N/A	N/A	N/A	AGE
6-7-89	ND 0.5	ND 0.5	N/A	ND 50	ND 0.3	ND 0.3	ND 0.3	ND 0.3	ND 44	N/A	N/A	N/A	AGE
8-30-89	ND 0.5	ND 0.2	N/A	N/A	ND 0.5	ND 0.5	ND 0.5	ND 0.5	18	ND 1.0	N/A	N/A	AGE
6-25-91	ND 0.5	ND 0.5	ND 500	N/A	ND 5	ND 5	ND 5	ND 5	N/A	N/A	N/A	ND 5-10	HLA
3-23-92	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
6-23-92	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
10-20-92*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	PARK
3/23/93*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	PARK
7/27/93*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	PARK

* NO WATER PRESENT IN WELL/NO SAMPLES TAKEN

TABLE V
Groundwater Chemical Constituent Results (continued)

MW-25

All values reported in micrograms per liter or ug/l

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PESTICIDES	8010 OR 8240 COMPOUNDS	SAMPLER
	GAS	DIESEL			B	T	E	X					
9-13-89	ND 50	80	N/A	ND 1000	14	0.4	ND 0.3	ND 0.7	N/A	ND 1	ND 1	N/A	AGE
10-3-89	82	ND 50	N/A	ND 2000	29	4.7	ND 1.0	1.2	ND 50	ND 0.5	N/A	N/A	AGE
11-15-89	ND 50	ND 500	N/A	ND 20	30	2.1	ND 1	ND 1	ND 50	ND 500	N/A	N/A	AGE
6-25-91	ND 50	ND 50	ND 500	N/A	0.8	ND 0.5	ND 0.5	ND 0.5	N/A	N/A	N/A	N/A	HLA
9-17-91	N/A	N/A	N/A	N/A	3.5	5.7	1.3	6.6	N/A	N/A	N/A	N/A	HLA
12-16-91	N/A	N/A	N/A	N/A	2.2	12	12	55	N/A	N/A	N/A	N/A	HLA
3-23-92	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
6-23-92	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
10-20-92	N/A	N/A	N/A	N/A	28	100	19	110	N/A	N/A	N/A	N/A	PARK
3-23-93	ND 100	ND 1000	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK
7-27-93	ND 100	ND 2500	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK

TABLE 1
Groundwater Chemical Constituent Results (continued)

~~MW-26~~

All values reported in micrograms per liter or ug/l

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PEST-ICIDES	8010 or 8240 COM-POUND	SAMPLER
	GAS	DIESEL			B	T	E	X					
9-13-89	6000	590	N/A	1000	1400	1300	110	1100	ND 50	ND 1	ND 1	N/A	AGE
10-3-89	1900	ND 50	N/A	ND 2000	870	440	12	120	ND 50	ND 0.05	N/A	N/A	AGE
11-15-89	12,000	ND 500	N/A	230	4200	3000	ND 100	840	ND 50	ND 500	N/A	N/A	AGE
6-25-91	300,000	2100	1600	ND 5000	4400	3600	260	4600	N/A	N/A	N/A	470 1,2 -DCA	HLA
9-17-91	N/A	N/A	N/A	N/A	6200	5800	1.0	3900	N/A	N/A	N/A	610 1,2 -DCA	HLA
12-16-91	N/A	N/A	N/A	N/A	5300	4500	450	1600	N/A	N/A	N/A	79 1,2 -DCA	HLA
3-23-92	N/A	N/A	N/A	N/A	19,000	24000	1600	8400	N/A	N/A	N/A	N/A	HLA
6-23-92	N/A	N/A	N/A	N/A	20,000	21000	2200	10000	N/A	N/A	N/A	380 1,2 -DCA	HLA
10-20-92	N/A	N/A	N/A	N/A	3700	1600	280	900	N/A	N/A	N/A	73 1,2 -DCA 1.9 TCE	PARK
3/23/93	7000	1300*	N/A	N/A	180	190	55	330	N/A	N/A	N/A	ND 1	PARK
1/21/93	1800	ND	N/A	N/A	470	96	30	80	N/A	N/A	N/A	140 1,2 -DCA	PARK

* Reported incorrectly by laboratory on April 12, 1993. Result corrected for this table. Please see Appendix E for Certified Laboratory Report.

ABU
Groundwater Chemical Constituent Results (continued)

~~MW-27~~

All values reported in micrograms per liter or ug/l

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PEST-ICIDES	8010 or 8240 COM-POUNDS	SAMPLER
	GAS	DIESEL			B	T	E	X					
9-13-89	ND 50	100	N/A	ND 1000	ND 0.4	ND 0.3	ND 0.3	ND 0.7	ND 50	ND 1	ND .01	N/A	AGE
10-3-89	ND 50	51	N/A	ND 2000	12	14	ND 1	6	ND 50	ND .05	N/A	N/A	AGE
11-15-89	ND 50	ND 500	N/A	100	ND 1	3.1	ND 1	ND 1	ND 50	ND 500	N/A	N/A	AGE
6-25-91	ND 50	ND 50	N/A	N/A	1.8	ND 0.5	ND 0.5	ND 0.5	N/A	N/A	N/A	N/A	HLA
9-17-91	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
12-16-91	N/A	N/A	N/A	N/A	11	17	2.1	11	N/A	N/A	N/A	N/A	HLA
3-23-92	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
6-23-92	N/A	N/A	N/A	N/A	4.6	5.0	0.6	1.3	N/A	N/A	N/A	N/A	HLA
10-20-92	N/A	N/A	N/A	N/A	ND 1	1.5	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK
3-23-93	ND 100	ND 1000	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK
7-27-93	ND 100	ND 2500	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK

TABLE
Groundwater Chemical Constituent Results (continued)

MW-28

All values reported in micrograms per liter or ug/l

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PEST-ICIDES	8010 or 8240 COM-POUNDS	SAMPLER
	GAS	DIESEL			B	T	E	X					
9-13-89	ND 50	ND 50	N/A	ND 1000	ND 0.4	ND 0.3	ND 0.3	ND 0.7	ND 50	ND 1	ND 0.1	N/A	AGE
10-3-89	58	ND 50	N/A	ND 2000	8	14	1	8	ND 50	ND 0.5	N/A	N/A	AGE
11-15-89	ND 50	ND 500	N/A	50	ND 1	ND 1	ND 1	ND 1	ND 1	ND 50	N/A	N/A	AGE
6-25-91	ND 50	ND 50	ND 500	N/A	ND 0.5	ND 0.5	ND 0.5	ND 0.5	N/A	N/A	N/A	N/A	HLA
9-17-91	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
12-16-91	N/A	N/A	N/A	N/A	N/A	0.69	3.5	ND 0.6	18	N/A	N/A	N/A	HLA
3-23-92	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
6-23-92	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
10-20-92	N/A	N/A	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK
3-23-93	110	ND 1000	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK
7-27-93	ND 100	ND 2500	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK

TABLE
Groundwater Chemical Constituent Results (continued)

MW-29

All values reported in micrograms per liter or ug/l

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PEST-ICIDES	8010 or 8240 COM-POUNDS	SAMPLER
	GAS	DIESEL			B	T	E	X					
9-13-89	ND 50	ND 50	N/A	ND 1000	ND 0.4	ND 0.3	ND 0.3	ND 0.7	ND 50	ND 1	ND 0.1	N/A	AGE
10-3-89	ND 50	65	N/A	ND 2000	2.3	4.7	ND 1	1.2	ND 50	ND 0.5	N/A	N/A	AGE
11-15-89	ND 50	ND 500	N/A	150	ND 1	ND 1	ND 1	ND 1	ND 50	ND 500	N/A	N/A	AGE
6-25-91	ND 50	ND 50	ND 500	ND 5000	ND 5	ND 5	ND 5	ND 5	N/A	N/A	N/A	ND 5-10	HLA
9-17-91	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
12-16-91	N/A	N/A	N/A	N/A	ND 0.5	0.62	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
3-23-92	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
6-23-92	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
10-20-92	N/A	N/A	N/A	N/A	ND 1	3.5	ND 1	2.9	N/A	N/A	N/A	N/A	PARK
3-23-93	ND 100	ND 1000	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK
7-27-93	ND 100	ND 2500	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK

TABLE 7
Groundwater Chemical Constituent Results (continued)

MW-30

All values reported in micrograms per liter or ug/l

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PEST-ICIDES	8010 or 8240 COM-POUNDS	SAMPLER
	GAS	DIESEL			B	T	E	X					
9-17-91	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
12-16-91	N/A	N/A	N/A	N/A	ND 0.5	ND 0.5	ND 0.6	1.1	N/A	N/A	N/A	N/A	HLA
3-23-92	N/A	N/A	N/A	N/A	ND 0.5	6.9	ND 0.6	ND 0.6	N/A	N/A	N/A	N/A	HLA
6-23-92	N/A	N/A	N/A	N/A	2.3	4.7	ND 0.6	4.2	N/A	N/A	N/A	N/A	HLA
10-20-92	N/A	N/A	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK
3-23-93	ND 100	ND 1000	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK
7-27-93	ND 100	ND 2500	N/A	N/A	ND 1	ND 1	ND 1	ND 1	N/A	N/A	N/A	N/A	PARK

TABLE V

Groundwater Chemical Constituent Results (continued)

MW-32

All values reported in micrograms per liter or ug/l

SAMPLE DATE	TPH		TPH MOTOR OIL	OIL/GREASE					TOTAL LEAD	PCB	PEST-ICIDES	8010 or 8240 COM-POUNDS	SAMPLER
	GAS	DIESEL			B	T	E	X					
6-25-91	690	ND 50	ND 500	ND 5000	550	ND 5	7.6	11	N/A	N/A	N/A	14 1,2-DCA	HLA
9-17-91	N/A	N/A	N/A	N/A	0.62	2.6	11	4.6	N/A	N/A	N/A	8.1 1,2-DCA	HLA
12-16-91	N/A	N/A	N/A	N/A	64	0.92	1.5	1.7	N/A	N/A	N/A	4.2 1,2-DCA	HLA
3-23-92	N/A	N/A	N/A	N/A	120	1.6	2	2.1	N/A	N/A	N/A	2 1,2-DCA	HLA
6-23-92	N/A	N/A	N/A	N/A	170	250	42	200	N/A	N/A	N/A	7.9 1,2-DCA	HLA
10-20-92	N/A	N/A	N/A	N/A	5.1	ND 1	ND 1	ND 1	N/A	N/A	N/A	2.5 1,2-DCA	PARK
3-23-93	440	ND 1000*	N/A	N/A	39	6.2	3.1	9.0	N/A	N/A	N/A	60 1,2 DCA	PARK
7-27-93	ND 100	2500 ND	N/A	N/A	39	6.2	3.1	9.0	N/A	N/A	N/A	14 1,2 DCA	PARK

* Reported incorrectly by laboratory on April 12, 1993. Result corrected for this table. Please see Appendix E for Certified Laboratory Report.

TABLE I
GROUNDWATER MEASUREMENTS
JULY 26 AND 27, 1993

Well No.	Depth to Product (FT) (TOC)	Depth to Water (FT) (TOC)	Casing Elevation (FT)	Product Thickness (FT)	Well Diameter (IN)	GWE (FT)
MW-1	-	10.54	16.49	-	4	5.95
MW-2*	-	9.55	15.11	-	4	5.56
MW-3*	-	8.96	14.30	-	4	5.34
MW-4	-	-	14.42	-	4	-
MW-5*	-	9.02	14.41	-	4	5.39
MW-6*	-	8.78	14.12	-	2	5.34
MW-7	8.62	10.35	14.29	1.73	4	-
MW-8	8.93	9.43	14.20	0.50	-	-
MW-10	-	9.57	15.73	-	4	6.16
MW-11	-	8.83	14.55	-	4	5.72
MW-13*	-	9.23	14.85	-	4	5.62
MW-14	-	No Water	14.10	-	-	-
MW-22	8.75	11.33	14.44	2.58	2	-
MW-23	8.75	10.69	-	1.94	2	-
MW-24	8.78	11.16	14.67	2.38	2	-
MW-25*	-	7.69	12.86	-	4	5.17
MW-26*	-	7.45	12.71	-	4	5.26
MW-27*	-	8.75	14.04	-	4	5.29
MW-28*	-	8.27	13.45	-	4	5.18
MW-29*	-	7.50	12.60	-	4	5.10
MW-30*	-	9.39	14.54	-	4	5.15
MW-32*	-	9.15	14.76	-	4	5.61
PR-20	8.32	10.01	14.36	1.69	2	-
PR-21	8.71	10.29	14.37	1.58	2	-
PR-22	8.58	10.17	14.43	1.59	2	-

TABLE I (continued)
GROUNDWATER MEASUREMENTS
JULY 26 AND 27, 1993

Well No.	Depth to Product (FT) (TOC)	Depth to Water (FT) (TOC)	Casing Elevation (FT)	Product Thickness (FT)	Well Diameter (IN)	GWE (FT)
PR-23	8.28	10.12	14.47	1.84	2	-
PR-26	8.41	10.21	14.38	1.80	2	-
PR-27	-	8.78	-	-	2	-
PR-28	-	8.67	-	-	2	-
PR-33	-	8.69	14.36	-	2	5.67
PR-34	8.51	10.23	14.49	1.72	2	-
PR-35	8.56	10.27	14.55	1.71	2	-
PR-36	8.58	10.17	-	1.59	2	-
PR-37	8.50	9.91	-	1.41	2	-
PR-41	9.04	9.12	-	0.08	2	-
PR-43	-	9.36	-	-	-	-
PR-44	9.27	9.66	-	0.39	2	-
PR-45	9.11	9.46	-	0.35	2	-
PR-46	-	9.28	-	-	2	-
PR-47	8.38	8.60	-	0.22	2	-
PR-48	8.85	10.71	-	1.86	2	-
PR-49	-	9.20	-	-	2	-
PR-50	8.82	9.85	-	1.03	2	-
PR-52	8.88	10.25	-	1.37	2	-
PR-53	8.61	10.42	-	1.81	2	-
PR-54	8.63	9.83	-	1.20	2	-
PR-55	8.35	10.75	-	2.40	2	-
PR-56	8.79	10.44	-	1.65	2	-
PR-58	8.33	10.21	-	1.88	2	-
PR-59	-	8.52	-	-	2	-
PR-61	9.08	9.57	-	0.49	2	-

TABLE I (continued)
GROUNDWATER MEASUREMENTS
JULY 26 AND 27, 1993

Well No.	Depth to Product (FT) (TOC)	Depth to Water (FT) (TOC)	Casing Elevation (FT)	Product Thickness (FT)	Well Diameter (IN)	GWE (FT)
PR-62	9.16	9.49	-	0.33	2	-
PR-64	8.72	10.73	-	2.01	2	-
PR-65	9.00	9.35	-	0.35	2	-
PR-66	-	8.68	-	-	2	-
PR-67	8.54	9.46	-	0.92	2	-
PR-68	-	8.80	-	-	2	-
PR-69	-	8.49	-	-	2	-
PR-70	8.67	10.79	-	2.12	2	-
PR-74	-	8.86	-	-	2	-
PR-76	-	9.14	-	-	2	-
PR-77	-	8.82	-	-	2	-

TOC - Top of Casing
 GWE - Groundwater Elevation
 * - Groundwater Samples Obtained for this Investigation

TABLE II
GROUNDWATER MEASUREMENTS
MARCH 18 AND 19, 1993

Well No.	Depth to Product (FT) (TOC)	Depth to Water (FT) (TOC)	Casing Elevation (FT)	Product Thickness (FT)	Well Diameter (IN)	GWE (FT)
MW-1	-	8.51	16.49	-	4	7.98
MW-2	-	7.47	15.11	-	4	7.64
MW-3*	-	7.23	14.30	-	4	7.07
MW-4	-	7.00	14.42	-	4	7.42
MW-5	-	7.14	14.41	-	4	7.27
MW-6	-	7.04	14.12	-	2	7.08
MW-7	6.56	9.38	14.29	2.82	4	-
MW-8	7.34	7.64	14.20	0.30	-	-
MW-10	-	-	15.73	-	4	-
MW-11	-	6.95	14.55	-	4	7.60
MW-12	-	7.62	15.28	-	4	7.66
MW-13	-	8.62	14.85	-	4	7.47
MW-14	-	No Water	14.10	-	-	-
MW-22	6.98	-	14.44	>3.0	2	-
MW-23	7.04	8.44	-	1.40	4	-
MW-24	7.45	-	14.67	>3.0	2	-
MW-25*	-	6.14	12.86	-	4	6.72
MW-26*	-	5.83	12.71	-	4	6.88
MW-27*	-	7.23	14.04	-	4	6.81
MW-28*	-	6.65	13.45	-	4	6.80
MW-29*	-	5.82	12.60	-	4	6.78
MW-30*	-	7.79	14.54	-	4	6.75
MW-32*	-	7.25	14.76	-	4	7.51
PR-20	6.28	9.69	14.36	3.41	2	-
PR-21	6.60	9.36	14.37	2.76	2	-
PR-22	6.50	-	14.43	>3.0	2	-

Well No.	Depth to Product (FT) (TOC)	Depth to Water (FT) (TOC)	Casing Elevation (FT)	Product Thickness (FT)	Well Diameter (IN)	GWE (FT)
PR-23	6.72	7.78	14.47	1.06	2	-
PR-26	6.54	8.59	14.38	2.05	2	-
PR-27	-	7.08	-	-	2	-
PR-28	-	6.92	-	-	2	-
PR-33	-	6.81	14.36	-	2	7.55
PR-34	6.20	9.01	14.49	2.81	2	-
PR-35	6.56	-	14.55	>3.0	2	-
PR-36	6.83	8.26	-	1.43	2	-
PR-37	6.05	8.40	-	2.35	2	-
PR-38	-	7.32	14.47	-	2	7.15
PR-41	7.21	7.63	-	0.42	2	-
PR-43	-	7.69	-	-	-	-
PR-44	7.72	7.91	-	0.19	2	-
PR-45	7.49	7.59	-	0.10	2	-
PR-46	-	7.63	-	-	2	-
PR-47	7.50	7.50	-	SHEEN	2	-
PR-48	6.73	-	-	>3.0	2	-
PR-49	-	7.35	-	-	2	-
PR-50	7.13	8.02	-	0.89	2	-
PR-51	6.67	-	-	>3.0	2	-
PR-52	7.17	8.33	-	1.16	2	-
PR-53	6.49	-	-	>3.0	2	-
PR-54	6.96	8.16	-	1.20	2	-
PR-55	7.03	8.34	-	1.31	2	-
PR-56	6.59	-	-	>3.0	2	-
PR-57	-	6.29	-	-	2	-
PR-58	6.35	8.02	-	1.67	2	-
PR-59	-	7.07	-	-	2	-
PR-60	-	7.45	-	-	2	-

**TABLE II
GROUNDWATER MEASUREMENTS CONT.
MARCH 18 AND 19, 1993**

Well No.	Depth to Product (FT) (TOC)	Depth to Water (FT) (TOC)	Casing Elevation (FT)	Product Thickness (FT)	Well Diameter (IN)	GWE (FT)
PR-61	7.28	7.63	-	0.5	2	-
PR-62	7.38	7.45	-	0.07	2	-
PR-64	6.43	-	-	>3.0	2	-
PR-65	6.89	6.98	-	0.09	2	-
PR-66	-	6.77	-	-	2	-
PR-67	6.95	7.76	-	0.81	2	-
PR-68	-	6.84	-	-	2	-
PR-69	-	5.92	-	-	2	-
PR-70	6.43	8.02	-	1.59	2	-
PR-76	-	7.74	-	-	2	-
PR-77	-	7.52	-	-	2	-

TOC - Top of Casing
 GWE - Groundwater Elevation
 * - Groundwater Samples Obtained for this Investigation

**TABLE III
GROUNDWATER MEASUREMENTS
OCTOBER 20, 1992**

Well No.	Depth to Product (FT) (TOC)	Depth to Water (FT) (TOC)	Casing Elevation (FT)	Product Thickness (FT)	Well Diameter (IN)	GWE (FT)
MW-1	-	12.60	16.49	-	4	3.89
MW-3*	-	10.23	14.30	-	4	4.07
MW-4	-	No Water	14.42	-	4	-
MW-5	-	10.39	14.41	-	4	4.02
MW-6	-	10.13	14.12	-	2	3.99
MW-7	10.17	10.84	14.29	0.67	4	-
MW-8	10.17	10.63	14.20	0.46	-	-
MW-10	-	11.25	15.73	-	4	4.48
MW-13	-	10.62	14.85	-	4	4.23
MW-14	-	No Water	14.10	-	-	-
MW-22	9.97	12.77	14.44	2.80	2	-
MW-24	10.20	12.24	14.67	2.04	2	-
MW-25*	-	8.93	12.86	-	4	3.93
MW-26*	-	8.77	12.71	-	4	3.94
MW-27*	-	10.06	14.04	-	4	3.98
MW-28*	-	9.53	13.45	-	4	3.92
MW-29*	-	8.75	12.60	-	4	3.85
MW-30*	-	10.61	14.54	-	4	3.93
MW-32*	-	10.53	14.76	-	4	4.23
PR-10	-	10.06	-	-	2	-
PR-20	9.79	10.65	14.36	0.86	2	-
PR-21	10.10	11.04	14.37	0.94	2	-
PR-22	10.05	10.75	14.43	0.70	2	-
PR-23	9.85	10.56	14.47	0.71	2	-
PR-26	10.01	10.81	14.38	0.80	2	-
PR-27	-	10.16	-	-	2	-

TABLE III (continued)
GROUNDWATER MEASUREMENTS
OCTOBER 20, 1992

Well No.	Depth to Product (FT) (TOC)	Depth to Water (FT) (TOC)	Casing Elevation (FT)	Product Thickness (FT)	Well Diameter (IN)	GWE (FT)
PR-28	-	10.02	-	-	2	-
PR-33	-	10.01	14.36	-	2	4.35
PR-34	10.10	10.80	14.49	0.70	2	-
PR-35	10.11	10.71	14.55	0.60	2	-
PR-38	-	10.50	14.47	-	2	3.97
PR-41	10.51	11.19	-	0.68	2	-
PR-43	-	10.70	-	-	-	-
PR-44	10.50	11.12	-	0.62	2	-
PR-45	10.41	10.70	-	0.29	2	-
PR-46	-	10.61	-	-	2	-
PR-47	10.07	12.52	-	2.45	2	-
PR-48	10.30	11.50	-	1.20	2	-
PR-49	-	10.56	-	-	2	-
PR-50	10.03	11.68	-	1.60	2	-
PR-52	10.23	11.52	-	1.29	2	-
PR-53	10.02	11.31	-	1.29	2	-
PR-54	10.04	10.83	-	0.79	2	-
PR-55	9.97	11.83	-	1.86	2	-
PR-56	10.12	11.29	-	1.17	2	-
PR-57	-	9.81	-	-	2	-
PR-58	9.92	11.02	-	1.10	2	-
PR-59	-	9.96	-	-	2	-
PR-60	-	10.64	-	-	2	-
PR-61	10.44	10.78	-	0.34	2	-
PR-62	10.37	10.89	-	0.52	2	-
PR-64	10.14	11.65	-	1.51	2	-

TABLE III (continued)
GROUNDWATER MEASUREMENTS
OCTOBER 20, 1992

Well No.	Depth to Product (FT) (TOC)	Depth to Water (FT) (TOC)	Casing Elevation (FT)	Product Thickness (FT)	Well Diameter (IN)	GWE (FT)
PR-65	-	10.55	-	SHEEN	2	-
PR-66	-	10.05	-	-	2	-
PR-68	-	10.22	-	-	2	-
PR-69	-	9.93	-	-	2	-
PR-70	10.08	10.37	-	0.29	2	-
PR-74	-	10.30	-	-	2	-
PR-75	-	10.36	-	-	2	-
PR-76	-	10.58	-	-	2	-
PR-77	-	10.11	-	-	2	-
V-89	-	9.70	-	-	4	-
V-90	-	9.70	-	-	4	-

TOC - Top of Casing
 GWE - Groundwater Elevation
 * - Groundwater Samples Obtained for this Investigation

**TABLE IV
GROUNDWATER PURGING DATA
JULY 26, 1993**

WELL NUMBER	TOTAL GALLONS REMOVED	pH	SPECIFIC CONDUCTANCE x1000	TEMPERATURE IN FAHRENHEIT
MW-2-P	10	7.1	1.37	69.6
	20	6.8	1.46	70.1
	40	6.9	1.48	70.4
MW-3-P	10	6.6	1.92	69.4
	20	6.6	1.79	69.3
	40	6.7	1.77	69.2
MW-5-P	10	7.3	1.34	69.7
	20	7.1	1.30	69.0
	40	7.1	1.23	68.8
MW-6-P*	3	7.3	1.06	66.1
	5	6.8	0.99	65.3
MW-13	10	8.6	1.03	69.3
	20	8.3	0.97	69.6
	30	7.5	0.98	68.7
	40	7.3	0.99	68.8
MW-25**	10	7.5	1.93	71.8
	20	7.3	1.81	70.3
MW-26	10	6.6	1.17	68.3
	20	6.6	1.31	68.1
	40	6.7	1.34	67.3
MW-27	10	7.5	1.06	69.1
	20	7.2	1.15	68.2
	40	6.9	1.09	68.0
MW-28	10	7.1	0.47	72.0
	20	7.0	0.56	70.4
	40	7.0	0.55	69.3
MW-29	10	7.2	0.32	70.2
	20	7.4	0.26	71.6
	40	7.5	0.22	69.2
MW-30	10	7.7	1.01	65.7
	20	7.0	1.04	65.5
	35	6.8	1.10	65.4
MW-32	10	6.9	1.45	71.0
	20	6.7	1.41	70.8
	40	6.7	1.36	70.7

* - 2 inch well hand bailed using a new disposable bailer

** - Well was pumped dry at approximately 23 gallons



SIERRA
LABORATORIES

Date: August 17, 1993

Park Environmental Corporation
2140 Professional Drive, Suite 130
Roseville, California 95661

Attention: Mr. Peter Frank

Client Project Number: 5008-J3
Client Project Name: N/A
Date Sampled: July-27-93
Date Samples Received: July-29-93
Sierra Project Number: SP-692-93

Enclosed with this letter is the report on the chemo-physical analysis of samples from the project references shown above.

The samples were received by Sierra in a chilled state, intact, and with the chain of custody record attached.

Note that N.D. means not detected at the appropriate reporting limit. The reporting limit is adjusted to reflect the dilution factor of the sample. The reporting limit is expressed in such cases in parentheses to the right of reported value. The detection limit for values without such a designation appears to the right of or at the bottom of the same page.

All halogenated compounds detected by EPA Method 8010 were confirmed by analysis with a second column of dissimilar phase or site history analytical data.

Reviewed

Approved

The contents of this report pertain only to the samples investigated and do not necessarily apply to other apparently identical or similar materials. This report is submitted for the exclusive use of the client to whom it is addressed. Unauthorized reproduction of this report or use of this laboratory's name for advertising or publicity purposes is strictly prohibited.

1525 ENDEAVOR PLACE
SUITE D
ANAHEIM, CA 92801

TEL: 714.758.9988
FAX: 714.758.9692

Park Environmental Corporation	Sierra Client No.	10000-92	Date Sampled:	07/27/93
2140 Professional Drive, Suite 130	Sierra Project No.	SP-692-93	Date Received:	07/29/93
Roseville, California 95661	Client Project No.	5008-F3	Date Prepared:	07/29/93
	Client Project:	N/A	Date Analyzed:	07/29/93
Sample Preparation: EPA Method 5030				
Sample Analysis: EPA 8010 (Halogenated Volatiles)			Report Date:	08/17/93

Sample Type: Liquid

Sample I.D. MW-26

<u>Compound</u>	<u>Sample Result</u> (µg/l)	<u>Method Detection</u> Limit (µg/l)
Chloromethane	ND	1
Vinyl chloride	ND	1
Bromomethane	ND	1
Chloroethane	ND	1
Trichlorofluoromethane	ND	1
1,1-Dichloroethene (1,1-DCE)	ND	1
Methylene chloride	ND	1
trans-1,2-Dichloroethene (t-1,2-DCE)	ND	1
1,1-Dichloroethane (1,1-DCA)	ND	1
cis-1,2-Dichloroethene (c-1,2-DCE)	ND	1
Chloroform	ND	1
1,1,1-Trichloroethane (1,1,1-TCA)	ND	1
Carbon tetrachloride	ND	1
1,2-Dichloroethane (1,2-DCA)	140	1
Trichloroethene (TCE)	ND	1
1,2-Dichloropropane (1,2-DCP)	ND	1
Bromodichloromethane	ND	1
2-Chloroethylvinyl ether	ND	1
cis-1,3-Dichloropropene	ND	1
trans-1,3-Dichloropropene	ND	1
1,1,2-Trichloroethane (1,1,2-TCA)	ND	1
Tetrachloroethene (PCE)	ND	1
Dibromochloromethane	ND	1
Chlorobenzene	ND	1
Bromoform	ND	1
1,1,2,2-Tetrachloroethane (1,1,2,2-PCA)	ND	1
1,3-Dichlorobenzene	ND	1
1,4-Dichlorobenzene	ND	1
1,2-Dichlorobenzene	ND	1

Park Environmental Corporation	Sierra Client No. 10000-92	Date Sampled: 07/27/93
2140 Professional Drive, Suite 130	Sierra Project No. SP-692-93	Date Received: 07/29/93
Roseville, California 95661	Client Project No. 5008-J3	Date Prepared: 07/29/93
	Client Project:	Date Analyzed: 07/29/93
	N/A	
Sample Preparation: EPA Method 5030		
Sample Analysis: EPA 8010 (Halogenated Volatiles)		Report Date: 08/17/93

Sample Type: Liquid

Sample I.D. MW-32

<u>Compound</u>	<u>Sample Result</u> (µg/l)	<u>Method Detection</u> Limit (µg/l)
Chloromethane	ND	1
Vinyl chloride	ND	1
Bromomethane	ND	1
Chloroethane	ND	1
Trichlorofluoromethane	ND	1
1,1-Dichloroethene (1,1-DCE)	ND	1
Methylene chloride	ND	1
trans-1,2-Dichloroethene (t-1,2-DCE)	ND	1
1,1-Dichloroethane (1,1-DCA)	ND	1
cis-1,2-Dichloroethene (c-1,2-DCE)	ND	1
Chloroform	ND	1
1,1,1-Trichloroethane (1,1,1-TCA)	ND	1
Carbon tetrachloride	ND	1
1,2-Dichloroethane (1,2-DCA)	14	1
Trichloroethene (TCE)	ND	1
1,2-Dichloropropane (1,2-DCP)	ND	1
Bromodichloromethane	ND	1
2-Chloroethylvinyl ether	ND	1
cis-1,3-Dichloropropene	ND	1
trans-1,3-Dichloropropene	ND	1
1,1,2-Trichloroethane (1,1,2-TCA)	ND	1
Tetrachloroethene (PCE)	ND	1
Dibromochloromethane	ND	1
Chlorobenzene	ND	1
Bromoform	ND	1
1,1,2,2-Tetrachloroethane (1,1,2,2-PCA)	ND	1
1,3-Dichlorobenzene	ND	1
1,4-Dichlorobenzene	ND	1
1,2-Dichlorobenzene	ND	1

Park Environmental Corporation 2140 Professional Drive, Suite 130 Roseville, California 95661	Sierra Client No. 10000-92 Sierra Project No. SP-692-93 Client Project No. 5008-J3 Client Project: N/A	Date Sampled: 07/27/93 Date Received: 07/29/93 Date Prepared: 08/05/93 Date Analyzed: 08/05/93
Sample Preparation: Solvent Extraction Sample Analysis: 8015-Modified (TPH as Diesel-CADHS LUFT)		Report Date: 08/17/93

Sample Type: Liquid

Client Sample I.D.	TPH mg/l
MW-2	ND
MW-3	ND
MW-5	ND
MW-6	ND
MW-13	ND
MW-25	ND
MW-26	ND
MW-27	ND
MW-28	ND
MW-29	ND
MW-30	ND
MW-32	ND

TPH
mg/l

Detection Limit: 2.5

Park Environmental Corporation 2140 Professional Drive, Suite 130 Roseville, California 95661	Sierra Client No. 10000-92 Sierra Project No. SP-692-93 Client Project No. 5008-J3 Client Project: N/A	Date Sampled: 07/27/93 Date Received: 07/29/93 Date Prepared: 08/02-08/03/93 Date Analyzed: 08/02-08/03/93
Sample Preparation: EPA Method 5030 Sample Analysis: 8015-M (TPH as Gasoline CADHS-LUFT) and EPA 8020 (BTEX)		Report Date: 08/17/93

Sample Type: Liquid

Client Sample I.D.	TPH µg/l	Benzene µg/l	Toluene µg/l	Ethylbenzene µg/l	Xylenes, Total µg/l
MW-2	ND	ND	ND	ND	ND
MW-3	220	97	1.0	4.0	1.1
MW-5	ND	ND	ND	ND	ND
MW-6	ND	ND	ND	ND	ND
MW-13	ND	ND	ND	ND	ND
MW-25	ND	ND	ND	ND	ND
MW-26	1800	470	96	30	80
MW-27	ND	ND	ND	ND	ND
MW-28	ND	ND	ND	ND	ND
MW-29	ND	ND	ND	ND	ND
MW-30	ND	ND	ND	ND	ND
MW-32	ND	ND	ND	ND	ND
Equip Blank	ND	N/A	N/A	N/A	N/A

N/A = Not Analyzed

	TPH µg/l	Benzene µg/l	Toluene µg/l	Ethylbenzene µg/l	Xylenes, Total µg/l
Detection Limit:	100	1	1	1	1

Park Environmental Corporation	Sierra Client No.	10000-92	Date Sampled:	07/27/93
2140 Professional Drive, Suite 130	Sierra Project No.	SP-692-93	Date Received:	07/29/93
Roseville, California 95661	Client Project No.	5008-13	Date Prepared:	07/29/93
	Client Project:	N/A	Date Analyzed:	07/29/93
Sample Preparation: EPA Method 5030				
Sample Analysis: EPA 8010 (Halogenated Volatiles)			Report Date:	08/17/93

Matrix/Spike Duplicate Report

Sample Type: Liquid

	1,1-DCE (Range)	1,1,1-TCA (Range)	TCE (Range)	Chlorobenzene (Range)
Matrix Spike	79	94	87	95
Recovery (%)	(28-167)	(41-138)	(35-146)	(38-150)
Matrix Spike Duplicate	84	103	93	99
Recovery (%)	(28-167)	(41-138)	(35-146)	(38-150)
Relative Per-cent	5	8	4	4
Difference	(0-30)	(0-30)	(0-30)	(0-30)

Quality Control Reference Number:

G002-072993(S)G2B0011-038-039

Park Environmental Corporation	Sierra Client No. 10000-92	Date Sampled: 07/27/93
2140 Professional Drive, Suite 130	Sierra Project No. SP-692-93	Date Received: 07/29/93
Roseville, California 95661	Client Project No. 5008-J3	Date Prepared: 08/05/93
	Client Project: N/A	Date Analyzed: 08/05/93
Sample Preparation: EPA 5030		
Sample Analysis: 8015-Modified (TPH as Diesel-CADHS LUFF)		Report Date: 08/17/93

Matrix/Spike Duplicate Report

Sample Type: Liquid

TPH-Diesel

Matrix Spike Recovery (%) 74

Matrix Spike Duplicate Recovery (%) 92

Relative Per-cent Difference 5

Quality Control Reference Number: G001-080593(s)g1b00019-188-189

Park Environmental Corporation 2140 Professional Drive, Suite 130 Roseville, California 95661	Sierra Client No.	10000-92	Date Sampled:	07/27/93
	Sierra Project No.	SP-692-93	Date Received:	07/29/93
	Client Project No.	5008-13	Date Prepared:	08/02-08/03/93
	Client Project:	N/A	Date Analyzed:	08/02-08/03/93
Sample Preparation:	EPA Method 5030		Report Date:	08/17/93
Sample Analysis:	8015-M (TPH as Gasoline CADHS-LUFT)			

Matrix/Spike Duplicate Report

Sample Type: Liquid

	TPH-Gasoline	(Range)
Matrix Spike Recovery (%)	80	(50-150)
Matrix Spike Duplicate Recovery (%)	84	(50-150)
Relative Per-cent Difference	1	(0-30)

Quality Control Reference Number:

G001-080393(L)g1b00019-173-174

Park Environmental Corporation 2140 Professional Drive, Suite 130 Roseville, California 95661	Sierra Client No.	10000-92	Date Sampled:	07/27/93
	Sierra Project No.	SP-692-93	Date Received:	07/29/93
	Client Project No.	5008-33	Date Prepared:	08/02-08/03/93
	Client Project:	N/A	Date Analyzed:	08/02-08/03/93
Sample Preparation: EPA Method 5030			Report Date:	08/17/93
Sample Analysis: EPA 8020 (BTEX)				

Matrix/Spike Duplicate Report

Sample Type: Liquid

	Benzene (Range)	Toluene (Range)	Ethylbenzene (Range)	Xylenes, Total (Range)
Matrix Spike	78	82	84	84
Recovery (%)	(39-150)	(46-148)	(32-160)	(37-154)
Matrix Spike Duplicate	79	83	87	85
Recovery (%)	(39-150)	(46-148)	(32-160)	(37-154)
Relative Per-cent Difference	0 (0-30)	0 (0-30)	1 (0-30)	1 (0-30)

Quality Control Reference Number:

G001-080393(l)g1b00019-173-174

Park Environmental Corporation 2140 Professional Drive, Suite 130 Roseville, California 95661	Sierra Client No.	10000-92	Date Sampled:	07/27/93
	Sierra Project No.	SP-692-93	Date Received:	07/29/93
	Client Project No.	5008-33	Date Prepared:	07/29-08/05/93
	Client Project:	N/A	Date Analyzed:	07/29-08/05/93
			Report Date:	08/17/93

Surrogate Summary Report

Client Sample I.D.	Analysis Type	Per-cent Recovery	
		SI	(Range)
MW-2	8015 Modified (TPH as Diesel)	103	(50-130)
MW-3	8015 Modified (TPH as Diesel)	103	(50-130)
MW-5	8015 Modified (TPH as Diesel)	106	(50-130)
MW-6	8015 Modified (TPH as Diesel)	131	(50-130)
MW-13	8015 Modified (TPH as Diesel)	104	(50-130)
MW-25	8015 Modified (TPH as Diesel)	133	(50-130)
MW-26	8015 Modified (TPH as Diesel)	103	(50-130)
MW-27	8015 Modified (TPH as Diesel)	104	(50-130)
MW-28	8015 Modified (TPH as Diesel)	104	(50-130)
MW-29	8015 Modified (TPH as Diesel)	104	(50-130)
MW-30	8015 Modified (TPH as Diesel)	105	(50-130)
MW-32	8015 Modified (TPH as Diesel)	136	(50-130)
MW-2	8015-Modified (TPH as Gasoline CADHS-LUFT)/EPA 8020 (BTEX)	77	(50-130)
MW-3	8015-Modified (TPH as Gasoline CADHS-LUFT)/EPA 8020 (BTEX)	79	(50-130)
MW-5	8015-Modified (TPH as Gasoline CADHS-LUFT)/EPA 8020 (BTEX)	113	(50-130)
MW-6	8015-Modified (TPH as Gasoline CADHS-LUFT)/EPA 8020 (BTEX)	118	(50-130)
MW-13	8015-Modified (TPH as Gasoline CADHS-LUFT)/EPA 8020 (BTEX)	82	(50-130)
MW-25	8015-Modified (TPH as Gasoline CADHS-LUFT)/EPA 8020 (BTEX)	89	(50-130)
MW-26	8015-Modified (TPH as Gasoline CADHS-LUFT)/EPA 8020 (BTEX)	113	(50-130)
MW-27	8015-Modified (TPH as Gasoline CADHS-LUFT)/EPA 8020 (BTEX)	118	(50-130)
MW-28	8015-Modified (TPH as Gasoline CADHS-LUFT)/EPA 8020 (BTEX)	122	(50-130)
MW-29	8015-Modified (TPH as Gasoline CADHS-LUFT)/EPA 8020 (BTEX)	122	(50-130)
MW-30	8015-Modified (TPH as Gasoline CADHS-LUFT)/EPA 8020 (BTEX)	122	(50-130)
MW-32	8015-Modified (TPH as Gasoline CADHS-LUFT)/EPA 8020 (BTEX)	122	(50-130)
Equip Blank	8015-Modified (TPH as Gasoline CADHS-LUFT)	125	(50-130)
MW-26	EPA 8010 (Halogenated Volatile Organics)	99	(30-160)
MW-32	EPA 8010 (Halogenated Volatile Organics)	94	(30-160)

Park Environmental Corporation 2140 Professional Drive, Suite 130 Roseville, California 95661	Sierra Client No.	10000-92	Date Sampled:	07/27/93
	Sierra Project No.	SP-692-93	Date Received:	07/29/93
	Client Project No.	5008-13	Date Prepared:	07/29-08/05/93
	Client Project:	N/A	Date Analyzed:	07/29-08/05/93
			Report Date:	08/17/93


Laboratory Control Sample Report

<u>Parameter</u>	<u>Analysis Type</u>	<u>Per-cent Recovery</u>	
TPH as Diesel	EPA 8015-M	78	(50-150)
	Quality Control Reference Number:	G001-080593(l)g1b00019-181	

<u>Parameter</u>	<u>Analysis Type</u>	<u>Per-cent Recovery</u>	
TPH as Gasoline	EPA 8015-M	95	(50-150)
	Quality Control Reference Number:	G001-080393(l)g1b00019-160	

<u>Compound</u>	<u>Analysis Type</u>	<u>Per-cent Recovery</u>	
		<u>%</u>	<u>Range</u>
Benzene	EPA 8020 (BTEX)	92	(28-167)
Toluene	EPA 8020 (BTEX)	97	(41-138)
Ethylbenzene	EPA 8020 (BTEX)	101	(38-150)
Xylenes (Total)	EPA 8020 (BTEX)	98	(35-146)
	Quality Control Reference Number:	G001-080393(l)g1b00019-160	

<u>Compound</u>	<u>Analysis Type</u>	<u>Per-cent Recovery</u>	
		<u>%</u>	<u>Range</u>
1,1-Dichloroethene	EPA 8010 (Halogenated Volatiles)	105	(28-167)
1,1,1-Trichloroethane	EPA 8010 (Halogenated Volatiles)	107	(41-138)
Chlorobenzene	EPA 8010 (Halogenated Volatiles)	109	(38-150)
Trichloroethene (TCE)	EPA 8010 (Halogenated Volatiles)	107	(35-146)
	Quality Control Reference Number:	G002-072993(l)-G2B0011-036	





Sierra Laboratories, Inc.
1525 Endeavor Place
Suite D
Anahelm, CA 92801

714-758-9988
FAX: 714-758-9692

CHAIN OF CUSTODY RECORD
Date: 7/28 Page 2 of 2

SR-692-93

Client: PARK

Client Proj. Name: _____

Address: 2140 Professional

Client Proj. No.: 5008J3

Analyses Requested

Client Tel. No.: 916 784 7400

Client Proj. Mgr.: P Frank

For Client Use:

Turn around requested:

- Immediate Attention
- Rush 24-48 hours
- Rush 72-96 hours
- Mobile Lab
- Normal

EPA 8015 Gas & Diesel
EPA 8020
EPA 8010
EPA 8015 GAS ONLY

Client Sample No.	Date	Time	Sample Matrix		Preservatives		Container	No. of Containers	Analyses Requested				Remarks	
			Liquid	Solid	Yes	No	Type		EPA 8015 Gas & Diesel	EPA 8020	EPA 8010	EPA 8015 GAS ONLY		
MW-30	7/27		X		X		VOA	4	X	X				
MW-32	↓		↓		↓		↓	6	X	X	X			
EQUIP BLANK	↓		↓		↓		↓	2				X		

Sampler's Signature:			Received by: SHIPPED VIA AIRBORNE EXPRESS 963 556 8016				Date	Time	Total No. of Containers		
Relinquished by:			Date	Time	Received by:				Date	Time	The delivery of samples and the signature on this chain of custody form constitutes authorization to perform the analysis specified above under Sierra's Terms and Conditions, unless otherwise agreed upon in writing between Sierra and Client.
Relinquished by:			Date	Time	Received at Laboratory by:				Date	Time	
Special Instructions:							Total No. of Containers Recd.:				

FOR LABORATORY USE ONLY — Condition samples received:

- Chilled
- Intact
- Appropriate Preservatives
- Appropriate Sample Container
- Properly Labeled
- Other



SIERRA
LABORATORIES

August 18, 1993

Peter Frank
Park Environmental Corporation (NoCA)
2140 Professional Drive
Suite 130
Roseville, CA 95661

Dear Mr. Frank:

This letter documents changes that have been made to 8015-Modified (Solvent Extraction) results initially submitted (Sierra Laboratories Project No. SP-502-92) for the Park Environmental Corporation Project No. 5008.


During project review it was discovered that the initial values reported were calculated in units of $\mu\text{g/l}$ but reported as mg/l . Hence, the values appearing on the initial report appear 3 orders of magnitude greater than the actual value.

The attached revised report includes corrected values expressed in mg/l . Values which have fallen below the corresponding method detection limit have been expressed as ND (Non-Detect).

We apologize for any inconvenience this has caused Park Environmental Corporation. If necessary, please feel free to contact us at your convenience regarding this matter.

Sincerely,

Sierra Laboratories



William W. Collins, Jr.
Director, Laboratory Services

525 ENDEAVOR PLACE
SUITE D
ANAHEIM, CA 92801

TEL: 714.758.9988
FAX: 714.758.9692



Date: April 12, 1993

Park Environmental Corporation
2140 Professional Drive, Suite 130
Roseville, California 95661

Attention: Mr. Peter Frank

Client Project Number: 5008 *13*
Client Project Name: N/A
Date Sampled: Mar-23-93
Date Samples Received: Mar-25-93
Sierra Project Number: SP-502-93

Enclosed with this letter is the report on the chemo-physical analysis of samples from the project references shown above.


The samples were received by Sierra in a chilled state, intact, and with the chain of custody record attached.

Note that N.D. means not detected at the appropriate reporting limit. The reporting limit is adjusted to reflect the dilution factor of the sample. The reporting limit is expressed in such cases in parentheses to the right of reported value. The detection limit for values without such a designation appears to the right of or at the bottom of the same page.

All halogenated compounds detected by EPA Method 8010 were confirmed by analysis with a second column of dissimilar phase.



Reviewed



Approved

The contents of this report pertain only to the samples investigated and do not necessarily apply to other apparently identical or similar materials. This report is submitted for the exclusive use of the client to whom it is addressed. Unauthorized reproduction of this report or use of this laboratory's name for advertising or publicity purposes is strictly prohibited.

1525 ENDEAVOR PLACE
SUITE D
ANAHEIM, CA 92801

TEL: 714.758.9988
FAX: 714.758.9692



Park Environmental Corporation
2140 Professional Drive, Suite 130
Roseville, California 95661

Sierra Client No. 10000-92
Sierra Project No. SP-502-93
Client Project No. 5008
Client Project:
N/A

Date Sampled: .03/23/93
Date Received: .03/25/93
Date Prepared: .04/06/93
Date Analyzed: .04/06/93

Sample Preparation: EPA Method 5030

Sample Analysis: EPA 8010 (Halogenated Volatiles)

Report Date: .04/12/93

Sample Type: Liquid

Sample I.D. MW-26

Compound	Sample Result ($\mu\text{g/l}$)	Method Detection Limit ($\mu\text{g/l}$)
Chloromethane	ND	1
Vinyl chloride	ND	1
Bromomethane	ND	1
Chloroethane	ND	1
Trichlorofluoromethane	ND	1
1,1-Dichloroethene (1,1-DCE)	ND	1
Methylene chloride	ND	1
trans-1,2-Dichloroethene (t-1,2-DCE)	ND	1
1,1-Dichloroethane (1,1-DCA)	ND	1
cis-1,2-Dichloroethene (c-1,2-DCE)	ND	1
Chloroform	ND	1
1,1,1-Trichloroethane (1,1,1-TCA)	ND	1
Carbon tetrachloride	ND	1
1,2-Dichloroethane (1,2-DCA)	ND	1
Trichloroethene (TCE)	ND	1
1,2-Dichloropropane (1,2-DCP)	ND	1
Bromodichloromethane	ND	1
2-Chloroethylvinyl ether	ND	1
cis-1,3-Dichloropropene	ND	1
trans-1,3-Dichloropropene	ND	1
1,1,2-Trichloroethane (1,1,2-TCA)	ND	1
Tetrachloroethene (PCE)	ND	1
Dibromochloromethane	ND	1
Chlorobenzene	ND	1
Bromoform	ND	1
1,1,2,2-Tetrachloroethane (1,1,2,2-PCA)	ND	1
1,3-Dichlorobenzene	ND	1
1,4-Dichlorobenzene	ND	1
1,2-Dichlorobenzene	ND	1

525 ENDEAVOR PLACE
SUITE D
ANAHEIM, CA 92801

TEL: 714.758.9988
FAX: 714.758.9692

Park Environmental Corporation
2140 Professional Drive, Suite 130
Roseville, California 95661

Sierra Client No. 10000-92
Sierra Project No. SP-502-93
Client Project No. 5008
Client Project:
N/A

Date Sampled: .03/23/93
Date Received: .03/25/93
Date Prepared: .04/06/93
Date Analyzed: .04/06/93

Sample Preparation: EPA Method 5030

Sample Analysis: EPA 8010 (Halogenated Volatiles)

Report Date: .04/12/93

Sample Type: Liquid

Sample I.D. MW-32

Compound	Sample Result (µg/l)	Method Detection Limit (µg/l)
Chloromethane	ND	1
Vinyl chloride	ND	1
Bromomethane	ND	1
Chloroethane	ND	1
Trichlorofluoromethane	ND	1
1,1-Dichloroethene (1,1-DCE)	ND	1
Methylene chloride	ND	1
trans-1,2-Dichloroethene (t-1,2-DCE)	ND	1
1,1-Dichloroethane (1,1-DCA)	ND	1
cis-1,2-Dichloroethene (c-1,2-DCE)	ND	1
Chloroform	ND	1
1,1,1-Trichloroethane (1,1,1-TCA)	ND	1
Carbon tetrachloride	ND	1
1,2-Dichloroethane (1,2-DCA)	60	1
Trichloroethene (TCE)	ND	1
1,2-Dichloropropane (1,2-DCP)	ND	1
Bromodichloromethane	ND	1
2-Chloroethylvinyl ether	ND	1
cis-1,3-Dichloropropene	ND	1
trans-1,3-Dichloropropene	ND	1
1,1,2-Trichloroethane (1,1,2-TCA)	ND	1
Tetrachloroethene (PCE)	ND	1
Dibromochloromethane	ND	1
Chlorobenzene	ND	1
Bromoform	ND	1
1,1,2,2-Tetrachloroethane (1,1,2,2-PCA)	ND	1
1,3-Dichlorobenzene	ND	1
1,4-Dichlorobenzene	ND	1
1,2-Dichlorobenzene	ND	1

Park Environmental Corporation	Sierra Client No. 10000-92	Date Sampled: .03/23/93
2140 Professional Drive, Suite 130	Sierra Project No. SP-502-93	Date Received: .03/25/93
Roseville, California 95661	Client Project No. 5008	Date Prepared: .04/05/93
	Client Project:	Date Analyzed: .04/05/93
	N/A	
Sample Preparation: Solvent Extraction		
Sample Analysis: 8015-Modified (TPH as Diesel-CAHDS LUFT)		Report Date: .04/12/93

Sample Type: Liquid

Client Sample I.D.	TPH * mg/l
MW-2	ND
MW-3	ND
MW-5	ND
MW-6	ND
MW-13	ND
MW-25	ND
MW-26	1.3
MW-27	ND
MW-28	ND
MW-29	ND
MW-30	ND
MW-32	ND

* - Values are quantitated with respect to diesel as TPH reference, contamination is not diesel but appears to most closely resemble degraded gasoline.

	TPH mg/l
Detection Limit:	1

Park Environmental Corporation	Sierra Client No. 10000-92	Date Sampled: .03/23/93
2140 Professional Drive, Suite 130	Sierra Project No. SP-502-93	Date Received: .03/25/93
Roseville, California 95661	Client Project No. 5008	Date Prepared: .03/31/93
	Client Project:	Date Analyzed: .03/31/93
	N/A	
Sample Preparation: EPA Method 5030		
Sample Analysis: 8015-Modified (TPH as Gasoline-CADHS-LUFT)		Report Date: .04/12/93

Sample Type: Liquid

Client Sample I.D. TPH
 μg/l

DUP ND
EQUIP BLK ND

TPH
μg/l

Detection Limit: 100

Park Environmental Corporation
2140 Professional Drive, Suite 130
Roseville, California 95661

Sierra Client No. 10000-92
Sierra Project No. SP-502-93
Client Project No. 5008
Client Project:
N/A

Date Sampled: .03/23/93
Date Received: .03/25/93
Date Prepared: .03/31/93
Date Analyzed: .03/31/93

Sample Preparation: EPA Method 5030.
Sample Analysis: 8015-Modified (TPH as Gasoline-CADHS LUFT)
and EPA 8020 (BTEX) in series

Report Date: .04/12/93

Sample Type: Liquid

Client Sample I.D.	TPH µg/l	Benzene µg/l	Toluene µg/l	Ethylbenzene µg/l	Xylenes, Total µg/l
MW-2	ND	ND	ND	ND	ND
MW-3	300	35	2.9	2.0	3.2
MW-5	120	ND	ND	ND	2.2
MW-6	ND	ND	ND	ND	ND
MW-13	ND	ND	ND	ND	ND
MW-25	ND	ND	ND	ND	ND
MW-26	7000	180	190	55	330
MW-27	ND	ND	ND	ND	ND
MW-28	110	ND	ND	ND	ND
MW-29	ND	ND	ND	ND	ND
MW-30	ND	ND	ND	ND	ND
MW-32	440	39	6.2	3.1	9.0

	TPH µg/l	Benzene µg/l	Toluene µg/l	Ethylbenzene µg/l	Xylenes, Total µg/l
Detection Limit:	100	1	1	1	1

Park Environmental Corporation
2140 Professional Drive, Suite 130
Roseville, California 95661

Sierra Client No. 10000-92
Sierra Project No. SP-502-93
Client Project No. 5008
Client Project:

Date Sampled: .03/23/93
Date Received: .03/25/93
Date Prepared: .04/05/93
Date Analyzed: .04/06/93

N/A

Sample Preparation: EPA Method 5030

Sample Analysis: EPA 8010 (Halogenated Volatiles)

Report Date: .04/12/93

Matrix/Spike Duplicate Report

Sample Type: Solid

	1,1-DCE (Range)	1,1,1-TCA (Range)	TCE (Range)	Chlorobenzene (Range)
<i>Matrix Spike</i>	89	94	99	98
Recovery (%)	(28-167)	(41-138)	(35-146)	(38-150)
<i>Matrix Spike Duplicate</i>	90	95	102	99
Recovery (%)	(28-167)	(41-138)	(35-146)	(38-150)
Relative Per-cent Difference	1 (0-30)	1 (0-30)	3 (0-30)	1 (0-30)

Quality Control Reference Number:

G002-040693(L)G2b0008-037-038

Park Environmental Corporation
2140 Professional Drive, Suite 130
Roseville, California 95661

Sierra Client No. 10000-92
Sierra Project No. SP-502-93
Client Project No. 5008
Client Project:

Date Sampled: .03/23/93
Date Received: .03/25/93
Date Prepared: .04/05/93
Date Analyzed: .04/05/93

N/A

Sample Preparation: Solvent Extraction
Sample Analysis: 8015-Modified (TPH as Diesel-CADHS LUFT)

Report Date: .04/12/93

Matrix/Spike Duplicate Report

Sample Type: Liquid

TPH-Diesel

Matrix Spike
Recovery (%) 88

Matrix Spike Duplicate
Recovery (%) 92

Relative Per-cent
Difference 4

Quality Control Reference Number: G001-040593(L)g1b0012-121-122

Park Environmental Corporation
2140 Professional Drive, Suite 130
Roseville, California 95661

Sierra Client No. 10000-92
Sierra Project No. SP-502-93
Client Project No. 5008
Client Project:
 N/A

Date Sampled: .03/23/93
Date Received: .03/25/93
Date Prepared: .03/31/93
Date Analyzed: .03/31/93

Sample Preparation: EPA Method 5030
Sample Analysis: 8015-M as Gasoline

Report Date: .04/12/93

Matrix/Spike Duplicate Report

Sample Type: Liquid

	TPH-Gasoline	(Range)
Matrix Spike Recovery (%)	103	(50-150)
Matrix Spike Duplicate Recovery (%)	101	(50-150)
Relative Per-cent Difference	2	(0-30)

Quality Control Reference Number: G002-033193(L)g2a0015-067-068

Park Environmental Corporation
2140 Professional Drive, Suite 130
Roseville, California 95661

Sierra Client No. 10000-92
Sierra Project No. SP-502-93
Client Project No. 5008
Client Project:
 N/A

Date Sampled: .03/23/93
Date Received: .03/25/93
Date Prepared: .03/31/93
Date Analyzed: .03/31/93

Sample Preparation: EPA Method 5030
Sample Analysis: EPA 8020 (BTEX)

Report Date: .04/12/93

Matrix/Spike Duplicate Report

Sample Type: Liquid

	Benzene (Range)	Toluene (Range)	Ethylbenzene (Range)	Xylenes, Total (Range)
Matrix Spike	104	94	100	99
Recovery (%)	(39-150)	(46-148)	(32-160)	(37-154)
Matrix Spike Duplicate	96	88	86	88
Recovery (%)	(39-150)	(46-148)	(32-160)	(37-154)
Relative Per-cent Difference	8 (0-30)	6 (0-30)	14 (0-30)	11 (0-30)

Quality Control Reference Number:

G002-033193(L)g2a0015-067-068

Park Environmental Corporation
2140 Professional Drive, Suite 130
Roseville, California 95661

Sierra Client No. 10000-92
Sierra Project No. SP-502-93
Client Project No. 5008
Client Project:
N/A

Date Sampled: .03/23/93
Date Received: .03/25/93
Date Prepared: .03/31/93
Date Analyzed: .03/31/93

Report Date: .04/12/93

Surrogate Summary Report

<u>Client Sample I.D.</u>	<u>Analysis Type</u>	<u>Per-cent Recovery</u> <u>SI (Range)</u>
MW-2	8015-Modified (TPH as Gasoline-CADHS LUFT)/EPA 8020 (BTEX)	102 (50-130)
MW-3	8015-Modified (TPH as Gasoline-CADHS LUFT)/EPA 8020 (BTEX)	102 (50-130)
MW-5	8015-Modified (TPH as Gasoline-CADHS LUFT)/EPA 8020 (BTEX)	102 (50-130)
MW-6	8015-Modified (TPH as Gasoline-CADHS LUFT)/EPA 8020 (BTEX)	104 (50-130)
MW-13	8015-Modified (TPH as Gasoline-CADHS LUFT)/EPA 8020 (BTEX)	102 (50-130)
MW-25	8015-Modified (TPH as Gasoline-CADHS LUFT)/EPA 8020 (BTEX)	103 (50-130)
MW-26	8015-Modified (TPH as Gasoline-CADHS LUFT)/EPA 8020 (BTEX)	117 (50-130)
MW-27	8015-Modified (TPH as Gasoline-CADHS LUFT)/EPA 8020 (BTEX)	103 (50-130)
MW-28	8015-Modified (TPH as Gasoline-CADHS LUFT)/EPA 8020 (BTEX)	103 (50-130)
MW-29	8015-Modified (TPH as Gasoline-CADHS LUFT)/EPA 8020 (BTEX)	106 (50-130)
MW-30	8015-Modified (TPH as Gasoline-CADHS LUFT)/EPA 8020 (BTEX)	103 (50-130)
MW-32	8015-Modified (TPH as Gasoline-CADHS LUFT)/EPA 8020 (BTEX)	104 (50-130)

Park Environmental Corporation
2140 Professional Drive, Suite 130
Roseville, California. 95661

Sierra Client No. 10000-92
Sierra Project No. SP-502-93
Client Project No. 5008
Client Project:
N/A

Date Sampled: .03/23/93
Date Received: .03/25/93
Date Prepared: .03/31-04/06/93
Date Analyzed: .03/31-04/06/93

Report Date: .04/12/93

Laboratory Control Sample Report

Parameter	Analysis Type	Per-cent Recovery	
		%	Range
TPH as Gasoline	EPA 8015-M	96	(50-150)
TPH as Diesel	EPA 8015-M	96	(50-150)
Quality Control Reference Number:		G002-033193(L)g2a0015-070	

Compound	Analysis Type	Per-cent Recovery	
		%	Range
Benzene	EPA 8020 (BTEX)	100	(28-167)
Toluene	EPA 8020 (BTEX)	90	(41-138)
Ethylbenzene	EPA 8020 (BTEX)	89	(38-150)
Xylenes (Total)	EPA 8020 (BTEX)	89	(35-146)
Quality Control Reference Number:		G002-033193(L)g2a0015-070	

Compound	Analysis Type	Per-cent Recovery	
		%	Range
1,1-Dichloroethene	EPA 8010 (Halogenated Volatiles)	92	(28-167)
1,1,1-Trichloroethane	EPA 8010 (Halogenated Volatiles)	97	(41-138)
Chlorobenzene	EPA 8010 (Halogenated Volatiles)	101	(38-150)
Trichloroethene (TCE)	EPA 8010 (Halogenated Volatiles)	104	(35-146)
Quality Control Reference Number:		G002-040693(L)g2b0008-047	

93 AUG 29 AM 10:45
Park
Environmental

8-18-93