


2018 ✓

November 3, 2004



ENVIRONMENTAL COST MANAGEMENT

Managing Cost and Liability

www.ecostmanage.com

Mr. Barney Chan
Alameda County Health Agency
Division of Environmental Protection
1131 Harbor Bat Parkway, 2nd Floor
Alameda, California 94502

SUBJECT: First Semi Annual Groundwater Monitoring Report (2004)
1310 14th Street
Oakland, California

Dear Mr. Chan:

Enclosed please find one copy of the 2004 First Semi Annual Groundwater Monitoring Report for the above-referenced site. This report describes the groundwater monitoring activities conducted at the site during April 2004.

Should you have any questions please do not hesitate to contact the undersigned at (714) 662-2080 and (714) 240-4873, respectively.

Sincerely,


ENVIRONMENTAL COST MANAGEMENT

Suman Mansell
for Sumeet Gandhi
Project Engineer

[Signature]
for Binayak P. Acharya
Program Manager

Cc: Mr. Roger Brewer
California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612

Noelia Marti-Colon – Nestlé Legal
Nestlé Glendale File



ENVIRONMENTAL COST MANAGEMENT

Managing Cost and Liability

www.ecostmanage.com

**First Semi-Annual 2004 Groundwater
Monitoring Report
Former Nestlé Oakland Facility
1310 14th Street
Oakland, California**

November 3, 2004


Report to:

Nestlé USA, Inc.
800 North Brand Boulevard
Glendale, California 91203

First Semi-Annual 2004 Groundwater
Monitoring Report
Former Nestlé Oakland Facility
1310 14th Street
Oakland, California

November 3, 2004

Prepared By:



ENVIRONMENTAL COST MANAGEMENT

Managing Cost and Liability

660 Baker Street, Suite 253 • Costa Mesa, CA 92626

Tel: (714) 662-2759 • Fax: (714) 662-2758

www.ecostmanage.com

Mona Mansell

For Sumeet Gandhi
Project Engineer

Date

11/3/04

[Signature]

For Binayak Acharya
Program Manager

Date

11/3/04

Contents

1	Introduction	1
2	Scope of Services	1
2.1	Remediation System	1
2.2	Regulatory Status	1
3	Field Procedures	2
3.1	NAPL Gauging	2
3.2	Purging and Sampling of Groundwater	2
4	Summary of Results	3
4.1	NAPL Gauging and Monitoring	3
4.2	Depth to Groundwater Monitoring Wells	3
4.3	Analyses of Samples	3

Figures

Figure 1: Location and Vicinity Map

Figure 2: Groundwater Elevations in Wells – April 27, 2004

Figure 3: Groundwater Analytical Results – April 27, 2004

Tables

Table 1: Gauging Data for Monitoring Wells

Table 2: Concentration of Organic Compounds in Groundwater Samples

Appendices

Appendix A: ECM's Monitoring Well Data Form

Appendix B: Nestlé Laboratory Analytical Reports and Chain-of-Custody Documentation

1 INTRODUCTION

As of August 2003, Nestlé USA, Inc. (Nestlé) has retained Environmental Cost Management (ECM) to provide environmental services for the former Nestlé facility at 1310 14th Street, Oakland, California (the Site, Figure 1). Pursuant to the agreement between Nestlé, Alameda County Health Agency (ACHA), and the Regional Water Quality Control Board (RWQCB), quarterly groundwater monitoring has been replaced by semi-annual groundwater monitoring starting October 2002. ECM conducted the first semi-annual 2004 groundwater monitoring event on April 27, 2004. The purpose of this Groundwater Monitoring Report is to describe field activities and to discuss analytical results.

2 SCOPE OF SERVICES

2.1 REMEDIATION SYSTEM

During the third quarter of 1997, a multiphase extraction (MPE) remediation system was installed at the Site. The groundwater portion of the MPE system consisted of two 200-pound liquid phase carbon vessels in parallel, followed by two 200-pound liquid phase carbon vessels in parallel, followed by two 1,000-pound liquid phase carbon vessels in series. The vapor portion of the MPE system consisted of air/water separators, and a thermal oxidizer, which burned extracted soil-vapors and vapor-phase hydrocarbons stripped from groundwater and recovered product.

The MPE system began operation on August 28, 1997, and was upgraded from June through September 1998. Operation of the MPE system was discontinued in June 2000. The monitoring results through June 19, 2000 for the MPE water and vapor treatment systems are summarized in previous quarterly groundwater monitoring reports.

Based on treatment system data, approximately 621 pounds of hydrocarbons have been removed from extracted water, and approximately 538 pounds of non-aqueous phase liquid (NAPL) have been removed by the oil/water separator. The estimated amount of NAPL has fluctuated due to accumulation of water in the product storage tank. An estimated 9,691 pounds of hydrocarbons have been removed from extracted soil vapor. An estimated combined total of 10,850 pounds of hydrocarbons has been removed and treated since system installation.

Per discussions with the ACHA and RWQCB in November 1999, it was decided that the remediation system would operate through the end of the second quarter 2000. During the first quarter of 2001, the groundwater monitoring results were compared between the periods when the remediation system was operated (first and second quarters 2000) and when it was not operated (third and fourth quarters 2000). Groundwater monitoring results following shutdown of the MPE system in June 2000 indicated that dissolved phase hydrocarbon levels have stabilized at the Site. Concentration trends and other data were presented in ETIC's *Comprehensive Site Characterization Report*, dated January 2001.

2.2 REGULATORY STATUS

Information presented in ETIC's *Comprehensive Site Characterization Report* was discussed in a meeting attended by Nestlé, ETIC, the ACHA, and the RWQCB on June

12, 2001. As discussed during this meeting, Nestlé submitted a request for case closure for the Site in January 2002.

Per the October 21, 2002 letter from the ACHA, final case closure will be considered for the Site after two years of semi-annual monitoring of 11 selected wells [MW-25 through MW-30, MW-32, MW-100, PR-76, 29 (CC1), 30 (CC2)]. Well PR-76 was substituted for well MW-5 in the original set of 11 monitoring wells proposed for future semi-annual sampling, as MW-5 was properly abandoned.

In addition, the letter granted approval for the abandonment of all but the 11 monitoring wells at the Site. As of January 2003, further remedial activities are not currently required, contingent on the results of the required semi-annual monitoring of the 10 wells designated to remain as part of future groundwater monitoring at the Site.

3 FIELD PROCEDURES

3.1 NAPL GAUGING

Following discussions with the ACHA and the RWQCB in June 2001, monthly NAPL gauging at the Site was discontinued in September 2001. As part of the semi-annual groundwater monitoring, each monitoring well to be sampled is gauged for depth to water and NAPL thickness prior to purging and sampling. During the April 2004 sampling event, ECM did not detect any NAPL in the wells gauged.

3.2 PURGING AND SAMPLING OF GROUNDWATER

After depths to groundwater were measured, ECM purged selected wells using a dedicated PVC tube attached to an aboveground pump. Approximately 3 well casing volumes of water were removed from each well. Wells that dewatered prior to removal of 3 casing volumes were allowed to recharge. The temperature, pH, and electrical conductance of the purged water were recorded at approximately each well casing volume as each well was purged. When the parameters were stable (less than 10 percent change from the previous reading for temperature and electrical conductance, and less than 0.1 pH unit change for pH), purging was stopped and groundwater samples were collected. The samples were collected from each well with factory-cleaned disposable polyethylene bailers and poured into 40-ml glass VOA vials and 1-liter amber glass jars and placed in an ice-filled cooler. All samples were handled and transported under chain of custody.

ECM submitted the samples to the Nestlé Quality Assurance Laboratory, where they were analyzed for Total Petroleum Hydrocarbons as gasoline (TPH-g) and as diesel (TPH-d) by the California DOHS method described in the October 1989 LUFT Field Manual; for benzene, toluene, ethylbenzene, and xylenes (BTEX) and methyl t-butyl ether (MTBE) by USEPA Method 8020; and for halogenated volatile organic compounds (HVOCs) by USEPA Method 8021.

4 SUMMARY OF RESULTS

4.1 NAPL GAUGING AND MONITORING

NAPL monitoring data for a representative number of wells monitored between November 1993 and August 2001 were summarized in previous ETIC reports. Gauging results indicated that the MPE system has been effective and has decreased the amount of NAPL in the subsurface. The results for some of the wells that have historically contained NAPL are summarized below. In addition to the data provided below, product thickness was also measured in PR-64 on October 29, 2001, January 28, 2002 and April 29, 2002 at 0.15 feet, 0.70 feet and 0.62 feet, respectively. Prior to sampling the monitoring wells CC-1, MW-25, MW-26, MW-27, MW-28, MW-29 and MW-100, the product thickness was measured during the April 27, 2004 sampling event. However, no product was observed in any of the groundwater monitoring wells. Product has not been observed in the wells since August 2001.

Well	Maximum NAPL Thickness (feet)						
	February 1998	November 1998	May 1999	February 2000	December 2000	January 2001	August 2001
PR-21	4.28	Dry	<0.01	<0.01	Dry	Dry	Dry
PR-22	4.54	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR-26	3.39	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR-34	3.18	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR-48	1.30	0.04	<0.01	<0.01	0.12	0.07	<0.01
PR-58	4.25	0.03	0.15	<0.01	0.07	<0.01	0.06
PR-64	2.93	<0.01	0.06	<0.01	0.49	0.48	0.60
MW-23	0.51	<0.01	0.63	<0.01	0.40	0.36	0.48
MW-24	0.25	0.25	1.26	<0.01	0.41	0.41	0.74

4.2 DEPTH TO GROUNDWATER MONITORING WELLS

On April 27, 2004, the depth to groundwater in the gauged monitoring wells ranged from 4.99 (CC-1) to 7.87 (MW-30) feet, and groundwater elevations ranged from 6.59 (MW-29) to 7.28 (MW-32) feet above mean sea level (Table 1). A groundwater elevation contour map for the April 27, 2004 sampling event is shown in Figure 2. The direction of groundwater flow in April 2004 was toward the northwest, with a gradient ranging from 0.011 feet per foot to 0.014 feet per foot.

Field documentation is provided in Appendix A.

4.3 ANALYSES OF SAMPLES

The analytical results for the groundwater samples collected on April 27, 2004 are presented in Table 2, along with previous results. Analytical results along with sampling locations are shown in Figure 3. Laboratory analytical reports and chain-of-custody documentation are included in Appendix B.

Analytical results for samples collected on April 27, 2004 suggested that concentrations remained relatively stable in most of the monitoring wells. The concentration changes

specific to monitoring wells are discussed below, excluding results that were below laboratory detection limits.

Monitoring Well MW-25: 1,1-Dichloroethane (1,1-DCA) concentrations decreased in MW-25 from 7.6 µg/L to 5.1 µg/L as compared to the previous semi-annual event. Moreover, 1,2-Dichloroethane (1,2-DCA) concentrations decreased from 34 µg/L to 27 µg/L from October 14, 2003 to April 27, 2004, respectively. Methyl-tertiary-butyl-ether (MTBE) decreased from 6.3 mg/L to 5.2 mg/l when compared to the last quarterly monitoring results.

Monitoring Well MW-26: In MW-26, 1,1-DCA concentrations remained stable at 83 µg/L in October 2003 to 82 µg/L in April 2004, while 1,2-DCA concentration increased from 28 µg/L to 33 µg/L during the same period. Total petroleum hydrocarbons as gasoline (TPHg) concentration decreased in MW-26 from 3,100 µg/L as measured on October 14, 2003 to 1,380 µg/L measured on April 27, 2004. MTBE concentration decreased to below the detection limit of 0.5 µg/L when compared to the previous quarter concentration of 23.8 µg/L.

Monitoring Well MW-28: 1,2-DCA concentrations in monitoring well MW-28 decreased from 38 µg/L measured on October 14, 2003 to below the detection limit of 0.5 µg/L measured on April 27, 2004, whereas, MTBE concentration increased from 6.44 µg/L to 9.29 µg/L during the same period.

Monitoring Well MW-29: 1,1-DCA concentrations decreased from 140 µg/L to 110 µg/L from October 2003 to April 2004, whereas MTBE increased from 11.9 µg/L to 15.3 µg/L during the same period.



Monitoring Well MW-32: 1,2-DCA concentrations in monitoring well MW-32 decreased slightly from 3.2 µg/L measured on October 14, 2003 to 3 µg/L measured on April 27, 2004.

FIGURES

Figure 1: Location and Vicinity Map

Figure 2: Groundwater Elevations in Wells – April 27, 2004

Figure 3: Groundwater Analytical Results – April 27, 2004



ENVIRONMENTAL COST MANAGEMENT



Environmental Cost Management
 660 Baker Street, Suite 253 • Costa Mesa, CA 92626
 Tel: (714) 662-2759 • Fax (714) 662-2758

Site Location

Former Nestle Oakland Facility
 1310 14th Street, Oakland, CA-94607

Figure


1



ENVIRONMENTAL COST MANAGEMENT
Fluoropar, Inc. and Liability
 660 Baker Street, Suite 253 • Costa Mesa, CA 92626
 Tel (714) 662-2759 • Fax: (714) 662-2758

April 27, 2004
Groundwater Elevation
 First Semi-Annual Report 2004
 Former Nestle Oakland Facility, CA - 94607


Figure
2



LEGEND:

- ◆ GROUNDWATER MONITORING AND VAPOR EXTRACTION WELLS
- WELL OF UNKNOWN CONSTRUCTION
- REMEDIATION SYSTEM VACUUM PIPING

TPH-g Total Petroleum Hydrocarbons as gasoline
 TPH-d Total Petroleum Hydrocarbons as diesel
 MTBE Methyl t-butyl ether
 1,1-DCA 1,1-Dichloroethane
 1,2-DCA 1,2-Dichloroethane
 1,1-DCE 1,1-Dichloroethene
 1,1,1-TCA 1,1,1-Trichloroethane



Former Nestle Oakland Facility
 1310, 14th Street Oakland,
 California - 94607

April 27, 2004
 Groundwater Analytical Results
 First Semi-Annual Groundwater Monitoring Report (2004)

Figure

TABLES

Table 1: Gauging Data for Monitoring Wells

Table 2: Concentration of Organic Compounds in Groundwater Samples

Table 1
 Gauging Data for Monitoring Wells
 Former Nestle Oakland Facility
 Oakland, California, 1994-2004

Well No.	Gauging Date	TOC Elevation (ft)	TOC Depth to Product (ft)	TOC Depth to Water (ft)	Product Thickness (ft)	Water Table Elevation (ft msl)
MW-1	02/24/94	16.49	--	10.41	--	6.08
	03/18/94		--	8.51	--	7.98
	06/02/94		--	10.83	--	5.66
MW-2	02/24/94	15.11	--	9.21	--	5.90
	03/18/94		--	7.47	--	7.64
	06/02/94		--	9.65	--	5.46
	08/31/94		--	10.49	--	4.62
	12/22/94		--	8.74	--	6.37
	03/13/95		--	6.87	--	8.24
	06/09/95		--	8.47	--	6.64
	09/22/95		--	9.42	--	5.69
	12/12/95		--	10.23	--	4.88
	12/18/95		--	9.87	--	5.24
	03/12/96		--	6.70	--	8.41
	06/21/96		--	8.22	--	6.89
	08/29/96		--	9.59	--	5.52
	01/16/97		--	7.07	--	8.04
	04/15/97		--	8.21	--	6.90
	07/07/97		--	9.40	--	5.71
	10/27/97		--	10.25	--	4.86
	01/27/98		--	6.74	--	8.37
	04/22/98		--	6.37	--	8.74
	07/22/98		--	8.43	--	6.68
10/21/98	--	9.74	--	5.37		
02/05/99	--	9.18	--	5.93		
07/21/99	--	8.92	--	6.19		
MW-3	02/24/94	14.30	--	8.47	--	5.83
	03/18/94		--	7.23	--	7.07
	06/02/94		--	8.93	--	5.37
	08/31/94		--	9.91	--	4.39
	12/22/94		--	8.14	--	6.16
	03/13/95		--	6.64	--	7.66
	06/09/95		--	7.82	--	6.48
	09/22/95		--	9.08	--	5.22
	12/06/95		--	9.97	--	4.33
	12/12/95		--	9.53	--	4.77
	12/18/95		--	9.21	--	5.09
	03/12/96		--	6.31	--	7.99
	06/21/96		--	7.78	--	6.52
	08/29/96	--	9.05	--	5.25	
	01/16/97	--	7.12	--	7.18	
	04/15/97	--	7.78	--	6.52	
	07/07/97	--	8.82	--	5.48	
	10/27/97	--	9.60	--	4.70	
	01/27/98	--	6.40	--	7.90	
	04/22/98	14.30	--	6.15	--	8.15
	07/22/98		--	7.92	--	6.38
	10/21/98		--	9.19	--	5.11
	02/05/99		--	8.79	--	5.51
	07/21/99		--	8.38	--	5.92
	10/25/99		--	9.48	--	4.82
	02/08/00		--	7.92	--	6.38
	04/26/00		--	6.91	--	7.39
08/03/00	--		8.31	--	5.99	
10/23/00	--		9.18	--	5.12	
01/31/01	--		8.88	--	5.42	
04/26/01	--		7.47	--	6.83	

Table 1
Gauging Data for Monitoring Wells
Former Nestle Oakland Facility
Oakland, California, 1994-2004

Well No.	Gauging Date	TOC Elevation (ft)	TOC Depth to Product (ft)	TOC Depth to Water (ft)	Product Thickness (ft)	Water Table Elevation (ft msl)
MW-3 (Cont.)	07/30/01		--	8.83	--	5.47
	10/29/01		--	9.42	--	4.88
	01/28/02		--	6.82	--	7.48
	04/29/02		--	7.73	--	6.57
MW-4	02/24/94	14.42	--	8.09	--	6.33
	03/18/94		--	7.00	--	7.42
	12/18/95		--	dry	--	--
	03/12/96		--	6.45	--	7.97
MW-5	02/24/94	14.41	--	8.08	--	6.33
	03/18/94		--	7.14	--	7.27
	06/02/94		--	9.09	--	5.32
	08/31/94		--	9.95	--	4.46
	12/22/94		--	8.22	--	6.19
	12/12/95		--	9.60	--	4.81
	03/12/96		--	6.46	--	7.95
	02/05/99		--	8.66	--	5.75
	MW-6	02/24/94	14.12	--	8.34	--
03/18/94			--	7.04	--	7.08
06/02/94			--	8.88	--	5.24
08/31/94			--	9.65	--	4.47
12/22/94			--	7.99	--	6.13
03/13/95			--	6.32	--	7.80
06/09/95			--	8.53	--	5.59
09/22/95			--	8.63	--	5.49
12/12/95			--	9.36	--	4.76
12/18/95			--	9.16	--	4.96
03/12/96			--	6.03	--	8.09
06/21/96			--	7.67	--	6.45
08/29/96			--	8.93	--	5.19
01/16/97			--	6.92	--	7.20
04/15/97			--	7.65	--	6.47
07/07/97			--	8.67	--	5.45
10/27/97		14.12	--	9.43	--	4.69
04/22/98			--	5.91	--	8.21
07/22/98			--	7.82	--	6.30
10/21/98			--	9.02	--	5.10
02/05/99			--	8.53	--	5.59
02/08/00			--	7.68	--	6.44
10/23/00			--	9.11	--	5.01
01/31/01			--	8.78	--	5.34
04/26/01			--	7.35	--	6.77
07/30/01			--	8.67	--	5.45
10/30/01			--	9.26	--	4.86
01/28/02			--	6.60	--	7.52
04/29/02			--	7.58	--	6.54
MW-7		02/24/94	14.29	8.64	9.78	1.14
	03/18/94		6.56	9.38	2.82	4.91
	06/02/94		9.12	9.38	0.26	4.91
	08/31/94		9.87	9.88	0.01	4.41
	12/22/94		8.29	8.33	0.04	5.96
	03/13/95		--	6.72	--	7.57
	06/09/95		--	8.79	--	5.50
	09/22/95		9.30	9.51	0.21	4.78

Table 1
Gauging Data for Monitoring Wells
Former Nestle Oakland Facility
Oakland, California, 1994-2004

Well No.	Gauging Date	TOC Elevation (ft)	TOC Depth to Product (ft)	TOC Depth to Water (ft)	Product Thickness (ft)	Water Table Elevation (ft msl)	
MW-8	02/24/94	14.20	8.55	8.99	0.44	5.21	
	03/18/94		7.34	7.64	0.30	6.56	
	06/02/94		8.93	9.24	0.31	4.96	
	08/31/94		9.82	10.13	0.31	4.07	
	12/22/94		8.21	8.47	0.26	5.73	
	03/13/95		6.77	6.85	0.08	7.35	
	06/09/95		8.81	8.90	0.09	5.30	
	07/27/95		8.32	8.55	0.23	5.65	
	09/22/95		9.29	9.53	0.24	4.67	
	12/06/95		9.94	10.18	0.24	4.02	
	12/18/95		9.16	9.36	0.20	4.84	
	12/18/95		--	9.62	--	4.58	
	12/18/95		--	9.25	--	4.95	
	12/19/95			9.21	9.30	0.09	4.90
	12/19/95			9.34	9.35	0.01	4.85
	12/19/95			9.25	9.28	0.03	4.92
12/28/95			9.22	9.27	0.05	4.93	
MW-9	06/02/94	14.96	--	9.46	--	5.50	
MW-10	02/24/94	15.73	--	9.59	--	6.14	
	03/18/94		--	--	--	--	
	06/02/94		--	10.17	--	5.56	
MW-11	03/18/94	14.55	--	6.95	--	7.60	
	06/02/94		--	8.99	--	5.56	
	08/31/94		--	9.80	--	4.75	
	12/22/94		--	8.15	--	6.40	
	12/18/95		--	9.29	--	5.26	
	03/12/96		--	5.95	--	8.60	
	02/05/99		--	8.44	--	6.11	
MW-12	03/18/94	15.28	--	7.62	--	7.66	
	12/18/95		--	10.03	--	5.25	
	07/07/97		--	9.48	--	5.80	
	02/05/99		--	9.20	--	6.08	
MW-13	02/24/94	14.85	--	8.94	--	5.91	
	03/18/94		--	8.62	--	6.23	
	06/02/94		--	9.34	--	5.51	
	08/31/94		--	10.15	--	4.70	
	12/22/94		--	8.45	--	6.40	
	12/12/95		--	9.94	--	4.91	
	12/18/95		--	9.60	--	5.25	
	03/12/96		--	6.40	--	8.45	
	02/05/99		--	8.79	--	6.06	
MW-14	02/24/94	14.10	--	dry	--	--	
	03/18/94		--	dry	--	--	
	12/06/95		--	dry	--	--	
	02/05/99		--	8.31	--	5.79	
MW-15	12/06/95	14.17	--	dry	--	--	
	02/05/99		--	8.30	--	5.87	
	07/21/99		--	8.15	--	6.02	
MW-16	12/06/95	14.11	--	dry	--	--	

Table 1
Gauging Data for Monitoring Wells
Former Nestle Oakland Facility
Oakland, California, 1994-2004

Well No.	Gauging Date	TOC Elevation (ft)	TOC Depth to Product (ft)	TOC Depth to Water (ft)	Product Thickness (ft)	Water Table Elevation (ft msl)
MW-22	02/24/94	14.44	8.59	10.13	1.54	4.31
	03/18/94		6.98	--	>3.0	--
	06/02/94		9.02	10.16	1.14	4.28
	08/31/94		9.97	10.16	0.19	4.28
	12/22/94		8.39	8.42	0.03	6.02
	03/13/95		--	5.92	--	8.52
	06/09/95		--	8.60	--	5.84
	07/27/95		--	8.49	--	5.95
	09/22/95		9.42	9.74	0.32	4.70
	12/06/95		10.08	10.38	0.30	4.06
	12/18/95		--	9.35	--	5.09
MW-23	02/24/94	14.48	8.87	8.94	0.07	5.54
	03/18/94	14.48	7.04	8.44	1.40	6.04
	06/02/94		8.21	10.00	1.79	4.48
	08/31/94		9.93	10.61	0.68	3.87
	12/22/94		8.32	8.73	0.41	5.75
	03/13/95		--	5.52	--	8.96
	06/09/95		8.24	8.55	0.31	5.93
	07/27/95		8.43	8.87	0.44	5.61
	09/22/95		9.35	10.06	0.71	4.42
	12/06/95		--	10.07	--	4.41
	12/18/95		9.40	9.70	0.30	4.78
	12/18/95		--	9.89	--	4.59
	12/18/95		9.46	9.49	0.03	4.99
	12/19/95		9.45	9.55	0.10	4.93
	12/19/95		--	9.88	--	4.60
12/19/95		9.48	9.52	0.04	4.96	
12/28/95		9.40	9.52	0.12	4.96	
MW-24	02/24/94	14.67	8.95	--	12.10	--
	03/18/94		7.45	--	>3.0	--
	06/02/94		9.11	10.08	0.97	4.59
	08/31/94		10.19	10.58	0.39	4.09
	12/22/94		--	8.55	--	6.12
	03/13/95		--	6.68	--	7.99
	06/09/95		--	9.54	--	5.13
	09/22/95		9.35	10.76	1.41	3.91
	12/06/95		10.39	10.39	--	4.28
MW-25	02/24/94	12.86	--	7.36	--	5.50
	03/18/94		--	6.14	--	6.72
	06/02/94		--	7.93	--	4.93
	08/31/94		--	8.75	--	4.11
	12/22/94		--	7.01	--	5.85
	03/13/95		--	5.77	--	7.09
	06/09/95		--	6.75	--	6.11
	09/22/95		--	7.45	--	5.41
	12/12/95		--	8.18	--	4.68
	12/18/95		--	7.84	--	5.02
	03/12/96		--	5.38	--	7.48
	06/21/96		--	6.50	--	6.36
	08/29/96		--	7.72	--	5.14
	01/16/97		--	6.00	--	6.86
	04/15/97		--	6.44	--	6.42
	07/07/97		--	7.53	--	5.33
	10/27/97		--	8.34	--	4.52
01/27/98	--	5.37	--	7.49		
04/22/98	--	5.02	--	7.84		

Table 1
Gauging Data for Monitoring Wells
Former Nestle Oakland Facility
Oakland, California, 1994-2004

Well No.	Gauging Date	TOC Elevation (ft)	TOC Depth to Product (ft)	TOC Depth to Water (ft)	Product Thickness (ft)	Water Table Elevation (ft msl)
MW-25 (Cont.)	07/22/98	12.86	--	6.47	--	6.39
	10/21/98		--	7.86	--	5.00
	02/05/99		--	7.51	--	5.35
	04/07/99		--	5.87	--	6.99
	07/21/99		--	7.12	--	5.74
	10/25/99		--	8.26	--	4.60
	02/08/00		--	6.70	--	6.16
	04/26/00		--	5.50	--	7.36
	08/03/00		--	7.20	--	5.66
	10/23/00		--	8.05	--	4.81
	01/31/01		--	7.80	--	5.06
	04/26/01		--	6.24	--	6.62
	07/30/01		--	7.51	--	5.35
	10/29/01		--	8.17	--	4.69
	01/28/02		--	5.73	--	7.13
	04/29/02		--	6.55	--	6.31
	10/22/02		--	8.11	--	4.75
	11/15/02		--	7.93	--	4.93
	05/06/03		--	5.93	--	6.93
	10/13/03		--	7.74	--	5.12
04/27/04	--	6.21	--	6.65		
MW-26	02/24/94	12.71	--	7.21	--	5.50
	03/18/94		--	5.83	--	6.88
	06/02/94		--	7.68	--	5.03
	08/31/94		--	8.47	--	4.24
	12/22/94		--	6.98	--	5.73
	03/13/95		--	5.25	--	7.46
	06/09/95		--	6.47	--	6.24
	09/22/95		--	7.23	--	5.48
	12/12/95		--	7.99	--	4.72
	12/18/95		--	7.69	--	5.02
	03/12/96		--	4.86	--	7.85
	06/21/96		--	6.30	--	6.41
	08/29/96		--	7.51	--	5.20
	01/16/97		--	5.70	--	7.01
	04/15/97		--	7.48	--	5.23
	07/07/97		--	7.38	--	5.33
	10/27/97		--	8.15	--	4.56
	01/27/98		--	5.12	--	7.59
	04/22/98		--	4.90	--	7.81
	07/22/98		--	6.47	--	6.24
	10/21/98		--	7.64	--	5.07
	02/05/99		--	7.34	--	5.37
	04/07/99		--	5.70	--	7.01
	07/21/99		--	6.96	--	5.75
	10/25/99		--	8.05	--	4.66
	02/08/00		--	6.77	--	5.94
	04/26/00		--	6.19	--	6.52
	08/03/00		--	7.12	--	5.59
	10/23/00		--	8.85	--	3.86
	01/31/01		--	7.55	--	5.16
	04/26/01		--	7.05	--	5.66
	07/30/01		--	7.37	--	5.34
10/29/01	--	7.96	--	4.75		
01/28/02	--	5.46	--	7.25		
04/29/02	--	6.33	--	6.38		

Table 1
 Gauging Data for Monitoring Wells
 Former Nestle Oakland Facility
 Oakland, California, 1994-2004

Well No.	Gauging Date	TOC Elevation (ft)	TOC Depth to Product (ft)	TOC Depth to Water (ft)	Product Thickness (ft)	Water Table Elevation (ft msl)
MW-26 (Cont.)	10/10/02		--	8.00	--	4.71
	11/15/02		--	8.09	--	4.62
	05/06/03		--	7.04	--	5.67
	10/13/03		--	7.42	--	5.29
	04/27/04		--	6.06	--	6.65
MW-27	02/24/94	14.04	--	8.41	--	5.63
	03/18/94		--	7.23	--	6.81
	06/02/94		--	8.94	--	5.10
	12/12/95		--	9.30	--	4.74
	06/21/96		--	7.64	--	6.40
	08/29/96		--	8.82	--	5.22
	01/16/97		--	7.06	--	6.98
	04/15/97		--	7.36	--	6.68
	07/22/98		--	7.83	--	6.21
	02/05/99		--	8.53	--	5.51
	07/21/99		--	8.22	--	5.82
	10/25/99		--	9.28	--	4.76
	02/08/00		--	7.72	--	6.32
	04/26/00		--	6.75	--	7.29
	08/03/00		--	8.25	--	5.79
	10/23/00		--	9.13	--	4.91
	01/31/01		--	8.92	--	5.12
	04/26/01		--	7.44	--	6.60
	07/30/01		--	8.70	--	5.34
	10/29/01		--	9.26	--	4.78
	01/28/02		--	6.82	--	7.22
	04/29/02		--	7.66	--	6.38
	10/10/02		--	9.22	--	4.82
	11/15/02		--	9.08	--	4.96
	05/06/03		--	7.03	--	7.01
	10/13/03		--	8.80	--	5.24
04/27/04	--	7.29	--	6.75		
MW-28	02/24/94	13.45	--	7.98	--	5.47
	03/18/94		--	6.65	--	6.80
	06/02/94		--	8.28	--	5.17
	08/31/94		--	9.03	--	4.42
	12/22/94		--	6.73	--	6.72
	03/13/95		--	5.93	--	7.52
	06/09/95		--	7.20	--	6.25
	09/22/95		--	8.37	--	5.08
	12/12/95		--	9.00	--	4.45
	12/18/95		--	8.44	--	5.01
	03/12/96		--	5.62	--	7.83
	06/21/96		--	7.08	--	6.37
	08/29/96		--	9.30	--	4.15
	01/16/97	--	6.50	--	6.95	
	04/15/97	--	7.17	--	6.28	
	07/07/97	--	8.26	--	5.19	
	10/27/97	13.45	--	8.93	--	4.52
	01/27/98		--	5.81	--	7.64
	04/22/98		--	5.60	--	7.85
	07/22/98		--	7.27	--	6.18
	10/21/98		--	8.43	--	5.02
	02/05/99		--	7.19	--	6.26
	04/07/99		--	6.41	--	7.04
	07/21/99		--	7.70	--	5.75
	10/25/99		--	8.39	--	5.06

Table 1
Gauging Data for Monitoring Wells
Former Nestle Oakland Facility
Oakland, California, 1994-2004

Well No.	Gauging Date	TOC Elevation (ft)	TOC Depth to Product (ft)	TOC Depth to Water (ft)	Product Thickness (ft)	Water Table Elevation (ft msl)
MW-28 (Cont.)	02/08/00		--	7.27	--	6.18
	04/26/00		--	6.19	--	7.26
	08/03/00		--	7.75	--	5.70
	10/23/00		--	9.40	--	4.05
	01/31/01		--	8.68	--	4.77
	04/26/01		--	6.14	--	7.31
	07/30/01		--	8.15	--	5.30
	10/29/01		--	8.68	--	4.77
	01/28/02		--	6.20	--	7.25
	04/29/02		--	7.12	--	6.33
	10/10/02		--	8.73	--	4.72
	11/15/02		--	8.51	--	4.94
	05/06/03		--	7.09	--	6.36
	10/13/03		--	8.06	--	5.39
	04/27/04		--	6.85	--	6.60
MW-29	02/24/94	12.60	--	7.20	--	5.40
	03/18/94		--	5.82	--	6.78
	06/02/94		--	7.62	--	4.98
	08/31/94		--	8.44	--	4.16
	12/22/94		--	7.00	--	5.60
	03/13/95		--	5.55	--	7.05
	06/09/95		--	6.59	--	6.01
	09/22/95		--	7.58	--	5.02
	12/12/95		--	8.02	--	4.58
	12/18/95		--	7.76	--	4.84
	03/12/96		--	5.01	--	7.59
	06/21/96		--	6.33	--	6.27
	08/29/96		--	7.50	--	5.10
	01/16/97		--	5.78	--	6.82
	04/15/97		--	6.36	--	6.24
	07/07/97		--	7.33	--	5.27
	10/27/97		--	8.11	--	4.49
	01/27/98		--	5.15	--	7.45
	04/22/98		--	4.95	--	7.65
	07/22/98		--	6.45	--	6.15
	10/21/98		--	7.65	--	4.95
	02/05/99		--	8.01	--	4.59
	04/07/99		--	5.66	--	6.94
	07/21/99		--	6.88	--	5.72
	10/25/99		--	8.01	--	4.59
	02/08/00		--	6.64	--	5.96
	04/26/00	12.60	--	5.82	--	6.78
	08/03/00		--	6.91	--	5.69
	10/23/00		--	7.71	--	4.89
	01/31/01		--	7.54	--	5.06
	04/26/01		--	6.10	--	6.50
	07/30/01		--	7.35	--	5.25
	10/29/01		--	7.95	--	4.65
01/28/02		--	5.56	--	7.04	
04/29/02		--	6.36	--	6.24	
10/10/02		--	7.93	--	4.67	
11/15/02		--	7.70	--	4.90	
05/06/03		--	5.91	--	6.69	
10/13/03		--	7.51	--	5.09	
04/27/04		--	6.01	--	6.59	

Table 1
 Gauging Data for Monitoring Wells
 Former Nestle Oakland Facility
 Oakland, California, 1994-2004

Well No.	Gauging Date	TOC Elevation (ft)	TOC Depth to Product (ft)	TOC Depth to Water (ft)	Product Thickness (ft)	Water Table Elevation (ft msl)
MW-30	02/24/94	14.54	--	8.95	--	5.59
	03/18/94		--	7.79	--	6.75
	06/02/94		--	9.47	--	5.07
	08/31/94		--	10.27	--	4.27
	12/22/94		--	8.64	--	5.90
	03/13/95		--	7.23	--	7.31
	06/09/95		--	8.34	--	6.20
	09/22/95		--	9.41	--	5.13
	12/06/95		--	10.35	--	4.19
	12/12/95		--	9.90	--	4.64
	12/18/95		--	9.55	--	4.99
	03/12/96		--	6.93	--	7.61
	06/21/96		--	8.23	--	6.31
	08/29/96		--	9.53	--	5.01
	01/16/97		--	7.72	--	6.82
	04/15/97		--	8.31	--	6.23
	07/07/97		--	9.28	--	5.26
	10/27/97		--	10.02	--	4.52
	01/27/98		--	7.04	--	7.50
	04/22/98		--	6.91	--	7.63
	07/22/98		--	8.44	--	6.10
	10/21/98		--	9.60	--	4.94
	02/05/99		--	9.08	--	5.46
	04/07/99		--	7.63	--	6.91
	07/21/99		--	8.80	--	5.74
	10/25/99		--	9.87	--	4.67
	02/08/00		--	8.36	--	6.18
	04/26/00		--	7.41	--	7.13
	08/03/00		--	8.55	--	5.99
	10/23/00		--	9.73	--	4.81
	01/31/01		--	9.32	--	5.22
	04/26/01		--	8.03	--	6.51
07/30/01		--	9.23	--	5.31	
10/29/01		--	9.85	--	4.69	
01/28/02		--	7.20	--	7.34	
04/29/02		--	8.26	--	6.28	
10/10/02		14.54	--	9.79	--	4.75
05/06/03			--	7.61	--	6.93
10/13/03			--	9.43	--	5.11
04/27/04			--	7.87	--	6.67
MW-31	06/02/94	14.92	--	9.42	--	5.50
MW-32	02/24/94	14.76	--	8.95	--	5.81
	03/18/94		--	7.25	--	7.51
	06/02/94		--	9.28	--	5.48
	08/31/94		--	10.12	--	4.64
	12/22/94		--	8.40	--	6.36
	03/13/95		--	6.63	--	8.13
	06/09/95		--	7.94	--	6.82
	09/22/95		--	9.32	--	5.44
	12/12/95		--	9.84	--	4.92
	12/18/95		--	9.53	--	5.23
	03/12/96		--	6.23	--	8.53
	06/21/96		--	7.85	--	6.91
	08/29/96		--	9.22	--	5.54
	01/16/97		--	7.14	--	7.62
	04/15/97		--	7.89	--	6.87
07/07/97		--	9.00	--	5.76	

Table 1
Gauging Data for Monitoring Wells
Former Nestle Oakland Facility
Oakland, California, 1994-2004

Well No.	Gauging Date	TOC Elevation (ft)	TOC Depth to Product (ft)	TOC Depth to Water (ft)	Product Thickness (ft)	Water Table Elevation (ft msl)
MW-32 (Cont.)	10/27/97		--	9.86	--	4.90
	01/27/98		--	6.35	--	8.41
	04/22/98		--	6.05	--	8.71
	07/22/98		--	8.06	--	6.70
	10/21/98		--	9.35	--	5.41
	02/05/99		--	8.76	--	6.00
	07/21/99		--	8.52	--	6.24
	10/25/99		--	9.60	--	5.16
	02/08/00		--	8.09	--	6.67
	04/26/00		--	7.09	--	7.67
	08/03/00		--	7.65	--	7.11
	10/23/00		--	9.42	--	5.34
	01/31/01		--	9.14	--	5.62
	04/26/01		--	7.65	--	7.11
	07/30/01		--	9.03	--	5.73
	10/29/01		--	9.62	--	5.14
	01/28/02		--	7.00	--	7.76
	04/29/02		--	7.83	--	6.93
	10/10/02		--	9.72	--	5.04
05/06/03		--	7.19	--	7.57	
10/13/03		--	9.24	--	5.52	
04/27/04		--	7.48	--	7.28	
PR-76	03/18/94		-	7.74	-	
	06/02/94		-	9.21	-	
	08/31/94		-	10.07	-	
	12/22/94		-	8.77	-	
	03/13/95		-	6.44	-	
	06/09/95		-	7.76	-	
PR-76	09/22/95		-	9.45	-	
	12/06/95		-	10.17	-	
	04/27/04		-	7.50	-	
MW-33	07/21/99		--	8.56	--	
	10/25/99		--	9.62	--	
	04/26/00		--	6.82	--	
	08/03/00		--	7.51	--	
	10/23/00		--	9.43	--	
	01/31/01		--	9.20	--	
	04/26/01		--	7.65	--	
	07/30/01		--	9.03	--	
	10/29/01		--	9.64	--	
	01/28/02		--	7.00	--	
04/29/02		--	7.86	--		
CC-1	04/27/04		--	4.99	--	
MW-100	07/30/01		--	9.43	--	
	10/30/01		--	10.03	--	
	01/28/02		--	7.15	--	
	04/29/02		--	8.20	--	
	10/10/02		--	10.04	--	
	05/06/03		--	7.50	--	
	10/13/03		--	9.57	--	
	04/27/04		--	7.74	--	

ft = Feet.

ft msl = Feet above mean sea level.

TOC = Top of casing.

-- = Product not present.

Table 2
Concentrations of Organic Compounds in Groundwater Samples
Former Nestle Oakland Facility
Oakland, California, 1993-2004

Well Number	Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl- Benzene µg/L	Xylenes µg/L	TPH-G µg/L	TPH-D µg/L	1,1- DCA µg/L	1,2- DCA µg/L	1,1,1- TCA µg/L	TCE µg/L	MTBE µg/L	Notes
MW-2	03/23/93	ND	ND	ND	ND	ND	ND	--	--	--	--	--	Non-diesel peak reported.
	07/27/93	ND	ND	ND	ND	ND	ND	--	--	--	--	--	
	11/05/93	--	--	--	--	--	--	--	--	--	--	--	
	02/25/94	<1	<1	<1	<1	<100	<1,000	--	--	--	--	--	
	06/03/94	<0.5	<0.5	<0.5	<0.5	<50	<20,000	--	--	--	--	--	
	08/31/94	<0.3	<0.3	<0.3	<0.6	<500	<500	--	--	--	--	--	
	12/22/94	<0.5	<0.5	<0.5	<0.5	<50	<50	--	--	--	--	--	
	03/13/95	0.8	<0.5	<0.5	<0.5	<50	<400	--	--	--	--	--	
	06/09/95	<0.5	<0.5	<0.5	<0.5	<100	<50	--	--	--	--	--	
	09/21/95	0.7	<0.5	<0.5	<0.5	<50	<50	--	--	--	--	--	
	12/12/95	<0.5	<0.5	<0.5	<1.0	<100	<50	--	--	--	--	--	
	03/12/96	<0.5	<0.5	<0.5	<0.5	<100	<50	--	--	--	--	--	
	06/21/96	--	--	--	--	--	--	--	--	--	--	--	
	08/29/96	<0.5	<0.5	<0.5	<0.5	<50	<150	<150	0.7	<0.5	<0.5	<0.5	
	01/16/97	<0.5	<0.5	<0.5	<0.5	<50	<150	<150	--	--	--	--	
	07/07/97	<0.5	<0.5	<0.5	<0.5	<50	<150	<150	--	--	--	<0.5	
	01/27/98	<0.5	<0.5	<0.5	<0.5	100	<150	<150	--	--	--	<0.5	
07/22/98	<0.5	<0.5	<0.5	<0.5	<50	--	--	--	--	--	<0.5		
07/22/99	<0.5	<0.5	<0.5	<0.5	<50	<200	<200	<0.5	<0.5	<0.5	<0.5		
MW-3	03/23/93	35	2.9	2	3.2	300	ND	--	--	--	--	--	
	07/27/93	97	1	4	1.1	220	ND	--	--	--	--	--	
	11/05/93	4.9	ND	ND	1.2	170	ND	--	--	--	--	--	
	02/25/94	42	<1	<1	<1	100	<1,000	--	--	--	--	--	
	06/03/94	120	8.2	8.4	4.5	320	<20,000	--	--	--	--	--	
	08/31/94	83	1.1	5.3	2.9	<500	<500	--	--	--	--	--	
	12/22/94	1,460	18	100	50	3,800	270	--	--	--	--	--	
	03/13/95	3,600	260	270	280	14,000	1,700	--	--	--	--	--	
	06/09/95	4,700	58	140	71	3,700	120	--	--	--	--	--	
	09/21/95	9,800	58	600	95	14,000	300	--	--	--	--	--	
	12/12/95	330	2.1	47	5.3	700	<50	--	--	--	--	--	
	03/12/96	350	4.6	23	8.7	600	<50	--	--	--	--	--	
	06/21/96	940	76	98	57	1,900	<50	--	--	--	--	--	
	08/29/96	420	29	44	28	900	<150	--	--	--	--	--	
	01/16/97	1,600	270	120	194	3,600	700	<0.5	9.2	<0.5	<0.5	--	
	04/15/97	1,300	300	180	160	4,300	800	<0.5	16	<0.5	1.1	6.9	
	07/07/97	100	84	100	67	1,900	350	--	--	--	--	3.8	
	10/27/97	1,030	60	54	40	2,200	--	<0.5	2.4	<0.5	<0.5	3.1	
	01/27/98	1,070	98	73	69	3,200	--	--	--	--	--	3.9	
	04/22/98	610	56	49	54	1,800	--	<0.5	3.0	<0.5	<0.5	1.1	
	07/22/98	1,800	230	160	180	3,600	370	--	--	--	--	5.0	
	10/21/98	78	1.0	3.8	0.6	110	<250	<0.5	0.6	<0.5	<0.5	<0.5	
	07/23/99	1,500	140	76.0	260	4,000	790	<0.5	1.0	<0.5	<0.5	5.60	
	10/28/99	1,100	43	58	102	3,000	600	<0.5	0.9	--	<0.5	--	
	02/10/00	690	22	36	49	1,400	520	<0.5	<0.5	<0.5	<0.5	2.20	
	04/27/00	1,100	140	73	163	2,400	250	<0.5	0.6	<0.5	<0.5	<0.5	
08/03/00	520	7.7	21	27	1,100	750	<0.5	0.6	<0.5	<0.5	<0.5		
10/23/00	2,000	16	22	46	3,800	760	<0.5	0.7	<0.5	<0.5	<0.5		
01/31/01	360	8.6	14	28	860	300	<0.5	0.6	<0.5	<0.5	<0.5		
04/26/01	808	60.6	46.8	115	1,530	280	<0.5	0.8	<0.5	<0.5	<0.5		
07/30/01	788	23.3	44.6	80.7	1,400	350	<0.5	0.6	<0.5	<0.5	<0.5		
10/29/01	852	14.3	24.5	38.6	1,730	500	<0.5	0.5	<0.5	<0.5	<0.5		
01/29/02	1,250	85.3	64.7	95.7	4,240	490	<0.5	1.4	<0.5	<0.5	<0.5		
04/29/02	1,120	51.5	84.4	117	5,710	700	<0.5	1.1	<0.5	<0.5	<0.5		
MW-5	02/05/99	<0.5	<0.5	<0.5	<0.5	<50	<150	<0.5	<0.5	<0.5	<0.5	<0.5	
MW-6	03/23/93	ND	ND	ND	ND	ND	ND	--	--	--	--	--	Non-diesel peak reported.
	07/27/93	ND	ND	ND	ND	ND	ND	--	--	--	--	--	
	11/05/93	ND	ND	ND	ND	ND	ND	--	--	--	--	--	
	02/25/94	<1	<1	<1	3.5	<100	<1,000	--	--	--	--	--	
	06/03/94	2.7	<0.5	<0.5	<0.5	69	<20,000	--	--	--	--	--	
	08/31/94	<0.3	8.7	1.6	3.5	<500	<500	--	--	--	--	--	
	12/22/94	<0.5	<0.5	<0.5	<0.5	<50	<50	--	--	--	--	--	
	03/13/95	1.2	<0.5	<0.5	<0.5	<50	<400	--	--	--	--	--	
	06/09/95	0.6	<0.5	<0.5	<0.5	<100	<50	--	--	--	--	--	
	09/21/95	<0.5	<0.5	<0.5	<0.5	<50	<50	--	--	--	--	--	
	12/12/95	<0.5	<0.5	<0.5	<1.0	<100	<50	--	--	--	--	--	
	03/12/96	<0.5	<0.5	<0.5	<0.5	<100	<50	--	--	--	--	--	
	06/21/96	--	--	--	--	--	--	--	--	--	--	--	
	08/29/96	<0.5	<0.5	<0.5	<0.5	<50	<150	--	--	--	--	--	
	01/16/97	5.5	16	2.9	16	140	220	<0.5	6.3	<0.5	<0.5	--	
	07/07/97	<0.5	<0.5	<0.5	<0.5	<50	<150	--	--	--	--	<0.5	
	07/22/98	<0.5	<0.5	<0.5	<0.5	<50	<250	--	--	--	--	<0.5	
10/24/00	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	7.7	<0.5	<0.5	<0.5		
01/31/01	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	6.9	<0.5	<0.5	<0.5		

Table 2
Concentrations of Organic Compounds in Groundwater Samples
Former Nestle Oakland Facility
Oakland, California, 1993-2004

Well Number	Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl-Benzene µg/L	Xylenes µg/L	TPH-G µg/L	TPH-D µg/L	1,1-DCA µg/L	1,2-DCA µg/L	1,1,1-TCA µg/L	TCE µg/L	MTBE µg/L	Notes	
MW-6 (cont.)	04/27/01	<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	6.6	<0.5	<0.5	<0.5		
	07/30/01	<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	9.2	<0.5	<0.5	<0.5		
	10/30/01	<0.5	<0.5	<0.5	<1.0	<200	<500	<0.5	10	<0.5	<0.5	<0.5		
	01/29/02	0.54	<0.5	<0.5	<1.0	<200	<250	<0.5	10	<0.5	<0.5	<0.5		
	04/30/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	14	<0.5	<0.5	<0.5		
MW-11	02/05/99	<0.5	<0.5	<0.5	<0.5	<50	<150	--	--	--	--	<0.5		
MW-12	02/05/99	<0.5	<0.5	<0.5	<0.5	<50	<150	--	--	--	--	<0.5		
MW-13	02/05/99	<0.5	<0.5	<0.5	<0.5	<50	<150	--	--	--	--	<0.5		
MW-15	02/05/99	<0.5	<0.5	<0.5	<0.5	<50	430	<0.5	<0.5	<0.5	<0.5	<0.5		
	07/22/99	<0.5	<0.5	<0.5	<0.5	<50	<200	<0.5	<0.5	<0.5	<0.5	<0.5		
MW-25	03/23/93	ND	ND	ND	ND	ND	ND	--	--	--	--	--		
	07/27/93	ND	ND	ND	ND	ND	ND	--	--	--	--	--		
	11/05/93	4.2	4.4	2.5	20	170	ND	--	--	--	--	--		
	02/25/94	2.1	<1	<1	<1	<100	<1,000	--	--	--	--	--		
	06/03/94	2.4	14	<0.5	3.4	97	<20,000	--	--	--	--	--		
	08/31/94	0.5	<0.3	<0.3	<0.6	<500	<500	--	--	--	--	--		
	12/22/94	0.5	<0.5	<0.5	<0.5	<50	<50	--	--	--	--	--	Non-diesel peak reported.	
	03/13/95	0.58	<0.5	<0.5	<0.5	150	950	--	--	--	--	--		
	06/09/95	0.8	<0.5	<0.5	<0.5	<100	60	--	--	--	--	--		
	09/21/95	<0.5	<0.5	<0.5	<0.5	<50	<50	--	--	--	--	--		
	12/12/95	<0.5	<0.5	<0.5	<1.0	<100	<50	--	--	--	--	--		
	03/12/96	<0.5	<0.5	<0.5	<0.5	120	<50	--	--	--	--	--		
	06/21/96	--	--	--	--	--	--	--	--	--	--	--		
	08/29/96	<0.5	<0.5	<0.5	<0.5	90	<150	--	--	--	--	--		
	01/16/97	0.6	<0.5	<0.5	<0.5	80	<150	25	41	<0.5	<0.5	--		
	07/07/97	<0.5	<0.5	<0.5	<0.5	140	<150	--	--	--	--	--	11	
	01/27/98	<0.5	<0.5	<0.5	<0.5	<100	--	--	--	--	--	--	10	
	07/22/98	<0.5	<0.5	<0.5	<0.5	<50	<250	--	--	--	--	--	24	
	02/05/99	<0.5	<0.5	<0.5	<0.5	<50	340	28	59	<0.5	<0.5	--	28	1,1-DCE detected, 0.9 µg/L.
	04/07/99	<0.5	<0.5	<0.5	<0.5	<50	<250	27	72	<0.5	<0.5	--	27	1,1-DCE detected, 1.6 µg/L.
	07/23/99	1.80	<0.5	<0.5	<0.5	<50	<200	30	58	<0.5	<0.5	--	23.0	
	10/27/99	<0.5	1.4	<0.5	1.0	<100	<200	35	47	--	<0.5	--	--	
	02/08/00	<0.5	<0.5	<0.5	<0.5	100	<250	39	41	<0.5	<0.5	--	29.0	1,1-Dichloroethene detected at 3.1 µg/L.
	04/26/00	<0.5	<0.5	<0.5	<0.5	<100	<250	51	38	<0.5	<0.5	--	18	1,1-Dichloroethene detected at 4.2 µg/L.
	08/03/00	<0.5	<0.5	<0.5	<0.5	<50	<250	40	57	<0.5	<0.5	--	27	1,1-Dichloroethene detected at 2.6 µg/L.
	10/23/00	<0.5	<0.5	<0.5	<0.5	<50	<250	54	68	<0.5	<0.5	--	38	1,1-Dichloroethene detected at 3.5 µg/L.
	01/31/01	<0.5	<0.5	<0.5	<0.5	90	<250	52	46	<0.5	<0.5	--	22	1,1-Dichloroethene detected at 6.5 µg/L.
04/26/01	<0.5	0.62	<0.5	<0.5	<200	<250	49	37	<0.5	<0.5	--	15.8	1,1-Dichloroethene detected at 6.0 µg/L.	
07/30/01	<0.5	<0.5	<0.5	<0.5	<200	<250	33	36	<0.5	<0.5	--	10.9	Chloromethane detected at 0.8 µg/L, 1,1-Dichloroethene detected at 4.6 µg/L.	
10/29/01	<0.5	<0.5	<0.5	<1.0	<200	<500	22	38	<0.5	<0.5	--	10.5	Chloromethane detected at 0.5 µg/L, 1,1-Dichloroethene detected at 1.8 µg/L.	
01/28/02	<0.5	<0.5	<0.5	<1.0	<200	<250	25	56	<0.5	<0.5	--	8.90	1,1-Dichloroethene detected at 2.8 µg/L.	
04/29/02	<0.5	<0.5	<0.5	<1.0	<200	<250	14	44	<0.5	<0.5	--	6.92	1,1-Dichloroethene detected at 1.7 µg/L, 1,1,2,2-Tetrachloroethane detected at 0.5 µg/L.	
10/22/02	7.64	248	133	843	4,790	1,240	9.6	34	<0.5	<0.5	--	1,410	1,1-Dichloroethene detected at 0.9 µg/L.	
11/15/02	<0.5	<0.5	<0.5	<1.0	<200	<250	11	35	<0.5	<0.5	--	7.3	Chloroethane detected at 22 µg/L.	
05/06/03	<0.5	<0.5	<0.5	<1.0	<200	<250	8.5	34	<0.5	<0.5	--	5.7	1,1-Dichloroethene detected at 0.8 µg/L.	
10/14/03	<0.5	<0.5	<0.5	<1.0	<200	<250	7.6	27	<0.5	<0.5	--	6.3		
04/27/04	<0.5	<0.5	<0.5	<1.0	<200	<250	5.1	18	<0.5	<0.5	--	5.2		
MW-26	03/23/93	180	190	55	330	7,000	1,300	ND	ND	ND	ND	--		
	07/27/93	470	96	30	80	1,800	ND	ND	140	ND	ND	--		
	11/05/93	4,700	1,300	9	1,400	19,000	ND	ND	120	ND	ND	--		
	02/25/94	4,800	570	200	860	14,000	<1,000	<1	28	<1	<1	--		
	06/03/94	4,100	300	120	230	12,000	<20,000	1.7	140	<0.5	<0.5	--	Bromodichloromethane detected, 0.84 µg/L.	
	08/31/94	4,100	360	170	450	93,000	1,400	<4.0	<4.0	<4.0	<4.0	--		
	12/22/94	1,030	170	85	290	5,000	560	<2.0	<2.0	<2.0	<2.0	--	8 other volatiles detected by 8260.	
	03/13/95	320	19	23	66	3,000	810	53	5.8	<0.5	<0.5	--		
	06/09/95	14,000	64	31	230	10,800	310	240	3.1	1	<0.5	--		
	09/21/95	1,900	160	160	330	8,000	200	1.3	120	<0.5	<0.5	--		
	12/12/95	13,000	38	36	120	25,000	0.6	1.4	180	<0.5	<0.5	--	No diesel pattern detected, result due to high gasoline concentration	
	03/12/96	9,000	33	30	65	4,400	<50	<0.5	180	<0.5	<0.5	--		
	06/21/96	14,000	27	16	66	5,400	<50	3.2	170	<0.5	<0.5	--		
	08/29/96	8,500	26	28	74	19,000	<150	<0.5	160	<0.5	<0.5	--		
	01/16/97	6,500	21	31	47	4,600	--	4.3	>50	<0.5	<0.5	--	26	
	04/15/97	16,000	33	40	160	26,000	2,200	3.5	97	<0.5	2.4	--	40	cis-1,2-DCE detected, 0.7 µg/L.
	07/07/97	22,000	44	170	200	28,000	1,100	<5.0	<5.0	<5.0	<5.0	--	95	
	10/27/97	16,000	26	100	37	30,000	--	3.6	92	<0.5	<0.5	--	38	
	01/27/98	23,600	<5.0	<5.0	<5.0	26,000	420	8.3	100	<0.5	<0.5	--	100	
04/22/98	5,000	4.3	9.2	16	14,000	--	13	130	<0.5	<0.5	--	27		

Table 2
Concentrations of Organic Compounds in Groundwater Samples
Former Nestle Oakland Facility
Oakland, California, 1993-2004

Well Number	Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl- Benzene µg/L	Xylenes µg/L	TPH-G µg/L	TPH-D µg/L	1,1- DCA µg/L	1,2- DCA µg/L	1,1,1- TCA µg/L	TCE µg/L	MTBE µg/L	Notes
MW-26 (cont.)	07/22/98	3,800	5.7	6.9	11	5,200	750	10	110	--	<1.0	33	
	10/21/98	420	<0.5	2.1	2.7	820	<250	24	82	<0.5	<0.5	31	
	02/05/99	20	<0.5	0.60	0.80	230	230	10	51	<0.5	<0.5	29	
	04/07/99	<0.5	<0.5	<0.5	<0.5	80	<250	15	54	<0.5	<0.5	25	
	07/23/99	7.10	<0.5	<0.5	0.80	180	<200	12	32	<0.5	<0.5	12.0	
	10/27/99	14	1.4	2.9	7.8	400	<200	13	30	--	<0.5	--	
	02/08/00	<0.5	<0.5	<0.5	<0.5	80	<250	13	32	<0.5	<0.5	28.0	
	04/26/00	0.7	<0.5	0.6	<0.5	200	340	7.5	39	<0.5	<0.5	22	
	08/03/00	6.8	<0.5	0.6	1.4	<50	<250	7.4	19	<0.5	<0.5	19	
	10/23/00	10	0.8	1.7	1.7	80	<250	5.1	37	<0.5	<0.5	26	
	01/31/01	26	0.70	2.4	2.2	390	320	5.7	51	<0.5	<0.5	33	
	04/26/01	10.6	<0.5	0.70	1.04	400	350	16	39	<0.5	<0.5	28.5	
	07/30/01	107	<0.5	1.42	1.06	1,920	380	22	44	<0.5	<0.5	31.4	
	10/29/01	31.6	<0.5	<0.5	<1.0	2,020	500	26	25	<0.5	<0.5	27	
	01/28/02	30.0	<0.5	0.70	<1.0	450	380	43	<0.5	<0.5	<0.5	14.5	1,1-Dichloroethene detected at 1.8 µg/L.
	04/29/02	394	<0.5	<0.5	<1.0	1,870	550	50	23	<0.5	<0.5	8.62	1,1-Dichloroethene detected at 2.5 µg/L.
	10/22/02	1,440	25.7	6.60	20.4	4,440	890	53	26	<0.5	<0.5	168	1,1-Dichloroethene detected at 3.7 µg/L.
	11/15/02	1,630	0.56	3.22	3.86	5,590	780	18	33	<0.5	<0.5	49.2	1,1-dichloroethene detected at 1.0 µg/L.
	05/06/03	1,250	<0.5	2.42	<1.0	3,730	380	46	24	<0.5	<0.5	13.1	1,1-Dichloroethene detected at 3.1 µg/L.
	10/14/03	51	<0.5	1.38	<1.0	3,100	<250	83	28	<0.5	<0.5	23.8	1,1-Dichloroethene detected at 3.3 µg/L.
04/27/04	467	<0.5	1.24	<1.0	1,380	<250	82	33	<0.5	<0.5	<0.5	<0.5	1,1-Dichloroethene detected at 5.2 µg/L.
MW-27	06/21/96	<0.5	<0.5	<0.5	<0.5	<50	<50	<0.5	6.8	<0.5	<0.5	--	
	08/29/96	--	--	--	--	--	--	--	--	--	--	--	
	01/16/97	12	5.0	<0.5	2.6	70	<150	<0.5	5.7	<0.5	<0.5	--	
	07/22/98	<0.5	<0.5	<0.5	<0.5	<50	<250	<1.0	1.4	--	<1.0	<0.5	
	02/05/99	<0.5	<0.5	<0.5	<0.5	<50	<150	<0.5	0.7	<0.5	<0.5	<0.5	
	07/23/99	<0.5	<0.5	<0.5	<0.5	<50	<200	<0.5	0.7	<0.5	<0.5	<0.5	
	10/27/99	<0.5	<0.5	<0.5	<0.5	<100	<200	<0.5	<0.5	--	<0.5	--	
	02/08/00	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5	
	04/27/00	<0.5	<0.5	<0.5	<0.5	<100	250	<0.5	<0.5	<0.5	<0.5	<0.5	
	08/16/00	<0.5	<0.5	<0.5	<0.5	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	
	10/23/00	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5	
	01/31/01	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5	
	04/26/01	<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	
	07/30/01	<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	
	10/29/01	<0.5	<0.5	<0.5	<1.0	<200	<500	<0.5	<0.5	<0.5	<0.5	<0.5	
	01/28/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	0.5	<0.5	<0.5	<0.5	
	04/29/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	
	10/22/02	8.56	56.2	9.37	59.3	650	600	<0.5	<0.5	<0.5	<0.5	331	
	11/15/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	
	05/06/03	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	
10/14/03	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
04/27/04	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
MW-28	03/23/93	ND	ND	ND	ND	110	ND	--	--	--	--	--	
	07/27/93	ND	ND	ND	ND	ND	ND	--	--	--	--	--	
	11/05/93	ND	ND	ND	2.1	ND	ND	--	--	--	--	--	
	02/25/94	<1	<1	<1	<1	<100	<1	--	--	--	--	--	
	06/03/94	3.1	<0.5	<0.5	<0.5	<50	<20,000	--	--	--	--	--	
	08/31/94	1.4	<0.3	<0.3	<0.6	<500	<500	--	--	--	--	--	
	12/22/94	<0.5	<0.5	<0.5	<0.5	<50	<50	--	--	--	--	--	Non-diesel peak reported.
	03/13/95	0.91	<0.5	<0.5	<0.5	<50	<400	--	--	--	--	--	
	06/09/95	<0.5	<0.5	<0.5	<0.5	<100	<50	--	--	--	--	--	
	09/21/95	<0.5	<0.5	<0.5	<0.5	<50	<50	--	--	--	--	--	
	12/12/95	<0.5	<0.5	<0.5	<1.0	<100	<50	--	--	--	--	--	
	03/12/96	<0.5	<0.5	<0.5	<0.5	<100	<50	--	--	--	--	--	
	06/21/96	<0.5	<0.5	<0.5	<0.5	<100	<50	--	--	--	--	--	
	08/29/96	<0.5	<0.5	<0.5	<0.5	<50	<150	--	--	--	--	--	
	01/16/97	18	20	2.2	13	220	<150	5.1	85	<0.5	<0.5	8.2	
	04/15/97	<0.5	<0.5	<0.5	<0.5	120	<150	1.1	150	<0.5	<0.5	7.1	
	07/07/97	<0.5	<0.5	<0.5	<0.5	110	<150	<5.0	170	<5.0	<5.0	7.2	
	10/27/97	3.6	<0.5	<0.5	<0.5	300	--	6.2	120	<0.5	<0.5	36	
	01/27/98	7.6	<0.5	<0.5	<0.5	500	<150	--	--	--	--	56	
	04/22/98	<0.5	<0.5	<0.5	<0.5	<50	--	1.0	89	<0.5	<0.5	8.6	
07/22/98	<0.5	<0.5	<0.5	<0.5	<50	--	<1.0	85	--	<1.0	18		
10/21/98	<0.5	<0.5	<0.5	<0.5	<50	<250	0.5	80	<0.5	<0.5	12		
02/05/99	<0.5	<0.5	<0.5	<0.5	<50	<150	32	29	<0.5	<0.5	5.0	1,1-DCE detected, 0.9 µg/L.	
04/07/99	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	62	<0.5	<0.5	4.5		
07/23/99	<0.5	<0.5	<0.5	<0.5	<50	<200	<0.5	50	<0.5	<0.5	1.80		
10/27/99	--	--	--	--	--	<200	--	--	--	--	--		
11/02/99	0.7	<0.5	<0.5	<0.5	<100	--	<0.5	32	--	<0.5	--		
02/08/00	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	39	<0.5	<0.5	4.30		
04/26/00	<0.5	<0.5	<0.5	<0.5	<100	<250	<0.5	50	<0.5	<0.5	1.5		
08/03/00	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	47	<0.5	<0.5	3.7		

Table 2
Concentrations of Organic Compounds in Groundwater Samples
Former Nestle Oakland Facility
Oakland, California, 1993-2004

Well Number	Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl-Benzene µg/L	Xylenes µg/L	TPH-G µg/L	TPH-D µg/L	1,1-DCA µg/L	1,2-DCA µg/L	1,1,1-TCA µg/L	TCE µg/L	MTBE µg/L	Notes
MW-28 (cont.)	10/23/00	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	57	<0.5	<0.5	4.7	
	01/31/01	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	46	<0.5	<0.5	4.4	
	04/26/01	<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	26	<0.5	<0.5	1.98	
	07/30/01	0.5	<0.5	0.64	2.58	<200	<250	<0.5	38	<0.5	<0.5	3.0	Chloromethane detected at 3.3 µg/L.
	10/29/01	<0.5	<0.5	<0.5	<1.0	<200	<500	<0.5	29	<0.5	<0.5	3.74	
	01/28/02	6.20	<0.5	<0.5	<1.0	<200	<250	2.8	50	<0.5	<0.5	6.00	
	04/29/02	1.64	<0.5	<0.5	<1.0	<200	<250	3.7	44	<0.5	<0.5	4.81	
	10/22/02	25.0	<0.5	<0.5	<1.0	750	<250	2.0	59	<0.5	<0.5	<0.5	
	11/15/02	13.4	<0.5	1.29	<1.0	610	<250	1.3	54	<0.5	<0.5	<0.5	Chloromethane detected at 1.0 µg/L
	05/06/03	3.1	<0.5	<0.5	<1.0	390	<250	0.8	70	<0.5	<0.5	9.29	Chloroethane detected at 0.8 µg/L
	10/14/03	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	38	<0.5	<0.5	6.44	
	04/27/04	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	9.29	
	MW-29	03/23/93	ND	ND	ND	ND	ND	ND	--	--	--	--	--
07/27/93		ND	ND	ND	ND	ND	ND	--	--	--	--	--	
11/05/93		ND	ND	2.1	11	ND	ND	--	--	--	--	--	
02/25/94		<1	<1	<1	<1	<100	<1,000	--	--	--	--	--	
06/03/94		<0.5	<0.5	<0.5	<0.5	<50	<20,000	--	--	--	--	--	
08/31/94		<0.3	<0.3	<0.3	<0.6	<500	<500	--	--	--	--	--	
12/22/94		<0.5	<0.5	<0.5	<0.5	<50	<50	--	--	--	--	--	Non-diesel peak reported.
03/13/95		0.59	<0.5	<0.5	<0.5	<50	<400	--	--	--	--	--	
06/09/95		<0.5	<0.5	<0.5	<0.5	<100	<50	--	--	--	--	--	
09/21/95		<0.5	<0.5	<0.5	<0.5	<50	<50	--	--	--	--	--	
12/12/95		<0.5	<0.5	<0.5	<1.0	<100	<50	--	--	--	--	--	
03/12/96		<0.5	<0.5	<0.5	<1.0	<100	<50	--	--	--	--	--	
06/21/96		--	--	--	--	--	--	--	--	--	--	--	
08/29/96		<0.5	<0.5	<0.5	<0.5	<50	<150	--	--	--	--	--	
01/16/97		6.6	8.9	0.6	9.3	120	<150	47	24	<0.5	<0.5	1.8	
07/07/97		<0.5	<0.5	<0.5	<0.5	<50	<150	52	21	<5.0	<5.0	1.2	
01/27/98		<0.5	<0.5	<0.5	<0.5	100	<150	--	--	--	--	8.0	
07/22/98		<0.5	<0.5	<0.5	<0.5	<50	<250	12	29	--	<1.0	7.8	
02/05/99		<0.5	<0.5	<0.5	<0.5	<50	<150	<0.5	68	<0.5	<0.5	8.5	
04/07/99		<0.5	<0.5	<0.5	<0.5	<50	<250	30	38	<0.5	<0.5	4.9	1,1-DCE detected, 1.4 µg/L.
07/23/99		<0.5	<0.5	<0.5	<0.5	<50	<200	44	33	<0.5	1.9	4.70	1,1-Dichloroethene detected at 2.3 µg/L; cis-1,2-Dichloroethene detected at 2.3 µg/L.
10/27/99		<0.5	<0.5	<0.5	<0.5	<100	<200	36	23	--	<0.5	--	
02/08/00		<0.5	<0.5	<0.5	<0.5	<50	<250	87	25	<0.5	<0.5	18.0	1,1-Dichloroethene detected at 9.6 µg/L.
04/26/00		<0.5	<0.5	<0.5	<0.5	<100	<250	61	38	<0.5	<0.5	12	1,1-Dichloroethene detected at 5.2 µg/L.
08/16/00		<0.5	<0.5	<0.5	<0.5	<50	--	49	21	<0.5	<0.5	17	1,1-Dichloroethene detected at 6.0 µg/L.
10/23/00		<0.5	<0.5	<0.5	<0.5	<50	<250	94	40	<0.5	<0.5	34	1,1-Dichloroethene detected at 14 µg/L.
01/31/01		<0.5	<0.5	<0.5	<0.5	60	<250	100	35	<0.5	<0.5	26	1,1-Dichloroethene detected at 13 µg/L.
04/26/01		<0.5	<0.5	<0.5	<0.5	<200	270	87	38	<0.5	<0.5	39.1	1,1-Dichloroethene detected at 12 µg/L.
07/30/01	1.25	1.28	1.1	5.99	220	<250	120	42	<0.5	<0.5	42.3	1,1-Dichloroethene detected at 13 µg/L.	
10/29/01	<0.5	<0.5	<0.5	<1.0	<200	<500	120	34	<0.5	<0.5	28.0	1,1-Dichloroethene detected at 14 µg/L.	
01/28/02	<0.5	<0.5	<0.5	<1.0	<200	<250	120	44	<0.5	<0.5	28.9	1,1-Dichloroethene detected at 26 µg/L.	
04/29/02	4.95	<0.5	<0.5	<1.0	<200	<250	130	29	<0.5	<0.5	20.9	1,1-Dichloroethene detected at 23 µg/L.	
10/22/02	<0.5	<0.5	<0.5	<1.0	<200	<250	140	26	<0.5	<0.5	18.1	1,1-Dichloroethene detected at 19 µg/L.	
11/15/02	<0.5	<0.5	<0.5	<1.0	<200	<250	120	26	<0.5	<0.5	13.9	1,1-dichloroethene detected at 15 µg/L.	
05/06/03	<0.5	<0.5	<0.5	<1.0	<200	<250	140	31	<0.5	<0.5	13.1	1,1-Dichloroethene detected at 24 µg/L.	
10/14/03	<0.5	<0.5	<0.5	<1.0	<200	<250	110	22	<0.5	<0.5	11.9	Chloromethane detected at 0.9 µg/L.	
04/27/04	<0.5	<0.5	<0.5	<1.0	<200	<250	160	28	<0.5	<0.5	15.3	1,1-Dichloroethene detected at 31 µg/L.	
MW-30	03/23/93	ND	ND	ND	ND	ND	ND	--	--	--	--	--	
	07/27/93	ND	ND	ND	ND	ND	ND	--	--	--	--	--	
	11/05/93	ND	ND	ND	2.8	ND	ND	--	--	--	--	--	
	02/25/94	1.3	<1	<1	<1	<100	<1,000	--	--	--	--	--	
	06/03/94	1.1	<0.5	<0.5	<0.5	<50	<20,000	--	--	--	--	--	
	08/31/94	0.8	<0.3	<0.3	<0.6	<500	<500	--	--	--	--	--	
	12/22/94	0.6	<0.5	<0.5	<0.5	<50	<50	--	--	--	--	--	Non-diesel peak reported.
	03/13/95	0.98	<0.5	<0.5	<0.5	<50	<400	--	--	--	--	--	
	06/09/95	<0.5	<0.5	<0.5	<0.5	<100	<50	--	--	--	--	--	
	09/21/95	<0.5	<0.5	<0.5	<0.5	<50	<50	--	--	--	--	--	
	12/12/95	<0.5	<0.5	<0.5	<1.0	<100	<50	--	--	--	--	--	
	03/12/96	<0.5	<0.5	<0.5	<0.5	<100	<50	--	--	--	--	--	
	06/21/96	--	--	--	--	--	--	--	--	--	--	--	
	08/29/96	<0.5	<0.5	<0.5	<0.5	<50	<150	--	--	--	--	--	
	01/16/97	<0.5	<0.5	<0.5	0.6	80	<150	<0.5	<0.5	<0.5	0.9	--	
	07/07/97	<0.5	<0.5	<0.5	<0.5	<50	<150	--	--	--	--	<0.5	
	01/27/98	5.4	<0.5	<0.5	<0.5	100	--	--	--	--	--	<0.5	
	07/22/98	<0.5	<0.5	<0.5	<0.5	<50	--	--	--	--	--	<0.5	
	04/07/99	<0.5	<0.5	<0.5	<0.5	<50	<250	--	--	--	--	<0.5	
	07/22/99	<0.5	<0.5	<0.5	<0.5	<50	--	<0.5	<0.5	<0.5	<0.5	<0.5	
	10/28/99	<0.5	<0.5	<0.5	<0.5	<100	<200	<0.5	<0.5	--	<0.5	--	
02/08/00	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
04/27/00	<0.5	<0.5	<0.5	<0.5	<100	250	<0.5	<0.5	<0.5	<0.5	<0.5		

Table 2
Concentrations of Organic Compounds in Groundwater Samples
Former Nestle Oakland Facility
Oakland, California, 1993-2004

Well Number	Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl-Benzene µg/L	Xylenes µg/L	TPH-G µg/L	TPH-D µg/L	1,1-DCA µg/L	1,2-DCA µg/L	1,1,1-TCA µg/L	TCE µg/L	MTBE µg/L	Notes	
MW-30 (cont.)	08/04/00	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	10/24/00	5.4	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	01/31/01	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	04/27/01	<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	07/30/01	<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	10/29/01	<0.5	<0.5	<0.5	<1.0	<200	<500	<0.5	<0.5	<0.5	<0.5	<0.5	Chloroethane detected at 1.3 µg/L.	
	01/29/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	04/30/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	10/22/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	05/06/03	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	10/14/03	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	04/27/04	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	MW-32	03/23/93	391	6.2	3.1	9	440	ND	ND	60	ND	ND	--	
07/27/93		ND	ND	ND	ND	ND	ND	ND	14	ND	ND	--		
11/05/93		20	ND	1.8	2.1	170	ND	ND	7.9	ND	ND	--		
02/25/94		5.6	<1	<1	<1	<100	<1,000	<1	<1	<1	<1	--		
06/03/94		120	1.3	<0.5	1.4	350	<20,000	<0.5	11	<0.5	<0.5	--		
08/31/94		39	0.5	2.2	1.2	<500	<500	<4.0	10	<4.0	<4.0	--		
12/22/94		4.8	<0.5	<0.5	<0.5	<50	<50	<2.0	4.6	<2.0	<2.0	--	Non-diesel peak reported.	
03/13/95		220	3.6	6.5	5.8	1,100	<400	<0.5	16	<0.5	<0.5	--		
06/09/95		1,500	7.9	43	14	2,200	180	0.7	<0.5	0.5	<0.5	--		
09/21/95		1,200	2.4	72	4.5	2,300	60	<0.5	6.7	<0.5	1.4	--		
12/12/95		230	<0.5	8.9	<1.0	500	<50	<0.5	28	<0.5	<0.5	--		
03/12/96		40	<0.5	1.7	<0.5	110	<50	<0.5	6.8	<0.5	<0.5	--		
06/21/96		--	--	--	--	--	--	--	--	--	--	--		
08/29/96		150	<0.5	49	<0.5	700	<150	<0.5	27	<0.5	<0.5	--		
01/16/97		14	<0.5	1.9	<0.5	150	<150	<0.5	10	<0.5	0.7	--	cis-1,2-DCE detected, 0.8 µg/L	
07/07/97		370	11	110	21	1,600	190	--	--	--	--	--	11	values of benzene & ethylbenzene are estimated
01/27/98		13	<0.5	1.0	<0.5	300	--	<0.5	7.5	<0.5	<0.5	2.5	--	
07/22/98		700	55	88	66	2,300	--	--	--	--	--	14	--	
07/22/99		59.0	0.80	1.80	<0.5	900	220	<0.5	5.9	<0.5	<0.5	8.70	--	
10/28/99		95	2.5	2.1	1.6	500	<200	<0.5	12	--	<0.5	--	--	
02/10/00		7.0	<0.5	<0.5	<0.5	120	<250	<0.5	4.3	<0.5	<0.5	1.10	--	
04/27/00		240	7.0	12	18.8	800	<250	<0.5	9.8	<0.5	<0.5	<0.5	--	
08/03/00		620	3.0	14	4.1	1,300	<250	<0.5	3.0	<0.5	<0.5	<0.5	--	
10/23/00		430	4.30	5.50	8.80	1,200	260	<0.5	7.8	<0.5	<0.5	<0.5	--	
01/31/01		42	1.5	0.90	2.8	280	<250	<0.5	5.7	<0.5	<0.5	3.6	--	
04/26/01	268	13.0	22.1	22.0	780	<250	<0.5	6.3	<0.5	<0.5	<0.5	--		
07/30/01	29.4	<0.5	0.52	0.51	320	<250	<0.5	6.6	<0.5	<0.5	<0.5	--		
10/29/01	16.1	2.01	1.14	3.96	<200	<500	<0.5	5.4	<0.5	<0.5	<0.5	--		
01/29/02	12.0	<0.5	0.70	<1.0	<200	<250	<0.5	4.9	<0.5	2.0	<0.5	--	cis 1,2-Dichloroethene detected at 1.3 µg/L.	
04/29/02	188	5.52	9.70	13.0	680	<250	<0.5	6.0	<0.5	<0.5	<0.5	--		
10/22/02	4.84	<0.5	<0.5	<1.0	<200	<250	<0.5	4.8	<0.5	<0.5	<0.5	--		
05/06/03	20.72	0.76	0.86	2.08	<200	<250	<0.5	5.8	<0.5	<0.5	<0.5	--		
10/14/03	6.02	<0.5	<0.5	<1.0	<200	<250	<0.5	3.2	<0.5	<0.5	<0.5	--		
04/27/04	23.60	1.68	0.67	3.91	<200	<250	<0.5	3.0	<0.5	<0.5	<0.5	--		
MW-33	04/07/99	0.60	<0.5	0.90	<0.5	<50	<250	--	--	--	--	<0.5		
	07/22/99	8.90	<0.5	1.00	<0.5	<50	<200	0.6	0.7	<0.5	<0.5	<0.5		
	10/28/99	40	0.9	2.1	3.8	200	<200	0.8	1.3	--	<0.5	--		
	02/10/00	20	0.7	12	10.0	380	<250	0.9	0.6	<0.5	<0.5	1.30		
	04/27/00	6.9	<0.5	6.4	<0.5	<100	250	4.3	0.9	<0.5	<0.5	<0.5		
	08/03/00	31	0.5	20	1.0	150	550	<0.5	0.6	<0.5	<0.5	<0.5		
	10/23/00	89	1.5	36	3.9	350	<250	<0.5	2.1	<0.5	<0.5	<0.5		
	01/31/01	6.8	<0.5	2.0	<0.5	<50	<250	1.9	0.6	<0.5	<0.5	0.7		
	04/26/01	6.61	0.56	1.63	0.61	<200	<250	2.6	<0.5	<0.5	<0.5	<0.5		
	07/30/01	4.43	2.61	1.34	6.6	<200	<250	2.2	0.5	<0.5	<0.5	<0.5	Dichlorodifluoromethane detected at 0.6 µg/L.	
10/29/01	14.2	<0.5	0.63	<1.0	<200	<500	1.3	0.7	<0.5	<0.5	<0.5			
01/28/02	<0.5	<0.5	<0.5	<1.0	<200	<250	1.1	0.5	<0.5	3.8	<0.5			
04/29/02	14.6	<0.5	1.41	<1.0	<200	<250	0.8	0.9	<0.5	<0.5	<0.5			
MW-100	07/06/01	<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	07/30/01	<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	Chloromethane detected at 1.8 µg/L.	
	10/30/01	<0.5	<0.5	<0.5	<1.0	<200	<500	<0.5	<0.5	<0.5	<0.5	<0.5		
	01/28/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	04/29/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
10/22/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5			
MW-100 (cont.)	05/06/03	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	10/14/03	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	04/27/04	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
MW-7	02/03/99	<0.5	<0.5	<0.5	<0.5	<50	430	--	--	--	--	<0.5		
PR-26	07/26/99	20,000	15,000	1,100	7,250	82,500	11,000	--	--	--	--	33.0		
	10/26/99	28,000	25,000	2,300	8,400	110,000	60,000	<0.5	24	--	<0.5	--		

Table 2
Concentrations of Organic Compounds in Groundwater Samples
Former Nestle Oakland Facility
Oakland, California, 1993-2004

Well Number	Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl-Benzene µg/L	Xylenes µg/L	TPH-G µg/L	TPH-D µg/L	1,1-DCA µg/L	1,2-DCA µg/L	1,1,1-TCA µg/L	TCE µg/L	MTBE µg/L	Notes	
PR-45	07/26/99	13,200	8,200	2,600	15,600	82,500	39,000	--	--	--	--	35.0		
	10/28/99	12,000	8,200	1,700	8,500	45,000	25,000	<0.5	<0.5	--	<0.5	--		
	02/09/00	24,000	25,000	10,000	53,000	360,000	82,000	<0.5	4.0	<0.5	<0.5	1,000		
	04/27/00	17,000	9,500	16,000	92,000	1,300,000	20,300	<5.0	<5.0	<5.0	<5.0	<5.0		
	08/04/00	20,000	8,800	2,600	16,000	73,000	54,500	<0.5	1.0	<0.5	<0.5	<0.5		
	10/23/00	26,000	12,000	4,000	20,000	96,000	36,000	<0.5	1.2	<0.5	<0.5	<5.0	Chloroethane detected at 6.0 µg/L.	
	04/27/01	16,200	8,600	3,220	19,000	178,000	22,700	<0.5	14	<0.5	<0.5	<25	Chloroethane detected at 4.6 µg/L.	
	07/30/01	14,500	8,900	4,400	24,700	132,000	29,700	<0.5	11	<0.5	<0.5	<25	Chloromethane detected at 0.6 µg/L; Chloroethane detected at 11 µg/L.	
	10/29/01	12,600	6,650	2,260	12,400	86,100	50,000	<0.5	7.8	<0.5	<0.5	<25	Methylene chloride detected at 0.5 µg/L.	
	01/29/02	8,930	4,860	2,640	12,700	114,000	19,400	<0.5	30	<0.5	<0.5	<0.5	Chloroethane detected at 6.0 µg/L.	
05/16/02	14,300	2,630	1,580	7,780	125,000	15,600	<0.5	1.0	<0.5	<0.5	<0.5	Chloroethane detected at 7.5 µg/L. Chloroethane detected at 7.3 µg/L.		
PR-52	07/26/99	12,000	1,720	750	12,400	172,000	40,000	<0.5	1.8	<0.5	<0.5	217	Methylene chloride detected at 7.9 µg/L.	
	10/28/99	19,000	530	1,800	5,800	40,000	450,000	<0.5	<0.5	--	<0.5	--		
	02/09/00	22,000	1,600	4,100	15,800	200,000	140,000	<0.5	1.3	<0.5	<0.5	430		
	04/28/00	20,000	2,200	4,700	18,600	270,000	88,000	<1.0	<1.0	<1.0	<1.0	<5.0		
	08/04/00	26,000	1,600	2,900	15,000	150,000	110,000	<0.5	2.3	<0.5	<0.5	<0.5		
	10/24/00	52,000	13,000	41,000	180,000	650,000	280,000	<5.0	<5.0	<5.0	<5.0	<5.0		
	01/31/01	81,000	840	57,000	210,000	5,300,000	276,000	<0.5	1.0	<0.5	<0.5	<0.5	500	
	04/27/01	25,000	16,300	14,700	55,000	886,000	134,000	<0.5	<0.5	<0.5	<0.5	1,040	Chloroethane detected at 2.4 µg/L;	
	07/30/01	31,100	2,480	13,500	51,700	340,000	185,000	<0.5	1.3	<0.5	<0.5	2,510	Methylene chloride detected at 0.6 µg/L	
	10/29/01	22,700	1,630	3,070	11,500	126,000	140,000	<0.5	0.9	<0.5	<0.5	<50	Chloroethane detected at 1.5 µg/L. Chloromethane detected at 13 µg/L; Chloroethane detected at 46 µg/L; Methylene chloride detected at 0.6 µg/L.	
01/29/02	21,500	1,840	4,540	16,800	517,000	272,000	<0.5	<0.5	<0.5	<0.5	44.1	Chloromethane detected at 0.6 µg/L; Chloroethane detected at 4.0 µg/L.		
05/16/02	31,600	53,600	43,800	216,000	2,020,000	75,000	<5.0	<5.0	<5.0	<5.0	63.5	Methylene chloride detected at 0.7 µg/L. Chloroethane detected at 1.5 µg/L. Chloroethane detected at 8.3 µg/L.		
PR-53	07/26/99	31,000	12,000	1,900	8,800	110,000	98,000	<0.5	43	<0.5	<0.5	43.0	Methylene chloride detected at 6.2 µg/L.	
	10/27/99	17,000	3,900	890	3,320	54,000	16,000	<0.5	18	--	<0.5	--		
	02/09/00	21,000	5,000	1,200	5,300	65,000	9,400	0.6	20	<0.5	<0.5	67.0	Methylene chloride detected at 0.8 µg/L.	
	04/28/00	34,000	30,000	9,300	51,000	730,000	104,000	<1.0	<1.0	<1.0	<1.0	340		
	08/04/00	35,000	17,000	3,800	24,000	180,000	69,500	<0.5	1.7	<0.5	<0.5	110		
	10/24/00	99,000	110,000	80,000	640,000	580,000	380,000	<5.0	5.0	<5.0	<5.0	380		
	01/31/01	66,000	15,000	28,000	140,000	2,400,000	960,000	<0.5	1.5	<0.5	<0.5	660		
	04/27/01	55,500	10,000	23,700	137,000	4,240,000	806,000	<0.5	<0.5	<0.5	<0.5	<5,000	Chloroethane detected at 1.7 µg/L.	
	10/29/01	46,500	9,520	12,900	74,000	1,630,000	130,000	<0.5	0.8	<0.5	<0.5	<500	Methylene chloride detected at 1.1 µg/L.	
	01/29/02	33,000	7,340	10,300	41,800	495,000	462,000	<0.5	1.8	<0.5	<0.5	122	Chloroethane detected at 3.0 µg/L;	
05/16/02	35,800	10,500	18,700	130,000	3,280,000	113,000	<5.0	<5.0	<5.0	<5.0	242	Methylene chloride detected at 0.9 µg/L. Chloroethane detected at 3.2 µg/L.		
PR-54	07/26/99	32,000	22,000	1,500	21,800	170,000	28,000	<0.5	3.0	<0.5	<0.5	56.0	Methylene chloride detected at 2.5 µg/L.	
	10/26/99	27,000	10,000	3,700	19,500	190,000	350,000	<0.5	<0.5	--	<0.5	--		
	02/09/00	27,000	23,000	9,900	50,000	960,000	110,000	<0.5	3.9	<0.5	<0.5	1,000		
	04/28/00	24,000	14,000	1,200	9,000	76,000	80,000	<1.0	1.6	<1.0	<1.0	300		
	08/04/00	27,000	7,600	1,400	11,000	120,000	54,500	<0.5	2.0	<0.5	<0.5	200		
	10/24/00	23,000	4,400	2,000	13,000	140,000	96,000	<0.5	2.3	<0.5	<0.5	<100	Chloroethane detected at 5.3 µg/L.	
	01/31/01	30,000	8,300	3,300	21,000	220,000	236,000	<0.5	2.6	<0.5	<0.5	480	Methylene chloride detected at 2.3 µg/L.	
	04/27/01	26,100	8,650	2,120	15,900	51,300	108,000	<0.5	<0.5	<0.5	<0.5	<500	Chloroethane detected at 2.8 µg/L.	
	07/30/01	31,700	18,000	9,880	58,400	320,000	71,200	<0.5	3.9	<0.5	<0.5	2,750	Methylene chloride detected at 1.7 µg/L.	
	10/30/01	25,400	11,300	3,500	18,800	222,000	530,000	<0.5	1.2	<0.5	<0.5	276	Chloroethane detected at 3.0 µg/L. Chloromethane detected at 2.2 µg/L; Chloroethane detected at 22 µg/L;	
01/29/02	13,300	9,850	4,240	33,100	108,000	48,000	<0.5	7.5	<0.5	<0.5	51.3	Methylene chloride detected at 2.6 µg/L.		
05/16/02	27,900	34,500	5,630	36,400	324,000	172,000	<5.0	43	<5.0	<5.0	251	Chloroethane detected at 7.4 µg/L; Methylene chloride detected at 2.0 µg/L. Chloroethane detected at 6.2 µg/L.		
PR-64	07/26/99	22,000	18,000	1,700	10,300	110,000	--	<0.5	130	<0.5	<0.5	35.0	Methylene chloride detected at 1.4 µg/L.	
	10/27/99	11,000	7,400	1,200	3,900	66,000	50,000	<0.5	110	--	<0.5	--		
	02/09/00	22,000	20,000	6,000	17,000	120,000	40,000	<0.5	>50	<0.5	<0.5	110		
	04/28/00	19,000	16,000	1,800	13,900	130,000	78,000	<1.0	67	<1.0	<1.0	300		
	05/16/02	18,300	40,100	10,400	104,000	30,600,000	419,000	<5.0	<5.0	<5.0	<5.0	<500		
PR-65	07/26/99	12,000	1,400	1,300	13,000	68,000	16,500	<0.5	2.6	<0.5	<0.5	20.0		
	10/26/99	14,000	2,300	1,800	11,000	65,000	50,000	<0.5	<0.5	--	<0.5	--		
PR-68	07/26/99	1,900	24.0	27.0	62.0	4,900	11,000	<0.5	1.2	<0.5	<0.5	4.40		
	10/26/99	2,800	36	86	62	8,000	2,800	<0.5	<0.5	--	<0.5	--		

Table 2
Concentrations of Organic Compounds in Groundwater Samples
Former Nestle Oakland Facility
Oakland, California, 1993-2004

Well Number	Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl-Benzene µg/L	Xylenes µg/L	TPH-G µg/L	TPH-D µg/L	1,1-DCA µg/L	1,2-DCA µg/L	1,1,1-TCA µg/L	TCE µg/L	MTBE µg/L	Notes	
PR-76	04/07/99	<0.5	<0.5	<0.5	<0.5	<50	<250	--	--	--	--	<0.5		
	10/22/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	05/06/03	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	10/14/03	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	04/27/04	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
V-24	04/07/99	<0.5	<0.5	<0.5	<0.5	120	<250	--	--	--	--	0.5		
V-31	07/26/99	7,000	600	550	1,370	17,500	5,350	--	--	--	--	19.0		
	10/26/99	7,000	120	850	950	18,000	3,000	<0.5	<0.5	<0.5	<0.5	--		
V-46	02/05/99	<0.5	<0.5	<0.5	<0.5	<50	270	<0.5	<0.5	<0.5	<0.5	<0.5		
V-55	07/22/99	8,000	480	740	2,880	30,000	2,100	<0.5	<0.5	<0.5	<0.5	13.0		
	10/28/99	11,000	59	1,200	317	28,000	38,000	<0.5	<0.5	--	<0.5	--		
	02/09/00	2,200	59	760	350	7,900	10,000	<0.5	<0.5	<0.5	<0.5	9.70		
	04/28/00	2,900	510	440	2,340	14,000	26,500	<5.0	<5.0	<5.0	<5.0	<5.0		
	08/03/00	9,400	380	720	2,200	28,000	70,000	<0.5	<0.5	<0.5	<0.5	<0.5		
	10/23/00	11,000	140	900	1,300	30,000	51,000	<0.5	<0.5	<0.5	<0.5	<12		
	01/31/01	4,600	57	550	1,200	34,000	88,500	<0.5	<0.5	<0.5	<0.5	44		
	04/26/01	6,400	61.5	250	336	34,200	227,000	<0.5	<0.5	<0.5	<0.5	<25		
	10/30/01	5,360	70.0	1,090	1,450	32,700	78,000	<0.5	<0.5	<0.5	<0.5	<25		
	01/29/02	1,660	140	492	818	12,000	4,100	<0.5	<0.5	<0.5	<0.5	<0.5		
	04/29/02	5,170	95.1	572	523	30,600	35,100	<0.5	<0.5	<0.5	<0.5	1.06		
	V-72	07/26/99	13,500	6.80	1.10	3.90	3,900	12,900	<0.5	11	<0.5	<0.5	<0.5	
		10/28/99	2,900	58	21	47.7	6,000	48,000	<0.5	3.4	--	<0.5	--	
02/09/00		670	8.2	<0.5	17.8	890	6,100	<0.5	3.0	<0.5	<0.5	<0.5		
04/28/00		130	<0.5	<0.5	<0.5	200	5,950	<0.5	0.7	<0.5	<0.5	<0.5		
08/04/00		460	0.8	<0.5	0.6	440	4,120	<0.5	2.8	<0.5	<0.5	<0.5		
10/24/00		2,700	3.2	0.5	2.3	3,500	17,000	<0.5	4.0	<0.5	<0.5	<0.5		
04/27/01		1,240	2.05	<0.5	2.78	1,310	6,290	<0.5	5.1	<0.5	<0.5	<0.5	Dichlorodifluoromethane detected at 0.8 µg/L.	
07/30/01		1,790	69.8	1.22	2.50	1,490	4,290	<0.5	6.2	<0.5	<0.5	<0.5	Chloromethane detected at 1.5 µg/L.	
10/29/01		1,330	4.38	0.55	3.32	1,960	--	<0.5	5.6	<0.5	<0.5	<0.5	Chloromethane detected at 1.1 µg/L.	
01/29/02		655	6.40	<0.5	8.00	1,840	2,250	<0.5	3.9	<0.5	<0.5	<0.5	Chloromethane detected at 1.8 µg/L.	
05/16/02		43.8	1.09	<0.5	4.36	230	5,120	<0.5	<0.5	<0.5	<0.5	<0.5	Chloromethane detected at 1.8 µg/L.	
V-84		07/26/99	2,400	440	80.0	340	8,700	2,350	<0.5	2.4	<0.5	<0.5	6.40	
		10/26/99	1,100	130	46	108	4,000	700	<0.5	<0.5	--	<0.5	--	
	02/09/00	300	30	8.9	53	2,300	1,100	<0.5	1.2	<0.5	<0.5	<0.5		
	04/28/00	30	1.9	<0.5	<0.5	100	550	<5.0	<5.0	<5.0	<5.0	<0.5		
	08/04/00	900	110	34	120	2,700	1,380	<0.5	1.0	<0.5	<0.5	<0.5		
	10/24/00	2,000	480	24	110	48,000	1,900	<0.5	1.0	<0.5	<0.5	<0.5		
	01/31/01	68	1.3	5.3	8.2	970	1,820	<0.5	<0.5	<0.5	<0.5	<0.5		
	04/26/01	925	97.0	45.4	59.7	2,360	1,180	<0.5	0.8	<0.5	<0.5	<0.5		
	07/30/01	1,720	282	50	359	8,100	7,040	<0.5	1.5	<0.5	<0.5	<0.5		
	10/30/01	870	250	27.6	167	8,960	--	<0.5	1.0	<0.5	<0.5	<0.5		
	01/29/02	197	4.90	1.70	3.60	640	500	<0.5	<0.5	<0.5	<0.5	<0.5		
	04/29/02	318	34.4	15.4	18.4	1,070	400	<0.5	<0.5	<0.5	<0.5	<0.5		
	29 (CC-1)	07/23/99	<0.5	<0.5	<0.5	<0.5	<50	<200	<0.5	<0.5	<0.5	<0.5	<0.5	
10/28/99		<0.5	<0.5	<0.5	<0.5	<100	<200	<0.5	<0.5	--	<0.5	--		
02/08/00		<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
04/26/00		<0.5	<0.5	<0.5	<0.5	<100	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
08/03/00		1.4	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
10/23/00		<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
01/31/01		<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
04/26/01		<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
07/30/01		<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
10/30/01		1.12	0.56	<0.5	<0.5	<200	<500	<0.5	<0.5	<0.5	<0.5	<0.5		
01/28/02		<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
04/29/02		<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
10/22/02		1.38	14.6	2.44	16.4	220	<250	<0.5	<0.5	<0.5	<0.5	92.0	Chloromethane detected at 1.3 µg/L.	
11/15/02	<0.50	<0.50	<0.50	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	Chloroform detected at 4.7 µg/L.		
05/06/03	<0.50	<0.50	<0.50	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	Chloroform detected at 2.6 µg/L.		
10/14/03	<0.50	<0.50	<0.50	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	Chloroform detected at 0.7 µg/L.		
04/27/04	<0.50	<0.50	<0.50	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5			
30 (CC-2)	07/22/99	0.90	<0.5	<0.5	<0.5	<50	<200	<0.5	<0.5	<0.5	<0.5	<0.5		
	10/28/99	<0.5	<0.5	<0.5	<0.5	<100	<200	<0.5	<0.5	--	<0.5	--		
	02/08/00	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	04/26/00	<0.5	<0.5	<0.5	<0.5	<100	<250	<0.5	0.7	<0.5	<0.5	<0.5		
	08/03/00	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	10/23/00	<0.5	<0.5	<0.5	<0.5	<50	340	<0.5	0.9	<0.5	<0.5	<2.5		
	01/31/01	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	04/26/01	<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
	07/30/01	<0.5	1.43	<0.5	1.63	<200	<250	<0.5	1.6	<0.5	<0.5	<0.5	Dichlorodifluoromethane detected at 2.8 µg/L.	

Table 2
Concentrations of Organic Compounds in Groundwater Samples
Former Nestle Oakland Facility
Oakland, California, 1993-2004

Well Number	Date Sampled	Benzene µg/L	Toluene µg/L	Ethyl-Benzene µg/L	Xylenes µg/L	TPH-G µg/L	TPH-D µg/L	1,1-DCA µg/L	1,2-DCA µg/L	1,1,1-TCA µg/L	TCE µg/L	MTBE µg/L	Notes
30 (CC-2) (cont.)	10/29/01	<0.5	<0.5	<1.0	<0.5	<200	<500	<0.5	<0.5	<0.5	<0.5	<0.5	
	01/28/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	1.9	<0.5	<0.5	<0.5	Dichlorodifluoromethane detected at 3.8 µg/L
	04/29/02	<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	2.5	<0.5	<0.5	0.86	Dichlorodifluoromethane detected at 3.6 µg/L
	10/10/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	Chloroform detected at 0.6 µg/L
	11/15/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	Chloroform detected at 0.5 µg/L
	05/06/03	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	
81	02/05/99	<0.5	<0.5	<0.5	<0.5	<50	<150	<0.5	<0.5	<0.5	<0.5	<0.5	
	07/22/99	0.70	<0.5	<0.5	<0.5	<50	<200	<0.5	<0.5	<0.5	<0.5	<0.5	
94	02/05/99	<0.5	<0.5	<0.5	<0.5	<50	170	--	--	--	--	<0.5	
	07/22/99	<0.5	<0.5	<0.5	<0.5	<50	<200	<0.5	<0.5	<0.5	<0.5	<0.5	
210	02/05/99	<0.5	<0.5	<0.5	<0.5	<50	960	--	--	--	--	<0.5	
223	10/26/99	<0.5	<0.5	<0.5	<0.5	<100	<200	<0.5	<0.5	--	<0.5	--	
	02/10/00	<0.5	<0.5	<0.5	<0.5	<50	640	<0.5	<0.5	<0.5	<0.5	<0.5	
	04/27/00	<0.5	<0.5	<0.5	<0.5	<100	250	<0.5	<0.5	<0.5	<0.5	<0.5	
	08/03/00	<0.5	<0.5	<0.5	<0.5	<50	680	<0.5	<0.5	<0.5	<0.5	<0.5	
	10/23/00	1.30	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5	Chlorobenzene detected at 0.9 µg/L.
	01/31/01	<0.5	<0.5	<0.5	<0.5	<50	<250	<0.5	<0.5	<0.5	<0.5	<0.5	
	04/26/01	<0.5	<0.5	<0.5	<0.5	<200	390	<0.5	<0.5	<0.5	<0.5	<0.5	1,2-Dichlorobenzene detected at 0.5 µg/L.
	07/30/01	<0.5	<0.5	<0.5	<0.5	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	Dichlorodifluoromethane detected at 0.5 µg/L.
	10/30/01	<0.5	<0.5	<0.5	<1.0	<200	<500	<0.5	<0.5	<0.5	<0.5	<0.5	Chloromethane detected at 0.8 µg/L.
	01/29/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5	
04/29/02	<0.5	<0.5	<0.5	<1.0	<200	<250	<0.5	<0.5	<0.5	<0.5	<0.5		
224	07/26/99	<0.5	<0.5	<0.5	<0.5	<50	640	<0.5	<0.5	<0.5	<0.5	<0.5	
239	07/26/99	55,000	85.0	1,500	190	30,000	--	<0.5	<0.5	<0.5	<0.5	5.30	
	10/26/99	23,000	53	1,500	103.2	28,000	10,000	<0.5	<0.5	--	<0.5	--	
	02/10/00	40,000	48	1,900	52	44,000	21,000	<0.5	1.0	<0.5	<0.5	14.0	
	04/28/00	25,000	540	2,000	710	36,000	12,500	<5.0	<5.0	<5.0	<5.0	<5.0	
	08/04/00	25,000	220	1,900	920	45,000	32,500	<0.5	0.6	<0.5	<0.5	<0.5	
	10/24/00	24,000	100	1,500	390	50,000	50,000	<0.5	<0.5	<0.5	<0.5	<5.0	
	01/31/01	23,000	84	1,900	200	52,000	112,000	<0.5	0.9	<0.5	<0.5	<0.5	
	04/26/01	23,900	113	1,990	590	298,000	143,000	<0.5	<0.5	<0.5	<0.5	<25	
	07/30/01	30,200	384	2,000	966	66,500	19,100	<0.5	<0.5	<0.5	<0.5	<0.5	
	10/30/01	41,200	273	1,470	215	54,300	120,000	<0.5	<0.5	<0.5	<0.5	<50	
	01/28/02	24,500	228	1,670	352	112,000	6,900	<0.5	<0.5	<0.5	<0.5	<0.5	Chloroethane detected at 0.6 µg/L.
04/29/02	25,900	280	1,380	491	71,600	9,400	<0.5	<0.5	<0.5	<0.5	<0.5		
241	04/07/99	<0.5	<0.5	<0.5	<0.5	<50	<250	--	--	--	--	<0.5	
249	07/22/99	<0.5	<0.5	<0.5	<0.5	<50	<200	<0.5	<0.5	<0.5	<0.5	<0.5	

Notes:

Not detected.
 Not analyzed or not sampled.
 Micrograms per liter.
 Total Petroleum Hydrocarbons as gasoline.
 Total Petroleum Hydrocarbons as diesel.
 1,1-Dichloroethane.
 1,2-Dichloroethane.
 1,1-Dichloroethene.
 1,1,1-Trichloroethane.
 cis 1,2-Dichloroethylene
 Trichloroethene.
 Methyl tertiary butyl ether.

1)10/22/02 Data was confirmed anomalous by resampling on 11/15/02.

APPENDICES

Appendix A: ECM's Monitoring Well Data Form

Appendix B: Nestlé Laboratory Analytical Reports and Chain-of-Custody
Documentation

WELL MONITORING DATA SHEET

Nestle OAK		Chris McCormack		Start Date: 4/27/2004		WELL CC-1	
TD	12.25'	Dia.	2"	Vault Condition: Loose		Calculated Purge Volume (3 csg volume) Gallons: 3.6	
DTW:	4.99'	DTP:	N/A	Product Thickness: N/A			
Post Purge DTW: 5.61'		Did Well Dewater? YES		Gallons actually removed:		2	
Time	Gallons	Temp	Conductivity (mS or μ S)	pH	ORP	Observations	
12:00	1	22.5	199	7.2	+187	Brown, turbid, no odor	
12:01	2, dry	22.4	277	7.1	+144	dry @ 2	
18:58	SAMPLE	20.4	209	7.1	+210	Brown, turbid, no odor	
Sampling time: 18:58		Sample Date: 4/27/04		Laboratory: NQAC (NQAL)			
Sample ID: CC-1		Analyzed for: TPH-D, TPH-G, BTEX, MTBE, 8021B					

COMMENTS:

Sampled dry.

Depths Referenced To: PVC TOC		PURGE METHOD: Peristaltic Pump	
Meters: Hanna Water Test, Solonist Interface Probe		SAMPLE METHOD: Disposable Bailer	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Duplicates or Blanks:

WELL MONITORING DATA SHEET

Nestle OAK		Chris McCormack		Start Date: 4/27/2004		WELL MW-25	
TD	19.62'	Dia.	4"	Vault Condition: OK		Calculated Purge Volume (3 csg volume) Gallons: 26.1	
DTW:	6.21'	DTP:	N/A	Product Thickness: N/A			
Post Purge DTW: 5.70'		Did Well Dewater? NO		Gallons actually removed:		30	
Time	Gallons	Temp	Conductivity (mS or µS)	pH	ORP	Observations	
12:34	6	20.2	737	7.0	+206	Clear, no odor	
12:36	12	19.8	697	6.5	+220	" "	
12:38	18	19.5	639	6.4	+222	" "	
12:40	24	19.6	668	6.5	+221	" "	
12:42	30	19.6	663	6.4	+223	" "	
17:06	SAMPLE	19.1	597	7.4	+195		
Sampling time: 17:06		Sample Date: 4/27/04		Laboratory: NQAC (NQAL)			
Sample ID: MW-25		Analyzed for: TPH-D, TPH-G, BTEX, MTBE, 8021B					

COMMENTS:

Depths Referenced To: PVC TOC		PURGE METHOD: Peristaltic Pump	
Meters: Hanna Water Test, Solonist Interface Probe		SAMPLE METHOD: Disposable Bailer	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Duplicates or Blanks:

WELL MONITORING DATA SHEET

Nestle OAK		Chris McCormack		Start Date: 4/27/2004		WELL MW-26	
TD	25.00'	Dia.	4"	Vault Condition: OK		Calculated Purge Volume (3 csg volume) Gallons: 36.9	
DTW:	6.06'	DTP:	N/A	Product Thickness: N/A			
Post Purge DTW: 6.70'		Did Well Dewater? NO		Gallons actually removed:		39	
Time	Gallons	Temp	Conductivity (mS or μ S)	pH	ORP	Observations	
12:55	9	20.7	602	7.1	+212	Clear, no odor	
12:58	18	20.2	674	6.5	+224	" "	
13:01	27	20.3	670	6.4	+221	" "	
13:04	36	20.0	690	6.4	+216	" "	
17:22	SAMPLE	20.2	652	7.2	+195	Clear, no odor	
Sampling time: 17:22		Sample Date: 4/27/04		Laboratory: NQAC (NQAL)			
Sample ID: MW-26		Analyzed for: TPH-D, TPH-G, BTEX, MTBE, 8021B					

COMMENTS:

Depths Referenced To: PVC TOC		PURGE METHOD: Peristaltic Pump	
Meters: Hanna Water Test, Solonist Interface Probe		SAMPLE METHOD: Disposable Bailer	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Duplicates or Blanks:

WELL MONITORING DATA SHEET

Nestle OAK		Chris McCormack		Start Date: 4/27/2004		WELL MW-27	
TD	23.60'	Dia.	4"	Vault Condition: OK		Calculated Purge Volume (3 csg volume) Gallons:	
DTW:	7.29'	DTP:	N/A	Product Thickness: N/A		31.8	
Post Purge DTW: 7.61'		Did Well Dewater? NO		Gallons actually removed:		33	
Time	Gallons	Temp	Conductivity (mS or μ S)	pH	ORP	Observations	
13:15	9	21.6	385	7.3	+206	Clear, no odor	
13:18	18	21.2	378	6.8	+214	" "	
13:21	27	21.1	388	6.7	+215	" "	
13:23	33	20.9	398	6.7	+215	" "	
						" "	
17:30	SAMPLE	21.6	393	7.6	+184	Clear, no odor	
Sampling time: 17:30		Sample Date: 4/27/04		Laboratory: NQAC (NQAL)			
Sample ID: MW-27		Analyzed for: TPH-D, TPH-G, BTEX, MTBE, 8021B					

COMMENTS:

Depths Referenced To: PVC TOC		PURGE METHOD: Peristaltic Pump	
Meters: Hanna Water Test, Solonist Interface Probe		SAMPLE METHOD: Disposable Bailor	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Duplicates or Blanks:

WELL MONITORING DATA SHEET

Nestle OAK		Chris McCormack		Start Date: 4/27/2004		WELL MW-28	
TD	25.18'	Dia.	4"	Vault Condition: OK		Calculated Purge Volume (3 csg volume) Gallons: 35.7	
DTW:	6.85'	DTP:	N/A	Product Thickness: N/A			
Post Purge DTW: 6.70'		Did Well Dewater? NO		Gallons actually removed:		36	
Time	Gallons	Temp	Conductivity (mS or μ S)	pH	ORP	Observations	
11:43	9	24.9	569	7.4	+149	Clear, no odor	
11:46	18	23.3	441	7.2	+161	" "	
11:49	27	22.6	481	6.4	+182	Brown turbid	
11:52	36	22.4	579	6.4	+184		
16:27	SAMPLE	23.5	602	7.0	+203	Clear, no odor	
Sampling time: 16:27		Sample Date: 4/27/04		Laboratory: NQAC (NQAL)			
Sample ID: MW-28		Analyzed for: TPH-D, TPH-G, BTEX, MTBE, 8021B					

COMMENTS:

Depths Referenced To: PVC TOC		PURGE METHOD: Peristaltic Pump	
Meters: Hanna Water Test, Solonist Interface Probe		SAMPLE METHOD: Disposable Bailer	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Duplicates or Blanks:

WELL MONITORING DATA SHEET

Nestle OAK		Chris McCormack	Start Date:	4/27/2004	WELL MW-29	
TD	23.05'	Dia.	4"	Vault Condition:	OK	Calculated Purge Volume (3 csg volume) Gallons: 33.3
DTW:	6.01'	DTP:	N/A	Product Thickness:	N/A	
Post Purge DTW:	6.02'	Did Well Dewater?	NO	Gallons actually removed:	36	
Time	Gallons	Temp	Conductivity (mS or μ S)	pH	ORP	Observations
12:12	9	24.5	598	7.1	+206	Clear, no odor
12:15	18	21.3	659	6.6	+213	" "
12:18	27	21.9	523	6.9	+204	" "
12:21	36	21.8	704	6.5	+211	" "
16:47	SAMPLE	21.6	653	6.7	+230	Clear, no odor
Sampling time:	16:47	Sample Date:	4/27/04	Laboratory:	NQAC (NQAL)	
Sample ID:	MW-29	Analyzed for:	TPH-D, TPH-G, BTEX, MTBE, 8021B			

COMMENTS:

Depths Referenced To:	PVC TOC	PURGE METHOD:	Peristaltic Pump
Meters:	Hanna Water Test, Solonist Interface Probe	SAMPLE METHOD:	Disposable Bailer

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Duplicates or Blanks:

WELL MONITORING DATA SHEET

Nestle OAK		Chris McCormack		Start Date: 4/27/2004		WELL MW-30	
TD	20.80'	Dia.	4"	Vault Condition: OK		Calculated Purge Volume (3 csg volume) Gallons: 25.2	
DTW:	7.87'	DTP:	N/A	Product Thickness: N/A			
Post Purge DTW: 7.90'		Did Well Dewater? NO		Gallons actually removed:		26	
Time	Gallons	Temp	Conductivity (mS or μ S)	pH	ORP	Observations	
15:00	8	20.4	366	7.4	+169	Clear, no odor	
15:04	16	19.4	377	6.5	+201	" "	
15:08	24	18.9	419	6.4	+212	" "	
15:10	26	18.2	430	6.4	+215	" "	
18:26	SAMPLE	17.1	415	6.7	-070	Clear, no odor	
Sampling time: 18:26		Sample Date: 4/27/04		Laboratory: NQAC (NQAL)			
Sample ID: MW-30		Analyzed for: TPH-D, TPH-G, BTEX, MTBE, 8021B					

COMMENTS:

Depths Referenced To: PVC TOC		PURGE METHOD: Peristaltic Pump	
Meters: Hanna Water Test, Solonist Interface Probe		SAMPLE METHOD: Disposable Bailer	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Duplicates or Blanks:

WELL MONITORING DATA SHEET

Nestle OAK		Chris McCormack		Start Date: 4/27/2004		WELL MW-32	
TD	25.00'	Dia.	4"	Vault Condition: OK		Calculated Purge Volume (3 csg volume) Gallons: 34.2	
DTW:	7.48/7.65	DTP:	N/A	Product Thickness: N/A			
Post Purge DTW: 7.68/7.85		Did Well Dewater? NO		Gallons actually removed:		36	
Time	Gallons	Temp	Conductivity (mS or μ S)	pH	ORP	Observations	
14:01	9	23.6	452	6.9	+216	Clear, no odor	
14:04	18	23.4	367	6.4	+227	" "	
14:07	27	23.3	425	6.4	+229	" "	
14:10	36	23.8	316	6.6	+220	" "	
18:09	SAMPLE	21.6	435	6.5	+173	Clear, no odor	
Sampling time: 18:09		Sample Date: 4/27/04		Laboratory: NQAC (NQAL)			
Sample ID: MW-32		Analyzed for: TPH-D, TPH-G, BTEX, MTBE, 8021B					

COMMENTS:

7.48 and 7.65 represent high and low sides of the casing top, very uneven cut and no survey mark.

Depths Referenced To: PVC TOC		PURGE METHOD: Peristaltic Pump	
Meters: Hanna Water Test, Solonist Interface Probe		SAMPLE METHOD: Disposable Bailor	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Duplicates or Blanks:

WELL MONITORING DATA SHEET

Nestle OAK		Chris McCormack		Start Date: 4/27/2004		WELL PR-76	
TD	15.00'	Dia.	2"	Vault Condition: OK		Calculated Purge Volume (3 csg volume) Gallons: 3.6	
DTW:	7.50'	DTP:	N/A	Product Thickness: N/A			
Post Purge DTW: N/A		Did Well Dewater? YES		Gallons actually removed:		3	
Time	Gallons	Temp	Conductivity (mS or μ S)	pH	ORP	Observations	
14:36	1	19.6	300	7.2	+196	Gray, no odor	
14:37	2	18.6	248	7.0	+201	Clear, no odor	
14:38	3, dry	18.2	285	6.9	+202	dry @ 3	
18:42	SAMPLE	17.7	408	7.1	+057	clear, no odor	
Sampling time: 18:42				Sample Date: 4/27/04		Laboratory: NQAC (NQAL)	
Sample ID: PR-76		Analyzed for: TPH-D, TPH-G, BTEX, MTBE, 8021B					

COMMENTS:

Depths Referenced To: PVC TOC		PURGE METHOD: Peristaltic Pump	
Meters: Hanna Water Test, Solonist Interface Probe		SAMPLE METHOD: Disposable Bailer	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Duplicates or Blanks:

WELL MONITORING DATA SHEET

Nestle OAK		Chris McCormack		Start Date: 4/27/2004		WELL MW-100	
TD	15.15'	Dia.	2"	Vault Condition: OK		Calculated Purge Volume (3 csg volume) Gallons: 3.6	
DTW:	7.74'	DTP:	N/A	Product Thickness: N/A			
Post Purge DTW: 7.98'		Did Well Dewater? NO		Gallons actually removed:		4	
Time	Gallons	Temp	Conductivity (mS or μ S)	pH	ORP	Observations	
13:36		24.0	570	7.3	+198	Clear, no odor	
13:37		23.1	570	6.9	+209	" "	
13:38		22.6	550	6.8	+213	" "	
13:39		22.5	553	6.7	+217	" "	
17:53	SAMPLE	21.8	462	6.9	+197	Clear, no odor	
Sampling time: 17:53		Sample Date: 4/27/04		Laboratory: NQAC (NQAL)			
Sample ID: MW-100		Analyzed for: TPH-D, TPH-G, BTEX, MTBE, 8021B					

COMMENTS:

Depths Referenced To: PVC TOC		PURGE METHOD: Peristaltic Pump	
Meters: Hanna Water Test, Solonist Interface Probe		SAMPLE METHOD: Disposable Bailer	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Duplicates or Blanks:

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907704
Lab#: 4APR7529-001

Sample Description: Water - Oakland, CA
Sample ID: CC-1
4/27/04; 18:58
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Benzene	ND	µg/L	0.50	EPA 8020	05/05/2004
Toluene	ND	µg/L	0.50	EPA 8020	05/05/2004
Ethylbenzene	ND	µg/L	0.50	EPA 8020	05/05/2004
m&p Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
o-Xylene	ND	µg/L	0.50	EPA 8020	05/05/2004
Total Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
Methyl t-butyl ether	ND	µg/L	0.50	EPA 8020	05/05/2004
Dichlorodifluoromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Vinyl Chloride	ND	µg/L	0.5	EPA 8021	05/06/2004
Bromomethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Trichlorofluoromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
Methylene Chloride	ND	µg/L	0.5	EPA 8021	05/06/2004
t 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
cis 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloroform	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,1-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Carbon Tetrachloride	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Trichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichloropropane	ND	µg/L	0.5	EPA 8021	05/06/2004
Bromodichloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
c 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/06/2004
t 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,2-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Tetrachloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
Dibromochloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907704
Lab#: 4APR7529-001

Sample Description: Water - Oakland, CA

Sample ID: CC-1

4/27/04; 18:58

PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Bromoform	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,2,2-Tetrachloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
1,3-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,4-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
Chlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
Gasoline Range Organics	ND	mg/L	0.20	CA-Luft	05/07/2004
Diesel Range Organics	ND	mg/L	0.25	CA-Luft	05/18/2004

ND : Not Detected.

Unless you request otherwise, this sample will be discarded 30 days from from the date of this report.
Sample condition upon receipt: Good.

This report shall not be reproduced except in full, and with written approval of NQAL.

Nestle Confidential: This document is the property of Nestle USA, Inc.

Results relate only to the Items tested.

State certificate numbers: CA: 1254

NJ: OH762

Signature On File

John Heuser
Chemist

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907705
Lab#: 4APR7529-002

Sample Description: Water - Oakland, CA

Sample ID: MW-27

4/27/04; 17:30

PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Benzene	ND	µg/L	0.50	EPA 8020	05/05/2004
Toluene	ND	µg/L	0.50	EPA 8020	05/05/2004
Ethylbenzene	ND	µg/L	0.50	EPA 8020	05/05/2004
m&p Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
o-Xylene	ND	µg/L	0.50	EPA 8020	05/05/2004
Total Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
Methyl t-butyl ether	ND	µg/L	0.50	EPA 8020	05/05/2004
Dichlorodifluoromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Vinyl Chloride	ND	µg/L	0.5	EPA 8021	05/06/2004
Bromomethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Trichlorofluoromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
Methylene Chloride	ND	µg/L	0.5	EPA 8021	05/06/2004
t 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
cis 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloroform	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,1-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Carbon Tetrachloride	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Trichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichloropropane	ND	µg/L	0.5	EPA 8021	05/06/2004
Bromodichloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
c 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/06/2004
t 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,2-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Tetrachloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
Dibromochloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907705
Lab#: 4APR7529-002

Sample Description: Water - Oakland, CA
Sample ID: MW-27
4/27/04; 17:30
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Bromoform	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,2,2-Tetrachloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
1,3-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,4-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
Chlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
Gasoline Range Organics	ND	mg/L	0.20	CA-Luft	05/07/2004
Diesel Range Organics	ND	mg/L	0.25	CA-Luft	05/18/2004

ND : Not Detected.

Unless you request otherwise, this sample will be discarded 30 days from from the date of this report.
Sample condition upon receipt: Good.

This report shall not be reproduced except in full, and with written approval of NQAL.

Nestle Confidential: This document is the property of Nestle USA, Inc.

Results relate only to the items tested.

State certificate numbers: CA: 1254

NJ: OH762

Signature On File

John Heuser
Chemist

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907706
Lab#: 4APR7529-003

Sample Description: Water - Oakland, CA
Sample ID: MW-30
4/27/04; 18:26
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Benzene	ND	µg/L	0.50	EPA 8020	05/05/2004
Toluene	ND	µg/L	0.50	EPA 8020	05/05/2004
Ethylbenzene	ND	µg/L	0.50	EPA 8020	05/05/2004
m&p Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
o-Xylene	ND	µg/L	0.50	EPA 8020	05/05/2004
Total Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
Methyl t-butyl ether	ND	µg/L	0.50	EPA 8020	05/05/2004
Dichlorodifluoromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Vinyl Chloride	ND	µg/L	0.5	EPA 8021	05/06/2004
Bromomethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Trichlorofluoromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
Methylene Chloride	ND	µg/L	0.5	EPA 8021	05/06/2004
t 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
cis 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloroform	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,1-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Carbon Tetrachloride	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Trichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichloropropane	ND	µg/L	0.5	EPA 8021	05/06/2004
Bromodichloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
c 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/06/2004
t 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,2-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Tetrachloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
Dibromochloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907706
Lab#: 4APR7529-003

Sample Description: Water - Oakland, CA
Sample ID: MW-30
4/27/04; 18:26
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Bromoform	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,2,2-Tetrachloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
1,3-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,4-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
Chlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
Gasoline Range Organics	ND	mg/L	0.20	CA-Luft	05/07/2004
Diesel Range Organics	ND	mg/L	0.25	CA-Luft	05/18/2004

ND : Not Detected.

Unless you request otherwise, this sample will be discarded 30 days from from the date of this report.
Sample condition upon receipt: Good.

This report shall not be reproduced except in full, and with written approval of NQAL.

Nestle Confidential: This document is the property of Nestle USA, Inc.

Results relate only to the items tested.

State certificate numbers: CA: 1254
NJ: OH762

Signature On File

John Heuser
Chemist

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907707

Lab#: 4APR.7529-004

Sample Description: Water - Oakland, CA
Sample ID: MW-100
4/27/04; 17:53
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Benzene	ND	µg/L	0.50	EPA 8020	05/05/2004
Toluene	ND	µg/L	0.50	EPA 8020	05/05/2004
Ethylbenzene	ND	µg/L	0.50	EPA 8020	05/05/2004
m&p Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
o-Xylene	ND	µg/L	0.50	EPA 8020	05/05/2004
Total Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
Methyl t-butyl ether	ND	µg/L	0.50	EPA 8020	05/05/2004
Dichlorodifluoromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Vinyl Chloride	ND	µg/L	0.5	EPA 8021	05/06/2004
Bromomethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Trichlorofluoromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
Methylene Chloride	ND	µg/L	0.5	EPA 8021	05/06/2004
t 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
cis 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloroform	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,1-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Carbon Tetrachloride	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Trichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichloropropane	ND	µg/L	0.5	EPA 8021	05/06/2004
Bromodichloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
c 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/06/2004
t 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,2-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Tetrachloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
Dibromochloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004

Nestlé USA

P.O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907707
Lab#: 4APR7529-004

Sample Description: Water - Oakland, CA
Sample ID: MW-100
4/27/04; 17:53
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Bromoform	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,2,2-Tetrachloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
1,3-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,4-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
Chlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
Gasoline Range Organics	ND	mg/L	0.20	CA-Luft	05/07/2004
Diesel Range Organics	ND	mg/L	0.25	CA-Luft	05/18/2004

ND : Not Detected.

Unless you request otherwise, this sample will be discarded 30 days from from the date of this report.
Sample condition upon receipt: Good.

This report shall not be reproduced except in full, and with written approval of NQAL.

Nestle Confidential: This document is the property of Nestle USA, Inc.

Results relate only to the items tested.

State certificate numbers: CA: 1254

NJ: OH762

Signature On File

John Heuser
Chemist

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907708
Lab#: 4APR7529-005

Sample Description: Water - Oakland, CA
Sample ID: PR-76
4/27/04; 18.42
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Benzene	ND	µg/L	0.50	EPA 8020	05/05/2004
Toluene	ND	µg/L	0.50	EPA 8020	05/05/2004
Ethylbenzene	ND	µg/L	0.50	EPA 8020	05/05/2004
m&p Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
o-Xylene	ND	µg/L	0.50	EPA 8020	05/05/2004
Total Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
Methyl t-butyl ether	ND	µg/L	0.50	EPA 8020	05/05/2004
Dichlorodifluoromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Vinyl Chloride	ND	µg/L	0.5	EPA 8021	05/06/2004
Bromomethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Trichlorofluoromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
Methylene Chloride	ND	µg/L	0.5	EPA 8021	05/06/2004
t 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
cis 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloroform	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,1-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Carbon Tetrachloride	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Trichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichloropropane	ND	µg/L	0.5	EPA 8021	05/06/2004
Bromodichloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
c 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/06/2004
t 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,2-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Tetrachloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
Dibromochloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received 04/29/2004
Date Reported: 05/19/2004
Report Number: 907708
Lab#: 4APR7529-005

Sample Description: Water - Oakland, CA

Sample ID: PR-76

4/27/04; 18:42

PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Bromoform	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,2,2-Tetrachloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
1,3-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,4-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
Chlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
Gasoline Range Organics	ND	mg/L	0.20	CA-Luft	05/07/2004
Diesel Range Organics	ND	mg/L	0.25	CA-Luft	05/18/2004

ND : Not Detected.

Unless you request otherwise, this sample will be discarded 30 days from from the date of this report.
Sample condition upon receipt: Good.

This report shall not be reproduced except in full, and with written approval of NQAL.

Nestlé Confidential: This document is the property of Nestlé USA, Inc.

Results relate only to the items tested.

State certificate numbers: CA: 1254

NJ: OH762

Signature On File

John Heuser
Chemist

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907709

Lab#: 4APR7529-006

Sample Description: Water - Oakland, CA
Sample ID: MW-28
4/27/04; 16:27
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Benzene	ND	µg/L	0.50	EPA 8020	05/05/2004
Toluene	ND	µg/L	0.50	EPA 8020	05/05/2004
Ethylbenzene	ND	µg/L	0.50	EPA 8020	05/05/2004
m&p Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
o-Xylene	ND	µg/L	0.50	EPA 8020	05/05/2004
Total Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
Methyl t-butyl ether	9.29	µg/L	0.50	EPA 8020	05/05/2004
Dichlorodifluoromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Vinyl Chloride	ND	µg/L	0.5	EPA 8021	05/06/2004
Bromomethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Trichlorofluoromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
Methylene Chloride	ND	µg/L	0.5	EPA 8021	05/06/2004
t 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
cis 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Chloroform	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,1-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Carbon Tetrachloride	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Trichloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichloropropane	ND	µg/L	0.5	EPA 8021	05/06/2004
Bromodichloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004
c 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/06/2004
t 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,2-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
Tetrachloroethene	ND	µg/L	0.5	EPA 8021	05/06/2004
Dibromochloromethane	ND	µg/L	0.5	EPA 8021	05/06/2004

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 528-5000
FAX (614) 528-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907709
Lab#: 4APR7529-006

Sample Description: Water - Oakland, CA
Sample ID: MW-28
4/27/04; 16:27
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Bromoform	ND	µg/L	0.5	EPA 8021	05/06/2004
1,1,2,2-Tetrachloroethane	ND	µg/L	0.5	EPA 8021	05/06/2004
1,3-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,4-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
1,2-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
Chlorobenzene	ND	µg/L	0.5	EPA 8021	05/06/2004
Gasoline Range Organics	ND	mg/L	0.20	CA-Luft	05/07/2004
Diesel Range Organics	ND	mg/L	0.25	CA-Luft	05/18/2004

ND : Not Detected.

Unless you request otherwise, this sample will be discarded 30 days from from the date of this report.
Sample condition upon receipt: Good.

This report shall not be reproduced except in full, and with written approval of NQAL.

Nestle Confidential: This document is the property of Nestle USA, Inc.

Results relate only to the items tested.

State certificate numbers: CA: 1254
NJ: OH762

Signature On File

John Heuser
Chemist

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907710

Lab#: 4APR7529-007

Sample Description: Water - Oakland, CA
Sample ID: MW-29
4/27/04; 16:47
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Benzene	ND	µg/L	0.50	EPA 8020	05/05/2004
Toluene	ND	µg/L	0.50	EPA 8020	05/05/2004
Ethylbenzene	ND	µg/L	0.50	EPA 8020	05/05/2004
m&p Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
o-Xylene	ND	µg/L	0.50	EPA 8020	05/05/2004
Total Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
Methyl t-butyl ether	15.3	µg/L	0.50	EPA 8020	05/05/2004
Dichlorodifluoromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Chloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Vinyl Chloride	ND	µg/L	0.5	EPA 8021	05/07/2004
Bromomethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Chloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Trichlorofluoromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1-Dichloroethene	31	µg/L	0.5	EPA 8021	05/07/2004
Methylene Chloride	ND	µg/L	0.5	EPA 8021	05/07/2004
t 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
cis 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1-Dichloroethane	160	µg/L	5.0	EPA 8021	05/07/2004
Chloroform	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,1-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Carbon Tetrachloride	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichloroethane	28	µg/L	0.5	EPA 8021	05/07/2004
Trichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichloropropane	ND	µg/L	0.5	EPA 8021	05/07/2004
Bromodichloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
c 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/07/2004
t 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,2-Trichloroethane	0.9	µg/L	0.5	EPA 8021	05/07/2004
Tetrachloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
Dibromochloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907710

Lab#: 4APR7529-007

Sample Description: Water - Oakland, CA
Sample ID: MW-29
4/27/04; 16:47
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Bromoform	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,2,2-Tetrachloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
1,3-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,4-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
Chlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
Gasoline Range Organics	ND	mg/L	0.20	CA-Luft	05/07/2004
Diesel Range Organics	ND	mg/L	0.25	CA-Luft	05/18/2004

ND : Not Detected.

Unless you request otherwise, this sample will be discarded 30 days from from the date of this report.
Sample condition upon receipt: Good.

This report shall not be reproduced except in full, and with written approval of NQAL.

Nestlé Confidential: This document is the property of Nestlé USA, Inc.

Results relate only to the items tested.

State certificate numbers: CA: 1254

NJ: OH762

Signature On File

John Heuser
Chemist

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004

Date Received: 04/29/2004

Date Reported: 05/19/2004

Report Number: 907711

Lab#: 4APR7529-008

Sample Description: Water - Oakland, CA

Sample ID: MW-25

4/27/04; 17:06

PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Benzene	ND	µg/L	0.50	EPA 8020	05/05/2004
Toluene	ND	µg/L	0.50	EPA 8020	05/05/2004
Ethylbenzene	ND	µg/L	0.50	EPA 8020	05/05/2004
m&p Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
o-Xylene	ND	µg/L	0.50	EPA 8020	05/05/2004
Total Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
Methyl t-butyl ether	5.24	µg/L	0.50	EPA 8020	05/05/2004
Dichlorodifluoromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Chloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Vinyl Chloride	ND	µg/L	0.5	EPA 8021	05/07/2004
Bromomethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Chloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Trichlorofluoromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
Methylene Chloride	ND	µg/L	0.5	EPA 8021	05/07/2004
t 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
cis 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1-Dichloroethane	5.1	µg/L	0.5	EPA 8021	05/07/2004
Chloroform	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,1-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Carbon Tetrachloride	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichloroethane	18	µg/L	0.5	EPA 8021	05/07/2004
Trichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichloropropane	ND	µg/L	0.5	EPA 8021	05/07/2004
Bromodichloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
c 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/07/2004
t 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,2-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Tetrachloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
Dibromochloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907711
Lab#: 4APR7529-008

Sample Description: Water - Oakland, CA
Sample ID: MW-25
4/27/04; 17:06
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Bromoform	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,2,2-Tetrachloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
1,3-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,4-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
Chlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
Gasoline Range Organics	ND	mg/L	0.20	CA-Luft	05/07/2004
Diesel Range Organics	ND	mg/L	0.25	CA-Luft	05/18/2004

ND : Not Detected.

Unless you request otherwise, this sample will be discarded 30 days from from the date of this report.
Sample condition upon receipt: Good.

This report shall not be reproduced except in full, and with written approval of NQAL.

Nestle Confidential: This document is the property of Nestle USA, Inc.

Results relate only to the items tested.

State certificate numbers: CA: 1254

NJ: OH762

Signature On File

John Heuser
Chemist

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907712
Lab#: 4APR7529-009

Sample Description: Water - Oakland, CA
Sample ID: MW-26
4/27/04; 17:22
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Benzene	467	µg/L	5.00	EPA 8020	05/05/2004
Toluene	ND	µg/L	0.50	EPA 8020	05/05/2004
Ethylbenzene	1.24	µg/L	0.50	EPA 8020	05/05/2004
m&p Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
o-Xylene	ND	µg/L	0.50	EPA 8020	05/05/2004
Total Xylenes	ND	µg/L	1.00	EPA 8020	05/05/2004
Methyl t-butyl ether	ND	µg/L	0.50	EPA 8020	05/05/2004
Dichlorodifluoromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Chloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Vinyl Chloride	ND	µg/L	0.5	EPA 8021	05/07/2004
Bromomethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Chloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Trichlorofluoromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1-Dichloroethene	5.2	µg/L	0.5	EPA 8021	05/07/2004
Methylene Chloride	ND	µg/L	0.5	EPA 8021	05/07/2004
t 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
cis 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1-Dichloroethane	82	µg/L	5.0	EPA 8021	05/07/2004
Chloroform	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,1-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Carbon Tetrachloride	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichloroethane	33	µg/L	0.5	EPA 8021	05/07/2004
Trichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichloropropane	ND	µg/L	0.5	EPA 8021	05/07/2004
Bromodichloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
c 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/07/2004
t 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,2-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Tetrachloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
Dibromochloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907712
Lab#: 4APR7529-009

Sample Description: Water - Oakland, CA
Sample ID: MW-26
4/27/04; 17:22
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Bromoform	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,2,2-Tetrachloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
1,3-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,4-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
Chlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
Gasoline Range Organics	1.38	mg/L	0.20	CA-Luft	05/07/2004
Diesel Range Organics	ND	mg/L	0.25	CA-Luft	05/18/2004

ND : Not Detected.

Unless you request otherwise, this sample will be discarded 30 days from from the date of this report.
Sample condition upon receipt: Good.

This report shall not be reproduced except in full, and with written approval of NQAL.

Nestlé Confidential: This document is the property of Nestlé USA, Inc.

Results relate only to the items tested.

State certificate numbers: CA: 1254
NJ: OH762

Signature On File

John Heuser
Chemist

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907713
Lab#: 4APR7529-010

Sample Description: Water - Oakland, CA

Sample ID: MW-32

4/27/04; 18:09

PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Benzene	23.6	µg/L	0.50	EPA 8020	05/06/2004
Toluene	1.68	µg/L	0.50	EPA 8020	05/06/2004
Ethylbenzene	0.67	µg/L	0.50	EPA 8020	05/06/2004
m&p Xylenes	2.77	µg/L	1.00	EPA 8020	05/06/2004
o-Xylene	1.14	µg/L	0.50	EPA 8020	05/06/2004
Total Xylenes	3.91	µg/L	1.00	EPA 8020	05/06/2004
Methyl t-butyl ether	ND	µg/L	0.50	EPA 8020	05/06/2004
Dichlorodifluoromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Chloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Vinyl Chloride	ND	µg/L	0.5	EPA 8021	05/07/2004
Bromomethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Chloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Trichlorofluoromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
Methylene Chloride	ND	µg/L	0.5	EPA 8021	05/07/2004
t 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
cis 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Chloroform	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,1-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Carbon Tetrachloride	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichloroethane	3.0	µg/L	0.5	EPA 8021	05/07/2004
Trichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichloropropane	ND	µg/L	0.5	EPA 8021	05/07/2004
Bromodichloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
c 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/07/2004
t 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,2-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Tetrachloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
Dibromochloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907713
Lab#: 4APR7529-010

Sample Description: Water - Oakland, CA
Sample ID: MW-32
4/27/04; 18:09
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Bromoform	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,2,2-Tetrachloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
1,3-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,4-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
Chlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
Gasoline Range Organics	ND	mg/L	0.20	CA-Luft	05/07/2004
Diesel Range Organics	ND	mg/L	0.25	CA-Luft	05/18/2004

ND : Not Detected.

Unless you request otherwise, this sample will be discarded 30 days from from the date of this report.
Sample condition upon receipt: Good.

This report shall not be reproduced except in full, and with written approval of NQAL.

Nestlé Confidential: This document is the property of Nestlé USA, Inc.

Results relate only to the items tested.

State certificate numbers: CA: 1254

NJ: OH762

Signature On File

John Heuser
Chemist

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907714
Lab#: 4APR7529-011

Sample Description: Water - Oakland, CA

Sample ID: TB042804

4/27/04; 16:20

PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Benzene	ND	µg/L	0.50	EPA 8020	05/06/2004
Toluene	ND	µg/L	0.50	EPA 8020	05/06/2004
Ethylbenzene	ND	µg/L	0.50	EPA 8020	05/06/2004
m&p Xylenes	ND	µg/L	1.00	EPA 8020	05/06/2004
o-Xylene	ND	µg/L	0.50	EPA 8020	05/06/2004
Total Xylenes	ND	µg/L	1.00	EPA 8020	05/06/2004
Methyl t-butyl ether	ND	µg/L	0.50	EPA 8020	05/06/2004
Dichlorodifluoromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Chloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Vinyl Chloride	ND	µg/L	0.5	EPA 8021	05/07/2004
Bromomethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Chloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Trichlorofluoromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
Methylene Chloride	ND	µg/L	0.5	EPA 8021	05/07/2004
t 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
cis 1,2-Dichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Chloroform	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,1-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Carbon Tetrachloride	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Trichloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichloropropane	ND	µg/L	0.5	EPA 8021	05/07/2004
Bromodichloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004
c 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/07/2004
t 1,3-Dichloropropene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,2-Trichloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
Tetrachloroethene	ND	µg/L	0.5	EPA 8021	05/07/2004
Dibromochloromethane	ND	µg/L	0.5	EPA 8021	05/07/2004

Nestlé USA

P O BOX 1516
6625 EITERMAN ROAD
DUBLIN, OH 43017-6516

TEL (614) 526-5000
FAX (614) 526-5353



QUALITY ASSURANCE LABORATORY

Laboratory Report

Binayak Acharya
Nestlé USA - Environmental Group
800 North Brand Boulevard

Glendale, CA 91203

Date Sampled 04/27/2004
Date Received: 04/29/2004
Date Reported: 05/19/2004
Report Number: 907714
Lab#: 4APR7529-011

Sample Description: Water - Oakland, CA
Sample ID: TB042804
4/27/04; 16:20
PO/Ref/Disp#: OAKLAND CA

Test	Result	Units	DetLim	Method	Analysis Date
Bromoform	ND	µg/L	0.5	EPA 8021	05/07/2004
1,1,2,2-Tetrachloroethane	ND	µg/L	0.5	EPA 8021	05/07/2004
1,3-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,4-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
1,2-Dichlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
Chlorobenzene	ND	µg/L	0.5	EPA 8021	05/07/2004
Gasoline Range Organics	ND	mg/L	0.20	CA-Luft	05/10/2004

ND : Not Detected.

Unless you request otherwise, this sample will be discarded 30 days from from the date of this report.
Sample condition upon receipt: Good.

This report shall not be reproduced except in full, and with written approval of NQAL.

Nestle Confidential: This document is the property of Nestle USA, Inc.

Results relate only to the items tested.

State certificate numbers: CA: 1254

NJ: OH762

Signature On File

John Heuser
Chemist

*****CONFIDENTIALITY NOTICE*****

The information contained in this facsimile or electronically submitted document is legally privileged and confidential information intended only for the use of the individual or entity named above. If the reader of this message is NOT the intended recipient, you are hereby notified that any dissemination, distribution or copy of this communication is strictly prohibited. If you have received this communication in error, please immediately notify us by telephone and return the original to us at the address above via the United States Postal Service. Thank you.

NQAL ENVIRONMENTAL CHAIN OF CUSTODY FORM

Nestlé USA Quality Assurance Laboratory - Confidential
6625 Eiterman Road, Dublin, OH 43017

Client Information - Billing					Facility Information - If different from Client										
Company Name		Environmental Cost Management			Company Name		Nestle								
Address		660 Baker St. #253			Address		1310 14th Street								
		Costa Mesa, CA 92626					Oakland, CA								
Submitter		Chris McCormack			Submitter		Chris McCormack								
Phone #		(714) 662-2759			Phone #		(925) 584-2416								
Fax #		(714) 662-2758			Fax #		(925) 778-8833								
Send Reports To		Binayak Acharya			PROJECT:		Former Nestle Facility								
							OAKLAND, CA								
NQAL #	Sample ID	Preservation (water only)		Date/Time of Sampling	HCl	HCl	HCl	HCl	None	8021 B	TPH-Gas	MTBE	BTEX	TPH-Diesel	Remarks/Requests
		Matrix (s=soil, w=water)	# of Containers												
	CC-1	W	5	10-14-03/12:49	X	X	X	X	X						only 1 partial liter.
	MW-27	W	6	10-14-03/13:04	X	X	X	X	X						
	MW-30	W	6	10-14-03/13:19	X	X	X	X	X						
	MW-100	W	6	10-14-03/13:34	X	X	X	X	X						
	PR-76	W	6	10-14-03/13:47	X	X	X	X	X						
	MW-28	W	6	10-14-03/14:02	X	X	X	X	X						
	MW-29	W	6	10-14-03/14:19	X	X	X	X	X						
	MW-25	W	6	10-14-03/14:31	X	X	X	X	X						
	MW-26	W	6	10-14-03/14:43	X	X	X	X	X						
	MW-32	W	6	10-14-03/14:56	X	X	X	X	X						
Relinquished by:		Date/Time:		Accepted by:				Date/Time:			Temperature:				
Chris McCormack		10-14-03/17:00		FedEx				10-14-03/17:00							
Relinquished by:		Date/Time:		Accepted by:				Date/Time:			Broken Bottles:				
FedEx															
Remarks:					Turnaround time information:										
Only 1 liter for well CC-1.					Urgent (10 working days or less)										
					Routine (11 working days and up) X										

NQAL ENVIRONMENTAL CHAIN OF CUSTODY FORM

Nestlé USA Quality Assurance Laboratory - Confidential
6625 Eiterman Road, Dublin, OH 43017

Client Information - Billing					Facility Information - If different from Client											
Company Name	Environmental Cost Management				Company Name	Nestle					Address	1310 14th Street				
Address	660 Baker St. #253				Address	Oakland, CA					Submitter	Chris McCormack				
	Costa Mesa, CA 92626				Phone #	(925) 584-2416					Fax #	(925) 778-8833				
Submitter	Chris McCormack				PROJECT:	Former Nestle Facility										
Phone #	(714) 662-2759					OAKLAND, CA										
Fax #	(714) 662-2758															
Send Reports To	Binayak Acharya															
NQAL #	Sample ID	Preservation (water only)		Date/Time of Sampling	HCl	HCl	HCl	HCl	None	TPH-Diesel					Remarks/Requests	
		Matrix (s=soil, w=water)	# of Containers		8021 B	TPH-Gas	MTBE	BTEX								
	CC-1	W	6	4-27-04/18:58	X	X	X	X	X							
	MW-27	W	6	4-27-04/17:30	X	X	X	X	X							
	MW-30	W	6	4-27-04/18:26	X	X	X	X	X							
	MW-100	W	6	4-27-04/17:53	X	X	X	X	X							
	PR-76	W	6	4-27-04/18:42	X	X	X	X	X							
	MW-28	W	6	4-27-04/16:27	X	X	X	X	X							
	MW-29	W	6	4-27-04/16:47	X	X	X	X	X							
	MW-25	W	6	4-27-04/17:06	X	X	X	X	X							
	MW-26	W	6	4-27-04/17:22	X	X	X	X	X							
	MW-32	W	6	4-27-04/18:09	X	X	X	X	X							
Relinquished by:		Date/Time:		Accepted by:			Date/Time:			Temperature:						
Chris McCormack		4-28-04/4PM		Airborne/DHL			4-28-04/4PM									
Relinquished by:		Date/Time:		Accepted by:			Date/Time:			Broken Bottles:						
Airborne/DHL		4-29-04/														
Remarks: Shipped in two coolers.							Turnaround time information:			Urgent (10 working days or less)						
TB042804 sampled 4/27/04 @ 16:20, Please run for 8021B, TPH-G, BTEX and MTBE										Routine (11 working days and up)						
										X						

NQAL ENVIRONMENTAL CHAIN OF CUSTODY FORM

Nestlé USA Quality Assurance Laboratory - Confidential
6625 Eiterman Road, Dublin, OH 43017

Client Information - Billing					Facility Information - If different from Client							
Company Name	Environmental Cost Management				Company Name	Nestle						
Address	660 Baker St. #253 Costa Mesa, CA 92626				Address	1310 14th Street Oakland, CA						
Submitter	Chris McCormack				Submitter	Chris McCormack						
Phone #	(714) 662-2759				Phone #	(925) 584-2416						
Fax #	(714) 662-2758				Fax #	(925) 778-8833						
Send Reports To	Binayak Acharya				PROJECT:	Former Nestle Facility OAKLAND, CA						
NQAL #	Sample ID	Preservation (water only)		Date/Time of Sampling	HCl	HCl	HCl	HCl	None	(soil)	(soil)	Remarks/Requests
		Main (gasol, water)	# of Containers		8021 B	TPH-Gas	MTBE	BTEX	TPH-Diesel	8021B/ equivalent	TPH-GAS, TPH Diesel, BTEX, MTBE	
	Drum 1-10	W	8	5-17-04/12:50	X	X	X	X	X			
	Greentank	W	8	5-17-04/13:02	X	X	X	X	X			Caution, free hydrocarbon present.
	Drum 16-17	S	1	5-17-04/15:20						X	X	
	Drum 21	S	1	5-17-04/15:24						X	X	Caution, Hydrocarbon saturated sludge.
	Drum 18	S*	1	5-17-04/15:28						X	X	Filter bag, if possible?
	Drum 11-15	W	8	5-17-04/15:32	X	X	X	X	X			Caution, free hydrocarbon present.
Relinquished by:		Date/Time:		Accepted by:			Date/Time:			Temperature:		
Chris McCormack		05-18-04/4PM		Airborne/DHL			05-18-04/4PM					
Relinquished by:		Date/Time:		Accepted by:			Date/Time:			Broken Bottles:		
Airborne/DHL		05-19-04/										
Remarks:					Turnaround time information:			Urgent (10 working days or less)				
* filter bag, if possible?								Routine (11 working days and up)		X		