



RECEIVED

By dehloptoxic at 8:56 am, Aug 25, 2006

Solving environment-related business problems worldwide

www.deltaenv.com

3164 Gold Camp Drive • Suite 200
Rancho Cordova, California 95670 USA

916.638.2085 800.477.7411
Fax 916.638.8385

August 24, 2006

Steven Plunkett
Alameda County
Department of Environmental Health
1131 Harbor Bay Park Way
Alameda, CA 94502

Subject: Case Number # 3580
Quarterly Groundwater Monitoring Report - Second Quarter 2006
Former RPMS (E-Z Serve) Location 100877
525 West A Street, Hayward, California
Delta Project RPMS 100877

Dear Mr. Plunkett:

Delta Environmental Consultants, Inc. (Delta) has been contracted by Restructure Petroleum Marketing Services of California (RPMS) to perform environmental services at the Former E-Z Serve Location 100877 (Figure 1).

The groundwater monitoring data discussed in this report were collected on May 25, 2006. The work was performed in accordance with the field methods and procedures included in Enclosure A.

Groundwater Level Measurements

On May 25, 2006, Delta personnel visited the site to conduct groundwater monitoring activities. The depth to groundwater was measured in nine total monitoring and extraction wells MW-1, MW-1A, MW-3, MW-4 MW-5, MW-6, MW-12, MW-14 and EX-1. MW-7 was covered by furniture and boxes and MW-13 was blocked by a parked car, and MW-8, MW-9, MW10, MW-11 have been paved over or could not be located. Furthermore, well MW-2 was destroyed on March 2, 2006 due to impending construction which is scheduled to begin in August of 2006.

Groundwater ranged from 11.05 feet to 12.68 feet below top of casing. Groundwater data collected on May 25, 2006 were used to create a groundwater elevation contour map, which is included as Figure 3. The groundwater elevation data shows a groundwater ridge on site, with groundwater flowing to the southwest and east at a gradient of 0.006. Measured depths to groundwater and calculated groundwater elevations are presented in Table 1. Field data sheets for the second quarter sampling event are attached in Enclosure B.

A member of:



Groundwater Sampling and Analytical Results

Groundwater samples were transported, under strict chain-of-custody protocols, to *Kiff Analytical LLC of Davis, California*, for analysis for benzene, toluene, ethyl-benzene, total xylenes (BTEX), total petroleum hydrocarbons (TPHg) in the gasoline range, methyl tert butyl ether (MTBE), diisopropyl ether (DIPE), ethyl tert butyl ether (ETBE), tert-amyl methyl ether (TAME) and tert butyl alcohol (TBA) by EPA Method 8260B.

Laboratory chemical analysis on the groundwater samples collected on May 25, 2006 indicate that the majority of hydrocarbon concentrations have decreased in monitoring wells MW-1, MW-1A, MW-3, MW-5 and EX-1, and have increased in monitoring wells MW-4, and MW-6. Both MW-12 and MW-14 had concentrations of TPHg below the laboratory limit. The highest TPHg concentration was 8,300 µg/L in MW-4. The highest benzene concentrations was found in MW-1 and MW-4 at 300 µg/L; the highest MTBE concentration was found in MW-1, at 11 µg/L. The analytical data for the May 25, 2006 sampling event are presented in Table 1, Groundwater Analytical Data. Field sampling information sheets are presented in Enclosure B. Laboratory analytical results, chain-of-custody documentation and graphs are presented in Enclosure C.

Future Work

Delta recommends continued quarterly groundwater monitoring and sampling.

Remarks

The recommendations contained in this report represent Delta's professional opinions based upon the currently available information and are arrived at in accordance with currently acceptable professional standards. This report is based upon a specific scope of work requested by the client. The Contract between Delta and its client outlines the scope of work, and only those tasks specifically authorized by that contract or outlined in this report were performed. This report is intended only for the use of Delta's Client and anyone else specifically listed on this report. Delta will not and cannot be liable for unauthorized reliance by any other third party. Other than as contained in this paragraph, Delta makes no express or implied warranty as to the contents of this report.

Furthermore, I declare, under penalty of perjury, that the information and or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions regarding this report please call Deborah Shulman at (916) 503-1279.

Sincerely,


DELTA ENVIRONMENTAL CONSULTANTS, INC.



Jason Mata
Staff Technician





Kenneth Earnest
California Registered Geologist No. 6613



cc: Jack Ceccarelli, RPMS of CA

FIGURES



SOURCE: USGS 7.5 MINUTE TOPOGRAPHIC MAP, HAYWARD QUADRANGLE, 1962

FIGURE 1

SITE LOCATION MAP

FORMER E-Z SERVE NO. 100877
 525 WEST A STREET
 HAYWARD, CALIFORNIA

PROJECT NO. RPMS-0877	DRAWN BY MC 11/10/04
FILE NO. EZ-100877-F1	PREPARED BY JS
REVISION NO. 1	REVIEWED BY



- MW-11 MONITORING WELLS
- ⊕ EX-1 GROUNDWATER EXTRACTION WELL LOCATION
- ⊕ VEAS-3 REMEDIATION WELL LOCATION

WEST "A" AVENUE

FORMER FUEL ISLANDS

FORMER UST EXCAVATION

TRAILER PARK





FIGURE 2
SITE MAP

FORMER EZ-SERVE LOCATION NO. 100877
525 WEST A STREET
HAYWARD, CA



PROJECT NO. RPMS-0877	DRAWN BY MC 8/1/05
FILE NO. EZ-100877	PREPARED BY DS
REVISION NO.	REVIEWED BY







FIGURE 3
GROUNDWATER ELEVATION CONTOUR MAP
 5/25/06

FORMER EZ-SERVE LOCATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

PROJECT NO. RPMS-0877	DRAWN BY WNL7/27/06
FILE NO. EZ-100877	PREPARED BY DS
REVISION NO. 1	REVIEWED BY






FIGURE 4
GROUNDWATER ANALYTICAL DATA MAP
 5/25/06
 FORMER EZ-SERVE LOCATION NO. 100877
 525 WEST A STREET
 HAYWARD, CA

PROJECT NO. RPMS-0877	DRAWN BY WNL7/27/06
FILE NO. EZ-100877	PREPARED BY DS
REVISION NO. 1	REVIEWED BY



TABLES

**Table 1
Groundwater Analytical Data**

Former EZ Serve Location #100877
525 West A St. Hayward CA, 94541

Well Casing Elevation (msl)	Sample Date	Depth to Water (feet)	Depth to Product (feet)	Free Product Thickness (feet)	Water Table Elevation (msl)	TPHg (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethyl-benzene (mg/L)	Total Xylenes (mg/L)	MTBE (mg/L)	DIPE (mg/L)	ETBE (mg/L)	TBA (mg/L)	TAME (mg/L)
MW-1	6/14/2001	15.05	--	0.00	26.70	6000	380	8.4	260	180	<25	--	--	--	--
41.75	11/7/2001	16.31	--	0.00	25.44	12000	1000	30	1000	740	11	<5.0	<5.0	<50	<5.0
	1/30/2002	14.15	--	0.00	27.60	8800	690	16	480	270	14	<5.0	<5.0	<50	<5.0
	5/29/2002	14.55	--	0.00	27.20	6400	330	13	250	260	12	2.5	<2.0	<20	<2.0
	8/14/2002	15.56	--	0.00	26.19	5500	470	14	360	160	10	<10	<10	<100	<10
	11/15/2002	16.10	--	0.00	25.65	10000	440	16	310	150	15	<10	<10	<100	<10
	10/25/2004	15.99	--	0.00	25.76	4300	260	3.3	150	32	14	<0.90	<0.90	5.8	<0.90
	12/23/2004	15.64	--	0.00	26.11	11000	860	6.1	880	280	16	<0.90	<0.90	11	<0.90
	2/25/2005	12.79	--	0.00	28.96	11000	710	6.7	720	330	24	<1.5	<1.5	11	<1.5
	5/19/2005	12.27	--	0.00	29.48	7500	610	12	370	140	20	<1.5	<1.5	11	<1.5
	9/15/2005	14.30	--	0.00	27.45	6100	300	3.5	280	71	12	<0.90	<0.90	7.8	<0.90
	3/20/2006	11.44	--	0.00	30.31	6400	290	3.2	330	61	8.8	<0.90	<0.90	6	<0.90
	5/25/2006	11.05	--	0.00	30.70	4200	300	6.4	100	40	11	<0.90	<0.90	6.7	<0.90
MW-1A	6/14/2001	15.93	15.92	0.01	27.48	27000	29	<5.0	620	520	<50	--	--	--	--
43.4	11/7/2001	17.32	--	0.00	26.08	21000	51	<5.0	700	510	<5.0	<5.0	<5.0	<50	<5.0
	1/30/2002	15.05	--	0.00	28.35	24000	22	<5.0	390	330	<5.0	<5.0	<5.0	<50	<5.0
	5/29/2002	15.49	--	0.00	27.91	12000	32	<5.0	550	270	<5.0	<5.0	<5.0	<50	<5.0
	8/14/2002	16.50	--	0.00	26.90	14000	22	<2.0	510	240	<2.0	<2.0	<2.0	<20	<2.0
	11/15/2002	17.04	--	0.00	26.36	17000	59	2.4	630	250	<2.0	<2.0	<2.0	<20	<2.0
	10/25/2004	16.90	--	0.00	26.50	2200	1.3	<0.50	58	3.7	<0.50	<0.50	<0.50	<5.0	<0.50
	12/23/2004	16.60	--	0.00	26.80	3100	2.2	<0.50	96	5.4	<0.50	<0.50	<0.50	<5.0	<0.50
	2/25/2005	13.75	--	0.00	29.65	7300	4.7	1.1	140	24	<0.50	<0.50	<0.50	<5.0	<0.50
	5/19/2005	13.12	--	0.00	30.28	13000	3.1	1.7	190	50	<1.5	<1.5	<1.5	<7.0	<1.5
	9/15/2005	15.16	--	0.00	28.24	4000	0.84	<0.50	52	2.5	<0.50	<0.50	<0.50	<5.0	<0.50
	11/10/2005	15.78	--	0.00	27.62	12000	<2.0	0.76	130	3.6	<0.50	<0.50	<0.50	<5.0	<0.50
	3/20/2006	12.64	--	0.00	30.76	3300	1.1	<0.50	17	1	<0.50	<0.50	<0.50	<5.0	<0.50
	5/25/2006	11.85	--	0.00	31.55	1600	0.79	<0.50	22	0.94	<0.50	<0.50	<0.50	<5.0	<0.50
MW-2	6/14/2001	16.63	--	0.00	26.63	18000	860	14	1100	2200	<100	--	--	--	--
43.26	11/7/2001	17.85	--	0.00	25.41	20000	880	20	1100	2600	21	<5.0	<5.0	<50	<5.0
	1/30/2002	15.65	--	0.00	27.61	19000	880	19	1100	2400	56	<5.0	<5.0	<50	<5.0
	5/29/2002	16.12	--	0.00	27.14	8100	390	16	560	1400	32	<5.0	<5.0	<50	<5.0
	8/14/2002	17.20	--	0.00	26.06	19000	820	21	1200	2600	29	<20	<20	<200	<20

Table 1
Groundwater Analytical Data

Former EZ Serve Location #100877
525 West A St. Hayward CA, 94541

Well Casing Elevation (msl)	Sample Date	Depth to Water (feet)	Depth to Product (feet)	Free Product Thickness (feet)	Water Table Elevation (msl)	TPHg (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethyl-benzene (mg/L)	Total Xylenes (mg/L)	MTBE (mg/L)	DIPE (mg/L)	ETBE (mg/L)	TBA (mg/L)	TAME (mg/L)	
MW-2 (cont)	11/15/2002	17.63	--	0.00	25.63	34000	910	31	1000	1400	39	<20	<20	<200	<20	
	10/25/2004	17.53	--	0.00	25.73	9300	280	3.8	500	980	8.2	<2.0	<2.0	<9.0	<2.0	
	12/23/2004	17.15	--	0.00	26.11	10000	310	3.9	470	840	9.5	<2.0	<2.0	<9.0	<2.0	
	2/25/2005	14.30	--	0.00	28.96	15000	320	4.8	860	1600	7.7	<2.0	<2.0	<9.0	<2.0	
	5/19/2005	13.81	--	0.00	29.45	15000	300	3.6	770	1200	9.2	<2.5	<2.5	<15	<2.5	
	9/15/2005	inaccessible due to temporary habitat				--	--	--	--	--	--	--	--	--	--	--
	11/10/2005	16.39	--	0.00	26.87	14000	230	2.6	530	1000	6.2	<2.5	<2.5	<15	<2.5	
	3/20/2006	13.00	--	0.00	30.26	8700	170	<1.5	360	530	3.8	<1.5	<1.5	<7.0	<1.5	
	Not Sampled, well destroyed since March 2, 2006						--	--	--	--	--	--	--	--	--	--
	MW-3 43.89	6/14/2001	16.02	--	0.00	27.87	2100	9	<0.5	78	43	<5.0	--	--	--	--
11/7/2001		17.33	--	0.00	26.56	7700	75	<5.0	410	150	<5.0	<5.0	<5.0	<50	<5.0	
1/30/2002		15.10	--	0.00	28.79	3600	27	<5.0	120	34	<5.0	<5.0	<5.0	<50	<5.0	
5/29/2002		15.63	--	0.00	28.26	2000	18	<5.0	53	13	<5.0	<5.0	<5.0	<50	<5.0	
8/14/2002		16.63	--	0.00	27.26	2400	19	<0.5	50	6.5	<0.5	<0.5	<0.5	<5.0	<0.5	
11/15/2002		17.10	--	0.00	26.79	4300	7.5	<0.5	22	1.1	0.5	<0.5	<0.5	<5.0	<0.5	
10/25/2004		17.01	--	0.00	26.88	460	0.6	<0.50	9.6	1.7	<0.50	<0.50	<0.50	<5.0	<0.50	
12/20/2004		16.64	--	0.00	27.25	5400	9	<0.50	280	74	<0.50	<0.50	<0.50	<5.0	<0.50	
2/25/2005		Could not locate, VEAS-2 sampled instead				--	--	--	--	--	--	--	--	--	--	--
5/19/2005		Could not locate, VEAS-2 sampled instead				--	--	--	--	--	--	--	--	--	--	--
9/15/2005		couldn't locate				--	--	--	--	--	--	--	--	--	--	--
11/10/2005		couldn't locate				--	--	--	--	--	--	--	--	--	--	--
3/20/2006		12.44	--	0.00	31.45	800	0.76	<0.50	19	3.7	<0.50	<0.50	<0.50	<5.0	<0.50	
5/25/2006		12.05	--	0.00	31.84	500	0.59	<0.50	3.8	0.96	<0.50	<0.50	<0.50	<5.0	<0.50	
MW-4 42.76		6/14/2001	15.55	--	0.00	27.21	9500	690	45	560	600	<50	--	--	--	--
	11/7/2001	16.81	--	0.00	25.95	6000	710	20	630	190	27	<5.0	<5.0	<50	<5.0	
	1/30/2002	14.60	--	0.00	28.16	4800	830	16	600	61	42	<5.0	<5.0	<50	<5.0	
	5/29/2002	15.14	--	0.00	27.62	5300	720	57	600	200	35	<20	<20	<200	<20	
	8/14/2002	16.07	--	0.00	26.69	5000	640	15	550	35	28	<2.0	<2.0	<20	<2.0	
	11/15/2002	16.61	--	0.00	26.15	3700	330	10	260	200	20	<2.0	<2.0	<20	<2.0	
	10/25/2004	16.50	--	0.00	26.26	4000	180	15	200	190	4.1	<0.50	<0.50	<5.0	<0.50	
	12/23/2004	16.20	--	0.00	26.56	7400	280	24	340	340	7.9	<0.90	<0.90	<5.0	<0.90	
	2/25/2005	13.30	--	0.00	29.46	4200	160	15	280	420	6.2	<0.90	<0.90	<5.0	<0.90	

Table 1
Groundwater Analytical Data

Former EZ Serve Location #100877
525 West A St. Hayward CA, 94541

Well Casing Elevation (msl)	Sample Date	Depth to Water (feet)	Depth to Product (feet)	Free Product Thickness (feet)	Water Table Elevation (msl)	TPHg (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	MTBE (mg/L)	DIPE (mg/L)	ETBE (mg/L)	TBA (mg/L)	TAME (mg/L)
MW-4 (cont)	5/19/2005	12.74	--	0.00	30.02	15000	480	76	1100	1600	14	<4.0	<4.0	<20	<4.0
	9/15/2005	14.80	--	0.00	27.96	5400	220	22	250	430	10	<0.90	<0.90	5.4	<0.90
	11/10/2006	15.45	--	0.00	27.31	8000	320	37	530	670	9.3	<0.50	<0.50	<5.0	<0.50
	3/20/2006	11.93	--	0.00	30.83	3900	91	26	5.8	360	5.7	<0.50	<0.50	<5.0	<0.50
	5/25/2006	11.49	--	0.00	31.27	8300	300	77	570	730	5.4	<0.50	<0.50	<5.0	<0.50
MW-5 42.1	6/14/2001	15.19	--	0.00	26.91	5100	44	0.71	110	23	<5.0	--	--	--	--
	11/7/2001	16.47	--	0.00	25.63	7600	220	<5.0	550	30	<5.0	<5.0	<5.0	<50	<5.0
	1/30/2002	14.27	--	0.00	27.83	6200	180	<20	310	130	<20	<20	<20	<200	<20
	5/29/2002	14.73	--	0.00	27.37	3900	66	0.8	110	7.4	0.9	2	<0.5	<5.0	<0.5
	8/14/2002	15.73	--	0.00	26.37	4300	80	0.9	150	12	1.1	<0.5	<0.5	<5.0	<0.5
	11/15/2002	16.27	--	0.00	25.83	7000	99	<5.0	250	500	<5.0	<5.0	<5.0	<50	<5.0
	10/25/2004	16.15	--	0.00	25.95	4800	27	0.5	50	3.7	0.79	<0.50	<0.50	<5.0	<0.50
	12/23/2004	15.88	--	0.00	26.22	6300	55	<0.90	140	5.6	<0.90	<0.90	<0.90	<5.0	<0.90
	2/25/2005	12.97	--	0.00	29.13	4700	44	0.59	110	4.8	0.85	<0.50	<0.50	<5.0	<0.50
	5/19/2005	12.48	--	0.00	29.62	3800	32	0.61	66	4.4	1	<0.50	<0.50	<5.0	<0.50
	9/15/2005	15.47	--	0.00	26.63	4500	22	0.65	78	4	0.95	<0.50	<0.50	<5.0	<0.50
	11/10/2005	15.03	--	0.00	27.07	4000	19	0.52	77	4.3	0.8	<0.50	<0.50	<5.0	<0.50
	3/20/2006	11.79	--	0.00	30.31	4000	9.5	<0.50	4.9	4.0	1.5	<0.50	<0.50	<5.0	<0.50
	5/25/2006	11.15	--	0.00	30.95	3400	12	<0.50	46	3.8	1.6	<0.50	<0.50	<5.0	<0.50
MW-6 42.33	6/14/2001	15.46	--	0.00	26.87	6400	29	6.3	200	55	<20	--	--	--	--
	11/7/2001	16.71	--	0.00	25.62	7200	34	8.7	180	31	<5.0	<5.0	<5.0	<50	<5.0
	1/30/2002	14.60	--	0.00	27.73	6600	32	7.2	130	28	<5.0	<5.0	<5.0	<50	<5.0
	5/29/2002	14.99	--	0.00	27.34	5200	26	7	150	27	<5.0	<5.0	<5.0	<50	<5.0
	8/14/2002	16.03	--	0.00	26.30	5300	24	6.6	120	22	<2.0	<2.0	<2.0	<20	<2.0
	11/15/2002	16.53	--	0.00	25.80	5000	19	4.7	70	38	<0.5	<0.5	<0.5	<5.0	<0.5
	10/25/2004	16.43	--	0.00	25.90	3600	9.8	2.1	83	16	2.3	<0.50	<0.50	<5.0	<0.50
	12/23/2004	16.12	--	0.00	26.21	2100	8.2	1.3	10	2.4	1.5	<0.50	<0.50	<5.0	<0.50
	2/25/2005	13.13	--	0.00	29.20	2500	6.6	1.4	29	5.2	0.74	<0.50	<0.50	<5.0	<0.50
	5/19/2005	12.61	--	0.00	29.72	3800	7.5	2.2	54	12	3.1	<0.50	<0.50	<5.0	<0.50
	9/15/2005	14.69	--	0.00	27.64	1900	2.9	0.88	12	2.7	0.94	<0.50	<0.50	<5.0	<0.50
	11/10/2005	15.30	--	0.00	27.03	1700	2.1	0.6	5.4	1.7	0.81	<0.50	<0.50	<5.0	<0.50

Table 1
Groundwater Analytical Data

Former EZ Serve Location #100877
525 West A St. Hayward CA, 94541

Well Casing Elevation (msl)	Sample Date	Depth to Water (feet)	Depth to Product (feet)	Free Product Thickness (feet)	Water Table Elevation (msl)	TPHg (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	MTBE (mg/L)	DIPE (mg/L)	ETBE (mg/L)	TBA (mg/L)	TAME (mg/L)
MW-6	3/20/2006	11.88	--	0.00	30.45	2300	3.6	1.0	12	3.9	1.1	<0.50	<0.50	<5.0	<0.50
(cont)	5/25/2006	11.38		0.00	30.95	2400	5.0	1.8	31	14	3.0	<0.50	<0.50	<5.0	<0.50
MW-7	6/14/2001	15.46	--	0.00	27.24	6400	29	6	200	55	<20	--	--	--	--
42.7	11/7/2001	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	1/30/2002	14.97	--	0.00	27.73	6200	1.5	<0.5	96	4.6	<0.5	<5.0	<5.0	<5.0	<5.0
	5/29/2002	15.49	--	0.00	27.21	1600	1	<0.5	3.4	1.9	<0.5	<0.5	<0.5	<5.0	<0.5
	8/14/2002	16.44	--	0.00	26.26	4100	1.3	<0.5	74	1.3	<0.5	<0.5	<0.5	<5.0	<0.5
	11/15/2002	16.91	--	0.00	25.79	1000	0.6	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<5.0	<0.5
	10/25/2004	Could not locate well			--	--	--	--	--	--	--	--	--	--	--
	5/19/2005	13.06	--	0.00	29.64	660	<0.50	<0.50	1.8	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50
	9/15/2005	Could not locate well			--	--	--	--	--	--	--	--	--	--	--
	11/10/2005	15.78	--	0.00	26.92	340	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50
	3/20/2006	Could not locate well			--	--	--	--	--	--	--	--	--	--	--
	5/25/2006	Well was blocked by debris			--	--	--	--	--	--	--	--	--	--	--
MW-8	Not Sampled, well inaccessible since 4th Quarter, 1996.														
MW-9	Not Sampled, well inaccessible since 1st Quarter, 1995.														
MW-10	Not Sampled, well inaccessible since 4th Quarter, 1996.														
MW-11	Not Sampled, well inaccessible since 2nd Quarter, 1997.														
MW-12	6/14/2001	16.62	--	0.00	26.63	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--	--	--
43.25	11/7/2001	17.91	--	0.00	25.34	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	1/30/2002	15.60	--	0.00	27.65	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	5/29/2002	16.24	--	0.00	27.01	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	8/14/2002	17.20	--	0.00	26.05	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	11/15/2002	17.62	--	0.00	25.63	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	10/25/2004	well not sampled, cars parked on well			--	--	--	--	--	--	--	--	--	--	--
	2/25/2005	14.72	--	0.00	28.53	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	5/19/2005	13.80	--	0.00	29.45	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	9/15/2005	15.94	--	0.00	27.31	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5

Table 1
Groundwater Analytical Data

Former EZ Serve Location #100877
525 West A St. Hayward CA, 94541

Well Casing Elevation (msl)	Sample Date	Depth to Water (feet)	Depth to Product (feet)	Free Product Thickness (feet)	Water Table Elevation (msl)	TPHg (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethyl-benzene (mg/L)	Total Xylenes (mg/L)	MTBE (mg/L)	DIPE (mg/L)	ETBE (mg/L)	TBA (mg/L)	TAME (mg/L)	
MW-12 (cont)	11/10/2005	16.51	--	0.00	26.74	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	
	3/20/2006	13.04	--	0.00	30.21	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	
	5/25/2006	12.65	--	0.00	30.60	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	
MW-13 40.97	6/14/2001	14.51	--	0.00	26.46	<50	<0.50	<0.50	<0.50	<0.50	<5.0	--	--	--	--	
	11/7/2001	15.85	--	0.00	25.12	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	
	1/30/2002	13.65	--	0.00	27.32	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	
	5/29/2002	14.10	--	0.00	26.87	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	
	8/14/2002	15.13	--	0.00	25.84	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	
	11/15/2002	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
	10/25/2004	Well not sampled. Unable to locate well since 10/25/04.							--	--	--	--	--	--	--	--
MW-14 43.19	6/14/2001	16.53	--	0.00	26.66	470	<0.5	<0.5	2.8	1	<5	--	--	--	--	
	11/7/2001	17.84	--	0.00	25.35	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	
	1/30/2002	15.55	--	0.00	27.64	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	
	5/29/2002	16.14	--	0.00	27.05	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	
	8/14/2002	17.12	--	0.00	26.07	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	
	11/15/2002	17.56	--	0.00	25.63	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5	
	10/25/2004	Well not sampled. Unable to locate well due to parked cars.														
	2/25/2005	14.20	--	0.00	28.99	210	<0.5	<0.5	0.56	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	5/19/2005	13.71	--	0.00	29.48	230	<0.5	<0.5	0.72	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<0.5
	9/15/2005	Well not sampled due to lack of traffic control														
	11/10/2005	Well not sampled due to lack of traffic control							--	--	--	--	--	--	--	--
3/20/2006	12.94	--	0.00	30.25	180	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	
5/25/2006	12.68	--	0.00	30.51	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	
EX-1 --	8/14/2002	16.58	0.00	0.00	--	250	31	<0.5	<0.5	4.2	1.4	<0.5	<0.5	<5.0	<0.5	
	11/15/2002	17.02	0.00	0.00	--	67	4.1	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	<5.0	<0.5	
	10/25/2004	16.91	0.00	0.00	--	96	2.1	<0.50	4.9	1.8	<0.5	<0.5	<0.5	<5.0	<0.50	
	12/23/2004	16.60	0.00	0.00	--	<50	<0.50	<0.50	0.87	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50	
	2/25/2005	13.72	0.00	0.00	--	59	1.4	<0.50	2	0.87	<0.50	<0.50	<0.50	<5.0	<0.50	
	5/19/2005	13.13	0.00	0.00	--	200	3.4	<0.50	3.7	1.8	1.3	<0.50	<0.50	<5.0	<0.50	
	9/15/2005	15.20	0.00	0.00	--	290	7.5	<0.50	2.8	0.66	1.2	<0.50	<0.50	<5.0	<0.50	
	11/10/2005	15.80	--	0.00	--	270	5.1	<0.50	9.2	1.5	0.94	<0.50	<0.50	<5.0	<0.50	

**Table 1
Groundwater Analytical Data**

Former EZ Serve Location #100877
525 West A St. Hayward CA, 94541

Well Casing Elevation (msl)	Sample Date	Depth to Water (feet)	Depth to Product (feet)	Free Product Thickness (feet)	Water Table Elevation (msl)	TPHg (mg/L)	Benzene (mg/L)	Toluene (mg/L)	Ethyl-benzene (mg/L)	Total Xylenes (mg/L)	MTBE (mg/L)	DIPE (mg/L)	ETBE (mg/L)	TBA (mg/L)	TAME (mg/L)
EX-1	3/20/2006	12.35	--	0.00	--	820	7.5	<0.50	15	7.2	0.94	<0.50	<0.50	<5.0	<0.50
(cont)	5/25/2006	11.88	--	0.00	--	100	<0.50	<0.50	1.0	0.90	0.79	<0.50	<0.50	<5.0	<0.50
VEAS-2	2/25/2005	13.68	0.00	0.00	--	90	1.1	<0.50	0.7	1.3	1.4	<0.50	<0.50	<5.0	<0.50
--	5/19/2005	13.11	0.00	0.00	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	<0.50
	11/10/2005	Dry	--	--	--	--	--	--	--	--	--	--	--	--	--

Notes: No known groundwater monitoring or sampling was conducted between June 1, 1998 and June 14, 2001, June 14, 2001 and November 7, 2001, Wellhead elevations resurveyed on January 30, 2002.

Explanations:

msl = mean seal level
(mg/L) = micrograms per liter
TPHg = Total Petroleum Hydrocarbons as gasoline (EPA Method 8015).
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether

TBA = Tertiary butyl alcohol
TAME = Tertiary amyl methyl ether
-- = Not measured, or analyzed
DRY = Insufficient water to sample
SHEEN = Discontinuous, non-measurable thickness of PSH.
< = Sample reported as "not detected," in previous tables, reporting limit not known.

Table 2
Historical Groundwater Data
Former EZ Serve Location 100877
525 West A St.
Hayward CA, 94541

Well Casing Elevation	Sample	Depth to Water	Depth to Product	Free Product Thickness	Water Table Elevation	TPHg	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE
(msl)	Date	(feet)	(feet)	(feet)	(msl)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-1 41.75	02/05/92	20.82	--	==	20.93	46000	7600	2300	2400	6500	--
	09/11/92	20.08	--	==	21.67	48000	9000	1200	1800	4600	--
	12/22/92	19.79	--	==	21.96	84000	22000	1600	4800	17000	--
	03/03/93	16.23	--	==	25.52	54000	16000	1600	1900	4300	--
	06/23/93	16.86	--	==	24.89	30000	18000	1100	1400	3700	--
	09/30/93	18.04	--	==	23.71	33000	10000	440	940	1700	--
	02/06/94	18.15	--	==	23.60	64000	18000	1600	4700	12000	--
	05/02/94	17.26	--	==	24.49	7200	2100	29	490	520	--
	07/01/94	17.60	--	==	24.15	13000	3700	150	550	12000	--
	09/20/94	20.59	--	==	21.16	10000	3100	75	440	870	--
	12/05/94	17.83	--	==	23.92	8700	3700	87	520	950	--
	03/10/95	14.67	--	==	27.08	--	--	--	--	--	--
	03/15/95	14.43	--	==	27.32	290	56	2	12	47	--
	09/23/96	14.92	--	==	26.83	20000	5200	860	700	1100	270
	12/04/96	15.61	--	==	26.14	17000	3100	64	610	1200	280
	04/08/97	13.25	--	==	28.50	2100	430	15	52	85	100
	06/30/97	14.68	--	==	27.07	10000	2100	<	<	320	<
11/25/97	15.99	--	==	25.76	16000	2100	23	76	240	<	
06/01/98	9.98	--	==	31.77	19000	6100	430	1100	2300	420	
MW-1A 43.4	06/23/93	17.80	17.59	0.21	-17.65	--	--	--	--	--	--
	09/30/93	--	--	--	--	--	--	--	--	--	--
	02/06/94	18.89	--	==	-18.89	8900	1700	42	1000	400	--
	05/02/94	18.35	0.09	0.09	-5.00	--	--	--	--	--	--

Table 2
Historical Groundwater Data
Former EZ Serve Location 100877
525 West A St.
Hayward CA, 94541

Well Casing Elevation	Sample	Depth to Water	Depth to Product	Free Product Thickness	Water Table Elevation	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE
(msl)	Date	(feet)	(feet)	(feet)	(msl)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-1A (cont)	07/01/94	18.45	--	==	-18.45	12000	1100	<1	920	1100	--
	09/20/94	21.72	21.50	0.22	-21.56	--	--	--	--	--	--
	12/05/94	18.87	18.80	0.07	-18.82	--	--	--	--	--	--
	03/10/95	15.83	--	==	-15.83	--	--	--	--	--	--
	03/15/95	15.55	15.50	0.05	-15.51	--	--	--	--	--	--
	09/23/96	16.00	15.99	0.01	-15.99	--	--	--	--	--	--
	12/04/96	16.55	--	==	-16.55	52000	420	140	1000	3500	130
	04/08/97	14.15	SHEEN	SHEEN	-14.15	--	--	--	--	--	--
	06/30/97	15.57	--	==	-15.57	17000	180	<	140	1100	<
	11/25/97	16.91	--	==	-16.91	19000	110	37	290	910	<
	06/01/98	10.78	--	==	-10.78	18000	200	17	230	820	91
MW-2 43.26	02/05/92	22.35	--	==	20.91	67000	13000	4700	820	1300	--
	09/11/92	21.67	--	==	21.59	57000	9000	1400	1200	8400	--
	12/22/92	21.39	--	==	21.87	31000	9900	350	2000	4100	--
	03/03/93	17.75	--	==	25.51	17000	5100	1300	720	1900	--
	06/23/93	18.42	--	==	24.84	60000	23000	1500	4500	17000	--
	09/30/93	19.63	--	==	23.63	38000	12000	780	1500	6500	--
	02/06/94	19.61	--	==	23.65	34000	8900	450	2000	5500	--
	05/02/94	19.84	--	==	23.42	18000	3800	260	1100	3500	--
	07/01/94	19.18	--	==	24.08	18000	3700	510	870	2600	--
	09/20/94	22.17	--	==	21.09	19000	4500	300	1200	4000	--
12/06/94	19.37	--	==	23.89	22000	4700	340	1400	4500	--	
03/10/95	16.33	--	==	26.93	--	--	--	--	--	--	

Table 2
Historical Groundwater Data
Former EZ Serve Location 100877
525 West A St.
Hayward CA, 94541

Well Casing Elevation	Sample	Depth to Water	Depth to Product	Free Product Thickness	Water Table Elevation	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE
(msl)	Date	(feet)	(feet)	(feet)	(msl)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-2 (cont)	03/15/95	16.89	--	==	26.37	29000	5600	350	1900	6300	--
	09/23/96	16.61	--	==	26.65	29000	3700	150	1000	4300	860
	12/04/96	17.19	--	==	26.07	31000	3800	140	2000	5100	690
	04/08/97	14.86	--	==	28.40	20000	2500	80	1300	3400	880
	06/30/97	16.28	--	==	26.98	41000	2700	130	1200	4000	890
	11/25/97	17.56	--	==	25.70	51000	2900	140	1800	7000	1200
	06/01/98	11.58	--	==	31.68	33000	2700	130	1800	5700	610
MW-3 43.89	02/05/92	21.85	--	==	-21.85	16000	2700	410	<1	3400	--
	09/11/92	21.13	--	==	-21.13	43000	7600	1600	1400	4100	--
	12/22/92	20.88	--	==	-20.88	29000	8800	1200	1500	3700	--
	03/03/93	17.29	--	==	-17.29	17000	5000	1500	680	1700	--
	06/23/93	17.88	--	==	-17.88	5700	3000	120	560	790	--
	09/30/93	19.18	--	==	-19.18	21000	7000	2100	970	2600	--
	02/06/94	19.21	--	==	-19.21	24000	7200	1600	990	3200	--
	05/02/94	18.30	--	==	-18.30	10000	2200	440	470	1200	--
	07/01/94	18.63	--	==	-18.63	8200	2000	370	350	930	--
	09/20/94	21.64	--	==	-21.64	7200	2000	360	380	1000	--
	12/06/94	19.15	--	==	-19.15	9000	2300	400	440	1100	--
	03/10/95	16.33	--	==	-16.33	--	--	--	--	--	--
	03/15/95	16.89	--	==	-16.89	4300	980	47	370	780	--
	09/23/96	16.11	--	==	-16.11	10000	950	20	700	780	80
	12/04/96	16.63	--	==	-16.63	13000	1100	25	1000	1100	67
04/08/97	14.25	--	==	-14.25	3800	210	4.6	270	280	56	

Table 2
Historical Groundwater Data
Former EZ Serve Location 100877
525 West A St.
Hayward CA, 94541

Well Casing Elevation	Sample	Depth to Water	Depth to Product	Free Product Thickness	Water Table Elevation	TPHg	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE
(msl)	Date	(feet)	(feet)	(feet)	(msl)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-3 (cont)	06/30/97	15.70	--	==	-15.70	3500	280	<	32	180	<
	11/25/97	16.99	--	==	-16.99	6800	230	<	370	290	130
	06/01/98	--	--	--	--	--	--	--	--	--	--
MW-4 42.76	02/05/92	21.31	--	==	-21.31	16000	2700	410	<1	3400	--
	09/11/92	20.62	--	==	-20.62	43000	7600	1600	1400	4100	--
	12/22/92	20.37	--	==	-20.37	29000	8800	1200	1500	3700	--
	03/03/93	16.78	--	==	-16.78	17000	5000	1500	680	1700	--
	06/23/93	17.45	--	==	-17.45	5700	3000	120	560	790	--
	09/30/93	18.64	--	==	-18.64	21000	7000	2100	970	2600	--
	02/06/94	18.59	--	==	-18.59	24000	7200	1600	990	3200	--
	05/02/94	17.81	--	==	-17.81	10000	2200	440	470	1200	--
	07/01/94	18.13	--	==	-18.13	8200	2000	370	350	930	--
	09/20/94	21.13	--	==	-21.13	7200	2000	360	380	1000	--
	12/06/94	18.36	--	==	-18.36	9000	2300	400	440	1100	--
	03/10/95	15.25	--	==	-15.25	--	--	--	--	--	--
	03/15/95	14.89	--	==	-14.89	15000	4400	600	770	2660	--
	09/23/96	15.56	--	==	-15.56	32000	7400	540	1500	2800	2100
	12/04/96	16.11	--	==	-16.11	23000	7800	140	1200	1200	1900
04/08/97	13.73	--	==	-13.73	16000	3900	680	850	2300	980	
06/30/97	15.19	--	==	-15.19	63000	7000	430	1400	4400	1700	
11/25/97	16.49	--	==	-16.49	30000	4300	61	810	1500	880	
06/01/98	10.42	--	==	-10.42	33000	5700	710	1700	2900	720	

Table 2
Historical Groundwater Data
Former EZ Serve Location 100877
525 West A St.
Hayward CA, 94541

Well Casing Elevation (msl)	Sample Date	Depth to Water (feet)	Depth to Product (feet)	Free Product Thickness (feet)	Water Table Elevation (msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)
MW-5 42.1	02/05/92	20.93	--	===	21.17	78000	7900	5000	2900	1800	--
	09/11/92	20.27	--	===	21.83	49000	4700	400	1400	4100	--
	12/22/92	19.99	--	===	22.11	34000	8600	340	2200	4800	--
	03/03/93	16.49	--	===	25.61	22000	7500	640	1300	3400	--
	06/23/93	17.02	--	===	25.08	15000	5800	120	1100	2100	--
	09/30/93	18.25	--	===	23.85	25000	7600	410	1000	4400	--
	02/06/94	18.26	--	===	23.84	23000	6000	180	2000	5900	--
	05/02/94	17.50	--	===	24.60	8000	1300	29	440	770	--
	07/01/94	17.79	--	===	24.31	10000	1700	97	600	1400	--
	09/20/94	20.77	--	===	21.33	8400	1600	54	650	1400	--
	12/05/94	18.02	--	===	24.08	10000	1800	<50	620	1400	--
	03/10/95	14.93	--	===	27.17	--	--	--	--	--	--
	03/15/95	14.70	--	===	27.40	5300	1100	11	180	320	--
	09/23/96	15.19	--	===	26.91	9800	1800	11	470	510	100
	12/04/96	15.78	--	===	26.32	10000	2200	9	550	430	70
	04/08/97	13.39	--	===	28.71	11000	1300	15	450	720	180
06/30/97	14.83	--	===	-14.83	3800	500	<	75	84	<	
11/25/97	16.14	--	===	-16.14	8200	1300	14	310	220	<	
06/01/98	10.10	--	===	-10.10	3600	290	12	52	52	81	
MW-6 42.33	02/05/92	21.29	--	===	-21.29	51000	5400	3500	3600	10000	--
	09/11/92	20.56	--	===	-20.56	24000	2500	830	1400	2300	--
	12/22/92	20.31	--	===	-20.31	23000	5100	630	2000	3100	--
	03/03/93	16.83	--	===	-16.83	18000	4400	820	1400	2400	--

Table 2
Historical Groundwater Data
Former EZ Serve Location 100877
525 West A St.
Hayward CA, 94541

Well Casing Elevation	Sample Date	Depth to Water (feet)	Depth to Product (feet)	Free Product Thickness (feet)	Water Table Elevation (msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)
MW-6 (cont)	06/23/93	17.30	--	===	-17.30	18000	4600	850	2700	3400	--
	09/30/93	19.05	--	===	-19.05	--	--	--	--	--	--
	02/06/94	18.55	--	===	-18.55	20000	4600	690	2100	2500	--
	05/02/94	17.74	--	===	-17.74	5300	930	54	610	240	--
	07/01/94	18.09	--	===	-18.09	10000	1500	160	850	690	--
	09/20/94	21.05	--	===	-21.05	11000	2000	140	1200	760	--
	12/06/94	18.33	--	===	-18.33	8600	1300	87	980	610	--
	03/10/95	15.35	--	===	-15.35	--	--	--	--	--	--
	03/15/95	14.91	--	===	-14.91	9800	1600	110	1000	1000	--
	09/23/96	15.50	--	===	-15.50	12000	520	55	930	350	51
	12/04/96	16.06	--	===	-16.06	11000	390	25	680	170	130
	04/08/97	13.64	--	===	-13.64	17000	700	92	1400	900	2700
	06/30/97	15.08	--	===	-15.08	11000	270	37	590	450	<
	11/25/97	16.40	--	===	-16.40	9100	130	26	500	150	310
06/01/98	10.31	--	===	-10.31	14000	190	50	680	400	160	
MW-7 42.7	06/23/93	17.87	--	===	#REF!	29000	4200	71	4400	5600	--
	09/30/93	18.94	--	===	#REF!	30000	3200	71	2800	3400	--
	02/06/94	19.11	19.05	0.06	#REF!	--	--	--	--	--	--
	05/02/94	18.11	--	===	#REF!	5700	630	13	660	400	--
	07/01/94	18.72	--	===	#REF!	3100	180	99	160	520	--
	09/20/94	21.41	--	===	#REF!	6100	540	6	750	730	--
	12/05/94	18.66	--	===	#REF!	3700	280	<10	430	350	--
	03/10/95	15.72	--	===	#REF!	3900	310	<10	540	540	--

Table 2
Historical Groundwater Data
Former EZ Serve Location 100877
525 West A St.
Hayward CA, 94541

Well Casing Elevation	Sample	Depth to Water	Depth to Product	Free Product Thickness	Water Table Elevation	TPHg	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE
(msl)	Date	(feet)	(feet)	(feet)	(msl)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
MW-7 (cont)	03/14/95	15.23	--	==	#REF!	1900	290	4	26	296	--
	09/23/96	15.94	--	==	#REF!	6300	76	<	420	270	15
	12/04/96	16.43	--	==	#REF!	7800	67	<	600	350	22
	04/08/97	14.10	--	==	#REF!	5600	42	<	240	96	<
	06/30/97	15.51	--	==	#REF!	5500	<	79	<	44	280
	11/25/97	16.80	--	==	#REF!	2400	23	5.4	<	54	120
	06/01/98	10.31	--	==	#REF!	14000	190	50	680	400	160
MW-8 97.61	06/23/93	17.64	--	==	79.97	350	43	9	35	67	--
	09/30/93	18.85	--	==	78.76	2700	190	340	170	720	--
	02/06/94	18.91	--	==	78.70	<100	<1	1	1	2	--
	05/02/94	18.11	--	==	79.50	<100	<1	3	<1	7	--
	07/01/94	18.43	--	==	79.18	300	18	48	19	37	--
	09/20/94	21.43	--	==	76.18	<100	<1	<1	<1	<1	--
	12/05/94	18.72	--	==	78.89	<50	<0.5	<0.5	<0.5	<0.5	--
	03/10/95	18.69	--	==	78.92	--	--	--	--	--	--
	03/14/95	14.83	--	==	82.78	<50	<0.5	<0.5	<0.5	1	--
	09/23/96	15.83	--	==	81.78	<	<	<	<	<	<
	Not Sampled, well inaccessible since 4th Quarter, 1996.										
MW-9 95.41	06/23/93	15.94	--	==	79.47	45000	14000	1200	2800	12000	--
	09/30/93	17.05	--	==	78.36	86000	22000	1100	3300	15000	--
	02/06/94	17.07	--	==	78.34	43000	10000	460	2100	7500	--
	05/02/94	16.24	--	==	79.17	17000	5400	270	1300	4700	--

Table 2
Historical Groundwater Data
Former EZ Serve Location 100877
525 West A St.
Hayward CA, 94541

Well Casing Elevation (msl)	Sample Date	Depth to Water (feet)	Depth to Product (feet)	Free Product Thickness (feet)	Water Table Elevation (msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)
MW-9 (cont)	07/01/94	16.59	--	===	78.82	10000	2100	120	450	1300	--
	09/20/94	19.61	--	===	75.80	7500	2200	97	400	1200	--
	12/05/94	16.85	--	===	78.56	10000	2700	130	530	1600	--
	03/10/95	--	--	--	--	--	--	--	--	--	--
	03/14/95	14.18	--	===	81.23	18000	5900	270	1200	3680	--
Not Sampled, well inaccessible since 1st Quarter, 1995.											
MW-10 97.11	06/23/93	17.39	--	===	79.72	35000	980	640	3500	12000	--
	09/30/93	18.58	--	===	78.53	4000	230	12	100	680	--
	02/06/94	18.61	--	===	78.50	2000	69	12	220	120	--
	05/02/94	17.83	--	===	79.28	710	16	6	85	62	--
	07/01/94	18.17	--	===	78.94	2000	52	43	120	210	--
	09/20/94	21.15	--	===	75.96	2800	34	16	270	560	--
	12/05/94	18.43	--	===	78.68	2700	30	13	260	430	--
	03/10/95	15.37	--	===	81.74	--	--	--	--	--	--
	03/14/95	15.93	--	===	81.18	1400	18	6	200	239	--
	09/23/96	15.59	--	===	81.52	3800	4	2.9	220	170	397
	12/04/96	16.15	--	===	80.96	4600	1.6	7.7	260	150	20
	Not Sampled, well inaccessible since 4th Quarter, 1996.										
MW-11 92.68	02/10/95	11.80	--	===	80.88	7000	140	22	600	1000	--
	03/10/95	11.58	--	===	81.10	--	--	--	--	--	--
	03/14/95	13.96	--	===	78.72	6000	200	17	750	1276	--
	09/23/96	12.29	--	===	80.39	27000	55	81	300	3500	40

Table 2
Historical Groundwater Data
Former EZ Serve Location 100877
525 West A St.
Hayward CA, 94541

Well Casing Elevation (msl)	Sample Date	Depth to Water (feet)	Depth to Product (feet)	Free Product Thickness (feet)	Water Table Elevation (msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)
MW-11	12/04/96	--	--	--	--	--	--	--	--	--	--
(cont)	04/08/97	10.51	--	==	82.17	24000	280	130	3000	3700	<
Not Sampled, well inaccessible since 2nd Quarter, 1997.											
MW-12	02/10/95	16.30	--	==	-16.30	<50	<0.5	<0.5	<0.5	<0.5	--
43.25	03/10/95	16.37	--	==	-16.37	--	--	--	--	--	--
	03/14/95	15.69	--	==	-15.69	<50	<0.5	<0.5	<0.5	0.9	--
	09/23/96	16.67	--	==	-16.67	<	<	1.6	<	<	<
	12/04/96	17.16	--	==	-17.16	<	3.2	<	1.9	3.4	<
	04/08/97	14.88	--	==	-14.88	<	<	<	<	<	<
	06/30/97	16.33	--	==	-16.33	--	--	--	--	--	--
	11/25/97	17.61	--	==	-17.61	--	--	--	--	--	--
	06/01/98	11.58	--	==	-11.58	--	--	--	--	--	--
MW-13	02/10/95	14.45	--	==	26.52	<50	<0.5	<0.5	<0.5	<0.5	--
40.97	03/10/95	14.30	--	==	26.67	--	--	--	--	--	--
	03/14/95	15.81	--	==	25.16	<50	<0.5	<0.5	<0.5	1	--
	09/23/96	14.60	--	==	26.37	<	<	0.8	1	<	<
	12/04/96	--	--	--	--	--	--	--	--	--	--
	04/08/97	12.75	--	==	28.22	<	<	<	<	<	<
	06/30/97	14.13	--	==	26.84	--	--	--	--	--	--
	11/25/97	15.48	--	==	25.49	--	--	--	--	--	--
	06/01/98	9.58	--	==	31.39	--	--	--	--	--	--

Table 2
Historical Groundwater Data
Former EZ Serve Location 100877
525 West A St.
Hayward CA, 94541

Well Casing Elevation (msl)	Sample Date	Depth to Water (feet)	Depth to Product (feet)	Free Product Thickness (feet)	Water Table Elevation (msl)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)
MW-14	02/10/95	16.28	--	===	-16.28	12000	42	8	740	2100	--
43.19	03/10/95	16.33	--	===	-16.33	--	--	--	--	--	--
	03/14/95	14.87	--	===	-14.87	1400	6	2	36	298	--
	09/23/96	16.67	--	===	-16.67	6400	2.8	<	690	96	9.6
	12/04/96	17.06	--	===	-17.06	9500	6.3	<	1100	400	30
	04/08/97	14.77	--	===	-14.77	2900	<	2.7	220	21	<
	06/30/97	16.22	--	===	-16.22	74	1.3	<	0.51	0.68	<
	11/25/97	17.52	--	===	-17.52	<	<	<	<	<	<
	06/01/98	11.46	--	===	-11.46	<50	<0.5	<0.5	<0.5	<0.5	<5

Notes: No known groundwater monitoring or sampling was conducted between June 1, 1998 and June 14, 2001, June 14, 2001 and November 7, 2001, and November 15, 2002 and October 25, 2004.

Wellhead elevations resurveyed on January 30, 2002.

Explanations:

msl = mean seal level

(mg/L) = micrograms per liter

TPHg = Total Petroleum Hydrocarbons as gasoline (EPA Method 8015).

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether

ETBE = Ethyl tertiary butyl ether

TBA = Tertiary butyl alcohol

TAME = Tertiary amyl methyl ether

-- = Not measured, or analyzed

DRY = Insufficient water to sample

SHEEN = Discontinuous, non-measurable thickness of PSH.

< = Sample reported as "not detected," in previous tables, reporting limit not known.

ENCLOSURE A

Field Methods and Procedures

FIELD METHODS AND PROCEDURES

The following section describes field procedures that are to be used by Delta personnel in the performance of the tasks involved with this project.

1.0 HEALTH AND SAFETY PLAN

Fieldwork performed by Delta and Delta's subcontractors at the site will be conducted according to guidelines established in a Site Health and Safety Plan (SHSP). The SHSP is a document that describes the hazards that may be encountered in the field and specifies protective equipment, work procedures and emergency information. A copy of the SHSP will be at the site and available for reference by appropriate parties during work at the site.

2.0 GROUNDWATER DEPTH ASSESSMENT

A water/product interface probe is used to assess the liquid-phase hydrocarbons (LPH) thickness, if present, and a water level indicator is used to measure the groundwater depth in monitoring wells that do not contain LPH. Depth to groundwater or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for LPH sheen.

3.0 SUBJECTIVE ANALYSIS OF GROUNDWATER

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

4.0 MONITORING WELL SAMPLING

Monitoring wells are purged using a pump or bailer until pH, temperature and conductivity of the purge water has stabilized and a minimum of three well volumes of water has been removed. The purge water is placed in 55-gallon drums and temporarily stored on-site pending evaluation of disposal options. If three well volumes cannot be removed in one-half an hour's time, the well is allowed to recharge to 80 percent of original level. After recharging, a groundwater sample is then removed from each of the wells using a pump or disposable bailer. The water sample is collected, labeled and handled according to the Quality Assurance

Plan. Water generated during the monitoring event is disposed of according to the accepted regulatory method pertaining to the site.

5.0 QUALITY ASSURANCE PLAN

This section describes the field and analytical procedures to be followed by Delta throughout the investigation.

5.1 General Sample Collection and Handling Procedures

Proper collection and handling are essential to ensure the quality of a sample. Each sample will be collected in the appropriate container, preserved correctly for the intended analysis and stored, prior to analysis, for no longer than the maximum allowable holding time. Details on the procedures for collection and handling of soil samples from this project can be found in previous sections.

5.2 Sample Identification and Chain-of-Custody Procedures

Sample identification and chain-of-custody procedures ensure sample integrity and document sample possession from the time of collection to its ultimate disposal. Each sample container submitted for analysis will have a label affixed to identify the job number, sampler, date and time of sample collection and a sample number unique to that sample. During soil sampling, this information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel and any other pertinent field observations will be recorded on the borehole log or in the field records.

ENCLOSURE B

Field Data Sheets

Delta Environmental Consultants, Inc.
Groundwater/Liquid Level Data
(measurements in feet)

Project Address: 525 West A Street
Hayward, CA
Recorded By: Todd Shelton

Date: 5-25-06
Project No: RPM5-0877
Weather: Sunny 80°, Wind 0-5 NW

Well No.	Time	Depth to Groundwater	Measured Total Depth	Diameter	Total Volume	Depth to Product	Product Description	Comments
mw-1	11:50	11.05	29.89	4	37.0			
mw-1A	2:00	11.85	29.05	2	9.0			Strong Hydro odor/ Sheen
mw-2								Couldn't locate, Bring Magnetometer
mw-3	2:20	12.05	29.90	4	34.0			
mw-4	12:20	11.49	30.00	4	36.0			Hydro odor
mw-5	11:25	11.15	30.20	4	37.0			
mw-6	11:03	11.38	30.00	4	36.0			
mw-7								Blocked by Boxes & Furniture
mw-8								Couldn't locate
mw-9								Couldn't locate
mw-10								Couldn't locate
mw-12	10:15	12.65	29.70	2	9.0			Needs To be Re-Tapped
mw-13								Blocked by parked CAR
mw-14	10:35	12.68	29.70	2	0.0			Grab Sample
EX-1	12:45	11.88	34.45	6	99.0			Slight Hydro odor

Notes:

Waste: 4 Drums Date 5-25-06 Contents purge water/ Decon water



SAMPLING INFORMATION SI

Well No. MW-1 Project Name RPMS-100877, Hayward Client RPMS
 Location (address) 525 West A Street, Hayward, CA
 Date Sampled 5/25/05
 Well Depth 29.89 ft below top of casing Casing diameter 4 inches
 DTW (below top of casing) 11.05 ft Time: 11:50
 DTP _____ ft
 Purging Method: Submersible pump Bailer Centrifugal pump Other _____
 Sampling Method: Disposable bailer Sampling port Samples collected 3

GROUND WATER EVACUATION/STABILIZATION DATA 37

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)
11:55	20.2	6.82	1189		Initial
12:00	19.8	6.74	1212		12.0
12:05	19.7	6.70	1193		24.0
12:10	19.7	6.67	1187		37.0

Comments: _____

Transportation (thermal preservation) All Samples iced in Field
 Form Completed By Todd Stelton Sampled By Jill Gray



SAMPLING INFORMATION SI

Well No. MW-1A Project Name RPMS-100877, Hayward Client RAMS
 Location (address) 525 West A Street, Hayward, CA
 Date Sampled 5/25/05
 Well Depth 29.05 ft below top of casing Casing diameter 2 inches
 DTW (below top of casing) 11.85 ft. Time: 2:00
 DTP _____ ft.
 Purging Method: Submersible pump Bailer Centrifugal pump Other _____
 Sampling Method: Disposable bailer Sampling port Samples collected 3

GROUND WATER EVACUATION/STABILIZATION DATA 8.2

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)
2:10	20.2	7.12	1127		Initial
2:13	19.9	6.92	1143		3.0
2:16	19.8	6.88	1138		6.0
2:18	19.8	6.81	1144		9.0

Comments: Strong Hydrocarbon odor, slight sleet noticed on pure water

Transportation (thermal preservation) All samples iced in field
 Form Completed By Toon Sletton Sampled By Judd Blue



SAMPLING INFORMATION SI

Well No. MW-2 Project Name RPMS-100877, Hayward Client RPMS

Location (address) 525 West A Street, Hayward, CA

Date Sampled 5/25/06

Well Depth _____ ft below top of casing Casing diameter _____ inches

DTW (below top of casing) _____ ft. Time: _____

DTP _____ ft.

Purging Method: Submersible pump Bailer Centrifugal pump Other _____

Sampling Method: Disposable bailer Sampling port Samples collected _____

GROUND WATER EVACUATION/STABILIZATION DATA

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)

Comments: Couldn't locate We need to bring Magnatometer next site visit

Transportation(thermal preservation) _____

Form Completed By Toon Sletron Sampled By _____



SAMPLING INFORMATION SI

Well No. MW-3 Project Name RPMs-100877, Hayward Client RPMs

Location (address) 525 West A Street, Hayward, CA

Date Sampled 5/25/06

29.90 Well Depth 13.68 ft below top of casing Casing diameter 4 inches

DTW (below top of casing) 12.05 ft. Time: 2:20

DTP _____ ft.

Purging Method: Submersible pump Bailer Centrifugal pump Other _____

Sampling Method: Disposable bailer Sampling port Samples collected 3

GROUND WATER EVACUATION/STABILIZATION DATA 34.8

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)
2:25	20.4	7.10	1284		Initial
2:30	20.3	6.93	1276		11.0
2:35	20.2	6.87	1266		22.0
2:40	20.2	6.82	1272		34.0

Comments: _____

Transportation (thermal preservation) All samples iced in field
 Form Completed By Todd Sletton Sampled By Joell Sletton



SAMPLING INFORMATION SI

Well No. MW-4 Project Name RPMS-100877, Hayward Client RPMS-
 Location (address) 525 West A Street, Hayward, CA
 Date Sampled 5/25/06
 Well Depth 30.0 ft below top of casing Casing diameter 4 inches
 DTW (below top of casing) 11.49 ft. Time: 12:20
 DTP _____ ft.
 Purging Method: Submersible pump Bailer Centrifugal pump Other _____
 Sampling Method: Disposable bailer Sampling port Samples collected 3

GROUND WATER EVACUATION/STABILIZATION DATA 36.0

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)
12:25	20.2	6.82	1228		Initial
12:30	19.8	6.90	1189		12.0
12:35	19.7	6.78	1176		24.0
12:40	19.6	6.73	1182		36.0

Comments: Hydro odor

Transportation (thermal preservation) All Samples iced in field
 Form Completed By Todd Shelton Sampled By Judd Elmer



SAMPLING INFORMATION SI

Well No. MW-5 Project Name RRMS-100877, Hayward Client RRMS
 Location (address) 525 West A Street, Hayward, CA
 Date Sampled 5/25/06
 Well Depth 30.20 ft below top of casing Casing diameter 4 inches
 DTW (below top of casing) 11.15 ft. Time: 11:25
 DTP _____ ft.
 Purging Method: Submersible pump Bailer Centrifugal pump Other _____
 Sampling Method: Disposable bailer Sampling port Samples collected 3

GROUND WATER EVACUATION/STABILIZATION DATA 37.0

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)
11:30	20.3	6.65	1221		Initial
11:35	19.9	6.57	1204		12.0
11:40	19.8	6.52	1212		24.0
11:45	19.7	6.55	1208		37.0

Comments: _____

Transportation (thermal preservation) All Samples iced in Field
 Form Completed By Todd Skelton Sampled By Paul Green



SAMPLING INFORMATION SI

Well No. MW-6 Project Name RPMS-100877, Hayward Client RPMS
 Location (address) 525 West A Street, Hayward, CA
 Date Sampled 5/25/06
 Well Depth 30.0 ft below top of casing Casing diameter 4 inches
 DTW (below top of casing) 11.38 ft. Time: 11:03
 DTP _____ ft.
 Purging Method: Submersible pump Bailer Centrifugal pump Other _____
 Sampling Method: Disposable bailer Sampling port Samples collected 3

GROUND WATER EVACUATION/STABILIZATION DATA 36

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)
11:07	20.3	7.08	1274		Initial
11:12	20.3	6.91	1270		12.0
11:17	20.2	6.88	1270		24.0
11:22	20.2	6.80	1266		36.0

Comments: _____

Transportation (thermal preservation) All Samples Iced in Field
 Form Completed By Todd Sletan Sampled By Joell Blue



SAMPLING INFORMATION SI

Well No. MW-7 Project Name RPMS-100877, Hayward Client RPMS
 Location (address) 525 West A Street, Hayward, CA
 Date Sampled 5/25/06

Well Depth _____ ft below top of casing Casing diameter _____ inches

DTW (below top of casing) _____ ft. Time: _____

DTP _____ ft.

Purging Method: Submersible pump Bailer Centrifugal pump Other _____

Sampling Method: Disposable bailer Sampling port Samples collected _____

GROUND WATER EVACUATION/STABILIZATION DATA

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)

Comments: people were either moving INTO This Trailer OR OUT. BUT The well was blocked with Boxes & furniture

Transportation(thermal preservation) _____

Form Completed By Todd Skilton Sampled By _____



SAMPLING INFORMATION SI

Well No. MW-8 Project Name RPMS-100877, Hayward Client RPMS

Location (address) 525 West A Street, Hayward, CA

Date Sampled 5/25/06

Well Depth _____ ft below top of casing Casing diameter _____ inches

DTW (below top of casing) _____ ft. Time: _____

DTP _____ ft.

Purging Method: Submersible pump Bailer Centrifugal pump Other _____

Sampling Method: Disposable bailer Sampling port Samples collected _____

GROUND WATER EVACUATION/STABILIZATION DATA

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)

Comments: Couldn't locate, paved over

Transportation(thermal preservation) _____

Form Completed By Toop Skelton Sampled By _____



Delta
Environmental
Consultants, Inc.

SAMPLING INFORMATION SI

Well No. MW-9 Project Name RPMS-100877, Hayward Client RPMS

Location (address) 525 West A Street, Hayward, CA

Date Sampled 5/25/06

Well Depth _____ ft below top of casing Casing diameter _____ inches

DTW (below top of casing) _____ ft. Time: _____

DTP _____ ft.

Purging Method: Submersible pump Bailer Centrifugal pump Other _____

Sampling Method: Disposable bailer Sampling port Samples collected _____

GROUND WATER EVACUATION/STABILIZATION DATA

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)

Comments: Couldn't locate, paved over

Transportation (thermal preservation) _____

Form Completed By Todd Stetson

Sampled By _____



SAMPLING INFORMATION SI

Well No. MW-10 Project Name RPMS-100877, Hayward Client RPMS
 Location (address) 525 West A Street, Hayward, CA
 Date Sampled 5/25/06

Well Depth _____ ft below top of casing Casing diameter _____ inches

DTW (below top of casing) _____ ft. Time: _____

DTP _____ ft.

Purging Method: Submersible pump Bailer Centrifugal pump Other _____

Sampling Method: Disposable bailer Sampling port Samples collected _____

GROUND WATER EVACUATION/STABILIZATION DATA

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)

Comments: Couldn't locate, paved over

Transportation (thermal preservation) _____

Form Completed By Todd Sletton Sampled By _____



SAMPLING INFORMATION SI

Well No. MW-12 Project Name RPMS-100877, Hayward Client RPMS

Location (address) 525 West A Street, Hayward, CA

Date Sampled 5/25/06

Well Depth 29.70 ft below top of casing Casing diameter 2 inches

DTW (below top of casing) 12.65 ft. Time: 10:15

DTP _____ ft.

Purging Method: Submersible pump Bailor Centrifugal pump Other _____

Sampling Method: Disposable bailer Sampling port Samples collected 3

GROUND WATER EVACUATION/STABILIZATION DATA 8

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)
10:20	20.3	7.23	727		Initial
10:23	19.9	6.90	686		3.0
10:26	19.8	6.85	698		6.0
10:29	19.7	6.80	688		9.0

Comments: Re-TAP

Transportation (thermal preservation) All samples iced in field

Form Completed By Todd Stelton Sampled By Todd Stelton



Well No. MW-13 Project Name RPMS-100877, Hayward Client RPMS
 Location (address) 525 West A Street, Hayward, CA
 Date ~~Sampled~~ 5/25/06

Well Depth _____ ft below top of casing Casing diameter _____ inches

DTW (below top of casing) _____ ft. Time: _____

DTP _____ ft.

Purging Method: Submersible pump Bailer Centrifugal pump Other _____

Sampling Method: Disposable bailer Sampling port Samples collected _____

GROUND WATER EVACUATION/STABILIZATION DATA

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)

Comments: This well was blocked by a parked car.

Transportation(thermal preservation) _____
 Form Completed By Todd Stetion Sampled By _____



SAMPLING INFORMATION SI

Well No. MW-14 Project Name RPMS-100877, Hayward Client RPMS

Location (address) 525 West A Street, Hayward, CA

Date Sampled 5/25/06

Well Depth 29.70 ft below top of casing Casing diameter 2 inches

DTW (below top of casing) 12.68 ft. Time: 10:35

DTP _____ ft.

Purging Method: Submersible pump Bailer Centrifugal pump Other Grab Sample

Sampling Method: Disposable bailer Sampling port Samples collected 3

GROUND WATER EVACUATION/STABILIZATION DATA

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)

Comments: Re-TAP (Grab Sample)
This well is in the middle of the street

Transportation (thermal preservation) All samples used in field

Form Completed By Todd Stelton Sampled By _____



SAMPLING INFORMATION SI

Well No. EX-1 Project Name RPMS-100877, Hayward Client RPMS

Location (address) 525 West A Street, Hayward, CA

Date Sampled 5/25/06

Well Depth 34.45 ft below top of casing Casing diameter 6 inches

DTW (below top of casing) 11.88 ft. Time: 12:45

DTP _____ ft.

Purging Method: Submersible pump Bailer Centrifugal pump Other _____

Sampling Method: Disposable bailer Sampling port Samples collected 3

GROUND WATER EVACUATION/STABILIZATION DATA 99

Time	Temperature (°F)	pH units	Conductance (umhos/cm)	DTW (Nearest 0.01 ft)	Cumulative Volume of Water Removed From Well (gallons)
1:00	20.4	6.66	1155		Initial
1:10	20.2	6.80	1148		33.0
1:20	20.2	6.78	1140		66.0
1:30	20.2	6.77	1138		99.0

Comments: Slight Hydro odor

Transportation (thermal preservation) All Samples iced in Field

Form Completed By Tom Sletron Sampled By Jedl Sen

ENCLOSURE C

Analytical Laboratory Report and Chain of Custody Documentation



Report Number : 50240

Date : 5/30/2006

John Smith
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, CA 95670

Subject : 9 Water Samples
Project Name : RPMS-Hayward
Project Number : RPMS-0877

Dear Mr. Smith,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink, appearing to read "Joel Kiff".

Joel Kiff



Report Number : 50240

Date : 5/30/2006

Subject : 9 Water Samples
Project Name : RPMS-Hayward
Project Number : RPMS-0877

Case Narrative

Matrix Spike/Matrix Spike Duplicate Results associated with samples MW-4, EX-1 for the analyte Benzene were affected by the analyte concentrations already present in the un-spiked sample.

Approved By: _____

A handwritten signature in black ink, appearing to read "Joel Kiff", is written over a horizontal line. The signature is stylized and cursive.

Joel Kiff



Report Number : 50240

Date : 5/30/2006

Project Name : RPMS-Hayward

Project Number : RPMS-0877

Sample : MW-1

Matrix : Water

Lab Number : 50240-01

Sample Date :5/25/2006

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	300	0.90	ug/L	EPA 8260B	5/27/2006
Toluene	6.4	0.90	ug/L	EPA 8260B	5/27/2006
Ethylbenzene	100	0.90	ug/L	EPA 8260B	5/27/2006
Total Xylenes	40	0.90	ug/L	EPA 8260B	5/27/2006
Methyl-t-butyl ether (MTBE)	11	0.90	ug/L	EPA 8260B	5/27/2006
Diisopropyl ether (DIPE)	< 0.90	0.90	ug/L	EPA 8260B	5/27/2006
Ethyl-t-butyl ether (ETBE)	< 0.90	0.90	ug/L	EPA 8260B	5/27/2006
Tert-amyl methyl ether (TAME)	< 0.90	0.90	ug/L	EPA 8260B	5/27/2006
Tert-Butanol	6.7	5.0	ug/L	EPA 8260B	5/27/2006
TPH as Gasoline	4200	90	ug/L	EPA 8260B	5/27/2006
Toluene - d8 (Surr)	93.4		% Recovery	EPA 8260B	5/27/2006
4-Bromofluorobenzene (Surr)	102		% Recovery	EPA 8260B	5/27/2006

Approved By:

Joel Kiff



Report Number : 50240

Date : 5/30/2006

Project Name : **RPMS-Hayward**

Project Number : **RPMS-0877**

Sample : **MW-1A**

Matrix : Water

Lab Number : 50240-02

Sample Date :5/25/2006

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	0.79	0.50	ug/L	EPA 8260B	5/27/2006
Toluene	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Ethylbenzene	22	0.50	ug/L	EPA 8260B	5/27/2006
Total Xylenes	0.94	0.50	ug/L	EPA 8260B	5/27/2006
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	5/27/2006
TPH as Gasoline	1600	50	ug/L	EPA 8260B	5/27/2006
Toluene - d8 (Surr)	99.3		% Recovery	EPA 8260B	5/27/2006
4-Bromofluorobenzene (Surr)	103		% Recovery	EPA 8260B	5/27/2006

Approved By:

Joel Kiff



Report Number : 50240

Date : 5/30/2006

Project Name : **RPMS-Hayward**

Project Number : **RPMS-0877**

Sample : **MW-3**

Matrix : Water

Lab Number : 50240-03

Sample Date :5/25/2006

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	0.59	0.50	ug/L	EPA 8260B	5/27/2006
Toluene	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Ethylbenzene	3.8	0.50	ug/L	EPA 8260B	5/27/2006
Total Xylenes	0.96	0.50	ug/L	EPA 8260B	5/27/2006
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	5/27/2006
TPH as Gasoline	500	50	ug/L	EPA 8260B	5/27/2006
Toluene - d8 (Surr)	99.1		% Recovery	EPA 8260B	5/27/2006
4-Bromofluorobenzene (Surr)	102		% Recovery	EPA 8260B	5/27/2006

Approved By:

Joel Kiff



Report Number : 50240

Date : 5/30/2006

Project Name : RPMS-Hayward

Project Number : RPMS-0877

Sample : MW-4

Matrix : Water

Lab Number : 50240-04

Sample Date :5/25/2006

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	300	0.50	ug/L	EPA 8260B	5/26/2006
Toluene	77	0.50	ug/L	EPA 8260B	5/26/2006
Ethylbenzene	570	2.0	ug/L	EPA 8260B	5/27/2006
Total Xylenes	730	2.0	ug/L	EPA 8260B	5/27/2006
Methyl-t-butyl ether (MTBE)	5.4	0.50	ug/L	EPA 8260B	5/26/2006
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	5/26/2006
TPH as Gasoline	8300	200	ug/L	EPA 8260B	5/27/2006
Toluene - d8 (Surr)	94.6		% Recovery	EPA 8260B	5/26/2006
4-Bromofluorobenzene (Surr)	101		% Recovery	EPA 8260B	5/26/2006

Approved By:

Joel Kiff



Report Number : 50240

Date : 5/30/2006

Project Name : **RPMS-Hayward**

Project Number : **RPMS-0877**

Sample : **MW-5**

Matrix : Water

Lab Number : 50240-05

Sample Date :5/25/2006

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	12	0.50	ug/L	EPA 8260B	5/27/2006
Toluene	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Ethylbenzene	46	0.50	ug/L	EPA 8260B	5/27/2006
Total Xylenes	3.8	0.50	ug/L	EPA 8260B	5/27/2006
Methyl-t-butyl ether (MTBE)	1.6	0.50	ug/L	EPA 8260B	5/27/2006
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	5/27/2006
TPH as Gasoline	3400	50	ug/L	EPA 8260B	5/27/2006
Toluene - d8 (Surr)	97.3		% Recovery	EPA 8260B	5/27/2006
4-Bromofluorobenzene (Surr)	102		% Recovery	EPA 8260B	5/27/2006

Approved By:

Joel Kiff



Report Number : 50240

Date : 5/30/2006

Project Name : **RPMS-Hayward**

Project Number : **RPMS-0877**

Sample : **MW-6**

Matrix : Water

Lab Number : 50240-06

Sample Date : 5/25/2006

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	5.0	0.50	ug/L	EPA 8260B	5/27/2006
Toluene	1.8	0.50	ug/L	EPA 8260B	5/27/2006
Ethylbenzene	31	0.50	ug/L	EPA 8260B	5/27/2006
Total Xylenes	14	0.50	ug/L	EPA 8260B	5/27/2006
Methyl-t-butyl ether (MTBE)	3.0	0.50	ug/L	EPA 8260B	5/27/2006
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	5/27/2006
TPH as Gasoline	2400	50	ug/L	EPA 8260B	5/27/2006
Toluene - d8 (Surr)	94.7		% Recovery	EPA 8260B	5/27/2006
4-Bromofluorobenzene (Surr)	101		% Recovery	EPA 8260B	5/27/2006

Approved By:

Joel Kiff



Report Number : 50240

Date : 5/30/2006

Project Name : **RPMS-Hayward**

Project Number : **RPMS-0877**

Sample : **MW-12**

Matrix : Water

Lab Number : 50240-07

Sample Date :5/25/2006

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Toluene	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	5/27/2006
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	5/27/2006
Toluene - d8 (Surr)	93.8		% Recovery	EPA 8260B	5/27/2006
4-Bromofluorobenzene (Surr)	101		% Recovery	EPA 8260B	5/27/2006

Approved By:

Joel Kiff



Report Number : 50240

Date : 5/30/2006

Project Name : RPMS-Hayward

Project Number : RPMS-0877

Sample : MW-14

Matrix : Water

Lab Number : 50240-08

Sample Date :5/25/2006

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Toluene	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	5/26/2006
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	5/26/2006
Toluene - d8 (Surr)	108		% Recovery	EPA 8260B	5/26/2006
4-Bromofluorobenzene (Surr)	103		% Recovery	EPA 8260B	5/26/2006

Approved By:

Joel Kiff



Report Number : 50240

Date : 5/30/2006

Project Name : **RPMS-Hayward**

Project Number : **RPMS-0877**

Sample : **EX-1**

Matrix : Water

Lab Number : 50240-09

Sample Date :5/25/2006

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Toluene	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Ethylbenzene	1.0	0.50	ug/L	EPA 8260B	5/27/2006
Total Xylenes	0.90	0.50	ug/L	EPA 8260B	5/27/2006
Methyl-t-butyl ether (MTBE)	0.79	0.50	ug/L	EPA 8260B	5/27/2006
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	5/27/2006
TPH as Gasoline	100	50	ug/L	EPA 8260B	5/27/2006
Toluene - d8 (Surr)	100		% Recovery	EPA 8260B	5/27/2006
4-Bromofluorobenzene (Surr)	98.9		% Recovery	EPA 8260B	5/27/2006

Approved By:

Joel Kiff

Report Number : 50240

Date : 5/30/2006

QC Report : Method Blank Data

Project Name : **RPMS-Hayward**

Project Number : **RPMS-0877**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Toluene	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	5/26/2006
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	5/26/2006
Toluene - d8 (Surr)	98.7		%	EPA 8260B	5/26/2006
4-Bromofluorobenzene (Surr)	98.8		%	EPA 8260B	5/26/2006
Benzene	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Toluene	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	5/26/2006
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	5/26/2006
Toluene - d8 (Surr)	107		%	EPA 8260B	5/26/2006
4-Bromofluorobenzene (Surr)	102		%	EPA 8260B	5/26/2006

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	5/27/2006
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	5/27/2006
Benzene	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Toluene	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	5/26/2006
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	5/26/2006
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	5/26/2006
Toluene - d8 (Surr)	94.9		%	EPA 8260B	5/26/2006
4-Bromofluorobenzene (Surr)	101		%	EPA 8260B	5/26/2006

Approved By:  Joel Kiff

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 50240


Date : 5/30/2006

QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : **RPMS-Hayward**

Project Number : **RPMS-0877**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	50240-04	300	40.0	40.0	343	327	ug/L	EPA 8260B	5/26/06	98.8	59.0	50.4	70-130	25
Toluene	50240-04	77	40.0	40.0	114	112	ug/L	EPA 8260B	5/26/06	91.0	87.4	3.99	70-130	25
Tert-Butanol	50240-04	<5.0	200	200	204	199	ug/L	EPA 8260B	5/26/06	102	99.3	2.44	70-130	25
Methyl-t-Butyl Ether	50240-04	5.4	40.0	40.0	42.6	41.9	ug/L	EPA 8260B	5/26/06	92.9	91.2	1.77	70-130	25
Benzene	50240-08	<0.50	40.0	40.0	40.6	38.8	ug/L	EPA 8260B	5/26/06	102	97.1	4.52	70-130	25
Toluene	50240-08	<0.50	40.0	40.0	42.5	40.8	ug/L	EPA 8260B	5/26/06	106	102	4.07	70-130	25
Tert-Butanol	50240-08	<5.0	200	200	205	196	ug/L	EPA 8260B	5/26/06	102	98.1	4.30	70-130	25
Methyl-t-Butyl Ether	50240-08	<0.50	40.0	40.0	39.5	38.5	ug/L	EPA 8260B	5/26/06	98.7	96.2	2.55	70-130	25
Benzene	50221-03	<0.50	40.0	40.0	40.0	38.8	ug/L	EPA 8260B	5/27/06	99.9	97.1	2.87	70-130	25
Toluene	50221-03	<0.50	40.0	40.0	38.5	37.6	ug/L	EPA 8260B	5/27/06	96.3	93.9	2.51	70-130	25
Tert-Butanol	50221-03	6.4	200	200	200	198	ug/L	EPA 8260B	5/27/06	96.9	95.7	1.24	70-130	25
Methyl-t-Butyl Ether	50221-03	1.0	40.0	40.0	40.0	41.8	ug/L	EPA 8260B	5/27/06	97.5	102	4.57	70-130	25
Benzene	50221-08	<0.50	40.0	40.0	40.4	38.4	ug/L	EPA 8260B	5/26/06	101	95.9	5.19	70-130	25
Toluene	50221-08	<0.50	40.0	40.0	40.4	38.1	ug/L	EPA 8260B	5/26/06	101	95.2	5.83	70-130	25
Tert-Butanol	50221-08	<5.0	200	200	199	198	ug/L	EPA 8260B	5/26/06	99.4	99.0	0.486	70-130	25
Methyl-t-Butyl Ether	50221-08	<0.50	40.0	40.0	40.9	38.2	ug/L	EPA 8260B	5/26/06	102	95.5	6.80	70-130	25

Approved By:  _____
 Joel Kiff

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 50240

Date : 5/30/2006

QC Report : Laboratory Control Sample (LCS)

Project Name : **RPMS-Hayward**

Project Number : **RPMS-0877**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.0	ug/L	EPA 8260B	5/26/06	102	70-130
Toluene	40.0	ug/L	EPA 8260B	5/26/06	103	70-130
Tert-Butanol	200	ug/L	EPA 8260B	5/26/06	100	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	5/26/06	95.8	70-130
Benzene	40.0	ug/L	EPA 8260B	5/26/06	98.5	70-130
Toluene	40.0	ug/L	EPA 8260B	5/26/06	105	70-130
Tert-Butanol	200	ug/L	EPA 8260B	5/26/06	102	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	5/26/06	95.7	70-130
Benzene	40.0	ug/L	EPA 8260B	5/27/06	102	70-130
Toluene	40.0	ug/L	EPA 8260B	5/27/06	98.8	70-130
Tert-Butanol	200	ug/L	EPA 8260B	5/27/06	99.2	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	5/27/06	107	70-130
Benzene	40.0	ug/L	EPA 8260B	5/26/06	101	70-130
Toluene	40.0	ug/L	EPA 8260B	5/26/06	97.3	70-130
Tert-Butanol	200	ug/L	EPA 8260B	5/26/06	96.3	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	5/26/06	97.8	70-130

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Approved By:



Joe Kiff



2795 2nd Street, Suite 300
 Davis, CA 95616
 Lab: 530.297.4800
 Fax: 530.297.4802

SRG # / Lab No. 50240

Page 1 of 1

Project Contact (Hardcopy or PDF To): John Smith
 California EDF Report? Yes No
 Company / Address: Delta Environmental
 Sampling Company Log Code:
 Phone #: 800 477-7411 Fax #: 916 638-8385 Global ID:
 Project #: RMS-0877 P.O. #: EDF Deliverable To (Email Address): JSmith@deltaenv.com
 Project Name: RMS-Hayward Sampler Signature: [Signature]

Sample Designation	Sampling		Container				Preservative			Matrix			
	Date	Time	40 ml VOA	Sleeve	Poly	Glass	Tedlar	HCl	HNO ₃	None	Water	Soil	Air
MW-1	5/25/06		3					X			X		
MW-1A													
MW-3													
MW-4													
MW-5													
MW-6													
MW-12													
MW-14													
Ex-1													

Analysis Request												TAT	For Lab Use Only							
MTBE (EPA 8260B) per EPA 8021 level @ 5.0 ppb	MTBE (EPA 8260B) @ 0.5 ppb	BTEX (EPA 8260B)	TPH Gas (EPA 8260B)	5 Oxygenates (EPA 8260B)	7 Oxygenates (EPA 8260B)	Lead Scav. (1,2 DCA & 1,2 EDB-EPA 8260B)	Volatiles Halocarbons (EPA 8260B)	Volatiles Organics Full List (EPA 8260B)	Volatiles Organics (EPA 524.2 Drinking Water)	TPH as Diesel (EPA 8015M)	TPH as Motor Oil (EPA 8015M)	Total Lead (EPA 6010)		W.E.T. Lead (STLC)	12 hr	24 hr	48 hr	72 hr	1 wk	
		X	X	X															X	01
																				02
																				03
																				04
																				05
																				06
																				07
																				08
																				09

Relinquished by: [Signature] Date: 5/26/06 Time: 11:05 Received by: _____
 Relinquished by: _____ Date: _____ Time: _____ Received by: _____
 Relinquished by: _____ Date: 052606 Time: 1105 Received by Laboratory: [Signature] *KIFF Analytical*

Remarks: All samples iced in field MW-14 (Grab Sample)
 Bill to:
 For Lab Use Only: Sample Receipt

Temp °C	Initials	Date	Time	Therm. ID #	Coolant Present
3.6	BAB	052606	1105	IR-4	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No