

**RECEIVED**

9:41 am, May 18, 2009

Alameda County  
Environmental Health

April 27, 2009  
Project No. 07-131

Alameda County Department of Environmental Health  
1131 Harbor Bay Park Way  
Alameda, California 94502

Attention: Paresh C. Khatri

SITE: FORMER EZ-SERVE LOCATION 100877  
525 WEST A STREET  
HAYWARD, CALIFORNIA  
ACDEH CASE NO. 3580

RE: GROUNDWATER MONITORING AND SAMPLING REPORT  
FIRST QUARTER 2009 (1Q09)

Dear Mr. Khatri:

GeoEnviro Services Inc. (GESI) has prepared this report on behalf of Restructure Petroleum Marketing Services (RPMS) to document quarterly groundwater monitoring activities completed during the First Quarter 2009 (1Q09) at the Former EZ-Serve No. 100877 located at 525 West A Street, Hayward, California. Groundwater monitoring and sampling for 1Q09 was completed on March 11, 2009. The results are summarized on the attached summary, tables, and figures.

General field procedures are included in Attachment A. Groundwater monitoring and sampling field documentation are included in Attachment B. Copies of the laboratory analytical reports along with chain-of-custody documentation are included in Attachment C. Purge groundwater disposal documentation is included in Attachment D. Geotracker submittal documentation is included in Attachment E.

If you have any questions regarding this report, please contact me at (805) 642-1668 or at [jschaaf@geoenviroservices.com](mailto:jschaaf@geoenviroservices.com).

Sincerely,

**GEOENVIRO SERVICES, INC.**



Joseph P. Schaaf, P.G., C.Hg.  
Principal Geologist



cc: Mr. Jack Ceccarelli, Restructure Petroleum Marketing Services of CA  
Mr. Aziz Kandahari, KB Chevron, Property Owner  
State Water Resources Control Board, Geotracker Database

**EZ-SERVE 100877**  
**GROUNDWATER MONITORING AND SAMPLING, FIRST QUARTER 2009**  
April 27, 2009

---

**ATTACHMENTS:**

Project and Quarterly Monitoring Data Summary

Table 1: Fluid Level Monitoring Data

Table 2: Results of Laboratory Analysis of Groundwater Samples

Figure 1: Site Location Map

Figure 2: Site Map with Contours of Groundwater Elevation, First Quarter 2009

Figure 3: Site Map with Contours of TPHg Concentrations in Groundwater, First Quarter 2009

Figure 4: Site Map with Contours of Benzene Concentrations in Groundwater, First Quarter 2009

Figure 5: Site Map with Contours of MTBE Concentrations in Groundwater, First Quarter 2009

Attachment A: General Field Procedures

Attachment B: Groundwater Monitoring and Sampling Field Data Sheets

Attachment C: Laboratory Analytical Reports and Chain of Custody Documentation

Attachment D: Geotracker Submittal Documentation

**LIMITATIONS**

This letter-report has been prepared at the request of Restructure Petroleum Marketing Services of California for submittal to the Alameda County Department of Environmental Health. In performing our professional services, we have attempted to apply present engineering and scientific judgment and use a level of effort consistent with the standard of practice measured on the date of work and in locale of the project site for similar type studies. GeoEnviro Services, Inc. makes no warranty, express or implied.

The analyses and interpretations presented in this report have been developed based on the results from the review of existing information pertaining to the Project Site and the results from the laboratory analyses of the groundwater samples collected from discrete locations. It should be recognized that groundwater contamination can vary between sampling locations and between monitoring events.

**FORMER EZ SERVE 100877, ACDEH CASE No. 3580**  
**525 WEST A STREET, HAYWARD CALIFORNIA**  
**GROUNDWATER MONITORING AND SAMPLING, FIRST QUARTER 2009**  
 April 27, 2009

**PROJECT AND QUARTERLY GROUNDWATER MONITORING DATA SUMMARY**

**SITE INFORMATION**

Location/Address:	Former EZ Serve 100877, 525 West A Street, Hayward, California
Owner/RP:	Restructure Petroleum Marketing Services (RPMS)
Address	9519 E. M L King Blvd., Suite 100, Tampa, Florida 33610
Consultant :	GeoEnviro Services, Inc. Joseph P. Schaaf, P.G., C.Hg.
Consultant Phone/Fax/email:	(805) 642-1668 / (805) 642-9331 / jschaaf@geoenviroservices.com

**PROJECT INFORMATION**

GW Monitoring Start Date:	1992
Nature of GW Impacts:	UST release of gasoline to soil and groundwater
Number of onsite wells:	7 GW Monitoring 3 Vapor Extraction 1 GW Extraction
Number of offsite wells:	5 GW Monitoring
Site Well Identification:	MW-1, MW-1A, MW-3 through MW-6, MW-8 through MW-10, MW-12, and MW-14. VEAS-1 through VEAS-3. EX-1
Current Remedial Phase:	Soil Excavation Activities were completed during Recent Station Rebuild in 2008
Current Assessment Phase:	Revised Work Plan for Additional Site Assessment Submitted April 21, 2009
Remediation End Date:	To Be Evaluated
Site Access Information:	Active Gasoline Service Station

**MONITORING ACTIVITY, FIRST QUARTER 2009**

Dates of 1Q09 Monitoring Activities:	March 11, 2009	
Number of Wells Guaged:	8 total	Wells MW-1, MW-3 through MW-5, MW-7, MW-12, MW-14, and EX-1
Number of Wells Containing Free Product	0	Maximum F.P. Thickness: NA
Wells Sampled:	8 Wells Total: MW-1, MW-3 through MW-5, MW-7, MW-12, MW-14, and EX-1	
Chemical Analyses:	U.S. EPA 8015M: TPH-g U.S. EPA 8260B: BTEX, Fuel Oxygenates	
Laboratory Used:	Associated Laboratories, Orange, CA	
Purge Method / Total Volume:	Submersible pump / 151 Gallons	
Sample Method:	Dedicated disposable polyethelene bailer	
Storage / Disposal Method:	55-Gallon DOT Drums / pending laboratory analyses results	

**HYDROGEOLOGIC CONDITIONS, 1Q09**

GW Depth Range (feet bgs):	13.65 (MW-1) to 15.88 (MW-12)
Average GW Depth (feet bgs):	15.10
GW Elevation Range (feet amsl):	27.36 (MW-14) to 28.52 (MW-3)
Average Groundwater El. (feet amsl):	27.75
Average Change in GW Elevation:	1.96 - foot Increase since Fourth Quarter 2008
Groundwater Gradient / Direction	0.015 feet per foot to the southeast

**CHEMICALS OF CONCERN AND CONCENTRATIONS, 1Q09 (micrograms per liter [ug/L])**

TPH-g: No. of wells detected / Range	6 of 8 wells / 327 ug/l (MW-7) to 5,180 ug/l (MW-1)
Benzene: No. of wells detected / Range	4 of 8 wells / 1.2 ug/l (MW-3) to 69 ug/l (MW-1)
MTBE: No. of wells detected / Range	5 of 8 wells / 20 ug/l (MW-1) to 155 ug/l (MW-3)

**QUARTERLY TREND ANALYSES / REMEDIAL PROGRESS**

in 4Q08. Concentrations of TPHg increased in wells MW-1, MW-4, and MW-7 as compared to 4Q08. In the wells containing detectable concentrations of BTEX, benzene concentrations increased in wells MW-1, MW-3, MW-4, and MW-5. Concentrations of MTBE also increased in wells MW-1, MW-3, MW-4, and MW-5. The groundwater generally increased in elevation since the Fourth Quarter 2008.

**PROPOSED FUTURE WORK / RECOMMENDATIONS**

Continued groundwater monitoring on a semi-annual basis.  
 Additional site assessment activities to further define the lateral extent towards the west.

## **TABLES**

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-1	02/05/92	41.75	15-29	--	20.82	20.93
MW-1	09/11/92	41.75	15-29	--	20.08	21.67
MW-1	12/22/92	41.75	15-29	--	19.79	21.96
MW-1	03/03/93	41.75	15-29	--	16.23	25.52
MW-1	06/23/93	41.75	15-29	--	16.86	24.89
MW-1	09/30/93	41.75	15-29	--	18.04	23.71
MW-1	02/06/94	41.75	15-29	--	18.15	23.60
MW-1	05/02/94	41.75	15-29	--	17.26	24.49
MW-1	07/01/94	41.75	15-29	--	17.60	24.15
MW-1	09/20/94	41.75	15-29	--	20.59	21.16
MW-1	12/05/92	41.75	15-29	--	17.83	23.92
MW-1	03/10/95	41.75	15-29	--	14.67	27.08
MW-1	03/15/95	41.75	15-29	--	14.43	27.32
MW-1	09/23/96	41.75	15-29	--	14.92	26.83
MW-1	12/04/96	41.75	15-29	--	15.61	26.14
MW-1	04/08/97	41.75	15-29	--	13.25	28.50
MW-1	06/30/97	41.75	15-29	--	14.68	27.07
MW-1	11/25/97	41.75	15-29	--	15.99	25.76
MW-1	06/01/98	41.75	15-29	--	9.98	31.77
MW-1	06/14/01	41.75	15-29	--	15.05	26.70
MW-1	11/07/01	41.75	15-29	--	16.31	25.44
MW-1	01/30/02	41.75	15-29	--	14.15	27.60
MW-1	05/29/02	41.75	15-29	--	14.55	27.20
MW-1	08/14/02	41.75	15-29	--	15.56	26.19
MW-1	11/15/02	41.75	15-29	--	16.10	25.65
MW-1	10/25/04	41.75	15-29	--	15.99	25.76
MW-1	12/23/04	41.75	15-29	--	15.64	26.11
MW-1	02/25/05	41.75	15-29	--	12.79	28.96
MW-1	05/19/05	41.75	15-29	--	12.27	29.48
MW-1	09/15/05	41.75	15-29	--	14.30	27.45
MW-1	03/20/06	41.75	15-29	--	11.44	30.31
MW-1	05/25/06	41.75	15-29	--	11.05	30.70
MW-1	08/23/06	41.75	15-29	--	12.75	29.00
MW-1	03/14/07	41.75	15-29	--	13.12	28.63
MW-1	06/11/07	41.75	15-29	--	14.42	27.33
MW-1	08/01/07	41.75	15-29	--	14.97	26.78
MW-1	02/27/08	41.75	15-29	--	13.35	28.40
MW-1	05/13/08	41.75	15-29	--	14.51	27.24
MW-1	08/27/08	41.75	15-29	--	15.37	26.38
MW-1	11/18/08	41.75	15-29	--	15.88	25.87
<b>MW-1</b>	<b>03/11/09</b>	<b>41.75</b>	<b>15-29</b>	<b>--</b>	<b>13.65</b>	<b>28.10</b>
MW-1A	06/23/93	43.40	--	0.21	17.80	25.75
MW-1A	09/30/93	43.40	--	--	--	--
MW-1A	02/06/94	43.40	--	--	18.89	24.51
MW-1A	05/02/94	43.40	--	0.09	18.35	38.40
MW-1A	07/01/94	43.40	--	--	18.45	24.95
MW-1A	09/20/94	43.40	--	0.22	21.72	21.84
MW-1A	12/05/94	43.40	--	0.07	18.87	24.58

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-1A	03/10/95	43.40	--	--	15.83	27.57
MW-1A	03/15/95	43.40	--	0.05	15.55	27.89
MW-1A	09/23/96	43.40	--	0.01	16.00	27.41
MW-1A	12/04/96	43.40	--	--	16.55	26.85
MW-1A	04/08/97	43.40	--	SHEEN	14.15	29.25
MW-1A	06/30/97	43.40	--	--	15.57	27.83
MW-1A	11/25/97	43.40	--	--	16.91	26.49
MW-1A	06/01/98	43.40	--	--	10.78	32.62
MW-1A	06/14/01	43.40	--	0.01	15.93	27.48
MW-1A	11/07/01	43.40	--	--	17.32	26.08
MW-1A	01/30/02	43.40	--	--	15.05	28.35
MW-1A	05/29/02	43.40	--	--	15.49	27.91
MW-1A	08/14/02	43.40	--	--	16.50	26.90
MW-1A	11/15/02	43.40	--	--	17.04	26.36
MW-1A	10/25/04	43.40	--	--	16.90	26.50
MW-1A	12/23/04	43.40	--	--	16.60	26.80
MW-1A	02/25/05	43.40	--	--	13.75	29.65
MW-1A	05/19/05	43.40	--	--	13.12	30.28
MW-1A	09/15/05	43.40	--	--	15.16	28.24
MW-1A	11/10/05	43.40	--	--	15.78	27.62
MW-1A	03/20/06	43.40	--	--	12.64	30.76
MW-1A	05/25/06	43.40	--	--	11.85	31.55
MW-1A	08/23/06	43.40	--	--	13.55	29.85
MW-1A	03/14/07	43.40	--	--	14.00	29.40
MW-1A	06/12/07	43.40	--	--	15.30	28.10
MW-1A	08/01/07	43.40	--	--	15.84	27.56
MW-1A	02/27/08	43.40	--	--	14.10	29.30
MW-1A	05/13/08	43.40	Well Not Accessable	--	--	--
MW-1A	08/27/08	43.40	Well Dry	--	--	--
MW-1A	11/18/08	43.40	Well Dry	--	--	--
<b>MW-1A</b>	<b>03/11/09</b>	<b>43.40</b>	<b>Well Dry</b>	<b>--</b>	<b>--</b>	<b>--</b>
MW-2	02/05/92	43.26	15-29	--	22.35	20.91
MW-2	09/11/92	43.26	15-29	--	21.67	21.59
MW-2	12/22/92	43.26	15-29	--	21.39	21.87
MW-2	03/03/93	43.26	15-29	--	17.75	25.51
MW-2	06/23/93	43.26	15-29	--	18.42	24.84
MW-2	09/30/93	43.26	15-29	--	19.63	23.63
MW-2	02/06/94	43.26	15-29	--	19.61	23.65
MW-2	05/02/94	43.26	15-29	--	19.84	23.42
MW-2	07/01/94	43.26	15-29	--	19.18	24.08
MW-2	09/20/94	43.26	15-29	--	22.17	21.09
MW-2	12/06/94	43.26	15-29	--	19.37	23.89
MW-2	03/10/95	43.26	15-29	--	16.33	26.93
MW-2	03/15/95	43.26	15-29	--	16.89	26.37
MW-2	09/23/96	43.26	15-29	--	16.61	26.65
MW-2	12/04/96	43.26	15-29	--	17.19	26.07
MW-2	04/08/97	43.26	15-29	--	14.86	28.40
MW-2	06/30/97	43.26	15-29	--	16.28	26.98

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-2	11/25/97	43.26	15-29	--	17.56	25.70
MW-2	06/01/98	43.26	15-29	--	11.58	31.68
MW-2	06/14/01	43.26	15-29	--	16.63	26.63
MW-2	11/07/01	43.26	15-29	--	17.85	25.41
MW-2	01/30/02	43.26	15-29	--	15.65	27.61
MW-2	05/29/02	43.26	15-29	--	16.12	27.14
MW-2	08/14/02	43.26	15-29	--	17.20	26.06
MW-2	11/15/02	43.26	15-29	--	17.63	25.63
MW-2	10/25/04	43.26	15-29	--	17.53	25.73
MW-2	12/23/04	43.26	15-29	--	17.15	26.11
MW-2	02/25/05	43.26	15-29	--	14.30	28.96
MW-2	05/19/05	43.26	15-29	--	13.81	29.45
MW-2	09/15/05	43.26	15-29	Inaccessible due to temporary habitat		
MW-2	11/10/05	43.26	15-29	--	16.39	26.87
MW-2	03/20/06	43.26	15-29	--	13.00	30.26
MW-2	05/25/06	43.26	15-29	Destroyed on March 2, 2006		
MW-3	02/05/92	43.89	15-29	--	21.85	22.04
MW-3	09/11/92	43.89	15-29	--	21.13	22.76
MW-3	12/22/92	43.89	15-29	--	20.88	23.01
MW-3	03/03/93	43.89	15-29	--	17.29	26.60
MW-3	06/23/93	43.89	15-29	--	17.88	26.01
MW-3	09/30/93	43.89	15-29	--	19.18	24.71
MW-3	02/06/94	43.89	15-29	--	19.21	24.68
MW-3	05/02/94	43.89	15-29	--	18.30	25.59
MW-3	07/01/94	43.89	15-29	--	18.63	25.26
MW-3	09/20/94	43.89	15-29	--	21.64	22.25
MW-3	12/06/94	43.89	15-29	--	19.15	24.74
MW-3	03/10/95	43.89	15-29	--	16.33	27.56
MW-3	03/15/95	43.89	15-29	--	16.89	27.00
MW-3	09/23/96	43.89	15-29	--	16.11	27.78
MW-3	12/04/96	43.89	15-29	--	16.63	27.26
MW-3	04/08/97	43.89	15-29	--	14.25	29.64
MW-3	06/30/97	43.89	15-29	--	15.70	28.19
MW-3	11/25/97	43.89	15-29	--	16.99	26.90
MW-3	06/01/98	43.89	15-29	--	--	--
MW-3	06/14/01	43.89	15-29	--	16.02	27.87
MW-3	11/07/01	43.89	15-29	--	17.33	26.56
MW-3	01/30/02	43.89	15-29	--	15.10	28.79
MW-3	05/29/02	43.89	15-29	--	15.63	28.26
MW-3	08/14/02	43.89	15-29	--	16.63	27.26
MW-3	11/15/02	43.89	15-29	--	17.10	26.79
MW-3	10/25/04	43.89	15-29	--	17.01	26.88
MW-3	12/20/04	43.89	15-29	--	16.64	27.25
MW-3	02/25/05	43.89	15-29	Could not locate, VEAS-2 sampled instead		
MW-3	05/19/05	43.89	15-29	Could not locate, VEAS-2 sampled instead		
MW-3	09/15/05	43.89	15-29	--	Couldn't locate	--
MW-3	11/10/05	43.89	15-29	--	Couldn't locate	--
MW-3	03/20/06	43.89	15-29	--	12.44	31.45

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-3	05/25/06	43.89	15-29	--	12.05	31.84
MW-3	08/23/06	43.89	15-29	--	13.75	30.14
MW-3	03/14/07	43.89	15-29	--	14.11	29.78
MW-3	06/12/07	43.89	15-29	--	15.43	28.46
MW-3	08/01/07	43.89	15-29	--	15.97	27.92
MW-3	02/27/08	43.89	15-29	--	14.40	29.49
MW-3	05/13/08	43.89	15-29	--	15.52	28.37
MW-3	08/27/08	43.89	15-29	--	16.79	27.10
MW-3	11/18/08	43.89	15-29	--	17.30	26.59
<b>MW-3</b>	<b>03/11/09</b>	<b>43.89</b>	<b>15-29</b>	<b>--</b>	<b>15.37</b>	<b>28.52</b>
MW-4	02/05/92	42.76	15-29	--	21.31	21.45
MW-4	09/11/92	42.76	15-29	--	20.62	22.14
MW-4	12/22/92	42.76	15-29	--	20.37	22.39
MW-4	03/03/93	42.76	15-29	--	16.78	25.98
MW-4	06/23/93	42.76	15-29	--	17.45	25.31
MW-4	09/30/93	42.76	15-29	--	18.64	24.12
MW-4	02/06/94	42.76	15-29	--	18.59	24.17
MW-4	05/02/94	42.76	15-29	--	17.81	24.95
MW-4	07/01/94	42.76	15-29	--	18.13	24.63
MW-4	09/20/94	42.76	15-29	--	21.13	21.63
MW-4	12/06/94	42.76	15-29	--	18.36	24.40
MW-4	03/10/95	42.76	15-29	--	15.25	27.51
MW-4	03/15/95	42.76	15-29	--	14.89	27.87
MW-4	09/23/96	42.76	15-29	--	15.56	27.20
MW-4	12/04/96	42.76	15-29	--	16.11	26.65
MW-4	04/08/97	42.76	15-29	--	13.73	29.03
MW-4	06/30/97	42.76	15-29	--	15.19	27.57
MW-4	11/25/97	42.76	15-29	--	16.49	26.27
MW-4	06/01/98	42.76	15-29	--	10.42	32.34
MW-4	06/14/01	42.76	15-29	--	15.55	27.21
MW-4	11/07/01	42.76	15-29	--	16.81	25.95
MW-4	01/30/02	42.76	15-29	--	14.60	28.16
MW-4	05/29/02	42.76	15-29	--	15.14	27.62
MW-4	08/14/02	42.76	15-29	--	16.07	26.69
MW-4	11/15/02	42.76	15-29	--	16.61	26.15
MW-4	10/25/04	42.76	15-29	--	16.50	26.26
MW-4	12/23/04	42.76	15-29	--	16.20	26.56
MW-4	02/25/05	42.76	15-29	--	13.30	29.46
MW-4	05/19/05	42.76	15-29	--	12.74	30.02
MW-4	09/15/05	42.76	15-29	--	14.80	27.96
MW-4	11/10/06	42.76	15-29	--	15.45	27.31
MW-4	03/20/06	42.76	15-29	--	11.93	30.83
MW-4	05/25/06	42.76	15-29	--	11.49	31.27
MW-4	08/23/06	42.76	15-29	--	13.23	29.53
MW-4	03/14/07	42.76	15-29	--	13.65	29.11
MW-4	06/12/07	42.76	15-29	--	14.92	27.84
MW-4	08/01/07	42.76	15-29	--	15.48	27.28
MW-4	02/27/08	42.76	15-29	--	Could not locate well	



**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-4	05/13/08	42.76	15-29	--	15.02	27.74
MW-4	08/27/08	42.76	15-29	--	16.28	26.48
MW-4	11/18/08	42.76	15-29	--	16.81	25.95
<b>MW-4</b>	<b>03/11/09</b>	<b>42.76</b>	<b>15-29</b>	<b>--</b>	<b>14.87</b>	<b>27.89</b>
MW-5	02/05/92	42.10	15-29	--	20.93	21.17
MW-5	09/11/92	42.10	15-29	--	20.27	21.83
MW-5	12/22/92	42.10	15-29	--	19.99	22.11
MW-5	03/03/93	42.10	15-29	--	16.49	25.61
MW-5	06/23/93	42.10	15-29	--	17.02	25.08
MW-5	09/30/93	42.10	15-29	--	18.25	23.85
MW-5	02/06/94	42.10	15-29	--	18.26	23.84
MW-5	05/02/94	42.10	15-29	--	17.50	24.60
MW-5	07/01/94	42.10	15-29	--	17.79	24.31
MW-5	09/20/94	42.10	15-29	--	20.77	21.33
MW-5	15/5/92	42.10	15-29	--	18.02	24.08
MW-5	03/10/95	42.10	15-29	--	14.93	27.17
MW-5	03/15/95	42.10	15-29	--	14.70	27.40
MW-5	09/23/96	42.10	15-29	--	15.19	26.91
MW-5	12/04/96	42.10	15-29	--	15.78	26.32
MW-5	04/08/97	42.10	15-29	--	13.39	28.71
MW-5	06/30/97	42.10	15-29	--	14.83	27.27
MW-5	11/25/97	42.10	15-29	--	16.14	25.96
MW-5	06/01/98	42.10	15-29	--	10.10	32.00
MW-5	06/14/01	42.10	15-29	--	15.19	26.91
MW-5	11/07/01	42.10	15-29	--	16.47	25.63
MW-5	01/30/02	42.10	15-29	--	14.27	27.83
MW-5	05/29/02	42.10	15-29	--	14.73	27.37
MW-5	08/14/02	42.10	15-29	--	15.73	26.37
MW-5	11/15/02	42.10	15-29	--	16.27	25.83
MW-5	10/25/04	42.10	15-29	--	16.15	25.95
MW-5	12/23/04	42.10	15-29	--	15.88	26.22
MW-5	02/25/05	42.10	15-29	--	12.97	29.13
MW-5	05/19/05	42.10	15-29	--	12.48	29.62
MW-5	09/15/05	42.10	15-29	--	15.47	26.63
MW-5	11/10/08	42.10	15-29	--	15.03	27.07
MW-5	03/20/06	42.10	15-29	--	11.79	30.31
MW-5	05/25/06	42.10	15-29	--	11.15	30.95
MW-5	08/23/06	42.10	15-29	--	12.88	29.22
MW-5	03/14/07	42.10	15-29	--	13.28	28.82
MW-5	06/11/07	42.10	15-29	--	14.56	27.54
MW-5	08/01/07	42.10	15-29	--	15.11	26.99
MW-5	02/27/08	42.10	15-29	--	13.49	28.61
MW-5	05/13/08	42.10	15-29	--	14.64	27.46
MW-5	08/27/08	42.10	15-29	--	15.93	26.17
MW-5	11/18/08	42.10	15-29	--	16.43	25.67
<b>MW-5</b>	<b>03/11/09</b>	<b>42.10</b>	<b>15-29</b>	<b>--</b>	<b>14.53</b>	<b>27.57</b>
MW-6	02/05/92	42.33	15-29	--	21.29	21.04

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-6	09/11/92	42.33	15-29	--	20.56	21.77
MW-6	12/22/92	42.33	15-29	--	20.31	22.02
MW-6	03/03/93	42.33	15-29	--	16.83	25.50
MW-6	06/23/93	42.33	15-29	--	17.30	25.03
MW-6	09/30/93	42.33	15-29	--	19.05	23.28
MW-6	02/06/94	42.33	15-29	--	18.55	23.78
MW-6	05/02/94	42.33	15-29	--	17.74	24.59
MW-6	07/01/94	42.33	15-29	--	18.09	24.24
MW-6	09/20/94	42.33	15-29	--	21.05	21.28
MW-6	12/06/94	42.33	15-29	--	18.33	24.00
MW-6	03/10/95	42.33	15-29	--	15.35	26.98
MW-6	03/15/95	42.33	15-29	--	14.91	27.42
MW-6	09/23/96	42.33	15-29	--	15.50	26.83
MW-6	12/04/96	42.33	15-29	--	16.06	26.27
MW-6	04/08/97	42.33	15-29	--	13.64	28.69
MW-6	06/30/97	42.33	15-29	--	15.08	27.25
MW-6	11/25/97	42.33	15-29	--	16.40	25.93
MW-6	06/01/98	42.33	15-29	--	10.31	32.02
MW-6	06/14/01	42.33	15-29	--	15.46	26.87
MW-6	11/07/01	42.33	15-29	--	16.71	25.62
MW-6	01/30/02	42.33	15-29	--	14.60	27.73
MW-6	05/29/02	42.33	15-29	--	14.99	27.34
MW-6	08/14/02	42.33	15-29	--	16.03	26.30
MW-6	11/15/02	42.33	15-29	--	16.53	25.80
MW-6	10/25/04	42.33	15-29	--	16.43	25.90
MW-6	12/23/04	42.33	15-29	--	16.12	26.21
MW-6	02/25/05	42.33	15-29	--	13.13	29.20
MW-6	05/19/05	42.33	15-29	--	12.61	29.72
MW-6	09/15/05	42.33	15-29	--	14.69	27.64
MW-6	11/10/05	42.33	15-29	--	15.30	27.03
MW-6	03/20/06	42.33	15-29	--	11.88	30.45
MW-6	05/25/06	42.33	15-29	--	11.38	30.95
MW-6	08/23/06	42.33	15-29	--	13.10	29.23
MW-6	03/14/07	42.33	15-29	--	13.52	28.81
MW-6	06/12/07	42.33	15-29	--	14.80	27.53
MW-6	08/01/07	42.33	15-29	--	15.38	26.95
MW-6	02/27/08	42.33	15-29	--	13.79	28.54
MW-6	05/13/08	42.33	15-29	--	14.93	27.40
MW-6	08/27/08	42.33	15-29	--	Well Not Accessable	
MW-6	11/18/08	42.33	15-29	--	Well Not Accessable	
<b>MW-6</b>	<b>03/11/09</b>	<b>42.33</b>	<b>15-29</b>	<b>--</b>	<b>Well Not Accessable</b>	
MW-7	06/23/93	42.70	10-29	--	17.87	24.83
MW-7	09/30/93	42.70	10-29	--	18.94	23.76
MW-7	02/06/94	42.70	10-29	0.06	19.11	23.63
MW-7	05/02/94	42.70	10-29	--	18.11	24.59
MW-7	07/01/94	42.70	10-29	--	18.72	23.98
MW-7	09/20/94	42.70	10-29	--	21.41	21.29
MW-7	12/05/94	42.70	10-29	--	18.66	24.04

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-7	03/10/95	42.70	10-29	--	15.72	26.98
MW-7	03/14/95	42.70	10-29	--	15.23	27.47
MW-7	09/23/96	42.70	10-29	--	15.94	26.76
MW-7	12/04/96	42.70	10-29	--	16.43	26.27
MW-7	04/08/97	42.70	10-29	--	14.10	28.60
MW-7	06/30/97	42.70	10-29	--	15.51	27.19
MW-7	11/25/97	42.70	10-29	--	16.80	25.90
MW-7	06/01/98	42.70	10-29	--	10.31	32.39
MW-7	06/14/01	42.70	10-29	--	15.46	27.24
MW-7	11/07/01	42.70	10-29	--	--	--
MW-7	01/30/02	42.70	10-29	--	14.97	27.73
MW-7	05/29/02	42.70	10-29	--	15.49	27.21
MW-7	08/14/02	42.70	10-29	--	16.44	26.26
MW-7	11/15/02	42.70	10-29	--	16.91	25.79
MW-7	10/25/04	42.70	10-29		Could not locate	
MW-7	05/19/05	42.70	10-29	--	13.06	29.64
MW-7	09/15/05	42.70	10-29		Could not locate	
MW-7	11/10/05	42.70	10-29	--	15.78	26.92
MW-7	03/20/06	42.70	10-29		Could not locate	
MW-7	05/25/06	42.70	10-29		Well was blocked by debris	
MW-7	08/23/06	42.70	10-29	--	13.60	29.10
MW-7	03/14/07	42.70	10-29	--	14.00	28.70
MW-7	06/12/07	42.70	10-29		Well not safe to access due to dog	
MW-7	08/01/07	42.70	10-29	--	15.82	26.88
MW-7	02/27/08	42.70	10-29	--	14.24	28.46
MW-7	05/13/08	42.70	10-29	--	14.37	28.33
MW-7	08/27/08	42.70	10-29	--	16.62	26.08
MW-7	11/18/08	42.70	10-29	--	17.12	25.58
<b>MW-7</b>	<b>03/11/09</b>	<b>42.70</b>	<b>10-29</b>	<b>--</b>	<b>15.28</b>	<b>27.42</b>
MW-8	06/23/93	97.61	10-29	--	17.64	79.97
MW-8	09/30/93	97.61	10-29	--	18.85	78.76
MW-8	02/06/94	97.61	10-29	--	18.91	78.70
MW-8	05/02/94	97.61	10-29	--	18.11	79.50
MW-8	07/01/94	97.61	10-29	--	18.43	79.18
MW-8	09/20/94	97.61	10-29	--	21.43	76.18
MW-8	12/05/94	97.61	10-29	--	18.72	78.89
MW-8	03/10/95	97.61	10-29	--	18.69	78.92
MW-8	03/15/95	97.61	10-29	--	14.83	82.78
MW-8	09/23/96	97.61	10-29	--	15.83	81.78
	Not sampled, well inaccessible since 4th quarter, 1996					
MW-9	06/23/93	95.41	10-29	--	15.94	79.47
MW-9	09/30/93	95.41	10-29	--	17.05	78.36
MW-9	02/06/94	95.41	10-29	--	17.07	78.34
MW-9	05/02/94	95.41	10-29	--	16.24	79.17
MW-9	07/01/94	95.41	10-29	--	15.59	79.82
MW-9	09/20/94	95.41	10-29	--	16.61	78.80
MW-9	12/05/94	95.41	10-29	--	16.58	78.83

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-9	03/10/95	95.41	10-29	--	--	--
MW-9	03/15/95	95.41	10-29	--	14.18	81.23
	Not sampled, well inaccessible since 1st quarter, 1995					
MW-10	06/23/93	97.11	10-29	--	17.39	79.72
MW-10	09/30/93	97.11	10-29	--	18.58	78.53
MW-10	02/06/94	97.11	10-29	--	18.61	78.50
MW-10	05/02/94	97.11	10-29	--	17.83	79.28
MW-10	07/01/94	97.11	10-29	--	18.17	78.94
MW-10	09/20/94	97.11	10-29	--	21.15	75.96
MW-10	12/05/94	97.11	10-29	--	18.43	78.68
MW-10	03/10/95	97.11	10-29	--	15.37	81.74
MW-10	03/15/95	97.11	10-29	--	15.97	81.14
MW-10	09/23/96	97.11	10-29	--	15.59	81.52
MW-10	12/04/96	97.11	10-29	--	16.15	80.96
	Not sampled, well inaccessible since 4th quarter, 1996					
MW-11	02/10/95	92.68	5-29	--	11.80	80.88
MW-11	03/10/95	92.68	5-29	--	11.58	81.10
MW-11	03/15/95	92.68	5-29	--	13.96	78.72
MW-11	09/23/96	92.68	5-29	--	12.29	80.39
MW-11	12/04/96	92.68	5-29	--	--	--
MW-11	04/08/97	92.68	5-29	--	10.51	82.17
	Not sampled, well inaccessible since 2nd quarter, 1997					
MW-12	02/10/95	43.25	10-30	--	16.30	26.95
MW-12	03/10/95	43.25	10-30	--	16.37	26.88
MW-12	03/14/95	43.25	10-30	--	15.69	27.56
MW-12	09/23/96	43.25	10-30	--	16.67	26.58
MW-12	12/04/96	43.25	10-30	--	17.16	26.09
MW-12	04/08/97	43.25	10-30	--	14.88	28.37
MW-12	06/30/97	43.25	10-30	--	16.33	26.92
MW-12	11/25/97	43.25	10-30	--	17.61	25.64
MW-12	06/01/98	43.25	10-30	--	11.58	31.67
MW-12	06/14/01	43.25	10-30	--	16.62	26.63
MW-12	11/07/01	43.25	10-30	--	17.91	25.34
MW-12	01/30/02	43.25	10-30	--	15.60	27.65
MW-12	05/29/02	43.25	10-30	--	16.24	27.01
MW-12	08/14/02	43.25	10-30	--	17.20	26.05
MW-12	11/15/02	43.25	10-30	--	17.62	25.63
MW-12	10/25/04	43.25	10-30	Well not sampled, cars parked on well		
MW-12	02/25/05	43.25	10-30	--	14.72	28.53
MW-12	05/19/05	43.25	10-30	--	13.80	29.45
MW-12	09/15/05	43.25	10-30	--	15.94	27.31
MW-12	11/10/05	43.25	10-30	--	16.51	26.74
MW-12	03/20/06	43.25	10-30	--	13.04	30.21
MW-12	05/25/06	43.25	10-30	--	12.65	30.60
MW-12	08/23/06	43.25	10-30	--	14.44	28.81
MW-12	03/14/07	43.25	10-30	--	14.70	28.55

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

<b>Well ID</b>	<b>Date Monitored</b>	<b>Top of Casing Elevation* (feet)</b>	<b>Screen Interval (fbg)</b>	<b>Free Product</b>	<b>Depth to Water (feet)</b>	<b>Groundwater Elevation (feet)</b>
MW-12	06/11/07	43.25	10-30	--	16.02	27.23
MW-12	08/01/07	43.25	10-30	--	16.57	26.68
MW-12	02/27/08	43.25	10-30	--	14.99	28.26
MW-12	05/13/08	43.25	10-30	--	16.12	27.13
MW-12	08/27/08	43.25	10-30	--	17.37	25.88
MW-12	11/18/08	43.25	10-30	--	17.82	25.43
<b>MW-12</b>	<b>03/11/09</b>	<b>43.25</b>	<b>10-30</b>	<b>--</b>	<b>15.88</b>	<b>27.37</b>
MW-13	02/10/95	40.97	10-30	--	14.45	26.52
MW-13	03/10/95	40.97	10-30	--	14.30	26.67
MW-13	03/14/95	40.97	10-30	--	15.81	25.16
MW-13	09/23/96	40.97	10-30	--	14.60	26.37
MW-13	12/04/96	40.97	10-30	--	--	--
MW-13	04/08/97	40.97	10-30	--	12.75	28.22
MW-13	06/30/97	40.97	10-30	--	14.13	26.84
MW-13	11/25/97	40.97	10-30	--	15.48	25.49
MW-13	06/01/98	40.97	10-30	--	9.58	31.39
MW-13	06/14/01	40.97	10-30	--	14.51	26.46
MW-13	11/07/01	40.97	10-30	--	15.85	25.12
MW-13	01/30/02	40.97	10-30	--	13.65	27.32
MW-13	05/29/02	40.97	10-30	--	14.10	26.87
MW-13	08/14/02	40.97	10-30	--	15.13	25.84
MW-13	11/15/02	40.97	10-30	--	--	--
MW-13	10/25/04	40.97	Well not sampled. Unable to locate well since 10/25/04			
MW-14	02/10/95	43.19	10-30	--	16.28	26.91
MW-14	03/10/95	43.19	10-30	--	16.33	26.86
MW-14	03/14/95	43.19	10-30	--	14.87	28.32
MW-14	09/23/96	43.19	10-30	--	16.67	26.52
MW-14	12/04/96	43.19	10-30	--	17.06	26.13
MW-14	04/08/97	43.19	10-30	--	14.77	28.42
MW-14	06/30/97	43.19	10-30	--	16.22	26.97
MW-14	11/25/97	43.19	10-30	--	17.52	25.67
MW-14	06/01/98	43.19	10-30	--	11.46	31.73
MW-14	06/14/01	43.19	10-30	--	16.53	26.66
MW-14	11/07/01	43.19	10-30	--	17.84	25.35
MW-14	01/30/02	43.19	10-30	--	15.55	27.64
MW-14	05/29/02	43.19	10-30	--	16.14	27.05
MW-14	08/14/02	43.19	10-30	--	17.12	26.07
MW-14	11/15/02	43.19	10-30	--	17.56	25.63
MW-14	10/25/04	43.19	Well not sampled. Unable to locate well due to parked cars			
MW-14	02/25/05	43.19	10-30	--	14.20	28.99
MW-14	05/19/05	43.19	10-30	--	13.71	29.48
MW-14	09/15/05	43.19	10-30	Well not sampled due to lack of traffic control		
MW-14	11/10/05	43.19	10-30	Well not sampled due to lack of traffic control		
MW-14	03/20/06	43.19	10-30	--	12.94	30.25
MW-14	05/25/06	43.19	10-30	--	12.68	30.51
MW-14	08/23/06	43.19	10-30	--	15.32	27.87
MW-14	03/14/07	43.19	10-30	--	14.58	28.61

**TABLE 1**  
**FLUID LEVEL MONITORING DATA**  
**February 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well ID	Date Monitored	Top of Casing Elevation* (feet)	Screen Interval (fbg)	Free Product	Depth to Water (feet)	Groundwater Elevation (feet)
MW-14	06/11/07	43.19	10-30	--	15.95	27.24
MW-14	08/01/07	43.19	10-30	--	16.47	26.72
MW-14	02/27/08	43.19	10-30	--	14.91	28.28
MW-14	05/13/08	43.19	10-30	--	16.03	27.16
MW-14	08/27/08	43.19	10-30	--	17.28	25.91
MW-14	11/18/08	43.19	10-30	--	17.75	25.44
<b>MW-14</b>	<b>03/11/09</b>	<b>43.19</b>	<b>10-30</b>	<b>--</b>	<b>15.83</b>	<b>27.36</b>
EX-1	08/14/02	--	10-35	--	16.58	--
EX-1	11/15/02	--	10-35	--	17.02	--
EX-1	10/25/04	--	10-35	--	16.91	--
EX-1	12/23/04	--	10-35	--	16.60	--
EX-1	02/25/05	--	10-35	--	13.72	--
EX-1	05/19/05	--	10-35	--	13.13	--
EX-1	09/15/05	--	10-35	--	15.20	--
EX-1	11/10/05	--	10-35	--	15.80	--
EX-1	03/20/06	--	10-35	--	12.35	--
EX-1	05/25/06	--	10-35	--	11.88	--
EX-1	08/23/06	--	10-35	--	13.62	--
EX-1	03/14/07	--	10-35	--	14.00	--
EX-1	06/11/07	--	10-35	--	15.34	--
EX-1	08/01/07	--	10-35	--	15.89	--
EX-1	02/27/08	--	10-35	--	Could not locate well	--
EX-1	05/13/08	--	10-35	--	Could not locate well	--
EX-1	08/27/08	--	10-35	--	16.70	--
EX-1	11/18/08	--	10-35	--	17.20	--
<b>EX-1</b>	<b>03/11/09</b>	--	<b>10-35</b>	<b>--</b>	<b>15.38</b>	<b>--</b>
VEAS-2	02/25/05	--	5-15/28-30	--	13.68	--
VEAS-2	05/19/05	--	5-15/28-30	--	13.11	--
VEAS-2	11/10/05	--	5-15/28-30	--	DRY	--

Elevations are in feet above mean sea level.

Groundwater elevation calculated as follows:

surface elevation - depth to water

Notes:           Free Product   = liquid-phase hydrocarbons  
                       fbg                = feet below grade  
                       --                = not encountered or no data available

Note: No known groundwater sampling was conducted between June 1, 1998 and June 14, 2001 or June 14, 2001 and November 7, 2001. Wellhead elevations resurveyed on January 30, 2002.

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-1	02/05/92	46,000	7,600	2,300	2,400	6,500	--	--	--	--	--
MW-1	09/11/92	48,000	9,000	1,200	1,800	4,600	--	--	--	--	--
MW-1	12/22/92	84,000	22,000	1,600	4,800	17,000	--	--	--	--	--
MW-1	03/03/93	54,000	16,000	1,600	1,900	4,300	--	--	--	--	--
MW-1	06/23/93	30,000	18,000	1,100	1,400	3,700	--	--	--	--	--
MW-1	09/30/93	33,000	10,000	440	940	1,700	--	--	--	--	--
MW-1	02/06/94	64,000	18,000	1,600	4,700	12,000	--	--	--	--	--
MW-1	05/02/94	7,200	2,100	29	490	520	--	--	--	--	--
MW-1	07/01/94	13,000	3,700	150	550	12,000	--	--	--	--	--
MW-1	09/20/94	10,000	3,100	75	440	870	--	--	--	--	--
MW-1	12/05/92	8,700	3,700	87	520	950	--	--	--	--	--
MW-1	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-1	03/15/95	290	56	2	12	47	--	--	--	--	--
MW-1	09/23/96	20,000	5,200	860	700	1,100	--	--	270	--	--
MW-1	12/04/96	17,000	3,100	64	610	1,200	--	--	280	--	--
MW-1	04/08/97	2,100	430	15	52	85	--	--	100	--	--
MW-1	06/30/97	10,000	2,100	<	<	320	--	--	<	--	--
MW-1	11/25/97	16,000	2,100	23	76	240	--	--	<	--	--
MW-1	06/01/98	19,000	6,100	460	1,100	2,300	--	--	420	--	--
MW-1	06/14/01	6,000	380	8.4	260	180	--	--	<25	--	--
MW-1	11/07/01	12,000	1,000	30	1,000	740	<5.0	<5.0	11	<5.0	<50
MW-1	01/30/02	8,800	690	16	480	270	<5.0	<5.0	14	<5.0	<50
MW-1	05/29/02	6,400	330	13	250	260	2.5	<2.0	12	<2.0	<20
MW-1	08/14/02	5,500	470	14	360	160	<10	<10	10	<10	<100
MW-1	11/15/02	10,000	440	16	310	150	<10	<10	15	<10	<100
MW-1	10/25/04	4,300	260	3.3	150	32	<0.90	<0.90	14	<0.90	5.8
MW-1	12/23/04	11,000	860	6.1	880	280	<0.90	<0.90	16	<0.90	11
MW-1	02/25/05	11,000	710	6.7	720	330	<1.5	<1.5	24	<1.5	11
MW-1	05/19/05	7,500	610	12	370	140	<1.5	<1.5	20	<1.5	11
MW-1	09/15/05	6,100	300	3.5	280	71	<0.90	<0.90	12	<0.90	7.8
MW-1	03/20/06	6,400	290	3.2	330	61	<0.90	<0.90	8.8	<0.90	6
MW-1	05/25/06	4,200	300	6.4	100	40	<0.90	<0.90	11	<0.90	6.7
MW-1	08/23/06	3,400	140	1.9	92	9.2	<0.50	<0.50	4.2	<0.50	<5.0
MW-1	03/14/07	5,600	75	0.83	160	20	<0.50	<0.50	2.5	<0.50	<5.0
MW-1	06/11/07	5,400	90	<1.0	220	12	<1.0	<1.0	2.4	<1.0	<5.0
MW-1	08/01/07	5,300	130	<0.74	450	36	<0.60	<0.63	<0.77	<0.83	<35
MW-1	02/27/08	1,090	11	<0.24	40	9.1	<0.18	<0.23	<0.19	<0.19	<10
MW-1	05/13/08	4,530	77	<0.25	457	56	<2.5	<2.5	6.9	<2.5	<25.0
MW-1	08/27/08	3,350	45	1.1	261	16	<0.5	<0.5	12	<0.5	9.1
MW-1	11/18/08	4,680	42	0.7	266	6.9	<0.5	<0.5	15	<0.5	6.9
<b>MW-1</b>	<b>03/11/09</b>	<b>5,180</b>	<b>69</b>	<b>2.0</b>	<b>440</b>	<b>10</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>20</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-1A	06/23/93	--	--	--	--	--	--	--	--	--	--
MW-1A	09/30/93	--	--	--	--	--	--	--	--	--	--
MW-1A	02/06/94	8,900	1,700	42	1,000	400	--	--	--	--	--
MW-1A	05/02/94	--	--	--	--	--	--	--	--	--	--
MW-1A	07/01/94	12,000	1,100	<1	920	1,100	--	--	--	--	--
MW-1A	09/20/94	--	--	--	--	--	--	--	--	--	--
MW-1A	12/05/94	--	--	--	--	--	--	--	--	--	--
MW-1A	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-1A	03/15/95	--	--	--	--	--	--	--	--	--	--
MW-1A	09/23/96	--	--	--	--	--	--	--	--	--	--
MW-1A	12/04/96	52,000	420	140	1,000	3,500	--	--	130	--	--
MW-1A	04/08/97	--	--	--	--	--	--	--	--	--	--
MW-1A	06/30/97	17,000	180	<	140	1,100	--	--	<	--	--
MW-1A	11/25/97	19,000	110	37	290	910	--	--	<	--	--
MW-1A	06/01/98	18,000	200	17	230	820	--	--	91	--	--
MW-1A	06/14/01	27,000	29	<5.0	620	520	--	--	<50	--	--
MW-1A	11/07/01	21,000	51	<5.0	700	510	<5.0	<5.0	<5.0	<5.0	<50
MW-1A	01/30/02	24,000	22	<5.0	390	330	<5.0	<5.0	<5.0	<5.0	<50
MW-1A	05/29/02	12,000	32	<5.0	550	270	<5.0	<5.0	<5.0	<5.0	<50
MW-1A	08/14/02	14,000	22	<2.0	510	240	<2.0	<2.0	<2.0	<2.0	<20
MW-1A	11/15/02	17,000	59	2.4	630	250	<2.0	<2.0	<2.0	<2.0	<20
MW-1A	10/25/04	2,200	1.3	<0.50	58	3.7	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	12/23/04	3,100	2.2	<0.50	96	5.4	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	02/25/05	7,300	4.7	1.1	140	24	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	05/19/05	13,000	3.1	1.7	190	50	<1.5	<1.5	<1.5	<1.5	<7.0
MW-1A	09/15/05	4,000	0.84	<0.50	52	2.5	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	11/10/05	12,000	<2.0	0.76	130	3.6	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	03/20/06	3,300	1.1	<0.50	17	1	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	05/25/06	1,600	0.79	<0.50	22	0.94	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	08/23/06	4,700	1.6	1.1	84	1.8	<0.50	<0.50	<0.50	<0.50	<5.0
MW-1A	03/14/07	610	<0.50	<0.50	12	<0.50	<0.50	<0.50	7.5	<0.50	<5.0
MW-1A	06/12/07	3,200	1.1	0.84	79	0.76	<0.50	<0.50	20	<0.50	<5.0
MW-1A	08/01/07	440	0.31	<0.15	6.2	<0.34	<0.12	<0.13	79	<0.17	<6.9
MW-1A	02/27/08	1,660	<0.18	<0.24	50	<0.45	<0.20	<0.23	21	<0.19	<10
MW-1A	11/18/08	Dry Well No Sample Collected				--	--	--	--	--	--
MW-1A	03/11/09	Dry Well No Sample Collected				--	--	--	--	--	--
MW-2	02/05/92	67,000	13,000	4,700	820	1,300	--	--	--	--	--
MW-2	09/11/92	57,000	9,000	1,400	1,200	8,400	--	--	--	--	--
MW-2	12/22/92	31,000	9,900	350	2,000	4,100	--	--	--	--	--
MW-2	03/03/93	17,000	5,100	1,300	720	1,900	--	--	--	--	--
MW-2	06/23/93	60,000	23,000	1,500	4,500	17,000	--	--	--	--	--
MW-2	09/30/93	38,000	12,000	780	1,500	6,500	--	--	--	--	--
MW-2	02/06/94	34,000	8,900	450	2,000	5,500	--	--	--	--	--
MW-2	05/02/94	18,000	3,800	260	1,100	3,500	--	--	--	--	--
MW-2	07/01/94	18,000	3,700	510	870	2,600	--	--	--	--	--
MW-2	09/20/94	19,000	4,500	300	1,200	4,000	--	--	--	--	--



**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-2	12/06/94	22,000	4,700	340	1,400	4,500	--	--	--	--	--
MW-2	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-2	03/15/95	29,000	5,600	350	1,900	6,300	--	--	--	--	--
MW-2	09/23/96	29,000	3,700	150	1,000	4,300	--	--	860	--	--
MW-2	12/04/96	31,000	3,800	140	2,000	5,100	--	--	690	--	--
MW-2	04/08/97	20,000	2,500	80	1,300	3,400	--	--	880	--	--
MW-2	06/30/97	41,000	2,700	130	1,200	4,000	--	--	890	--	--
MW-2	11/25/97	51,000	2,900	140	1,800	7,000	--	--	1,200	--	--
MW-2	06/01/98	33,000	2,700	130	1,800	5,700	--	--	610	--	--
MW-2	06/14/01	18,000	860	14	1,100	2,200	--	--	<100	--	--
MW-2	11/07/01	20,000	880	20	1,100	2,600	<5.0	<5.0	21	<5.0	<50
MW-2	01/30/02	19,000	880	19	1,100	2,400	<5.0	<5.0	56	<5.0	<50
MW-2	05/29/02	8,100	390	16	560	1,400	<5.0	<5.0	32	<5.0	<50
MW-2	08/14/02	19,000	820	21	1,200	2,600	<20	<20	29	<20	<200
MW-2	11/15/02	34,000	910	31	1,000	1,400	<20	<20	39	<20	<200
MW-2	10/25/04	9,300	280	3.8	500	980	<2.0	<2.0	8.2	<2.0	<9.0
MW-2	12/23/04	10,000	310	3.9	470	840	<2.0	<2.0	9.5	<2.0	<9.0
MW-2	02/25/05	15,000	320	4.8	860	1,600	<2.0	<2.0	7.7	<2.0	<9.0
MW-2	05/19/05	15,000	300	3.6	770	1,200	<2.5	<2.5	9.2	<2.5	<15
MW-2	09/15/05	--	--	--	--	--	--	--	--	--	--
MW-2	11/10/05	14,000	230	2.6	530	1,000	<2.5	<2.5	6.2	<2.5	<15
MW-2	03/20/06	8,700	170	<1.5	360	530	<1.5	<1.5	3.8	<1.5	<7.0
MW-2	05/25/06	--	--	--	--	--	--	--	--	--	--
MW-3	02/05/92	16,000	2,700	410	<1	3,400	--	--	--	--	--
MW-3	09/11/92	43,000	7,600	1,600	1,400	4,100	--	--	--	--	--
MW-3	12/22/92	29,000	8,800	1,200	1,500	3,700	--	--	--	--	--
MW-3	03/03/93	17,000	5,000	1,500	680	1,700	--	--	--	--	--
MW-3	06/23/93	5,700	3,000	120	560	790	--	--	--	--	--
MW-3	09/30/93	21,000	7,000	2,100	970	2,600	--	--	--	--	--
MW-3	02/06/94	24,000	7,200	1,600	990	3,200	--	--	--	--	--
MW-3	05/02/94	10,000	2,200	440	470	1,200	--	--	--	--	--
MW-3	07/01/94	8,200	2,000	370	350	930	--	--	--	--	--
MW-3	09/20/94	7,200	2,000	360	380	1,000	--	--	--	--	--
MW-3	12/06/94	9,000	2,300	400	440	1,100	--	--	--	--	--
MW-3	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-3	03/15/95	4,300	980	47	370	780	--	--	--	--	--
MW-3	09/23/96	10,000	950	20	700	780	--	--	80	--	--
MW-3	12/04/96	13,000	1,100	25	1,000	1,100	--	--	67	--	--
MW-3	04/08/97	3,800	210	4.6	270	280	--	--	56	--	--
MW-3	06/30/97	3,500	280	<	32	180	--	--	<	--	--
MW-3	11/25/97	6,800	230	<	370	290	--	--	130	--	--
MW-3	06/01/98	--	--	--	--	--	--	--	--	--	--
MW-3	06/14/01	2,100	9	<0.5	78	43	--	--	<5.0	--	--
MW-3	11/07/01	7,700	75	<5.0	410	150	<5.0	<5.0	<5.0	<5.0	<50
MW-3	01/30/02	3,600	27	<5.0	120	34	<5.0	<5.0	<5.0	<5.0	<50
MW-3	05/29/02	2,000	18	<5.0	53	13	<5.0	<5.0	<5.0	<5.0	<50

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)	
MW-3	08/14/02	2,400	19	<0.5	50	6.5	<0.5	<0.5	<0.5	<0.5	<5.0	
MW-3	11/15/02	4,300	7.5	<0.5	22	1.1	0.5	0.5	0.5	0.5	<5.0	
MW-3	10/25/04	460	0.6	<0.50	9.6	1.7	<0.50	<0.50	<0.50	<0.50	<5.0	
MW-3	12/20/04	5,400	9	<0.50	280	74	<0.50	<0.50	<0.50	<0.50	<5.0	
MW-3	02/25/05	Could not locate, VEAS-2 sampled instead					--	--	--	--	--	--
MW-3	05/19/05	Could not locate, VEAS-2 sampled instead					--	--	--	--	--	--
MW-3	09/15/05	Could not locate well					--	--	--	--	--	--
MW-3	11/10/05	Could not locate well					--	--	--	--	--	--
MW-3	03/20/06	800	0.76	<0.50	19	3.7	<0.50	<0.50	<0.50	<0.50	<5.0	
MW-3	05/25/06	500	0.59	<0.50	3.8	0.96	<0.50	<0.50	<0.50	<0.50	<5.0	
MW-3	08/23/06	550	<0.50	<0.50	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0	
MW-3	03/14/07	660	0.85	<0.50	22	3.7	<0.50	<0.50	1.3	<0.50	<5.0	
MW-3	06/12/07	540	<0.50	<0.50	14	2.2	<0.50	<0.50	6.0	<0.50	<5.0	
MW-3	08/01/07	2,300	2.3	<0.15	87	13	<0.12	<0.13	<0.15	<0.17	<6.9	
MW-3	02/27/08	1,360	<0.18	<0.24	32	3	<0.20	<0.23	7.7	<0.19	<10	
MW-3	05/13/08	1,160	1.2	0.6	28	2.2	<0.5	<0.5	31	<0.5	<5.0	
MW-3	08/27/08	2,790	1.4	<0.5	56	4.0	<0.5	<0.5	40	<0.5	18	
MW-3	11/18/08	1,800	0.8	<0.5	50	1.4	<0.5	<0.5	31	<0.5	13	
<b>MW-3</b>	<b>03/11/09</b>	<b>957</b>	<b>1.2</b>	<b>0.9</b>	<b>37</b>	<b>4.0</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>155</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>	
MW-4	02/05/92	16,000	2,700	410	<1	3,400	--	--	--	--	--	
MW-4	09/11/92	43,000	7,600	1,600	1,400	4,100	--	--	--	--	--	
MW-4	12/22/92	29,000	8,800	1,200	1,500	3,700	--	--	--	--	--	
MW-4	03/03/93	17,000	5,000	1,500	680	1,700	--	--	--	--	--	
MW-4	06/23/93	5,700	3,000	120	560	790	--	--	--	--	--	
MW-4	09/30/93	21,000	7,000	2,100	970	2,600	--	--	--	--	--	
MW-4	02/06/94	24,000	7,200	1,600	990	3,200	--	--	--	--	--	
MW-4	05/02/94	10,000	2,200	440	470	1,200	--	--	--	--	--	
MW-4	07/01/94	8,200	2,000	370	350	930	--	--	--	--	--	
MW-4	09/20/94	7,200	2,000	360	380	1,000	--	--	--	--	--	
MW-4	12/06/94	9,000	2,300	400	440	1,100	--	--	--	--	--	
MW-4	03/10/95	--	--	--	--	--	--	--	--	--	--	
MW-4	03/15/95	15,000	4,400	600	770	2,660	--	--	--	--	--	
MW-4	09/23/96	32,000	7,400	540	1,500	2,800	--	--	2,100	--	--	
MW-4	12/04/96	23,000	7,800	140	1,200	1,200	--	--	1,900	--	--	
MW-4	04/08/97	16,000	3,900	680	850	2,300	--	--	980	--	--	
MW-4	06/30/97	63,000	7,000	430	1,400	4,400	--	--	1,700	--	--	
MW-4	11/25/97	30,000	4,300	61	810	1,500	--	--	880	--	--	
MW-4	06/01/98	33,000	5,700	710	1,700	2,900	--	--	720	--	--	
MW-4	06/14/01	9,500	690	45	560	600	<5.0	<5.0	<50	<5.0	<50	
MW-4	11/07/01	6,000	710	20	630	190	<5.0	<5.0	27	<5.0	<50	
MW-4	01/30/02	4,800	830	16	600	61	<20	<20	42	<20	<200	
MW-4	05/29/02	5,300	720	57	600	200	<2.0	<2.0	35	<2.0	<20	
MW-4	08/14/02	5,000	640	15	550	35	<2.0	<2.0	28	<2.0	<20	
MW-4	11/15/02	3,700	330	10	260	200	<0.50	<0.50	20	<0.50	<5.0	
MW-4	10/25/04	4,000	180	15	200	190	<0.90	<0.90	4.1	<0.90	<5.0	
MW-4	12/23/04	7,400	280	24	340	340	<0.90	<0.90	7.9	<0.90	<5.0	

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-4	02/25/05	4,200	160	15	280	420	<4.0	<4.0	6.2	<4.0	<20
MW-4	05/19/05	15,000	480	76	1,100	1,600	<0.90	<0.90	14	<0.90	5.4
MW-4	09/15/05	5,400	220	22	250	430	<0.50	<0.50	10	<0.50	<5.0
MW-4	11/10/06	8,000	320	37	530	670	<0.50	<0.50	9.3	<0.50	<5.0
MW-4	03/20/06	3,900	91	26	5.8	360.0	<0.50	<0.50	5.7	<0.50	<5.0
MW-4	05/25/06	8,300	300	77	570	730	<0.50	<0.50	5.4	<0.50	<5.0
MW-4	08/23/06	9,400	240	79	490	860	<0.50	<0.50	6.1	<0.50	<5.0
MW-4	03/14/07	4,600	100	20	350	570	<0.50	<0.50	2.3	<0.50	<5.0
MW-4	06/12/07	3,700	120	14	150	230	<0.50	<0.50	2.5	<0.50	<5.0
MW-4	08/01/07	3,700	120	15	280	310	<0.60	<0.63	<0.77	<0.83	<35
MW-4	02/27/08	Could not locate well			--	--	--	--	--	--	--
MW-4	05/13/08	2,800	102	18	329	343	<2.5	<2.5	8.0	<2.5	<25.0
MW-4	08/27/08	4,730	72	12	318	233	<0.5	<0.5	33	<0.5	18
MW-4	11/18/08	2,430	39	6.6	163	102	<0.5	<0.5	29	<0.5	8.1
<b>MW-4</b>	<b>03/11/09</b>	<b>3,470</b>	<b>67</b>	<b>12</b>	<b>402</b>	<b>340</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>86</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>
MW-5	02/05/92	78,000	7,900	5,000	2,900	1,800	--	--	--	--	--
MW-5	09/11/92	49,000	4,700	400	1,400	4,100	--	--	--	--	--
MW-5	12/22/92	34,000	8,600	340	2,200	4,800	--	--	--	--	--
MW-5	03/03/93	22,000	7,500	640	1,300	3,400	--	--	--	--	--
MW-5	06/23/93	15,000	5,800	120	1,100	2,100	--	--	--	--	--
MW-5	09/30/93	25,000	7,600	410	1,000	4,400	--	--	--	--	--
MW-5	02/06/94	23,000	6,000	180	2,000	5,900	--	--	--	--	--
MW-5	05/02/94	8,000	1,300	29	440	770	--	--	--	--	--
MW-5	07/01/94	10,000	1,700	97	600	1,400	--	--	--	--	--
MW-5	09/20/94	8,400	1,600	54	650	1,400	--	--	--	--	--
MW-5	15/5/92	10,000	1,800	<50	620	1,400	--	--	--	--	--
MW-5	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-5	03/15/95	5,300	1,100	11	180	320	--	--	--	--	--
MW-5	09/23/96	9,800	1,800	11	470	510	--	--	100	--	--
MW-5	12/04/96	10,000	2,200	9	550	430	--	--	70	--	--
MW-5	04/08/97	11,000	1,300	15	450	720	--	--	180	--	--
MW-5	06/30/97	3,800	500	<	75	84	--	--	<	--	--
MW-5	11/25/97	8,200	1,300	14	310	220	--	--	<	--	--
MW-5	06/01/98	3,600	290	12	52	52	--	--	81	--	--
MW-5	06/14/01	5,100	44	0.71	110	23	--	--	<5.0	--	--
MW-5	11/07/01	7,600	220	<5.0	550	30	<5.0	<5.0	<5.0	<5.0	<50
MW-5	01/30/02	6,200	180	<20	310	130	<20	<20	<20	<20	<200
MW-5	05/29/02	3,900	66	0.8	110	7.4	2	<0.5	0.9	<0.5	<5.0
MW-5	08/14/02	4,300	80	0.9	150	12	<0.5	<0.5	1.1	<0.5	<5.0
MW-5	11/15/02	7,000	99	<5.0	250	500	<5.0	<5.0	<5.0	<5.0	<5.0
MW-5	10/25/04	4,800	27	0.5	50	3.7	<0.50	<0.50	0.79	<0.50	<5.0
MW-5	12/23/04	6,300	55	<0.90	140	5.6	<0.90	<0.90	<0.90	<0.90	<5.0
MW-5	02/25/05	4,700	44	0.59	110	4.8	<0.50	<0.50	0.85	<0.50	<5.0
MW-5	05/19/05	3,800	32	0.61	66	4.4	<0.50	<0.50	1	<0.50	<5.0
MW-5	09/15/05	4,500	22	0.65	78	4	<0.50	<0.50	9.5	<0.50	<5.0
MW-5	11/10/08	4,000	19	0.52	77	4.3	<0.50	<0.50	0.8	<0.50	<5.0

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-5	03/20/06	4,000	9.5	<0.50	4.9	4	<0.50	<0.50	1.5	<0.50	<5.0
MW-5	05/25/06	3,400	12	<0.50	46	3.8	<0.50	<0.50	1.6	<0.50	<5.0
MW-5	08/23/06	4,000	5.6	0.75	42	3.6	<0.50	<0.50	1.3	<0.50	<5.0
MW-5	03/14/07	3,500	3.1	1	31	1.6	<0.50	<0.50	1.8	<0.50	<5.0
MW-5	06/11/07	2,500	3.0	0.83	14	1.4	<0.50	<0.50	1.9	<0.50	<5.0
MW-5	08/01/07	2,700	3.6	1.1	21	1.1	<0.12	<0.12	<0.15	<0.12	<6.9
MW-5	02/27/08	628	1.5	<0.24	8.9	4.2	<0.20	<0.23	1.6	<0.19	<10
MW-5	05/13/08	752	1.3	1.1	1.9	1.8	<0.5	<0.5	7.9	<0.5	<5.0
MW-5	08/27/08	3,100	2.9	2.9	12	6.8	<0.5	<0.5	64	<0.5	30
MW-5	11/18/08	2,490	1.9	0.7	8.7	2.4	<0.5	<0.5	60	<0.5	27
<b>MW-5</b>	<b>03/11/09</b>	<b>2,210</b>	<b>3.3</b>	<b>1.1</b>	<b>8.5</b>	<b>1.3</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>72</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>
MW-6	02/05/92	51,000	5,400	3,500	3,600	10,000	--	--	--	--	--
MW-6	09/11/92	24,000	2,500	830	1,400	2,300	--	--	--	--	--
MW-6	12/22/92	23,000	5,100	630	2,000	3,100	--	--	--	--	--
MW-6	03/03/93	18,000	4,400	820	1,400	2,400	--	--	--	--	--
MW-6	06/23/93	18,000	4,600	850	2,700	3,400	--	--	--	--	--
MW-6	09/30/93	--	--	--	--	--	--	--	--	--	--
MW-6	02/06/94	20,000	4,600	690	2,100	2,500	--	--	--	--	--
MW-6	05/02/94	5,300	930	54	610	240	--	--	--	--	--
MW-6	07/01/94	10,000	1,500	160	850	690	--	--	--	--	--
MW-6	09/20/94	11,000	2,000	140	1,200	760	--	--	--	--	--
MW-6	12/06/94	8,600	1,300	87	980	610	--	--	--	--	--
MW-6	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-6	03/15/95	9,800	1,600	110	1,000	1,000	--	--	--	--	--
MW-6	09/23/96	12,000	520	55	930	350	--	--	51	--	--
MW-6	12/04/96	11,000	390	25	680	170	--	--	130	--	--
MW-6	04/08/97	17,000	700	92	1,400	900	--	--	2,700	--	--
MW-6	06/30/97	11,000	270	37	590	450	--	--	<	--	--
MW-6	11/25/97	9,100	130	26	500	150	--	--	310	--	--
MW-6	06/01/98	14,000	190	50	680	400	--	--	160	--	--
MW-6	06/14/01	6,400	29	6.3	200	55	--	--	<20	--	--
MW-6	11/07/01	7,200	34	8.7	180	31	<5.0	<5.0	<5.0	<5.0	<50
MW-6	01/30/02	6,600	32	7.2	130	28	<5.0	<5.0	<5.0	<5.0	<50
MW-6	05/29/02	5,200	26	7	150	27	<0.5	<0.5	<5.0	<0.5	<50
MW-6	08/14/02	5,300	24	6.6	120	22	<2.0	<2.0	<2.0	<2.0	<20
MW-6	11/15/02	5,000	19	4.7	70	38	<0.5	<0.5	<0.5	<0.5	<5.0
MW-6	10/25/04	3,600	9.8	2.1	83	16	<0.50	<0.50	2.3	<0.50	<5.0
MW-6	12/23/04	2,100	8.2	1.3	10	2.4	<0.90	<0.90	1.5	<0.90	<5.0
MW-6	02/25/05	2,500	6.6	1.4	29	5.2	<0.50	<0.50	0.74	<0.50	<5.0
MW-6	05/19/05	3,800	7.5	2.2	54	12	<0.50	<0.50	3.1	<0.50	<5.0
MW-6	09/15/05	1,900	2.9	0.88	12	2.7	<0.50	<0.50	0.94	<0.50	<5.0
MW-6	11/10/05	1,700	2.1	0.6	5.4	1.7	<0.50	<0.50	0.81	<0.50	<5.0
MW-6	03/20/06	2,300	3.6	1.0	12	3.9	<0.50	<0.50	1.1	<0.50	<5.0
MW-6	05/25/06	2,400	5	1.8	31	14	<0.50	<0.50	3	<0.50	<5.0
MW-6	08/23/06	2,300	2.3	0.84	7.8	4.2	<0.50	<0.50	1.7	<0.50	<5.0
MW-6	03/14/07	3,300	2.8	0.7	49	6.5	<0.50	<0.50	10	<0.50	<5.0

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-6	06/12/07	2,000	1.4	0.54	3.2	2.1	<0.50	<0.50	32	<0.50	<5.0
MW-6	08/01/07	1,500	0.99	0.4	2.1	1.2	<0.12	<0.13	50	<0.17	<6.9
MW-6	02/27/08	1,520	<0.18	<0.24	2.4	1.3	<0.20	<0.23	140	<0.19	<10
MW-6	05/13/08	1,530	1.0	0.8	4.0	1.5	<0.5	<0.5	127	<0.5	<5.0
MW-6	08/27/08	Not Accessable	--	--	--	--	--	--	--	--	--
MW-6	11/18/08	Not Accessable	--	--	--	--	--	--	--	--	--
MW-6	03/11/09	Not Accessable	--	--	--	--	--	--	--	--	--
MW-7	06/23/93	29,000	4,200	71	4,400	5,600	--	--	--	--	--
MW-7	09/30/93	30,000	3,200	71	2,800	3,400	--	--	--	--	--
MW-7	02/06/94	--	--	--	--	--	--	--	--	--	--
MW-7	05/02/94	5,700	630	13	660	400	--	--	--	--	--
MW-7	07/01/94	3,100	180	99	160	520	--	--	--	--	--
MW-7	09/20/94	6,100	540	6	750	730	--	--	--	--	--
MW-7	12/05/94	3,700	280	<10	430	350	--	--	--	--	--
MW-7	03/10/95	3,900	310	<10	540	540	--	--	--	--	--
MW-7	03/14/95	1,900	290	4	26	296	--	--	--	--	--
MW-7	09/23/96	6,300	76	<	420	270	--	--	15	--	--
MW-7	12/04/96	7,800	67	<	600	350	--	--	22	--	--
MW-7	04/08/97	5,600	42	<	240	96	--	--	<	--	--
MW-7	06/30/97	5,500	<	79	<	44	--	--	280	--	--
MW-7	11/25/97	2,400	23	5.4	<	54	--	--	120	--	--
MW-7	06/01/98	14,000	190	50	680	400	--	--	160	--	--
MW-7	06/14/01	6,400	29	6	200	55	--	--	<20	--	--
MW-7	11/07/01	--	--	--	--	--	--	--	--	--	--
MW-7	01/30/02	6,200	1.5	<0.50	96	4.6	<0.5	<0.5	<0.5	<0.5	<5.0
MW-7	05/29/02	1,600	1	<0.50	3.4	1.9	<0.5	<0.5	<0.5	<0.5	<5.0
MW-7	08/14/02	4,100	1.3	<0.50	74	1.3	<0.5	<0.5	<0.5	<0.5	<5.0
MW-7	11/15/02	1,000	0.6	<0.50	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<5.0
MW-7	10/25/04	Could not locate well	--	--	--	--	--	--	--	--	--
MW-7	05/19/05	660	<0.50	<0.50	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-7	09/15/05	Could not locate we	--	--	--	--	--	--	--	--	--
MW-7	11/10/05	340	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-7	03/20/06	Could not locate well	--	--	--	--	--	--	--	--	--
MW-7	05/25/06	Could not locate well	--	--	--	--	--	--	--	--	--
MW-7	08/23/06	380	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-7	03/14/07	170	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-7	06/12/07	Could not locate well	--	--	--	--	--	--	--	--	--
MW-7	08/01/07	470	<0.12	<0.15	1.7	0.5	<0.12	<0.13	<0.15	<0.17	<6.9
MW-7	02/27/08	257	<0.18	<0.24	<0.21	<0.45	<0.20	<0.23	<0.19	<0.19	<10
MW-7	05/13/08	241	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-7	08/27/08	514	<0.5	<0.5	0.9	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-7	11/18/08	281	<0.5	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
<b>MW-7</b>	<b>03/11/09</b>	<b>327</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>1.2</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>
MW-8	06/23/93	350	43	9	35	67	--	--	--	--	--
MW-8	09/30/93	2,700	190	340	170	720	--	--	--	--	--

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-8	02/06/94	<100	<1	1	1	2	--	--	--	--	--
MW-8	05/02/94	<100	<1	3	<1	7	--	--	--	--	--
MW-8	07/01/94	300	18	48	19	37	--	--	--	--	--
MW-8	09/20/94	<100	<1	<1	<1	<1	--	--	--	--	--
MW-8	12/05/94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
MW-8	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-8	03/15/95	<50	<0.5	<0.5	<0.5	1	--	--	--	--	--
MW-8	09/23/96	<	<	<	<	<	<	<	<	<	<
Not sampled, well inaccessible since 4th quarter, 1996											
MW-9	06/23/93	45,000	14,000	1,200	2,800	12,000	--	--	--	--	--
MW-9	09/30/93	86,000	22,000	1,100	3,300	15,000	--	--	--	--	--
MW-9	02/06/94	43,000	10,000	460	2,100	7,500	--	--	--	--	--
MW-9	05/02/94	17,000	5,400	270	1,300	4,700	--	--	--	--	--
MW-9	07/01/94	10,000	2,100	120	450	1,300	--	--	--	--	--
MW-9	09/20/94	7,500	2,200	97	400	1,200	--	--	--	--	--
MW-9	12/05/94	10,000	2,700	130	530	1,600	--	--	--	--	--
MW-9	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-9	03/15/95	18,000	5,900	270	1,200	3,680	--	--	--	--	--
Not sampled, well inaccessible since 1st quarter, 1995											
MW-10	06/23/93	35,000	980	640	3,500	12,000	--	--	--	--	--
MW-10	09/30/93	4,000	230	12	100	680	--	--	--	--	--
MW-10	02/06/94	2,000	69	12	220	120	--	--	--	--	--
MW-10	05/02/94	710	16	6	85	62	--	--	--	--	--
MW-10	07/01/94	2,000	52	43	120	210	--	--	--	--	--
MW-10	09/20/94	2,800	34	16	270	560	--	--	--	--	--
MW-10	12/05/94	2,700	30	13	260	430	--	--	--	--	--
MW-10	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-10	03/15/95	1,400	18	6	200	239	--	--	--	--	--
MW-10	09/23/96	3,800	4	2.9	220	170	--	--	397	--	--
MW-10	12/04/96	4,600	1.6	7.7	260	150	--	--	20	--	--
Not sampled, well inaccessible since 4th quarter, 1996											
MW-11	02/10/95	7,000	140	22	600	1,000	--	--	--	--	--
MW-11	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-11	03/15/95	6,000	200	17	750	1,276	--	--	--	--	--
MW-11	09/23/96	27,000	55	81	300	3,500	--	--	40	--	--
MW-11	12/04/96	--	--	--	--	--	--	--	--	--	--
MW-11	04/08/97	24,000	280	130	3,000	3,700	--	--	<	--	--
Not sampled, well inaccessible since 2nd quarter, 1997											
MW-12	02/10/95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
MW-12	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-12	03/14/95	<50	<0.5	<0.5	<0.5	0.9	--	--	--	--	--
MW-12	09/23/96	<	<	1.6	<	<	--	--	--	--	--
MW-12	12/04/96	<	3.2	<	1.9	3.4	--	--	--	--	--
MW-12	04/08/97	<	<	<	<	<	--	--	--	--	--

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-12	06/30/97	--	--	--	--	--	--	--	--	--	--
MW-12	11/25/97	--	--	--	--	--	--	--	--	--	--
MW-12	06/01/98	--	--	--	--	--	--	--	--	--	--
MW-12	06/14/01	<50	<0.50	<0.50	<0.50	<0.50	--	--	<5.0	--	--
MW-12	11/07/01	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	01/30/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	05/29/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	08/14/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	11/15/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	10/25/04	Not Accessable		--	--	--	--	--	--	--	--
MW-12	02/25/05	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	05/19/05	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	09/15/05	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	11/10/05	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-12	03/20/06	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-12	05/25/06	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-12	08/23/06	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-12	03/14/07	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-12	06/11/07	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
MW-12	08/01/07	45	<0.12	<0.15	<0.17	<0.34	<0.12	<0.13	<0.15	<0.17	<6.9
MW-12	02/27/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.20	<0.23	<0.19	<0.19	<10
MW-12	05/13/08	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	08/27/08	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-12	11/18/08	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
<b>MW-12</b>	<b>03/11/09</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>
MW-13	02/10/95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--
MW-13	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-13	03/14/95	<50	<0.5	<0.5	<0.5	1	--	--	--	--	--
MW-13	09/23/96	<	<	0.8	1	<	--	--	<	--	--
MW-13	12/04/96	--	--	--	--	--	--	--	--	--	--
MW-13	04/08/97	<	<	<	<	<	--	--	<	--	--
MW-13	06/30/97	--	--	--	--	--	--	--	--	--	--
MW-13	11/25/97	--	--	--	--	--	--	--	--	--	--
MW-13	06/01/98	--	--	--	--	--	--	--	--	--	--
MW-13	06/14/01	<50	<0.50	<0.50	<0.50	<0.50	--	--	<5.0	--	--
MW-13	11/07/01	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-13	01/30/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-13	05/29/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-13	08/14/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-13	11/15/02	--	--	--	--	--	--	--	--	--	--
MW-13	10/25/04	Not Accessable		--	--	--	--	--	--	--	--
Not sampled, well inaccessible since 4th quarter, 2004											
MW-14	02/10/95	12,000	42	8	740	2,100	--	--	--	--	--
MW-14	03/10/95	--	--	--	--	--	--	--	--	--	--
MW-14	03/14/95	1,400	6	2	36	298	--	--	--	--	--

**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
MW-14	09/23/96	6,400	2.8	<	690	96	--	--	9.6	--	--
MW-14	12/04/96	9,500	6.3	<	1,100	400	--	--	30	--	--
MW-14	04/08/97	2,900	<	2.7	220	21	--	--	<	--	--
MW-14	06/30/97	74	1.3	<	0.51	0.68	--	--	<	--	--
MW-14	11/25/97	<	<	<	<	<	--	--	<	--	--
MW-14	06/01/98	<50	<0.5	<0.5	<0.5	<0.5	--	--	<5	--	--
MW-14	06/14/01	470	<0.5	<0.5	2.8	1	--	--	<5	--	--
MW-14	11/07/01	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	01/30/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	05/29/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	08/14/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	11/15/02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	10/25/04	Not Accessable	--	--	--	--	--	--	--	--	--
MW-14	02/25/05	210	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	05/19/05	230	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-14	09/15/05	Not Accessable	--	--	--	--	--	--	--	--	--
MW-14	11/10/05	Not Accessable	--	--	--	--	--	--	--	--	--
MW-14	03/20/06	180	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	05/25/06	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	08/23/06	99	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	03/14/07	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	06/11/07	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	08/01/07	53	<0.12	<0.15	<0.17	<0.34	<0.12	<0.13	<0.15	<0.17	<6.9
MW-14	02/27/08	<6.6	<0.18	<0.24	<0.21	<0.45	<0.20	<0.23	<0.19	<0.19	<10
MW-14	05/13/08	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	08/27/08	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
MW-14	11/18/08	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0
<b>MW-14</b>	<b>03/11/09</b>	<b>&lt;50</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>
EX-1	08/14/02	250	31	<0.5	<0.5	4	<0.5	<0.5	1.4	<0.5	<5.0
EX-1	11/15/02	67	4.1	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<5.0
EX-1	10/25/04	96	2.1	<0.50	4.9	1.8	<0.5	<0.5	<0.5	<0.5	<5.0
EX-1	12/23/04	<50	<0.50	<0.50	0.87	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
EX-1	02/25/05	59	1.4	<0.50	2	0.87	<0.50	<0.50	<0.50	<0.50	<5.0
EX-1	05/19/05	200	3.4	<0.50	3.7	1.8	<0.50	<0.50	1.3	<0.50	<5.0
EX-1	09/15/05	290	7.5	<0.50	2.8	0.66	<0.50	<0.50	1.2	<0.50	<5.0
EX-1	11/10/05	270	5.1	<0.50	9.2	1.5	<0.50	<0.50	0.94	<0.50	<5.0
EX-1	03/20/06	820	7.5	<0.50	15	7.2	<0.50	<0.50	0.94	<0.50	<5.0
EX-1	05/25/06	100	<0.50	<0.50	1	0.9	<0.50	<0.50	0.79	<0.50	<5.0
EX-1	08/23/06	440	7.3	<0.50	0.72	0.61	<0.50	<0.50	1.2	<0.50	<5.0
EX-1	03/14/07	360	1.6	<0.50	8.8	1.8	<0.50	<0.50	1.7	<0.50	<5.0
EX-1	06/11/07	240	1.1	<0.50	6.0	1.4	<0.50	<0.50	4.3	<0.50	<5.0
EX-1	08/01/07	410	2.5	<0.15	4.2	0.92	<0.12	<0.13	3.6	<0.17	<6.9
EX-1	02/27/08	Not Accessable	--	--	--	--	--	--	--	--	--
EX-1	08/27/08	348	0.9	<0.5	0.8	<0.5	<0.5	<0.5	94	<0.5	22
EX-1	11/18/08	459	0.8	<0.5	<0.5	<0.5	<0.5	<0.5	16	<0.5	7.9
<b>EX-1</b>	<b>03/11/09</b>	<b>371</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>3.6</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>151</b>	<b>&lt;0.5</b>	<b>&lt;5.0</b>



**TABLE 2**  
**RESULTS OF LABORATORY ANALYSIS OF GROUNDWATER SAMPLES**  
**October 1992 through March 2009**  
**EZ Serve 100877, 525 West A Street, Hayward, CA**

Well Number	Date Sampled	TPH-G (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Total Xylenes (ug/l)	DIPE (ug/l)	ETBE (ug/l)	MTBE (ug/l)	TAME (ug/l)	TBA (ug/l)
VEAS-2	02/25/05	90	1.1	<0.50	0.7	1.3	<0.50	<0.50	1.4	<0.50	<5.0
VEAS-2	05/19/05	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<5.0
VEAS-2	11/10/05	--	--	--	--	--	--	--	--	--	--

Notes:

TPH-G = total petroleum hydrocarbons with gasoline distinction

MTBE = methyl tertiary butyl ether

DIPE = di-isopropyl ether

ETBE = ethyl-tert-butyl ether

TAME = tert-amyl methyl ether

TBA = tert butanol

ug/l = micrograms per liter


-- = not analyzed, measured, or collected

< = Sample reported as "not detected", in previous tables, reporting limit not known (Delta Environmental)

Note: No known groundwater sampling was conducted between June 1, 1998 and June 14, 2001, June 14, 2001 and November 7, 2001

Wellhead elevations resurveyed on January 30, 2002.

## FIGURES



0 1000 FEET 0 500 1000 METERS  
 Printed from TOPO! ©2001 National Geographic Holdings (www.topo.com)

**GEOENVIRO SERVICES, INC.**

**SITE LOCATION MAP**

FORMER EZ SERVE STATION NO. 100877  
 525 WEST A STREET  
 HAYWARD, CA


APRIL 2009

FIGURE 1


DRAWN BY: JPS  
 REVISED: APRIL 27, 2009

CLIENT: RPMS  
 JOB No.: 07-131





SCALE 1" = 80'



DRAWN BY: GRS  
 REVISION DATE: APRIL 27, 2009  
 CLIENT: RPMS  
 JOB No.: 07-131

### LEGEND

- MW-1 GROUNDWATER MONITORING WELL WITH GROUNDWATER ELEVATION IN FEET AMSL AS MEASURED ON 03/11/09
- EX-1 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL      NM NOT MEASURED
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- (27.50') GROUNDWATER ELEVATION CONTOUR IN FEET ABOVE MEAN SEA LEVEL AS MEASURED 3/11/09


**GEOENVIRO SERVICES, INC.**

SITE MAP WITH CONTOURS OF GROUNDWATER ELEVATION FIRST QUARTER 2009

FORMER EZ SERVE STATION NO. 100877  
 525 WEST A STREET  
 HAYWARD, CA

APRIL 2009

FIGURE 2



SCALE 1" = 80'



DRAWN BY: GRS  
 REVISION DATE: APRIL 27, 2009  
 CLIENT: RPMS  
 JOB No.: 07-131

### LEGEND

- MW-1 5,180 GROUNDWATER MONITORING WELL WITH TPHg CONCENTRATIONS IN ug/L AS MEASURED ON 3/11/09
- EX-1 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL NA - NOT ANALYZED
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 1,000 ug/L TPHg IN GROUNDWATER CONCENTRATION CONTOUR


**GEOENVIRO SERVICES, INC.**

SITE MAP WITH CONTOURS OF THPg CONCENTRATIONS IN GROUNDWATER FIRST QUARTER 2009

FORMER EZ SERVE STATION NO. 100877  
 525 WEST A STREET  
 HAYWARD, CA

APRIL 2009

FIGURE 3



SCALE 1" = 80'



DRAWN BY: GRS  
 REVISION DATE: APRIL 27, 2009  
 CLIENT: RPMS  
 JOB No.: 07-131

### LEGEND

- MW-1 GROUNDWATER MONITORING WELL WITH BENZENE CONCENTRATIONS IN ug/L AS MEASURED ON 3/11/09
- EX-1 GROUNDWATER EXTRACTION WELL
- VEAS-2 REMEDIATION WELL NA - NOT ANALYZED
- MW-2 DESTROYED GROUNDWATER MONITORING WELL
- 10 ug/L BENZENE IN GROUNDWATER CONCENTRATION CONTOUR


### GEOENVIRO SERVICES, INC.

SITE MAP WITH CONTOURS OF BENZENE CONCENTRATIONS IN GROUNDWATER FIRST QUARTER 2009

FORMER EZ SERVE STATION NO. 100877  
 525 WEST A STREET  
 HAYWARD, CA

APRIL 2009

FIGURE 4



SCALE 1" = 80'



DRAWN BY: GRS  
 REVISION DATE: APRIL 27, 2009  
 CLIENT: RPMS  
 JOB No.: 07-131

### LEGEND

- MW-1 ⊕ 20 GROUNDWATER MONITORING WELL WITH MTBE CONCENTRATIONS IN ug/L AS MEASURED ON 3/11/09
- EX-1 ⊕ GROUNDWATER EXTRACTION WELL
- VEAS-2 ⊕ REMEDIATION WELL
- MW-2 ⊕ DESTROYED GROUNDWATER MONITORING WELL
- 100 ug/L ~ MTBE IN GROUNDWATER CONCENTRATION CONTOUR
- NA - NOT ANALYZED

**GEOENVIRO SERVICES, INC.**

SITE MAP WITH CONTOURS OF MTBE CONCENTRATIONS IN GROUNDWATER FIRST QUARTER 2009

FORMER EZ SERVE STATION NO. 100877  
 525 WEST A STREET  
 HAYWARD, CA

APRIL 2009

FIGURE 5

**ATTACHMENT A**  
**GENERAL GROUNDWATER MONITORING FIELD PROCEDURES**



## Groundwater Sampling Protocol

### **Monitoring Wells**

Prior to purging a monitoring well, groundwater levels are measured with a Solinst electric depth measurement device, or an interface probe, in all wells that are to be measured. At sites where petroleum hydrocarbons are possible contaminants, the well is checked for floating product using an interface probe. If floating product is measured during the initial sampling round or noted during subsequent sampling rounds, floating product measurements are continued.

After the water level and floating product measurements are complete, the monitoring well is purged until a minimum of three casing volumes of water are removed, water is relatively clear of sediment, and pH, conductivity, and temperature measurements of the water become relatively stable. If the well is purged dry, groundwater samples are collected after the water level in the well recovers to at least 80 percent of the original water column measured in the well prior to sampling, or following a maximum recovery period of two hours. The well is purged using a factory-sealed, disposable, polyethylene bailer, a submersible Grundfos pump, or a peristaltic pump. The purge water is stored on-site in clean, 55-gallon drums or aboveground tanks.

A groundwater sample is collected from each monitoring well following re-equilibration of the well after purging. The groundwater sample is collected using a factory-sealed disposable, polyethylene bailer with a sampling port, or a factory-sealed Teflon bailer. A factory provided attachment designed for use with volatile organic compounds (VOCs) is attached to the polyethylene bailer sampling port when collecting samples to be analyzed for VOCs. The groundwater sample is transferred from the bailer into sample container(s) that are obtained directly from the analytical laboratory.

The sample container(s) is labeled with a self-adhesive tag. The following information is included on the tag:

- Project number
- Sample number
- Date and time sample is collected
- Initials of sample collector(s).

Individual log sheets are maintained throughout the sampling operations. The following information is recorded:

- Sample number
- Date and time well sampled and purged
- Sampling location
- Types of sampling equipment used
- Name of sampler(s)
- Volume of water purged.

Following collection of the groundwater sample, the sample is immediately stored on blue ice in an appropriate container. A chain-of-custody form is completed with the following information:

- Date the sample was collected
- Sample number and the number of containers
- Analyses required
- Remarks including preservatives added and any special conditions.

The original copy of the chain-of-custody form accompanies the sample containers to a California-certified laboratory. A copy is retained by GeoEnviro Services and placed in company files.

Sampling equipment including thermometers, pH electrodes, and conductivity probes are cleaned both before and after their use at the site. The following cleaning procedures are used:

- Scrub with a potable water and detergent solution using a hard bristle brush
- Rinse with potable water
- Double-rinse with organic-free or deionized water
- Package and seal equipment in plastic bags or other appropriate containers to prevent contact with solvents, dust, or other contaminants.

In addition, the pumps are cleaned by pumping a potable water and detergent solution and deionized water through the system. Cleaning solutions are contained on-site in clean 55-gallon drums.

### **Domestic and Irrigation Wells**

Groundwater samples collected from domestic or irrigation wells are collected from the spigot that is the closest to the well. Prior to collecting the sample, the spigot is allowed to flow for at least 5 minutes to purge the well. The sample is then collected directly into laboratory-supplied containers, sealed, labeled, and stored on blue ice in an appropriate container, as described above. A chain-of-custody form is completed and submitted with the samples to the analytical laboratory.

**ATTACHMENT B**  
**GROUNDWATER MONITORING AND SAMPLING**  
**FIELD DOCUMENTATION**

## Water Level Measurements

Project Name: Former EZ Serve 100877

Date: 3/11/2009

Location: 525 West A Street, Hayward, CA

Project No: 07-131

Global ID: T0600100483

Well ID	Well Diameter	Depth to Product	Depth to Groundwater	Sample Time	TD	Gal Purged	Comments
MW-1	4	0	13.65	11:05	25	17	
MW-1A	4	0	DRY	--	--	--	
MW-3	4	0	15.37	10:50	34	37	
MW-4	4	0	14.87	10:56	30	30	
MW-5	4	0	14.53	11:10	25	21	
MW-6	4	0	--	--	--	--	Could not locate
MW-7	2	0	15.28	10:10	30	7	
MW-8	--	--	--	--	--	--	Could not locate
MW-9	--	--	--	--	--	--	Could not locate
MW-10	--	--	--	--	--	--	Could not locate
MW-11	--	--	--	--	--	--	Could not locate
MW-12	2	0	15.88	9:50	30	7	
MW-13	--	--	--	--	--	--	Could not locate
MW-14	2	0	15.83	10:00	30	7	
EX-1	6	0	15.38	10:45	25	25	

## GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-1  
 Sampled By: J. Schaaf  
 Date: 3/11/2009

Well Diameter:	4
Total Well Depth:	25
Depth to Water:	13.65
Water Column:	8.35
Calculated Purge:	16.7
Actual Purge:	17
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 11:05

**Post Purge DTWs:**

Time	DTW
11:05	13.98

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. F	pH	Volume Purged (gal)	Comments
9:05	1336	64.6	7.11	5	
9:10	1326	66.0	7.10	10	
9:15	1327	66.2	7.11	15	
9:22	1325	66.2	7.10	17	

Additional Comments:

# GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-3  
 Sampled By: J. Schaaf  
 Date: 3/11/2009

Well Diameter:	4
Total Well Depth:	34
Depth to Water:	15.37
Water Column:	18.63
Calculated Purge:	37
Actual Purge:	37
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 10:50

**Post Purge DTWs:**

Time	DTW
10:50	15.37

Analyze for ):	
TPH Diesel - TPH Motor Oil	x
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. F	pH	Volume Purged (gal)	Comments
8:45	1005	62.1	7.39	10	
8:49	1277	64.0	7.41	20	
8:53	1275	64.8	7.40	30	
8:59	1276	64.9	7.41	37	

Additional Comments:

## GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-4  
 Sampled By: J. Schaaf  
 Date: 3/11/2009

Well Diameter:	4
Total Well Depth:	30
Depth to Water:	14.87
Water Column:	15.13
Calculated Purge:	30.26
Actual Purge:	30
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 10:56

**Post Purge DTWs:**

Time	DTW
10:55	14.88

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. F	pH	Volume Purged (gal)	Comments
9:48	1337	18.3	6.71	7	
9:52	1327	19.0	6.70	14	
9:56	1324	19.1	6.70	21	
10:00	1323	19.1	6.70	28	
10:05	1324	19.1	6.69	30	

Additional Comments:

## GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-5  
 Sampled By: J. Schaaf  
 Date: 3/11/2009

Well Diameter:	4
Total Well Depth:	25
Depth to Water:	14.53
Water Column:	10.47
Calculated Purge:	20.94
Actual Purge:	21
Free Product?	No
Product Sheen?	No

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 11:10

**Post Purge DTWs:**

Time	DTW
11:10	14.54

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. F	pH	Volume Purged (gal)	Comments
9:30	1338	66.2	7.13	5	
9:34	1350	66.3	7.11	10	
9:38	1334	67.4	7.12	15	
9:45	1333	67.4	7.12	21	

Additional Comments:



## GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-7  
 Sampled By: J. Schaaf  
 Date: 3/11/2009

Well Diameter:	2
Total Well Depth:	30
Depth to Water:	15.28
Water Column:	14.72
Calculated Purge:	7.36
Actual Purge:	7.00
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 10:10

**Post Purge DTWs:**

Time	DTW
10:10	15.29

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. C	pH	Volume Purged (gal)	Comments
8:58	1073	16.0	7.15	2	
8:59	1095	16.6	6.82	4	
9:00	1084	17.1	6.76	6	
9:01	1099	16.7	6.74	7	

Additional Comments:

## GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-12  
 Sampled By: J. Schaaf  
 Date: 3/11/2009

Well Diameter:	2
Total Well Depth:	30
Depth to Water:	15.88
Water Column:	14.12
Calculated Purge:	7.06
Actual Purge:	7.00
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 9:50

**Post Purge DTWs:**

Time	DTW
9:50	15.92

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp. C	pH	Volume Purged (gal)	Comments
8:21	905	15.3	7.06	2	
8:22	850	17.2	6.81	4	
8:24	861	17.7	6.80	6	
8:25	867	17.7	6.78	7	

Additional Comments:

## GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: MW-14  
 Sampled By: J. Schaaf  
 Date: 3/11/2009

Well Diameter:	2
Total Well Depth:	30
Depth to Water:	15.83
Water Column:	14.17
Calculated Purge:	7.08
Actual Purge:	7.00
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 10:00

**Post Purge DTWs:**

Time	DTW
9:58	15.91

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp.	pH	Volume Purged (gal)	Comments
8:37	994	15.7	7.28	2	
8:38	1031	17.0	6.93	4	
8:39	1011	17.7	6.84	6	
8:40	1012	17.9	6.81	7	

Additional Comments:

## GROUNDWATER SAMPLING LOG

Project No: 07-131  
 Project Name: Former EZ Serve No. 100877  
 Location: 525 West A Street, Hayward, CA

Well I.D.: EX-1  
 Sampled By: J. Schaaf  
 Date: 3/11/2009

Well Diameter:	6
Total Well Depth:	34
Depth to Water:	15.38
Water Column:	18.62
Calculated Purge:	56
Actual Purge:	25.00
Free Product?	NO
Product Sheen?	NO

Purge Volume Calculations	
For 3 Casing Volume Purge:	
2-inch Diameter Well:	0.5 gallons/linear foot
4-inch Diameter Well:	2 gallons/linear foot
1-inch Diameter Well:	0.123 gallons/linear foot
1.25-inch Diameter Well:	0.191 gallons/linear foot
1.5-inch Diameter Well:	0.275 gallons/linear foot

Purge Method: Sub Pump  
 Did Well Go Dry? No

Sampling Method: Disposable Bailer  
 Sample Time: 10:45

**Post Purge DTWs:**

Time	DTW
10:45	15.40

Analyze for ):	
TPH Diesel - TPH Motor Oil	
TPH Gasoline	x
BTEX	x
Petroleum Oxygenates	x
Lead Scavengers	
Other:	

Laboratory: Associated Laboratories

Time	Conductivity	Temp.	pH	Volume Purged (gal)	Comments
9:25	1310	17.6	7.00	5	
9:28	1296	18.9	6.77	10	
9:31	1291	19.0	6.76	15	
9:34	1300	19.3	6.71	20	
9:38	1305	14.4	6.69	25	Cond., Temp, PH Steady

Additional Comments:

**ATTACHMENT C  
LABORATORY ANALYTICAL REPORTS  
AND CHAIN OF CUSTODY DOCUMENTATION**



**ASSOCIATED LABORATORIES**

806 North Batavia - Orange, California 92868 - 714/771-6900

FAX 714/538-1209

CLIENT GeoEnviro Services, Inc. (12421)  
ATTN: Joseph Schaaf  
5529 Kailas St.  
Ventura, CA 93003

LAB REQUEST 231053  
REPORTED 03/24/2009  
RECEIVED 03/12/2009

PROJECT 07-131 EZ Serve 100877

SUBMITTER Client


COMMENTS \*Matrix Interference

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

<u>Order No.</u>	<u>Client Sample Identification</u>
978944	MW-1
978945	MW-3
978946	MW-4
978947	MW-5
978948	MW-7
978949	MW-12
978950	MW-14
978951	EX-1
978952	Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

  
Edward S. Behare, Ph.D.  
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING  
Chemical  
Microbiological  
Environmental

Order #: 978944

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-1

Date Sampled: 03/11/2009

Time Sampled: 11:05

Sampled By:

**Analyte****Result****DF****DLR****Units****Date/Analyst****8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	03/18/09	YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	03/18/09	YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	03/18/09	YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	03/18/09	YL
Benzene	69	1	0.5	ug/L	03/18/09	YL
Ethyl benzene	440	10	5.0	ug/L	03/17/09	YL
Methyl-tert-butylether (MTBE)	20	1	0.5	ug/L	03/18/09	YL
Toluene	2.0	1	0.5	ug/L	03/18/09	YL
Xylenes, total	10	1	0.5	ug/L	03/18/09	YL

**Surrogates****Units****Control Limits**

Surr1 - Dibromofluoromethane	79			%	70 - 135	
Surr2 - 1,2-Dichloroethane-d4	92			%	70 - 135	
Surr3 - Toluene-d8	115			%	70 - 135	
Surr4 - p-Bromofluorobenzene	124			%	70 - 135	

**8015B - Gasoline**

Gasoline	5180	5	250.0	ug/L	03/17/09	LT
----------	------	---	-------	------	----------	----

**Surrogates****Units****Control Limits**

p-Bromofluorobenzene (Sur)	70			%	60 - 140	
----------------------------	----	--	--	---	----------	--

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

**ASSOCIATED LABORATORIES**

Analytical Results Report



**Order #:** 978945**Client:** GeoEnviro Services, Inc.**Matrix:** WATER**Client Sample ID:** MW-3**Date Sampled:** 03/11/2009**Time Sampled:** 10:50**Sampled By:****Analyte****Result****DF****DLR****Units****Date/Analyst****8260B VOC Oxygenates - Low DLR (0.5)**

Analyte	Result	DF	DLR	Units	Date/Analyst
Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	03/17/09 YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	03/17/09 YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	03/17/09 YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	03/17/09 YL
Benzene	1.2	1	0.5	ug/L	03/17/09 YL
Ethyl benzene	37	1	0.5	ug/L	03/17/09 YL
Methyl-tert-butylether (MTBE)	155	1	0.5	ug/L	03/17/09 YL
Toluene	0.9	1	0.5	ug/L	03/17/09 YL
Xylenes, total	4.0	1	0.5	ug/L	03/17/09 YL

**Surrogates****Units****Control Limits**

Surrogate	Result	Units	Control Limits
Surr1 - Dibromofluoromethane	75	%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	91	%	70 - 135
Surr3 - Toluene-d8	109	%	70 - 135
Surr4 - p-Bromofluorobenzene	123	%	70 - 135

**8015B - Gasoline**

Analyte	Result	DF	DLR	Units	Date/Analyst
Gasoline	957	1	50	ug/L	03/17/09 LT

**Surrogates****Units****Control Limits**

Surrogate	Result	Units	Control Limits
p-Bromofluorobenzene (Sur)	68	%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

**ASSOCIATED LABORATORIES**

Analytical Results Report





Order #: 978946

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-4

Date Sampled: 03/11/2009

Time Sampled: 10:56

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	03/18/09	YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	03/18/09	YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	03/18/09	YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	03/18/09	YL
Benzene	67	1	0.5	ug/L	03/18/09	YL
Ethyl benzene	402	10	5.0	ug/L	03/17/09	YL
Methyl-tert-butylether (MTBE)	86	1	0.5	ug/L	03/18/09	YL
Toluene	12	1	0.5	ug/L	03/18/09	YL
Xylenes, total	340	1	0.5	ug/L	03/18/09	YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	83			%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	93			%	70 - 135
Surr3 - Toluene-d8	112			%	70 - 135
Surr4 - p-Bromofluorobenzene	116			%	70 - 135

**8015B - Gasoline**

Gasoline	3470	1	50	ug/L	03/17/09	LT
----------	------	---	----	------	----------	----

**Surrogates**

				Units	Control Limits
p-Bromofluorobenzene (Sur)	70			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

**ASSOCIATED LABORATORIES**

Analytical Results Report



Order #: 978947

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-5

Date Sampled: 03/11/2009

Time Sampled: 11:10

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	03/21/09	YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	03/21/09	YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	03/21/09	YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	03/21/09	YL
Benzene	3.3	1	0.5	ug/L	03/21/09	YL
Ethyl benzene	8.5	1	0.5	ug/L	03/21/09	YL
Methyl-tert-butylether (MTBE)	72	1	0.5	ug/L	03/21/09	YL
Toluene	1.1	1	0.5	ug/L	03/21/09	YL
Xylenes, total	1.3	1	0.5	ug/L	03/21/09	YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	38*			%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	106			%	70 - 135
Surr3 - Toluene-d8	102			%	70 - 135
Surr4 - p-Bromofluorobenzene	106			%	70 - 135

**8015B - Gasoline**

Gasoline	2210	1	50	ug/L	03/17/09	LT
----------	------	---	----	------	----------	----

**Surrogates**

				Units	Control Limits
p-Bromofluorobenzene (Sur)	65			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

**ASSOCIATED LABORATORIES**

Analytical Results Report



**Order #:** 978948**Client:** GeoEnviro Services, Inc.**Matrix:** WATER**Client Sample ID:** MW-7**Date Sampled:** 03/11/2009**Time Sampled:** 10:10**Sampled By:****Analyte****Result****DF****DLR****Units****Date/Analyst****8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	03/17/09	YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	03/17/09	YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	03/17/09	YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	03/17/09	YL
Benzene	ND	1	0.5	ug/L	03/17/09	YL
Ethyl benzene	1.2	1	0.5	ug/L	03/17/09	YL
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	03/17/09	YL
Toluene	ND	1	0.5	ug/L	03/17/09	YL
Xylenes, total	ND	1	0.5	ug/L	03/17/09	YL

**Surrogates****Units****Control Limits**

Surr1 - Dibromofluoromethane	75			%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	87			%	70 - 135
Surr3 - Toluene-d8	111			%	70 - 135
Surr4 - p-Bromofluorobenzene	118			%	70 - 135

**8015B - Gasoline**

Gasoline	327	1	50	ug/L	03/17/09	LT
----------	-----	---	----	------	----------	----

**Surrogates****Units****Control Limits**

p-Bromofluorobenzene (Sur)	93			%	60 - 140
----------------------------	----	--	--	---	----------

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

**ASSOCIATED LABORATORIES**

Analytical Results Report



Order #: 978949

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-12

Date Sampled: 03/11/2009

Time Sampled: 09:50

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	03/17/09	YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	03/17/09	YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	03/17/09	YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	03/17/09	YL
Benzene	ND	1	0.5	ug/L	03/17/09	YL
Ethyl benzene	ND	1	0.5	ug/L	03/17/09	YL
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	03/17/09	YL
Toluene	ND	1	0.5	ug/L	03/17/09	YL
Xylenes, total	ND	1	0.5	ug/L	03/17/09	YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	83			%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	96			%	70 - 135
Surr3 - Toluene-d8	110			%	70 - 135
Surr4 - p-Bromofluorobenzene	113			%	70 - 135

**8015B - Gasoline**

Gasoline	ND	1	50	ug/L	03/17/09	LT
----------	----	---	----	------	----------	----

**Surrogates**

				Units	Control Limits
p-Bromofluorobenzene (Sur)	84			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 978950

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: MW-14

Date Sampled: 03/11/2009

Time Sampled: 10:00

Sampled By:

**Analyte****Result****DF****DLR****Units****Date/Analyst****8260B VOC Oxygenates - Low DLR (0.5)**

Analyte	Result	DF	DLR	Units	Date/Analyst
Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	03/16/09 YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	03/16/09 YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	03/16/09 YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	03/16/09 YL
Benzene	ND	1	0.5	ug/L	03/16/09 YL
Ethyl benzene	ND	1	0.5	ug/L	03/16/09 YL
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	03/16/09 YL
Toluene	ND	1	0.5	ug/L	03/16/09 YL
Xylenes, total	ND	1	0.5	ug/L	03/16/09 YL

**Surrogates****Units****Control Limits**

Surrogate	Result	DF	DLR	Units	Control Limits
Surr1 - Dibromofluoromethane	82			%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	96			%	70 - 135
Surr3 - Toluene-d8	112			%	70 - 135
Surr4 - p-Bromofluorobenzene	111			%	70 - 135

**8015B - Gasoline**

Analyte	Result	DF	DLR	Units	Date/Analyst
Gasoline	ND	1	50	ug/L	03/17/09 LT

**Surrogates****Units****Control Limits**

Surrogate	Result	DF	DLR	Units	Control Limits
p-Bromofluorobenzene (Sur)	72			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

**ASSOCIATED LABORATORIES**

Analytical Results Report



Order #: 978951

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: EX-1

Date Sampled: 03/11/2009

Time Sampled: 10:45

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	03/16/09	YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	03/16/09	YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	03/16/09	YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	03/16/09	YL
Benzene	ND	1	0.5	ug/L	03/16/09	YL
Ethyl benzene	3.6	1	0.5	ug/L	03/16/09	YL
Methyl-tert-butylether (MTBE)	151	1	0.5	ug/L	03/16/09	YL
Toluene	ND	1	0.5	ug/L	03/16/09	YL
Xylenes, total	ND	1	0.5	ug/L	03/16/09	YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	85			%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	93			%	70 - 135
Surr3 - Toluene-d8	109			%	70 - 135
Surr4 - p-Bromofluorobenzene	115			%	70 - 135

**8015B - Gasoline**

Gasoline	371	5	250.0	ug/L	03/17/09	LT
----------	-----	---	-------	------	----------	----

**Surrogates**

				Units	Control Limits
p-Bromofluorobenzene (Sur)	76			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

**ASSOCIATED LABORATORIES**

Analytical Results Report



Order #: 978952

Client: GeoEnviro Services, Inc.

Matrix: WATER

Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
---------	--------	----	-----	-------	--------------

**8260B VOC Oxygenates - Low DLR (0.5)**

Di-isopropyl ether (DIPE)	ND	1	0.5	ug/L	03/18/09 YL
Ethyl-tertbutylether (ETBE)	ND	1	0.5	ug/L	03/18/09 YL
Tert-amylmethylether (TAME)	ND	1	0.5	ug/L	03/18/09 YL
Tertiary butyl alcohol (TBA)	ND	1	5.0	ug/L	03/18/09 YL
Benzene	ND	1	0.5	ug/L	03/18/09 YL
Ethyl benzene	ND	1	0.5	ug/L	03/18/09 YL
Methyl-tert-butylether (MTBE)	ND	1	0.5	ug/L	03/18/09 YL
Toluene	ND	1	0.5	ug/L	03/18/09 YL
Xylenes, total	ND	1	0.5	ug/L	03/18/09 YL

**Surrogates**

				Units	Control Limits
Surr1 - Dibromofluoromethane	86			%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	102			%	70 - 135
Surr3 - Toluene-d8	107			%	70 - 135
Surr4 - p-Bromofluorobenzene	114			%	70 - 135

**8015B - Gasoline**

Gasoline	ND	1	50	ug/L	03/16/09 LT
----------	----	---	----	------	-------------

**Surrogates**

				Units	Control Limits
p-Bromofluorobenzene (Sur)	68			%	60 - 140

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor





**Chain of Custody Record**

231053

Page 1 of 1


Company <b>GeoEnviro Services, Inc. (GESI)</b>	Phone <b>(805) 642-1668</b>	A.L. Job No.	
Project Manager <b>Joseph P. Schaaf</b>	Fax <b>(805) 642-9331</b>	<b>Analysis Requested</b>	
Project Name <b>EZ Serve 100877</b>	Project # <b>07-131</b>		
Site Name and Address <b>525 West A St., Hayward, CA</b>			

Sample ID	Lab ID	Date	Time	Matrix	Container Number/Size	Pres.	Analysis Requested								Test Instructions & Comments	
1 MW-1		3/11/09	11:05	Water	(6) 40 mL Vials	ICE/HCL										Water Detection levels 0.5 mg/L
2 MW-3		↓	10:50	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	
3 MW-4			10:56													
4 MW-5			11:10													
5 MW-7			10:10													
6 MW-12			9:50													
7 MW-14			10:00													
8 EX-1			10:45													
9																
10																
11																
12																
13																
14																
15																

TPHG 8015M  
 BTEX/Fuel OXYS  
 8260R

<b>Sample Receipt - To Be Filled By Laboratory</b>				Relinquished by 1.		Relinquished by 2.		Relinquished by 3.					
Total Number of Containers	Properly Cooled Y / N / NA	Custody Seals Y / N / NA		Received in Good Condition Y / N		Samples Accepted Y / N		Signature:		Signature:		Signature:	
Turn Around Time				Signature: <i>[Signature]</i>		Signature: <i>[Signature]</i>		Signature: <i>[Signature]</i>		Signature:		Signature:	
<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush <input type="checkbox"/> Same Day <input type="checkbox"/> 48 hrs. <input type="checkbox"/> 24 hrs. <input type="checkbox"/> 72 hrs.				Printed Name: <b>Joseph P. Schaaf</b>		Printed Name: <b>Joseph P. Schaaf</b>		Printed Name: <b>Joseph P. Schaaf</b>		Printed Name:		Printed Name:	
				Date: <b>3/11/09</b> Time: <b>12:00</b>		Date:                      Time:		Date:                      Time:		Date:                      Time:		Date:                      Time:	
				Received By: 1. <i>[Signature]</i>		Received By: 2. <i>[Signature]</i>		Received By: 3. <i>[Signature]</i>		Received By:		Received By:	
				Signature: <i>[Signature]</i>		Signature: <i>[Signature]</i>		Signature: <i>[Signature]</i>		Signature:		Signature:	
				Printed Name: <b>Bernardo Chavez</b>		Printed Name: <b>M. Gebert</b>		Printed Name: <b>M. Gebert</b>		Printed Name:		Printed Name:	
				Date: <b>3-11-09</b> Time: <b>1200</b>		Date: <b>3/12/09</b> Time: <b>1357</b>		Date:                      Time:		Date:                      Time:		Date:                      Time:	





# ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714-771-6900

FAX 714-538-1209

## SAMPLE ACCEPTANCE CHECKLIST

**Section 1**  
Client: Geo Emma Sem Project: \_\_\_\_\_  
Date Received: 3-12-09 Sampler's Name: Yes No  
Sample(s) received in cooler: Yes No (Skip Section 2)  
Shipping Information: \_\_\_\_\_

**Section 2**  
Was the cooler packed with:  Ice \_\_\_ Ice Packs \_\_\_ Bubble Wrap \_\_\_ Styrofoam.  
\_\_\_ Paper \_\_\_ None \_\_\_ Other \_\_\_\_\_  
Cooler or box temperature: 3.0c  
(Acceptance range is 2 to 6 Deg. C.)

Section 3	YES	NO	N/A
Was a COC received?	X		
Is it properly completed? (IDs, sampling date and time, signature, test)	X		
Were custody seals present?	X		
If Yes - were they intact?	X		
Were all samples sealed in plastic bags?	X		
Did all samples arrive intact? If no, indicate below.	X		
Did all bottle labels agree with COC? (ID, dates and times)	X		
Were correct containers used for the tests required?	X		
Was a sufficient amount of sample sent for tests indicated?	X		
Was there headspace in VOA vials?		X	
Were the containers labeled with correct preservatives?	X		
Was total residual chlorine measured (Fish Bioassay samples only)? *			X

\*: If the answer is no, please inform Fish Bioassay Dept. immediately.

**Section 4**  
Explanations/Comments

**Section 5**  
Was Project Manager notified of discrepancies: Y / N N/A

Completed By: M. Eckert Date: 3-12-09

**ATTACHMENT D  
GEOTRACKER CONFIRMATION RECEIPTS**

STATE WATER RESOURCES CONTROL BOARD  
**GEOTRACKER ESI**

UPLOADING A EDF FILE

**SUCCESS**

Processing is complete. No errors were found!  
Your file has been successfully submitted!

<b><u>Submittal Type:</u></b>	EDF - Monitoring Report - Quarterly
<b><u>Submittal Title:</u></b>	1Q09 GWM Report
<b><u>Facility Global ID:</u></b>	T0600100483
<b><u>Facility Name:</u></b>	EZ SERVE #100877
<b><u>File Name:</u></b>	231053.zip
<b><u>Organization Name:</u></b>	Schaaf
<b><u>Username:</u></b>	SCHAAF
<b><u>IP Address:</u></b>	76.212.139.181
<b><u>Submittal Date/Time:</u></b>	4/29/2009 4:01:01 PM
<b><u>Confirmation Number:</u></b>	<b>8941662013</b>

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2008 State of California

STATE WATER RESOURCES CONTROL BOARD  
**GEOTRACKER ESI**

UPLOADING A GEO\_WELL FILE

**SUCCESS**

**Processing is complete. No errors were found!  
Your file has been successfully submitted!**

<b><u>Submittal Type:</u></b>	<b>GEO_WELL</b>
<b><u>Submittal Title:</u></b>	<b>1Q09 GWM Report</b>
<b><u>Facility Global ID:</u></b>	<b>T0600100483</b>
<b><u>Facility Name:</u></b>	<b>EZ SERVE #100877</b>
<b><u>File Name:</u></b>	<b>geo_well.zip</b>
<b><u>Organization Name:</u></b>	<b>Schaaf</b>
<b><u>Username:</u></b>	<b>SCHAAF</b>
<b><u>IP Address:</u></b>	<b>76.212.139.181</b>
<b><u>Submittal Date/Time:</u></b>	<b>4/29/2009 4:00:04 PM</b>
<b><u>Confirmation Number:</u></b>	<b>4666482090</b>

Copyright © 2008 State of California