

R041

**Wickham, Jerry, Env. Health**

---

**From:** Wickham, Jerry, Env. Health  
**Sent:** Friday, March 07, 2008 6:32 PM  
**To:** 'Nancy Gillis'  
**Cc:** Brent Wheeler  
**Subject:** RE: Fuel Leak Case No. RO0000041

Mr. Gillis,

Attached is my reply to your request to re-consider the installation of monitoring wells. A hard copy will be sent also.

Regards,  
*Jerry Wickham*  
Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Alameda, CA 94502-6577  
510-567-6791 phone  
510-337-9335 fax  
[jerry.wickham@acgov.org](mailto:jerry.wickham@acgov.org)

---

**From:** Nancy Gillis [[mailto:nancy\\_gillis@sbcglobal.net](mailto:nancy_gillis@sbcglobal.net)]  
**Sent:** Wednesday, February 27, 2008 3:47 PM  
**To:** Wickham, Jerry, Env. Health  
**Subject:** Re: Fuel Leak Case No. RO0000041

Dear Mr. Wickham,  
I have received your letter of February 6, 2008 and have spoken with Brent Wheeler after receiving his amended "Work Plan for Additional Site Characterization" of July 17, 2007.

I am requesting an afternoon appointment with you at your earliest convenience. I have concerns that I wish to discuss in person. The only date I have other commitments is on Wednesday, March 6th. in the afternoon. I would appreciate an appointment time by email or you can call me to schedule @ Cell # (209) 518-8631

Sincerely,  
Thomas O. Gillis

3/7/2008

Law Offices of

# Thomas O. Gillis

1153 Copper Verde Lane  
Modesto, CA. 95355  
209 575 1153  
Fax: 209 529-3240

11 S. San Joaquin St.  
Suite 202  
Stockton, CA. 95202  
209 465 5336

Attorney for Clarence Glasper

December 27, 2007

Donna Drogos, Supervisor, Alameda County Health Care Services Agency  
Environmental Protection Dept.  
1131 Harbor Bay Parkway, Suite 250  
Alameda, CA. 94502-6577

Re: Work Plan for Additional Site  
Characterization on the  
ACEH Fuel Leak Case No. R000041  
at 1225 Mandela Pkwy, Oakland, CA.

Dear Ms. Drogos,

I have been waiting for your department's review and approval of the above captioned Work Plan since it was sent to you by Golden Gate Tank Removal on July 17, 2007. Is there some specific reason why this Work Plan is not moving forward? I would like to be appraised of the current status of your review as well as a date when Golden Gate could complete the work on this site.

Work on this site under your department's direction was started in July 1996 and came under the direction of the ACHCSA Directive and Order Pursuant to Health and Safety Code Section 25299 on August 11, 1997. Ten years of intermittent work orders is still not leading to a completion.

Please place your review and reply on whatever priority category you can, and advise me of your actions. My client and I wish to continue working with you in a cooperative manner and our utmost concern is bringing this work to it's justified close.

Sincerely yours,

*Thomas O. Gillis*  
Thomas O. Gillis

**RECEIVED**  
DEC 28 2007

ENVIRONMENTAL HEALTH SERVICES

cc: client