



GETTLER-RYAN Inc.

RECEIVED

8:52 am, Apr 16, 2010

Alameda County
Environmental Health

TRANSMITTAL

July 22, 2009
G-R #386956

TO: Ms. Charlotte Evans
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, California 94608
(VIA PDF)

CC: Mr. Ian Robb
Chevron EMC
6111 Bollinger Canyon Road
Room 3612
San Ramon, California 94583
(NO COPY)

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Texaco Service Station**
3810 Broadway
Oakland, California
(Site #211283)
RO 0000056

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	July 16, 2009	Groundwater Monitoring and Sampling Report Second Quarter Event of June 22, 2009

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced items for **your use and distribution (including PDF submittal of the entire report to GeoTracker):**

Mr. Steven Plunkett, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 **(Distributed by CRA via PDF)**
Mr. Joe Zadik, 8255 San Leandro Street, Oakland, CA 94621

Enclosures

Trans/211283-IR



Ian Robb
Project Manager
Marketing Business Unit

Chevron Environmental
Management Company
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-9496
Fax (925) 842-8370
ianrobb@chevron.com

July 22, 2009

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

RE: Chevron Service Station # 211283

Address 3810 Broadway, Oakland, California

I have reviewed the attached routine groundwater monitoring report dated July 22, 2009.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink, appearing to read "Ian Robb".

Ian Robb

Attachment: Report



GETTLER - RYAN Inc.



July 16, 2009
G-R Job #386956

Mr. Ian Robb
Chevron Environmental Management Company
6111 Bollinger Canyon Road, Room 3612
San Ramon, CA 94583

RE: Second Quarter Event of June 22, 2009
Groundwater Monitoring & Sampling Report
Former Texaco Service Station
3810 Broadway
Oakland, California
(Site #211283)

Dear Mr. Robb:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).


Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,


Deanna L. Harding
Project Coordinator


Douglas J. Lee
Senior Geologist, P.G. No. 6882




Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Field Measurements
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports


WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #211283
 Site Address: 3810 Broadway
 City: Oakland, CA

Job #: 386956
 Event Date: 6-22-09
 Sampler: FT

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y (N)	REPLACE CAP Y (N)	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-1	OK	OK	M=1	OK	—————→	—————→	BENT			DIAMOND 8" 2	
MW-4	OK		—————→			—————→				EMCO 12" 2	
MW-5B	OK		—————→	S=2	OK	—————→				BOAW L 8" 3	
MW-6	OK		—————→	S=1	OK	—————→				PEMCO 12" 2	
MW-7	OK		—————→			—————→				DIAMOND 8" 2	
MW-9	OK		—————→	S=1	OK	—————→				DIAMOND 8" 2	
MW-10	OK		—————→	S=2	OK	—————→				EMCO 12" 2	
MW-11	OK	OK	M=1	S=1 B=1	OK	—————→				PEMCO 12" 2	
MW-12	OK		—————→			—————→		↓	↓	BOAW L 8" 3	

Comments _____



Source: Figure modified from drawing provided by Delta Environmental and Morrow Surveying dated 06/24/02

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Texaco Service Station
 3810 Broadway
 Oakland, California (Site #211283)

FIGURE
1

PROJECT NUMBER
386956

REVIEWED BY

DATE
 June 22, 2009

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)		
MW-1															
06/28/96	86.69	21.77	64.92	--	<50	<100	<0.5	<1.0	<1.0	<2.0	--	--	--		
10/10/96	86.69	23.26	63.43	--	<400	520	9.2	53	17	70	22	16 ¹	--		
11/07/96	86.69	23.27	63.42	--	--	--	--	--	--	--	--	--	--		
12/18/97	86.69	19.70	66.99	--	<50	2,200	<3.0	<3.0	<3.0	<3.0	<200	--	--		
04/06/98	86.69	16.88	69.81	--	<50	1,600	16.4	0.8	<0.5	<0.5	38.3	--	--		
06/18/98	86.69	19.78	66.91	--	280	330	7.8	<0.5	<0.5	<0.5	<0.5	--	--		
08/31/98	86.69	21.71	64.98	--	150	<50	1.5	<0.5	<0.5	<0.5	<2.5	--	--		
12/21/98	86.69	22.15	64.54	--	130	130	2.3	0.90	<0.5	<0.5	110	13	--		
03/24/99	86.69	19.55	67.14	--	305	1,520	11.7	<2.50	<2.50	<2.50	21.6	<25.0	--		
06/25/99	86.69	21.60	65.09	--	207	231	5.29	<0.500	<0.500	<0.500	3.94	1.01	--		
09/24/99	86.69	22.58	64.11	--	71.7	58.6	6.03	<0.500	<0.500	<0.500	3.70	--	--		
12/29/99	86.69	22.81	63.88	--	345	117	4.26	<0.500	<0.500	1.97	26.2	<0.500	--		
03/21/00	86.69	19.00	67.69	--	319	834	<0.500	<0.500	<0.500	<0.500	21.5	--	--		
07/26/00	86.69	21.50	65.19	--	125	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--		
09/06/00	86.69	21.90	64.79	--	192	88.1	15.60	<0.500	<0.500	<0.500	--	--	--		
11/29/00	86.92	22.05	64.87	--	331	<50.0	3.52	<0.500	<0.500	<0.500	--	--	--		
03/06/01	86.92	19.79	67.13	--	--	--	--	--	--	--	--	--	--		
03/23/01	86.92	20.15	66.77	--	-- ⁵	204	10.7	<0.500	<0.500	<0.500	--	--	--		
06/19/01 ⁶	86.92	21.78	65.14	--	330	<50	<0.50	<0.50	<0.50	<0.50	--	0.87	--		
09/05/01 ⁶	86.92	24.37	62.55	--	400	74	<0.50	0.63	<0.50	2.7	--	<5.0	--		
12/20/01 ⁶	86.92	20.25	66.67	--	530	59	1.7	<0.50	<0.50	<0.50	--	<5.0	--		
06/25/02	86.69	21.64	65.05	0.00	490 ⁹	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--		
09/18/02	86.69	22.44	64.25	0.00	180	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--		
12/19/02	86.69	21.49	65.20	0.00	320	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--		
03/20/03	86.69	20.92	65.77	0.00	UNABLE TO SAMPLE - BEND IN WELL								--	--	--
06/23/03 ¹⁰	86.69	21.34	65.35	0.00	310	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--		
09/22/03 ¹⁰	86.69	22.46	64.23	0.00	150	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50		
12/22/03 ¹⁰	86.69	22.10	64.59	0.00	350	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50		
03/22/04 ¹⁰	86.69	20.42	66.27	0.00	270	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50		
06/21/04 ¹⁰	86.69	21.93	64.76	0.00	130	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50		
09/20/04 ¹⁰	86.69	22.99	63.70	0.00	240	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50		
12/20/04 ¹⁰	86.69	21.78	64.91	0.00	320 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50		
03/28/05 ¹⁰	86.69	19.28	67.41	0.00	400 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	0.6	<50		

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)	
MW-1 (cont)														
06/27/05 ¹⁰	86.69	20.82	65.87	0.00	200 ¹²	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
09/19/05 ¹⁰	86.69	22.17	64.52	0.00	62	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
12/19/05 ¹⁰	86.69	22.06	64.63	0.00	360 ¹⁶	<50	<0.5	0.8	<0.5	<0.5	--	<0.5	<50	
03/27/06 ¹⁰	86.69	18.27	68.42	0.00	320	77	<0.5	0.5	2	4	--	0.7	<50	
06/26/06 ¹⁰	86.69	20.20	66.49	0.00	290	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
09/25/06 ¹⁰	86.69	21.86	64.83	0.00	270	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
12/18/06	86.69	21.60	65.09	UNABLE TO SAMPLE - DUE TO BENT WELL CASING							--	--	--	--
03/19/07 ¹⁰	NP ¹⁸	86.69	20.82	65.87	0.00	630	<50	<0.5	<0.5	<0.5	--	<0.5	<50	
06/25/07 ¹⁰	NP ¹⁸	86.69	28.62	58.07	0.00	4,100 ¹⁹	<50	<0.5	<0.5	<0.5	--	<0.5	<50	
09/24/07	86.69	DRY	--	--	--	--	--	--	--	--	--	--	--	
12/18/07	86.69	29.35	57.34	UNABLE TO SAMPLE - DUE TO INSUFFICIENT WATER							--	--	--	--
03/11/08	86.69	28.41	58.28	UNABLE TO SAMPLE - DUE TO BENT WELL CASING							--	--	--	--
06/11/08 ¹⁰	NP ¹⁸	86.69	25.87	60.82	0.00	2,200	760	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/22/08 ¹⁰	NP ¹⁸	86.69	24.18	62.51	0.00	700	190	<0.5	<0.5	<0.5	--	<0.5	<50	
12/22/08 ¹⁰	86.69	23.30	63.39	0.00	290	65	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
03/23/09 ¹⁰	NP ¹⁸	86.69	21.35	65.34	0.00	1,500	<50	<0.5	<0.5	<0.5	--	0.9	<50	
06/22/09 ¹⁰	NP ¹⁸	86.69	22.06	64.63	0.00	87	<50	<0.5	<0.5	<0.5	--	<0.5	<50	
MW-4														
06/28/96	83.31	18.83	64.48	--	<50	<100	<0.5	<1.0	<1.0	<2.0	--	--	--	
10/10/96	83.31	19.84	63.47	--	<50	650	3.9	65	22	120	<5.0	--	--	
11/07/96	83.31	19.84	63.47	--	--	--	--	--	--	--	--	--	--	
12/18/97	83.31	17.77	65.54	--	2,000	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--	
04/06/98	83.31	15.45	67.86	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--	
06/18/98	83.31	16.89	66.42	--	53	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
08/31/98	83.31	18.48	64.83	--	60	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
12/21/98	83.31	18.80	64.51	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
03/24/99	83.31	16.70	66.61	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	--	--	
06/25/99	83.31	18.16	65.15	--	128	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	--	--	
09/24/99	83.31	19.12	64.19	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	
12/29/99	83.31	19.08	64.23	--	169	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--	--	
03/21/00	83.31	16.10	67.21	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-4 (cont)													
07/26/00	83.31	OBSTRUCTION IN WELL			--	--	--	--	--	--	--	--	--
09/06/00	83.31	18.52	64.79	--	-- ⁵	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
11/29/00	83.63	18.75	64.88	--	183	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
03/06/01	83.63	17.81	65.82	--	50.9	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
06/19/01 ⁶	83.63	18.55	65.08	--	<50	<50	<0.50	<0.50	<0.50	<0.50	--	<0.50	--
09/05/01 ⁶	83.63	19.10	64.53	--	710	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--
12/20/01 ⁶	83.63	17.55	66.08	--	460	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--
06/25/02	83.31	18.39	64.92	0.00	250	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/18/02	83.31	19.16	64.15	0.00	160	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/19/02	83.31	18.14	65.17	0.00	56	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/20/03	83.31	17.76	65.55	0.00	180	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/23/03 ¹⁰	83.31	18.13	65.18	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/22/03 ¹⁰	83.31	19.08	64.23	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/22/03 ¹⁰	83.31	18.78	64.53	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/22/04 ¹⁰	83.31	17.31	66.00	0.00	130	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/21/04 ¹⁰	83.31	18.67	64.64	0.00	87	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/20/04 ¹⁰	83.31	19.58	63.73	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/20/04 ¹⁰	83.31	18.59	64.72	0.00	66 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/28/05 ¹⁰	83.31	16.82	66.49	0.00	71 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/27/05 ¹⁰	83.31	17.61	65.70	0.00	120 ¹²	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/19/05 ¹⁰	83.31	19.00	64.31	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/19/05 ¹⁰	83.31	18.69	64.62	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/27/06 ¹⁰	83.31	15.05	68.26	0.00	160	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/26/06 ¹⁰	83.31	16.81	66.50	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/25/06 ¹⁰	83.31	18.59	64.72	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/18/06 ¹⁰	83.31	18.26	65.05	0.00	250	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/19/07 ¹⁰	83.31	17.62	65.69	0.00	93	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/25/07 ¹⁰	83.31	24.82	58.49	0.00	4,600 ¹⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/24/07 ¹⁰	83.31	26.76	56.55	0.00	4,300	94	<0.5	<0.5	<0.5	<0.5	--	0.6	<50
12/18/07 ¹⁰	83.31	25.91	57.40	0.00	3,700	<50	<0.5	<0.5	<0.5	<0.5	--	0.6	<50
03/11/08 ¹⁰	83.31	25.15	58.16	0.00	430	54	<0.5	<0.5	<0.5	<0.5	--	0.6	<50
06/11/08 ¹⁰	83.31	22.53	60.78	0.00	520	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/22/08 ¹⁰	83.31	20.99	62.32	0.00	59	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-4 (cont)													
12/22/08 ¹⁰	83.31	19.93	63.38	0.00	260	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/23/09 ¹⁰	83.31	18.17	65.14	0.00	74	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/22/09 ¹⁰	83.31	18.90	64.41	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
MW-5B													
06/25/02 ⁷	85.36	20.48	64.88	0.00	320	660	89	1.9	39	11	130	--	--
09/18/02	85.36	21.18	64.18	0.00	480	1,100	220	1.2	19	<1.5	35	--	--
12/19/02	85.36	20.36	65.00	0.00	330	<50	<0.50	<0.50	<0.50	<1.5	190	--	--
03/20/03	85.36	INACCESSIBLE - VEHICLE OVER WELL				--	--	--	--	--	--	--	--
06/23/03 ¹⁰	85.36	20.18	65.18	0.00	300	<50	<0.5	<0.5	<0.5	<0.5	--	290	--
09/22/03 ¹⁰	85.36	21.19	64.17	0.00	200	91	19	<0.5	3	<0.5	--	260	<50
12/22/03 ¹⁰	85.36	20.85	64.51	0.00	410	99	18	<0.5	<0.5	<0.5	--	52	<50
03/22/04 ¹⁰	85.36	19.26	66.10	0.00	400	<50	<0.5	<0.5	<0.5	<0.5	--	210	<50
06/21/04 ¹⁰	85.36	20.70	64.66	0.00	270	<50	<0.5	<0.5	<0.5	<0.5	--	100	<50
09/20/04 ¹⁰	85.36	21.69	63.67	0.00	430	<50	<0.5	<0.5	<0.5	<0.5	--	9	<50
12/20/04 ¹⁰	85.36	20.56	64.80	0.00	400 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	48	<50
03/28/05 ¹⁰	85.36	18.12	67.24	0.00	480 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	67	<50
06/27/05 ¹⁰	85.36	19.61	65.75	0.00	350 ¹³	<50	<0.5	<0.5	<0.5	<0.5	--	57	<50
09/19/05 ¹⁰	85.36	20.88	64.48	0.00	220	<50	<0.5	<0.5	<0.5	<0.5	--	32	<50
12/19/05 ¹⁰	85.36	20.74	64.62	0.00	330 ¹⁶	<50	<0.5	<0.5	<0.5	<0.5	--	21	<50
03/27/06 ¹⁰	85.36	17.10	68.26	0.00	550	<50	<0.5	<0.5	<0.5	<0.5	--	31	<50
06/26/06 ¹⁰	85.36	19.05	66.31	0.00	410	<50	<0.5	<0.5	<0.5	<0.5	--	30	<50
09/25/06 ¹⁰	85.36	20.61	64.75	0.00	320	<50	<0.5	<0.5	<0.5	<0.5	--	25	<50
12/18/06 ¹⁰	85.36	20.35	65.01	0.00	580	<50	<0.5	<0.5	<0.5	<0.5	--	14	<50
03/19/07 ¹⁰	85.36	19.62	65.74	0.00	170	<50	<0.5	<0.5	<0.5	<0.5	--	24	<50
06/25/07 ¹⁰	85.36	26.94	58.42	0.00	950 ¹⁹	250 ¹⁹	2	<0.5	0.6	1	--	15	<50
09/24/07 ¹⁰	85.36	28.78	56.58	0.00	1,300	1,900	5	0.6	3	5	--	25	<50
12/18/07 ¹⁰	85.36	27.98	57.38	0.00	560	2,100	19	<0.5	2	4	--	28	<50
03/11/08 ¹⁰	85.36	27.17	58.19	0.00	290	640	16	<0.5	4	0.5	--	38	<50
06/11/08 ¹⁰	85.36	24.51	60.85	0.00	280	1,100	20	<0.5	6	1	--	21	<50
09/22/08 ¹⁰	85.36	22.85	62.51	0.00	110	280	9	<0.5	<0.5	<0.5	--	22	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-5B (cont)													
12/22/08 ¹⁰	85.36	22.00	63.36	0.00	220	200	2	<0.5	<0.5	<0.5	--	25	<50
03/23/09 ¹⁰	85.36	20.20	65.16	0.00	240	97	<0.5	<0.5	<0.5	<0.5	--	11	<50
06/22/09 ¹⁰	85.36	20.92	64.44	0.00	97	220	<0.5	<0.5	<0.5	<0.5	--	7	<50
MW-6													
10/10/96	86.09	22.44	63.65	--	500	45,000	8,300	2,900	810	3,100	190	40 ¹	--
11/07/96	86.09	22.60	63.49	--	--	--	--	--	--	--	--	--	--
12/18/97	86.09	22.28	63.81	--	1,900	60,000	12,000	9,800	1,800	8,600	<2,000	--	--
04/06/98	86.09	19.90	66.19	--	<50	30,500	5,950	3,720	952	3,750	<1,000	--	--
06/18/98	86.09	20.49	65.60	--	1,100	23,000	2,600	540	410	1,300	<250	--	--
08/31/98	86.09	21.05	65.04	--	1,800	17,000	3,400	460	530	1,800	<250	--	--
12/21/98	86.09	21.74	64.35	--	930	7,900	1,900	510	280	730	150	2.6	--
03/24/99	86.09	21.18	64.91	--	763	12,200	1,970	327	338	794	<40.0	<50.0	--
06/25/99	86.09	21.34	64.75	--	1,050	14,800	2,040	1,080	406	1,430	<40.0	--	--
09/24/99	86.09	22.28	63.81	--	1,720	17,200	2,810	1,330	489	2,340	<50.0	--	--
12/29/99	86.09	24.96	61.13	--	1,480	14,700	2,790	974	469	1,720	<500	--	--
03/21/00	86.09	18.70	67.39	--	1,120	20,000	4,160	962	719	2,330	<250	--	--
07/26/00	86.09	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
09/06/00	86.09	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
11/29/00	86.48	21.30	65.18	--	2,060	22,800	4,120	2,010	872	3,180	--	--	--
03/06/01	86.48	19.05	67.43	--	2,220	32,100	3,760	4,590	1,160	5,360	--	--	--
06/19/01 ⁶	86.48	21.11	65.37	--	<1,500	40,000	2,800	6,000	1,200	5,300	--	<25	--
09/05/01 ⁶	86.48	21.37	65.11	--	<1,000	18,000	3,800	800	730	1,400	--	<200	--
12/20/01 ⁶	86.48	19.80	66.68	--	<1,300	29,000	2,600	3,700	1,100	4,100	--	<100	--
06/25/02	86.09	21.13	64.96	0.00	2,500	21,000	2,200	1,800	850	2,100	<100	--	--
09/18/02	86.09	22.00	64.09	0.00	1,300	13,000	1,700	480	610	970	110	--	--
12/19/02	86.09	20.98	65.11	0.00	2,700	20,000	2,900	620	770	2,100	<20	--	--
03/20/03	86.09	20.23	65.86	0.00	2,600	23,000	1,500	2,200	920	3,400	<100	--	--
06/23/03 ¹⁰	86.09	20.96	65.13	0.00	2,400	21,000	2,000	1,400	890	2,500	--	6	--
09/22/03 ¹⁰	86.09	21.95	64.14	0.00	1,800	7,400	920	220	360	580	--	5	<50
12/22/03 ¹⁰	86.09	21.63	64.46	0.00	2,300	9,700	1,700	240	450	1,000	--	6	<100 ¹¹
03/22/04 ¹⁰	86.09	20.31	65.78	0.00	2,700	23,000	1,500	1,400	830	2,800	--	4	<250

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-6 (cont)													
06/21/04 ¹⁰	86.09	20.64	65.45	0.00	2,800	20,000	2,000	2,300	1,100	3,800	--	4	<130
09/20/04 ¹⁰	86.09	22.29	63.80	0.00	1,300	4,600	480	65	200	260	--	4	<100
12/20/04 ¹⁰	86.09	21.33	64.76	0.00	1,500	9,500	1,500	220	450	840	--	5	<250
03/28/05 ¹⁰	86.09	19.65	66.44	0.00	2,400 ⁹	13,000	1,100	550	600	1,600	--	3	<250
06/27/05 ¹⁰	86.09	19.86	66.23	0.00	2,100 ¹⁴	15,000	1,100	1,300	790	2,600	--	3	<100
09/19/05 ¹⁰	86.09	20.49	65.60	0.00	2,300	18,000	1,300	1,200	800	2,500	--	3	<100
12/19/05 ¹⁰	86.09	21.49	64.60	0.00	1,900 ¹⁴	13,000	1,900	190	620	890	--	5	110
03/27/06 ¹⁰	86.09	18.28	67.81	0.00	1,300	14,000	740	420	600	1,400	--	2	<50
06/26/06 ¹⁰	86.09	19.08	67.01	0.00	2,300	23,000	660	1,700	870	3,000	--	<3	<250
09/25/06 ¹⁰	86.09	20.02	66.07	0.00	2,100	18,000	580	1,200	760	2,600	--	1	<100
12/18/06 ¹⁰	86.09	20.57	65.52	0.00	2,700	14,000	1,200	370	680	1,300	--	4	<50
03/19/07 ¹⁰	86.09	20.56	65.53	0.00	2,700	17,000	990	560	840	2,100	--	3	<100
06/25/07	86.09	DRY	--	--	--	--	--	--	--	--	--	--	--
09/24/07	86.09	DRY	--	--	--	--	--	--	--	--	--	--	--
12/18/07	86.09	DRY	--	--	--	--	--	--	--	--	--	--	--
03/11/08	86.09	DRY	--	--	--	--	--	--	--	--	--	--	--
06/11/08 ¹⁰	86.09	25.35	60.74	0.00	820	1,400	110	<0.5	6	0.8	--	4	<50
09/22/08 ¹⁰	86.09	23.51	62.58	0.00	780	1,400	52	<0.5	6	1	--	6	<50
12/22/08 ¹⁰	86.09	22.75	63.34	0.00	880	1,100	39	<0.5	1	<0.5	--	6	<50
03/23/09 ¹⁰	86.09	20.48	65.61	0.00	2,100	7,900	460	140	470	1,200	--	3	<50
06/22/09 ¹⁰	86.09	21.40	64.69	0.00	1,900	7,300	370	210	330	810	--	4	<50
MW-7													
10/10/96	84.11	20.78	63.33	--	<50	<50	0.6	<0.5	<0.5	<0.5	<5.0	--	--
11/07/96	84.11	20.80	63.31	--	--	--	--	--	--	--	--	--	--
12/18/97	84.11	17.27	66.84	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--
04/06/98	84.11	15.91	68.20	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--
06/18/98	84.11	17.95	66.16	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/98	84.11	19.40	64.71	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/21/98	84.11	19.75	64.36	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/24/99	84.11	17.54	66.57	--	51.3	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	--	--
06/25/99	84.11	19.22	64.89	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-7 (cont)													
09/24/99	84.11	20.18	63.93	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
12/29/99	84.11	20.15	63.96	--	99.0	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--	--
03/21/00	84.11	16.35	67.76	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
07/26/00	84.11	18.99	65.12	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
09/06/00	84.11	19.49	64.62	--	-- ⁵	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
11/29/00	84.44	19.52	64.92	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
03/06/01	84.44	17.15	67.29	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
06/19/01 ⁶	84.44	19.30	65.14	--	<50	<50	<0.50	<0.50	<0.50	<0.50	--	<0.50	--
09/05/01 ⁶	84.44	20.22	64.22	--	<50	<50	0.64	0.84	0.94	5.2	--	<5.0	--
12/20/01 ⁶	84.44	17.85	66.59	--	<50	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--
06/25/02	84.11	19.30	64.81	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/18/02	84.11	20.10	64.01	0.00	170	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/19/02	84.11	18.73	65.38	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/20/03	84.11	18.86	65.25	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/23/03 ¹⁰	84.11	19.00	65.11	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/22/03 ¹⁰	84.11	20.05	64.06	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/22/03 ¹⁰	84.11	19.72	64.39	0.00	72	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/22/04 ¹⁰	84.11	17.94	66.17	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/21/04 ¹⁰	84.11	19.53	64.58	0.00	73	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/20/04 ¹⁰	84.11	20.59	63.52	0.00	69	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/20/04 ¹⁰	84.11	19.43	64.68	0.00	67 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/28/05 ¹⁰	84.11	16.68	67.43	0.00	69 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/27/05 ¹⁰	84.11	18.43	65.68	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/19/05 ¹⁰	84.11	19.77	64.34	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/19/05 ¹⁰	84.11	19.38	64.73	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/27/06 ¹⁰	84.11	15.51	68.60	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/26/06 ¹⁰	84.11	17.85	66.26	0.00	70	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/25/06 ¹⁰	84.11	19.53	64.58	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/18/06 ¹⁰	84.11	19.28	64.83	0.00	270	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/19/07 ¹⁰	84.11	18.32	65.79	0.00	81	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/25/07 ¹⁰	84.11	26.92	57.19	0.00	65	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
09/24/07 ¹⁰	84.11	28.32	55.79	0.00	<150	<50	<0.5	<0.5	<0.5	<0.5	--	0.7	<50
12/18/07 ¹⁰	84.11	27.61	56.50	0.00	130	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-7 (cont)													
03/11/08 ¹⁰	84.11	26.63	57.48	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/11/08 ¹⁰	84.11	23.43	60.68	0.00	98	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/22/08 ¹⁰	84.11	21.69	62.42	0.00	54	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/22/08 ¹⁰	84.11	20.78	63.33	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/23/09 ¹⁰	NP ²²	18.45	65.66	0.00	58	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/22/09 ¹⁰	84.11	19.70	64.41	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
MW-9													
10/10/96	82.17	18.62	63.55	--	520	80	2.5	13	2.2	13	<5.0	--	--
11/07/96	82.17	63.53	18.64	--	--	--	--	--	--	--	--	--	--
12/18/97	82.17	16.42	65.75	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--
04/06/98	82.17	14.00	68.17	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--
06/18/98	82.17	15.33	66.84	--	100	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/98	82.17	17.14	65.03	--	57	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/21/98	82.17	17.40	64.77	--	71	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/24/99	82.17	16.22	65.95	--	84.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	--	--
06/25/99	82.17	16.90	65.27	--	92.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	--	--
09/24/99	82.17	17.89	64.28	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
12/29/99	82.17	18.01	64.16	--	52.8	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--	--
03/21/00	82.17	14.80	67.37	--	72.4	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
07/26/00	82.17	17.17	65.00	--	83.6	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
09/06/00	82.17	17.95	64.22	--	74.3	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
11/29/00	82.52	18.10	64.42	--	96.2	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
03/06/01	82.52	16.75	65.77	--	94.2	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
06/19/01 ⁶	82.52	17.83	64.69	--	<50	<50	<0.50	<0.50	<0.50	<0.50	--	<0.50	--
09/05/01 ⁶	82.52	17.98	64.54	--	<50	<50	<0.50	<0.50	<0.50	1.6	--	<5.0	--
12/20/01 ⁶	82.52	16.85	65.67	--	84	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--
06/25/02	82.17	17.12	65.05	0.00	100	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/18/02	82.17	17.76	64.41	0.00	170	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/19/02	82.17	16.83	65.34	0.00	73	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/20/03	82.17	16.61	65.56	0.00	87	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/23/03 ¹⁰	82.17	17.14	65.03	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	0.7	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-9 (cont)													
09/22/03 ¹⁰	82.17	17.72	64.45	0.00	66	<50	<0.5	<0.5	<0.5	<0.5	--	0.7	<50
12/22/03 ¹⁰	82.17	17.44	64.73	0.00	94	<50	<0.5	<0.5	<0.5	<0.5	--	0.7	<50
03/22/04 ¹⁰	82.17	16.07	66.10	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	0.7	<50
06/21/04 ¹⁰	82.17	17.38	64.79	0.00	80	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
09/20/04 ¹⁰	82.17	18.14	64.03	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
12/20/04 ¹⁰	82.17	17.15	65.02	0.00	74 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
03/28/05 ¹⁰	82.17	15.47	66.70	0.00	84 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	3	<50
06/27/05 ¹⁰	82.17	16.41	65.76	0.00	140 ¹²	<50	<0.5	<0.5	<0.5	<0.5	--	3	<50
09/19/05 ¹⁰	82.17	17.42	64.75	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	5	<50
12/19/05 ¹⁰	82.17	17.93	64.24	0.00	52 ¹⁷	<50	<0.5	<0.5	<0.5	<0.5	--	5	<50
03/27/06 ¹⁰	82.17	13.75	68.42	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	7	<50
06/26/06 ¹⁰	82.17	15.90	66.27	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	--	9	<50
09/25/06 ¹⁰	82.17	17.27	64.90	0.00	57	<50	<0.5	<0.5	<0.5	<0.5	--	8	<50
12/18/06 ¹⁰	82.17	16.67	65.50	0.00	220	<50	<0.5	<0.5	<0.5	<0.5	--	7	<50
03/19/07 ¹⁰	82.17	16.16	66.01	0.00	210	<50	<0.5	<0.5	<0.5	<0.5	--	9	<50
06/25/07 ¹⁰	82.17	23.84	58.33	0.00	74	<50	<0.5	<0.5	<0.5	<0.5	--	6	<50
09/24/07 ¹⁰	82.17	25.68	56.49	0.00	280	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
12/18/07	82.17	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
03/11/08 ¹⁰	82.17	24.07	58.10	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/11/08 ¹⁰	82.17	21.23	60.94	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/22/08 ¹⁰	82.17	19.52	62.65	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
11/06/08 ¹⁰	82.17	19.15	63.02	0.00	<50 ²¹	--	--	--	--	--	--	--	--
12/22/08 ¹⁰	82.17	18.58	63.59	0.00	190	<50	<0.5	<0.5	<0.5	<0.5	--	7	<50
03/23/09	82.17	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
06/22/09 ¹⁰	82.17	17.60	64.57	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	29	<50
MW-10													
10/10/96	81.83	18.40	63.43	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/07/96	81.83	18.43	63.40	--	--	--	--	--	--	--	--	--	--
12/18/97	81.83	16.18	65.65	--	<50	350	6.9	0.87	0.88	0.77	<30	--	--
04/06/98	81.83	14.39	67.44	--	<50	2,300	224	168	81.4	253	<30	--	--
06/18/98	81.83	15.11	66.72	--	320	7,200	310	210	83	280	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-10 (cont)													
08/31/98	81.83	17.03	64.80	--	120	460	51	8.2	5.1	10	<5.0	--	--
12/21/98	81.83	17.32	64.51	--	79	120	5.5	<1.0	<1.0	<1.0	8.7	<2.0	--
03/24/99	81.83	15.25	66.58	--	923	1,330	85.9	42.9	29.7	95.2	20.4	<25.0	--
06/25/99	81.83	16.82	65.01	--	167	1,130	115	32.6	17.2	36.3	<4.00	--	--
09/24/99	81.83	17.75	64.08	--	76.7	382	20.0	<1.00	2.21	1.37	8.83	--	--
12/29/99	81.83	18.13	63.70	--	107	114	9.03	<0.500	0.531	<0.500	<5.00	--	--
03/21/00	81.83	14.22	67.61	--	194	1,270	86.3	52.3	38.1	102	19.5	--	--
07/26/00	81.83	16.61	65.22	--	192	562	74.8	7.51	24.3	14.8	13.3	<1.00 ⁴	--
09/06/00	81.83	17.08	64.75	--	205	606	93.4	5.36	16.7	38.9	--	--	--
11/29/00	82.16	16.90	65.26	--	258	583	40.0	1.46	4.69	15.8	--	--	--
03/06/01	82.16	14.80	67.36	--	199	837	34.2	26.4	20.8	27.5	--	--	--
06/19/01 ⁶	82.16	16.85	65.31	--	<50	400	47	2.6	8.8	17	--	0.60	--
09/05/01 ⁶	82.16	17.87	64.29	--	<100	230	20	<0.50	1.2	5.3	--	<5.0	--
12/20/01 ⁶	82.16	15.54	66.62	--	110	300	13	2.5	1.7	4.6	--	<5.0	--
06/25/02	81.83	16.93	64.90	0.00	180	810	180	3.2	17	8.0	<2.5	--	--
09/18/02	81.83	17.68	64.15	0.00	200	260	24	<2.0	2.5	5.0	2.9	--	--
12/19/02	81.83	16.36	65.47	0.00	86	360	25	0.60	<0.50	1.5	<5.0	--	--
03/20/03	81.83	16.32	65.51	0.00	200	620	21	5.3	6.0	13	<10	--	--
06/23/03 ¹⁰	81.83	16.57	65.26	0.00	290	1,500	170	23	40	93	--	0.7	--
09/22/03 ¹⁰	81.83	17.60	64.23	0.00	180	480	48	3	7	17	--	0.8	<50
12/22/03 ¹⁰	81.83	17.31	64.52	0.00	120	230	7	<0.5	<0.5	1	--	0.9	<50
03/22/04 ¹⁰	81.83	15.58	66.25	0.00	230	1,500	72	26	30	82	--	0.7	<50
06/21/04 ¹⁰	81.83	17.12	64.71	0.00	220	1,000	120	29	47	73	--	2	<50
09/20/04 ¹⁰	81.83	18.12	63.71	0.00	230	470	36	5	6	20	--	2	<50
12/20/04 ¹⁰	81.83	17.01	64.82	0.00	170 ⁹	480	13	2	1	7	--	2	<50
03/28/05 ¹⁰	81.83	14.64	67.19	0.00	450 ⁹	1,900	64	46	55	140	--	1	<50
06/27/05 ¹⁰	81.83	15.99	65.84	0.00	400 ¹⁵	1,700	140	61	33	180	--	3	<50
09/19/05 ¹⁰	81.83	17.35	64.48	0.00	170	1,200	98	35	58	110	--	5	<50
12/19/05 ¹⁰	81.83	17.12	64.71	0.00	160 ¹⁴	1,000	61	23	20	47	--	5	<50
03/27/06 ¹⁰	81.83	13.35	68.48	0.00	180	670	6	4	8	11	--	5	<50
06/26/06 ¹⁰	81.83	15.10	66.73	0.00	580	4,700	220	110	150	390	--	0.8	<50
09/25/06 ¹⁰	81.83	17.10	64.73	0.00	480	4,400	290	180	200	350	--	4	<50
12/18/06 ¹⁰	81.83	16.75	65.08	0.00	2,900	2,500	270	97	97	170	--	1	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-10 (cont)													
03/19/07 ¹⁰	81.83	15.91	65.92	0.00	650	2,000	150	43	52	88	--	1	<50
06/25/07 ¹⁰	81.83	24.41	57.42	0.00	7,600 ¹⁹	<50 ¹⁹	<0.5	<0.5	<0.5	<0.5	--	4	<50
09/24/07 ¹⁰	81.83	25.96	55.87	0.00	8,400	88	<0.5	<0.5	<0.5	<0.5	--	2	<50
12/18/07	81.83	INACCESSIBLE - WELL UNDER WATER				--	--	--	--	--	--	--	--
03/11/08 ¹⁰	81.83	24.56	57.27	0.00	1,200	190	1	<0.5	<0.5	<0.5	--	2	<50
06/11/08 ¹⁰	81.83	20.97	60.86	0.00	2,500	190	2	<0.5	<0.5	<0.5	--	2	<50
09/22/08 ¹⁰	81.83	19.27	62.56	0.00	--	500	2	<0.5	<0.5	<0.5	--	0.7	<50
11/06/08 ¹⁰	81.83	18.92	62.91	0.00	550 ²¹	--	--	--	--	--	--	--	--
12/22/08 ¹⁰	81.83	18.38	63.45	0.00	750	530	1	<0.5	<0.5	<0.5	--	0.8	<50
03/23/09	81.83	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
06/22/09 ¹⁰	81.83	17.45	64.38	0.00	1,100	970	26	14	46	79	--	0.6	<50
MW-11													
08/08/00	--	25.61	--	--	--	--	--	--	--	--	--	--	--
08/16/00	--	25.50	--	--	56.80	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
09/06/00	--	25.90	--	--	-- ⁵	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
11/29/00	90.63	25.80	64.83	--	63.8	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
03/06/01	90.63	23.32	67.31	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
06/19/01 ⁶	90.63	25.57	65.06	--	<50	<50	<0.50	<0.50	<0.50	<0.50	--	<0.50	--
09/05/01 ⁶	90.63	26.42	64.21	--	<50	<50	<0.50	<0.50	<0.50	0.68	--	<5.0	--
12/20/01 ⁶	90.63	24.27	66.36	--	<50	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--
06/25/02	-- ⁸	25.51	-- ⁸	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/18/02	-- ⁸	26.31	-- ⁸	0.00	80	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/19/02	-- ⁸	25.08	-- ⁸	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/20/03	-- ⁸	24.87	-- ⁸	0.00	<50	<50	<0.50	0.51	<0.50	<1.5	<2.5	--	--
06/23/03 ¹⁰	-- ⁸	25.21	-- ⁸	0.00	140	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/22/03 ¹⁰	-- ⁸	26.26	-- ⁸	0.00	52	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
12/22/03 ¹⁰	-- ⁸	25.97	-- ⁸	0.00	69	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
03/22/04 ¹⁰	-- ⁸	24.13	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/21/04 ¹⁰	-- ⁸	25.74	-- ⁸	0.00	79	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/20/04 ¹⁰	-- ⁸	26.83	-- ⁸	0.00	140	<50	<0.5	<0.5	<0.5	<0.5	--	4	<50
12/20/04 ¹⁰	-- ⁸	25.67	-- ⁸	0.00	54 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	3	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-11 (cont)													
03/28/05 ¹⁰	-- ⁸	23.03	-- ⁸	0.00	58 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/27/05 ¹⁰	-- ⁸	24.61	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/19/05 ¹⁰	-- ⁸	25.98	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	0.6	<50
12/19/05 ¹⁰	-- ⁸	25.93	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
03/27/06 ¹⁰	-- ⁸	21.81	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/26/06 ¹⁰	-- ⁸	24.00	-- ⁸	0.00	64	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/25/06 ¹⁰	-- ⁸	25.75	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/18/06 ¹⁰	-- ⁸	25.55	-- ⁸	0.00	140	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/19/07 ¹⁰	-- ⁸	24.58	-- ⁸	0.00	63	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/25/07 ¹⁰	-- ⁸	32.81	-- ⁸	0.00	130	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
09/24/07 ¹⁰	-- ⁸	34.24	-- ⁸	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
12/18/07 ¹⁰	-- ⁸	33.52	-- ⁸	0.00	90	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
03/11/08 ¹⁰	-- ⁸	32.55	-- ⁸	0.00	52	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/11/08 ¹⁰	-- ⁸	29.77	-- ⁸	0.00	96	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/22/08 ¹⁰	-- ⁸	27.91	-- ⁸	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
11/06/08 ¹⁰	-- ⁸	27.65	-- ⁸	0.00	<50 ²¹	--	--	--	--	--	--	--	--
12/22/08 ¹⁰	-- ⁸	27.03	-- ⁸	0.00	61	<50	<0.5	<0.5	<0.5	<0.5	--	0.6	<50
03/23/09 ¹⁰	-- ⁸	25.03	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/22/09 ¹⁰	-- ⁸	25.84	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
MW-12													
06/25/02 ⁷	84.19	18.65	65.54	0.00	410	1,000	340	8.2	16	8.3	11	--	--
09/18/02	84.19	19.67	64.52	0.00	230	130	52	<0.50	<0.50	<1.5	9.8	--	--
12/19/02	84.19	18.67	65.52	0.00	450	<50	11	<0.50	<0.50	<1.5	<2.5	--	--
03/20/03	84.19	17.97	66.22	0.00	300	280	120	1.9	11	<1.5	2.6	--	--
06/23/03 ¹⁰	84.19	18.27	65.92	0.00	400	400	130	4	1	0.7	--	14	--
09/22/03 ¹⁰	84.19	19.52	64.67	0.00	270	<50	9	<0.5	<0.5	<0.5	--	9	<50
12/22/03 ¹⁰	84.19	19.75	64.44	0.00	130	720	130	29	10	46	--	2	<50
03/22/04 ¹⁰	84.19	17.06	67.13	0.00	240	<50	3	<0.5	<0.5	1	--	0.5	<50
06/21/04 ¹⁰	84.19	18.82	65.37	0.00	350	140	43	<0.5	<0.5	<0.5	--	8	<50
09/20/04 ¹⁰	84.19	19.99	64.20	0.00	340	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
12/20/04 ¹⁰	84.19	19.46	64.73	0.00	160 ⁹	1,300	400	28	31	31	--	1	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-12 (cont)													
03/28/05 ¹⁰	84.19	16.42	67.77	0.00	440 ⁹	90	24	<0.5	<0.5	<0.5	--	1	<50
06/27/05 ¹⁰	84.19	17.53	66.66	0.00	170 ¹³	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
09/19/05 ¹⁰	84.19	19.04	65.15	0.00	190	<50	<0.5	<0.5	<0.5	<0.5	--	3	<50
12/19/05 ¹⁰	84.19	19.41	64.78	0.00	340 ¹³	330	94	5	1	3	--	2	<50
03/27/06 ¹⁰	84.19	15.45	68.74	0.00	140	130	33	0.7	1	4	--	0.8	<50
06/26/06 ¹⁰	84.19	16.70	67.49	0.00	220	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/25/06 ¹⁰	84.19	18.81	65.38	0.00	200	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/18/06 ¹⁰	84.19	18.94	65.25	0.00	410	240	68	5	1	1	--	1	<50
03/19/07 ¹⁰	84.19	17.83	66.36	0.00	200	55	7	<0.5	<0.5	<0.5	--	2	<50
06/25/07 ¹⁰	84.19	25.80	58.39	0.00	1,600 ¹⁹	5,500 ¹⁹	1,000 ¹⁹	190 ¹⁹	170 ¹⁹	320 ¹⁹	--	2	<100
09/24/07 ¹⁰	84.19	27.88	56.31	0.00	2,300	<50	0.7	<0.5	<0.5	<0.5	--	1	<50
12/18/07 ¹⁰	84.19	27.06	57.13	0.00	550	230	17	<0.5	<0.5	<0.5	--	<0.5	<50
03/11/08 ¹⁰	84.19	25.60	58.59	0.00	1,100	7,000	960	330	410	860	--	<1	<100
06/11/08 ¹⁰	84.19	23.04	61.15	0.00	1,700	7,100	2,400	170	210	270	--	<1	<130
09/22/08 ¹⁰	84.19	21.48	62.71	0.00	--	13,000	1,800	93	480	1,200	--	16	<100
11/06/08 ¹⁰	84.19	21.20	62.99	0.00	1,600 ²¹	--	--	--	--	--	--	--	--
12/22/08 ¹⁰	84.19	20.90	63.29	0.00	1,800	7,700	1,400	220	310	560	--	7	<100
03/23/09 ¹⁰	84.19	18.02	66.17	0.00	3,400	4,900	620	170	170	320	--	3	<50
06/22/09 ¹⁰	84.19	18.83	65.36	0.00	500	1,100	100	19	35	43	--	1	<50
MW-2													
06/28/96	85.83	22.10	63.73	1.35	--	--	--	--	--	--	--	--	--
10/10/96	85.83	22.36	63.47	--	1,800	99,000	4,100	9,400	2,300	9,900	390	<25 ¹	--
11/07/96	85.83	22.39	63.45**	0.01	--	--	--	--	--	--	--	--	--
12/18/97	85.83	20.19	65.64	--	4,700	24,000	600	1,800	750	2,400	<2,000	--	--
04/06/98	85.83	18.00	67.83	--	9.5	20,100	252	448	430	1,410	<200	--	--
06/18/98	85.83	19.63	66.20	--	5,200	20,000	240	370	270	790	<50	--	--
08/31/98	85.83	21.01	64.82	--	19,000	72,000	270	990	630	1,700	<125	--	--
12/21/98	85.83	21.31	64.52	--	13,000	290	8.7	18	9.7	38	10	29	--
03/24/99	85.83	19.18	66.65	--	5,590	80,400	651	1,860	1,120	3,730	<40.0	<100	--
06/25/99	85.83	20.78	65.05	--	12,100	34,700	504	1,300	716	2,160	<40.0	--	--
09/24/99	85.83	21.82	64.01	--	108	6,510	1,030	350	183	680	<50.0	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-2 (cont)													
12/29/99	85.83	22.17	63.90**	0.30	--	--	--	--	--	--	--	--	--
01/07/00	85.83	22.84	63.30**	0.39	--	--	--	--	--	--	--	--	--
03/21/00	-- ³	18.19	--	--	41,100	54,100	1,260	3,320	2,180	8,200	<1,250	--	--
DESTROYED													
MW-3													
06/28/96	83.18	19.04	64.14	--	--	--	--	--	--	--	--	--	--
10/10/96	83.18	19.51	63.67	--	1,200	110,000	6,600	16,000	2,200	12,000	<250	--	--
11/07/96	83.18	19.40	63.78	--	--	--	--	--	--	--	--	--	--
12/18/97	83.18	18.79	64.39	--	6,100,000	180,000	1,500	16,000	4,600	23,000	<3,000	--	--
04/06/98	83.18	16.58	66.64	0.05	--	--	--	--	--	--	--	--	--
06/18/98	83.18	--	--	>2.0 ²	--	--	--	--	--	--	--	--	--
08/31/98	83.18	19.56	63.68	0.07	--	--	--	--	--	--	--	--	--
12/21/98	83.18	20.23	65.13	2.73	--	--	--	--	--	--	--	--	--
03/24/99	83.18	16.76	67.11	0.86	--	--	--	--	--	--	--	--	--
06/25/99	83.18	18.47	64.95	0.30	--	--	--	--	--	--	--	--	--
09/24/99	83.18	19.43	63.81	0.08	--	--	--	--	--	--	--	--	--
12/29/99	83.18	19.25	63.96	0.04	--	--	--	--	--	--	--	--	--
01/07/00	83.18	19.87	63.37	0.07	--	--	--	--	--	--	--	--	--
DESTROYED													
MW-5													
10/10/96	85.41	21.93	63.48	--	<50	1,800	34	4.7	11	44	21	5.0 ¹	--
11/07/96	85.41	21.96	63.45	--	--	--	--	--	--	--	--	--	--
12/18/97	85.41	19.81	65.60	--	<50	1,200	15	<1.0	15	<1.0	72	--	--
04/06/98	85.41	17.43	67.98	--	<50	1,000	126	0.5	0.8	1.5	<30	--	--
06/18/98	85.41	19.15	66.26	--	100	110	6.9	<0.5	<0.5	<0.5	<0.5	--	--
08/31/98	85.41	20.46	64.95	--	120	480	5.3	<2.5	<2.5	<2.5	<12	--	--
12/21/98	85.41	20.91	64.50	--	100	270	16	2.9	1.3	<1.0	34	<2.0	--
03/24/99	85.41	18.74	66.67	--	93.3	143	2.80	<0.500	0.749	<0.500	<2.00	<5.00	--
06/25/99	85.41	20.31	65.10	--	125	847	6.61	<0.500	0.611	<0.500	2.69	<2.00	--
09/24/99	85.41	21.36	64.05	--	94.0	563	6.00	<2.50	<2.50	<2.50	25.1	--	--
12/29/99	85.41	21.41	64.00	--	173	896	16.6	1.48	8.92	2.67	61.1	<0.500	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-5 (cont)													
03/21/00	85.41	18.13	67.28	--	158	858	53.7	<1.00	21.4	8.00	11.6	--	--
07/26/00	85.41	OBSTRUCTION IN WELL		--	--	--	--	--	--	--	--	--	--
09/06/00	85.41	20.33	65.08	--	231	670	153	<2.50	7.87	<2.50	--	--	--
11/29/00	85.13	OBSTRUCTION IN WELL		--	--	--	--	--	--	--	--	--	--
03/06/01	85.13	OBSTRUCTION IN WELL		--	--	--	--	--	--	--	--	--	--
06/19/01	85.13	OBSTRUCTION IN WELL		--	--	--	--	--	--	--	--	--	--
09/05/01	85.13	OBSTRUCTION IN WELL		--	--	--	--	--	--	--	--	--	--
12/02/01	85.13	OBSTRUCTION IN WELL		--	--	--	--	--	--	--	--	--	--
DESTROYED													
MW-8													
10/10/96	84.01	20.82	63.19	--	110	17,000	1,300	1,200	64	1,300	110	<5.0 ¹	--
11/07/96	84.01	20.44	63.57	--	--	--	--	--	--	--	--	--	--
12/18/97	84.01	19.36	64.65	--	630	15,000	3,600	1,800	410	930	<600	--	--
04/06/98	84.01	16.19	67.82	--	<50	32,300	8,230	5,900	718	2,120	<1,000	--	--
06/18/98	84.01	17.75	66.26	--	<50	74,000	5,400	4,500	700	2,200	2,400	--	--
08/31/98	84.01	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
12/21/98	84.01	19.48	64.53	--	1,200	9,600	2,600	410	220	300	700	<2.0	--
03/24/99	84.01	17.44	66.57	--	2,890	86,100	9,890	11,700	1,650	7,130	<200	<250	--
06/25/99	84.01	20.69	63.40**	0.10	--	--	--	--	--	--	--	--	--
07/01/99	84.01	20.45	65.07**	1.89	--	--	--	--	--	--	--	--	--
09/24/99	84.01	20.98	64.25**	1.53	--	--	--	--	--	--	--	--	--
12/29/99	84.01	20.25	63.97**	0.26	--	--	--	--	--	--	--	--	--
01/07/00	84.01	21.00	63.33**	0.40	--	--	--	--	--	--	--	--	--
DESTROYED													
TRIP BLANK													
QA													
06/25/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/18/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/19/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/20/03	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
QA (cont)													
06/23/03 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/22/03 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/22/03 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
03/22/04 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
06/21/04 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/20/04 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/20/04 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
03/28/05 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
06/27/05 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/19/05 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/19/05 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
03/27/06 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
06/26/06 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/25/06 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/18/06 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
03/19/07 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
06/25/07 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/24/07 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/18/07 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
03/11/08 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
06/11/08 ²⁰	--	--	--	--	--	--	--	--	--	--	--	--	--
09/22/08 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/22/08 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
03/23/09 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
06/22/09 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 25, 2002, were compiled from reports prepared by Toxicchem Management Systems, Inc.

TOC = Top of Casing	TPH = Total Petroleum Hydrocarbons	MTBE = Methyl Tertiary Butyl Ether
(ft.) = Feet	DRO = Diesel Range Organics	(ppb) = Parts per billion
DTW = Depth to Water	GRO = Gasoline Range Organics	(µg/L) = Micrograms per liter
GWE = Groundwater Elevation	B = Benzene	-- = Not Measured/Not Analyzed
(msl) = Mean Sea Level	T = Toluene	QA = Quality Assurance/Trip Blank
SPH = Separate-phase hydrocarbons	E = Ethylbenzene	NP= No Purge
SPHT = Separate-phase hydrocarbon thickness	X = Xylenes	

* TOC elevations were surveyed June 24, 2002, by Morrow Surveying, and are based on City of Oakland Benchmark.

** GWE corrected for the presence of SPH; correction factor = [(TOC - DTW)+(0.80 x SPHT)].

◆ Prior to June 25, 2002, MTBE was analyzed by EPA Method 8020.

1 MTBE confirmed by EPA Method 8240.

2 Free product could not be accurately measured.

3 TOC altered.

4 Analyzed outside EPA recommended hold time.

5 Sample containers broken during transport to laboratory.

6 TPH-GRO and BTEX analyzed by EPA Method 8260.

7 Well development performed.

8 MW-11 was inaccessible during the re-surveying. TOC was not measured.

9 Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.

10 BTEX analyzed by EPA Method 8260.

11 Ethanol was previously reported as <50 ppb.

12 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel.

13 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.

14 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range earlier than #2 fuel.

15 Laboratory report indicates the observed sample patterns are not typical of #2 fuel/diesel. They elute in the DRO range earlier and later than #2 fuel.

16 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel and contains individual peaks eluting in the DRO range.

17 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. The reported result is due to an individual peak (s) eluting in the DRO range.

18 No purge due to bent casing.

19 Laboratory confirmed analytical result.

20 Sample containers not received at laboratory.

21 Laboratory report indicates the DRO analysis was performed on a resample due to a laboratory error during the extraction / analysis of the first submission.

22 No purge due to wells location in active construction zone.

Table 2
Field Measurements
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID	DATE	D.O.	ORP	D.O.	ORP	DO	ORP
		Pre Purging (mg/L)	Pre Purging (mV)	Mid-Purging (mg/L)	Mid-Purging (mV)	Post Purging (mg/L)	Post Purging (mV)
MW-6	09/24/99	1.00	--	--	--	1.20	--
	12/29/99	1.30	--	--	--	1.50	--
	03/21/00	3.00	--	--	--	4.30	--
	11/29/00	2.00	--	--	--	1.80	--
	03/06/01	3.70	--	--	--	4.00	--
	06/19/01	3.00	--	--	--	3.40	--
	09/05/01	10.40	--	--	--	10.80	--
	12/20/01	1.30	--	--	--	1.50	--
	06/25/02	1.00	--	0.60	--	0.40	--
	09/18/02	0.60	58	0.90	69	1.00	72
	12/19/02	1.20	71	--	--	1.10	79
	03/20/03	0.40	-93	--	--	1.60	-87
	06/23/03	0.90	64	--	--	1.20	78
	09/22/03	1.10	70	--	--	1.30	76
	12/22/03	0.90	68	--	--	1.00	70
	03/22/04	1.00	74	--	--	1.20	82
	06/21/04	1.10	72	--	--	1.10	86
	09/20/04	1.20	68	--	--	1.30	76
	12/20/04	1.00	71	--	--	1.10	80
	03/28/05	1.10	75	--	--	1.10	86
	06/27/05	1.10	78	--	--	1.20	90
	09/19/05	2.90	-- ¹	--	--	1.20	-- ¹
	12/19/05	1.00	69	--	--	1.00	74
	03/27/06	1.60	89	--	--	1.20	75
	06/26/06	1.40	105	--	--	1.20	82
	09/25/06	1.20	103	--	--	1.30	91
	12/18/06	1.20	87	--	--	-- ²	-- ²
	03/19/07	1.9	-57	--	--	1.6	-63
	06/25/07	DRY	--	--	--	--	--
	09/24/07	DRY	--	--	--	--	--
	12/18/07	DRY	--	--	--	--	--
	03/11/08	DRY	--	--	--	--	--
	06/11/08	0.9	53	--	--	1.1	67
09/22/08	1.3	-27	--	--	1.6	-17	
12/22/08	1.2	-65	--	--	0.9	-54	
03/23/09	0.4	-81	--	--	0.9	-150	
06/22/09	.70	-95	--	--	.60	-84	
MW-7	09/24/99	1.40	--	--	--	1.60	--
	12/29/99	2.30	--	--	--	1.80	--
	03/21/00	5.80	--	--	--	9.00	--
	07/26/00	6.00	--	--	--	6.60	--
	09/06/00	4.30	--	--	--	5.00	--
	11/29/00	4.00	--	--	--	3.70	--
	03/06/01	4.70	--	--	--	5.10	--
	06/19/01	3.80	--	--	--	4.20	--
	09/05/01	6.70	--	--	--	7.10	--

Table 2
Field Measurements
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID	DATE	D.O.	ORP	D.O.	ORP	DO	ORP
		Pre Purging (mg/L)	Pre Purging (mV)	Mid-Purging (mg/L)	Mid-Purging (mV)	Post Purging (mg/L)	Post Purging (mV)
MW-7	12/20/01	4.90	--	--	--	5.00	--
(cont)	06/25/02	1.00	--	1.40	--	1.30	--
	09/18/02	1.80	112	1.90	98	2.10	102
	12/19/02	1.30	121	--	--	1.60	110
	03/20/03	2.60	129	--	--	2.70	152
	06/23/03	1.70	122	--	--	1.90	140
	09/22/03	1.40	92	--	--	1.70	124
	12/22/03	1.50	98	--	--	1.60	114
	03/22/04	1.30	90	--	--	1.50	96
	06/21/04	1.50	106	--	--	1.70	126
	09/20/04	1.40	115	--	--	0.96	110
	12/20/04	1.30	88	--	--	1.40	95
	03/28/05	1.40	92	--	--	1.40	88
	06/27/05	1.50	106	--	--	1.40	94
	09/19/05	3.70	17	--	--	3.10	29
	12/19/05	1.40	85	--	--	1.30	90
	03/27/06	1.80	126	--	--	2.10	132
	06/26/06	1.60	119	--	--	1.80	121
	09/25/06	1.70	125	--	--	1.60	124
	12/18/06	1.40	130	--	--	-- ²	-- ²
	03/19/07	2.8	-10	--	--	2.3	-13
	06/25/07	1.8	119	--	--	1.5	98
	09/24/07	1.7	1.3	--	--	94	76
	12/18/07	2.1	68	--	--	1.8	73
	03/11/08	1.8	93	--	--	1.7	104
	06/11/08	1.5	-32	--	--	1.3	-46
	09/22/08	1.2	27	--	--	1.5	39
	12/22/08	1.8	85	--	--	1.7	80
	03/23/09	1.4	185	--	--	--	--
	06/22/09	1.9	120	--	--	1.7	112
MW-9	09/24/99	1.00	--	--	--	1.20	--
	12/29/99	3.30	--	--	--	2.70	--
	03/21/00	3.20	--	--	--	7.30	--
	07/26/00	3.60	--	--	--	1.80	--
	09/06/00	3.80	--	--	--	4.00	--
	11/29/00	2.00	--	--	--	2.00	--
	03/06/01	4.00	--	--	--	4.90	--
	06/19/01	3.40	--	--	--	4.00	--
	09/05/01	2.70	--	--	--	2.00	--
	12/20/01	2.20	--	--	--	2.20	--
	06/25/02	0.90	--	1.00	--	1.20	--
	09/18/02	1.40	138	1.00	110	0.90	95
	12/19/02	1.80	126	--	--	1.10	98
	03/20/03	0.10	206	--	--	1.10	193
	06/23/03	1.20	146	--	--	1.00	138
	09/22/03	1.10	126	--	--	1.00	130

Table 2
Field Measurements
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID	DATE	D.O.	ORP	D.O.	ORP	DO	ORP	
		Pre Purging (mg/L)	Pre Purging (mV)	Mid-Purging (mg/L)	Mid-Purging (mV)	Post Purging (mg/L)	Post Purging (mV)	
MW-9	12/22/03	1.30	134	--	--	1.20	142	
(cont)	03/22/04	3.70	120	--	--	1.40	126	
	06/21/04	3.50	108	--	--	1.20	116	
	09/20/04	2.70	54	--	--	1.10	62	
	12/20/04	2.50	72	--	--	1.40	80	
	03/28/05	2.80	92	--	--	1.70	68	
	06/27/05	2.60	82	--	--	1.50	62	
	09/19/05	1.00	-38	--	--	0.60	-30	
	12/19/05	2.10	76	--	--	2.20	68	
	03/27/06	2.20	136	--	--	1.90	125	
	06/26/06	2.40	122	--	--	2.00	115	
	09/25/06	2.10	116	--	--	1.90	120	
	12/18/06	1.80	131	--	--	-- ²	-- ²	
	03/19/07	1.7	-03	--	--	2.1	-11	
	06/25/07	2.2	11	--	--	2.0	73	
	09/24/07	2.4	2.2	--	--	93	75	
	12/18/07	INACCESSIBLE - WELL UNDER WATER				--	--	--
	03/11/08	2.2	76	--	--	1.9	63	
	06/11/08	1.9	103			1.9	117	
	09/22/08	14	32	--	--	21	51	
	12/22/08	2.3	115	--	--	2.1	109	
	03/23/09	INACCESSIBLE	--	--	--	--	--	
	06/22/09	2.1	98	--	--	1.9	91	
MW-10	09/19/05	1.40	-97	--	--	0.80	-98	
	03/23/09	INACCESSIBLE	--	--	--	--	--	
MW-2	09/24/99	1.00	--	--	--	0.80	--	
	12/29/99	2.60	--	--	--	--	--	
	03/21/00	3.30	--	--	--	3.60	--	
	DESTROYED							

Table 2
Field Measurements
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

EXPLANATIONS:

Dissolved oxygen concentrations prior to June 25, 2002, were compiled from reports prepared by Toxichem Management Systems, Inc.

D.O. = Dissolved Oxygen

mg/L = milligrams per liter

ORP = Oxidation Reduction Potential

(mV) = Millivolts

-- = Not Measured

¹ ORP reading under range.

² Field technician inadvertently missed readings.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 6.22.09 (inclusive)
 City: Oakland, CA Sampler: ET

Well ID: MW-1
 Well Diameter: 2 in.
 Total Depth: 29.96 ft.
 Depth to Water: 22.06 ft.

Date Monitored: 6.22.09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.90 xVF = x3 case volume = Estimated Purge Volume: gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: IONAB SAMPLER

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer/Absorbent Sock (circle one) _____
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: SUNNY
 Sample Time/Date: 1222 16 22.09 Water Color: LT. BRN Odor: Y I (N)
 Approx. Flow Rate: _____ gpm. Sediment Description: S SILTY
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	PRE: _____	PRE: _____
_____	_____	_____	_____	_____	POST: _____	POST: _____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-1	6 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	2 x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: BENT CASING @ 3' DEPTH
UNABLE TO PUMP WITH REGULAR BAILER.

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 6-22-09 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-4
 Well Diameter: 2 in.
 Total Depth: 28.70 ft.
 Depth to Water: 18.90 ft.
9.80 xVF 17 = 1.64

Date Monitored: 6-22-09
 Volume Factor (VF):
 3/4"= 0.02 1"= 0.04 2"= 0.17 3"= 0.38
 4"= 0.66 5"= 1.02 6"= 1.50 12"= 5.80

Check if water column is less than 0.50 ft.
 x3 case volume = Estimated Purge Volume: 50 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 20.86

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1148 Weather Conditions: SUNNY
 Sample Time/Date: 1209/6-22-09 Water Color: LT. BLU Odor: Y 10
 Approx. Flow Rate: _____ gpm. Sediment Description: S SILT
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 19.10

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C/ F)	D.O. (mg/L)	ORP (mV)
<u>1152</u>	<u>1.5</u>	<u>7.16</u>	<u>271</u>	<u>20.0</u>	PRE: _____	PRE: _____
<u>1156</u>	<u>3.0</u>	<u>7.13</u>	<u>280</u>	<u>19.8</u>	_____	_____
<u>1200</u>	<u>5.0</u>	<u>7.11</u>	<u>298</u>	<u>19.7</u>	POST: _____	POST: _____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 6-22-09 (inclusive)
 City: Oakland, CA Sampler: FR

Well ID MW-5B

Date Monitored: 6-22-09

Well Diameter 2 in.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Total Depth 30.19 ft.

Depth to Water 20.92 ft.

Check if water column is less than 0.50 ft.

9.27 xVF .17 = 1.57 x3 case volume = Estimated Purge Volume: 5.0 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 22.77

Purge Equipment:

- Disposable Bailer
- Stainless Steel Bailer
- Stack Pump
- Suction Pump
- Grundfos
- Peristaltic Pump
- QED Bladder Pump
- Other:

Sampling Equipment:

- Disposable Bailer
- Pressure Bailer
- Discrete Bailer
- Peristaltic Pump
- QED Bladder Pump
- Other:

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1115 Weather Conditions: SUNNY
 Sample Time/Date: 1136 / 6-22-09 Water Color: LT. BUN Odor: PIN SLIGHT
 Approx. Flow Rate: _____ gpm. Sediment Description: S. SILTY
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 21.15

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1119</u>	<u>15</u>	<u>7.18</u>	<u>551</u>	<u>19.7</u>	PRE: _____	PRE: _____
<u>1123</u>	<u>3.0</u>	<u>7.15</u>	<u>560</u>	<u>19.5</u>	POST: _____	POST: _____
<u>1127</u>	<u>50</u>	<u>7.12</u>	<u>569</u>	<u>19.4</u>	POST: _____	POST: _____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5B</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: BOUND L 8" (2SF)

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 6-22-09 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-6 Date Monitored: 6-22-09
 Well Diameter: 2 in.
 Total Depth: 27.89 ft.
 Depth to Water: 21.40 ft. Check if water column is less than 0.50 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 22.69
 $6.49 \times VF .17 = 1.10$ x3 case volume = Estimated Purge Volume: 3.0 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1312 Weather Conditions: SLIGHT
 Sample Time/Date: 1332 / 6-22-09 Water Color: LT. brown Odor: DN Struck
 Approx. Flow Rate: _____ gpm. Sediment Description: S. Silty
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 22.51

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1315</u>	<u>10</u>	<u>7.10</u>	<u>758</u>	<u>20.5</u>	PRE: <u>70</u>	PRE: <u>-95</u>
<u>1318</u>	<u>20</u>	<u>7.07</u>	<u>762</u>	<u>20.3</u>		
<u>1322</u>	<u>30</u>	<u>7.05</u>	<u>771</u>	<u>20.1</u>	POST: <u>60</u>	POST: <u>-84</u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: P2M612" ISF

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 6.22.09 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-7 Date Monitored: 6.22.09
 Well Diameter: 2 in.
 Total Depth: 33.34 ft.
 Depth to Water: 19.70 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 22.50
 xVF .17 = 2.38 x3 case volume = Estimated Purge Volume: 7.0 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0932 Weather Conditions: SUNNY
 Sample Time/Date: 0954 6.22.09 Water Color: LT-BRN Odor: Y 10
 Approx. Flow Rate: _____ gpm. Sediment Description: S-Silty
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 20.05

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0937</u>	<u>2.5</u>	<u>7.30</u>	<u>374</u>	<u>19.2</u>	<u>PRE: 1.9</u>	<u>PRE: 120</u>
<u>0942</u>	<u>5.0</u>	<u>7.27</u>	<u>383</u>	<u>19.0</u>		
<u>0946</u>	<u>7.0</u>	<u>7.25</u>	<u>392</u>	<u>18.9</u>	<u>POST: 1.7</u>	<u>POST: 112</u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 6-22-09 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-9
 Well Diameter: 2 in.
 Total Depth: 33.92 ft.
 Depth to Water: 17.60 ft.

Date Monitored: 6-22-09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 20.86
 xVF 17 = 2.77 x3 case volume = Estimated Purge Volume: 8.0 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1038 Weather Conditions: SLYNY
 Sample Time/Date: 1102 / 6-22-09 Water Color: LT. BRN Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: S-SILT
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 17.92

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1043</u>	<u>2.5</u>	<u>7.24</u>	<u>439</u>	<u>19.8</u>	<u>PRE: 2.1</u>	<u>PRE: 98</u>
<u>1048</u>	<u>5.0</u>	<u>7.21</u>	<u>445</u>	<u>19.5</u>		
<u>1054</u>	<u>8.0</u>	<u>7.19</u>	<u>452</u>	<u>19.3</u>	<u>POST: 1.9</u>	<u>POST: 91</u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-9</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

COMMENTS: (1 SF)

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 6-22-09 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-10
 Well Diameter: 2 in.
 Total Depth: 33.7 ft.
 Depth to Water: 17.45 ft.

Date Monitored: 6-22-09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 20.59 x3 case volume = Estimated Purge Volume: 8.0 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1004 Weather Conditions: SUNNY
 Sample Time/Date: 1028 / 6-22-09 Water Color: LT. GRAY Odor: DIRTY STENCH
 Approx. Flow Rate: ✓ gpm. Sediment Description: S. SILTY
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 17.88

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1009</u>	<u>2.5</u>	<u>7.12</u>	<u>532</u>	<u>19.5</u>	PRE: _____	PRE: _____
<u>1014</u>	<u>5.0</u>	<u>7.11</u>	<u>541</u>	<u>19.2</u>	_____	_____
<u>1020</u>	<u>8.0</u>	<u>7.09</u>	<u>550</u>	<u>19.0</u>	POST: _____	POST: _____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-10</u>	<u>1</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: EM 12" (2SF)

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 6-22-09 (inclusive)
 City: Oakland, CA Sampler: FT

Well ID: MW-11 Date Monitored: 6-22-09
 Well Diameter: 2 in.
 Total Depth: 39.23 ft.
 Depth to Water: 25.84 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 28.51
 xVF 17 = 2.27 x3 case volume = Estimated Purge Volume: 7.0 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft.
 Depth to Water: _____ ft.
 Hydrocarbon Thickness: _____ ft.
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0900 Weather Conditions: SUNNY
 Sample Time/Date: 0922 / 6-22-09 Water Color: LT BRN Odor: Y 1 (N)
 Approx. Flow Rate: _____ gpm. Sediment Description: S SILTY
 Did well de-water? Ne If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 25.95

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°/ F)	D.O. (mg/L)	ORP (mV)
<u>0905</u>	<u>25</u>	<u>728</u>	<u>465</u>	<u>19.1</u>	PRE: _____	PRE: _____
<u>0910</u>	<u>5.0</u>	<u>724</u>	<u>470</u>	<u>18.8</u>	_____	_____
<u>0914</u>	<u>7.0</u>	<u>722</u>	<u>478</u>	<u>18.7</u>	POST: _____	POST: _____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-11</u>	<u>6</u> x vov vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 6-22-09 (inclusive)
 City: Oakland, CA Sampler: PT

Well ID: MW-12
 Well Diameter: 2 in.
 Total Depth: 29.48 ft.
 Depth to Water: 18.83 ft.

Date Monitored: 6-22-09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 20.96
 xVF 17 = 1.81 x3 case volume = Estimated Purge Volume: 5.0 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1235 Weather Conditions: SLYNNY
 Sample Time/Date: 1300 6-22-09 Water Color: CLEAN Odor: DN STRONG
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 18.95

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1239</u>	<u>1.5</u>	<u>6.94</u>	<u>754</u>	<u>20.8</u>	PRE: _____	PRE: _____
<u>1243</u>	<u>3.0</u>	<u>6.90</u>	<u>762</u>	<u>20.5</u>	_____	_____
<u>1248</u>	<u>5.0</u>	<u>6.88</u>	<u>773</u>	<u>20.2</u>	POST: _____	POST: _____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-12</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



062209-01

For Lancaster Laboratories use only
 Apct. #: 10904 Sample # 5706488-97 Group #: 017337

Grp# 1150371

Facility #: SS#211283-OML G-R#386956 Global ID#T0600101108
 Site Address: 3810 BROADWAY, OAKLAND, CA
 Chevron PM: IR Lead Consultant: GRACE
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)
 Consultant Phone #925-551-7555 Fax #925-551-7899
 Sampler: FRANK TENISON

Matrix	Analyses Requested										
	Preservation Codes										
<input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air	Total Number of Containers	<input checked="" type="checkbox"/> BTX + MTBE 8260	<input checked="" type="checkbox"/> 8021	<input type="checkbox"/> TPH 8015 MOD GRC	<input type="checkbox"/> Silica Gel Cleanup	<input type="checkbox"/> 8260 full scan	<input type="checkbox"/> Oxygenates	<input type="checkbox"/> Total Lead	<input type="checkbox"/> Method	<input type="checkbox"/> Dissolved Lead	<input type="checkbox"/> Method
		<input checked="" type="checkbox"/> ETHANOL (8260)									

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds
 8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy's on highest hit
 Run ___ oxy's on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTX + MTBE 8260	8021	TPH 8015 MOD GRC	Silica Gel Cleanup	8260 full scan	Oxygenates	Total Lead	Method	Dissolved Lead	Method
QA	6-22-09					W			2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MW-1		1222	<input checked="" type="checkbox"/>						2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MW-4		1209	<input checked="" type="checkbox"/>						2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MW-5B		1136	<input checked="" type="checkbox"/>						2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MW-6		1332	<input checked="" type="checkbox"/>						2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MW-7		0954	<input checked="" type="checkbox"/>						2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MW-9		1102	<input checked="" type="checkbox"/>						2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MW-10		1028	<input checked="" type="checkbox"/>						2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MW-11		0922	<input checked="" type="checkbox"/>						2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MW-12		1300	<input checked="" type="checkbox"/>						2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)
 STD. TAT 72 hour 48 hour
 24 hour 4 day 5 day

Data Package Options (please circle if required)
 QC Summary Type I - Full **EDF/EDD**
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <i>[Signature]</i>	Date: 6-22-09	Time: 1500	Received by: <i>[Signature]</i>	Date: 6/22/09	Time: 1500
Relinquished by: <i>[Signature]</i>	Date: 6/22/09	Time: 1410	Received by: <i>[Signature]</i>	Date: 6/22/09	Time: 1410
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by Commercial Center: UPS FedEx Other _____	Temperature Upon Receipt: 16-20 °C		Received by: <i>[Signature]</i>	Date: 6/22/09	Time: 0910
Custody Seats Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

July 01, 2009

RECEIVED

JUL 02 2009

GETTLER-RYAN INC.
GENERAL CONTRACTORSSAMPLE GROUP

The sample group for this submittal is 1150371. Samples arrived at the laboratory on Tuesday, June 23, 2009. The PO# for this group is 0015039978 and the release number is ROBB.

<u>Client Description</u>	<u>Lancaster Labs Number</u>
QA-T-090622 NA Water	5706488
MW-1-W-090622 Grab Water	5706489
MW-4-W-090622 Grab Water	5706490
MW-5B-W-090622 Grab Water	5706491
MW-6-W-090622 Grab Water	5706492
MW-7-W-090622 Grab Water	5706493
MW-9-W-090622 Grab Water	5706494
MW-10-W-090622 Grab Water	5706495
MW-11-W-090622 Grab Water	5706496
MW-12-W-090622 Grab Water	5706497

METHODOLOGY

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO
CRA c/o Gettler-Ryan

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300

Respectfully Submitted,

A handwritten signature in black ink, appearing to read "Robin C. Runkle".

Robin C. Runkle
Senior Specialist

Lancaster Laboratories Sample No. WW 5706488

Group No. 1150371
CA

QA-T-090622 NA Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 QA

Collected: 06/22/2009

Account Number: 10904

Submitted: 06/23/2009 09:10
Reported: 07/01/2009 at 16:01
Discard: 08/01/2009

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

BOQA-

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
SW-846 8260B	GC/MS Volatiles		ug/l	ug/l	
06054	Benzene	71-43-2	N.D.	0.5	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06054	Toluene	108-88-3	N.D.	0.5	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1
SW-846 8015B	GC Volatiles		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	F091814AA	07/01/2009 01:06	Kelly E Brickley	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F091814AA	07/01/2009 01:06	Kelly E Brickley	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09176A20A	06/25/2009 12:53	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	09176A20A	06/25/2009 12:53	Marie D John	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-856-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5706489

Group No. 1150371
CA

MW-1-W-090622 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-1

Collected: 06/22/2009 12:22 by FT

Account Number: 10904

Submitted: 06/23/2009 09:10
Reported: 07/01/2009 at 16:01
Discard: 08/01/2009

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

BOMW1

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
SW-846 8260B	GC/MS Volatiles		ug/l	ug/l	
06067	Benzene	71-43-2	N.D.	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	N.D.	0.5	1
SW-846 8015B	GC Volatiles		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
SW-846 8015B	GC Extractable TPH		ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	87	50	1

General Sample Comments

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D091793AA	06/28/2009 19:51	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D091793AA	06/28/2009 19:51	Michael A Ziegler	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09176A20A	06/25/2009 13:14	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	09176A20A	06/25/2009 13:14	Marie D John	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	091750000A	06/25/2009 16:49	Lisa A Reinert	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	091750000A	06/24/2009 18:15	Elaine F Stoltzfus	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-856-2300 Fax: 717-856-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5706490

Group No. 1150371
CA

MW-4-W-090622 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-4

Collected: 06/22/2009 12:09 by FT

Account Number: 10904

Submitted: 06/23/2009 09:10
Reported: 07/01/2009 at 16:01
Discard: 08/01/2009

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

BOMW4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
SW-846 8260B	GC/MS Volatiles		ug/l	ug/l	
06067	Benzene	71-43-2	N.D.	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	N.D.	0.5	1
SW-846 8015B	GC Volatiles		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
SW-846 8015B	GC Extractable TPH		ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D091793AA	06/28/2009 20:16	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D091793AA	06/28/2009 20:16	Michael A Ziegler	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09176A20A	06/25/2009 14:18	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	09176A20A	06/25/2009 14:18	Marie D John	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	091750000A	06/25/2009 19:16	Lisa A Reinert	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	091750000A	06/24/2009 18:15	Elaine F Stoltzfus	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5706491

Group No. 1150371
CA

MW-5B-W-090622 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-5B

Collected: 06/22/2009 11:36 by FT

Account Number: 10904

Submitted: 06/23/2009 09:10
Reported: 07/01/2009 at 16:01
Discard: 08/01/2009

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

BOM5B

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
SW-846 8260B	GC/MS Volatiles		ug/l	ug/l	
06067	Benzene	71-43-2	N.D.	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	7	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	N.D.	0.5	1
SW-846 8015B	GC Volatiles		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	220	50	1
SW-846 8015B	GC Extractable TPH		ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	97	50	1

General Sample Comments

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D091793AA	06/28/2009 20:40	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D091793AA	06/28/2009 20:40	Michael A Ziegler	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09176A20A	06/25/2009 14:40	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	09176A20A	06/25/2009 14:40	Marie D John	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	091750000A	06/25/2009 17:10	Lisa A Reinert	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	091750000A	06/24/2009 18:15	Elaine F Stoltzfus	1

Lancaster Laboratories Sample No. WW 5706492
**Group No. 1150371
CA**
MW-6-W-090622 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-6
Collected: 06/22/2009 13:32 by FT
Account Number: 10904
Submitted: 06/23/2009 09:10
Chevron
Reported: 07/01/2009 at 16:01
**6001 Bollinger Canyon Rd L4310
San Ramon CA 94583**
Discard: 08/01/2009
BOMW6

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
SW-846 8260B	GC/MS Volatiles		ug/l	ug/l	
06067	Benzene	71-43-2	370	5	10
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	330	5	10
06067	Methyl Tertiary Butyl Ether	1634-04-4	4	0.5	1
06067	Toluene	108-88-3	210	5	10
06067	Xylene (Total)	1330-20-7	810	5	10
SW-846 8015B	GC Volatiles		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	7,300	250	5
SW-846 8015B	GC Extractable TPH		ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	1,900	50	1

General Sample Comments

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D091793AA	06/28/2009 21:05	Michael A Ziegler	1
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D091793AA	06/28/2009 21:30	Michael A Ziegler	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D091793AA	06/28/2009 21:05	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	2	D091793AA	06/28/2009 21:30	Michael A Ziegler	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09176A20A	06/25/2009 16:50	Marie D John	5
01146	GC VOA Water Prep	SW-846 5030B	1	09176A20A	06/25/2009 16:50	Marie D John	5
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	091750000A	06/25/2009 17:31	Lisa A Reinert	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	091750000A	06/24/2009 18:15	Elaine F Stoltzfus	1

Lancaster Laboratories Sample No. WW 5706493
**Group No. 1150371
CA**
**MW-7-W-090622 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-7**
Collected: 06/22/2009 09:54 by FT
Account Number: 10904
**Submitted: 06/23/2009 09:10
Reported: 07/01/2009 at 16:01
Discard: 08/01/2009**
**Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583**

BOMW7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
SW-846 8260B	GC/MS Volatiles		ug/l	ug/l	
06067	Benzene	71-43-2	N.D.	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	N.D.	0.5	1
SW-846 8015B	GC Volatiles		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
SW-846 8015B	GC Extractable TPH		ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D091793AA	06/28/2009 21:55	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D091793AA	06/28/2009 21:55	Michael A Ziegler	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09176A20A	06/25/2009 15:01	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	09176A20A	06/25/2009 15:01	Marie D John	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	091750000A	06/25/2009 17:52	Lisa A Reinert	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	091750000A	06/24/2009 18:15	Elaine F Stoltzfus	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5706494

Group No. 1150371
CA

MW-9-W-090622 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-9

Collected: 06/22/2009 11:02 by FT

Account Number: 10904

Submitted: 06/23/2009 09:10
Reported: 07/01/2009 at 16:01
Discard: 08/01/2009

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

BOMW9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
SW-846 8260B	GC/MS Volatiles		ug/l	ug/l	
06067	Benzene	71-43-2	N.D.	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	29	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	N.D.	0.5	1
SW-846 8015B	GC Volatiles		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
SW-846 8015B	GC Extractable TPH		ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D091793AA	06/28/2009 22:20	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D091793AA	06/28/2009 22:20	Michael A Ziegler	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09176A20A	06/25/2009 15:23	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	09176A20A	06/25/2009 15:23	Marie D John	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	091750000A	06/25/2009 18:13	Lisa A Reinert	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	091750000A	06/24/2009 18:15	Elaine F Stoltzfus	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-856-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5706495

Group No. 1150371
CA

MW-10-W-090622 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-10

Collected: 06/22/2009 10:28 by FT

Account Number: 10904

Submitted: 06/23/2009 09:10

Chevron

Reported: 07/01/2009 at 16:01

6001 Bollinger Canyon Rd L4310

Discard: 08/01/2009

San Ramon CA 94583

BOM10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
SW-846 8260B	GC/MS Volatiles		ug/l	ug/l	
06067	Benzene	71-43-2	26	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	46	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	0.6	0.5	1
06067	Toluene	108-88-3	14	0.5	1
06067	Xylene (Total)	1330-20-7	79	0.5	1
SW-846 8015B	GC Volatiles		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	970	50	1
SW-846 8015B	GC Extractable TPH		ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	1,100	50	1

General Sample Comments

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D091793AA	06/28/2009 22:44	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D091793AA	06/28/2009 22:44	Michael A Ziegler	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09176A20A	06/25/2009 15:45	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	09176A20A	06/25/2009 15:45	Marie D John	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	091750000A	06/25/2009 19:37	Lisa A Reinert	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	091750000A	06/24/2009 18:15	Elaine F Stoltzfus	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-856-2881 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5706496

Group No. 1150371
CA

MW-11-W-090622 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-11

Collected: 06/22/2009 09:22 by FT

Account Number: 10904

Submitted: 06/23/2009 09:10
Reported: 07/01/2009 at 16:01
Discard: 08/01/2009

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

BOM11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
SW-846 8260B	GC/MS Volatiles		ug/l	ug/l	
06067	Benzene	71-43-2	N.D.	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	N.D.	0.5	1
SW-846 8015B	GC Volatiles		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
SW-846 8015B	GC Extractable TPH		ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D091793AA	06/28/2009 23:09	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D091793AA	06/28/2009 23:09	Michael A Ziegler	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09176A20A	06/25/2009 16:06	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	09176A20A	06/25/2009 16:06	Marie D John	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	091750000A	06/25/2009 18:34	Lisa A Reinert	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	091750000A	06/24/2009 18:15	Elaine F Stoltzfus	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 5706497

Group No. 1150371
CA

MW-12-W-090622 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-12

Collected: 06/22/2009 13:00 by FT

Account Number: 10904

Submitted: 06/23/2009 09:10

Chevron

Reported: 07/01/2009 at 16:01

6001 Bollinger Canyon Rd L4310

Discard: 08/01/2009

San Ramon CA 94583

BOM12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
SW-846 8260B	GC/MS Volatiles		ug/l	ug/l	
06067	Benzene	71-43-2	100	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	35	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	1	0.5	1
06067	Toluene	108-88-3	19	0.5	1
06067	Xylene (Total)	1330-20-7	43	0.5	1
SW-846 8015B	GC Volatiles		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	1,100	50	1
SW-846 8015B	GC Extractable TPH		ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	500	50	1

General Sample Comments

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D091793AA	06/28/2009 23:34	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D091793AA	06/28/2009 23:34	Michael A Ziegler	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09176A20A	06/25/2009 16:28	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	09176A20A	06/25/2009 16:28	Marie D John	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	091750000A	06/25/2009 18:55	Lisa A Reinert	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	091750000A	06/24/2009 18:15	Elaine F Stoltzfus	1

Quality Control Summary

 Client Name: Chevron
 Reported: 07/01/09 at 04:01 PM

Group Number: 1150371

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: D091793AA	Sample number(s): 5706489-5706497							
Benzene	N.D.	0.5	ug/l	84		80-116		
Ethanol	N.D.	50.	ug/l	84		40-158		
Ethylbenzene	N.D.	0.5	ug/l	84		80-113		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	85		78-117		
Toluene	N.D.	0.5	ug/l	83		80-115		
Xylene (Total)	N.D.	0.5	ug/l	84		81-114		
Batch number: F091814AA	Sample number(s): 5706488							
Benzene	N.D.	0.5	ug/l	103	105	80-116	2	30
Ethylbenzene	N.D.	0.5	ug/l	94	95	80-113	2	30
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	100	101	78-117	0	30
Toluene	N.D.	0.5	ug/l	95	95	80-115	0	30
Xylene (Total)	N.D.	0.5	ug/l	94	95	81-114	2	30
Batch number: 09176A20A	Sample number(s): 5706488-5706497							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	118	127	75-135	7	30
Batch number: 091750000A	Sample number(s): 5706489-5706497							
TPH-DRO CA C10-C28	N.D.	32.	ug/l	79	78	56-122	2	20

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: D091793AA	Sample number(s): 5706489-5706497 UNSPK: P705323								
Benzene	116	84	80-126	16	30				
Ethanol	87	107	37-164	20	30				
Ethylbenzene	99	85	77-125	12	30				
Methyl Tertiary Butyl Ether	94	94	72-126	0	30				
Toluene	95	85	80-125	11	30				
Xylene (Total)	98	85	79-125	12	30				
Batch number: F091814AA	Sample number(s): 5706488 UNSPK: P704876								
Benzene	107		80-126						
Ethylbenzene	97		77-125						
Methyl Tertiary Butyl Ether	102		72-126						
Toluene	98		80-125						
Xylene (Total)	96		79-125						

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Chevron
 Reported: 07/01/09 at 04:01 PM

Group Number: 1150371

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 09176A20A	Sample number(s): 5706488-5706497 UNSPK: 5706489								
TPH-GRO N. CA water C6-C12	100		63-154						

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: BTEX, MTBE, ETOH
 Batch number: D091793AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5706489	100	98	96	95
5706490	101	101	96	95
5706491	101	98	97	96
5706492	100	99	97	107
5706493	101	100	95	95
5706494	101	100	95	96
5706495	101	98	96	99
5706496	102	99	96	95
5706497	101	97	96	99
Blank	100	100	97	95
LCS	102	101	97	100
MS	101	101	97	100
MSD	101	98	97	99
Limits:	80-116	77-113	80-113	78-113

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: F091814AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5706488	93	89	86	97
Blank	96	91	90	99
LCS	96	92	89	99
LCS D	96	92	89	100
MS	94	94	89	100
Limits:	80-116	77-113	80-113	78-113

 Analysis Name: TPH-GRO N. CA water C6-C12
 Batch number: 09176A20A

	Trifluorotoluene-F
5706488	87
5706489	87
5706490	88
5706491	98
5706492	102
5706493	87

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 07/01/09 at 04:01 PM

Group Number: 1150371

Surrogate Quality Control

5706494	88
5706495	110
5706496	87
5706497	98
Blank	87
LCS	124
LCSD	122
MS	121

Limits: 63-135

Analysis Name: TPH-DRO CA C10-C28
Batch number: 091750000A
Orthoterphenyl

5706489	79
5706490	75
5706491	95
5706492	81
5706493	73
5706494	75
5706495	90
5706496	80
5706497	104
Blank	80
LCS	113
LCSD	113

Limits: 59-131

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is <CRDL, but ≥IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike amount not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
J Estimated value	U Compound was not detected
N Presumptive evidence of a compound (TICs only)	W Post digestion spike out of control limits
P Concentration difference between primary and confirmation columns >25%	* Duplicate analysis not within control limits
U Compound was not detected	+ Correlation coefficient for MSA <0.995
X,Y,Z Defined in case narrative	

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.