



GETTLER-RYAN Inc.

RECEIVED

8:52 am, Apr 16, 2010

Alameda County
Environmental Health

TRANSMITTAL

December 31, 2009

G-R #386956

TO: Ms. Charlotte Evans
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, California 94608
(VIA PDF)

CC: Mr. Ian Robb
Chevron EMC
6111 Bollinger Canyon Road
Room 3612
San Ramon, California 94583
(NO COPY)

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Texaco Service Station
3810 Broadway
Oakland, California
(Site #211283)
RO 0000056**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	December 21, 2009	Groundwater Monitoring and Sampling Report Second Semi-Annual Event of December 2, 2009

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced items for **your use and distribution (including PDF submittal of the entire report to GeoTracker)**:

Mr. Steven Plunkett, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577 **(Distributed by CRA via PDF)**

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **January 13, 2009**, at which time this final report will be distributed to the following:

cc: Mr. Joe Zadik, 8255 San Leandro Street, Oakland, CA 94621

Enclosures

Trans/211283-1R

6747 Sierra Court, Suite J • Dublin, CA 94568 • (925) 551-7555 • Fax (925) 551-7888
3140 Gold Camp Drive, Suite 170 • Rancho Cordova, CA 95670 • (916) 631-1300 • Fax (916) 631-1317
1364 N. McDowell Blvd., Suite B2 • Petaluma, CA 94954 • (707) 789-3255 • Fax (707) 789-3218



Ian Robb
Project Manager
Marketing Business Unit

Chevron Environmental
Management Company
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-9496
Fax (925) 842-8370
ianrobb@chevron.com

December 31, 2009

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

RE: Chevron Service Station# 211283

Address 3810 Broadway, Oakland, California

I have reviewed the attached routine groundwater monitoring report dated December 31, 2009.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Geffler-Ryan Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink, appearing to read "Ian Robb", written over a horizontal line.

Ian Robb

Attachment: Report



GETTLER - RYAN Inc.



December 21, 2009
G-R Job #386956

Mr. Ian Robb
Chevron Environmental Management Company
6111 Bollinger Canyon Road, Room 3612
San Ramon, CA 94583

RE: Second Semi-Annual Event of December 2, 2009
Groundwater Monitoring & Sampling Report
Former Texaco Service Station
3810 Broadway
Oakland, California
(Site #211283)

Dear Mr. Robb:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.


Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

Douglas J. Lee
Senior Geologist, P.G. No. 6882



- Figure 1: Potentiometric Map
- Table 1: Groundwater Monitoring Data and Analytical Results
- Table 2: Field Measurements
- Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports


WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #211283
 Site Address: 3810 Broadway
 City: Oakland, CA

Job # 386956
 Event Date: 12-2-09
 Sampler: Joe

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient)	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-1	O.K	O.K	(1) of (2) M	O.K	O.K	O.K	Beut	N	N	8" □ / 2	No
MW-4	↓	↓	O.K	O.K	↓	↓	O.K	↓	↓	12" EMCO / 2	↓
MW-5B	↓	↓	↓	(2) of (3) S	↓	↓	↓	↓	↓	8" Boart. L. / 3	↓
MW-6	↓	↓	↓	(1) of (2) S	↓	↓	↓	↓	↓	12" PEMCO / 2	↓
MW-7	↓	↓	↓	O.K	↓	↓	↓	↓	↓	8" □ / 2	↓
MW-9	↓	↓	↓	(1) of (2) S	↓	↓	↓	↓	↓	8" □ / 2	↓
MW-10	↓	↓	↓	Both S	↓	↓	↓	↓	↓	12" EMCO / 2	↓
MW-11	↓	↓	(1) of (2) M	(1) of (2) B (the others)	↓	↓	↓	↓	↓	12" PEMCO / 2	↓
MW-12	↓	↓	O.K	O.K	↓	↓	↓	↓	↓	8" Boart. L. / 3	↓

Comments One MW-1 flange stuck in concrete. Unable to secure bolt.



Source: Figure modified from drawing provided by Delta Environmental and Morrow Surveying dated 06/24/02

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Texaco Service Station
 3810 Broadway
 Oakland, California (Site #211283)

FIGURE
1

PROJECT NUMBER
386956

REVIEWED BY

DATE
December 2, 2009

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)	
MW-1														
06/28/96	86.69	21.77	64.92	--	<50	<100	<0.5	<1.0	<1.0	<2.0	--	--	--	
10/10/96	86.69	23.26	63.43	--	<400	520	9.2	53	17	70	22	16 ¹	--	
11/07/96	86.69	23.27	63.42	--	--	--	--	--	--	--	--	--	--	
12/18/97	86.69	19.70	66.99	--	<50	2,200	<3.0	<3.0	<3.0	<3.0	<200	--	--	
04/06/98	86.69	16.88	69.81	--	<50	1,600	16.4	0.8	<0.5	<0.5	38.3	--	--	
06/18/98	86.69	19.78	66.91	--	280	330	7.8	<0.5	<0.5	<0.5	<0.5	--	--	
08/31/98	86.69	21.71	64.98	--	150	<50	1.5	<0.5	<0.5	<0.5	<2.5	--	--	
12/21/98	86.69	22.15	64.54	--	130	130	2.3	0.90	<0.5	<0.5	110	13	--	
03/24/99	86.69	19.55	67.14	--	305	1,520	11.7	<2.50	<2.50	<2.50	21.6	<25.0	--	
06/25/99	86.69	21.60	65.09	--	207	231	5.29	<0.500	<0.500	<0.500	3.94	1.01	--	
09/24/99	86.69	22.58	64.11	--	71.7	58.6	6.03	<0.500	<0.500	<0.500	3.70	--	--	
12/29/99	86.69	22.81	63.88	--	345	117	4.26	<0.500	<0.500	1.97	26.2	<0.500	--	
03/21/00	86.69	19.00	67.69	--	319	834	<0.500	<0.500	<0.500	<0.500	21.5	--	--	
07/26/00	86.69	21.50	65.19	--	125	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	
09/06/00	86.69	21.90	64.79	--	192	88.1	15.60	<0.500	<0.500	<0.500	--	--	--	
11/29/00	86.92	22.05	64.87	--	331	<50.0	3.52	<0.500	<0.500	<0.500	--	--	--	
03/06/01	86.92	19.79	67.13	--	--	--	--	--	--	--	--	--	--	
03/23/01	86.92	20.15	66.77	--	-- ⁵	204	10.7	<0.500	<0.500	<0.500	--	--	--	
06/19/01 ⁶	86.92	21.78	65.14	--	330	<50	<0.50	<0.50	<0.50	<0.50	--	0.87	--	
09/05/01 ⁶	86.92	24.37	62.55	--	400	74	<0.50	0.63	<0.50	2.7	--	<5.0	--	
12/20/01 ⁶	86.92	20.25	66.67	--	530	59	1.7	<0.50	<0.50	<0.50	--	<5.0	--	
06/25/02	86.69	21.64	65.05	0.00	490 ⁹	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	
09/18/02	86.69	22.44	64.25	0.00	180	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	
12/19/02	86.69	21.49	65.20	0.00	320	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	
03/20/03	86.69	20.92	65.77	0.00	UNABLE TO SAMPLE - BEND IN WELL						--	--	--	--
06/23/03 ¹⁰	86.69	21.34	65.35	0.00	310	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	
09/22/03 ¹⁰	86.69	22.46	64.23	0.00	150	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
12/22/03 ¹⁰	86.69	22.10	64.59	0.00	350	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
03/22/04 ¹⁰	86.69	20.42	66.27	0.00	270	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50	
06/21/04 ¹⁰	86.69	21.93	64.76	0.00	130	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
09/20/04 ¹⁰	86.69	22.99	63.70	0.00	240	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
12/20/04 ¹⁰	86.69	21.78	64.91	0.00	320 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
03/28/05 ¹⁰	86.69	19.28	67.41	0.00	400 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	0.6	<50	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)	
MW-1 (cont)														
06/27/05 ¹⁰	86.69	20.82	65.87	0.00	200 ¹²	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
09/19/05 ¹⁰	86.69	22.17	64.52	0.00	62	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
12/19/05 ¹⁰	86.69	22.06	64.63	0.00	360 ¹⁶	<50	<0.5	0.8	<0.5	<0.5	--	<0.5	<50	
03/27/06 ¹⁰	86.69	18.27	68.42	0.00	320	77	<0.5	0.5	2	4	--	0.7	<50	
06/26/06 ¹⁰	86.69	20.20	66.49	0.00	290	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
09/25/06 ¹⁰	86.69	21.86	64.83	0.00	270	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
12/18/06	86.69	21.60	65.09	UNABLE TO SAMPLE - DUE TO BENT WELL CASING						--	--	--	--	--
03/19/07 ¹⁰	NP ¹⁸	86.69	20.82	65.87	0.00	630	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/25/07 ¹⁰	NP ¹⁸	86.69	28.62	58.07	0.00	4,100 ¹⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/24/07	86.69	DRY	--	--	--	--	--	--	--	--	--	--	--	
12/18/07	86.69	29.35	57.34	UNABLE TO SAMPLE - DUE TO INSUFFICIENT WATER						--	--	--	--	
03/11/08	86.69	28.41	58.28	UNABLE TO SAMPLE - DUE TO BENT WELL CASING						--	--	--	--	
06/11/08 ¹⁰	NP ¹⁸	86.69	25.87	60.82	0.00	2,200	760	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/22/08 ¹⁰	NP ¹⁸	86.69	24.18	62.51	0.00	700	190	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/22/08 ¹⁰	86.69	23.30	63.39	0.00	290	65	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
03/23/09 ¹⁰	NP ¹⁸	86.69	21.35	65.34	0.00	1,500	<50	<0.5	<0.5	<0.5	<0.5	--	0.9	<50
06/22/09 ¹⁰	NP ¹⁸	86.69	22.06	64.63	0.00	87	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/02/09 ¹⁰	86.69	25.02	61.67	0.00	530	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50	
MW-4														
06/28/96	83.31	18.83	64.48	--	<50	<100	<0.5	<1.0	<1.0	<2.0	--	--	--	
10/10/96	83.31	19.84	63.47	--	<50	650	3.9	65	22	120	<5.0	--	--	
11/07/96	83.31	19.84	63.47	--	--	--	--	--	--	--	--	--	--	
12/18/97	83.31	17.77	65.54	--	2,000	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--	
04/06/98	83.31	15.45	67.86	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--	
06/18/98	83.31	16.89	66.42	--	53	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	
08/31/98	83.31	18.48	64.83	--	60	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
12/21/98	83.31	18.80	64.51	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
03/24/99	83.31	16.70	66.61	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	--	--	
06/25/99	83.31	18.16	65.15	--	128	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	--	--	
09/24/99	83.31	19.12	64.19	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	
12/29/99	83.31	19.08	64.23	--	169	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--	--	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (fL)	DTW (fL)	GWE (msl)	SPHT (f.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-4 (cont)													
03/21/00	83.31	16.10	67.21	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
07/26/00	83.31	OBSTRUCTION IN WELL		--	--	--	--	--	--	--	--	--	--
09/06/00	83.31	18.52	64.79	--	-- ⁵	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
11/29/00	83.63	18.75	64.88	--	183	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
03/06/01	83.63	17.81	65.82	--	50.9	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
06/19/01 ⁶	83.63	18.55	65.08	--	<50	<50	<0.50	<0.50	<0.50	<0.50	--	<0.50	--
09/05/01 ⁶	83.63	19.10	64.53	--	710	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--
12/20/01 ⁶	83.63	17.55	66.08	--	460	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--
06/25/02	83.31	18.39	64.92	0.00	250	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/18/02	83.31	19.16	64.15	0.00	160	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/19/02	83.31	18.14	65.17	0.00	56	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/20/03	83.31	17.76	65.55	0.00	180	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/23/03 ¹⁰	83.31	18.13	65.18	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/22/03 ¹⁰	83.31	19.08	64.23	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/22/03 ¹⁰	83.31	18.78	64.53	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/22/04 ¹⁰	83.31	17.31	66.00	0.00	130	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/21/04 ¹⁰	83.31	18.67	64.64	0.00	87	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/20/04 ¹⁰	83.31	19.58	63.73	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/20/04 ¹⁰	83.31	18.59	64.72	0.00	66 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/28/05 ¹⁰	83.31	16.82	66.49	0.00	71 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/27/05 ¹⁰	83.31	17.61	65.70	0.00	120 ¹²	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/19/05 ¹⁰	83.31	19.00	64.31	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/19/05 ¹⁰	83.31	18.69	64.62	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/27/06 ¹⁰	83.31	15.05	68.26	0.00	160	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/26/06 ¹⁰	83.31	16.81	66.50	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/25/06 ¹⁰	83.31	18.59	64.72	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/18/06 ¹⁰	83.31	18.26	65.05	0.00	250	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/19/07 ¹⁰	83.31	17.62	65.69	0.00	93	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/25/07 ¹⁰	83.31	24.82	58.49	0.00	4,600 ¹⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/24/07 ¹⁰	83.31	26.76	56.55	0.00	4,300	94	<0.5	<0.5	<0.5	<0.5	--	0.6	<50
12/18/07 ¹⁰	83.31	25.91	57.40	0.00	3,700	<50	<0.5	<0.5	<0.5	<0.5	--	0.6	<50
03/11/08 ¹⁰	83.31	25.15	58.16	0.00	430	54	<0.5	<0.5	<0.5	<0.5	--	0.6	<50
06/11/08 ¹⁰	83.31	22.53	60.78	0.00	520	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-4 (cont)													
09/22/08 ¹⁰	83.31	20.99	62.32	0.00	59	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/22/08 ¹⁰	83.31	19.93	63.38	0.00	260	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/23/09 ¹⁰	83.31	18.17	65.14	0.00	74	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/22/09 ¹⁰	83.31	18.90	64.41	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/02/09 ¹⁰	83.31	21.63	61.68	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
MW-5B													
06/25/02 ⁷	85.36	20.48	64.88	0.00	320	660	89	1.9	39	11	130	--	--
09/18/02	85.36	21.18	64.18	0.00	480	1,100	220	1.2	19	<1.5	35	--	--
12/19/02	85.36	20.36	65.00	0.00	330	<50	<0.50	<0.50	<0.50	<1.5	190	--	--
03/20/03	85.36	INACCESSIBLE - VEHICLE OVER WELL				--	--	--	--	--	--	--	--
06/23/03 ¹⁰	85.36	20.18	65.18	0.00	300	<50	<0.5	<0.5	<0.5	<0.5	--	290	--
09/22/03 ¹⁰	85.36	21.19	64.17	0.00	200	91	19	<0.5	3	<0.5	--	260	<50
12/22/03 ¹⁰	85.36	20.85	64.51	0.00	410	99	18	<0.5	<0.5	<0.5	--	52	<50
03/22/04 ¹⁰	85.36	19.26	66.10	0.00	400	<50	<0.5	<0.5	<0.5	<0.5	--	210	<50
06/21/04 ¹⁰	85.36	20.70	64.66	0.00	270	<50	<0.5	<0.5	<0.5	<0.5	--	100	<50
09/20/04 ¹⁰	85.36	21.69	63.67	0.00	430	<50	<0.5	<0.5	<0.5	<0.5	--	9	<50
12/20/04 ¹⁰	85.36	20.56	64.80	0.00	400 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	48	<50
03/28/05 ¹⁰	85.36	18.12	67.24	0.00	480 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	67	<50
06/27/05 ¹⁰	85.36	19.61	65.75	0.00	350 ¹³	<50	<0.5	<0.5	<0.5	<0.5	--	57	<50
09/19/05 ¹⁰	85.36	20.88	64.48	0.00	220	<50	<0.5	<0.5	<0.5	<0.5	--	32	<50
12/19/05 ¹⁰	85.36	20.74	64.62	0.00	330 ¹⁶	<50	<0.5	<0.5	<0.5	<0.5	--	21	<50
03/27/06 ¹⁰	85.36	17.10	68.26	0.00	550	<50	<0.5	<0.5	<0.5	<0.5	--	31	<50
06/26/06 ¹⁰	85.36	19.05	66.31	0.00	410	<50	<0.5	<0.5	<0.5	<0.5	--	30	<50
09/25/06 ¹⁰	85.36	20.61	64.75	0.00	320	<50	<0.5	<0.5	<0.5	<0.5	--	25	<50
12/18/06 ¹⁰	85.36	20.35	65.01	0.00	580	<50	<0.5	<0.5	<0.5	<0.5	--	14	<50
03/19/07 ¹⁰	85.36	19.62	65.74	0.00	170	<50	<0.5	<0.5	<0.5	<0.5	--	24	<50
06/25/07 ¹⁰	85.36	26.94	58.42	0.00	950 ¹⁹	250 ¹⁹	2	<0.5	0.6	1	--	15	<50
09/24/07 ¹⁰	85.36	28.78	56.58	0.00	1,300	1,900	5	0.6	3	5	--	25	<50
12/18/07 ¹⁰	85.36	27.98	57.38	0.00	560	2,100	19	<0.5	2	4	--	28	<50
03/11/08 ¹⁰	85.36	27.17	58.19	0.00	290	640	16	<0.5	4	0.5	--	38	<50
06/11/08 ¹⁰	85.36	24.51	60.85	0.00	280	1,100	20	<0.5	6	1	--	21	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-5B (cont)													
09/22/08 ¹⁰	85.36	22.85	62.51	0.00	110	280	9	<0.5	<0.5	<0.5	--	22	<50
12/22/08 ¹⁰	85.36	22.00	63.36	0.00	220	200	2	<0.5	<0.5	<0.5	--	25	<50
03/23/09 ¹⁰	85.36	20.20	65.16	0.00	240	97	<0.5	<0.5	<0.5	<0.5	--	11	<50
06/22/09 ¹⁰	85.36	20.92	64.44	0.00	97	220	<0.5	<0.5	<0.5	<0.5	--	7	<50
12/02/09 ¹⁰	85.36	23.74	61.62	0.00	130	130	<0.5	<0.5	<0.5	<0.5	--	8	<50
MW-6													
10/10/96	86.09	22.44	63.65	--	500	45,000	8,300	2,900	810	3,100	190	40 ¹	--
11/07/96	86.09	22.60	63.49	--	--	--	--	--	--	--	--	--	--
12/18/97	86.09	22.28	63.81	--	1,900	60,000	12,000	9,800	1,800	8,600	<2,000	--	--
04/06/98	86.09	19.90	66.19	--	<50	30,500	5,950	3,720	952	3,750	<1,000	--	--
06/18/98	86.09	20.49	65.60	--	1,100	23,000	2,600	540	410	1,300	<250	--	--
08/31/98	86.09	21.05	65.04	--	1,800	17,000	3,400	460	530	1,800	<250	--	--
12/21/98	86.09	21.74	64.35	--	930	7,900	1,900	510	280	730	150	2.6	--
03/24/99	86.09	21.18	64.91	--	763	12,200	1,970	327	338	794	<40.0	<50.0	--
06/25/99	86.09	21.34	64.75	--	1,050	14,800	2,040	1,080	406	1,430	<40.0	--	--
09/24/99	86.09	22.28	63.81	--	1,720	17,200	2,810	1,330	489	2,340	<50.0	--	--
12/29/99	86.09	24.96	61.13	--	1,480	14,700	2,790	974	469	1,720	<500	--	--
03/21/00	86.09	18.70	67.39	--	1,120	20,000	4,160	962	719	2,330	<250	--	--
07/26/00	86.09	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
09/06/00	86.09	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--
11/29/00	86.48	21.30	65.18	--	2,060	22,800	4,120	2,010	872	3,180	--	--	--
03/06/01	86.48	19.05	67.43	--	2,220	32,100	3,760	4,590	1,160	5,360	--	--	--
06/19/01 ⁶	86.48	21.11	65.37	--	<1,500	40,000	2,800	6,000	1,200	5,300	--	<25	--
09/05/01 ⁶	86.48	21.37	65.11	--	<1,000	18,000	3,800	800	730	1,400	--	<200	--
12/20/01 ⁶	86.48	19.80	66.68	--	<1,300	29,000	2,600	3,700	1,100	4,100	--	<100	--
06/25/02	86.09	21.13	64.96	0.00	2,500	21,000	2,200	1,800	850	2,100	<100	--	--
09/18/02	86.09	22.00	64.09	0.00	1,300	13,000	1,700	480	610	970	110	--	--
12/19/02	86.09	20.98	65.11	0.00	2,700	20,000	2,900	620	770	2,100	<20	--	--
03/20/03	86.09	20.23	65.86	0.00	2,600	23,000	1,500	2,200	920	3,400	<100	--	--
06/23/03 ¹⁰	86.09	20.96	65.13	0.00	2,400	21,000	2,000	1,400	890	2,500	--	6	--
09/22/03 ¹⁰	86.09	21.95	64.14	0.00	1,800	7,400	920	220	360	580	--	5	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (fL)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-6 (cont)													
12/22/03 ¹⁰	86.09	21.63	64.46	0.00	2,300	9,700	1,700	240	450	1,000	--	6	<100 ¹¹
03/22/04 ¹⁰	86.09	20.31	65.78	0.00	2,700	23,000	1,500	1,400	830	2,800	--	4	<250
06/21/04 ¹⁰	86.09	20.64	65.45	0.00	2,800	20,000	2,000	2,300	1,100	3,800	--	4	<130
09/20/04 ¹⁰	86.09	22.29	63.80	0.00	1,300	4,600	480	65	200	260	--	4	<100
12/20/04 ¹⁰	86.09	21.33	64.76	0.00	1,500	9,500	1,500	220	450	840	--	5	<250
03/28/05 ¹⁰	86.09	19.65	66.44	0.00	2,400 ⁹	13,000	1,100	550	600	1,600	--	3	<250
06/27/05 ¹⁰	86.09	19.86	66.23	0.00	2,100 ¹⁴	15,000	1,100	1,300	790	2,600	--	3	<100
09/19/05 ¹⁰	86.09	20.49	65.60	0.00	2,300	18,000	1,300	1,200	800	2,500	--	3	<100
12/19/05 ¹⁰	86.09	21.49	64.60	0.00	1,900 ¹⁴	13,000	1,900	190	620	890	--	5	110
03/27/06 ¹⁰	86.09	18.28	67.81	0.00	1,300	14,000	740	420	600	1,400	--	2	<50
06/26/06 ¹⁰	86.09	19.08	67.01	0.00	2,300	23,000	660	1,700	870	3,000	--	<3	<250
09/25/06 ¹⁰	86.09	20.02	66.07	0.00	2,100	18,000	580	1,200	760	2,600	--	1	<100
12/18/06 ¹⁰	86.09	20.57	65.52	0.00	2,700	14,000	1,200	370	680	1,300	--	4	<50
03/19/07 ¹⁰	86.09	20.56	65.53	0.00	2,700	17,000	990	560	840	2,100	--	3	<100
06/25/07	86.09	DRY	--	--	--	--	--	--	--	--	--	--	--
09/24/07	86.09	DRY	--	--	--	--	--	--	--	--	--	--	--
12/18/07	86.09	DRY	--	--	--	--	--	--	--	--	--	--	--
03/11/08	86.09	DRY	--	--	--	--	--	--	--	--	--	--	--
06/11/08 ¹⁰	86.09	25.35	60.74	0.00	820	1,400	110	<0.5	6	0.8	--	4	<50
09/22/08 ¹⁰	86.09	23.51	62.58	0.00	780	1,400	52	<0.5	6	1	--	6	<50
12/22/08 ¹⁰	86.09	22.75	63.34	0.00	880	1,100	39	<0.5	1	<0.5	--	6	<50
03/23/09 ¹⁰	86.09	20.48	65.61	0.00	2,100	7,900	460	140	470	1,200	--	3	<50
06/22/09 ¹⁰	86.09	21.40	64.69	0.00	1,900	7,300	370	210	330	810	--	4	<50
12/02/09 ¹⁰	86.09	24.48	61.61	0.00	1,200	3,200	170	10	39	42	--	3	<50
MW-7													
10/10/96	84.11	20.78	63.33	--	<50	<50	0.6	<0.5	<0.5	<0.5	<5.0	--	--
11/07/96	84.11	20.80	63.31	--	--	--	--	--	--	--	--	--	--
12/18/97	84.11	17.27	66.84	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--
04/06/98	84.11	15.91	68.20	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--
06/18/98	84.11	17.95	66.16	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/98	84.11	19.40	64.71	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-7 (cont)													
12/21/98	84.11	19.75	64.36	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/24/99	84.11	17.54	66.57	--	51.3	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	--	--
06/25/99	84.11	19.22	64.89	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	--	--
09/24/99	84.11	20.18	63.93	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
12/29/99	84.11	20.15	63.96	--	99.0	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--	--
03/21/00	84.11	16.35	67.76	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
07/26/00	84.11	18.99	65.12	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
09/06/00	84.11	19.49	64.62	--	-- ⁵	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
11/29/00	84.44	19.52	64.92	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
03/06/01	84.44	17.15	67.29	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
06/19/01 ⁶	84.44	19.30	65.14	--	<50	<50	<0.50	<0.50	<0.50	<0.50	--	<0.50	--
09/05/01 ⁶	84.44	20.22	64.22	--	<50	<50	0.64	0.84	0.94	5.2	--	<5.0	--
12/20/01 ⁶	84.44	17.85	66.59	--	<50	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--
06/25/02	84.11	19.30	64.81	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/18/02	84.11	20.10	64.01	0.00	170	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/19/02	84.11	18.73	65.38	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/20/03	84.11	18.86	65.25	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/23/03 ¹⁰	84.11	19.00	65.11	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/22/03 ¹⁰	84.11	20.05	64.06	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/22/03 ¹⁰	84.11	19.72	64.39	0.00	72	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/22/04 ¹⁰	84.11	17.94	66.17	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/21/04 ¹⁰	84.11	19.53	64.58	0.00	73	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/20/04 ¹⁰	84.11	20.59	63.52	0.00	69	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/20/04 ¹⁰	84.11	19.43	64.68	0.00	67 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/28/05 ¹⁰	84.11	16.68	67.43	0.00	69 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/27/05 ¹⁰	84.11	18.43	65.68	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/19/05 ¹⁰	84.11	19.77	64.34	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/19/05 ¹⁰	84.11	19.38	64.73	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/27/06 ¹⁰	84.11	15.51	68.60	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/26/06 ¹⁰	84.11	17.85	66.26	0.00	70	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/25/06 ¹⁰	84.11	19.53	64.58	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/18/06 ¹⁰	84.11	19.28	64.83	0.00	270	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/19/07 ¹⁰	84.11	18.32	65.79	0.00	81	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-7 (cont)													
06/25/07 ¹⁰	84.11	26.92	57.19	0.00	65	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
09/24/07 ¹⁰	84.11	28.32	55.79	0.00	<150	<50	<0.5	<0.5	<0.5	<0.5	--	0.7	<50
12/18/07 ¹⁰	84.11	27.61	56.50	0.00	130	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
03/11/08 ¹⁰	84.11	26.63	57.48	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/11/08 ¹⁰	84.11	23.43	60.68	0.00	98	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/22/08 ¹⁰	84.11	21.69	62.42	0.00	54	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/22/08 ¹⁰	84.11	20.78	63.33	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/23/09 ¹⁰	NP ²²	84.11	18.45	65.66	0.00	58	<50	<0.5	<0.5	<0.5	--	<0.5	<50
06/22/09 ¹⁰	84.11	19.70	64.41	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/02/09 ¹⁰	84.11	22.40	61.71	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
MW-9													
10/10/96	82.17	18.62	63.55	--	520	80	2.5	13	2.2	13	<5.0	--	--
11/07/96	82.17	63.53	18.64	--	--	--	--	--	--	--	--	--	--
12/18/97	82.17	16.42	65.75	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--
04/06/98	82.17	14.00	68.17	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<30	--	--
06/18/98	82.17	15.33	66.84	--	100	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--
08/31/98	82.17	17.14	65.03	--	57	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
12/21/98	82.17	17.40	64.77	--	71	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--
03/24/99	82.17	16.22	65.95	--	84.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	--	--
06/25/99	82.17	16.90	65.27	--	92.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.00	--	--
09/24/99	82.17	17.89	64.28	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
12/29/99	82.17	18.01	64.16	--	52.8	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	--	--
03/21/00	82.17	14.80	67.37	--	72.4	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
07/26/00	82.17	17.17	65.00	--	83.6	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--
09/06/00	82.17	17.95	64.22	--	74.3	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
11/29/00	82.52	18.10	64.42	--	96.2	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
03/06/01	82.52	16.75	65.77	--	94.2	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
06/19/01 ⁶	82.52	17.83	64.69	--	<50	<50	<0.50	<0.50	<0.50	<0.50	--	<0.50	--
09/05/01 ⁶	82.52	17.98	64.54	--	<50	<50	<0.50	<0.50	<0.50	1.6	--	<5.0	--
12/20/01 ⁶	82.52	16.85	65.67	--	84	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--
06/25/02	82.17	17.12	65.05	0.00	100	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-9 (cont)													
09/18/02	82.17	17.76	64.41	0.00	170	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/19/02	82.17	16.83	65.34	0.00	73	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/20/03	82.17	16.61	65.56	0.00	87	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/23/03 ¹⁰	82.17	17.14	65.03	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	0.7	--
09/22/03 ¹⁰	82.17	17.72	64.45	0.00	66	<50	<0.5	<0.5	<0.5	<0.5	--	0.7	<50
12/22/03 ¹⁰	82.17	17.44	64.73	0.00	94	<50	<0.5	<0.5	<0.5	<0.5	--	0.7	<50
03/22/04 ¹⁰	82.17	16.07	66.10	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	0.7	<50
06/21/04 ¹⁰	82.17	17.38	64.79	0.00	80	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
09/20/04 ¹⁰	82.17	18.14	64.03	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
12/20/04 ¹⁰	82.17	17.15	65.02	0.00	74 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
03/28/05 ¹⁰	82.17	15.47	66.70	0.00	84 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	3	<50
06/27/05 ¹⁰	82.17	16.41	65.76	0.00	140 ¹²	<50	<0.5	<0.5	<0.5	<0.5	--	3	<50
09/19/05 ¹⁰	82.17	17.42	64.75	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	5	<50
12/19/05 ¹⁰	82.17	17.93	64.24	0.00	52 ¹⁷	<50	<0.5	<0.5	<0.5	<0.5	--	5	<50
03/27/06 ¹⁰	82.17	13.75	68.42	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	7	<50
06/26/06 ¹⁰	82.17	15.90	66.27	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	--	9	<50
09/25/06 ¹⁰	82.17	17.27	64.90	0.00	57	<50	<0.5	<0.5	<0.5	<0.5	--	8	<50
12/18/06 ¹⁰	82.17	16.67	65.50	0.00	220	<50	<0.5	<0.5	<0.5	<0.5	--	7	<50
03/19/07 ¹⁰	82.17	16.16	66.01	0.00	210	<50	<0.5	<0.5	<0.5	<0.5	--	9	<50
06/25/07 ¹⁰	82.17	23.84	58.33	0.00	74	<50	<0.5	<0.5	<0.5	<0.5	--	6	<50
09/24/07 ¹⁰	82.17	25.68	56.49	0.00	280	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
12/18/07	82.17	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--
03/11/08 ¹⁰	82.17	24.07	58.10	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/11/08 ¹⁰	82.17	21.23	60.94	0.00	120	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/22/08 ¹⁰	82.17	19.52	62.65	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
11/06/08 ¹⁰	82.17	19.15	63.02	0.00	<50 ²¹	--	--	--	--	--	--	--	--
12/22/08 ¹⁰	82.17	18.58	63.59	0.00	190	<50	<0.5	<0.5	<0.5	<0.5	--	7	<50
03/23/09	82.17	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--
06/22/09 ¹⁰	82.17	17.60	64.57	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	29	<50
12/02/09 ¹⁰	82.17	20.44	61.73	0.00	90	<50	<0.5	<0.5	<0.5	<0.5	--	21	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-10													
10/10/96	81.83	18.40	63.43	--	<50	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--
11/07/96	81.83	18.43	63.40	--	--	--	--	--	--	--	--	--	--
12/18/97	81.83	16.18	65.65	--	<50	350	6.9	0.87	0.88	0.77	<30	--	--
04/06/98	81.83	14.39	67.44	--	<50	2,300	224	168	81.4	253	<30	--	--
06/18/98	81.83	15.11	66.72	--	320	7,200	310	210	83	280	<0.5	--	--
08/31/98	81.83	17.03	64.80	--	120	460	51	8.2	5.1	10	<5.0	--	--
12/21/98	81.83	17.32	64.51	--	79	120	5.5	<1.0	<1.0	<1.0	8.7	<2.0	--
03/24/99	81.83	15.25	66.58	--	923	1,330	85.9	42.9	29.7	95.2	20.4	<25.0	--
06/25/99	81.83	16.82	65.01	--	167	1,130	115	32.6	17.2	36.3	<4.00	--	--
09/24/99	81.83	17.75	64.08	--	76.7	382	20.0	<1.00	2.21	1.37	8.83	--	--
12/29/99	81.83	18.13	63.70	--	107	114	9.03	<0.500	0.531	<0.500	<5.00	--	--
03/21/00	81.83	14.22	67.61	--	194	1,270	86.3	52.3	38.1	102	19.5	--	--
07/26/00	81.83	16.61	65.22	--	192	562	74.8	7.51	24.3	14.8	13.3	<1.00 ⁴	--
09/06/00	81.83	17.08	64.75	--	205	606	93.4	5.36	16.7	38.9	--	--	--
11/29/00	82.16	16.90	65.26	--	258	583	40.0	1.46	4.69	15.8	--	--	--
03/06/01	82.16	14.80	67.36	--	199	837	34.2	26.4	20.8	27.5	--	--	--
06/19/01 ⁶	82.16	16.85	65.31	--	<50	400	47	2.6	8.8	17	--	0.60	--
09/05/01 ⁶	82.16	17.87	64.29	--	<100	230	20	<0.50	1.2	5.3	--	<5.0	--
12/20/01 ⁶	82.16	15.54	66.62	--	110	300	13	2.5	1.7	4.6	--	<5.0	--
06/25/02	81.83	16.93	64.90	0.00	180	810	180	3.2	17	8.0	<2.5	--	--
09/18/02	81.83	17.68	64.15	0.00	200	260	24	<2.0	2.5	5.0	2.9	--	--
12/19/02	81.83	16.36	65.47	0.00	86	360	25	0.60	<0.50	1.5	<5.0	--	--
03/20/03	81.83	16.32	65.51	0.00	200	620	21	5.3	6.0	13	<10	--	--
06/23/03 ¹⁰	81.83	16.57	65.26	0.00	290	1,500	170	23	40	93	--	0.7	--
09/22/03 ¹⁰	81.83	17.60	64.23	0.00	180	480	48	3	7	17	--	0.8	<50
12/22/03 ¹⁰	81.83	17.31	64.52	0.00	120	230	7	<0.5	<0.5	1	--	0.9	<50
03/22/04 ¹⁰	81.83	15.58	66.25	0.00	230	1,500	72	26	30	82	--	0.7	<50
06/21/04 ¹⁰	81.83	17.12	64.71	0.00	220	1,000	120	29	47	73	--	2	<50
09/20/04 ¹⁰	81.83	18.12	63.71	0.00	230	470	36	5	6	20	--	2	<50
12/20/04 ¹⁰	81.83	17.01	64.82	0.00	170 ⁹	480	13	2	1	7	--	2	<50
03/28/05 ¹⁰	81.83	14.64	67.19	0.00	450 ⁹	1,900	64	46	55	140	--	1	<50
06/27/05 ¹⁰	81.83	15.99	65.84	0.00	400 ¹⁵	1,700	140	61	33	180	--	3	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-10 (cont)													
09/19/05 ¹⁰	81.83	17.35	64.48	0.00	170	1,200	98	35	58	110	--	5	<50
12/19/05 ¹⁰	81.83	17.12	64.71	0.00	160 ¹⁴	1,000	61	23	20	47	--	5	<50
03/27/06 ¹⁰	81.83	13.35	68.48	0.00	180	670	6	4	8	11	--	5	<50
06/26/06 ¹⁰	81.83	15.10	66.73	0.00	580	4,700	220	110	150	390	--	0.8	<50
09/25/06 ¹⁰	81.83	17.10	64.73	0.00	480	4,400	290	180	200	350	--	4	<50
12/18/06 ¹⁰	81.83	16.75	65.08	0.00	2,900	2,500	270	97	97	170	--	1	<50
03/19/07 ¹⁰	81.83	15.91	65.92	0.00	650	2,000	150	43	52	88	--	1	<50
06/25/07 ¹⁰	81.83	24.41	57.42	0.00	7,600 ¹⁹	<50 ¹⁹	<0.5	<0.5	<0.5	<0.5	--	4	<50
09/24/07 ¹⁰	81.83	25.96	55.87	0.00	8,400	88	<0.5	<0.5	<0.5	<0.5	--	2	<50
12/18/07	81.83	INACCESSIBLE - WELL UNDER WATER				--	--	--	--	--	--	--	--
03/11/08 ¹⁰	81.83	24.56	57.27	0.00	1,200	190	1	<0.5	<0.5	<0.5	--	2	<50
06/11/08 ¹⁰	81.83	20.97	60.86	0.00	2,500	190	2	<0.5	<0.5	<0.5	--	2	<50
09/22/08 ¹⁰	81.83	19.27	62.56	0.00	--	500	2	<0.5	<0.5	<0.5	--	0.7	<50
11/06/08 ¹⁰	81.83	18.92	62.91	0.00	550 ²¹	--	--	--	--	--	--	--	--
12/22/08 ¹⁰	81.83	18.38	63.45	0.00	750	530	1	<0.5	<0.5	<0.5	--	0.8	<50
03/23/09	81.83	INACCESSIBLE				--	--	--	--	--	--	--	--
06/22/09 ¹⁰	81.83	17.45	64.38	0.00	1,100	970	26	14	46	79	--	0.6	<50
12/02/09 ¹⁰	81.83	20.12	61.71	0.00	86	170	1	<0.5	<0.5	0.9	--	0.9	<50
MW-11													
08/08/00	--	25.61	--	--	--	--	--	--	--	--	--	--	--
08/16/00	--	25.50	--	--	56.80	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
09/06/00	--	25.90	--	--	-- ⁵	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
11/29/00	90.63	25.80	64.83	--	63.8	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
03/06/01	90.63	23.32	67.31	--	<50.0	<50.0	<0.500	<0.500	<0.500	<0.500	--	--	--
06/19/01 ⁶	90.63	25.57	65.06	--	<50	<50	<0.50	<0.50	<0.50	<0.50	--	<0.50	--
09/05/01 ⁶	90.63	26.42	64.21	--	<50	<50	<0.50	<0.50	<0.50	0.68	--	<5.0	--
12/20/01 ⁶	90.63	24.27	66.36	--	<50	<50	<0.50	<0.50	<0.50	<0.50	--	<5.0	--
06/25/02	-- ⁸	25.51	-- ⁸	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/18/02	-- ⁸	26.31	-- ⁸	0.00	80	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/19/02	-- ⁸	25.08	-- ⁸	0.00	<50	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/20/03	-- ⁸	24.87	-- ⁸	0.00	<50	<50	<0.50	0.51	<0.50	<1.5	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (fL)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-11 (cont)													
06/23/03 ¹⁰	-- ⁸	25.21	-- ⁸	0.00	140	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/22/03 ¹⁰	-- ⁸	26.26	-- ⁸	0.00	52	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
12/22/03 ¹⁰	-- ⁸	25.97	-- ⁸	0.00	69	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
03/22/04 ¹⁰	-- ⁸	24.13	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/21/04 ¹⁰	-- ⁸	25.74	-- ⁸	0.00	79	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/20/04 ¹⁰	-- ⁸	26.83	-- ⁸	0.00	140	<50	<0.5	<0.5	<0.5	<0.5	--	4	<50
12/20/04 ¹⁰	-- ⁸	25.67	-- ⁸	0.00	54 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	3	<50
03/28/05 ¹⁰	-- ⁸	23.03	-- ⁸	0.00	58 ⁹	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/27/05 ¹⁰	-- ⁸	24.61	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/19/05 ¹⁰	-- ⁸	25.98	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	0.6	<50
12/19/05 ¹⁰	-- ⁸	25.93	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
03/27/06 ¹⁰	-- ⁸	21.81	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/26/06 ¹⁰	-- ⁸	24.00	-- ⁸	0.00	64	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/25/06 ¹⁰	-- ⁸	25.75	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/18/06 ¹⁰	-- ⁸	25.55	-- ⁸	0.00	140	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
03/19/07 ¹⁰	-- ⁸	24.58	-- ⁸	0.00	63	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/25/07 ¹⁰	-- ⁸	32.81	-- ⁸	0.00	130	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
09/24/07 ¹⁰	-- ⁸	34.24	-- ⁸	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
12/18/07 ¹⁰	-- ⁸	33.52	-- ⁸	0.00	90	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
03/11/08 ¹⁰	-- ⁸	32.55	-- ⁸	0.00	52	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/11/08 ¹⁰	-- ⁸	29.77	-- ⁸	0.00	96	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/22/08 ¹⁰	-- ⁸	27.91	-- ⁸	0.00	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
11/06/08 ¹⁰	-- ⁸	27.65	-- ⁸	0.00	<50 ²¹	--	--	--	--	--	--	--	--
12/22/08 ¹⁰	-- ⁸	27.03	-- ⁸	0.00	61	<50	<0.5	<0.5	<0.5	<0.5	--	0.6	<50
03/23/09 ¹⁰	-- ⁸	25.03	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
06/22/09 ¹⁰	-- ⁸	25.84	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/02/09 ¹⁰	-- ⁸	28.54	-- ⁸	0.00	<50	<50	<0.5	<0.5	<0.5	0.8	--	<0.5	<50
MW-12													
06/25/02 ⁷	84.19	18.65	65.54	0.00	410	1,000	340	8.2	16	8.3	11	--	--
09/18/02	84.19	19.67	64.52	0.00	230	130	52	<0.50	<0.50	<1.5	9.8	--	--
12/19/02	84.19	18.67	65.52	0.00	450	<50	11	<0.50	<0.50	<1.5	<2.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (fL)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-12 (cont)													
03/20/03	84.19	17.97	66.22	0.00	300	280	120	1.9	11	<1.5	2.6	--	--
06/23/03 ¹⁰	84.19	18.27	65.92	0.00	400	400	130	4	1	0.7	--	14	--
09/22/03 ¹⁰	84.19	19.52	64.67	0.00	270	<50	9	<0.5	<0.5	<0.5	--	9	<50
12/22/03 ¹⁰	84.19	19.75	64.44	0.00	130	720	130	29	10	46	--	2	<50
03/22/04 ¹⁰	84.19	17.06	67.13	0.00	240	<50	3	<0.5	<0.5	1	--	0.5	<50
06/21/04 ¹⁰	84.19	18.82	65.37	0.00	350	140	43	<0.5	<0.5	<0.5	--	8	<50
09/20/04 ¹⁰	84.19	19.99	64.20	0.00	340	<50	<0.5	<0.5	<0.5	<0.5	--	2	<50
12/20/04 ¹⁰	84.19	19.46	64.73	0.00	160 ⁹	1,300	400	28	31	31	--	1	<50
03/28/05 ¹⁰	84.19	16.42	67.77	0.00	440 ⁹	90	24	<0.5	<0.5	<0.5	--	1	<50
06/27/05 ¹⁰	84.19	17.53	66.66	0.00	170 ¹³	<50	<0.5	<0.5	<0.5	<0.5	--	1	<50
09/19/05 ¹⁰	84.19	19.04	65.15	0.00	190	<50	<0.5	<0.5	<0.5	<0.5	--	3	<50
12/19/05 ¹⁰	84.19	19.41	64.78	0.00	340 ¹³	330	94	5	1	3	--	2	<50
03/27/06 ¹⁰	84.19	15.45	68.74	0.00	140	130	33	0.7	1	4	--	0.8	<50
06/26/06 ¹⁰	84.19	16.70	67.49	0.00	220	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
09/25/06 ¹⁰	84.19	18.81	65.38	0.00	200	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50
12/18/06 ¹⁰	84.19	18.94	65.25	0.00	410	240	68	5	1	1	--	1	<50
03/19/07 ¹⁰	84.19	17.83	66.36	0.00	200	55	7	<0.5	<0.5	<0.5	--	2	<50
06/25/07 ¹⁰	84.19	25.80	58.39	0.00	1,600 ¹⁹	5,500 ¹⁹	1,000 ¹⁹	190 ¹⁹	170 ¹⁹	320 ¹⁹	--	2	<100
09/24/07 ¹⁰	84.19	27.88	56.31	0.00	2,300	<50	0.7	<0.5	<0.5	<0.5	--	1	<50
12/18/07 ¹⁰	84.19	27.06	57.13	0.00	550	230	17	<0.5	<0.5	<0.5	--	<0.5	<50
03/11/08 ¹⁰	84.19	25.60	58.59	0.00	1,100	7,000	960	330	410	860	--	<1	<100
06/11/08 ¹⁰	84.19	23.04	61.15	0.00	1,700	7,100	2,400	170	210	270	--	<1	<130
09/22/08 ¹⁰	84.19	21.48	62.71	0.00	--	13,000	1,800	93	480	1,200	--	16	<100
11/06/08 ¹⁰	84.19	21.20	62.99	0.00	1,600 ²¹	--	--	--	--	--	--	--	--
12/22/08 ¹⁰	84.19	20.90	63.29	0.00	1,800	7,700	1,400	220	310	560	--	7	<100
03/23/09 ¹⁰	84.19	18.02	66.17	0.00	3,400	4,900	620	170	170	320	--	3	<50
06/22/09 ¹⁰	84.19	18.83	65.36	0.00	500	1,100	100	19	35	43	--	1	<50
12/02/09 ¹⁰	84.19	22.61	61.58	0.00	110	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	<50

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-2													
06/28/96	85.83	22.10	63.73	1.35	--	--	--	--	--	--	--	--	--
10/10/96	85.83	22.36	63.47	--	1,800	99,000	4,100	9,400	2,300	9,900	390	<25 ¹	--
11/07/96	85.83	22.39	63.45**	0.01	--	--	--	--	--	--	--	--	--
12/18/97	85.83	20.19	65.64	--	4,700	24,000	600	1,800	750	2,400	<2,000	--	--
04/06/98	85.83	18.00	67.83	--	9.5	20,100	252	448	430	1,410	<200	--	--
06/18/98	85.83	19.63	66.20	--	5,200	20,000	240	370	270	790	<50	--	--
08/31/98	85.83	21.01	64.82	--	19,000	72,000	270	990	630	1,700	<125	--	--
12/21/98	85.83	21.31	64.52	--	13,000	290	8.7	18	9.7	38	10	29	--
03/24/99	85.83	19.18	66.65	--	5,590	80,400	651	1,860	1,120	3,730	<40.0	<100	--
06/25/99	85.83	20.78	65.05	--	12,100	34,700	504	1,300	716	2,160	<40.0	--	--
09/24/99	85.83	21.82	64.01	--	108	6,510	1,030	350	183	680	<50.0	--	--
12/29/99	85.83	22.17	63.90**	0.30	--	--	--	--	--	--	--	--	--
01/07/00	85.83	22.84	63.30**	0.39	--	--	--	--	--	--	--	--	--
03/21/00	-- ³	18.19	--	--	41,100	54,100	1,260	3,320	2,180	8,200	<1,250	--	--
DESTROYED													
MW-3													
06/28/96	83.18	19.04	64.14	--	--	--	--	--	--	--	--	--	--
10/10/96	83.18	19.51	63.67	--	1,200	110,000	6,600	16,000	2,200	12,000	<250	--	--
11/07/96	83.18	19.40	63.78	--	--	--	--	--	--	--	--	--	--
12/18/97	83.18	18.79	64.39	--	6,100,000	180,000	1,500	16,000	4,600	23,000	<3,000	--	--
04/06/98	83.18	16.58	66.64	0.05	--	--	--	--	--	--	--	--	--
06/18/98	83.18	--	--	>2.0 ²	--	--	--	--	--	--	--	--	--
08/31/98	83.18	19.56	63.68	0.07	--	--	--	--	--	--	--	--	--
12/21/98	83.18	20.23	65.13	2.73	--	--	--	--	--	--	--	--	--
03/24/99	83.18	16.76	67.11	0.86	--	--	--	--	--	--	--	--	--
06/25/99	83.18	18.47	64.95	0.30	--	--	--	--	--	--	--	--	--
09/24/99	83.18	19.43	63.81	0.08	--	--	--	--	--	--	--	--	--
12/29/99	83.18	19.25	63.96	0.04	--	--	--	--	--	--	--	--	--
01/07/00	83.18	19.87	63.37	0.07	--	--	--	--	--	--	--	--	--
DESTROYED													

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-5													
10/10/96	85.41	21.93	63.48	--	<50	1,800	34	4.7	11	44	21	5.0 ¹	--
11/07/96	85.41	21.96	63.45	--	--	--	--	--	--	--	--	--	--
12/18/97	85.41	19.81	65.60	--	<50	1,200	15	<1.0	15	<1.0	72	--	--
04/06/98	85.41	17.43	67.98	--	<50	1,000	126	0.5	0.8	1.5	<30	--	--
06/18/98	85.41	19.15	66.26	--	100	110	6.9	<0.5	<0.5	<0.5	<0.5	--	--
08/31/98	85.41	20.46	64.95	--	120	480	5.3	<2.5	<2.5	<2.5	<12	--	--
12/21/98	85.41	20.91	64.50	--	100	270	16	2.9	1.3	<1.0	34	<2.0	--
03/24/99	85.41	18.74	66.67	--	93.3	143	2.80	<0.500	0.749	<0.500	<2.00	<5.00	--
06/25/99	85.41	20.31	65.10	--	125	847	6.61	<0.500	0.611	<0.500	2.69	<2.00	--
09/24/99	85.41	21.36	64.05	--	94.0	563	6.00	<2.50	<2.50	<2.50	25.1	--	--
12/29/99	85.41	21.41	64.00	--	173	896	16.6	1.48	8.92	2.67	61.1	<0.500	--
03/21/00	85.41	18.13	67.28	--	158	858	53.7	<1.00	21.4	8.00	11.6	--	--
07/26/00	85.41	OBSTRUCTION IN WELL			--	--	--	--	--	--	--	--	--
09/06/00	85.41	20.33	65.08	--	231	670	153	<2.50	7.87	<2.50	--	--	--
11/29/00	85.13	OBSTRUCTION IN WELL			--	--	--	--	--	--	--	--	--
03/06/01	85.13	OBSTRUCTION IN WELL			--	--	--	--	--	--	--	--	--
06/19/01	85.13	OBSTRUCTION IN WELL			--	--	--	--	--	--	--	--	--
09/05/01	85.13	OBSTRUCTION IN WELL			--	--	--	--	--	--	--	--	--
12/02/01	85.13	OBSTRUCTION IN WELL			--	--	--	--	--	--	--	--	--
DESTROYED													
MW-8													
10/10/96	84.01	20.82	63.19	--	110	17,000	1,300	1,200	64	1,300	110	<5.0 ¹	--
11/07/96	84.01	20.44	63.57	--	--	--	--	--	--	--	--	--	--
12/18/97	84.01	19.36	64.65	--	630	15,000	3,600	1,800	410	930	<600	--	--
04/06/98	84.01	16.19	67.82	--	<50	32,300	8,230	5,900	718	2,120	<1,000	--	--
06/18/98	84.01	17.75	66.26	--	<50	74,000	5,400	4,500	700	2,200	2,400	--	--
08/31/98	84.01	INACCESSIBLE			--	--	--	--	--	--	--	--	--
12/21/98	84.01	19.48	64.53	--	1,200	9,600	2,600	410	220	300	700	<2.0	--
03/24/99	84.01	17.44	66.57	--	2,890	86,100	9,890	11,700	1,650	7,130	<200	<250	--
06/25/99	84.01	20.69	63.40**	0.10	--	--	--	--	--	--	--	--	--
07/01/99	84.01	20.45	65.07**	1.89	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (msl)	SPHT (ft.)	TPH- DRG (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
MW-8 (cont)													
09/24/99	84.01	20.98	64.25**	1.53	--	--	--	--	--	--	--	--	--
12/29/99	84.01	20.25	63.97**	0.26	--	--	--	--	--	--	--	--	--
01/07/00	84.01	21.00	63.33**	0.40	--	--	--	--	--	--	--	--	--
DESTROYED													
TRIP BLANK													
QA													
06/25/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
09/18/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
12/19/02	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
03/20/03	--	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--
06/23/03 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/22/03 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/22/03 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
03/22/04 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
06/21/04 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/20/04 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/20/04 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
03/28/05 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
06/27/05 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/19/05 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/19/05 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
03/27/06 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
06/26/06 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/25/06 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/18/06 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
03/19/07 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
06/25/07 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
09/24/07 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/18/07 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
03/11/08 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID/ DATE	TOC* (fL)	DTW (fL)	GWE (msl)	SPHT (ft.)	TPH- DRO (µg/L)	TPH- GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE by 8021♦ (µg/L)	MTBE by 8260 (µg/L)	ETHANOL (µg/L)
QA (cont)													
06/11/08 ²⁰	--	--	--	--	--	--	--	--	--	--	--	--	--
09/22/08 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/22/08 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
03/23/09 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
06/22/09 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--
12/02/09 ¹⁰	--	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 25, 2002, were compiled from reports prepared by Toxicchem Management Systems, Inc.

TOC = Top of Casing	TPH = Total Petroleum Hydrocarbons	MTBE = Methyl Tertiary Butyl Ether
(ft.) = Feet	DRO = Diesel Range Organics	(ppb) = Parts per billion
DTW = Depth to Water	GRO = Gasoline Range Organics	(µg/L) = Micrograms per liter
GWE = Groundwater Elevation	B = Benzene	-- = Not Measured/Not Analyzed
(msl) = Mean Sea Level	T = Toluene	QA = Quality Assurance/Trip Blank
SPH = Separate-phase hydrocarbons	E = Ethylbenzene	NP= No Purge
SPHT = Separate-phase hydrocarbon thickness	X = Xylenes	

* TOC elevations were surveyed June 24, 2002, by Morrow Surveying, and are based on City of Oakland Benchmark.

** GWE corrected for the presence of SPH; correction factor = [(TOC - DTW)+(0.80 x SPHT)].

◆ Prior to June 25, 2002, MTBE was analyzed by EPA Method 8020.

1 MTBE confirmed by EPA Method 8240.

2 Free product could not be accurately measured.

3 TOC altered.

4 Analyzed outside EPA recommended hold time.

5 Sample containers broken during transport to laboratory.

6 TPH-GRO and BTEX analyzed by EPA Method 8260.

7 Well development performed.

8 MW-11 was inaccessible during the re-surveying. TOC was not measured.

9 Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.

10 BTEX analyzed by EPA Method 8260.

11 Ethanol was previously reported as <50 ppb.

12 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel.

13 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.

14 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range earlier than #2 fuel.

15 Laboratory report indicates the observed sample patterns are not typical of #2 fuel/diesel. They elute in the DRO range earlier and later than #2 fuel.

16 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel and contains individual peaks eluting in the DRO range.

17 Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. The reported result is due to an individual peak (s) eluting in the DRO range.

18 No purge due to bent casing.

19 Laboratory confirmed analytical result.

20 Sample containers not received at laboratory.

21 Laboratory report indicates the DRO analysis was performed on a resample due to a laboratory error during the extraction / analysis of the first submission.

22 No purge due to wells location in active construction zone.

Table 2
Field Measurements
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID	DATE	D.O.	ORP	D.O.	ORP	D.O.	ORP
		Pre Purging (mg/L)	Pre Purging (mV)	Mid-Purging (mg/L)	Mid-Purging (mV)	Post Purging (mg/L)	Post Purging (mV)
MW-6	09/24/99	1.00	--	--	--	1.20	--
	12/29/99	1.30	--	--	--	1.50	--
	03/21/00	3.00	--	--	--	4.30	--
	11/29/00	2.00	--	--	--	1.80	--
	03/06/01	3.70	--	--	--	4.00	--
	06/19/01	3.00	--	--	--	3.40	--
	09/05/01	10.40	--	--	--	10.80	--
	12/20/01	1.30	--	--	--	1.50	--
	06/25/02	1.00	--	0.60	--	0.40	--
	09/18/02	0.60	58	0.90	69	1.00	72
	12/19/02	1.20	71	--	--	1.10	79
	03/20/03	0.40	-93	--	--	1.60	-87
	06/23/03	0.90	64	--	--	1.20	78
	09/22/03	1.10	70	--	--	1.30	76
	12/22/03	0.90	68	--	--	1.00	70
	03/22/04	1.00	74	--	--	1.20	82
	06/21/04	1.10	72	--	--	1.10	86
	09/20/04	1.20	68	--	--	1.30	76
	12/20/04	1.00	71	--	--	1.10	80
	03/28/05	1.10	75	--	--	1.10	86
	06/27/05	1.10	78	--	--	1.20	90
	09/19/05	2.90	-- ¹	--	--	1.20	-- ¹
	12/19/05	1.00	69	--	--	1.00	74
	03/27/06	1.60	89	--	--	1.20	75
	06/26/06	1.40	105	--	--	1.20	82
	09/25/06	1.20	103	--	--	1.30	91
	12/18/06	1.20	87	--	--	-- ²	-- ²
	03/19/07	1.9	-57	--	--	1.6	-63
	06/25/07	DRY	--	--	--	--	--
	09/24/07	DRY	--	--	--	--	--
	12/18/07	DRY	--	--	--	--	--
	03/11/08	DRY	--	--	--	--	--
	06/11/08	0.9	53	--	--	1.1	67
09/22/08	1.3	-27	--	--	1.6	-17	
12/22/08	1.2	-65	--	--	0.9	-54	
03/23/09	0.4	-81	--	--	0.9	-150	
06/22/09	.70	-95	--	--	.60	-84	
12/02/09	0.5	-45	--	--	0.8	-39	
MW-7	09/24/99	1.40	--	--	--	1.60	--
	12/29/99	2.30	--	--	--	1.80	--
	03/21/00	5.80	--	--	--	9.00	--
	07/26/00	6.00	--	--	--	6.60	--
	09/06/00	4.30	--	--	--	5.00	--
	11/29/00	4.00	--	--	--	3.70	--
	03/06/01	4.70	--	--	--	5.10	--
	06/19/01	3.80	--	--	--	4.20	--

Table 2
Field Measurements
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID	DATE	D.O.	ORP	D.O.	ORP	DO	ORP
		Pre Purgig (mg/L)	Pre Purgig (mV)	Mid-Purgig (mg/L)	Mid-Purgig (mV)	Post Purgig (mg/L)	Post Purgig (mV)
MW-7	09/05/01	6.70	--	--	--	7.10	--
(cont)	12/20/01	4.90	--	--	--	5.00	--
	06/25/02	1.00	--	1.40	--	1.30	--
	09/18/02	1.80	112	1.90	98	2.10	102
	12/19/02	1.30	121	--	--	1.60	110
	03/20/03	2.60	129	--	--	2.70	152
	06/23/03	1.70	122	--	--	1.90	140
	09/22/03	1.40	92	--	--	1.70	124
	12/22/03	1.50	98	--	--	1.60	114
	03/22/04	1.30	90	--	--	1.50	96
	06/21/04	1.50	106	--	--	1.70	126
	09/20/04	1.40	115	--	--	0.96	110
	12/20/04	1.30	88	--	--	1.40	95
	03/28/05	1.40	92	--	--	1.40	88
	06/27/05	1.50	106	--	--	1.40	94
	09/19/05	3.70	17	--	--	3.10	29
	12/19/05	1.40	85	--	--	1.30	90
	03/27/06	1.80	126	--	--	2.10	132
	06/26/06	1.60	119	--	--	1.80	121
	09/25/06	1.70	125	--	--	1.60	124
	12/18/06	1.40	130	--	--	-- ²	-- ²
	03/19/07	2.8	-10	--	--	2.3	-13
	06/25/07	1.8	119	--	--	1.5	98
	09/24/07	1.7	1.3	--	--	94	76
	12/18/07	2.1	68	--	--	1.8	73
	03/11/08	1.8	93	--	--	1.7	104
	06/11/08	1.5	-32	--	--	1.3	-46
	09/22/08	1.2	27	--	--	1.5	39
	12/22/08	1.8	85	--	--	1.7	80
	03/23/09	1.4	185	--	--	--	--
	06/22/09	1.9	120	--	--	1.7	112
	12/02/09	2.0	61	--	--	1.8	65
MW-9	09/24/99	1.00	--	--	--	1.20	--
	12/29/99	3.30	--	--	--	2.70	--
	03/21/00	3.20	--	--	--	7.30	--
	07/26/00	3.60	--	--	--	1.80	--
	09/06/00	3.80	--	--	--	4.00	--
	11/29/00	2.00	--	--	--	2.00	--
	03/06/01	4.00	--	--	--	4.90	--
	06/19/01	3.40	--	--	--	4.00	--
	09/05/01	2.70	--	--	--	2.00	--
	12/20/01	2.20	--	--	--	2.20	--
	06/25/02	0.90	--	1.00	--	1.20	--
	09/18/02	1.40	138	1.00	110	0.90	95
	12/19/02	1.80	126	--	--	1.10	98
	03/20/03	0.10	206	--	--	1.10	193

Table 2
Field Measurements
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

WELL ID	DATE	D.O.	ORP	D.O.	ORP	DO	ORP
		Pre Purgig (mg/L)	Pre Purgig (mV)	Mid-Purgig (mg/L)	Mid-Purgig (mV)	Post Purgig (mg/L)	Post Purgig (mV)
MW-9	06/23/03	1.20	146	--	--	1.00	138
(cont)	09/22/03	1.10	126	--	--	1.00	130
	12/22/03	1.30	134	--	--	1.20	142
	03/22/04	3.70	120	--	--	1.40	126
	06/21/04	3.50	108	--	--	1.20	116
	09/20/04	2.70	54	--	--	1.10	62
	12/20/04	2.50	72	--	--	1.40	80
	03/28/05	2.80	92	--	--	1.70	68
	06/27/05	2.60	82	--	--	1.50	62
	09/19/05	1.00	-38	--	--	0.60	-30
	12/19/05	2.10	76	--	--	2.20	68
	03/27/06	2.20	136	--	--	1.90	125
	06/26/06	2.40	122	--	--	2.00	115
	09/25/06	2.10	116	--	--	1.90	120
	12/18/06	1.80	131	--	--	-- ²	-- ²
	03/19/07	1.7	-03	--	--	2.1	-11
	06/25/07	2.2	11	--	--	2.0	73
	09/24/07	2.4	2.2	--	--	93	75
	12/18/07	INACCESSIBLE - WELL UNDER WATER			--	--	--
	03/11/08	2.2	76	--	--	1.9	63
	06/11/08	1.9	103	--	--	1.9	117
	09/22/08	14	32	--	--	21	51
	12/22/08	2.3	115	--	--	2.1	109
	03/23/09	INACCESSIBLE			--	--	--
	06/22/09	2.1	98	--	--	1.9	91
	12/02/09	1.8	76	--	--	2.0	69
MW-10	09/19/05	1.40	-97	--	--	0.80	-98
	03/23/09	INACCESSIBLE			--	--	--
MW-2	09/24/99	1.00	--	--	--	0.80	--
	12/29/99	2.60	--	--	--	--	--
	03/21/00	3.30	--	--	--	3.60	--
	DESTROYED						

Table 2
Field Measurements
Former Texaco Service Station (Site #211283)
3810 Broadway
Oakland, California

EXPLANATIONS:

Dissolved oxygen concentrations prior to June 25, 2002, were compiled from reports prepared by Toxicchem Management Systems, Inc.

D.O. = Dissolved Oxygen

mg/L = milligrams per liter

ORP = Oxidation Reduction Potential

(mV) = Millivolts

-- = Not Measured

¹ ORP reading under range.

² Field technician inadvertently missed readings.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 12-2-09 (inclusive)
 City: Oakland, CA Sampler: Jue

Well ID: MW-1
 Well Diameter: 2 in.
 Total Depth: 29.96 ft.
 Depth to Water: 25.02 ft.
4.94 xVF 0.17 = 0.84

Date Monitored: 12-2-09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 26.00

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0718 Weather Conditions: Overcast
 Sample Time/Date: 0800/12-2-09 Water Color: clear Odor: YIM
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 25.55

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm @ 25°C)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
<u>0725</u>	<u>1</u>	<u>7.43</u>	<u>1091</u>	<u>18.2</u>	PRE: _____	PRE: _____
<u>0734</u>	<u>2</u>	<u>7.36</u>	<u>1095</u>	<u>18.0</u>	_____	_____
<u>0740</u>	<u>3</u>	<u>7.37</u>	<u>1107</u>	<u>18.1</u>	POST: _____	POST: _____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-1	<u>6</u> x vovial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: Used pin bailer. casing bent. slow recovery.

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 12-2-09 (inclusive)
 City: Oakland, CA Sampler: Jac

Well ID: MW-4
 Well Diameter: 2 in.
 Total Depth: 28.70 ft.
 Depth to Water: 21.63 ft.

Date Monitored: 12-2-09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

7.07 xVF 0.17 = 1.20 x3 case volume = Estimated Purge Volume: 4 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.04

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0945 Weather Conditions: cloudy
 Sample Time/Date: 10/10/12-2-09 Water Color: clear Odor: Y10
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 22.19

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm DS)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>0952</u>	<u>1</u>	<u>7.33</u>	<u>1151</u>	<u>18.8</u>	PRE: _____	PRE: _____
<u>0956</u>	<u>2.5</u>	<u>7.30</u>	<u>1146</u>	<u>18.6</u>	_____	_____
<u>1000</u>	<u>4</u>	<u>7.28</u>	<u>1140</u>	<u>18.9</u>	POST: _____	POST: _____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 12-2-09 (inclusive)
 City: Oakland, CA Sampler: Sac

Well ID: MW-5B
 Well Diameter: 2 in.
 Total Depth: 30.19 ft.
 Depth to Water: 23.74 ft.

Date Monitored: 12-2-09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

6.4520000 xVF 0.17 = 1.10 x3 case volume = Estimated Purge Volume: 35 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 25.03

Purge Equipment:

Disposable Bailer ✓
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1020 Weather Conditions: cloudy
 Sample Time/Date: 1040/12-2-09 Water Color: clear Odor: Y10
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 24.38

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
<u>1024</u>	<u>1</u>	<u>7.60</u>	<u>1010</u>	<u>19.0</u>	PRE: _____	PRE: _____
<u>1028</u>	<u>2</u>	<u>7.48</u>	<u>965</u>	<u>18.5</u>	_____	_____
<u>1032</u>	<u>3.5</u>	<u>7.42</u>	<u>972</u>	<u>18.4</u>	POST: _____	POST: _____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5B</u>	<u>6 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)</u>
	<u>7x500ml ambers</u>	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 12-2-09 (inclusive)
 City: Oakland, CA Sampler: See

Well ID: MW-6
 Well Diameter: 2 in.
 Total Depth: 27.89 ft.
 Depth to Water: 24.48 ft.

Date Monitored: 12-2-09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 25.16
 xVF 0.17 = 0.58 x3 case volume = Estimated Purge Volume: 2 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1128 Weather Conditions: cloudy
 Sample Time/Date: 1155/12-2-09 Water Color: clear Odor: DN medium
 Approx. Flow Rate: 7 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 24.90

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm - µS)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1134</u>	<u>0.5</u>	<u>6.95</u>	<u>781</u>	<u>18.3</u>	PRE: <u>0.5</u>	PRE: <u>-45</u>
<u>1137</u>	<u>1</u>	<u>6.92</u>	<u>804</u>	<u>18.7</u>		
<u>1141</u>	<u>2</u>	<u>6.86</u>	<u>816</u>	<u>18.1</u>	POST: <u>0.8</u>	POST: <u>-30</u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 12-2-09 (inclusive)
 City: Oakland, CA Sampler: Jac

Well ID: MW-7
 Well Diameter: 2 in.
 Total Depth: 33.34 ft.
 Depth to Water: 22.40 ft.

Date Monitored: 12-2-09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 24.58
 $10.94 \times VF 0.17 = 1.86$ x3 case volume = Estimated Purge Volume: 6 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0853 Weather Conditions: cloudy
 Sample Time/Date: 0925 / 12-2-09 Water Color: clear Odor: Y10
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 23.10

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) (µS)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>0902</u>	<u>2</u>	<u>7.19</u>	<u>1067</u>	<u>18.0</u>	PRE: <u>2.0</u>	PRE: <u>61</u>
<u>0910</u>	<u>4</u>	<u>7.31</u>	<u>1076</u>	<u>18.6</u>		
<u>0915</u>	<u>6</u>	<u>7.25</u>	<u>1072</u>	<u>18.1</u>	POST: <u>1.8</u>	POST: <u>65</u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-7	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 12-2-09 (inclusive)
 City: Oakland, CA Sampler: Joc

Well ID: MW-9
 Well Diameter: 2 in.
 Total Depth: 33.92 ft.
 Depth to Water: 20.44 ft.

Date Monitored: 12-2-09

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

13.48 x VF 0.17 = 2.29 x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.13

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0655 Weather Conditions: Cloudy
 Sample Time/Date: 0935 / 12-2-09 Water Color: clear Odor: YIP
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 21.16

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°C / F)	D.O. (mg/L)	ORP (mV)
<u>0700</u>	<u>2.5</u>	<u>7.12</u>	<u>1314</u>	<u>18.8</u>	PRE: <u>1.8</u>	PRE: <u>76</u>
<u>0704</u>	<u>5</u>	<u>7.23</u>	<u>1286</u>	<u>18.1</u>		
<u>0712</u>	<u>7</u>	<u>7.24</u>	<u>1280</u>	<u>18.6</u>	POST: <u>2.0</u>	POST: <u>69</u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-9	6 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	2 x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: slow recovery. Allowed plenty of time for well to recover 80%

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 12-2-09 (inclusive)
 City: Oakland, CA Sampler: Soe

Well ID MW-10

Date Monitored: 12-2-09

Well Diameter 2 in.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Total Depth 33.17 ft.

Depth to Water 20.12 ft.

Check if water column is less than 0.50 ft.

13.05 xVF 0.17 = 2.22 x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 22.73

Purge Equipment:

- Disposable Bailer
- Stainless Steel Bailer
- Stack Pump
- Suction Pump
- Grundfos
- Peristaltic Pump
- QED Bladder Pump
- Other: _____

Sampling Equipment:

- Disposable Bailer
- Pressure Bailer
- Discrete Bailer
- Peristaltic Pump
- QED Bladder Pump
- Other: _____

Time Started: _____ (2400 hrs)
Time Completed: _____ (2400 hrs)
Depth to Product: _____ ft
Depth to Water: _____ ft
Hydrocarbon Thickness: _____ ft
Visual Confirmation/Description: _____
Skimmer / Absorbant Sock (circle one)
Amt Removed from Skimmer: _____ gal
Amt Removed from Well: _____ gal
Water Removed: _____
Product Transferred to: _____

Start Time (purge): 0743 Weather Conditions: cloudy
 Sample Time/Date: 0900 12-2-09 Water Color: clear Odor: Y 10
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 21.08

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>0750</u>	<u>2.5</u>	<u>7.41</u>	<u>1316</u>	<u>18.0</u>	PRE: _____	PRE: _____
<u>0754</u>	<u>5</u>	<u>7.29</u>	<u>1302</u>	<u>18.5</u>	_____	_____
<u>0758</u>	<u>7</u>	<u>7.38</u>	<u>1311</u>	<u>18.4</u>	_____	_____
_____	_____	_____	_____	_____	POST: _____	POST: _____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-10</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: Slow recovery. Allowed time for well to recover 80%

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 12-2-09 (inclusive)
 City: Oakland, CA Sampler: Jac

Well ID: MW-11
 Well Diameter: 2 in.
 Total Depth: 39.23 ft.
 Depth to Water: 28.54 ft.

Date Monitored: 12-2-09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 $10.69 \times VF = 10.76$ xVF $0.17 = 1.83$ x3 case volume = Estimated Purge Volume: 5.5 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 30.69

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0815 Weather Conditions: cloudy
 Sample Time/Date: 0845 / 12-2-09 Water Color: clear Odor: Y 100
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 29.19

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0825</u>	<u>1.5</u>	<u>6.96</u>	<u>1131</u>	<u>18.0</u>	PRE: _____	PRE: _____
<u>0830</u>	<u>3</u>	<u>7.32</u>	<u>1142</u>	<u>18.9</u>	_____	_____
<u>0835</u>	<u>5.5</u>	<u>7.25</u>	<u>1140</u>	<u>18.5</u>	POST: _____	POST: _____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-11</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTX+MTBE(8260)/ETHANOL (8260)</u>
	<u>2</u> x 500ml ambers	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-DRO (8015)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #211283 Job Number: 386956
 Site Address: 3810 Broadway Event Date: 12-2-09 (inclusive)
 City: Oakland, CA Sampler: SW

Well ID: MW-12
 Well Diameter: 2 in.
 Total Depth: 29.48 ft.
 Depth to Water: 22.61 ft.

Date Monitored: 12-2-09

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.98
 $6.87 \times VF 0.17 = 1.17$ x3 case volume = Estimated Purge Volume: 3.5 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1052 Weather Conditions: cloudy
 Sample Time/Date: 1115/12-2-09 Water Color: clear Odor: 0/1 moderate
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 23.25

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 48)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1056</u>	<u>1</u>	<u>6.90</u>	<u>681</u>	<u>18.6</u>	PRE: _____	PRE: _____
<u>1100</u>	<u>2</u>	<u>6.93</u>	<u>712</u>	<u>18.1</u>	_____	_____
<u>1104</u>	<u>3.5</u>	<u>6.86</u>	<u>718</u>	<u>18.7</u>	POST: _____	POST: _____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-12</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)/ETHANOL (8260)
	<u>2</u> x 500ml ambers	YES	NP	LANCASTER	TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



120209-12

For Lancaster Laboratories use only
 Acct. #: 10904 Sample #: 5853614-23 Group #: 019346

C# 1173523

Facility #: SS#211283-OML G-R#386956 Global ID#T0600101108 Site Address: 3810 BROADWAY, OAKLAND, CA Chevron PM: _____ Lead Consultant: GRACE Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com) Consultant Phone: #925-551-7555 Fax: #925-551-7899 Sampler: <u>JOE ASEMIAN</u>			Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested Preservation Codes # # # # # # # # # # # # BTEX + MTBE 8021 <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> TPH 8015 MOD GFO <input checked="" type="checkbox"/> TPH 8015 MOD DFO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan Oxygenates Total Lead Method Dissolved Lead Method <u>ethanol (8260)</u>										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits		
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8021	TPH 8015 MOD GFO	TPH 8015 MOD DFO	8260 full scan	Oxygenates	Total Lead Method	Dissolved Lead Method	Comments / Remarks
QA	12-2-09	0800	✓						7	✓	✓	✓					
MW-1		1010							8	✓	✓	✓					
MW-4		1040							8	✓	✓	✓					
MW-5B		1155							8	✓	✓	✓					
MW-6		0925							8	✓	✓	✓					
MW-7		0935							8	✓	✓	✓					
MW-9		0900							8	✓	✓	✓					
MW-10		0845							8	✓	✓	✓					
MW-11		1115							8	✓	✓	✓					
MW-12									8	✓	✓	✓					

Turnaround Time Requested (TAT) (please circle)
 STD. TAT 24 hour 72 hour 48 hour 5 day

Relinquished by: _____ Date: 12-2-09 Time: 1400 Received by: _____ Date: 12-2-09 Time: 1400
 Relinquished by: _____ Date: 12/2/09 Time: 1500 Received by: _____ Date: _____ Time: _____
 Relinquished by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____
 Relinquished by Commercial Carrier: UPS FedEx Other: _____ Received by: _____ Date: 12/3/09 Time: 0900
 Temperature Upon Receipt: 11-3.3 °C Custody Seals Intact? Yes No

Data Package Options (please circle if required)
 QC Summary Type I - Full **EDF/EDD**
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

December 14, 2009

Project: 211283

RECEIVED

DEC 15 2009

GETTLER-RYAN INC.
GENERAL CONTRACTORS

Samples arrived at the laboratory on Thursday, December 03, 2009. The PO# for this group is 0015039978 and the release number is ROBB. The group number for this submittal is 1173523.

<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
QA-T-091202 NA Water	5853614
MW-1-W-091202 Grab Water	5853615
MW-4-W-091202 Grab Water	5853616
MW-5B-W-091202 Grab Water	5853617
MW-6-W-091202 Grab Water	5853618
MW-7-W-091202 Grab Water	5853619
MW-9-W-091202 Grab Water	5853620
MW-10-W-091202 Grab Water	5853621
MW-11-W-091202 Grab Water	5853622
MW-12-W-091202 Grab Water	5853623

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO CRA c/o Gettler-Ryan

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17603-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300

Respectfully Submitted,

A handwritten signature in cursive script that reads "Christine Dulaney".

Christine Dulaney
Senior Specialist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-856-2300 Fax: 717-856-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: QA-T-091202 NA Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 QA

LLI Sample # WW 5853614
LLI Group # 1173523
CA

Project Name: 211283

Collected: 12/02/2009

Account Number: 10904

Submitted: 12/03/2009 09:00

Chevron

Reported: 12/14/2009 at 18:58

6001 Bollinger Canyon Rd L4310

Discard: 01/14/2010

San Ramon CA 94583

BROQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles			ug/l	ug/l	
06054	Benzene	71-43-2	N.D.	0.5	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06054	Toluene	108-88-3	N.D.	0.5	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	Z093382AA	12/04/2009 18:38	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z093382AA	12/04/2009 18:38	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09341B20A	12/07/2009 15:52	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	09341B20A	12/07/2009 15:52	Tyler O Griffin	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-856-2300 Fax: 717-856-2681 • www.lancasterlabs.com

Sample Description: MW-1-W-091202 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-1

LLI Sample # WW 5853615
LLI Group # 1173523
CA

Project Name: 211283

Collected: 12/02/2009 08:00 by JA

Account Number: 10904

Submitted: 12/03/2009 09:00

Chevron

Reported: 12/14/2009 at 18:58

6001 Bollinger Canyon Rd L4310

Discard: 01/14/2010

San Ramon CA 94583

BRO01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
06067	Benzene	71-43-2	N.D.	ug/l 0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	ug/l 50	1
GC Extractable TPH SW-846 8015B					
06609	TPH-DRO CA C10-C28	n.a.	530	ug/l 50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	Z093382AA	12/04/2009 19:02	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z093382AA	12/04/2009 19:02	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09341B20A	12/07/2009 16:14	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	09341B20A	12/07/2009 16:14	Tyler O Griffin	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	093380011A	12/08/2009 07:07	Sarah M Snyder	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	093380011A	12/05/2009 06:50	Kelli M Barto	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-856-2681 • www.lancasterlabs.com

Sample Description: MW-4-W-091202 Grab Water
Facility# 211283 **Job#** 386956 GRD
 3810 Broadway-Oakland T0600101108 MW-4

LLI Sample # WW 5853616
LLI Group # 1173523
 CA

Project Name: 211283

Collected: 12/02/2009 10:10 by JA

Account Number: 10904

Submitted: 12/03/2009 09:00

Chevron

Reported: 12/14/2009 at 18:58

6001 Bollinger Canyon Rd L4310

Discard: 01/14/2010

San Ramon CA 94583

BRO04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles			ug/l	ug/l	
06067	Benzene	71-43-2	N.D.	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
GC Extractable TPH			ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	Z093382AA	12/04/2009 19:27	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z093382AA	12/04/2009 19:27	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09341B20A	12/07/2009 18:24	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	09341B20A	12/07/2009 18:24	Tyler O Griffin	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	093380011A	12/08/2009 07:28	Sarah M Snyder	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	093380011A	12/05/2009 06:50	Kelli M Barto	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5B-W-091202 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-5B

LLI Sample # WW 5853617
LLI Group # 1173523
CA

Project Name: 211283

Collected: 12/02/2009 10:40 by JA

Account Number: 10904

Submitted: 12/03/2009 09:00

Chevron

Reported: 12/14/2009 at 18:58

6001 Bollinger Canyon Rd L4310

Discard: 01/14/2010

San Ramon CA 94583

BRO5B

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
06067	Benzene	71-43-2	N.D.	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	8	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	130	50	1
GC Extractable TPH SW-846 8015B					
06609	TPH-DRO CA C10-C28	n.a.	130	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	Z093382AA	12/04/2009 19:52	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z093382AA	12/04/2009 19:52	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09341B20A	12/07/2009 18:46	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	09341B20A	12/07/2009 18:46	Tyler O Griffin	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	093380011A	12/08/2009 10:45	Sarah M Snyder	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	093380011A	12/05/2009 06:50	Kelli M Barto	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-658-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-6-W-091202 Grab Water
 Facility# 211283 Job# 386956 GRD
 3810 Broadway-Oakland T0600101108 MW-6

LLI Sample # WW 5853618
 LLI Group # 1173523
 CA

Project Name: 211283

Collected: 12/02/2009 11:55 by JA

Account Number: 10904

Submitted: 12/03/2009 09:00

Chevron

Reported: 12/14/2009 at 18:58

6001 Bollinger Canyon Rd L4310

Discard: 01/14/2010

San Ramon CA 94583

BRO06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
06067	Benzene	71-43-2	170	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	39	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	3	0.5	1
06067	Toluene	108-88-3	10	0.5	1
06067	Xylene (Total)	1330-20-7	42	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	3,200	50	1
GC Extractable TPH SW-846 8015B					
06609	TPH-DRO CA C10-C28	n.a.	1,200	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Data and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D093424AA	12/09/2009 00:54	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D093424AA	12/09/2009 00:54	Michael A Ziegler	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09341B20A	12/07/2009 19:08	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	09341B20A	12/07/2009 19:08	Tyler O Griffin	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	093380011A	12/08/2009 11:06	Sarah M Snyder	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	093380011A	12/05/2009 06:50	Kelli M Barto	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-7-W-091202 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-7

LLI Sample # WW 5853619
LLI Group # 1173523
CA

Project Name: 211283

Collected: 12/02/2009 09:25 by JA

Account Number: 10904

Submitted: 12/03/2009 09:00

Chevron

Reported: 12/14/2009 at 18:58

6001 Bollinger Canyon Rd L4310

Discard: 01/14/2010

San Ramon CA 94583

BRO07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles					
	SW-846 8260B		ug/l	ug/l	
06067	Benzene	71-43-2	N.D.	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles					
	SW-846 8015B		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
GC Extractable TPH					
	SW-846 8015B		ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D093424AA	12/09/2009 01:40	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D093424AA	12/09/2009 01:40	Michael A Ziegler	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09341B20A	12/07/2009 19:30	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	09341B20A	12/07/2009 19:30	Tyler O Griffin	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	093380011A	12/08/2009 11:26	Sarah M Snyder	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	093380011A	12/05/2009 06:50	Kelli M Barto	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-856-2300 Fax: 717-856-2681 • www.lancasterlabs.com

Sample Description: MW-9-W-091202 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-9

LLI Sample # WW 5853620
LLI Group # 1173523
CA

Project Name: 211283

Collected: 12/02/2009 09:35 by JA

Account Number: 10904

Submitted: 12/03/2009 09:00

Chevron

Reported: 12/14/2009 at 18:58

6001 Bollinger Canyon Rd L4310

Discard: 01/14/2010

San Ramon CA 94583

BRO09

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
06067	Benzene	71-43-2	N.D.	0.5 ug/l	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	21	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50 ug/l	1
GC Extractable TPH SW-846 8015B					
06609	TPH-DRO CA C10-C28	n.a.	90	50 ug/l	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D093424AA	12/09/2009 02:04	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D093424AA	12/09/2009 02:04	Michael A Ziegler	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09341B20A	12/07/2009 19:51	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	09341B20A	12/07/2009 19:51	Tyler O Griffin	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	093380011A	12/08/2009 11:47	Sarah M Snyder	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	093380011A	12/05/2009 06:50	Kelli M Barto	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17805-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-10-W-091202 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-10

LLI Sample # WW 5853621
LLI Group # 1173523
CA

Project Name: 211283

Collected: 12/02/2009 09:00 by JA

Account Number: 10904

Submitted: 12/03/2009 09:00

Chevron

Reported: 12/14/2009 at 18:58

6001 Bollinger Canyon Rd L4310

Discard: 01/14/2010

San Ramon CA 94583

BRO10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
06067	Benzene	71-43-2	1	ug/l 0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	0.9	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	0.9	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	170	ug/l 50	1
GC Extractable TPH SW-846 8015B					
06609	TPH-DRO CA C10-C28	n.a.	86	ug/l 50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D093392AA	12/05/2009 09:45	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D093392AA	12/05/2009 09:45	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09341B20A	12/07/2009 20:13	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	09341B20A	12/07/2009 20:13	Tyler O Griffin	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	093380011A	12/08/2009 12:08	Sarah M Snyder	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	093380011A	12/05/2009 06:50	Kelli M Barto	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-856-2300 Fax: 717-856-2681 • www.lancasterlabs.com

Sample Description: MW-11-W-091202 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-11

LLI Sample # WW 5853622
LLI Group # 1173523
CA

Project Name: 211283

Collected: 12/02/2009 08:45 by JA

Account Number: 10904

Submitted: 12/03/2009 09:00

Chevron

Reported: 12/14/2009 at 18:58

6001 Bollinger Canyon Rd L4310

Discard: 01/14/2010

San Ramon CA 94583

BRO11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
06067	Benzene	71-43-2	N.D.	ug/l 0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	0.8	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	ug/l 50	1
GC Extractable TPH SW-846 8015B					
06609	TPH-DRO CA C10-C28	n.a.	N.D.	ug/l 50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D093424AA	12/08/2009 23:44	Michael A Ziegler	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D093424AA	12/08/2009 23:44	Michael A Ziegler	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09341B20A	12/07/2009 20:35	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	09341B20A	12/07/2009 20:35	Tyler O Griffin	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	093380011A	12/08/2009 12:28	Sarah M Snyder	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	093380011A	12/05/2009 06:50	Kelli M Barto	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-856-2300 Fax: 717-856-2881 • www.lancasterlabs.com

Sample Description: MW-12-W-091202 Grab Water
Facility# 211283 Job# 386956 GRD
3810 Broadway-Oakland T0600101108 MW-12

LLI Sample # WW 5853623
LLI Group # 1173523
CA

Project Name: 211283

Collected: 12/02/2009 11:15 by JA

Account Number: 10904

Submitted: 12/03/2009 09:00

Chevron

Reported: 12/14/2009 at 18:58

6001 Bollinger Canyon Rd L4310

Discard: 01/14/2010

San Ramon CA 94583

BRO12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	
06067	Benzene	71-43-2	N.D.	0.5	1
06067	Ethanol	64-17-5	N.D.	50	1
06067	Ethylbenzene	100-41-4	N.D.	0.5	1
06067	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06067	Toluene	108-88-3	N.D.	0.5	1
06067	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B			ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
GC Extractable TPH SW-846 8015B			ug/l	ug/l	
06609	TPH-DRO CA C10-C28	n.a.	110	50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
06067	BTEX, MTBE, ETOH	SW-846 8260B	1	D093392AA	12/05/2009 11:18	Ginelle L Feister	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D093392AA	12/05/2009 11:18	Ginelle L Feister	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	09341B20A	12/07/2009 20:57	Tyler O Griffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	09341B20A	12/07/2009 20:57	Tyler O Griffin	1
06609	TPH-DRO CA C10-C28	SW-846 8015B	1	093380011A	12/08/2009 12:49	Sarah M Snyder	1
02376	Extraction - Fuel/TPH (Waters)	SW-846 3510C	1	093380011A	12/05/2009 06:50	Kelli M Barto	1

Quality Control Summary

 Client Name: Chevron
 Reported: 12/14/09 at 06:58 PM

Group Number: 1173523

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D093392AA	Sample number(s): 5853621, 5853623							
Benzene	N.D.	0.5	ug/l	100		79-120		
Ethanol	N.D.	50.	ug/l	87		40-158		
Ethylbenzene	N.D.	0.5	ug/l	98		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	117		76-120		
Toluene	N.D.	0.5	ug/l	102		79-120		
Xylene (Total)	N.D.	0.5	ug/l	103		80-120		
Batch number: D093424AA	Sample number(s): 5853618-5853620, 5853622							
Benzene	N.D.	0.5	ug/l	99		79-120		
Ethanol	N.D.	50.	ug/l	88		40-158		
Ethylbenzene	N.D.	0.5	ug/l	95		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	96		76-120		
Toluene	N.D.	0.5	ug/l	102		79-120		
Xylene (Total)	N.D.	0.5	ug/l	102		80-120		
Batch number: Z093382AA	Sample number(s): 5853614-5853617							
Benzene	N.D.	0.5	ug/l	99		79-120		
Ethanol	N.D.	50.	ug/l	95		40-158		
Ethylbenzene	N.D.	0.5	ug/l	104		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	106		76-120		
Toluene	N.D.	0.5	ug/l	106		79-120		
Xylene (Total)	N.D.	0.5	ug/l	108		80-120		
Batch number: 09341B20A	Sample number(s): 5853614-5853623							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	109	109	75-135	0	30
Batch number: 093380011A	Sample number(s): 5853615-5853623							
TPH-DRO CA C10-C28	N.D.	32.	ug/l	81	86	56-122	6	20

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: D093392AA	Sample number(s): 5853621, 5853623 UNSPK: 5853621								
Benzene	99	106	80-126	6	30				
Ethanol	100	112	37-164	11	30				
Ethylbenzene	102	106	71-134	4	30				
Methyl Tertiary Butyl Ether	112	119	72-126	6	30				
Toluene	103	109	80-125	6	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Chevron
 Reported: 12/14/09 at 06:58 PM

Group Number: 1173523

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Xylene (Total)	103	110	79-125	7	30				
Batch number: D093424AA Sample number(s): 5853618-5853620, 5853622 UNSPK: P856448									
Benzene	108	108	80-126	0	30				
Ethanol	88	89	37-164	1	30				
Ethylbenzene	130 (2)	161 (2)	71-134	1	30				
Methyl Tertiary Butyl Ether	105	104	72-126	1	30				
Toluene	104 (2)	123 (2)	80-125	2	30				
Xylene (Total)	106 (2)	179 (2)	79-125	2	30				

Batch number: Z093382AA Sample number(s): 5853614-5853617 UNSPK: P853564									
Benzene	107	105	80-126	2	30				
Ethanol	73	94	37-164	25	30				
Ethylbenzene	113	110	71-134	3	30				
Methyl Tertiary Butyl Ether	104	109	72-126	5	30				
Toluene	115	112	80-125	3	30				
Xylene (Total)	116	114	79-125	2	30				

Batch number: 09341B20A Sample number(s): 5853614-5853623 UNSPK: 5853615									
TPH-GRO N. CA water C6-C12	109		63-154						

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: BTEX, MTBE, ETOH
 Batch number: D093392AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5853621	100	99	95	97
5853623	102	95	95	96
Blank	102	95	93	98
LCS	101	96	94	103
MS	102	94	97	103
MSD	99	95	95	102
Limits:	80-116	77-113	80-113	78-113

 Analysis Name: BTEX, MTBE, ETOH
 Batch number: D093424AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5853618	96	94	95	103
5853619	99	92	92	94
5853620	99	94	92	96
5853622	99	94	94	98
Blank	100	94	94	97
LCS	98	95	94	102
MS	97	98	93	102

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Chevron
 Reported: 12/14/09 at 06:58 PM

Group Number: 1173523

Surrogate Quality Control

MSD	97	96	94	106
Limits:	80-116	77-113	80-113	78-113
Analysis Name: BTEX+MTBE by 8260B				
Batch number: Z093382AA				
	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5853614	101	93	98	87
5853615	100	93	97	86
5853616	100	92	99	87
5853617	98	90	98	90
Blank	99	93	96	87
LCS	96	91	97	92
MS	96	91	97	92
MSD	96	92	97	92
Limits:	80-116	77-113	80-113	78-113
Analysis Name: TPH-GRO N. CA water C6-C12				
Batch number: 09341B20A				
	Trifluorotoluene-F			
5853614	100			
5853615	98			
5853616	98			
5853617	105			
5853618	144*			
5853619	99			
5853620	101			
5853621	103			
5853622	100			
5853623	96			
Blank	99			
LCS	110			
LCSD	110			
MS	110			
Limits:	63-135			
Analysis Name: TPH-DRO CA C10-C28				
Batch number: 093380011A				
	Orthoterphenyl			
5853615	75			
5853616	75			
5853617	81			
5853618	88			
5853619	80			
5853620	79			
5853621	81			
5853622	76			
5853623	83			
Blank	71			
LCS	86			
LCSD	86			
Limits:	59-131			

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 12/14/09 at 06:58 PM

Group Number: 1173523

Surrogate Quality Control

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is <CRDL, but ≥IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike amount not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
J Estimated value	U Compound was not detected
N Presumptive evidence of a compound (TICs only)	W Post digestion spike out of control limits
P Concentration difference between primary and confirmation columns >25%	* Duplicate analysis not within control limits
U Compound was not detected	+ Correlation coefficient for MSA <0.995
X,Y,Z Defined in case narrative	

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.