



October 5, 2018

City of Emeryville
Successor to Emeryville Redevelopment Agency
c/o Ms. Nancy Humphrey
1333 Park Ave.
Emeryville, CA 94608
(Sent via electronic mail to: nhumphrey@ci.emeryville.ca.us)

Subject: Conditional Work Plan Approval; Fuel Leak Case No. RO0000061 and GeoTracker Global ID T0600101925, City of Emeryville Fire Station #2, 6303 Hollis Street, Emeryville, CA 94608

Dear Ms. Humphrey:

Alameda County Environmental Health (ACDEH) has reviewed the case file, including the *Work Plan for Sub-Slab Vapor Monitoring Point Installation and Sampling*, dated August 24, 2018. The report was prepared and submitted on your behalf by OTG EnviroEngineering Solutions, Inc (OTG). Thank you for submitting the work plan.

The work plan proposed the installation of two permanent subslab vapor sampling locations at the site at locations outside of the existing building, at locations closer to known sources, and proposed subsequent sampling of the vapor pins.

Based on ACDEH staff review of the work plan the proposed scope of work is conditionally approved for implementation *provided that the technical comments below are incorporated* during the proposed field investigation. Submittal of a revised work plan or a work plan addendum is not required unless an alternate scope of work outside that described in the work plan or technical comments below is proposed. We request that you address the following technical comments, perform the proposed work, and send us the reports described below. Please provide 72-hour advance written notification to this office (e-mail preferred to: mark.detterman@acgov.org) prior to the start of field activities.

TECHNICAL COMMENTS

1. **Conditional Work Plan Approval** – The referenced work plan proposes a series of actions and ACEH is in general agreement; however, ACDEH requests several modifications to the approach, as discussed below. Please submit a report by the date identified below.
 - a. **Groundwater Analysis** – The referenced work plan proposes to analyze vapor samples for Total Petroleum Hydrocarbons (TPH) as gasoline (TPHg), benzene, toluene, ethylbenzene, and total xylenes (BTEX), naphthalene, oxygen, carbon dioxide, and helium. ACDEH additionally requests analysis for methane. Additionally, consistent with the Department of Toxic Substances Control (DTSC) guidance, ACDEH requests analysis for naphthalene by Method TO-17 due to the preferential adsorption of naphthalene to certain plastic tubing used in sampling trains.

TECHNICAL REPORT REQUEST

Please submit the following technical reports and deliverables to the State Water Board's Geotracker website and notify your case worker by electronic mail (mark.detterman@acgov.org), in accordance with the following specified file naming convention and schedule, as provided below, and in the Responsible

Ms. Nancy Humphrey
RO0000061
October 5, 2018, Page 2

Party(ies) Legal Requirements/Obligations which is included as Attachment 1. Please note ACDEH no longer accepts reports on the ftp site.

- **December 10, 2018** – Site Investigation Report
File to be named: RO61_SWI_R_yyyy-mm-dd

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

Online case files are available for review at the following website: <http://www.acgov.org/aceh/index.htm>.

Should you have any questions, please contact me at (510) 567- 6876 or send me an electronic mail message at mark.detterman@acgov.org.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Mark Detterman', with a stylized flourish extending to the right.

Mark Detterman, PG, CEG
Senior Hazardous Materials Specialist

Enclosures: Attachment 1 – Responsible Party (ies) Legal Requirements / Obligations and
ACDEH Electronic Report Upload (ftp) Instructions

cc: Xinggang Tong, OTG EnviroEngineering, Solutions, Inc, 770 Edgewater Drive, Suite 260, Oakland, CA 94621 (Sent via electronic mail to: xtong.otg@gmail.com)

Dilan Roe, ACDEH, (Sent via electronic mail to: dilan.roe@acgov.org)

Paresh Khatri, ACDEH; (Sent via electronic mail to: paresh.khatri@acgov.org)

Mark Detterman, ACDEH, (Sent via electronic mail to: mark.detterman@acgov.org)
Electronic File, GeoTracker

Alameda County Environmental Cleanup Oversight Programs (LOP and SCP)	REVISION DATE: December 14, 2017
	ISSUE DATE: July 25, 2012
	PREVIOUS REVISIONS: September 17, 2013, May 15, 2014, December 12, 2016
SECTION: ACDEH Procedures	SUBJECT: Responsible Party(ies) Legal Requirements / Obligations

REPORT & DELIVERABLE REQUESTS

Alameda County Department of Environmental Health (ACDEH) Cleanup Oversight Programs, Local Oversight Program (LOP) and Site Cleanup Program (SCP) require submission of all reports in electronic form to the State Water Board's (SWB) GeoTracker website in accordance with California Code of Regulations, Chapter 30, Division 3, Title 23 and Division 3, Title 27.

Leaking Underground Fuel Tank (LUFT) Cases

Reports and deliverable requests are pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party (RP) in conjunction with an unauthorized release from a petroleum underground storage tank (UST) system.

Site Cleanup Program (SCP) Cases

For non-petroleum UST cases, reports and deliverables requests are pursuant to California Health and Safety Code Section 101480.

ELECTRONIC SUBMITTAL OF REPORTS

A complete report submittal includes the PDF report and all associated electronic data files, including but not limited to GEO_MAP, GEO_XY, GEO_Z, GEO_BORE, GEO_WELL, and laboratory analytical data in Electronic Deliverable Format™ (EDF). Additional information on these requirements is available on the State Water Board's website (http://www.waterboards.ca.gov/water_issues/programs/ust/electronic_submittal/)

- Do not upload draft reports to GeoTracker
- Rotate each page in the PDF document in the direction that will make it easiest to read on a computer monitor.

GEOTRACKER UPLOAD CERTIFICATION

Each report submittal is to include a GeoTracker Upload Summary Table with GeoTracker valid values¹ as illustrated in the example below to facilitate ACDEH review and verify compliance with GeoTracker requirements.

GeoTracker Upload Table Example

Report Title	Sample Period	PDF Report	GEO_MAPS	Sample ID	Matrix	GEO_Z	GEO_XY	GEO_BORE	GEO_WELL	EDF
2016 Subsurface Investigation Report	2016 S1	✓	✓	Effluent	SO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	✓
2012 Site Assessment Work Plan	2012	✓	✓			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2010 GW Investigation Report	2008 Q4	✓	✓	SB-10	W	✓	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	✓
				SB-10-6	SO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	✓
				MW-1	WG	✓	✓	✓	✓	✓
				SW-1	W	✓	✓	✓	✓	✓

¹ GeoTracker Survey XYZ, Well Data, and Site Map Guidelines & Restrictions, CA State Water Resources Control Board, April 2005

Alameda County Environmental Cleanup Oversight Programs (LOP and SCP)	REVISION DATE: NA
	ISSUE DATE: December 14, 2017
	PREVIOUS REVISIONS: September 17, 2013, May 15, 2014, December 12, 2016
SECTION: ACDEH Procedures	SUBJECT: Responsible Party(ies) Legal Requirements / Obligations

ACKNOWLEDGEMENT STATEMENT

All work plans, technical reports, or technical documents submitted to ACDEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I have read and acknowledge the content, recommendations and/or conclusions contained in the attached document or report submitted on my behalf to the State Water Board's GeoTracker website." This letter must be signed by the Responsible Party, or legally authorized representative of the Responsible Party.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6731, 6735, and 7835) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately licensed or certified professional and include the professional registration stamp, signature, and statement of professional certification. Additional information is available on the Board of Professional Engineers, Land Surveyors, and Geologists website at: <http://www.bpelsg.ca.gov/laws/index.shtml>.

UNDERGROUND STORAGE TANK CLEANUP FUND

For LUFT cases, RP's non-compliance with these regulations may result in ineligibility to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse the cost of cleanup. Additional information is available on the internet at: https://www.waterboards.ca.gov/water_issues/programs/ustcf/

AGENCY OVERSIGHT

Significant delays in conducting site assessment/cleanup or report submittals may result in referral of the case to the Regional Water Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.