

ALAMEDA COUNTY
HEALTH CARE SERVICES
AGENCY
DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-9335

July 24, 2009

GARY BANKHEAD
KAISER FOUNDATION HOSPITALS
100 SAN LEANDRO BLVD
SAN LEANDRO CA 94577

CHESTER G GRYWCZYNSKI
PEPSI BOTTLING GROUP INC
UNKNOWN ADDRESS

JERRY TIDWELL
NEW CENTURY BEVERAGES
2900 HESPERIAN BLVD
HAYWARD CA 94545

Subject: Fuel Leak Case No. RO0000064 and Geotracker Global ID T0600100118, PEPSI-COLA COMPANY, 1150 PARK AVE, Emeryville CA 94608 – Groundwater Monitoring Requirements

Dear Responsible Party:

The purpose of this correspondence is to inform you of changes to groundwater monitoring requirements for all fuel leak cases in California. The California State Water Resources Control Board (State Water Board) has approved Resolution No. 2009-0042 (*Actions to Improve Administration of the UST Cleanup Fund and UST Cleanup Program*). Resolution No. 2009-0042 states that, "*Regional Water Board and LOP agencies shall reduce quarterly groundwater monitoring requirements to semiannual or less frequent monitoring at all site unless site-specific needs warrant otherwise and shall notify all responsible parties of the new requirements no later than August 1, 2009. If more than semiannual monitoring is required for a case, the responsible party and State Water board shall be notified of the rationale and the notice shall be posted on Geotracker.*"

Implement Semiannual Sampling

The groundwater monitoring wells at your site have not been monitored since August 1995. In accordance with Resolution No. 2009-0042, groundwater monitoring for your site is to be conducted on a semiannual basis unless site-specific needs warrant otherwise. The semiannual monitoring is to be conducted during the first and third quarters. Please present results from the semiannual groundwater monitoring in groundwater monitoring reports no later than 60 days following the groundwater sampling event.

If you have any questions, please call me at (510) 567-6876 or send me an electronic mail message at mark.detterman@acgov.org.

Sincerely,

Mark E. Detterman, PG, CEG
Hazardous Materials Specialist
Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Donna Drogos, ACEH (*Sent via E-mail to: donna.drogos@acgov.org*)
Mark Detterman, ACEH (*Sent via E-mail to: mark.detterman@acgov.org*)
Geotracker, File

RESPONSIBLE PARTY OF RECORD AS OF 07/22/2009

RO0000064, PEPSI-COLA COMPANY, 1150 PARK AVE , Emeryville, CA, 94608

Alameda County Environmental Health (ACEH) has the following information on record regarding the Responsible Party(ies) for the above referenced site. Please update the following information for our records. Should you have contact information regarding additional Responsible Parties, please correct the information accordingly. Also, please check the "e-mail preferred" box to receive all future correspondences and notifications by e-mail.

E-mail Preferred

Hardcopy Preferred

ACEH is requesting your e-mail address so that we can correspond with you quickly and efficiently regarding your case. Please note that ACEH respects your privacy. Your e-mail address will remain confidential and will not be provided to any third party.

Current Information

Corrections or Additions

GARY BANKHEAD
KAISER FOUNDATION HOSPITALS
100 SAN LEANDRO BLVD
SAN LEANDRO CA 94577
GARY.J.BANKHEAD@KP.ORG
5106185886

Name: _____
Company: _____
Address: _____
City: _____ State: _____ Zip: _____
E-mail: _____
Home Phone: (____) _____
Office Phone: (____) _____
Cell Phone: (____) _____

CHESTER G GRYWCZYNSKI
PEPSI BOTTLING GROUP INC
UNK
UNK CA 00000

Name: _____
Company: _____
Address: _____
City: _____ State: _____ Zip: _____
E-mail: _____
Home Phone: (____) _____
Office Phone: (____) _____
Cell Phone: (____) _____

JERRY TIDWELL
NEW CENTURY BEVERAGES
2900 HESPERIAN BLVD
HAYWARD CA 94545

Name: _____
Company: _____
Address: _____
City: _____ State: _____ Zip: _____
E-mail: _____
Home Phone: (____) _____
Office Phone: (____) _____
Cell Phone: (____) _____