



RD 76

July 28, 1999
Project 20805-213.002

Mr. Paul Supple
ARCO Products Company
PO Box 6549
Moraga, California 94570

Re: Quarterly Groundwater Monitoring Report, Second Quarter 1999, for ARCO Service Station No. 4931, located at 731 West MacArthur Boulevard, Oakland, California

Dear Mr. Supple:

Pinnacle Environmental Solutions, a division of EMCON (Pinnacle), is submitting the attached report which presents the results of the second quarter 1999 groundwater monitoring program at ARCO Products Company (ARCO) Service Station No. 4931, located at 731 West MacArthur Boulevard, Oakland, California. The monitoring program complies with the Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.


LIMITATIONS


No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, results should not be construed as a guarantee of the absence of such conditions at the site, but rather as the product of the scope and limitations of work performed during the monitoring event.

Please call if you have questions.

Sincerely,

Pinnacle


Glen VanderVeen
Project Manager


Jay R. Johnson, R.G.
Senior Project Supervisor

Attachment: Quarterly Groundwater Monitoring Report, Second Quarter 1999

cc: Mr. John Kaiser, Regional Water Quality Control Board - San Francisco Bay Region
Ms. Susan Hugo, Alameda County Health Care Services Agency

99 JUL 30 PM 3:26
ENVIRONMENTAL
PROTECTION



ATTACHMENTS:

- Table 1 - Groundwater Elevation and Analytical Data
- Table 2 - Groundwater Flow Direction and Gradient
- Figure 1 - Groundwater Analytical Summary Map
- Figure 2 - Groundwater Elevation Contour Map
- Appendix A - Sampling and Analysis Procedures
- Appendix B - Certified Analytical Reports and Chain-of-Custody Documentation
- Appendix C - Field Data Sheets
- Appendix D - Remedial System Performance Summary

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
A-2	03/26/96	55.48	5.37	50.11	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	05/22/96		5.25	50.23	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	08/22/96		10.45	45.03	<50	1.1	1.8	<0.5	1.3	<2.5	NA	NM	
	12/19/96		5.53	49.95	<50	<0.5	<0.5	<0.5	<0.5	2.7	NA	NM	
	04/01/97		8.77	46.71	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NM	
	05/27/97		9.87	45.61	<50	<0.5	<0.5	<0.5	<0.5	4.6	NA	NM	
	08/12/97		11.11	44.37	<50	<0.5	<0.5	<0.5	<0.5	5.6	NA	NM	
	11/14/97		10.63	44.85	<50	0.9	2.8	<0.5	2.4	27	NA	2.6	
	03/18/98		3.58	51.90	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	NM	
	05/19/98		4.82	50.66	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.30	P
	07/29/98		8.94	46.54	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.2	NP
	10/09/98		10.82	44.66	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	0.5	NP
	02/19/99		4.46	51.02	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	3.0	P
06/02/99	5.59	49.89	<50	<0.5	<0.5	0.6	<0.5	<0.5	<3	NA	5.35	NP	
A-3	03/26/96	54.66	7.20	47.46	----- Well Sampled Semiannually -----								
	05/22/96		7.70	46.96	<50	1.2	1.9	0.7	1.3	NA	NA	NM	
	08/22/96		10.88	43.78	----- Well Sampled Semiannually -----								
	12/19/96		7.70	46.96	5,900	<25	<25	<25	<25	NA	5,300	NM	
	04/01/97		9.78	44.88	----- Well Sampled Semiannually -----								
	05/27/97		10.55	44.11	2,300	<20	<20	<20	<20	3,800	NA	NM	
	08/12/97		11.12	43.54	----- Well Sampled Semiannually -----								
	11/14/97		8.24	46.42	<1,000	<10	<10	<10	<10	1,500	NA	3.8	
	03/18/98		5.05	49.61	----- Well Sampled Semiannually -----								
	05/19/98		9.00	45.66	<250	<2.5	<2.5	<2.5	<2.5	220	NA	4.60	P
	07/29/98		9.86	44.80	----- Well Sampled Semiannually -----								
	10/09/98		11.36	43.30	<250	<2.5	<2.5	<2.5	<2.5	260	NA	1.0	NP
	02/19/99		6.19	48.47	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	2.5	NP
06/02/99	10.82	43.84	120	<1	<1	<1	<1	160	NA	2.78	NP		

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
A-4	03/26/96	54.73	7.95	46.78	8,900	1,200	21	200	220	NA	NA	NM	
	05/22/96		8.35	46.38	5,300	700	<10	170	130	NA	NA	NM	
	08/22/96		11.03	43.70	3,000	480	<5.0	75	26	150	NA	NM	
	12/19/96		8.67	46.06	<2,000	<20	<20	<20	<20	NA	15,000	NM	
	04/01/97		11.95	42.78	8,900	1,700	22	310	260	6,900	NA	NM	
	05/27/97		10.80	43.93	7,100	960	<20	150	74	7,900	NA	NM	
	08/12/97		11.38	43.35	4,300	670	12	51	27	2,800	NA	NM	
	11/14/97		7.74	46.99	<20,000	300	500	<200	<200	27,000	NA	2.2	
	03/18/98		6.80	47.93	4,700	600	<20	99	94	1,200	NA	1.0	
	05/19/98		9.06	45.67	<2000	<20	<20	<20	720	2,000	NA	1.28	P
	07/29/98		10.05	44.68	8,400	1,300	<20	290	130	1,800	NA	0.7	NP
	10/09/98		11.20	43.53	3,500	400	<20	54	<20	1,700	NA	1.0	NP
	02/19/99		6.85	47.88	<1,000	<10	<10	<10	12	650	NA	0.1	NP
06/02/99	11.00	43.73	6,100	760	16	260	89	2,300	NA	1.12	NP		
A-5	03/26/96	54.17	7.93	46.24	----- Well Sampled Semiannually -----								
	05/22/96		8.20	45.97	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	08/22/96		10.70	43.47	----- Well Sampled Semiannually -----								
	12/19/96		8.39	45.78	9,900	1,100	330	230	700	NA	24	NM	
	04/01/97		10.83	43.34	----- Well Sampled Semiannually -----								
	05/27/97		10.65	43.52	100	<0.5	<0.5	<0.5	<0.5	120	NA	NM	
	08/12/97		11.05	43.12	----- Well Sampled Semiannually -----								
	11/14/97		10.51	43.66	<50	<0.5	<0.5	<0.5	<0.5	41	NA	4.8	
	03/18/98		8.10	46.07	----- Well Sampled Semiannually -----								
	05/19/98		9.31	44.86	590	<5	<5	<5	<5	710	NA	2.48	P
	07/29/98		9.89	44.28	----- Well Sampled Semiannually -----								
	10/09/98		11.02	43.15	690	<5	<5	<5	<5	710	NA	1.0	NP
	02/19/99		6.82	47.35	<2,000	<20	<20	<20	<20	2,300	NA	0.6	NP
06/02/99	10.82	43.35	1,500	<0.5	2.3	<0.5	<0.5	2,400	NA	2.81	NP		

**Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California**

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
A-6	03/26/96	55.17	7.15	48.02	52	2.7	<0.5	1.1	2.0	NA	NA	NM	
	05/22/96		7.35	47.82	<50	2.4	<0.5	0.88	1.7	NA	NA	NM	
	08/22/96		10.12	45.05	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NM	
	12/19/96		7.43	47.74	<50	1.7	<0.5	0.78	1.5	<2.5	NA	NM	
	04/01/97		9.97	45.20	<50	4.7	<0.5	1.9	3.2	<2.5	NA	NM	
	05/27/97		9.66	45.51	<50	0.69	<0.5	<0.5	<0.5	<2.5	NA	NM	
	08/12/97		10.43	44.74	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NM	
	11/14/97		9.76	45.41	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	<1.0	
	03/18/98		7.00	48.17	<50	6.2	0.5	2.3	2.6	<3	NA	3.0	
	05/19/98		8.27	46.90	<50	<0.5	<0.5	1.3	4.7	<3	NA	2.16	P
	07/29/98		8.96	46.21	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	0.8	NP
	10/09/98		10.23	44.94	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.0	NP
	02/19/99		5.79	49.38	<50	<0.5	<0.5	<0.5	<0.5	5	NA	0.4	NP
06/02/99	9.71	45.46	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<3	NA	2.00	NP	
A-7	03/26/96	54.71	6.90	47.81	----- Well Sampled Semiannually -----								
	05/22/96		8.27	46.44	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	08/22/96		9.80	44.91	----- Well Sampled Semiannually -----								
	12/19/96		7.19	47.52	----- Well Sampled Annually -----								
	04/01/97		9.63	45.08	----- Well Sampled Annually -----								
	05/27/97		9.34	45.37	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NM	
	08/12/97		10.10	44.61	----- Well Sampled Annually -----								
	11/14/97		9.35	45.36	----- Well Sampled Annually -----								
	03/18/98		6.75	47.96	----- Well Sampled Annually -----								
	05/19/98		8.85	45.86	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.82	P
	07/29/98		8.84	45.87	----- Well Sampled Annually -----								
	10/09/98		10.05	44.66	----- Well Sampled Annually -----								
	02/19/99		5.57	49.14	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<3	NA	4.7
06/02/99	9.56	45.15	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<3	NA	2.17	NP	

**Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California**

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)	
A-8	03/26/96	53.77	7.10	46.67	48,000	2,600	<100	650	1,100	NA	NA	NM		
	05/22/96		7.20	46.57	14,000	2,800	160	320	190	NA	NA	NM		
	08/22/96		11.57	42.20	8,000	1,000	76	150	96	4,300	NA	NM		
	12/19/96		8.04	45.73	12,000	450	110	210	230	<500	NA	NM		
	04/01/97		9.98	43.79	----- Well Sampled Semiannually -----									
	05/27/97		11.45	42.32	11,000	1,600	100	220	210	2,300	NA	NM		
	08/12/97		11.59	42.18	----- Well Sampled Semiannually -----									
	11/14/97		9.85	43.92	26,000	2,300	<200	400	400	4,100	NA	2.2		
	03/18/98		7.80	45.97	----- Well Sampled Semiannually -----									
	05/19/98		8.78	44.99	88,000	4,200	150	640	600	6,700	NA	1.36	P	
	07/29/98		9.59	44.18	46,000	4,900	160	620	580	13,000	NA	0.5	NP	
	10/09/98		11.23	42.54	130,000	3,700	110	500	770	7,300	NA	1.0	NP	
	02/19/99		6.51	47.26	<1,000	39	<10	<10	<10	840	NA	0.2	NP	
	06/02/99		10.68	43.09	8,500	1,300	32	180	110	6,700	NA	1.31	NP	
A-9	03/26/96	53.04	7.05	45.99	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM		
	05/22/96		7.20	45.84	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM		
	08/22/96		9.68	43.36	<50	<0.5	<0.5	<0.5	<0.5	8.5	NA	NM		
	12/19/96		7.43	45.61	<50	<0.5	<0.5	<0.5	<0.5	2.6	NA	NM		
	04/01/97		9.95	43.09	----- Well Sampled Semiannually -----									
	05/27/97		9.56	43.48	<50	2.3	<0.5	<0.5	<0.5	45	NA	NM		
	08/12/97		10.15	42.89	----- Well Sampled Semiannually -----									
	11/14/97		8.64	44.40	<200	<2.0	<2.0	<2.0	<2.0	190	NA	9.6		
	03/18/98		6.45	46.59	----- Well Sampled Semiannually -----									
	05/19/98		8.35	44.69	<50	<0.5	<0.5	<0.5	<0.5	7	NA	1.27	P	
	07/29/98		8.74	44.30	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	0.99	NP	
	10/09/98		10.05	42.99	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.0	NP	
	02/19/99		6.91	46.13	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	2.0	NP	
	06/02/99		9.72	43.32	<50	<0.5	<0.5	<0.5	<0.5	16	NA	2.32	NP	

Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
A-10	03/26/96	54.26	8.28	45.98	----- Well Removed from Sampling Program -----								
	05/22/96		8.60	45.66	----- Well Removed from Sampling Program -----								
	08/22/96		10.98	43.28	----- Well Removed from Sampling Program -----								
	12/19/96		8.80	45.46	----- Well Removed from Sampling Program -----								
	04/01/97		11.15	43.11	----- Well Removed from Sampling Program -----								
	05/27/97		10.90	43.36	----- Well Removed from Sampling Program -----								
	08/12/97		11.30	42.96	----- Well Removed from Sampling Program -----								
	11/14/97		10.80	43.46	----- Well Removed from Sampling Program -----								
	03/18/98		----- Well Removed from Survey Program -----										
A-11	03/26/96	53.74	8.10	45.64	----- Well Sampled Semiannually -----								
	05/22/96		8.25	45.49	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	08/22/96		10.58	43.16	----- Well Sampled Semiannually -----								
	12/19/96		8.37	45.37	<50	<0.5	<0.5	<0.5	<0.5	<2.5	NA	NM	
	04/01/97		10.95	42.79	----- Well Sampled Semiannually -----								
	05/27/97		10.60	43.14	<50	<0.5	<0.5	<0.5	<0.5	3.1	NA	NM	
	08/12/97		11.07	42.67	----- Well Sampled Semiannually -----								
	11/14/97		10.58	43.16	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.6	
	03/18/98		8.14	45.60	----- Well Sampled Semiannually -----								
	05/19/98		9.40	44.34	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.13	P
	07/29/98		10.32	43.42	----- Well Sampled Semiannually -----								
	10/09/98		10.91	42.83	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	2.0	NP
	02/19/99		6.77	46.97	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	1.8	NP
	06/02/99		10.95	42.79	<50	<0.5	<0.5	<0.5	<0.5	6	NA	1.38	NP

**Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California**

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
A-12	03/26/96	52.05	7.83	44.22	----- Well Sampled Semiannually -----								
	05/22/96		7.80	44.25	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	08/22/96		9.97	42.08	----- Well Sampled Semiannually -----								
	12/19/96		8.18	43.87	85	<0.5	<0.5	<0.5	<0.5	170	NA	NM	
	04/01/97		10.30	41.75	----- Well Sampled Semiannually -----								
	05/27/97		10.05	42.00	50	12	<0.5	<0.5	<0.5	96	NA	NM	
	08/12/97		10.46	41.59	----- Well Sampled Semiannually -----								
	11/14/97		9.70	42.35	<50	<0.5	<0.5	<0.5	<0.5	75	NA	7.0	
	03/18/98		8.15	43.90	----- Well Sampled Semiannually -----								
	05/19/98		9.15	42.90	<50	<0.5	<0.5	<0.5	<0.5	29	NA	1.47	P
	07/29/98		9.38	42.67	----- Well Sampled Semiannually -----								
	10/09/98		10.21	41.84	<50	<0.5	<0.5	<0.5	<0.5	7	NA	2.0	NP
	02/19/99		6.96	45.09	<50	<0.5	<0.5	<0.5	<0.5	<3	NA	5.2	NP
06/02/99	10.25	41.80	<50	<0.5	<0.5	<0.5	<0.5	7	NA	1.38	NP		
A-13	03/26/96	55.11	----- Well Inaccessible -----										
	05/22/96		----- Well Inaccessible -----										
	08/22/96		----- Well Inaccessible -----										
	12/19/96		----- Well Inaccessible -----										
	04/01/97		----- Well Inaccessible -----										
	05/27/97		----- Well Inaccessible -----										
	08/12/97		----- Well Inaccessible -----										
	11/14/97		----- Well Inaccessible -----										
	03/18/98		----- Well Inaccessible -----										
	05/19/98		----- Well Inaccessible -----										
	07/29/98		----- Well Inaccessible -----										
	10/09/98		----- Well Inaccessible -----										
	02/19/99		----- Well Inaccessible -----										
06/02/99	----- Well Inaccessible -----												

**Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California**

Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)	
AR-1	03/26/96	54.72	8.13	46.59	6,200	110	64	38	520	NA	NA	NM		
	05/22/96		8.57	46.15	NS	NS	NS	NS	NS	NS	NS	NM		
	08/22/96		10.97	43.75	5,600	100	28	29	310	960	NA	NM		
	12/19/96		8.93	45.79	----- Well Removed from Sampling Program -----									
	04/01/97		11.78	42.94	----- Well Removed from Sampling Program -----									
	05/27/97		10.76	43.96	----- Well Removed from Sampling Program -----									
	08/12/97		11.40	43.32	----- Well Removed from Sampling Program -----									
	11/14/97		10.80	43.92	----- Well Removed from Sampling Program -----									
	05/19/98		--	--	----- Well Removed from Sampling Program -----									
	07/29/98		10.17	44.55	----- Well Removed from Sampling Program -----									
	10/09/98		11.25	43.47	----- Well Removed from Sampling Program -----									
	02/19/99		7.02	47.70	----- Well Removed from Sampling Program -----									
	06/02/99		11.00	43.72	----- Well Removed from Sampling Program -----									
AR-2	03/26/96	54.77	4.93	49.84	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM		
	05/22/96		5.65	49.12	NS	NS	NS	NS	NS	NS	NS	NM		
	08/22/96		7.27	47.50	<50	<0.5	<0.5	<0.5	<0.5	200	NA	NM		
	12/19/96		7.78	46.99	----- Well Removed from Sampling Program -----									
	04/01/97		6.80	47.97	----- Well Removed from Sampling Program -----									
	05/27/97		6.32	48.45	----- Well Removed from Sampling Program -----									
	08/12/97		7.43	47.34	----- Well Removed from Sampling Program -----									
	11/14/97		8.95	45.82	----- Well Removed from Sampling Program -----									
	05/19/98		--	--	----- Well Removed from Sampling Program -----									
	07/29/98		4.47	50.30	----- Well Removed from Sampling Program -----									
	10/09/98		6.90	47.87	----- Well Removed from Sampling Program -----									
	02/19/99		3.80	50.97	----- Well Removed from Sampling Program -----									
	06/02/99		4.61	50.16	----- Well Removed from Sampling Program -----									

**Table 1
Groundwater Elevation and Analytical Data
Total Purgeable Petroleum Hydrocarbons
(TPPH as Gasoline, BTEX Compounds, and MTBE)**

**ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California**


Well Number	Date Gauged/ Sampled	Well Elevation (feet, MSL)	Depth to Water (feet, TOB)	Groundwater Elevation (feet, MSL)	TPPH as Gasoline (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (ppm)	Purged/ Not Purged (P/NP)
AR-3	03/26/96	54.19	7.95	46.24	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NM	
	05/22/96		8.30	45.89	NS	NS	NS	NS	NS	NS	NS	NM	
	08/22/96		10.84	43.35	----- Well Removed from Sampling Program -----								
	12/19/96		8.56	45.63	----- Well Removed from Sampling Program -----								
	04/01/97		11.24	42.95	----- Well Removed from Sampling Program -----								
	05/27/97		10.67	43.52	----- Well Removed from Sampling Program -----								
	08/12/97		11.10	43.09	----- Well Removed from Sampling Program -----								
	11/14/97		10.60	43.59	----- Well Removed from Sampling Program -----								
	05/19/98		--	--	----- Well Removed from Sampling Program -----								
	07/29/98		9.95	44.24	----- Well Removed from Sampling Program -----								
	10/09/98		11.20	42.99	----- Well Removed from Sampling Program -----								
	02/19/99		6.98	47.21	----- Well Removed from Sampling Program -----								
	06/02/99		10.80	43.39	----- Well Removed from Sampling Program -----								

TPPH = Total purgeable petroleum hydrocarbons by modified EPA method 8015
 BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA method 8020
 MTBE = Methyl tert-butyl ether
 MSL = Mean sea level
 TOB = Top of box
 ppb = Parts per billion
 ppm = Parts per million
 < = Less than laboratory detection limit stated to the right.
 NA = Not analyzed
 NM = Not measured
 NS = Not sampled

Table 2
Groundwater Flow Direction and Gradient

ARCO Service Station 4931
731 West MacArthur Boulevard, Oakland, California


Date Measured	Average Flow Direction	Average Hydraulic Gradient
03/26/96	Southwest	0.03
05/22/96	Southwest	0.04
08/22/96	Southwest	0.02
12/19/96	Southwest	0.03
04/01/97	Southwest	0.03
05/27/97	Southwest	0.04
08/12/97	Southwest	0.02
11/14/97	Southwest	0.02
03/18/98	West	0.03
05/19/98	West-Southwest	0.02
07/29/98	West-Southwest	0.02
10/09/98	Southwest	0.007
02/19/99	Southwest	0.04
06/02/99	West	0.04



● A-12
(<50/<0.5/7)

WEST STREET


● A-11
(<50/<0.5/6)





EXPLANATION

●	Groundwater monitoring well
●	Soil vapor well
(120/<1/160)	Concentration of total petroleum hydrocarbons as gasoline (TPHG), benzene, and MTBE in groundwater (ug/L); samples collected 6/2/99
<	Not detected at or above the indicated laboratory detection limit
NS	Not sampled

IMAGE Files: <No Images>
 XREF Files: <No Xrefs>
 Dimstyle: 30 Ltscale: 30 Pattscale: 1
 SANJOSE/CADD: N:\DWG\PINACL\4931\4931CHEM.DWG Thu, 01/Jul/99 10:25am kblack



Base map from Pacific Environmental Group, Inc.



DATE	June 1999
DWN	KAB
APP	
REV	0
PROJECT NO.	20805-213.002


FIGURE 1
 ARCO PRODUCTS COMPANY
 SERVICE STATION 4931, 731 W. MACARTHUR BLVD.
 OAKLAND, CALIFORNIA
GROUNDWATER ANALYTICAL SUMMARY
SECOND QUARTER 1999



WEST STREET

A-12
(41.80)

A-11
(42.79)



WEST MACARTHUR BLVD.


EXPLANATION

- Groundwater monitoring well
- Soil vapor well
- (45.15) Groundwater elevation (Ft.-MSL); measured 6/2/99
- ?- Groundwater elevation contour (Ft.-MSL)
- ← Approximate direction of groundwater flow showing gradient
- NM Not measured; well inaccessible
- * Not used to construct contours

IMAGE: Files: <No Images>
XREF: Files: <No Xrefs>
Dimscale: 30 Ltscale: 30 Prefscale: 1
SANJOSE/CADD: N:\DWG\PINACL\4931\49310WC.DWG Tue, 13/Jul/99 01:13pm kblack

Base map from Pacific Environmental Group, Inc.

Pinnacle
ENVIRONMENTAL SOLUTIONS
A DIVISION OF EMCON



DATE	JUNE 1999
DWN	KAB
APP	
REV	0
PROJECT NO.	20805-213.002

FIGURE 2
ARCO PRODUCTS COMPANY
SERVICE STATION 4931, 731 W. MACARTHUR BLVD.
OAKLAND, CALIFORNIA
GROUNDWATER ELEVATION CONTOURS
SECOND QUARTER 1999

APPENDIX A
SAMPLING AND ANALYSIS PROCEDURES

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

The sampling and analysis procedures for water quality monitoring programs are contained in this appendix. The procedures provided for consistent and reproducible sampling methods, proper application of analytical methods, and accurate and precise analytical results. Finally, these procedures provided guidelines so that the overall objectives of the monitoring program were achieved.

The following documents have been used as guidelines for developing these procedures:

- Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities, Environmental Protection Agency (EPA)-530/SW-611, August 1977
- Resource Conservation and Recovery Act (RCRA) Groundwater Monitoring Technical Enforcement Guidance Document, Office of Solid Waste and Emergency Response (OSWER) 9950.1, September 1986
- Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, EPA SW-846, 3rd edition, November 1986
- Methods for Organic Chemical Analysis of Municipal and Industrial Waste Water, EPA-600/4-82-057, July 1982
- Methods for Organic Chemical Analysis of Water and Wastes, EPA-600/4-79-020, revised March 1983
- Leaking Underground Fuel Tank (LUFT) Field Manual, California State Water Resources Control Board, revised October 1989

Sample Collection

Sample collection procedures include equipment cleaning, water level and total well depth measurements, and well purging and sampling.

Equipment Cleaning

Before the sampling event was started, equipment that was used to sample groundwater was disassembled and cleaned with detergent water and then rinsed with deionized water. During field sampling, equipment surfaces that were placed in the well or came into contact with groundwater during field sampling were steam cleaned with deionized water before the next well was purged or sampled.

Water Level, Floating Hydrocarbon, and Total Well Depth Measurements

Before purging and sampling occurred, the depth to water, floating hydrocarbon thickness, and total well depth were measured using an oil/water interface measuring system. The oil/water interface measuring system consists of a probe that emits a continuous audible tone when immersed in a nonconductive fluid, such as oil or gasoline, and an intermittent tone when immersed in a conductive fluid, such as water. The floating hydrocarbon thickness and water level were measured by lowering the probe into the well. Liquid levels were recorded relative to the tone emitted at the groundwater surface. The sonic probe was decontaminated by being rinsed with deionized water or steam cleaned after each use. A bottom-filling, clear Teflon[®] bailer was used to verify floating hydrocarbon thickness measurements of less than 0.02 foot. Alternatively, an electric sounder and a bottom-filling Teflon bailer may have been used to record floating hydrocarbon thickness and depth to water.

The electric sounder is a transistorized instrument that uses a reel-mounted, two-conductor, coaxial cable that connects the control panel to the sensor. Cable markings are stamped at 1-foot intervals. The water level was measured by lowering the sensor into the monitoring well. A low-current circuit was completed when the sensor contacted the water, which served as an electrolyte. The current was amplified and fed into an indicator light and audible buzzer, signaling when water had been contacted. A sensitivity control compensated for highly saline or conductive water. The electric sounder was decontaminated by being rinsed with deionized water after each use. The bailer was lowered to a point just below the liquid level, retrieved, and observed for floating hydrocarbon.

Liquid measurements were recorded to the nearest 0.01 foot on the depth to water/floating product survey form. The groundwater elevation at each monitoring well was calculated by subtracting the measured depth to water from the surveyed elevation of the top of the well casing. (Every attempt was made to measure depth to water for all wells on the same day.) Total well depth was then measured by lowering the sensor to the bottom of the well. Total well depth, used to calculate purge volumes and to determine whether the well screen was partially obstructed by silt, was recorded to the nearest 0.1 foot on the depth to water/floating product survey form.

Well Purging

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol presented in Figure A-1. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

Groundwater purged from the monitoring wells was transported in a 500-gallon water trailer, 55-gallon drum, or a 325-gallon truck-mounted tank to EMCON's San Jose or Sacramento office location for temporary storage. EMCON arranged for transport and disposal of the purged groundwater through Integrated Waste Stream Management, Inc.

Field measurements of pH, specific conductance, and temperature were recorded in a waterproof field logbook. Figure A-2 shows an example of the water sample field data sheet on which field data are recorded. Field data sheets were reviewed for completeness by the sampling coordinator after the sampling event was completed.

The pH, specific conductance, and temperature meter were calibrated each day before field activities were begun. The calibration was checked once each day to verify meter performance. Field meter calibrations were recorded on the water sample field data sheet.

Well Sampling

A Teflon bailer was the only equipment acceptable for well sampling. When samples for volatile organic analysis were being collected, the flow of groundwater from the bailer was regulated to minimize turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa were used in sampling for volatile organics. These bottles were filled completely to prevent air from remaining in the bottle. A positive meniscus formed when the bottle was completely full. A convex Teflon septum was placed over the positive meniscus to eliminate air. After the bottle was capped, it was inverted and tapped to verify that it contained no air bubbles. The sample containers for other parameters were filled, filtered as required, and capped.

When required, dissolved concentrations of metals were determined using appropriate field filtration techniques. The sample was filtered by emptying the contents of the Teflon bailer into a pressure transfer vessel. A disposable 0.45-micron acrylic copolymer filter was threaded onto the transfer vessel at the discharge point, and the vessel was sealed. Pressure was applied to the vessel with a hand pump and the filtrate directed into the appropriate containers. Each filter was used once and discarded.

Sample Preservation and Handling

The following section specifies sample containers, preservation methods, and sample handling procedures.

Sample Containers and Preservation

Sample containers vary with each type of analytical parameter. Container types and materials were selected to be nonreactive with the particular analytical parameter tested.

Sample Handling

Sample containers were labeled immediately prior to sample collection. Samples were kept cool with cold packs until received by the laboratory. At the time of sampling, each sample was logged on an ARCO chain-of-custody record that accompanied the sample to the laboratory.

Samples that required overnight storage prior to shipping to the laboratory were kept cool (4° C) in a refrigerator. The refrigerator was kept in a warehouse, which was locked when not occupied by an EMCON employee. A sample/refrigerator log was kept to record the date and time that samples were placed into and removed from the refrigerator.

Samples were transferred from EMCON to an ARCO-approved laboratory by courier or taken directly to the laboratory by the environmental sampler. Sample shipments from EMCON to laboratories performing the selected analyses routinely occurred within 24 hours of sample collection.

Sample Documentation

The following procedures were used during sampling and analysis to provide chain-of-custody control during sample handling from collection through storage. Sample documentation included the use of the following:

- Water sample field data sheets to document sampling activities in the field
- Labels to identify individual samples
- Chain-of-custody record sheets for documenting possession and transfer of samples
- Laboratory analysis request sheets for documenting analyses to be performed

Field Logbook

In the field, the sampler recorded the following information on the water sample field data sheet (see Figure A-2) for each sample collected:

- Project number
- Client's name
- Location
- Name of sampler
- Date and time
- Well accessibility and integrity
- Pertinent well data (e.g., casing diameter, depth to water, well depth)
- Calculated and actual purge volumes
- Purging equipment used
- Sampling equipment used
- Appearance of each sample (e.g., color, turbidity, sediment)
- Results of field analyses (temperature, pH, specific conductance)
- General comments

The water sample field data sheet was signed by the sampler and reviewed by the sampling coordinator.

Labels

Sample labels contained the following information:

- Project number
- Sample number (i.e., well designation)
- Sample depth
- Sampler's initials
- Date and time of collection
- Type of preservation used (if any)

Sampling and Analysis Chain-of-Custody Record

The ARCO chain-of-custody record initiated at the time of sampling contained, at a minimum, the sample designation (including the depth at which the sample was collected), sample type, analytical request, date of sampling, and the name of the sampler. The record sheet was signed, timed, and dated by the sampler when transferring the samples. The number of custodians in the chain of possession was minimized. A copy of the ARCO chain-of-custody record was returned to EMCON with the analytical results.

Groundwater Sampling and Analysis Request Form

A groundwater sampling and analysis request form (see Figure A-3) was used to communicate to the environmental sampler the requirements of the monitoring event. At a minimum, the groundwater sampling and analysis request form included the following information:

- Date scheduled
- Site-specific instructions
- Specific analytical parameters
- Well number
- Well specifications (expected total depth, depth of water, and product thickness)



OWT

MONITORING WELL PURGING PROTOCOL

MEASURE AND RECORD DEPTH TO WATER AND WELL TOTAL DEPTH

CHECK FOR FLOATING PRODUCT

YES

MEASURE AND DOCUMENT FLOATING PRODUCT THICKNESS. DO NOT SAMPLE WELL FOR DISSOLVED CONSTITUENTS.

NO

CALCULATE PURGE VOLUME BY USING THE FOLLOWING EQUATION:

$$P = \pi r^2 h \times 7.48 \times 3$$

where:

P = calculated purge volume (gallons)

$\pi = 3.14$

r = radius of well casing in feet

h = height of water column in feet

EVACUATE WATER FROM WELL EQUAL TO THE CALCULATED PURGE VOLUME WHILE MONITORING GROUNDWATER STABILIZATION INDICATOR PARAMETERS (pH, CONDUCTIVITY, TEMPERATURE) AT INTERVALS OF ONE CASING VOLUME.

WELL EVACUATED TO PRACTICAL LIMITS OF DRYNESS BEFORE REMOVING CALCULATED PURGE VOLUME

NO

FINAL TWO SETS OF GROUNDWATER STABILIZATION INDICATOR PARAMETER MEASUREMENTS MEET THE FOLLOWING CRITERIA:

- pH = ± 0.1 pH units
- COND. = $\pm 10\%$
- TEMP. = ± 1.0 °F

YES

WELL PURGING CRITERIA MET; PROCEED TO WELL SAMPLING.

NO

CONTINUE PURGING; EVACUATE ADDITIONAL CASING VOLUME OF WATER, MONITORING INDICATOR PARAMETERS FOR STABILITY.

YES

WELL RECHARGES TO A LEVEL SUFFICIENT FOR SAMPLE COLLECTION WITHIN 24 HOURS OF EVACUATION TO DRYNESS.

YES

FIELD TEST FIRST RECHARGE WATER FOR INDICATOR PARAMETERS, THEN PROCEED TO WELL SAMPLING.

NO

RECORD WELL AS DRY FOR PURPOSES OF SAMPLING.



EMCON

MONITORING WELL PURGING PROTOCOL

FIGURE

A-1

WATER SAMPLE FIELD DATA SHEET

Rev. 5/96



OWT

PROJECT NO : _____
 PURGED BY : _____
 SAMPLED BY : _____

SAMPLE ID : _____
 CLIENT NAME : _____
 LOCATION : _____

TYPE: Groundwater _____ Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 _____ 3 _____ 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL) : _____ VOLUME IN CASING (gal.) : _____
 DEPTH OF WELL (feet) : _____ CALCULATED PURGE (gal.) : _____
 DEPTH OF WATER (feet) : _____ ACTUAL PURGE VOL. (gal.) : _____

DATE PURGED : _____ END PURGE : _____
 DATE SAMPLED : _____ SAMPLING TIME : _____

TIME (2400 HIR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25 °C)	TEMPERATURE (°F)	TURBIDITY (visual/NTU)	TIME (2400 HR)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

OTHER: _____ ODOR: _____
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1) : _____

PURGING EQUIPMENT	SAMPLING EQUIPMENT
_____ 2" Bladder Pump _____ Bailer (Teflon) _____ Centrifugal Pump _____ Bailer (PVC) _____ Submersible Pump _____ Bailer (Stainless Steel) _____ Well Wizard™ _____ Dedicated	_____ 2" Bladder Pump _____ Bailer (Teflon) _____ Bomb Sampler _____ Bailer (Stainless Steel) _____ Dipper _____ Submersible Pump _____ Well Wizard™ _____ Dedicated
Other: _____	Other: _____

WELL INTEGRITY: _____ LOCK: _____

REMARKS: _____

pH, E.C., Temp. Meter Calibration: Date: _____ Time: _____ Meter Serial No : _____
 E.C. 1000 _____ / _____ pH 7 _____ / _____ pH 10 _____ / _____ pH 4 _____ / _____

Temperature °F _____
 SIGNATURE: _____ REVIEWED BY: _____ PAGE _____ OF _____



WATER SAMPLE FIELD DATA SHEET

FIGURE
A-2



OWT

**EMCON - SACRAMENTO
GROUNDWATER SAMPLING AND ANALYSIS REQUEST FORM**

PROJECT NAME :

SCHEDULED DATE :

SPECIAL INSTRUCTIONS / CONSIDERATIONS :

[Empty box for special instructions]

Project Authorization: _____
EMCON Project No.: _____
OWT Project No.: _____
Task Code: _____
Originals To: _____
cc: _____

Well Lock Number (s)

CHECK BOX TO AUTHORIZE DATA ENTRY

Site Contact: _____
Name Phone #

Well Number or Source	Casing Diameter (inches)	Casing Length (feet)	Depth to Water (feet)	ANAYSES REQUESTED

Laboratory and Lab QC Istructions:



EMCON

SAMPLING AND ANALYSIS REQUEST FORM

**FIGURE
A-3**

APPENDIX B

**CERTIFIED ANALYTICAL REPORTS,
AND CHAIN-OF-CUSTODY DOCUMENTATION**



June 16, 1999

Service Request No.: S9901686

Mr. Glen Vanderveen
EMCON-Pinnacle
2201 Broadway, Suite 101
Oakland, CA 94612

RE: TO#24118.00/RAT#8/4931 OAKLAND

Dear Mr. Vanderveen:

Enclosed are the results of the sample (s) submitted to our laboratory on June 02, 1999. All analyses were performed in accordance with our laboratory's quality assurance program. Results are intended to be considered in their entirety and apply to the sample (s) analyzed. Columbia Analytical Services is not responsible for use of less than the complete report. Signature of this CAS Analytical Report confirms that pages 2 through 19, following, have been thoroughly reviewed and approved for release.

Columbia Analytical Services is certified for environmental analyses by the California Department of Health Services (certificate number: 1496, expiration: January 31, 2001).


If you have any question, please call me at (408) 748-9700.

Respectfully submitted,

Columbia Analytical Services, Inc.

Bernadette Troncales
Project Chemist

Greg Jordan
Laboratory Director



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLc	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118 00/RAT#8/4931 OAKLAND
Sample Matrix: Water

Service Request: S9901686
Date Collected: 6/2/99
Date Received: 6/2/99


BTEX, MTBE and TPH as Gasoline

Sample Name: A-3(11)
Lab Code: S9901686-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	2	NA	6/8/99	120	G2
Benzene	EPA 5030	8020	0.5	2	NA	6/8/99	<1	C1
Toluene	EPA 5030	8020	0.5	2	NA	6/8/99	<1	C1
Ethylbenzene	EPA 5030	8020	0.5	2	NA	6/8/99	<1	C1
Xylenes, Total	EPA 5030	8020	0.5	2	NA	6/8/99	<1	C1
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	2	NA	6/8/99	160	

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.
 G2 The sample contains non-fuel components eluting in the gasoline range, and quantitated as gasoline. The chromatogram does not match the typical gasoline fingerprint.

Approved By: _____  Date: 06/16/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/4931 OAKLAND
Sample Matrix: Water

Service Request: S9901686
Date Collected: 6/2/99
Date Received: 6/2/99

BTEX, MTBE and TPH as Gasoline

Sample Name: A-6(10)
Lab Code: S9901686-003
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	6/7/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	6/7/99	ND	

Approved By: _____ Date: 06/16/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/4931 OAKLAND
Sample Matrix: Water

Service Request: S9901686
Date Collected: 6/2/99
Date Received: 6/2/99

BTEX, MTBE and TPH as Gasoline

Sample Name: A-8(11)
Lab Code: S9901686-005
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	10	NA	6/15/99	8500	
Benzene	EPA 5030	8020	0.5	100	NA	6/15/99	1300	
Toluene	EPA 5030	8020	0.5	10	NA	6/15/99	32	
Ethylbenzene	EPA 5030	8020	0.5	10	NA	6/15/99	180	
Xylenes, Total	EPA 5030	8020	0.5	10	NA	6/15/99	110	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	100	NA	6/15/99	6700	

Approved By: _____



Date: _____

06/16/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/4931 OAKLAND
Sample Matrix: Water

Service Request: S9901686
Date Collected: 6/2/99
Date Received: 6/2/99

BTEX, MTBE and TPH as Gasoline

Sample Name: A-2(6)
Lab Code: S9901686-007
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	6/7/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	6/7/99	0.6	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	6/7/99	ND	

Approved By: _____



Date: _____

06/16/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/4931 OAKLAND
Sample Matrix: Water

Service Request: S9901686
Date Collected: 6/2/99
Date Received: 6/2/99

BTEX, MTBE and TPH as Gasoline

Sample Name: A-4(12)
Lab Code: S9901686-008
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	20	NA	6/8/99	6100	
Benzene	EPA 5030	8020	0.5	20	NA	6/8/99	760	
Toluene	EPA 5030	8020	0.5	20	NA	6/8/99	16	
Ethylbenzene	EPA 5030	8020	0.5	20	NA	6/8/99	260	
Xylenes, Total	EPA 5030	8020	0.5	20	NA	6/8/99	89	
Methyl tert-Butyl Ether	EPA 5030	8020	3	20	NA	6/8/99	2300	

Approved By: _____



Date: _____

06/16/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
 Project: TO#24118.00/RAT#8/4931 OAKLAND
 Sample Matrix: Water

Service Request: S9901686
 Date Collected: 6/2/99
 Date Received: 6/2/99

BTEX, MTBE and TPH as Gasoline

Sample Name: A-12(11)
 Lab Code: S9901686-009
 Test Notes:

Units: ug/L (ppb)
 Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	6/7/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	6/7/99	7	

Approved By: _____

Date: _____

06/16/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/4931 OAKLAND
Sample Matrix: Water

Service Request: S9901686
Date Collected: 6/2/99
Date Received: 6/2/99


BTEX, MTBE and TPH as Gasoline

Sample Name: A-11(11)
Lab Code: S9901686-010
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	6/8/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	6/8/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	6/8/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	6/8/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	6/8/99	ND	
Methyl tert -Butyl Ether	EPA 5030	8020	3	1	NA	6/8/99	6	

Approved By: _____



Date: _____

06/16/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/4931 OAKLAND
Sample Matrix: Water

Service Request: S9901686
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990607-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	6/7/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	6/7/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	6/7/99	ND	

Approved By: _____



Date: _____



COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
 Project: TO#24118.00/RAT#8/4931 OAKLAND
 Sample Matrix: Water

Service Request: S9901686
 Date Collected: NA
 Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
 Lab Code: S990609-WB1
 Test Notes:

Units: ug/L (ppb)
 Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	6/9/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	6/9/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	6/9/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	6/9/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	6/9/99	ND	
Methyl tert -Butyl Ether	EPA 5030	8020	3	1	NA	6/9/99	ND	

Approved By: _____

[Signature]

Date: _____

06/16/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/4931 OAKLAND
Sample Matrix: Water


Service Request: S9901686
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990610-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	6/10/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	6/10/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	6/10/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	6/10/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	6/10/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	6/10/99	ND	

Approved By: _____  Date: 06/16/99

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/4931 OAKLAND
Sample Matrix: Water

Service Request: S9901686
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990615-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	6/15/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	6/15/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	6/15/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	6/15/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	6/15/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	6/15/99	ND	

Approved By: _____



Date: _____

06/16/99

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report


Client: ARCO Products Company
Project: TO#24118.00/RAT#8/4931 OAKLAND
Sample Matrix: Water

Service Request: S9901686
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 6/8/99

Matrix Spike/Duplicate Matrix Spike Summary
 BTE

Sample Name: A-4(12) Units: ug/L (ppb)
Lab Code: S9901686-008MS, S9901686-008DMS Basis: NA
Test Notes:

Analyte	Prep Method	Analysis Method	Percent Recovery									
			Spike Level			Sample		Spike Result		CAS		Relative Percent Difference
			MRL	MS	DMS	Result	MS	DMS	MS	DMS	Acceptance Limits	
Benzene	EPA 5030	8020	0.5	500	500	760	1200	1200	88	88	75-135	<1
Toluene	EPA 5030	8020	0.5	500	500	16	490	510	95	99	73-136	4
Ethylbenzene	EPA 5030	8020	0.5	500	500	260	760	780	100	104	69-142	3

Approved By: _____  Date: 06/14/99

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: TO#24118.00/RAT#8/4931 OAKLAND

Service Request: S9901686
Date Analyzed: 6/7/99

Initial Calibration Verification (ICV) Summary
 BTEX, MTBE and TPH as Gasoline

Sample Name: ICV **Units:** ug/L (ppb)
Lab Code: ICV1 **Basis:** NA
Test Notes:

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS		Result Notes
					Percent Recovery	Percent Recovery	
TPH as Gasoline	EPA 5030	CA/LUFT	500	480	90-110	96	
Benzene	EPA 5030	8020	50	52	85-115	104	
Toluene	EPA 5030	8020	50	49	85-115	98	
Ethylbenzene	EPA 5030	8020	50	52	85-115	104	
Xylenes, Total	EPA 5030	8020	150	160	85-115	107	
Methyl tert -Butyl Ether	EPA 5030	8020	50	55	85-115	110	

Approved By: _____

PT

Date: _____

06/16/99

ICV/032196

ARCO Products Company

Division of Atlantic/Richfield Company

Task Order No. **74118.00** **59901686**

Chain of Custody

ARCO Facility no. 4931	City (Facility) Oakland	Project manager (Consultant) Glen VanderVeen	Laboratory Name CAS
ARCO engineer Paul Supple	Telephone no. (ARCO)	Telephone no. (Consultant) (408)453-7300	Contract Number
Consultant name EMCON		Address (Consultant) 2201 Broadway Oakland, CA	Method of shipment Sampler will deliver

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602EPA 8020	BTEX/TPH in oil EPA Method 8015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM 503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCLP Semi Metals VOAD VOAD	CAM Metals EPA 6010/7000	TLCU STLCU	Lead Org/DHSC	Lead EPA 7420/7421D	
			Soil	Water	Other	Ice	Acid																
A-3 (11')		2	1	X		X	HCL	6/2/99	0955		X												
A-5 (11')			2						1010		X												
A-6 (10')			3						1020		X												
A-7 (10')			4						1030		X												
A-8 (11')			5						1040		X												
A-9 (10')			6						1050		X												
A-2 (16')			7						1100		X												
A-4 (12')			8						1110		X												
A-12 (11')			9						1125		X												
A-11 (10')			10						1140		X												

Special Detection Limit/reporting Lowest Possible
Special QA/QC As Normal
Remarks RAT 8 2-40ml HCL VOAS
Lab Number #20805-302005

Condition of sample:	Temperature received: Due: 6/16/99 R11/D3	Expedited 5 Business Days <input type="checkbox"/>
Relinquished by sample:	Date: 6/2/99 Time: 1325 Received by: CAS	Standard 10 Business Days <input checked="" type="checkbox"/>
Relinquished by:	Date: Time: Received by:	
Relinquished by:	Date: Time: Received by laboratory:	Date: Time:

APPENDIX C
FIELD DATA SHEETS

**FIELD REPORT
DEPTH TO WATER / FLOATING PRODUCT SURVEY**

PROJECT # : 21775-302.004

STATION ADDRESS : 731 W. MacArthur Blvd. Oakland, CA

DATE : 6/2/99

ARCO STATION # : 4931

FIELD TECHNICIAN : Manuel Gallegos/ Ronnie Perdue

DAY : Wednesday

DTW Order	WELL ID	Well Box Seal	Well Lid Secure	Gasket Present	Lock Number	Type Of Well Cap	FIRST DEPTH TO WATER (feet)	SECOND DEPTH TO WATER (feet)	DEPTH TO FLOATING PRODUCT (feet)	FLOATING PRODUCT THICKNESS (feet)	WELL TOTAL DEPTH (feet)	COMMENTS
1	A-3	OK	G-5	NO	NONE	LWC	10.82	10.82	N/A	N/A	17.3	put L.W.C.
2	A-5	OK	G-5	NO	NONE	LWC	10.82	10.82			25.9	needs run G-5-LID
3	A-6		G-5	NO	NONE	LWC	9.71	9.71			25.5	
4	A-7		G-5	NO	NONE	LWC	9.56	9.56			22.8	
5	A-8		VAULT	YES	NONE	SLIP	10.68	10.68			21.5	
6	A-9		VAULT	YES	NONE	SLIP	9.72	9.72			38.3	
7	A-2		G-5	NO	NONE	LWC	5.59	5.59			19.1	
8	A-4		G-5	NO	NONE	LWC	11.00	11.00			19.4	
9	A-11		G-5	NO	NONE	LWC	10.95	10.95			29.6	
10	A-12	✓	G-5	NO	NONE	LWC	10.25	10.25			29.8	
11	A-13	ILW					ILW	ILW			ILW	well pulled over.
12	AR-1	OK	VAULT	NO	NONE	LWC	11.00	11.00			30.4	
13	AR-2	OK	VAULT	NO	NONE	LWC	4.61	4.61			25.3	
14	AR-3	OK	VAULT	NO	NONE	SLIP	10.80	10.80	✓	✓	26.0	

SURVEY POINTS ARE TOP OF WELL BOXES

RECEIVED

JUN 28 1999

BY:

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-302.004

SAMPLE ID: A-2 (6')

PURGED BY: M. Gallegas

CLIENT NAME: ARCO H 4931

SAMPLED BY: ↓

LOCATION: OAKLAND, CA

TYPE: Groundwater Surface Water Leachate Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): NR
 DEPTH OF WELL (feet): 19.1 CALCULATED PURGE (gal.): ↓
 DEPTH OF WATER (feet): 5.59 ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: 6-2-99 END PURGE: —
 DATE SAMPLED: ↓ SAMPLING TIME: 1100

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1100</u>	<u>GRAZ</u>	<u>5.95</u>	<u>493</u>	<u>66.0</u>	<u>Clear</u>	<u>Clear</u>

OTHER: DO = 5.35 ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated
Other: _____		Other: _____	

WELL INTEGRITY: OK LOCK: None

REMARKS: all samples taken

pH, E.C., Temp Meter Calibration Date 6/2/99 Time _____ Meter Serial No 87m
 E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 11000
 Temperature °F _____

SIGNATURE: M. Gallegas REVIEWED BY: MA PAGE 1 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO: 21775-302.004

SAMPLE ID: A-3 (1st)

PURGED BY: M. Gallegos

CLIENT NAME: ARCOH 4937

SAMPLED BY: ↓

LOCATION: OAKLAND, CA

TYPE: Groundwater Surface Water Leachate Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): NR

DEPTH OF WELL (feet): 16 + 17.3 CALCULATED PURGE (gal.): ↓

DEPTH OF WATER (feet): 10.82 ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: 6-2-99

END PURGE: ---

DATE SAMPLED: ↓

SAMPLING TIME: 0955

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>0955</u>	<u>GKAB</u>	<u>6.20</u>	<u>576</u>	<u>65.9</u>	<u>clear</u>	<u>clear</u>

OTHER: DO=2.78

ODOR: None

NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard[®] Dedicated
 Other: _____

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard[®] Dedicated
 Other: _____

WELL INTEGRITY: OK LOCK: none

REMARKS: all samples taken

pH, E.C., Temp. Meter Calibration: Date 6/2/99 Time 0941 Meter Serial No. 87m

E.C. 1000 1210 1000 pH 7 715 700 pH 10 1000 1000 pH 4 356 1000

Temperature °F 62.1

SIGNATURE: [Signature] REVIEWED BY: [Signature] PAGE 2 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO: 21775-302.004

SAMPLE ID: A-4 (D1)

PURGED BY: M. Gallegos

CLIENT NAME: ARCOH 4931

SAMPLED BY: ↓

LOCATION: OAKLAND, CA

TYPE: Groundwater Surface Water Leachate Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): NR

DEPTH OF WELL (feet): 19.0 CALCULATED PURGE (gal.): ↓

DEPTH OF WATER (feet): 11.00 ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: 6-2-99 END PURGE: —

DATE SAMPLED: ↓ SAMPLING TIME: 1110

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1110</u>	<u>6.213</u>	<u>6.55</u>	<u>1589</u>	<u>65.9</u>	<u>clear</u>	<u>light</u>

OTHER: DO=112 ODOR: Moderate NR NR

(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon) 2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC) Bomb Sampler Bailer (Stainless Steel)
 Submersible Pump Bailer (Stainless Steel) Dipper Submersible Pump
 Well Wizard[®] Dedicated Well Wizard[®] Dedicated
Other: _____ Other: _____

WELL INTEGRITY: OK LOCK: none

REMARKS: all samples taken

pH, E.C., Temp. Meter Calibration Date 6/2/99 Time _____ Meter Serial No 87m

E.C. 1000 1000 pH 7 7.00 pH 10 1000 pH 4 1400

Temperature °F _____

SIGNATURE: [Signature] REVIEWED BY: [Signature] PAGE 3 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO: 21775-302.004

SAMPLE ID: A-5 (11)

PURGED BY: M. Gallegos

CLIENT NAME: ARCOH 4931

SAMPLED BY: ↓

LOCATION: OAKLAND, CA

TYPE: Groundwater Surface Water Leachate Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): NR

DEPTH OF WELL (feet): 25.9 CALCULATED PURGE (gal.): ↓

DEPTH OF WATER (feet): 10.82 ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: 6-2-99

END PURGE: —

DATE SAMPLED: ↓

SAMPLING TIME: 1010

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1010</u>	<u>GTRB</u>	<u>6.41</u>	<u>1011</u>	<u>65.9</u>	<u>CLC</u>	<u>clear</u>

OTHER: DO = 2.81 ODOR: none NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard[®] Dedicated
Other:

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard[®] Dedicated
Other:

WELL INTEGRITY: OK needs new well box lid^{G-5} LOCK: none

REMARKS: all samples taken

pH, E.C., Temp Meter Calibration. Date 6/2/99 Time Meter Serial No 87m

E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1100

Temperature °F

SIGNATURE: [Signature] REVIEWED BY: [Signature] PAGE 4 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-302,004

SAMPLE ID: A-6 (10')

PURGED BY: M. Gallegos

CLIENT NAME: ARCOH 4931

SAMPLED BY: ↓

LOCATION: OAKLAND, CA

TYPE: Groundwater Surface Water Leachate Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): NR

DEPTH OF WELL (feet): 25.5 CALCULATED PURGE (gal.): ↓

DEPTH OF WATER (feet): 9.71 ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: 6-2-99

END PURGE: —

DATE SAMPLED: ↓

SAMPLING TIME: 1020

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1020</u>	<u>GRAB</u>	<u>6.54</u>	<u>635</u>	<u>65.3</u>	<u>Clear</u>	<u>Clear</u>

OTHER: DO = 2.00 ODOR: None NR NR

(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

SAMPLING EQUIPMENT

<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailor (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailor (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailor (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailor (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailor (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated

Other: _____ Other: _____

WELL INTEGRITY: OK LOCK: none

REMARKS: all samples taken

pH, E.C., Temp Meter Calibration: Date 6/2/99 Time _____ Meter Serial No 87m

E.C. 1000 1000 pH 7 7.00 pH 10 1000 pH 4 1400

Temperature °F: _____

SIGNATURE: [Signature] REVIEWED BY: [Signature] PAGE 5 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-302,004

SAMPLE ID: A-7 (101)

PURGED BY: M. Gallegos

CLIENT NAME: ARCOH 4937

SAMPLED BY: ↓

LOCATION: OAKLAND, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____

CASING DIAMETER (inches): 2 _____ 3 _____ 4 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): NR

VOLUME IN CASING (gal.): NR

DEPTH OF WELL (feet): 22.8

CALCULATED PURGE (gal.): ↓

DEPTH OF WATER (feet): 9.56

ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: 6-2-99

END PURGE: _____

DATE SAMPLED: ↓

SAMPLING TIME: 1030

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1030</u>	<u>6.200</u>	<u>6.55</u>	<u>1.23</u>	<u>65.5</u>	<u>Clear</u>	<u>Clear</u>

OTHER: DO = 2.17

ODOR: none

NR NR

(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard[®] Dedicated
 Other: _____

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard[®] Dedicated
 Other: _____

WELL INTEGRITY: OK LOCK: none

REMARKS: all samples taken

pH, E.C., Temp. Meter Calibration Date 6/2/99 Time _____ Meter Serial No 87m
 EC 1000 11000 pH 7 1700 pH 10 11000 pH 4 11000

Temperature °F _____
 SIGNATURE: [Signature]

REVIEWED BY: [Signature] PAGE 6 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-302.004
PURGED BY: M. Gallegos
SAMPLED BY: ↓

SAMPLE ID: A-8(11)
CLIENT NAME: ARCOH 4931
LOCATION: OAKLAND, CA

TYPE: Groundwater Surface Water Leachate Other
CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): NR
DEPTH OF WELL (feet): 21.5 CALCULATED PURGE (gal.): ↓
DEPTH OF WATER (feet): 10.68 ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: 6-2-99 END PURGE: ---
DATE SAMPLED: ↓ SAMPLING TIME: 1040

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1040</u>	<u>G-RAB</u>	<u>7.08</u>	<u>1478</u>	<u>65.7</u>	<u>cloudy</u>	<u>mod</u>

OTHER: DO = 1.31 ODOR: Strong NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated
Other: <u> </u>		Other: <u> </u>	

WELL INTEGRITY: OK LOCK: none

REMARKS: all samples taken

pH, E.C., Temp Meter Calibration: Date 6/2/99 Time Meter Serial No 87m
E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F
SIGNATURE: M. Gallegos REVIEWED BY: SA PAGE 7 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-302.004

SAMPLE ID: A-9 (10')

PURGED BY: M. Gallegos

CLIENT NAME: ARCO H 4931

SAMPLED BY: ↓

LOCATION: OAKLAND, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____

CASING DIAMETER (inches): 2 _____ 3 _____ 4 _____ 4.5 _____ 6 Other _____

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): NR
 DEPTH OF WELL (feet): 38.3 CALCULATED PURGE (gal.): _____
 DEPTH OF WATER (feet): 9.72 ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: 6-2-99 END PURGE: _____
 DATE SAMPLED: ↓ SAMPLING TIME: 1050

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1050</u>	<u>GAB</u>	<u>6.83</u>	<u>626</u>	<u>65.7</u>	<u>clear</u>	<u>clear</u>

OTHER: DO=2.32 ODOR: none NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT	SAMPLING EQUIPMENT
_____ 2" Bladder Pump _____ Centrifugal Pump _____ Submersible Pump _____ Well Wizard [®] Other: _____	_____ Bailer (Teflon) _____ Bailer (PVC) _____ Bailer (Stainless Steel) _____ Dedicated _____ 2" Bladder Pump <input checked="" type="checkbox"/> _____ Bomb Sampler _____ Dipper _____ Well Wizard [®] Other: _____

WELL INTEGRITY: OK LOCK: none

REMARKS: all samples taken

pH, E.C., Temp. Meter Calibration Date 6/2/99 Time _____ Meter Serial No 87m
 E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1100

Temperature °F _____
 SIGNATURE: [Signature] REVIEWED BY: GA PAGE 8 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



OWT

PROJECT NO: 21775-302.004
 PURGED BY: M. Gallegos
 SAMPLED BY: ↓

SAMPLE ID: A-11(11)
 CLIENT NAME: ARCOH 4937
 LOCATION: OAKLAND, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 _____ 3 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): NR
 DEPTH OF WELL (feet): 29.6 CALCULATED PURGE (gal.): _____
 DEPTH OF WATER (feet): 10.95 ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: 6-2-99 END PURGE: _____
 DATE SAMPLED: ↓ SAMPLING TIME: 1140

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1140</u>	<u>GRAB</u>	<u>6.65</u>	<u>625</u>	<u>65.1</u>	<u>clear</u>	<u>clear</u>

OTHER: DO=1.38 ODOR: none NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

<u>PURGING EQUIPMENT</u>		<u>SAMPLING EQUIPMENT</u>	
<input checked="" type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated
Other: _____		Other: _____	

WELL INTEGRITY: OK LOCK: none

REMARKS: all samples taken

pH, E.C., Temp Meter Calibration Date 6/2/99 Time _____ Meter Serial No. 87m
 E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F _____
 SIGNATURE: [Signature] REVIEWED BY: [Signature] PAGE 9 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



PROJECT NO: 21775-302.004
 PURGED BY: M. Gallegos
 SAMPLED BY: ↓

SAMPLE ID: A-17 (11)
 CLIENT NAME: ARCO H 4937
 LOCATION: OAKLAND, CA

TYPE: Groundwater Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches): 2 3 4 _____ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL): NR VOLUME IN CASING (gal.): NR
 DEPTH OF WELL (feet): 29.8 CALCULATED PURGE (gal.): ↓
 DEPTH OF WATER (feet): 10.25 ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: 6-2-99 END PURGE: _____
 DATE SAMPLED: ↓ SAMPLING TIME: 1125

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1125</u>	<u>NR</u>	<u>6.78</u>	<u>484</u>	<u>66.1</u>	<u>Clear</u>	<u>Clear</u>

OTHER: DO = 1.28 ODOR: None NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard [®]	<input type="checkbox"/> Dedicated
Other: _____		Other: _____	

WELL INTEGRITY: OK LOCK: none

REMARKS: all samples taken

pH, E.C., Temp Meter Calibration Date 6/2/99 Time: _____ Meter Serial No 87m
 E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 11000

Temperature °F _____
 SIGNATURE: [Signature] REVIEWED BY: [Signature] PAGE 10 OF 11

WATER SAMPLE FIELD DATA SHEET

Rev. 1/97



PROJECT NO: 21775-302,004

SAMPLE ID: A-13 ()

PURGED BY: M. Gallegos

CLIENT NAME: ARCO H 4931

SAMPLED BY: ↓

LOCATION: OAKLAND, CA

TYPE: Groundwater Surface Water Leachate Other

CASING DIAMETER (inches): 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL): NR

VOLUME IN CASING (gal.): LIR

DEPTH OF WELL (feet): ↓

CALCULATED PURGE (gal.): ↓

DEPTH OF WATER (feet): ↓

ACTUAL PURGE VOL. (gal.): ↓

DATE PURGED: 6-2-99

END PURGE: ---

DATE SAMPLED: ↓

SAMPLING TIME: ---

TIME (2400 HR)	VOLUME (gal.)	pH (units)	E.C. (umhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>Well</u>	<u>Perked</u>	<u>over</u>	<u>NO Sample</u>	<u>Sample</u>	<u>Sample</u>	

OTHER: DO=

ODOR: ---

LIR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): LIR

PURGING EQUIPMENT

SAMPLING EQUIPMENT

2" Bladder Pump
 Centrifugal Pump
 Submersible Pump
 Well Wizard
Other: ---

Bailer (Teflon)
 Bailer (PVC)
 Bailer (Stainless Steel)
 Dedicated

2" Bladder Pump
 Bomb Sampler
 Dipper
 Well Wizard
Other: ---

WELL INTEGRITY: OK LOCK: none

REMARKS: all samples taken

pH, E.C., Temp Meter Calibration: Date 6/2/99 Time --- Meter Serial No 87m

E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 11000

Temperature °F ---

SIGNATURE: M. Gallegos

REVIEWED BY: --- PAGE 11 OF 11

1921 Ringwood Avenue
San Jose, California

1999

ARCO 4931
21775-302.004

Well ID	Quarter	Date	Purge Volume (gallons)	Did well dry	Well Contained Product	Gallons			
						First	Second	Third	Fourth
A-2	First	02/19/99	15.00	YES	NO	15.00			
	Second	06/02/99	0.00	GRAB	NO	0.00			
	Third	07/29/98	0.00	GRAB	NO	0.00			
	Fourth	10/09/98	0.00	GRAB	NO	0.00			
A-3	First	02/19/99	0.00	GRAB	NO				
	Second	06/02/99	0.00	GRAB	NO				
	Third	07/29/98	0.00	GRAB	NO				
	Fourth	10/09/98	0.00	GRAB	NO				
A-4	First	02/19/99	0.00	GRAB	NO				
	Second	06/02/99	0.00	GRAB	NO				
	Third	07/29/98	0.00	GRAB	NO				
	Fourth	10/09/98	0.00	GRAB	NO				
A-5	First	02/19/99	0.00	GRAB	NO				
	Second	06/02/99	0.00	GRAB	NO				
	Third	07/29/98	0.00	NA	NO				
	Fourth	10/09/98	0.00	GRAB	NO				
A-6	First	02/19/99	0.00	GRAB	NO				
	Second	06/02/99	0.00	GRAB	NO				
	Third	07/29/98	0.00	GRAB	NO				
	Fourth	10/09/98	0.00	GRAB	NO				
A-7	First	02/19/99	0.00	GRAB	NO				
	Second	06/02/99	0.00	GRAB	NO				
	Third	07/29/98	0.00	NA	NO				
	Fourth	10/09/98	0.00	NA	NO				
A-8	First	02/19/99	0.00	GRAB	NO				
	Second	06/02/99	0.00	GRAB	NO				
	Third	07/29/98	0.00	GRAB	NO				
	Fourth	10/09/98	0.00	GRAB	NO				
A-9	First	02/19/99	0.00	GRAB	NO				
	Second	06/02/99	0.00	GRAB	NO				
	Third	07/29/98	0.00	GRAB	NO				
	Fourth	10/09/98	0.00	GRAB	NO				
A-11	First	02/19/99	0.00	GRAB	NO				
	Second	06/02/99	0.00	GRAB	NO				
	Third	07/29/98	0.00	NA	NO				
	Fourth	10/09/98	0.00	GRAB	NO				
A-12	First	02/19/99	0.00	GRAB	NO				
	Second	06/02/99	0.00	GRAB	NO				
	Third	07/29/98	0.00	NA	NO				
	Fourth	10/09/98	0.00	GRAB	NO				

1921 Ringwood Avenue

1999

ARCO 4931

San Jose, California

21775-302.004

Well ID	Quarter	Date	Purge Volume (gallons)	Did well dry	Well Contained Product	Gallons	
						First	Second
						15.00	0.00
						0.00	0.00
						0.00	0.00
						0.00	0.00
A-13	First	02/19/99	0.00	GRAB	NO		
	Second	06/02/99	0.00	IW	NO		
	Third	07/29/98	0.00	NA	NO		
	Fourth	10/09/98	0.00	NA	NO		
	First					Steam water (gal) _____	
	Second						
	Third						
	Fourth						

ARCO Products Company

Division of Atlantic/Richfield Company

Task Order No. **74118.00**

Chain of Custody

ARCO Facility no. 4931	City (Facility) Oakland	Project manager (Consultant) Glen Vanderveen	Laboratory Name CAS
ARCO engineer Paul Supple	Telephone no. (ARCO)	Telephone no. (Consultant) (408) 453-7300	Contract Number
Consultant name EMCON	Address (Consultant) 2701 Broadway Oakland, CA		

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602/EPA 802	BTEX/TPH/PAHs EPA 1602/200/8015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM 503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCIP Metals VOAD VOAD	Semi Metals VOAD VOAD	CMM Metals EPA 601/07000 TLCO STLO	Lead Org/DHSC Lead EPA 7420/7420		
			Soil	Water	Other	Ice	Acid																
A-3(1)		2		X		X	HCL	6/1/99	0955		X												
A-5(1)									1010		X												
A-6(10)									1020		X												
A-7(10)									1030		X												
A-8(11)									1040		X												
A-9(10)									1050		X												
A-2(1)									1100		X												
A-4(12)									1110		X												
A-7(1)									1125		X												
A-11(1)									1140		X												

Method of shipment
SAMPLES WILL DELIVER

Special Detection Limit/reporting
LOWEST POSSIBLE

Special QA/QC
AS NORMAL

Remarks
**RAT 98
2-4Cml HCL
VOCs**

20005-30200

Condition of sample:				Temperature received:			
Relinquished by sampler	Date	Time	Received by	Date	Time	Received by	
<i>[Signature]</i>	6/2/99	1325	<i>[Signature]</i>	6/02/99	1325	CAS	
Relinquished by	Date	Time	Received by	Date	Time	Received by	
Relinquished by	Date	Time	Received by laboratory	Date	Time	Received by	

Lab Number

Turnaround Time:

Priority Rush 1 Business Day

Rush 2 Business Days

Expedited 5 Business Days

Standard 10 Business Days

APPENDIX D
REMEDIAL SYSTEM PERFORMANCE SUMMARY

APPENDIX D

REMEDIAL SYSTEM PERFORMANCE SUMMARY

GWE System

Groundwater extraction (GWE) was conducted intermittently between November 10, 1992, and July 5, 1995. The GWE system was comprised of electric GWE pumps in Wells A-9, AR-1, AR-2, and AR-3, and three 1,500-pound granular activated carbon vessels arranged in series. The GWE system was permitted by East Bay Municipal Utility District Permit Account Number 502-62131. Based on Alameda County Health Care Services Agency authorization that GWE at the site was no longer required, the permit was relinquished during the second quarter 1996. Overall, 4.6 million gallons of groundwater were extracted and less than 0.06 gallon of benzene removed. Please refer to the Second Quarter 1997 Groundwater Monitoring Report for historical GWE system performance and analytical data.

Intrinsic Bioremediation Evaluation

At the request of ARCO, intrinsic bioremediation indicator parameters (bioparameters) were monitored during the fourth quarter 1996 groundwater monitoring event. Groundwater samples from Wells A-4, A-8, and A-12 were analyzed for biological oxygen demand (BOD), carbon dioxide (CO₂), chemical oxygen demand (COD), methane, nitrate, sulfate, dissolved oxygen (DO), and ferrous iron. Wells A-4 and A-8 are located within the plume; Well A-12 is located outside the plume. Based on analysis of the collected data, intrinsic bioremediation was occurring at the site. Please refer to the First Quarter 1997 Groundwater Monitoring Report for details.

Currently using ORC in wells A-4 and A-8 to enhance biodegradation of dissolved oxygen. ORC will also be used in wells A-5 and AR-1 starting the third quarter 1999.