

ARCO Products Company

4 Centerpointe Drive
La Palma, California 90623-1066
Telephone 714 670 5300

Mailing Address, Box 5077
Buena Park, California 90622-5077



R077

Date: June 1, 1999

Re: ARCO Station #

6148 • 5131 Shattuck Avenue • Oakland, CA
First Quarter 1999 Groundwater Monitoring Results and
Remediation System Performance Evaluation Report

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct. In accordance with Assembly Bill 681 all current property owners have been provided a copy of this report, work plan or closure request."

Submitted by:

Paul Supple
Environmental Engineer

82 3 11 3 - JUN 99

ENVIRONMENTAL
PROTECTION



June 1, 1999
Project 20805-135.009

Mr. Paul Supple
ARCO Products Company
PO Box 6549
Moraga, California 94570

Re: Quarterly Groundwater Monitoring Report and Remediation System Performance
Evaluation Report, First Quarter 1999, for ARCO Service Station No. 6148, located at
5131 Shattuck Avenue, Oakland, California

Dear Mr. Supple:

Pinnacle Environmental Solutions, a division of EMCON (Pinnacle), is submitting the attached report which presents the results of the first quarter 1999 groundwater monitoring program at ARCO Products Company (ARCO) Service Station No. 6148, located at 5131 Shattuck Avenue, Oakland, California. Operation and performance data for the on-site soil-vapor extraction (SVE), air-sparge (AS), and air-bubbling remediation systems are also presented. The monitoring program complies with Alameda County Health Care Services Agency (ACHCSA) requirements regarding underground tank investigations.

LIMITATIONS


No monitoring event is thorough enough to describe all geologic and hydrogeologic conditions of interest at a given site. If conditions have not been identified during the monitoring event, results should not be construed as a guarantee of the absence of such conditions at the site, but rather as the product of the scope and limitations of work performed during the monitoring event.

Please call if you have questions.

Sincerely,

Pinnacle


Glen VanderVeen
Project Manager


Valli Voruganti, P.E.
Project Engineer

Attachment: Quarterly Groundwater Monitoring Report, First Quarter 1999

cc: Susan Hugo, ACHCSA



Date: June 1, 1999**ARCO QUARTERLY GROUNDWATER MONITORING REPORT**

Station No.: 6148 Address: 5131 Shattuck Avenue, Oakland, California
 Pinnacle Project No. 20805-135.009
 ARCO Environmental Engineer/Phone No.: Paul Supple /(925) 299-8891
 Pinnacle Project Manager/Phone No.: Glen VanderVeen /(510) 740-5807
 Primary Agency/Regulatory ID No.: ACHCSA /Susan Hugo

WORK PERFORMED THIS QUARTER (FIRST - 1999):

1. Prepared and submitted quarterly groundwater monitoring report for fourth quarter 1998.
2. Performed quarterly groundwater monitoring and sampling for first quarter 1999.
3. Investigated SVE process blower failure.
4. Repaired air compressor electrical problems.

WORK PROPOSED FOR NEXT QUARTER (SECOND - 1999):

1. Prepare and submit quarterly groundwater monitoring report for first quarter 1999.
2. Perform quarterly groundwater monitoring and sampling for second quarter 1999.
3. Repair SVE process blower.
4. Restart soil-vapor extraction (SVE) and air-sparge systems if hydrocarbon removal rates in extracted soil vapor warrant or water levels decrease at the site.

QUARTERLY MONITORING:

Current Phase of Project: Quarterly Groundwater Monitoring and Operation and Maintenance of Remediation Systems
Due to a malfunctioning process blower, the SVE system operated for only three hours during the first quarter 1999. Repairs were made to the air compressor during the quarter.

Frequency of Sampling: Annual (1st Quarter): MW-6, MW-7
Semi-Annual (1st/3rd Quarter): MW-4
Quarterly: MW-1, MW-2, MW-3, MW-5

Frequency of Monitoring: Quarterly (groundwater),
Monthly (SVE, air-sparge, and air-bubbling)

Is Floating Product (FP) Present On-site: Yes No

Bulk Soil Removed to Date : 560 cubic yards of TPH-impacted soil

Bulk Soil Removed This Quarter : None

Water Wells or Surface Waters, within 2000 ft., impacted by site: None

Current Remediation Techniques: SVE, Air-Sparge, and Air-Bubbling Systems

Average Depth to Groundwater: 14.4 feet

Groundwater Flow Direction and Gradient (Average): 0.02 ft/ft toward southwest

SVE QUARTERLY OPERATION AND PERFORMANCE:

Equipment Inventory:	Therm Tech Model CATVAC-10E, Electric/Catalytic Oxidizer
Operating Mode:	Catalytic Oxidation
BAAQMD Permit #:	25126
TPH Conc. End of Period (lab):	1,400 mg/m ³
Benzene Conc. End of Period (lab):	9 mg/m ³
Flowrate End of Period:	NA
HC Destroyed This Period:	1.2 pounds (minimal since the SVE system was only on for 3 hours)
HC Destroyed to Date:	1892.9 pounds
Utility Usage	
Electric (KWH):	1681 KWH
Operating Hours This Period:	3 hours
Percent Operational:	0.14%
Operating Hours to Date:	2717.29 hours
Unit Maintenance:	Routine monthly maintenance
Number of Auto Shut Downs:	0
Destruction Efficiency Permit Requirement:	95% or <1 lb./day TPH and <0.02 lb./day Benzene
Percent TPH Conversion:	95.6%
Average Stack Temperature:	610°F
Average Source Flow:	70 scfm
Average Process Flow:	70 scfm
Average Source Vacuum:	21.8 inches of water

DISCUSSION:

Due to a malfunctioning process blower, the SVE system had not operated continuously since the second quarter 1998. The system was restarted on January 15, 1999 for sample collection and system inspection. It was determined upon inspection that the telemetry system which records temperature continuously was malfunctioning, and the process blower continued to malfunction.

Analytical results for influent vapor samples collected on January 15, 1999 were reported as 1,400 micrograms per cubic meter (mg/m³) of TPHG, and 9 mg/m³ of Benzene. Analytical results for effluent vapor samples collected on January 15, 1999 were reported as 62 mg/m³ of TPHG, and <0.4 mg/m³ of Benzene.

The system would not operate continuously due to the malfunctioning process blower, and would not be in compliance with the Bay Area Air Quality Management District's requirements due to the malfunctioning telemetry system. Therefore, the system was non-operational for the first quarter 1999, with exception of the three hours of operation for sample collection and system inspection.

Currently the problems with the telemetry system and the process blower are being investigated and will be repaired as soon as possible. Operational information will be updated after the system is repaired. Refer to the Third Quarter 1998 Report for historical operational information.

ATTACHMENTS:

- Table 1 - Historical Groundwater Elevation and Analytical Data, Petroleum Hydrocarbons and Their Constituents
- Figure 1 - Groundwater Analytical Summary Map
- Figure 2 - Groundwater Elevation Contour Map
- Appendix A - Sampling and Analysis Procedures
- Appendix B - Certified Analytical Reports and Chain-of-Custody Documentation
- Appendix C - Field Data Sheets
- Appendix D - Certified Analytical Reports and Chain-of-Custody Documentation for Soil-Vapor Extraction System

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6148
5131 Shattuck Avenue, Oakland, California

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Direction	Hydraulic Gradient	Water Sample Field Date	TPHG LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 418.1
MW-1	03-20-95	108.03	15.75	92.28	ND	SW	0.02	03-20-95	830	140	5	41	110	--	--	--
MW-1	06-06-95	108.03	17.68	90.35	ND	SW	0.016	06-06-95	210	30	<0.5	7.3	16	--	--	--
MW-1	08-24-95	107.80	17.45	90.35	ND	SW	0.014	08-24-95	Not sampled: well was inaccessible due to construction							
MW-1	11-16-95	107.80	17.64	90.16	ND	SW	0.012	11-16-95	<50	5.6	<0.5	1.4	1.2	55	--	--
MW-1	02-27-96	107.80	15.21	92.59	ND	SW	0.016	02-27-96	1400	240	88	44	110	200	--	--
MW-1	05-15-96	107.80	17.53	90.27	ND	SW	0.015	05-15-96	Not sampled: well sampled semi-annually, during the first and third quarter							
MW-1	08-14-96	107.80	17.15	90.65	ND	SW	0.021	08-14-96	98	18	<0.5	1.9	1	45	--	--
MW-1	11-11-96	107.80	17.78	90.02	ND	SW	0.015	11-11-96	Not sampled: well sampled semi-annually, during the first and third quarter							
MW-1	03-25-97	107.80	17.68	90.12	ND	SSW	0.018	03-25-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-1	05-15-97	107.80	17.91	89.89	ND	SSW	0.014	05-15-97	Not sampled: well sampled semi-annually, during the first and third quarter							
MW-1	10-26-97	107.80	18.85	88.95	ND	SW	0.009	10-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-1	11-10-97	107.80	18.10	89.70	ND	SSW	0.014	11-10-97	<50	<0.5	<0.5	<0.5	<0.5	4	--	--
MW-1	02-13-98	107.80	13.15	94.65	ND	SSW	0.012	02-13-98	<100	8.4	<1	<1	14	130	--	--
MW-1	05-12-98	107.80	12.30	95.50	ND	SW	0.02	05-12-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-1	07-28-98	107.80	17.04	90.76	ND	SW	0.02	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-1	10-28-98	107.80	18.10	89.70	ND	SW	0.01	10-28-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-1	02-12-99	107.80	15.84	91.96	ND	SW	0.02	02-12-99	72	<0.5	<0.5	<0.5	<0.5	23	--	--
MW-2	03-20-95	107.43	15.50	91.93	ND#	SW	0.02	03-20-95	Not sampled: floating product entered well during purging							
MW-2	06-06-95	107.43	17.43	90.00	ND	SW	0.016	06-06-95	1200	60	21	35	140	--	--	--
MW-2	08-24-95	107.28	17.22	90.06	ND	SW	0.014	08-24-95	Not sampled: well was inaccessible due to construction							
MW-2	11-16-95	107.28	17.36	89.92	ND	SW	0.012	11-16-95	360	45	1.3	7.1	7.5	210	--	--
MW-2	02-27-96	107.28	14.82	92.46	ND	SW	0.016	02-27-96	8900	1400	980	150	550	940	--	--
MW-2	05-15-96	107.28	17.40	89.88	ND	SW	0.015	05-15-96	480	82	48	8	48	87	--	--
MW-2	08-14-96	107.28	17.00	90.28	ND	SW	0.021	08-14-96	130	22	4	2	9	120	--	--
MW-2	11-11-96	107.28	17.55	89.73	ND	SW	0.015	11-11-96	1200	150	120	21	160	110	--	--
MW-2	03-25-97	107.28	17.32	89.96	ND	SSW	0.018	03-25-97	670	23	58	13	120	28	--	--
MW-2	05-15-97	107.28	17.61	89.67	ND	SSW	0.014	05-15-97	<50	<0.5	<0.5	<0.5	<0.5	23	--	--
MW-2	10-26-97	107.28	18.43	88.85	ND	SW	0.009	10-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-2	11-10-97	107.28	17.84	89.44	ND	SSW	0.014	11-10-97	<100	<1	<1	<1	1	74	--	--
MW-2	02-13-98	107.28	12.75	94.53	ND	SSW	0.012	02-13-98	220	9.5	3.9	3.7	48	84	--	--

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6148
5131 Shattuck Avenue, Oakland, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Flow Groundwater Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTHB EPA 8240 µg/L	TRPH EPA 418.1 mg/L
MW-2	05-12-98	107.28	17.02	90.26	ND	SW	0.02	05-12-98	3900	210	280	86	910	35	--	--
MW-2	07-28-98	107.28	17.30	89.98	ND	SW	0.02	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-2	10-28-98	107.28	17.80	89.48	ND	SW	0.01	10-28-98	170	17	<0.5	1.7	5.0	24	--	--
MW-2	02-12-99	107.28	15.55	91.73	ND	SW	0.02	02-12-99	12000	620	95	490	2200	270	--	--
MW-3	03-20-95	107.77	15.60	92.17	ND	SW	0.02	03-20-95	29000	880	190	760	2000	--	--	16
MW-3	06-06-95	107.77	17.54	90.23	ND	SW	0.016	06-06-95	22000	450	54	380	1300	--	--	7.1
MW-3	08-24-95	107.61	17.42	90.19	ND	SW	0.014	08-24-95	Not sampled: well was inaccessible due to construction							
MW-3	11-16-95	107.61	17.58	90.03	ND	SW	0.012	11-16-95	13000	210	<20	320	1000	790	--	8.3
MW-3	02-27-96	107.61	15.03	92.58	ND	SW	0.016	02-27-96	9700	94	15	290	720	430	--	10
MW-3	05-15-96	107.61	17.35	90.26	ND	SW	0.015	05-15-96	5600	66	12	37	67	230	--	--
MW-3	08-14-96	107.61	17.10	90.51	ND	SW	0.021	08-14-96	830	17	<1*	8	7	110	--	--
MW-3	11-11-96	107.61	17.73	89.88	ND	SW	0.015	11-11-96	500	28	3	12	13	150	--	--
MW-3	03-25-97	107.61	17.99	89.62	ND	SSW	0.018	03-25-97	<50	<0.5	<0.5	<0.5	<0.5	94	--	--
MW-3	05-15-97	107.61	17.84	89.77	ND	SSW	0.014	05-15-97	<50	<0.5	<0.5	<0.5	<0.5	65	--	--
MW-3	10-26-97	107.61	18.50	89.11	ND	SW	0.009	10-26-97	220	4	<1	<1	<1	160	--	--
MW-3	11-10-97	107.61	18.00	89.61	ND	SSW	0.014	11-10-97	350	8	<2	3	3	230	--	--
MW-3	02-13-98	107.61	13.00	94.61	ND	SSW	0.012	02-13-98	<50	1.3	<0.5	<0.5	1	21	--	--
MW-3	05-12-98	107.61	17.20	90.41	ND	SW	0.02	05-12-98	120	<0.5	<0.5	<0.5	<0.9	71	--	--
MW-3	07-28-98	107.61	17.46	90.15	ND	SW	0.02	07-28-98	<50	1.4	<0.5	<0.5	<0.5	52	--	--
MW-3	10-28-98	107.61	18.00	89.61	ND	SW	0.01	10-28-98	170	<0.5	<0.5	<0.5	0.7	35	--	--
MW-3	02-12-99	107.61	15.76	91.85	ND	SW	0.02	02-12-99	120	2.0	0.6	<0.5	1.3	37	--	--
MW-4	03-20-95	106.58	13.85	92.73	ND	SW	0.02	03-20-95	88	1	<0.5	<0.5	0.7	--	--	--
MW-4	06-06-95	106.58	15.70	90.88	ND	SW	0.016	06-06-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
MW-4	08-24-95	106.71	15.86	90.85	ND	SW	0.014	08-24-95	Not sampled: well was inaccessible due to construction							
MW-4	11-16-95	106.71	16.10	90.61	ND	SW	0.012	11-16-95	<50	<0.5	<0.5	<0.5	<0.5	6	--	--
MW-4	02-27-96	106.71	13.72	92.99	ND	SW	0.016	02-27-96	<50	<0.5	<0.5	<0.5	<0.5	10	--	--
MW-4	05-15-96	106.71	15.90	90.81	ND	SW	0.015	05-15-96	Not sampled: well sampled semi-annually, during the first and third quarter							
MW-4	08-14-96	106.71	15.68	91.03	ND	SW	0.021	08-14-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-4	11-11-96	106.71	16.19	90.52	ND	SW	0.015	11-11-96	Not sampled: well sampled semi-annually, during the first and third quarter							

**Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present****

**ARCO Service Station 6148
5131 Shattuck Avenue, Oakland, California**

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Flow Groundwater Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHG	Benzene	Toluene	Ethylbenzene	Total Xylenes	MTBE	MTBE	TRPH	
									LUFT Method µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8020 µg/L	EPA 8240 µg/L	EPA 418.1 mg/L	
MW-4	03-25-97	106.71	16.10	90.61	ND	SSW	0.018	03-25-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
MW-4	05-15-97	106.71	16.38	90.33	ND	SSW	0.014	05-15-97	Not sampled; well sampled semi-annually, during the first and third quarter							--	--
MW-4	10-26-97	106.71	17.78	88.93	ND	SW	0.009	10-26-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
MW-4	11-10-97	106.71	16.43	90.28	ND	SSW	0.014	11-10-97	Not sampled; well sampled semi-annually, during the first and third quarter							--	--
MW-4	02-13-98	106.71	13.05	93.66	ND	SSW	0.012	02-13-98	<50	1.3	0.7	<0.5	2.3	19	--	--	
MW-4	05-12-98	106.71	15.69	91.02	ND	SW	0.02	05-12-98	Not sampled; well sampled semi-annually, during the first and third quarter							--	--
MW-4	07-28-98	106.71	15.93	90.78	ND	SW	0.02	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
MW-4	10-28-98	106.71	16.40	90.31	ND	SW	0.01	10-28-98	Not sampled; well sampled semi-annually, during the first and third quarter							--	--
MW-4	02-12-99	106.71	14.13	92.58	ND	SW	0.02	02-12-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
MW-5	03-20-95	106.68	14.92	91.76	ND	SW	0.02	03-20-95	21000	6900	450	800	1300	--	--	--	
MW-5	06-06-95	106.68	16.61	90.07	ND	SW	0.016	06-06-95	6500	1700	<20	120	69	--	--	--	
MW-5	08-24-95	106.60	16.47	90.13	ND	SW	0.014	08-24-95	Not sampled; well was inaccessible due to construction							--	--
MW-5	11-16-95	106.60	16.69	89.91	ND	SW	0.012	11-16-95	1800	470	<5	17	5	1000	--	--	
MW-5	02-27-96	106.60	14.35	92.25	ND	SW	0.016	02-27-96	10000	1000	71	690	1000	440	450	--	
MW-5	05-15-96	106.60	16.58	90.02	ND	SW	0.015	05-15-96	3400	350	6	72	20	220	--	--	
MW-5	08-14-96	106.60	17.26	89.34	ND	SW	0.021	08-14-96	2100	130	2.7	47	4.7	220	--	--	
MW-5	11-11-96	106.60	16.62	89.98	ND	SW	0.015	11-11-96	1200	31	1	8	2	130	--	--	
MW-5	03-25-97	106.60	16.38	90.22	ND	SSW	0.018	03-25-97	<50	<0.5	<0.5	<0.5	<0.5	5	--	--	
MW-5	05-15-97	106.60	16.54	90.06	ND	SSW	0.014	05-15-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
MW-5	10-26-97	106.60	17.60	89.00	ND	SW	0.009	10-26-97	<50	<0.5	<0.5	<0.5	<0.5	7	--	--	
MW-5	11-10-97	106.60	16.78	89.82	ND	SSW	0.014	11-10-97	<50	<0.5	<0.5	<0.5	<0.5	24	--	--	
MW-5	02-13-98	106.60	12.21	94.39	ND	SSW	0.012	02-13-98	11200	51	<10	<10	<10	2000	--	--	
MW-5	05-12-98	106.60	NR	NR	ND	SW	0.02	05-12-98	Not sampled; well inaccessible							--	--
MW-5	07-28-98	106.60	16.47	90.13	ND	SW	0.02	07-28-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	
MW-5	10-28-98	106.60	16.80	89.80	ND	SW	0.01	10-28-98	<50	0.8	<0.5	<0.5	<0.5	99	--	--	
MW-5	02-12-99	106.60	14.88	91.72	ND	SW	0.02	02-12-99	<1000	<10	<10	<10	<10	1100	--	--	
MW-6	03-20-95	105.16	12.13	93.03	ND	SW	0.02	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-6	06-06-95	105.16	13.95	91.21	ND	SW	0.016	06-06-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	
MW-6	08-24-95	105.13	14.07	91.06	ND	SW	0.014	08-24-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--	

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6148
5131 Shattuck Avenue, Oakland, California

Well Designation	Water Level Field Date	Top of Casing Elevation	Depth to Water	Groundwater Elevation	Floating Product Thickness	Groundwater Flow Direction	Hydraulic Gradient	Water Sample Field Date	TPHC LUFT Method	Benzene EPA 8020	Toluene EPA 8020	Ethylbenzene EPA 8020	Total Xylenes EPA 8020	MTBE EPA 8020	MTBE EPA 8240	TRPH EPA 418.J
MW-6	11-16-95	105.13	14.34	90.79	ND	SW	0.012	11-16-95	<60	<0.5	<0.5	<0.5	<0.5	--	--	--
MW-6	02-27-96	105.13	12.00	93.13	ND	SW	0.016	02-27-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-6	05-15-96	105.13	14.10	91.03	ND	SW	0.015	05-15-96	Not sampled: well sampled annually, during the first quarter							
MW-6	08-14-96	105.13	13.70	91.43	ND	SW	0.021	08-14-96	Not sampled: well sampled annually, during the first quarter							
MW-6	11-11-96	105.13	14.11	91.02	ND	SW	0.015	11-11-96	Not sampled: well sampled annually, during the first quarter							
MW-6	03-25-97	105.13	14.15	90.98	ND	SSW	0.018	03-25-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-6	05-15-97	105.13	14.44	90.69	ND	SSW	0.014	05-15-97	Not sampled: well sampled annually, during the first quarter							
MW-6	10-26-97	105.13	16.02	89.11	ND	SW	0.009	10-26-97	Not sampled: well sampled annually, during the first quarter							
MW-6	11-10-97	105.13	14.52	90.61	ND	SSW	0.014	11-10-97	Not sampled: well sampled annually, during the first quarter							
MW-6	02-13-98	105.13	10.06	95.07	ND	SSW	0.012	02-13-98	<50	<0.5	<0.5	<0.5	<0.5	8	--	--
MW-6	05-12-98	105.13	13.75	91.38	ND	SW	0.02	05-12-98	Not sampled: well sampled annually, during the first quarter							
MW-6	07-28-98	105.13	14.06	91.07	ND	SW	0.02	07-28-98	Not sampled: well sampled annually, during the first quarter							
MW-6	10-28-98	105.13	14.71	90.42	ND	SW	0.01	10-28-98	Not sampled: well sampled annually, during the first quarter							
MW-6	02-12-99	105.13	12.22	92.91	ND	SW	0.02	02-12-99	<100	<1	<1	<1	<1	110	--	--
MW-7	03-20-95	107.08	12.32	94.76	ND	SW	0.02	03-20-95	<50	<0.5	<0.5	<0.5	<0.5	--	--	--
MW-7	06-06-95	107.08	14.59	92.49	ND	SW	0.016	06-06-95	Not sampled: well sampled semi-annually, during the first and third quarters							
MW-7	08-24-95	107.05	14.64	92.41	ND	SW	0.014	08-24-95	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-7	11-16-95	107.05	15.30	91.75	ND	SW	0.012	11-16-95	Not sampled: well sampled semi-annually, during the first and third quarters							
MW-7	02-27-96	107.05	12.24	94.81	ND	SW	0.016	02-27-96	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-7	05-15-96	107.05	14.65	92.40	ND	SW	0.015	05-15-96	Not sampled: well sampled annually, during the first quarter							
MW-7	08-14-96	107.05	14.35	92.70	ND	SW	0.021	08-14-96	Not sampled: well sampled annually, during the first quarter							
MW-7	11-11-96	107.05	14.92	92.13	ND	SW	0.015	11-11-96	Not sampled: well sampled annually, during the first quarter							
MW-7	03-25-97	107.05	14.80	92.25	ND	SSW	0.018	03-25-97	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-7	05-15-97	107.05	15.27	91.78	ND	SSW	0.014	05-15-97	Not sampled: well sampled annually, during the first quarter							
MW-7	10-26-97	107.05	16.68	90.37	ND	SW	0.009	10-26-97	Not sampled: well sampled annually, during the first quarter							
MW-7	11-10-97	107.05	15.37	91.68	ND	SSW	0.014	11-10-97	Not sampled: well sampled annually, during the first quarter							
MW-7	02-13-98	107.05	10.80	96.25	ND	SSW	0.012	02-13-98	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--
MW-7	05-12-98	107.05	14.32	92.73	ND	SW	0.02	05-12-98	Not sampled: well sampled annually, during the first quarter							
MW-7	07-28-98	107.05	14.79	92.26	ND	SW	0.02	07-28-98	Not sampled: well sampled annually, during the first quarter							
MW-7	10-28-98	107.05	15.57	91.48	ND	SW	0.01	10-28-98	Not sampled: well sampled annually, during the first quarter							

Table 1
Historical Groundwater Elevation and Analytical Data
Petroleum Hydrocarbons and Their Constituents
1995 - Present**

ARCO Service Station 6148
5131 Shattuck Avenue, Oakland, California

Well Designation	Water Level Field Date	Top of Casing Elevation ft-MSL	Depth to Water feet	Groundwater Elevation ft-MSL	Floating Product Thickness feet	Flow Groundwater Direction MWN	Hydraulic Gradient ft/ft	Water Sample Field Date	TPHC LUFT Method µg/L	Benzene EPA 8020 µg/L	Toluene EPA 8020 µg/L	Ethylbenzene EPA 8020 µg/L	Total Xylenes EPA 8020 µg/L	MTBE EPA 8020 µg/L	MTBE EPA 82-40 µg/L	TRPH EPA 418.1 mg/L
MW-7	02-12-99	107.05	12.46	94.59	ND	SW	0.02	02-12-99	<50	<0.5	<0.5	<0.5	<0.5	<3	--	--

ft-MSL: elevation in feet, relative to mean sea level

MWN: ground-water flow direction and gradient apply to the entire monitoring well network

ft/ft: foot per foot

TPHC: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

µg/L: micrograms per liter

EPA: United States Environmental Protection Agency

MTBE: Methyl tert-butyl ether

mg/L: milligrams per liter

TRPH: total recoverable petroleum hydrocarbons

NR: not reported; data not available

ND: none detected

SW: Southwest





#: floating product entered the well during purging

--: not analyzed or not applicable

** For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results and Remediation System Performance Evaluation Report, ARCO Service Station 6148, Oakland, California, (EMCON, March 4, 1996).*

1" 1/2" 0" 1"


IMAGE Files: <No Images>
 XREF Files: <No Xrefs>
 Dimscale: 30 Ltscale: 30 Pellscale: 0
 SANJOSE/CADD: N:\DWG\PINACL\6148\6148CHEM.DWG Fri, 05/Feb/99 11:20am kblack



EXPLANATION	
⊙	Groundwater monitoring well
●	Vapor extraction well
⊕	Air-sparge well
∅	Decommissioned well
⌚	Existing underground gasoline storage tanks
(170/17/24)	Concentration of total petroleum hydrocarbons as gasoline (TPHG), benzene, and MTBE in groundwater (ug/L); samples collected 10/28/98
<	Not detected at or above the indicated laboratory detection limit
NS	Not sampled


DATE	JAN. 1999
DWN	KAB
APP	
REV	
PROJECT NO.	20805-135.008

FIGURE 1
 ARCO PRODUCTS COMPANY
 SERVICE STATION 6148, 5131 SHATTUCK AVE.
 OAKLAND, CALIFORNIA
GROUNDWATER ANALYTICAL SUMMARY
FOURTH QUARTER 1998




- EXPLANATION**
- ⊙ Groundwater monitoring well
 - Vapor extraction well
 - ⊙ Air-sparge well
 - ∅ Decommissioned well
 - [] Existing underground gasoline storage tank
 - (91.48) Groundwater elevation (Ft.-MSL) measured 10/28/98
 - ? - - - Groundwater elevation contour (Ft.-MSL)
 - ← Approximate direction of groundwater flow showing gradient

IMAGE Files: <No Images>
 XREF Files: <No Xrefs>
 Dimstyle: 30 Ltaccol: 30 Peltaccol: 0
 / E:\6148gwc.dwg Mon, 29/Mar/99 03:38pm dleasure



Pinnacle
 ENVIRONMENTAL SOLUTIONS
 A DIVISION OF EMCON



DATE JAN. 1999
 DWN KAB
 APP _____
 REV _____
 PROJECT NO.
 20805-135.008

FIGURE 2
 ARCO PRODUCTS COMPANY
 SERVICE STATION 6148, 5131 SHATTUCK AVE.
 OAKLAND, CALIFORNIA
GROUNDWATER ELEVATION CONTOURS
FOURTH QUARTER 1998

APPENDIX A
SAMPLING AND ANALYSIS PROCEDURES

APPENDIX A

SAMPLING AND ANALYSIS PROCEDURES

The sampling and analysis procedures for water quality monitoring programs are contained in this appendix. The procedures provided for consistent and reproducible sampling methods, proper application of analytical methods, and accurate and precise analytical results. Finally, these procedures provided guidelines so that the overall objectives of the monitoring program were achieved.

The following documents have been used as guidelines for developing these procedures:

- Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities, Environmental Protection Agency (EPA)-530/SW-611, August 1977
- Resource Conservation and Recovery Act (RCRA) Groundwater Monitoring Technical Enforcement Guidance Document, Office of Solid Waste and Emergency Response (OSWER) 9950.1, September 1986
- Test Methods for Evaluating Solid Waste: Physical/Chemical Methods, EPA SW-846, 3rd edition, November 1986
- Methods for Organic Chemical Analysis of Municipal and Industrial Waste Water, EPA-600/4-82-057, July 1982
- Methods for Organic Chemical Analysis of Water and Wastes, EPA-600/4-79-020, revised March 1983
- Leaking Underground Fuel Tank (LUFT) Field Manual, California State Water Resources Control Board, revised October 1989

Sample Collection

Sample collection procedures include equipment cleaning, water level and total well depth measurements, and well purging and sampling.

Equipment Cleaning

Before the sampling event was started, equipment that was used to sample groundwater was disassembled and cleaned with detergent water and then rinsed with deionized water. During field sampling, equipment surfaces that were placed in the well or came into contact with groundwater during field sampling were steam cleaned with deionized water before the next well was purged or sampled.

Water Level, Floating Hydrocarbon, and Total Well Depth Measurements

Before purging and sampling occurred, the depth to water, floating hydrocarbon thickness, and total well depth were measured using an oil/water interface measuring system. The oil/water interface measuring system consists of a probe that emits a continuous audible tone when immersed in a nonconductive fluid, such as oil or gasoline, and an intermittent tone when immersed in a conductive fluid, such as water. The floating hydrocarbon thickness and water level were measured by lowering the probe into the well. Liquid levels were recorded relative to the tone emitted at the groundwater surface. The sonic probe was decontaminated by being rinsed with deionized water or steam cleaned after each use. A bottom-filling, clear Teflon[®] bailer was used to verify floating hydrocarbon thickness measurements of less than 0.02 foot. Alternatively, an electric sounder and a bottom-filling Teflon bailer may have been used to record floating hydrocarbon thickness and depth to water.

The electric sounder is a transistorized instrument that uses a reel-mounted, two-conductor, coaxial cable that connects the control panel to the sensor. Cable markings are stamped at 1-foot intervals. The water level was measured by lowering the sensor into the monitoring well. A low-current circuit was completed when the sensor contacted the water, which served as an electrolyte. The current was amplified and fed into an indicator light and audible buzzer, signaling when water had been contacted. A sensitivity control compensated for highly saline or conductive water. The electric sounder was decontaminated by being rinsed with deionized water after each use. The bailer was lowered to a point just below the liquid level, retrieved, and observed for floating hydrocarbon.

Liquid measurements were recorded to the nearest 0.01 foot on the depth to water/floating product survey form. The groundwater elevation at each monitoring well was calculated by subtracting the measured depth to water from the surveyed elevation of the top of the well casing. (Every attempt was made to measure depth to water for all wells on the same day.) Total well depth was then measured by lowering the sensor to the bottom of the well. Total well depth, used to calculate purge volumes and to determine whether the well screen was partially obstructed by silt, was recorded to the nearest 0.1 foot on the depth to water/floating product survey form.

Well Purging

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol presented in Figure A-1. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

Groundwater purged from the monitoring wells was transported in a 500-gallon water trailer, 55-gallon drum, or a 325-gallon truck-mounted tank to EMCON's San Jose or Sacramento office location for temporary storage. EMCON arranged for transport and disposal of the purged groundwater through Integrated Waste Stream Management, Inc.

Field measurements of pH, specific conductance, and temperature were recorded in a waterproof field logbook. Figure A-2 shows an example of the water sample field data sheet on which field data are recorded. Field data sheets were reviewed for completeness by the sampling coordinator after the sampling event was completed.

The pH, specific conductance, and temperature meter were calibrated each day before field activities were begun. The calibration was checked once each day to verify meter performance. Field meter calibrations were recorded on the water sample field data sheet.

Well Sampling

A Teflon bailer was the only equipment acceptable for well sampling. When samples for volatile organic analysis were being collected, the flow of groundwater from the bailer was regulated to minimize turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa were used in sampling for volatile organics. These bottles were filled completely to prevent air from remaining in the bottle. A positive meniscus formed when the bottle was completely full. A convex Teflon septum was placed over the positive meniscus to eliminate air. After the bottle was capped, it was inverted and tapped to verify that it contained no air bubbles. The sample containers for other parameters were filled, filtered as required, and capped.

When required, dissolved concentrations of metals were determined using appropriate field filtration techniques. The sample was filtered by emptying the contents of the Teflon bailer into a pressure transfer vessel. A disposable 0.45-micron acrylic copolymer filter was threaded onto the transfer vessel at the discharge point, and the vessel was sealed. Pressure was applied to the vessel with a hand pump and the filtrate directed into the appropriate containers. Each filter was used once and discarded.

Sample Preservation and Handling

The following section specifies sample containers, preservation methods, and sample handling procedures.

Sample Containers and Preservation

Sample containers vary with each type of analytical parameter. Container types and materials were selected to be nonreactive with the particular analytical parameter tested.

Sample Handling

Sample containers were labeled immediately prior to sample collection. Samples were kept cool with cold packs until received by the laboratory. At the time of sampling, each sample was logged on an ARCO chain-of-custody record that accompanied the sample to the laboratory.

Samples that required overnight storage prior to shipping to the laboratory were kept cool (4° C) in a refrigerator. The refrigerator was kept in a warehouse, which was locked when not occupied by an EMCON employee. A sample/refrigerator log was kept to record the date and time that samples were placed into and removed from the refrigerator.

Samples were transferred from EMCON to an ARCO-approved laboratory by courier or taken directly to the laboratory by the environmental sampler. Sample shipments from EMCON to laboratories performing the selected analyses routinely occurred within 24 hours of sample collection.

Sample Documentation

The following procedures were used during sampling and analysis to provide chain-of-custody control during sample handling from collection through storage. Sample documentation included the use of the following:

- Water sample field data sheets to document sampling activities in the field
- Labels to identify individual samples
- Chain-of-custody record sheets for documenting possession and transfer of samples
- Laboratory analysis request sheets for documenting analyses to be performed

Field Logbook

In the field, the sampler recorded the following information on the water sample field data sheet (see Figure A-2) for each sample collected:

- Project number
- Client's name
- Location
- Name of sampler
- Date and time
- Well accessibility and integrity
- Pertinent well data (e.g., casing diameter, depth to water, well depth)
- Calculated and actual purge volumes
- Purging equipment used
- Sampling equipment used
- Appearance of each sample (e.g., color, turbidity, sediment)
- Results of field analyses (temperature, pH, specific conductance)
- General comments

The water sample field data sheet was signed by the sampler and reviewed by the sampling coordinator.

Labels

Sample labels contained the following information:

- Project number
- Sample number (i.e., well designation)
- Sample depth
- Sampler's initials
- Date and time of collection
- Type of preservation used (if any)

Sampling and Analysis Chain-of-Custody Record

The ARCO chain-of-custody record initiated at the time of sampling contained, at a minimum, the sample designation (including the depth at which the sample was collected), sample type, analytical request, date of sampling, and the name of the sampler. The record sheet was signed, timed, and dated by the sampler when transferring the samples. The number of custodians in the chain of possession was minimized. A copy of the ARCO chain-of-custody record was returned to EMCON with the analytical results.

Groundwater Sampling and Analysis Request Form

A groundwater sampling and analysis request form (see Figure A-3) was used to communicate to the environmental sampler the requirements of the monitoring event. At a minimum, the groundwater sampling and analysis request form included the following information:

- Date scheduled
- Site-specific instructions
- Specific analytical parameters
- Well number
- Well specifications (expected total depth, depth of water, and product thickness)



OWT

MONITORING WELL PURGING PROTOCOL

MEASURE AND RECORD DEPTH TO WATER AND WELL TOTAL DEPTH

CHECK FOR FLOATING PRODUCT

YES

MEASURE AND DOCUMENT FLOATING PRODUCT THICKNESS. DO NOT SAMPLE WELL FOR DISSOLVED CONSTITUENTS.

NO

CALCULATE PURGE VOLUME BY USING THE FOLLOWING EQUATION:

$$P = \pi r^2 h \times 7.48 \times 3$$

where:

P = calculated purge volume (gallons)

$\pi = 3.14$

r = radius of well casing in feet

h = height of water column in feet

WELL EVACUATED TO PRACTICAL LIMITS OF DRYNESS BEFORE REMOVING CALCULATED PURGE VOLUME

EVACUATE WATER FROM WELL EQUAL TO THE CALCULATED PURGE VOLUME WHILE MONITORING GROUNDWATER STABILIZATION INDICATOR PARAMETERS (pH, CONDUCTIVITY, TEMPERATURE) AT INTERVALS OF ONE CASING VOLUME.

NO

FINAL TWO SETS OF GROUNDWATER STABILIZATION INDICATOR PARAMETER MEASUREMENTS MEET THE FOLLOWING CRITERIA:

- pH = ± 0.1 pH units
- COND. = $\pm 10\%$
- TEMP. = ± 1.0 °F

YES

WELL PURGING CRITERIA MET; PROCEED TO WELL SAMPLING.

NO

CONTINUE PURGING; EVACUATE ADDITIONAL CASING VOLUME OF WATER, MONITORING INDICATOR PARAMETERS FOR STABILITY.

YES

WELL RECHARGES TO A LEVEL SUFFICIENT FOR SAMPLE COLLECTION WITHIN 24 HOURS OF EVACUATION TO DRYNESS.

YES

FIELD TEST FIRST RECHARGE WATER FOR INDICATOR PARAMETERS, THEN PROCEED TO WELL SAMPLING.

NO

RECORD WELL AS DRY FOR PURPOSES OF SAMPLING.



EMCON

MONITORING WELL PURGING PROTOCOL

FIGURE

A-1



OWT

**EMCON - SACRAMENTO
GROUNDWATER SAMPLING AND ANALYSIS REQUEST FORM**

PROJECT NAME :

SCHEDULED DATE :

SPECIAL INSTRUCTIONS / CONSIDERATIONS :

Project Authorization: _____
EMCON Project No.: _____
OWT Project No.: _____
Task Code: _____
Originals To: _____
cc: _____

Well Lock Number (s)

CHECK BOX TO AUTHORIZE DATA ENTRY

Site Contact: _____
Name Phone #

Well Number or Source	Casing Diameter (inches)	Casing Length (feet)	Depth to Water (feet)	ANAYSES REQUESTED

Laboratory and Lab QC Istructions:



EMCON

SAMPLING AND ANALYSIS REQUEST FORM

**FIGURE
A-3**

APPENDIX B
CERTIFIED ANALYTICAL REPORTS,
AND CHAIN-OF-CUSTODY DOCUMENTATION



March 1, 1999

Service Request No.: S9900531

Mr. Glen Vanderveen
PINNACLE
144 A Mayhew Wy.
Walnut Creek, CA 94596

RE: 20805-250.004/TO#24118.00/RAT8/6148 OAKLAND

Dear Mr. Vanderveen:

The following pages contain analytical results for sample(s) received by the laboratory on February 16, 1999. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.

Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 15, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.


Sincerely,

A handwritten signature in cursive script that reads "Bernadette T. Cox".

Bernadette T. Cox
Project Chemist

A handwritten signature in cursive script that reads "Lou Zylor".

Regional QA Coordinator



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLIC	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-250.004/TO#24118.00/RAT8/6148 OAKLAND
Sample Matrix: Water

Service Request: S9900531
Date Collected: 2/12/99
Date Received: 2/16/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-7(13)
Lab Code: S9900531-001
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/20/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	2/20/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	2/20/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/20/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/20/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/20/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-250.004/TIO#24118.00/RAT8/6148 OAKLAND
Sample Matrix: Water

Service Request: S9900531
Date Collected: 2/12/99
Date Received: 2/16/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-6(26)
Lab Code: S9900531-002
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	2	NA	2/23/99	<100	C1
Benzene	EPA 5030	8020	0.5	2	NA	2/23/99	<1	C1
Toluene	EPA 5030	8020	0.5	2	NA	2/23/99	<1	C1
Ethylbenzene	EPA 5030	8020	0.5	2	NA	2/23/99	<1	C1
Xylenes, Total	EPA 5030	8020	0.5	2	NA	2/23/99	<1	C1
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	2	NA	2/23/99	110	

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-250.004/TO#24118.00/RAT8/6148 OAKLAND
Sample Matrix: Water

Service Request: S9900531
Date Collected: 2/12/99
Date Received: 2/16/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-4(15)
Lab Code: S9900531-003
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/23/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	2/23/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	2/23/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/23/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/23/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/23/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-250.004/TO#24118.00/RAT8/6148 OAKLAND
Sample Matrix: Water

Service Request: S9900531
Date Collected: 2/12/99
Date Received: 2/16/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-1(16)
Lab Code: S9900531-004
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/23/99	72	
Benzene	EPA 5030	8020	0.5	1	NA	2/23/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	2/23/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/23/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/23/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/23/99	23	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-250.004/TO#24118.00/RAT8/6148 OAKLAND
Sample Matrix: Water

Service Request: S9900531
Date Collected: 2/12/99
Date Received: 2/16/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-3(16)
Lab Code: S9900531-005
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/23/99	120	
Benzene	EPA 5030	8020	0.5	1	NA	2/23/99	2.0	
Toluene	EPA 5030	8020	0.5	1	NA	2/23/99	0.6	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/23/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/23/99	1.3	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/23/99	37	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-250.004/TO#24118.00/RAT8/6148 OAKLAND
Sample Matrix: Water

Service Request: S9900531
Date Collected: 2/12/99
Date Received: 2/16/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-2(16)
Lab Code: S9900531-006
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	20	NA	2/23/99	12000	
Benzene	EPA 5030	8020	0.5	20	NA	2/23/99	620	
Toluene	EPA 5030	8020	0.5	20	NA	2/23/99	95	
Ethylbenzene	EPA 5030	8020	0.5	20	NA	2/23/99	490	
Xylenes, Total	EPA 5030	8020	0.5	20	NA	2/23/99	2200	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	20	NA	2/23/99	270	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-250.004/TO#24118.00/RAT8/6148 OAKLAND
Sample Matrix: Water

Service Request: S9900531
Date Collected: 2/12/99
Date Received: 2/16/99

BTEX, MTBE and TPH as Gasoline

Sample Name: MW-5(15)
Lab Code: S9900531-007
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	20	NA	2/23/99	<1000	C1
Benzene	EPA 5030	8020	0.5	20	NA	2/23/99	<10	C1
Toluene	EPA 5030	8020	0.5	20	NA	2/23/99	<10	C1
Ethylbenzene	EPA 5030	8020	0.5	20	NA	2/23/99	<10	C1
Xylenes, Total	EPA 5030	8020	0.5	20	NA	2/23/99	<10	C1
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	20	NA	2/23/99	1100	

C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-250 004/TO#24118 00/RAT8/6148 OAKLAND
Sample Matrix: Water

Service Request: S9900531
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990219-WB2
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/19/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	2/19/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	2/19/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/19/99	ND	
Xylenes, Total	EPA 5030	8020	0.5	1	NA	2/19/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/19/99	ND	

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-250 004/FO#24118.00/RAT8/6148 OAKLAND
Sample Matrix: Water

Service Request: S9900531
Date Collected: NA
Date Received: NA

BTEX, MTBE and TPH as Gasoline

Sample Name: Method Blank
Lab Code: S990223-WB1
Test Notes:

Units: ug/L (ppb)
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
TPH as Gasoline	EPA 5030	CA/LUFT	50	1	NA	2/23/99	ND	
Benzene	EPA 5030	8020	0.5	1	NA	2/23/99	ND	
Toluene	EPA 5030	8020	0.5	1	NA	2/23/99	ND	
Ethylbenzene	EPA 5030	8020	0.5	1	NA	2/23/99	ND	
Xylenes, Total	EPA 5030	802Q	0.5	1	NA	2/23/99	ND	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	3	1	NA	2/23/99	ND	

APPENDIX A

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-250 004/TO#24118.00/RAT8/6148 OAKLAND
Sample Matrix: Water

Service Request: S9900531
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: NA

Surrogate Recovery Summary
 BTEX, MTBE and TPH as Gasoline

Prep Method: EPA 5030
Analysis Method: 8020 CALUFT

Units: PERCENT
Basis: NA

Sample Name	Lab Code	Test Notes	Percent Recovery	
			4-Bromofluorobenzene	a,a,a-Trifluorotoluene
MW-7(13)	S9900531-001		88	91
MW-6(26)	S9900531-002		89	83
MW-4(15)	S9900531-003		92	88
MW-1(16)	S9900531-004		96	91
MW-3(16)	S9900531-005		85	95
MW-2(16)	S9900531-006		90	90
MW-5(15)	S9900531-007		89	82
MW-4(15)	S9900531-003MS		91	88
MW-4(15)	S9900531-003DMS		95	90
Method Blank	S990219-WB2		89	83
Method Blank	S990223-WB1		89	86

CAS Acceptance Limits: 69-116 69-116

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-250 004/TO#24118.00/RAT8/6148 OAKLAND
Sample Matrix: Water

Service Request: S9900531
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 2/23/99

Matrix Spike/Duplicate Matrix Spike Summary
 BTE

Sample Name: MW-4(15) Units: ug/L (ppb)
Lab Code: S9900531-003MS, S9900531-003DMS Basis: NA
Test Notes:

Analyte	Prep Method	Analysis Method	Percent Recovery									
			Spike Level		Sample Result	Spike Result		CAS Acceptance		Relative Percent Difference		
			MRL	MS		DMS	MS	DMS	MS		DMS	Limits
Benzene	EPA 5030	8020	0.5	25	25	ND	24	25	96	100	75-135	4
Toluene	EPA 5030	8020	0.5	25	25	ND	25	26	100	104	73-136	4
Ethylbenzene	EPA 5030	8020	0.5	25	25	ND	24	25	96	100	69-142	4

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-250.004/TO#24118.00/RAT8/6148 OAKLAND

Service Request: S9900531
Date Analyzed: 2/23/99

Initial Calibration Verification (ICV) Summary
 BTEX, MTBE and TPH as Gasoline

Sample Name: ICV Units: ug/L (ppb)
Lab Code: ICV1 Basis: NA
Test Notes:

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	CAS Percent Recovery		Result Notes
					Acceptance Limits	Percent Recovery	
TPH as Gasoline	EPA 5030	CA/LUFT	250	230	90-110	92	
Benzene	EPA 5030	8020	25	25	85-115	100	
Toluene	EPA 5030	8020	25	25	85-115	100	
Ethylbenzene	EPA 5030	8020	25	24	85-115	96	
Xylenes, Total	EPA 5030	8020	75	73	85-115	97	
Methyl <i>tert</i> -Butyl Ether	EPA 5030	8020	25	25	85-115	100	

ARCO Products Company

Division of Atlantic/Richfield Company

59900531

Task Order No.

74118.00

Chain of Custody

ARCO Facility no. 6148	City (Facility) Oakland	Project manager (Consultant) Glen VanderVeen	Laboratory Name CAS
ARCO engineer Paul Supple	Telephone no. (ARCO)	Telephone no. (Consultant) (408) 453-7300	Contract Number
Consultant name EMCON	Address (Consultant) 44-A Mayhew Way, Walnut Creek, CA		

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602 EPA 8020	BTEX/TPH in cell EPA Method 8015	TPH Method 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM 503E	EPA 60.1/610	EPA 624/6240	EPA 625/6270	ICLP Metals <input type="checkbox"/> VOAC <input type="checkbox"/> VOAC <input type="checkbox"/>	CAMEL Metals EPA 6010/7000 TLLC <input type="checkbox"/> STLCC <input type="checkbox"/>	Lead Org/CHS <input type="checkbox"/> Lead EPA 7420/7421 <input type="checkbox"/>	
			Soil	Water	Other	Ice	Acid														
M/W-7 (13)	X	(1)	X			X	HCL	2/12/99	1220		X										
M/W-6 (26)	X	(2)	X			X	HCL		1245		X										
M/W-4 (15)	X	(3)	X			X	HCL		1055		X										
M/W-1 (16)	X	(4)	X			X	HCL		1115		X										
M/W-3 (16)	X	(5)	X			X	HCL		1145		X										
M/W-2 (16)	X	(6)	X			X	HCL		1130		X										
M/W-5 (15)	X	(2)	X			X	HCL		1300		X										

Method of shipment
Sampler will deliver

Special Detection Limit/reporting
Lowest Possible

Special QA/QC
As Normal

Remarks
**RAT 8
2-4 Cm 1/HCL
VOAs**

#20905-250.00

Lab Number

Turnaround Time:

Priority Rush
1 Business Day

Rush
2 Business Days

Expedited
5 Business Days

Standard
10 Business Days

Condition of sample:	Temperature received:
Relinquished by sampler <i>Manuel J. Supple</i>	Date 2/16/99 Time Received by Arden Feele 2/16/99 9:50
Relinquished by	Date 3/2/99 Time Received by R11/D3
Relinquished by	Date Time Received by laboratory Date Time

APPENDIX C
FIELD DATA SHEETS

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-250,004
 PURGED BY M. Gallegos
 SAMPLED BY ✓

SAMPLE ID MW-1 (16)
 CLIENT NAME ARCO# 6148
 LOCATION OAKLAND, CA

TYPE Groundwater ✓ Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches) 2 _____ 3 _____ 4 ✓ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal) NR
 DEPTH OF WELL (feet) 25.3 CALCULATED PURGE (gal) _____
 DEPTH OF WATER (feet) 15.84 ACTUAL PURGE VOL (gal) ✓

DATE PURGED 2-12-99 END PURGE _____
 DATE SAMPLED ✓ SAMPLING TIME 1115

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1115</u>	<u>6.243</u>	<u>6.60</u>	<u>462</u>	<u>64.7</u>	<u>clear</u>	<u>clear</u>

OTHER DO = .5 ODOR none NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

_____ 2" Bladder Pump _____ Bailer (Teflon)
 _____ Centrifugal Pump _____ Bailer (PVC)
 _____ Submersible Pump _____ Bailer (Stainless Steel)
 _____ Well Wizard™ _____ Dedicated
 Other _____

SAMPLING EQUIPMENT

_____ 2" Bladder Pump ✓ Bailer (Teflon)
 _____ Bomb Sampler _____ Bailer (Stainless Steel)
 _____ Dipper _____ Submersible Pump
 _____ Well Wizard™ _____ Dedicated
 Other _____

WELL INTEGRITY OK LOCK none

REMARKS all samples taken

pH, E.C., Temp Meter Calibration Date _____ Time _____ Meter Serial No 8707
 E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F _____
 SIGNATURE [Signature] REVIEWED BY [Signature] PAGE 1 OF 7

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-2501004
 PURGED BY M. Gallegos
 SAMPLED BY ✓

SAMPLE ID MW-2 (16')
 CLIENT NAME ARCO# 6148
 LOCATION OAKLAND, CA

TYPE Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches) 2 3 4 5 6 Other

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal) NR
 DEPTH OF WELL (feet) 25.3 CALCULATED PURGE (gal) ✓
 DEPTH OF WATER (feet) 15.55 ACTUAL PURGE VOL (gal) ✓

DATE PURGED 2-12-99 END PURGE
 DATE SAMPLED SAMPLING TIME 1130

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
1130	GRAB	6.39	992	65.2	clear	clear

OTHER: DO = 0.5 ODOR: strong NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated
Other: <u> </u>		Other: <u> </u>	

WELL INTEGRITY: OK LOCK none

REMARKS: all samples taken

pH, E.C., Temp Meter Calibration Date Time Meter Serial No 87M
 EC 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F
 SIGNATURE M. Gallegos REVIEWED BY NA PAGE 2 OF 7

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-250,004
 PURGED BY M. Gallegos
 SAMPLED BY ✓

SAMPLE ID MW-3 (16')
 CLIENT NAME ARCO # 6148
 LOCATION OAKLAND, CA

TYPE Groundwater ✓ Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches) 2 _____ 3 _____ 4 ✓ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal) NR
 DEPTH OF WELL (feet) 25.4 CALCULATED PURGE (gal) _____
 DEPTH OF WATER (feet) 15.76 ACTUAL PURGE VOL (gal) ✓

DATE PURGED 2-12-99 END PURGE _____
 DATE SAMPLED ✓ SAMPLING TIME 1145

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1145</u>	<u>GRAB</u>	<u>6.44</u>	<u>564</u>	<u>64.8</u>	<u>clear</u>	<u>clear</u>

OTHER: DO = .5 ODOR none NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1). NR

PURGING EQUIPMENT	SAMPLING EQUIPMENT
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> 2" Bladder Pump
<input type="checkbox"/> Centrifugal Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bomb Sampler
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dipper
<input type="checkbox"/> Other _____	<input type="checkbox"/> Well Wizard™
<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dedicated
<input type="checkbox"/> Dedicated	<input type="checkbox"/> Other _____

WELL INTEGRITY: OK LOCK: none

REMARKS: all samples taken

pH, E.C., Temp Meter Calibration Date 2/12/99 Time _____ Meter Serial No 8717
 E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F _____
 SIGNATURE M. Gallegos REVIEWED BY MA PAGE 3 OF 7

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-250,004
 PURGED BY M. Gallegos
 SAMPLED BY ✓

SAMPLE ID MW-4 (15)
 CLIENT NAME ARCO # 6148
 LOCATION OAKLAND, CA

TYPE Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches) 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal) NR
 DEPTH OF WELL (feet) 25.8 CALCULATED PURGE (gal) ✓
 DEPTH OF WATER (feet) 14.13 ACTUAL PURGE VOL (gal) ✓

DATE PURGED 2-12-99 END PURGE
 DATE SAMPLED SAMPLING TIME 1055

TIME (2400 HR)	VOLUME (gal)	pH (units)	EC (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1055</u>	<u>6.243</u>	<u>6.16</u>	<u>604</u>	<u>62.7</u>	<u>Clear</u>	<u>Clear</u>

OTHER: DO = .5 ODOR: slight NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT	SAMPLING EQUIPMENT
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> 2" Bladder Pump <input checked="" type="checkbox"/>
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bomb Sampler
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Dipper
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Well Wizard™
Other: <u> </u>	Other: <u> </u>

WELL INTEGRITY: OK LOCK: none

REMARKS: all samples taken

pH, E.C., Temp Meter Calibration Date 2/12/99 Time 1650 Meter Serial No 87M
 EC 1000 1009, 1000 pH 7 700, 700 pH 10 994, 1000 pH 4 403, 400
 Temperature °F 57.3
 SIGNATURE [Signature] REVIEWED BY [Signature] PAGE 4 OF 7

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-250,004
 PURGED BY M. Gallegos
 SAMPLED BY ✓

SAMPLE ID MW-5 (15)
 CLIENT NAME ARLOTT 6148
 LOCATION OAKLAND, CA

TYPE Groundwater ✓ Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches) 2 _____ 3 _____ 4 ✓ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal) NR
 DEPTH OF WELL (feet) 21.7 CALCULATED PURGE (gal) _____
 DEPTH OF WATER (feet) 11.88 ACTUAL PURGE VOL (gal) ✓

DATE PURGED 2-12-99 END PURGE _____
 DATE SAMPLED ✓ SAMPLING TIME 1300

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1700</u>	<u>GRAB</u>	<u>6.53</u>	<u>471</u>	<u>66.1</u>	<u>clear</u>	<u>clear</u>

OTHER: DO = 1 ODOR none NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1) NR

PURGING EQUIPMENT		SAMPLING EQUIPMENT	
<input type="checkbox"/> 2" Bladder Pump	<input type="checkbox"/> Bailer (Teflon)	<input type="checkbox"/> 2" Bladder Pump	<input checked="" type="checkbox"/> Bailer (Teflon)
<input type="checkbox"/> Centrifugal Pump	<input type="checkbox"/> Bailer (PVC)	<input type="checkbox"/> Bomb Sampler	<input type="checkbox"/> Bailer (Stainless Steel)
<input type="checkbox"/> Submersible Pump	<input type="checkbox"/> Bailer (Stainless Steel)	<input type="checkbox"/> Dipper	<input type="checkbox"/> Submersible Pump
<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated	<input type="checkbox"/> Well Wizard™	<input type="checkbox"/> Dedicated
<input type="checkbox"/> Other _____		<input type="checkbox"/> Other _____	

WELL INTEGRITY OK LOCK None

REMARKS: all samples taken

pH, E.C., Temp. Meter Calibration Date 2/12/99 Time _____ Meter Serial No 87M
 E.C. 1000 11000 pH 7 1.700 pH 10 11000 pH 4 1400

Temperature °F _____
 SIGNATURE [Signature] REVIEWED BY MA PAGE 5 OF 7

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-2501004
 PURGED BY M. Gallegos
 SAMPLED BY ✓

SAMPLE ID MW-6 (26)
 CLIENT NAME ARCOT 6148
 LOCATION OAKLAND, CA

TYPE Groundwater ✓ Surface Water _____ Leachate _____ Other _____
 CASING DIAMETER (inches) 2 _____ 3 _____ 4 ✓ 4.5 _____ 6 _____ Other _____

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal) 9.24
 DEPTH OF WELL (feet) 26.4 CALCULATED PURGE (gal) 27.79
 DEPTH OF WATER (feet) 12.22 ACTUAL PURGE VOL (gal) 28.0

DATE PURGED 2-12-99 END PURGE 1238
 DATE SAMPLED ✓ SAMPLING TIME 1245

TIME (2400 HR)	VOLUME (gal)	pH (units)	EC (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1230</u>	<u>9.5</u>	<u>6.67</u>	<u>506</u>	<u>64.3</u>	<u>BPA</u>	<u>heavy</u>
<u>1234</u>	<u>19.0</u>	<u>6.56</u>	<u>496</u>	<u>65.4</u>	<u>↓</u>	<u>↓</u>
<u>1238</u>	<u>28.0</u>	<u>6.61</u>	<u>496</u>	<u>65.8</u>	<u>↓</u>	<u>↓</u>

OTHER DO=1 ODOR none NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1): NR

PURGING EQUIPMENT

____ 2" Bladder Pump _____ Bailer (Teflon)
 ____ Centrifugal Pump ✓ Bailer (PVC)
 ____ Submersible Pump _____ Bailer (Stainless Steel)
 ____ Well Wizard™ _____ Dedicated
 Other: _____

SAMPLING EQUIPMENT

____ 2" Bladder Pump ✓ Bailer (Teflon)
 ____ Bomb Sampler _____ Bailer (Stainless Steel)
 ____ Dipper _____ Submersible Pump
 ____ Well Wizard™ _____ Dedicated
 Other: _____

WELL INTEGRITY: OK LOCK NEW

REMARKS: all samples taken

pH, EC, Temp Meter Calibration Date 2/12/99 Time _____ Meter Serial No 87M
 EC 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F _____
 SIGNATURE [Signature] REVIEWED BY [Signature] PAGE 6 OF 7

WATER SAMPLE FIELD DATA SHEET

Rev 1/97



OWT

PROJECT NO 21775-250,004
 PURGED BY M. Gallegos
 SAMPLED BY ✓

SAMPLE ID MW-7 (13')
 CLIENT NAME ARCO# 6148
 LOCATION OAKLAND, CA.

TYPE Groundwater Surface Water Leachate Other
 CASING DIAMETER (inches) 2 3 4 4.5 6 Other

CASING ELEVATION (feet/MSL) NR VOLUME IN CASING (gal) 9.36
 DEPTH OF WELL (feet) 26.8 CALCULATED PURGE (gal) 28.10
 DEPTH OF WATER (feet) 12.46 ACTUAL PURGE VOL (gal) 28.5

DATE PURGED 2-12-99 END PURGE 1209
 DATE SAMPLED ✓ SAMPLING TIME 1220

TIME (2400 HR)	VOLUME (gal)	pH (units)	E.C. (µmhos/cm@25°C)	TEMPERATURE (°F)	COLOR (visual)	TURBIDITY (visual)
<u>1201</u>	<u>9.5</u>	<u>6.50</u>	<u>480</u>	<u>64.4</u>	<u>BPM</u>	<u>Heavy</u>
<u>1204</u>	<u>19.0</u>	<u>6.44</u>	<u>479</u>	<u>65.9</u>	<u>✓</u>	<u>✓</u>
<u>1209</u>	<u>28.5</u>	<u>6.47</u>	<u>477</u>	<u>66.1</u>	<u>✓</u>	<u>✓</u>

OTHER: DO = .5 ODOR None NR NR
(COBALT 0-100) (NTU 0-200)

FIELD QC SAMPLES COLLECTED AT THIS WELL (i.e. FB-1, XDUP-1) NR

PURGING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Well Wizard™ Dedicated
 Other _____

SAMPLING EQUIPMENT

2" Bladder Pump Bailer (Teflon)
 Bomb Sampler Bailer (Stainless Steel)
 Dipper Submersible Pump
 Well Wizard™ Dedicated
 Other _____

WELL INTEGRITY: ok LOCK ARCO

REMARKS: all samples taken

pH, E.C., Temp Meter Calibration Date 2/12/99 Time _____ Meter Serial No 8707
 E.C. 1000 11000 pH 7 1700 pH 10 11000 pH 4 1400

Temperature °F _____
 SIGNATURE M. Gallegos REVIEWED BY MA PAGE 7 OF 7

ARCO Products Company

Division of Atlantic/Richfield Company

Task Order No. **74118.00**

Chain of Custody

ARCO Facility no. 6149	City (Facility) Oakland	Project manager (Consultant) Glen Vander Veen	Laboratory Name CAS
ARCO engineer Paul Supple	Telephone no. (ARCO)	Telephone no. (Consultant) (408) 453-7200	Contract Number
Consultant name EHCON	Address (Consultant) 44-A Mayhew Way Walnut Creek, CA		

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX 602 EPA 8020	BTEX/TPH, in-situ, TPH EPA Method 8015	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM 503E	EPA 601/610	EPA 624/6240	EPA 625/6270	TCLP Metals <input type="checkbox"/> VOAD <input type="checkbox"/> VOA	CMM Metals EPA 6010/7000 TLLC <input type="checkbox"/> STLCC <input type="checkbox"/>	Lead Org/MSD Lead EPA 7420/7421 <input type="checkbox"/>	Method of shipment
			Soil	Water	Other	Ice	Acid														
MW-7(15)	X	X	X	X	X	HCL	2/12/99	1220	X												Sample will be held
MW-6(26)	X	X	X	X	X	HCL		1245	X												Lowest possible
MW-4(15)	X	X	X	X	X	HCL		1055	X												Special QA/QC
MW-1(16)	X	X	X	X	X	HCL		1115	X												As Normal
MW-3(16)	X	X	X	X	X	HCL		1145	X												Remarks
MW-2(16)	X	X	X	X	X	HCL		1130	X												RAT 8
MW-5(15)	X	X	X	X	X	HCL		1300	X												2-4 GM HCL VOAS
																					# 20905-750.09

Condition of sample:				Temperature received:				Turnaround Time: Priority Rush 1 Business Day <input type="checkbox"/> Rush 2 Business Days <input type="checkbox"/> Expedited 5 Business Days <input type="checkbox"/> Standard 10 Business Days <input checked="" type="checkbox"/>	
Relinquished by sampler <i>Michael J. Sullivan</i>	Date 2/16/99	Time	Received by <i>[Signature]</i>	Date 2/16/99	Time 9:30				
Relinquished by	Date	Time	Received by	Date	Time				
Relinquished by	Date	Time	Received by laboratory	Date	Time				

APPENDIX D

**CERTIFIED ANALYTICAL REPORTS,
AND CHAIN-OF-CUSTODY DOCUMENTATION
FOR SOIL-VAPOR EXTRACTION SYSTEM**



January 29, 1999

Service Request No.: S9900121

Mr. Glen Vanderveen
PINNACLE
144 A Mayhew Wy.
Walnut Creek, CA 94596

RE: 20805-135.008/TO#22672.00/RAT8/6148 OAKLAND

Dear Mr. Vanderveen:

The following pages contain analytical results for sample(s) received by the laboratory on January 15, 1999. Results of sample analyses are followed by Appendix A which contains sample custody documentation and quality assurance deliverables requested for this project. The work requested has been assigned the Service Request No. listed above. To help expedite our service, please refer to this number when contacting the laboratory.


Analytical results were produced by procedures consistent with Columbia Analytical Services' (CAS) Quality Assurance Manual (with any deviations noted). Signature of this CAS Analytical Report below confirms that pages 2 through 14, following, have been thoroughly reviewed and approved for release in accord with CAS Standard Operating Procedure ADM-DatRev3.

Please feel welcome to contact me should you have questions or further needs.

Sincerely,

Bernadette T. Cox
Project Chemist

Regional QA Coordinator



COLUMBIA ANALYTICAL SERVICES, Inc.

Acronyms

A2LA	American Association for Laboratory Accreditation
ASTM	American Society for Testing and Materials
BOD	Biochemical Oxygen Demand
BTEX	Benzene, Toluene, Ethylbenzene, Xylenes
CAM	California Assessment Metals
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
COD	Chemical Oxygen Demand
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DLCS	Duplicate Laboratory Control Sample
DMS	Duplicate Matrix Spike
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
IC	Ion Chromatography
ICB	Initial Calibration Blank sample
ICP	Inductively Coupled Plasma atomic emission spectrometry
ICV	Initial Calibration Verification sample
J	Estimated concentration. The value is less than the MRL, but greater than or equal to the MDL. If the value is equal to the MRL, the result is actually <MRL before rounding.
LCS	Laboratory Control Sample
LUFT	Leaking Underground Fuel Tank
M	Modified
MBAS	Methylene Blue Active Substances
MCL	Maximum Contaminant Level. The highest permissible concentration of a substance allowed in drinking water as established by the U. S. EPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
MS	Matrix Spike
MTBE	Methyl tert-Butyl Ether
NA	Not Applicable
NAN	Not Analyzed
NC	Not Calculated
NCASI	National Council of the paper industry for Air and Stream Improvement
ND	Not Detected at or above the method reporting/detection limit (MRL/MDL)
NIOSH	National Institute for Occupational Safety and Health
NTU	Nephelometric Turbidity Units
ppb	Parts Per Billion
ppm	Parts Per Million
PQL	Practical Quantitation Limit
QA/QC	Quality Assurance/Quality Control
RCRA	Resource Conservation and Recovery Act
RPD	Relative Percent Difference
SIM	Selected Ion Monitoring
SM	Standard Methods for the Examination of Water and Wastewater, 18th Ed., 1992
STLC	Solubility Threshold Limit Concentration
SW	Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed., 1986 and as amended by Updates I, II, IIA, and IIB.
TCLP	Toxicity Characteristic Leaching Procedure
TDS	Total Dissolved Solids
TPH	Total Petroleum Hydrocarbons
tr	Trace level. The concentration of an analyte that is less than the PQL but greater than or equal to the MDL. If the value is equal to the PQL, the result is actually <PQL before rounding.
TRPH	Total Recoverable Petroleum Hydrocarbons
TSS	Total Suspended Solids
TTLc	Total Threshold Limit Concentration
VOA	Volatile Organic Analyte(s)

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-135.008/TO#22672.00/RAT8/6148 OAKLAND
Sample Matrix: Air

Service Request: S9900121
Date Collected: 1/15/99
Date Received: 1/15/99

BTEX and Total Volatile Hydrocarbons

Sample Name: I-1
Lab Code: S9900121-001
Test Notes:

Units: mg/m3
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Benzene	NONE	8020	0.4	20	NA	1/15/99	9	
Toluene	NONE	8020	0.4	20	NA	1/15/99	20	
Ethylbenzene	NONE	8020	0.5	20	NA	1/15/99	<10	C1
Xylenes, Total	NONE	8020	0.9	20	NA	1/15/99	<18	C1
Total Volatile Hydrocarbons:								
C1 - C5	NONE	8020	12	20	NA	1/15/99	3500	
C6 - C12	NONE	8020	20	20	NA	1/15/99	1400	
TPH as Gasoline*	NONE	8015M	20	20	NA	1/15/99	1400	
Methyl tert-Butyl Ether	NONE	8020	3	20	NA	1/15/99	140	

* TPH as gasoline is defined as C6 (benzene) through C12 (dodecane) and uses a molecular weight of 100 to calculate the ppmv.
 C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-135.008/TO#22672.00/RAT8/6148 OAKLAND
Sample Matrix: Air

Service Request: S9900121
Date Collected: 1/15/99
Date Received: 1/15/99

BTEX and Total Volatile Hydrocarbons

Sample Name: I-1
Lab Code: S9900121-001
Test Notes:

Units: ppmV
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Benzene	NONE	8020	0.1	20	NA	1/15/99	3	
Toluene	NONE	8020	0.1	20	NA	1/15/99	5	
Ethylbenzene	NONE	8020	0.1	20	NA	1/15/99	<2	C1
Xylenes, Total	NONE	8020	0.2	20	NA	1/15/99	<4	C1
Total Volatile Hydrocarbons:								
C1 - C5	NONE	8020	5	20	NA	1/15/99	1500	
C6 - C12	NONE	8020	5	20	NA	1/15/99	340	
TPH as Gasoline*	NONE	8015M	5	20	NA	1/15/99	340	
Methyl tert-Butyl Ether	NONE	8020	0.8	20	NA	1/15/99	44	

* TPH as gasoline is defined as C6 (benzene) through C12 (dodecane) and uses a molecular weight of 100 to calculate the ppmv.
 C1 The MRL was elevated due to high analyte concentration requiring sample dilution.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-135.008/TO#22672.00/RAT8/6148 OAKLAND
Sample Matrix: Air

Service Request: S9900121
Date Collected: 1/15/99
Date Received: 1/15/99

BTEX and Total Volatile Hydrocarbons

Sample Name: E-1
Lab Code: S9900121-002
Test Notes:

Units: mg/m3
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Benzene	NONE	8020	0.4	1	NA	1/15/99	ND	
Toluene	NONE	8020	0.4	1	NA	1/15/99	1.3	
Ethylbenzene	NONE	8020	0.5	1	NA	1/15/99	ND	
Xylenes, Total	NONE	8020	0.9	1	NA	1/15/99	0.9	
Total Volatile Hydrocarbons:								
C1 - C5	NONE	8020	12	1	NA	1/15/99	120	
C6 - C12	NONE	8020	20	1	NA	1/15/99	62	
TPH as Gasoline*	NONE	8015M	20	1	NA	1/15/99	62	
Methyl tert-Butyl Ether	NONE	8020	3	1	NA	1/15/99	ND	

* TPH as gasoline is defined as C6 (benzene) through C12 (dodecane) and uses a molecular weight of 100 to calculate the ppmv.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-135.008/TO#22672.00/RAT8/6148 OAKLAND
Sample Matrix: Air

Service Request: S9900121
Date Collected: 1/15/99
Date Received: 1/15/99

BTEX and Total Volatile Hydrocarbons

Sample Name: E-1
Lab Code: S9900121-002
Test Notes:

Units: ppmV
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Benzene	NONE	8020	0.1	1	NA	1/15/99	ND	
Toluene	NONE	8020	0.1	1	NA	1/15/99	0.3	
Ethylbenzene	NONE	8020	0.1	1	NA	1/15/99	ND	
Xylenes, Total	NONE	8020	0.2	1	NA	1/15/99	0.2	
Total Volatile Hydrocarbons:								
C1 - C5	NONE	8020	5	1	NA	1/15/99	51	
C6 - C12	NONE	8020	5	1	NA	1/15/99	15	
TPH as Gasoline*	NONE	8015M	5	1	NA	1/15/99	15	
Methyl tert-Butyl Ether	NONE	8020	0.8	1	NA	1/15/99	ND	

* TPH as gasoline is defined as C6 (benzene) through C12 (dodecane) and uses a molecular weight of 100 to calculate the ppmv.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-135.008/TO#22672.00/RAT8/6148 OAKLAND
Sample Matrix: Air

Service Request: S9900121
Date Collected: NA
Date Received: NA

BTEX and Total Volatile Hydrocarbons

Sample Name: Method Blank
Lab Code: S990115-VB1
Test Notes:

Units: mg/m3
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Benzene	NONE	8020	0.4	1	NA	1/15/99	ND	
Toluene	NONE	8020	0.4	1	NA	1/15/99	ND	
Ethylbenzene	NONE	8020	0.5	1	NA	1/15/99	ND	
Xylenes, Total	NONE	8020	0.9	1	NA	1/15/99	ND	
Total Volatile Hydrocarbons:								
C1 - C5	NONE	8020	12	1	NA	1/15/99	ND	
C6 - C12	NONE	8020	20	1	NA	1/15/99	ND	
TPH as Gasoline*	NONE	8015M	20	1	NA	1/15/99	ND	
Methyl tert-Butyl Ether	NONE	8020	3	1	NA	1/15/99	ND	

* TPH as gasoline is defined as C6 (benzene) through C12 (dodecane) and uses a molecular weight of 100 to calculate the ppmv.

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Report

Client: ARCO Products Company
Project: 20805-135.008/TO#22672.00/RAT8/6148 OAKLAND
Sample Matrix: Air

Service Request: S9900121
Date Collected: NA
Date Received: NA

BTEX and Total Volatile Hydrocarbons

Sample Name: Method Blank
Lab Code: S990115-VB1
Test Notes:

Units: ppmV
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	Result Notes
Benzene	NONE	8020	0.1	1	NA	1/15/99	ND	
Toluene	NONE	8020	0.1	1	NA	1/15/99	ND	
Ethylbenzene	NONE	8020	0.1	1	NA	1/15/99	ND	
Xylenes, Total	NONE	8020	0.2	1	NA	1/15/99	ND	
Total Volatile Hydrocarbons:								
C1 - C5	NONE	8020	5	1	NA	1/15/99	ND	
C6 - C12	NONE	8020	5	1	NA	1/15/99	ND	
TPH as Gasoline*	NONE	8015M	5	1	NA	1/15/99	ND	
Methyl tert-Butyl Ether	NONE	8020	1.4	1	NA	1/15/99	ND	

* TPH as gasoline is defined as C6 (benzene) through C12 (dodecane) and uses a molecular weight of 100 to calculate the ppmv.

APPENDIX A

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-135.008/TO#22672.00/RAT8/6148 OAKLAND
Sample Matrix: Air

Service Request: S9900121
Date Collected: 1/15/99
Date Received: 1/15/99
Date Extracted: NA
Date Analyzed: 1/15/99

Duplicate Summary
 BTEX and Total Volatile Hydrocarbons

Sample Name: I-1
Lab Code: S9900121-001DUP
Test Notes:

Units: mg/m3
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
Benzene	NONE	8020	0.4	9	9	9	<1	
Toluene	NONE	8020	0.4	20	20	20	<1	
Ethylbenzene	NONE	8020	0.5	<10	<10	--	--	
Xylenes, Total	NONE	8020	0.9	<18	<18	--	--	
Total Volatile Hydrocarbons								
C1 - C5	NONE	8020	12	3500	3300	3400	6	
C6 - C12	NONE	8020	20	1400	1400	1400	<1	
TPH as Gasoline*	NONE	8020	20	1400	1400	1400	<1	
Methyl tert-Butyl Ether	NONE	8020	3	140	150	150	7	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-135.008/TO#22672.00/RAT8/6148 OAKLAND
Sample Matrix: Air

Service Request: S9900121
Date Collected: 1/15/99
Date Received: 1/15/99
Date Extracted: NA
Date Analyzed: 1/15/99

Duplicate Summary
 BTEX and Total Volatile Hydrocarbons

Sample Name: I-1
Lab Code: S9900121-001DUP
Test Notes:

Units: ppmV
Basis: NA

Analyte	Prep Method	Analysis Method	MRL	Sample Result	Duplicate Sample Result	Average	Relative Percent Difference	Result Notes
Benzene	NONE	8020	0.1	3	3	3	<1	
Toluene	NONE	8020	0.1	5	5	5	<1	
Ethylbenzene	NONE	8020	0.1	<2	<2	--	--	
Xylenes, Total	NONE	8020	0.2	<4	<4	--	--	
Total Volatile Hydrocarbons								
C1 - C5	NONE	8015M	5	1500	1400	1,500	7	
C6 - C12	NONE	8015M	5	340	340	340	<1	
TPH as Gasoline*	NONE	8015M	5	340	340	340	<1	
Methyl tert-Butyl Ether	NONE	8020	0.8	34	36	35	6	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-135.008/TO#22672.00/RAT8/6148 OAKLAND
LCS Matrix: Air

Service Request: S9900121
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 1/15/99

Laboratory Control Sample Summary
BTEX and TPH as Gasoline

Sample Name: Lab Control Sample
Lab Code: S990115-LCS
Test Notes:

Units: mg/m3
Basis: NA

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	CAS	Result Notes
						Percent Recovery Acceptance Limits	
Gasoline	NONE	8015M	210	200	95	60-140	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-135.008/TO#22672.00/RAT8/6148 OAKLAND
LCS Matrix: Air

Service Request: S9900121
Date Collected: NA
Date Received: NA
Date Extracted: NA
Date Analyzed: 1/15/99

Laboratory Control Sample Summary
BTEX and TPH as Gasoline

Sample Name: Lab Control Sample
Lab Code: S990115-LCS
Test Notes:

Units: ppmV
Basis: NA

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	CAS Percent Recovery Acceptance Limits	Result Notes
Gasoline	NONE	8015M	51	49	96	60-140	

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: ARCO Products Company
Project: 20805-135.008/TO#22672.00/RAT8/6148 OAKLAND

Service Request: S9900121
Date Analyzed: 1/15/99

Initial Calibration Verification (ICV) Summary
BTEX and Total Volatile Hydrocarbons

Sample Name: ICV
Lab Code: ICV1
Test Notes:

Units: mg/m3
Basis: NA

ICV Source:

Analyte	Prep Method	Analysis Method	True Value	Result	Percent Recovery	Result Notes
Benzene	NONE	8020	25	25	100	
Toluene	NONE	8020	25	25	100	
Ethylbenzene	NONE	8020	25	25	100	
Xylenes, Total	NONE	8020	75	73	97	
Gasoline	NONE	8015M	250	220	88	
Methyl tert-Butyl Ether	NONE	8020	25	24	96	

