



RO77  
SH

OCT 03 2001

3164 Gold Camp Drive  
Suite 200  
Rancho Cordova, CA 95670-6021  
U.S.A.  
916/638-2085  
FAX 916/638-8385

September 27, 2001

Mr. Paul Supple  
ARCO  
P.O. Box 6549  
Moraga, CA 94570

Subject: *Quarterly Groundwater Monitoring Report, Second Quarter 2001*  
*Quarterly Soil Vapor Extraction Operation and Performance, Second Quarter 2001*  
ARCO Service Station No. 6148  
5131 Shattuck Avenue  
Oakland, California  
Delta Project No. D000-315

Dear Mr. Supple:

Delta Environmental Consultants, Inc. is submitting the attached report that presents the results of the second quarter 2001 ground water monitoring and soil vapor extraction operation and performance programs at ARCO Service Station No. 6148, located at 5131 Shattuck Avenue, Oakland, California. The monitoring program complies with the Alameda County Health Care Services Agency requirements regarding underground tank investigations.

The interpretations contained in this report represent our professional opinions and are based, in part, on information supplied by the client. These opinions are based on currently available information and are arrived at in accordance with currently accepted hydrogeological and engineering practices at this time and location. Other than this, no warranty is implied or intended.

If you have any questions concerning this project, please contact Steven W. Meeks at (916) 536-2613.

Sincerely,

**DELTA ENVIRONMENTAL CONSULTANTS, INC.**

Trevor L. Atkinson  
Project Engineer

Steven W. Meeks, P.E.  
Project Manager  
California Registered Civil Engineer No. C057461



9/27/01

TLA (LRP006.315.doc)  
Enclosures

cc: Ms. Susan Hugo – Alameda County Health Care Services Agency

**ARCO QUARTERLY GROUNDWATER MONITORING REPORT**

Station No.: <u>6148</u>	Address: <u>5131 Shattuck Avenue, Oakland, California</u>
ARCO Environmental Engineer/Phone No.: <u>Paul Supple 925-299-8891</u>	
Consulting Co./Contact Person <u>Delta Environmental Consultants, Inc.</u>	
	<u>Steven W. Meeks, P.E.</u>
Consultant Project No.: <u>D000-315</u>	
Primary Agency/Regulatory ID No. <u>Alameda County Health Care Services Agency</u>	

**WORK PERFORMED THIS QUARTER**

1. Performed quarterly groundwater monitoring for second quarter 2001.
2. Visited site to assess status of remediation system.
3. Prepared and submitted quarterly groundwater monitoring report for first quarter 2001.

**WORK PROPOSED FOR NEXT QUARTER**

1. Prepare and submit quarterly groundwater monitoring report for second quarter 2001.
2. Perform quarterly groundwater monitoring and sampling for third quarter 2001.
3. Evaluate operation of remediation system for 2002 if necessary.

**QUARTERLY MONITORING:**

Current Phase of Project	<u>Monitoring/Remediation</u>
Frequency of Groundwater Sampling:	<u>Annual (1<sup>st</sup> Quarter): MW-6, MW-7</u>
	<u>Semi-Annual (1<sup>st</sup>/3<sup>rd</sup> Quarter): MW-4</u>
	<u>Quarterly: MW-1, MW-2, MW-3, MW-5</u>
Frequency of Groundwater Monitoring:	<u>Quarterly (Groundwater)</u>
	<u>Monthly (SVE and Air-sparge systems)</u>
Is Free Product (FP) Present On-Site:	<u>No</u>
FP Recovered this Quarter:	<u>N/A</u>
Cumulative FP Recovered to Date:	<u>None</u>
Bulk Soil Removed This Quarter:	<u>None</u>
Bulk Soil Removed to Date:	<u>560 cubic yards of TPH-impacted soil</u>
Current Remediation Techniques:	<u>SVE, Air-Sparge and Air-Bubbling Systems</u>
Approximate Depth to Groundwater:	<u>15.66 ft</u>
Groundwater Gradient:	<u>0.020 South-Southwest</u>
Cumulative TPHg/Benzene Removed:	<u>929 / 7.0 gallons</u>

## SVE QUARTERLY OPERATION & PERFORMANCE:

Equipment Inventory:	Therm Tech model CATVAC-10E, Electric/CatOx
Operating Mode:	Catalytic Oxidation
Agency/Permit No.:	BAAQMD/25126
TPH Concentration at end of period:	N/A
Benzene Concentration at End of Period:	NA
Flow Rate at End of Period:	N/A
Hydrocarbons Removed This Period:	None
Hydrocarbons Removed to Date:	1,894.1 pounds
Utility Usage Electric (kWh):	N/A
Hours Operated This Period:	None
Percent Operational:	0%
Total Hours Operated to Date:	2,470.77 hours
Unit Maintenance Schedule:	Routine monthly maintenance when operational
Number of Auto Shut Downs:	None
Destruction of Efficiency Permit Requirements:	95% (POC>1,000 ppmv); 90% (POC <1,000 ppmv) waived (<1.0 lb/day TPH & <0.02 lb/day benzene)
Percent TPH Conversion:	Waived
Average Source Flow Rate	0
Average Process Flow Rate:	0
Average Source Vacuum:	0

### DISCUSSION:

- Methyl tertiary butyl ether was reported in MW-2, MW-3 and MW-5 at concentrations ranging from 20 micrograms per liter ( $\mu\text{g/L}$ ) in MW-3 to 72  $\mu\text{g/L}$  in MW-5.
- TPH was reported in MW-2, MW-3, MW-5 at concentrations ranging from 110  $\mu\text{g/L}$  (MW-5) to 4,700  $\mu\text{g/L}$  (MW-2).
- Benzene was reported in MW-2, MW-3 and MW-5 at concentrations ranging from 2.3  $\mu\text{g/L}$  (MW-5) to 200  $\mu\text{g/L}$  (MW-2).
- The remediation systems were non-operational during the second quarter 2001 and are being evaluated to assess need for operation. No current tables of operational data have been provided due to the non-operational status of the system. Please refer to Appendix B for historical operational data of the remediation system

### ATTACHMENTS:

- Table 1 Groundwater Elevation and Analytical Data
- Table 2 Groundwater Flow Direction and Gradient
- Figure 1 Groundwater Analytical Summary Map
- Figure 2 Groundwater Elevation Contour Map
- Appendix A Sampling and Analysis Procedures
- Appendix B Historical Data Tables (IT Corporation)
- Appendix C Groundwater Sampling Information
- Appendix D Certified Analytical Reports with Chain-of-Custody Documentation

**TABLE 1**  
**GROUNDWATER ANALYTICAL DATA**

ARCO Service Station No. 6148  
5131 Shattuck Avenue  
Oakland, California

Well Number	Date Sampled	Top of Riser Elevation (ft)	Depth to Groundwater (ft)	Groundwater Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as Gasoline (µg/L)	MTBE (µg/L)
MW-1	06/21/00	107.80	17.49	90.31	<0.5	<0.5	<0.5	<1.0	<50	<3.0
	09/20/00		17.64	90.16	<0.5	0.677	<0.5	0.969	<50	<2.5
	12/22/00		16.87	90.93	5.38	0.522	9.52	30.2	186	8.91
	03/26/01		16.6	91.20	<0.5	<0.5	<0.5	<0.5	<50	9.1
	05/30/01		17.1	90.70	<0.5	<0.5	<0.5	<0.5	<50	<2.5
MW-2	06/21/00	107.28	17.19	90.09	<0.5	<0.5	<0.5	<1.0	69	12
	09/20/00		17.31	89.97	0.964	<0.5	<0.5	<.05	<50	5.05
	12/22/00		16.58	90.70	174	60.2	118	438	2,140	123
	03/26/01		16.45	90.83	333	148	495	1,660	8,490	<250
	05/30/01		16.83	90.45	200	71	260	780	4,700	43
MW-3	06/21/00	107.61	17.52	90.09	<0.5	<0.5	<0.5	2.1	200	24
	09/20/00		17.61	90.00	<0.5	<0.5	<0.5	<0.5	<50	20
	12/22/00		16.85	90.76	4.73	1.06	2.58	5.22	227	27.3
	03/26/01		16.79	90.82	6.29	1.58	6.47	12.1	287	24.2
	05/30/01		17.11	90.50	10	<0.5	7.00	16	500	20
MW-4	06/21/00	106.71	16.00	90.71	5.3	7.3	36	85	1,400	4
	09/20/00		16.03	90.68	<0.5	<0.5	<0.5	<0.5	<50	<2.5
	12/22/00		NM	NC	NS	NS	NS	NS	NS	NS
	03/26/01		15.05	91.66	<0.5	<0.5	<0.5	<0.5	<50	<2.5
	05/30/01		15.62	91.09	NS	NS	NS	NS	NS	NS
MW-5	06/21/00	106.60	16.52	90.08	<0.5	<0.5	<0.5	<1.0	67	10
	09/20/00		16.34	90.26	<0.5	<0.5	<0.5	<0.5	<50	3.48
	12/22/00		15.58	91.02	11.5	2.53	4.02	6.25	341	146
	03/26/00		15.45	91.15	12.4	<5.0	<5.0	<5.0	767	163
	05/30/01		15.77	90.83	2.3	<0.5	<0.5	0.81	110	72

**TABLE 1**  
**GROUNDWATER ANALYTICAL DATA**

ARCO Service Station No. 6148  
5131 Shattuck Avenue  
Oakland, California

Well Number	Date Sampled	Top of Riser Elevation (ft)	Depth to Groundwater (ft)	Groundwater Elevation (ft)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH as Gasoline (µg/L)	MTBE (µg/L)
MW-6	06/21/00	105.13	13.91	91.22	NS	NS	NS	NS	NS	NS
	09/20/00		14.03	91.10	NS	NS	NS	NS	NS	NS
	12/22/00		NM	NC	NS	NS	NS	NS	NS	NS
	03/26/01		12.59	92.54	<0.5	<0.5	<0.5	<0.5	<50	<2.5
	05/30/01		13.40	91.73	NS	NS	NS	NS	NS	NS
MW-7	06/21/00	107.05	14.57	92.48	NS	NS	NS	NS	NS	NS
	09/20/00		14.58	92.47	NS	NS	NS	NS	NS	NS
	12/22/00		13.21	93.84	NS	NS	NS	NS	NS	NS
	03/26/01		13.18	93.87	<0.5	<0.5	<0.5	<0.5	71.4	<2.5
	05/30/01		13.80	93.25	NS	NS	NS	NS	NS	NS

TPH = Total Petroleum Hydrocarbons

MTBE = Methyl tertiary butyl ether analyzed by EPA Method 8021B unless otherwise noted

µg/L = Micrograms per liter

NM = Not measured

NC = Not calculated

NS = Not Sampled

Note: Please refer to Appendix B for Historical Groundwater Elevation and Analytical Data Tables developed by IT Corporation

TABLE 2

GROUNDWATER FLOW DIRECTION AND GRADIENT


ARCO Service Station No. 6148  
5131 Shattuck Avenue  
Oakland, California

Date Measured	Average Flow Direction	Average Hydraulic Gradient
06/21/00	South-Southwest	0.02
09/20/00	South-Southwest	0.017
12/22/00	South-Southwest	0.022
03/26/01	South-Southwest	0.020
05/30/01	South-Southwest	0.020

Note: Please refer to Appendix B for Historical Groundwater Elevation and Analytical Data  
Tables developed by IT Corporation

52ND STREET

SHATTUCK AVENUE



LEGEND:

- MW-1 MONITORING WELL LOCATION
- ⊕ AS-2 AIR SPARGING WELL
- ⊙ VW-1 SOIL VAPOR EXTRACTION WELL LOCATION
- DESTROYED WELL LOCATION
- |      |
|------|
| <50  |
| <0.5 |
| <2.5 |

 TPH AS GASOLINE IN MICROGRAMS PER LITER  
 BENZENE IN MICROGRAMS PER LITER  
 MTBE IN MICROGRAMS PER LITER
- NS NOT SAMPLED

NOTE: SITE MAP ADAPTED FROM IT CORPORATION FIGURES  
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED



FIGURE 1  
GROUND WATER ANALYTICAL SUMMARY  
SECOND QUARTER 2001 (5/30/01)  
ARCO STATION NO. 6148  
5131 SHATTUCK AVENUE  
OAKLAND, CALIFORNIA

PROJECT NO D000-315	DRAWN BY TLA 9/7/01
FILE NO 6148-1	PREPARED BY TLA
REVISION NO 1	REVIEWED BY



52ND STREET

SHATTUCK AVENUE



SCALE

LEGEND:

- MW-1 MONITORING WELL LOCATION
- AS-2 AIR SPARGING WELL
- VW-1 SOIL VAPOR EXTRACTION WELL LOCATION
- DESTROYED WELL LOCATION
- (90.70) GROUND WATER ELEVATION IN FEET ABOVE MEAN SEA LEVEL (MSL)
- 91.0 - WATER TABLE CONTOUR IN FEET ABOVE MSL
- GROUND WATER FLOW DIRECTION
- APPROXIMATE GROUND WATER FLOW GRADIENT
- MONITORING WELL(S) NOT USED IN CONTOUR MAP CONSTRUCTION

NOTE SITE MAP ADAPTED FROM IT CORPORATION FIGURES  
SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED

**FIGURE 2**  
GROUND WATER ELEVATION CONTOUR MAP  
SECOND QUARTER 2001 (5/30/01)  
ARCO STATION NO. 6148  
5131 SHATTUCK AVENUE  
OAKLAND, CALIFORNIA

PROJECT NO D000-315	DRAWN BY TLA 9/7/01
FILE NO 6148-1	PREPARED BY TLA
REVISION NO 1	REVIEWED BY





## **APPENDIX A**

### **Sampling and Analysis Procedures**

## **FIELD METHODS AND PROCEDURES**

### **1.0 GROUND WATER AND LIQUID-PHASE HYDROCARBON DEPTH ASSESSMENT**

A water/liquid-phase hydrocarbon (LPH) interface probe was used to assess the thickness of LPH, if present, and a water level indicator was used to measure ground water depth in monitoring wells that did not contain LPH. Depth to ground water was measured from the top of each monitoring well casing. The tip of the water level indicator was subjectively analyzed for LPH sheen. All measurements and physical observations were recorded in the field.

### **2.0 SUBJECTIVE ANALYSIS OF GROUND WATER**

Prior to purging, a water sample was collected from the monitoring well for subjective analysis. The sample was retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer was then retrieved and the sample contained within the bailer was examined for LPH and the appearance of a LPH sheen.

### **3.0 MONITORING WELL PURGING AND SAMPLING**

Monitoring wells were purged using a centrifugal pump or disposable bailers until pH, temperature, and conductivity of the purge water had stabilized and a minimum of three to four well volumes of water had been removed. Ground water removed from the wells was stored in 55-gallon barrels at the site. The barrels were labeled with corresponding monitoring well numbers and the date of purging. After purging, ground water levels were allowed to stabilize. A ground water sample was then removed from each of the wells using a dedicated disposable bailer. If the well was purged dry, it was allowed to sufficiently recharge and a sample was collected. Samples were collected in air-tight vials, appropriately labeled, and stored on ice from the time of collection through the time of delivery to the laboratory. A chain-of-custody form was completed to document possession of the samples. Ground water samples were transported to the laboratory and analyzed within the EPA-specified holding times for the requested analyses. Purge water will be collected from the storage barrels in a vacuum truck and transported to an appropriate facility for treatment and/or disposal.

If the depth to groundwater was above the top of screens of the monitoring wells, then the wells were purged. Before sampling occurred, a polyvinyl chloride (PVC) bailer, centrifugal pump, low-flow submersible pump, or Teflon bailer was used to purge standing water in the casing and gravel pack from the monitoring well. Monitoring wells were purged according to the protocol previously stated in the first paragraph of this sub-section. In most monitoring wells, the amount of water purged before sampling was greater than or equal to three casing volumes. Some monitoring wells were expected to be evacuated to dryness after removing fewer than three casing volumes. These low-yield monitoring wells were allowed to recharge for up to 24 hours. Samples were obtained as soon as the monitoring wells recharged to a level sufficient for sample collection. If insufficient water recharged after 24 hours, the monitoring well was recorded as dry for the sampling event.

**APPENDIX B**

Historical Data Tables  
IT Corporation

**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\***

**ARCO Service Station 6148**  
**5131 Shattuck Avenue, Oakland, California**

Well Number	Date Gauged/ Sampled	Top of Casing Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	TPH Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TRPH (mg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)
MW-1	03-20-95	108.03	15.75	ND	92.28	830	140	5	41	110	--	--		
MW-1	06-06-95	108.03	17.68	ND	90.35	210	30	<0.5	7.3	16	--	--		
MW-1	08-24-95	107.80	17.45	ND	90.35	Not sampled: well was inaccessible due to construction								
MW-1	11-16-95	107.80	17.64	ND	90.16	<50	5.6	<0.5	1.4	1.2	55	--		
MW-1	02-27-96	107.80	15.21	ND	92.59	1,400	240	88	44	110	200	--		
MW-1	05-15-96	107.80	17.53	ND	90.27	Not sampled: well sampled semi-annually, during the first and third quarter								
MW-1	08-14-96	107.80	17.15	ND	90.65	98	18	<0.5	1.9	1	45	--		
MW-1	11-11-96	107.80	17.78	ND	90.02	Not sampled: well sampled semi-annually, during the first and third quarter								
MW-1	03-25-97	107.80	17.68	ND	90.12	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-1	05-15-97	107.80	17.91	ND	89.89	Not sampled: well sampled semi-annually, during the first and third quarter								
MW-1	10-26-97	107.80	18.85	ND	88.95	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-1	11-10-97	107.80	18.10	ND	89.70	<50	<0.5	<0.5	<0.5	<0.5	4	--		
MW-1	02-13-98	107.80	13.15	ND	94.65	<100	8.4	<1	<1	14	130	--		
MW-1	05-12-98	107.80	12.30	ND	95.50	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-1	07-28-98	107.80	17.04	ND	90.76	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-1	10-28-98	107.80	18.10	ND	89.70	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-1	02-12-99	107.80	15.84	ND	91.96	72	<0.5	<0.5	<0.5	<0.5	23	--		
MW-1	06-03-99	107.80	17.62	ND	90.18	890	33	1.5	12	2.8	250	--	1.44	NP
MW-1	10-26-99	107.80	16.92	ND	90.88	<50	<0.5	<0.5	<0.5	<1	9	--	9.58	NP
MW-1	02-02-00	107.80	15.70	ND	92.10	<50	<0.5	<0.5	<0.5	<1	<3	--	8.9	NP
MW-2	03-20-95	107.43	15.50	ND#	91.93	Not sampled: floating product entered well during purging								
MW-2	06-06-95	107.43	17.43	ND	90.00	1,200	60	21	35	140	--	--		
MW-2	08-24-95	107.28	17.22	ND	90.06	Not sampled: well was inaccessible due to construction								
MW-2	11-16-95	107.28	17.36	ND	89.92	360	45	1.3	7.1	7.5	210	--		
MW-2	02-27-96	107.28	14.82	ND	92.46	8,900	1,400	980	150	550	940	--		
MW-2	05-15-96	107.28	17.40	ND	89.88	480	82	48	8	48	87	--		

**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\***

**ARCO Service Station 6148**  
**5131 Shattuck Avenue, Oakland, California**

Well Number	Date Gauged/ Sampled	Top of Casing Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	TPH Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TRPH (mg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)
MW-2	08-14-96	107.28	17.00	ND	90.28	130	22	4	2	9	120	--		
MW-2	11-11-96	107.28	17.55	ND	89.73	1,200	150	120	21	160	110	--		
MW-2	03-25-97	107.28	17.32	ND	89.96	670	23	58	13	120	28	--		
MW-2	05-15-97	107.28	17.61	ND	89.67	<50	<0.5	<0.5	<0.5	<0.5	23	--		
MW-2	10-26-97	107.28	18.43	ND	88.85	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-2	11-10-97	107.28	17.84	ND	89.44	<100	<1	<1	<1	1	74	--		
MW-2	02-13-98	107.28	12.75	ND	94.53	220	9.5	3.9	3.7	48	84	--		
MW-2	05-12-98	107.28	17.02	ND	90.26	3,900	210	280	86	910	35	--		
MW-2	07-28-98	107.28	17.30	ND	89.98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-2	10-28-98	107.28	17.80	ND	89.48	170	17	<0.5	1.7	5.0	24	--		
MW-2	02-12-99	107.28	15.55	ND	91.73	12,000	620	95	490	2,200	270	--		
MW-2	06-03-99	107.28	17.31	ND	89.97	<50	<0.5	<0.5	<0.5	1.1	8	--	2.53	NP
MW-2	10-26-99	107.28	16.58	ND	90.70	<50	1.0	<0.5	<0.5	3	<3	--	8.17	NP
MW-2	02-02-00	107.28	15.30	ND	91.98	<50	<0.5	<0.5	<0.5	<1	<3	--	9.1	NP
MW-3	03-20-95	107.77	15.60	ND	92.17	29,000	880	190	760	2,000	--	16		
MW-3	06-06-95	107.77	17.54	ND	90.23	22,000	450	54	380	1,300	--	7.1		
MW-3	08-24-95	107.61	17.42	ND	90.19	Not sampled: well was inaccessible due to construction								
MW-3	11-16-95	107.61	17.58	ND	90.03	13,000	210	<20	320	1,000	790	8.3		
MW-3	02-27-96	107.61	15.03	ND	92.58	9,700	94	15	290	720	430	10		
MW-3	05-15-96	107.61	17.35	ND	90.26	5,600	66	12	37	67	230	--		
MW-3	08-14-96	107.61	17.10	ND	90.51	830	17	<1*	8	7	110	--		
MW-3	11-11-96	107.61	17.73	ND	89.88	500	28	3	12	13	150	--		
MW-3	03-25-97	107.61	17.99	ND	89.62	<50	<0.5	<0.5	<0.5	<0.5	94	--		
MW-3	05-15-97	107.61	17.84	ND	89.77	<50	<0.5	<0.5	<0.5	<0.5	65	--		
MW-3	10-26-97	107.61	18.50	ND	89.11	220	4	<1	<1	<1	160	--		
MW-3	11-10-97	107.61	18.00	ND	89.61	350	8	<2	3	3	230	--		

**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\***

**ARCO Service Station 6148**  
**5131 Shattuck Avenue, Oakland, California**

Well Number	Date Gauged/ Sampled	Top of Casing Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	TPH Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TRPH (mg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)		
MW-3	02-13-98	107.61	13.00	ND	94.61	<50	1.3	<0.5	<0.5	1	21	--				
MW-3	05-12-98	107.61	17.20	ND	90.41	120	<0.5	<0.5	<0.5	<0.9	71	--				
MW-3	07-28-98	107.61	17.46	ND	90.15	<50	1.4	<0.5	<0.5	<0.5	52	--				
MW-3	10-28-98	107.61	18.00	ND	89.61	170	<0.5	<0.5	<0.5	0.7	35	--				
MW-3	02-12-99	107.61	15.76	ND	91.85	120	2.0	0.6	<0.5	1.3	37	--				
MW-3	06-03-99	107.61	Well inaccessible: Surveyed well VW-1 as an alternative													
MW-3	10-26-99	107.61	16.69	ND	90.92	630	14	0.7	13	2	38	--	1.24	NP		
MW-3	02-02-00	107.61	15.65	ND	91.96	290	18	0.5	45	56	46	--	0.4	NP		
MW-4	03-20-95	106.58	13.85	ND	92.73	88	1	<0.5	<0.5	0.7	--	--				
MW-4	06-06-95	106.58	15.70	ND	90.88	<50	<0.5	<0.5	<0.5	<0.5	--	--				
MW-4	08-24-95	106.71	15.86	ND	90.85	Not sampled: well was inaccessible due to construction										
MW-4	11-16-95	106.71	16.10	ND	90.61	<50	<0.5	<0.5	<0.5	<0.5	6	--				
MW-4	02-27-96	106.71	13.72	ND	92.99	<50	<0.5	<0.5	<0.5	<0.5	10	--				
MW-4	05-15-96	106.71	15.90	ND	90.81	Not sampled: well sampled semi-annually, during the first and third quarter										
MW-4	08-14-96	106.71	15.68	ND	91.03	<50	<0.5	<0.5	<0.5	<0.5	<3	--				
MW-4	11-11-96	106.71	16.19	ND	90.52	Not sampled: well sampled semi-annually, during the first and third quarter										
MW-4	03-25-97	106.71	16.10	ND	90.61	<50	<0.5	<0.5	<0.5	<0.5	<3	--				
MW-4	05-15-97	106.71	16.38	ND	90.33	Not sampled: well sampled semi-annually, during the first and third quarter										
MW-4	10-26-97	106.71	17.78	ND	88.93	<50	<0.5	<0.5	<0.5	<0.5	<3	--				
MW-4	11-10-97	106.71	16.43	ND	90.28	Not sampled: well sampled semi-annually, during the first and third quarter										
MW-4	02-13-98	106.71	13.05	ND	93.66	<50	1.3	0.7	<0.5	2.3	19	--				
MW-4	05-12-98	106.71	15.69	ND	91.02	Not sampled: well sampled semi-annually, during the first and third quarter										
MW-4	07-28-98	106.71	15.93	ND	90.78	<50	<0.5	<0.5	<0.5	<0.5	<3	--				
MW-4	10-28-98	106.71	16.40	ND	90.31	Not sampled: well sampled semi-annually, during the first and third quarter										
MW-4	02-12-99	106.71	14.13	ND	92.58	<50	<0.5	<0.5	<0.5	<0.5	<3	--				
MW-4	06-03-99	106.71	16.00	ND	90.71	Not sampled: well sampled semi-annually, during the first and third quarter										

**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\***

**ARCO Service Station 6148**  
**5131 Shattuck Avenue, Oakland, California**

Well Number	Date Gauged/ Sampled	Top of Casing Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	TPH Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TRPH (mg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)
MW-4	10-26-99	106.71	15.76	ND	90.95	Not sampled: well sampled semi-annually, during the first and third qtr.						1.72		
MW-4	02-02-00	106.71	14.32	ND	92.39	<50	<0.5	<0.5	<0.5	<1	<3	--	0.7	NP
MW-5	03-20-95	106.68	14.92	ND	91.76	21,000	6,900	450	800	1,300	--	--		
MW-5	06-06-95	106.68	16.61	ND	90.07	6,500	1,700	<20	120	69	--	--		
MW-5	08-24-95	106.60	16.47	ND	90.13	Not sampled: well was inaccessible due to construction								
MW-5	11-16-95	106.60	16.69	ND	89.91	1,800	470	<5	17	5	1,000	--		
MW-5	02-27-96	106.60	14.35	ND	92.25	10,000	1,000	71	690	1,000	440/450*	--		
MW-5	05-15-96	106.60	16.58	ND	90.02	3,400	350	6	72	20	220	--		
MW-5	08-14-96	106.60	17.26	ND	89.34	2,100	130	2.7	47	4.7	220	--		
MW-5	11-11-96	106.60	16.62	ND	89.98	1,200	31	1	8	2	130	--		
MW-5	03-25-97	106.60	16.38	ND	90.22	<50	<0.5	<0.5	<0.5	<0.5	5	--		
MW-5	05-15-97	106.60	16.54	ND	90.06	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-5	10-26-97	106.60	17.60	ND	89.00	<50	<0.5	<0.5	<0.5	<0.5	7	--		
MW-5	11-10-97	106.60	16.78	ND	89.82	<50	<0.5	<0.5	<0.5	<0.5	24	--		
MW-5	02-13-98	106.60	12.21	ND	94.39	11,200	51	<10	<10	<10	2,000	--		
MW-5	05-12-98	106.60	NR	ND	NR	Not sampled: well inaccessible								
MW-5	07-28-98	106.60	16.47	ND	90.13	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-5	10-28-98	106.60	16.80	ND	89.80	<50	0.8	<0.5	<0.5	<0.5	99	--		
MW-5	02-12-99	106.60	14.88	ND	91.72	<1,000	<10	<10	<10	<10	1,100	--		
MW-5	06-03-99	106.60	16.65	ND	89.95	290	10	<0.5	<0.5	0.6	200	--	2.45	NP
MW-5	10-26-99	106.60	16.10	ND	90.50	<50	<0.5	<0.5	<0.5	<1	11	--	NM	NP
MW-5	02-02-00	106.60	14.65	ND	91.95	<50	<0.5	<0.5	<0.5	<1	39	--	8.6	NP
MW-6	03-20-95	105.16	12.13	ND	93.03	<50	<0.5	<0.5	<0.5	<0.5	--	--		
MW-6	06-06-95	105.16	13.95	ND	91.21	<50	<0.5	<0.5	<0.5	<0.5	--	--		
MW-6	08-24-95	105.13	14.07	ND	91.06	<50	<0.5	<0.5	<0.5	<0.5	<3	--		

**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\***

**ARCO Service Station 6148**  
**5131 Shattuck Avenue, Oakland, California**

Well Number	Date Gauged/ Sampled	Top of Casing Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	TPH Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TRPH (mg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)
MW-6	11-16-95	105.13	14.34	ND	90.79	<60	<0.5	<0.5	<0.5	<0.5	--	--		
MW-6	02-27-96	105.13	12.00	ND	93.13	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-6	05-15-96	105.13	14.10	ND	91.03	Not sampled: well sampled annually, during the first quarter								
MW-6	08-14-96	105.13	13.70	ND	91.43	Not sampled: well sampled annually, during the first quarter								
MW-6	11-11-96	105.13	14.11	ND	91.02	Not sampled: well sampled annually, during the first quarter								
MW-6	03-25-97	105.13	14.15	ND	90.98	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-6	05-15-97	105.13	14.44	ND	90.69	Not sampled: well sampled annually, during the first quarter								
MW-6	10-26-97	105.13	16.02	ND	89.11	Not sampled: well sampled annually, during the first quarter								
MW-6	11-10-97	105.13	14.52	ND	90.61	Not sampled: well sampled annually, during the first quarter								
MW-6	02-13-98	105.13	10.06	ND	95.07	<50	<0.5	<0.5	<0.5	<0.5	8	--		
MW-6	05-12-98	105.13	13.75	ND	91.38	Not sampled: well sampled annually, during the first quarter								
MW-6	07-28-98	105.13	14.06	ND	91.07	Not sampled: well sampled annually, during the first quarter								
MW-6	10-28-98	105.13	14.71	ND	90.42	Not sampled: well sampled annually, during the first quarter								
MW-6	02-12-99	105.13	12.22	ND	92.91	<100	<1	<1	<1	<1	110	--		
MW-6	06-03-99	105.13	13.95	ND	91.18	Not sampled: well sampled annually, during the first quarter								
MW-6	10-26-99	105.13	14.06	ND	91.07	Not sampled: well sampled annually, during the first quarter								
MW-6	02-02-00	105.13	12.03	ND	93.10	<50	<0.5	<0.5	<0.5	<1	<3	--	3.94 1.2	NP
MW-7	03-20-95	107.08	12.32	ND	94.76	<50	<0.5	<0.5	<0.5	<0.5	--	--		
MW-7	06-06-95	107.08	14.59	ND	92.49	Not sampled: well sampled semi-annually, during the first and third quarters								
MW-7	08-24-95	107.05	14.64	ND	92.41	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	11-16-95	107.05	15.30	ND	91.75	Not sampled: well sampled semi-annually, during the first and third quarters								
MW-7	02-27-96	107.05	12.24	ND	94.81	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	05-15-96	107.05	14.65	ND	92.40	Not sampled: well sampled annually, during the first quarter								
MW-7	08-14-96	107.05	14.35	ND	92.70	Not sampled: well sampled annually, during the first quarter								
MW-7	11-11-96	107.05	14.92	ND	92.13	Not sampled: well sampled annually, during the first quarter								
MW-7	03-25-97	107.05	14.80	ND	92.25	<50	<0.5	<0.5	<0.5	<0.5	<3	--		



**Table 1**  
**Historical Groundwater Elevation and Analytical Data**  
**Petroleum Hydrocarbons and Their Constituents**  
**1995 - Present\*\***

**ARCO Service Station 6148**  
**5131 Shattuck Avenue, Oakland, California**

Well Number	Date Gauged/ Sampled	Top of Casing Elevation (ft-MSL)	Depth to Water (feet)	FP Thickness (feet)	Groundwater Elevation (ft-MSL)	TPH Gasoline (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	TRPH (mg/L)	Dissolved Oxygen (mg/L)	Purged/ Not Purged (P/NP)
MW-7	05-15-97	107.05	15.27	ND	91.78	Not sampled: well sampled annually, during the first quarter								
MW-7	10-26-97	107.05	16.68	ND	90.37	Not sampled: well sampled annually, during the first quarter								
MW-7	11-10-97	107.05	15.37	ND	91.68	Not sampled: well sampled annually, during the first quarter								
MW-7	02-13-98	107.05	10.80	ND	96.25	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	05-12-98	107.05	14.32	ND	92.73	Not sampled: well sampled annually, during the first quarter								
MW-7	07-28-98	107.05	14.79	ND	92.26	Not sampled: well sampled annually, during the first quarter								
MW-7	10-28-98	107.05	15.57	ND	91.48	Not sampled: well sampled annually, during the first quarter								
MW-7	02-12-99	107.05	12.46	ND	94.59	<50	<0.5	<0.5	<0.5	<0.5	<3	--		
MW-7	06-03-99	107.05	14.53	ND	92.52	Not sampled: well sampled annually, during the first quarter								
MW-7	10-26-99	107.05	14.74	ND	92.31	Not sampled: well sampled annually, during the first quarter								
MW-7	02-02-00	107.05	12.57	ND	94.48	<50	<0.5	<0.5	<0.5	<1	<3	--	1.97	NP
VW-1	06-03-99	NR	17.51	ND	NR	420	2.3	0.6	2.0	2.2	74	--	1.28	P

ft-MSL: elevation in feet, relative to mean sea level

TPH: total petroleum hydrocarbons as gasoline, California DHS LUFT Method

BTEX: Benzene, toluene, ethylbenzene, total xylenes by EPA method 8021B. (EPA method 8020 prior to 10/26/99)

MTBE Methyl tert-butyl ether by EPA method 8021B. (EPA method 8020 prior to 10/26/99)

TRPH: total recoverable petroleum hydrocarbons

µg/L: micrograms per liter

mg/L: milligrams per liter

NR: not reported; data not available

ND: none detected

#. floating product entered the well during purging

--: not analyzed or not applicable

\*: confirmed by EPA 8240

\*\* : For previous historical groundwater elevation and analytical data please refer to *Fourth Quarter 1995 Groundwater Monitoring Program Results and Remediation System Performance Evaluation Report, ARCO Service Station 6148, Oakland, California, (EMCON, March 4, 1996).*

**Table 2  
Groundwater Flow Direction and Gradient**

**ARCO Service Station 6148  
5131 Shattuck Avenue, Oakland, California**

<b>Date Measured</b>	<b>Average Flow Direction</b>	<b>Average Hydraulic Gradient</b>
03-20-95	Southwest	0.02
06-06-95	Southwest	0.016
08-24-95	Southwest	0.014
11-16-95	Southwest	0.012
02-27-96	Southwest	0.016
05-15-96	Southwest	0.015
08-14-96	Southwest	0.021
11-11-96	Southwest	0.015
03-25-97	South-Southwest	0.018
05-15-97	South-Southwest	0.014
10-26-97	Southwest	0.009
11-10-97	South-Southwest	0.014
02-13-98	South-Southwest	0.012
05-12-98	Southwest	0.02
07-28-98	Southwest	0.02
10-28-98	Southwest	0.01
02-12-99	Southwest	0.02
06-03-99	Southwest	0.02
10-26-99	Southwest	0.01
<b>02-02-00</b>	<b>South-Southwest</b>	<b>0.017</b>

**Table 3**  
**Soil Vapor Extraction System**  
**Operational Uptime Information (1998 - present)**

**Arco Service Station No. 6148**  
**5131 Shattuck Avenue, Oakland, California**

Date	Meter (hrs.)	Operation <sup>1</sup> (hrs.)	Period Operation				Cumulative Operation			
			Total (days)	Uptime (days)	Downtime (days)	Uptime (%)	Total (days)	Uptime (days)	Downtime (days)	Uptime (%)
01/01/98		2697.50					827	112.4	714.6	14%
01/27/98	2702.01	2697.50	26	0.0	26.0	0%	853	112.4	740.6	13%
02/10/98	2704.73	2700.22	14	0.1	13.9	1%	867	112.5	754.5	13%
02/16/98	2704.73	2700.22	6	0.0	6.0	0%	873	112.5	760.5	13%
03/23/98	2704.73	2700.22	35	0.0	35.0	0%	908	112.5	795.5	12%
05/06/98	2704.73	2700.22	44	0.0	44.0	0%	952	112.5	839.5	12%
05/13/98	2704.73	2700.22	7	0.0	7.0	0%	959	112.5	846.5	12%
06/22/98	2704.73	2700.22	40	0.0	40.0	0%	999	112.5	886.5	11%
08/20/98	2704.73	2700.22	59	0.0	59.0	0%	1058	112.5	945.5	11%
08/27/98	2707.40	2702.89	7	0.1	6.9	2%	1065	112.6	952.4	11%
09/01/98	2709.55	2705.04	5	0.1	4.9	2%	1070	112.7	957.3	11%
09/02/98	2711.93	2707.42	1	0.1	0.9	10%	1071	112.8	958.2	11%
11/10/98	2712.40	2707.89	69	0.0	69.0	0%	1140	112.8	1027.2	10%
12/18/98	2714.81	2710.3	38	0.1	37.9	0%	1178	112.9	1065.1	10%
01/15/99	2714.18	2709.67	28	0.0	28.0	0%	1206	112.9	1093.1	9%
04/27/99	2717.29	2712.78	102	0.1	101.9	0%	1308	113.0	1195.0	9%
05/26/99	2717.29	2712.78	29	0.0	29.0	0%	1337	113.0	1224.0	8%
07/30/99	2718.05	2713.54	65	0.0	65.0	0%	1402	113.1	1288.9	8%
08/11/99	2718.05	2713.54	12	0.0	12.0	0%	1414	113.1	1300.9	8%
08/25/99	2718.05	2713.54	14	0.0	14.0	0%	1428	113.1	1314.9	8%
09/09/99	2718.45	2713.94	15	0.0	15.0	0%	1443	113.1	1329.9	8%
09/21/99	2720.63	2716.12	12	0.1	11.9	1%	1455	113.2	1341.8	8%
10/06/99	2723.11	2718.6	15	0.1	14.9	1%	1470	113.3	1356.7	8%
10/20/99	2725.62	2721.11	14	0.1	13.9	1%	1484	113.4	1370.6	8%

OAK\S:\ARCO\6148\QTRLY\6148Q100.XLS\uh:1  
(6148o100.xls)

Recreated from electronic data provided by IT Corporation.

**IT CORPORATION**

**Table 3**  
**Soil Vapor Extraction System**  
**Operational Uptime Information (1998 - present)**

**Arco Service Station No. 6148**  
**5131 Shattuck Avenue, Oakland, California**

Date	Meter (hrs.)	Operation <sup>1</sup> (hrs.)	Period Operation				Cumulative Operation			
			Total (days)	Uptime (days)	Downtime (days)	Uptime (%)	Total (days)	Uptime (days)	Downtime (days)	Uptime (%)
11/03/99	2728.21	2723.7	14	0.1	13.9	1%	1498	113.5	1384.5	8%
11/18/99	2730.66	2726.15	15	0.1	14.9	1%	1513	113.6	1399.4	8%
12/02/99	2732.80	2728.29	14	0.1	13.9	1%	1527	113.7	1413.3	7%
12/16/99	2735.22	2730.71	14	0.1	13.9	1%	1541	113.8	1427.2	7%
01/06/00	2735.22	2730.71	21	0.0	21.0	0%	1562	113.8	1448.2	7%
01/19/00	2737.83	2733.32	13	0.1	12.9	1%	1575	113.9	1461.1	7%
02/02/00	2740.27	2735.76	14	0.1	13.9	1%	1589	114.0	1475.0	7%
03/23/00	2740.77	2736.26	50	0.0	50.0	0%	1639	114.0	1525.0	7%

<sup>1</sup> Operational data through 01/01/98 from First Quarter 1998 Quarterly Monitoring Report

**Table 4**  
**Soil Vapor Extraction System**  
**Flow Rates and Analytical Results of Air Samples (1998 - present)**

**Arco Service Station No. 6148**  
**5131 Shattuck Avenue, Oakland, California**

Date	Sample Location	Vacuum (in. H2O)	Velocity (fpm)	Flowrate <sup>1</sup> (scfm)	Analyses (ppmv)					
					TPHG	Benzene	Toulene	Ethylbenzene	Xylene	MTBE
01/27/98	Influent	21	1100	51	39	<0.1	0.7	0.1	<0.2	
	Effluent <sup>2</sup>		1100	83.1	<5	<0.1	<0.1	<0.1	<0.2	
08/20/98	Influent	10	1100	53	610	<2	<2	<2	<4	
	Effluent		1100	83.1	7	<0.1	<0.1	<0.1	<0.2	
11/10/98	Influent	Not Recorded			830	<2	14	<2	<4	
	Effluent	Not Recorded			20	<0.1	0.2	<0.1	<0.2	
01/15/99	Influent	21.8	1500	70	340	3	5	<2	<4	44
	Effluent		900	63.9	15	<0.1	0.3	<0.1	0.2	<0.8
09/09/99	Influent	10	1400	67	140	0.3	1	0.2	0.5	6.3
	Effluent		975	69.2	<5	<0.1	<0.1	<0.1	<0.2	<0.8
10/06/99	Influent	8	1400	67	220	<0.5	1.4	0.65	3	11
	Effluent		975	69.2	7.1	<0.1	<0.1	<0.1	<0.2	<0.8
11/03/99	Influent	8	1200	58	44	0.3	3.1	0.1	0.6	21
	Effluent		1050	74.5	<5	<0.1	<0.1	<0.1	<0.2	<0.8
12/02/99	Influent	10	1000	48	24	<0.1	0.1	<0.1	<0.2	<0.8
	Effluent		900	64.4	<5	<0.1	<0.1	<0.1	<0.2	<0.8
01/06/00	Influent	6.2	1000	48	270	0.3	0.8	0.6	0.6	6
	Effluent		925	66.1	22.0	<0.1	<0.1	<0.1	<0.2	1.6

**Table 4**  
**Soil Vapor Extraction System**  
**Flow Rates and Analytical Results of Air Samples (1998 - present)**

**Arco Service Station No. 6148**  
**5131 Shattuck Avenue, Oakland, California**

Date	Sample Location	Vacuum (in. H2O)	Velocity (fpm)	Flowrate <sup>1</sup> (scfm)	Analyses (ppmv)					
					TPHG	Benzene	Toulene	Ethylbenzene	Xylene	MTBE
02/02/00	Influent	12	850	40	<5	<0.1	0.5	<0.1	0.2	
	Effluent		900	64.4	<5	<0.1	0.3	<0.1	<0.2	

<sup>1</sup> Influent Flow Rate, cfm = (Velocity, fpm)(Influent Pipe Area, sq. ft.)/(406.8 in.H2O - Vacuum, in.H2O) / (406.8 in.H2O)  
where Influent Pipe Diameter = 3"

Effluent Flow Rate, cfm = (Velocity, fpm)(Effluent Pipe Area, sq.ft.)[(460° R + 77° F)/(460° R + Vapor Temp F)]  
where Effluent (after blower) Pipe Diameter = 4"

<sup>2</sup> Dilution air only

**Table 5**  
**Soil Vapor Extraction System**  
**Extraction Rates, Emission Rates, Destruction Efficiency, and Mass Removed**  
**(1998 - present)**

**Arco Service Station No. 6148**  
**5131 Shattuck Avenue, Oakland, California**

Date End	Extraction Rate from Wellfield <sup>1</sup>		Emission Rate to Atmosphere <sup>2</sup>		Destruction Efficiency <sup>3</sup>		Period Removal <sup>4</sup>		Cumulative Removal	
	TPHG (lbs/day)	Benzene (lbs/day)	TPHG (lbs/day)	Benzene (lbs/day)	TPHG (%)	Benzene (%)	TPHG (lbs)	Benzene (lbs)	TPHG (lbs)	Benzene (lbs)
01/01/98 <sup>5</sup>									1885.6	0
01/28/98	0.7335	0	<0.1527	<0.0024	Waived		0.0831	0.0000	1885.7	0.0000
08/20/98	11.7994	0	<0.2137	<0.0024	Waived		4.956	0.0000	1890.6	0.0000
11/10/98	Not Calculated		Not Calculated		Not Calculated		Not Calculated		Not Calculated	
01/15/99	8.702	0.0768	0.3520	<0.0018	Waived		1.175	0.0104	1891.8	0.0104
09/09/99	3.447	0.0074	<0.1271	<0.0020	Waived		0.3705	0.0008	1892.2	0.0112
10/06/99	5.443	0	0.1805	<0.0020	Waived		1.132	0.0000	1893.3	0.0112
11/03/99	0.933	0.0064	<0.1369	<0.0021	Waived		0.1960	0.0013	1893.5	0.0125
12/02/99	0.422	0	<0.1182	<0.0018	Waived		0.0802	0.0000	1893.6	0.0125
01/06/00	4.793 <sup>6</sup>	0.0053	<0.5347	<0.0019	Waived		0.5213	0.0006	1894.1	0.0131
02/02/00	0	0	<0.1182	<0.0018	Waived		0.0000	0.0000	1894.1	0.0131

<sup>1</sup> Extraction Rate, lbs/day = (Influent Flow, cfm)(Influent conc., ppmv)(g/mole)(60 min/hr)(24 hr/day)(28.3 L/cf) / (10<sup>6</sup>)(24.45 moles/L)(453.6 g/lb)  
where TPHG = 100 g/mole and Benzene = 78.1 g/mole; Influent conc. = 0, if reported as non-detect

<sup>2</sup> Emission Rate, lbs/day = (Effluent Flow, cfm)(Effluent conc., ppmv)(g/mole)(60 min/hr)(24 hr/day)(28.3 L/cf) / (10<sup>6</sup>)(24.45 moles/L)(453.6 g/lb)  
where TPHG = 100 g/mole and Benzene = 78.1 g/mole; Effluent conc. = Method Reporting Limit, if reported as non-detect

<sup>3</sup> Destruction Efficiency, % = (Extraction Rate - Emission Rate)(100) / (Extraction Rate); "Waived"= if TPHG emissions <1.0 lbs/day and Benzene emissions <0.02 lbs/day

<sup>4</sup> Period Removal, lbs = (Extraction Rate)(Uptime)

<sup>5</sup> Operational data through 1/1/98 from First Quarter 1998 Quarterly Monitoring Report

<sup>6</sup> Value represents 24 hour per day operation. Refer to Period Removal column for actual quantity

**APPENDIX C**

Groundwater Sampling Information





3164 Gold Camp Drive, Suite 200  
 Rancho Cordova, California 95670  
 Direct: (916) 638-2085  
 Fax: (916) 638-8385

Arco Site Address: **5131 Shattuck Avenue**  
**Oakland, California**

Arco Site Number: **Arco 6148**

Delta Project No.: **D000-315**

Arco Project Manager: **Paul Supple**

Delta Project PM: **Steve Meeks**

Site Sampled By: **Stratus**

Date Sampled: **05/30/01**

Site Contact & Phone Number: \_\_\_\_\_

Water Level Data						Purge Volume Calculations					Sampling Analytes				Sample Record			
Well ID	Time	Depth to Water (feet)	Top of Screen Interval (feet)	Total Depth of Well (feet)	Check if Purge Not Required	Casing Water Column (A)	Well Diameter (inches)	Multiplier Value (B)	Three Casing Volumes (gallons)	Actual Water Purged (gallons)	BTEX (8020) VOA	TPH-g (8015M) VOA	MTBE (8020) VOA	Other	Dissolved Oxygen (mg/L)	Sample Frequency (A, S, Q)	Sample I.D.	Sample Time
MW-1	8:12	17.10	11.5	25.7	<input checked="" type="checkbox"/>	8.60	4 inch	2.0	17.2	NP	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2.70	Q/5,8,11	MW-1	8:32
MW-2	8:16	16.83	12.0	25.8	<input type="checkbox"/>	8.97	4 inch	2.0	17.9	16	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1.10	Q/5,8,11	MW-2	8:41
MW-3	8:14	17.11	10.0	25.9	<input type="checkbox"/>	8.79	4 inch	2.0	17.6	17	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1.50	Q/5,8,11	MW-3	8:37
MW-4	8:00	15.62	13.0	26.0	<input type="checkbox"/>	10.38	4 inch	2.0	20.8	N/A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.30	S/2,8		
MW-5	8:10	15.77	12.0	25.0	<input type="checkbox"/>	9.23	4 inch	2.0	18.5	18	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3.30	Q/5,8,11	MW-5	9:00
MW-6	8:06	13.40	14.0	26.6	<input type="checkbox"/>	13.20	4 inch	2.0	26.4	N/A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.80	A/2		
MW-7	8:02	13.80	14.0	27.0	<input type="checkbox"/>	13.20	4 inch	2.0	26.4	N/A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.70	A/2		
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
					<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				

(A)-Casing Water Column: Depth to Bottom - Depth to Water (B)-Multiplier Values: (2" Well: 0.5) (4" Well: 2.0) (6" Well: 4.4) Sampling Sequence: Annual: MW-6, MW-7; Semi-Annual: MW-4; Quarterly: MW-1, MW-3, MW-2, MW-5

Sampling Notes: List depth of Sample on C.O.C. [I.e. MW-1(30)]. Make Sure to Note on C.O.C. "Provide Lowest Reporting Limit Available." Original Copies of Field Sampling Sheets are Located in Project File  
 If the water level is below the top of the screen, take a grab sample and check box for NO PURGE (NP). If the water level is above the screen, purge as normal.



3164 Gold Camp Drive, Suite 200  
 Rancho Cordova, California 95670  
 Direct: (916) 638-2085  
 Fax: (916) 638-8385

Arco Site Address: 5131 Shattuck Avenue  
Oakland, California

Arco Site Number: Arco 6148

Delta Project No.: D000-315

Arco Project Manager: Paul Supple

Delta Project PM: Steve Meeks

Site Contact & Phone Number: \_\_\_\_\_

Site Sampled By: Stratus

Date Sampled: 05/30/01

Well ID	Time	Temp °C	pH Units	Sp. Cond.	Gallons	Well ID	Time	Temp °C	pH Units	Sp. Cond.	Gallons	Well ID	Time	Temp °C	pH Units	Sp. Cond.	Gallons
MW-1	No Odor	23.3	6.4	429													
MW-2	No Odor	21.2	6.3	510													
MW-3	No Odor	21.8	6.3	400													
MW-4																	
MW-5	No Odor	20.9	6.5	505													
MW-6																	
MW-7																	

Notes: NP = NO PURGE

Original Copies of Field Sampling Sheets are Located in Project File

**APPENDIX D**

Certified Analytical Reports  
And  
Chain-of-Custody Documentation



**Sequoia  
Analytical**

819 Striker Avenue, Suite 8  
Sacramento, CA 95834  
(916) 921-9600  
FAX (916) 921-0100  
www.sequoialabs.com

---

8 June, 2001

Steven Meeks  
Delta Environmental Consultants(Rancho Cordova  
3164 Gold Camp Drive Ste. 200  
Rancho Cordova, CA 95670

RE: ARCO 6148, Oakland, CA  
Sequoia Report: S105429

Enclosed are the results of analyses for samples received by the laboratory on 05/30/01 15:14. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Ron Chew  
Client Services Representative

Lito Diaz  
Laboratory Director

CA ELAP Certificate #1624



Delta Environmental Consultants(Rancho Cordova  
3164 Gold Camp Drive Ste. 200  
Rancho Cordova CA, 95670

Project: ARCO 6148, Oakland, CA  
Project Number: N/A  
Project Manager: Steven Meeks

**Reported:**  
06/08/01 13:57

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW1-17'	S105429-01	Water	05/30/01 08:32	05/30/01 15:14
MW2-16'	S105429-02	Water	05/30/01 08:41	05/30/01 15:14
MW3-17'	S105429-03	Water	05/30/01 08:37	05/30/01 15:14
MW5-15'	S105429-04	Water	05/30/01 09:00	05/30/01 15:14

Sequoia Analytical - Sacramento

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Ron Chew, Client Services Representative



Delta Environmental Consultants(Rancho Cordova 3164 Gold Camp Drive Ste. 200 Rancho Cordova CA, 95670	Project: ARCO 6148, Oakland, CA Project Number: N/A Project Manager: Steven Meeks	Reported: 06/08/01 13:57
---	---	-----------------------------

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT**

**Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>MW1-17' (S105429-01) Water</b> Sampled: 05/30/01 08:32 Received: 05/30/01 15:14									
Purgeable Hydrocarbons	ND	50	ug/l	1	1060041	06/06/01	06/06/01	DHS LUFT	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	2.5	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		61.7 %	60-140		"	"	"	"	
<b>MW2-16' (S105429-02) Water</b> Sampled: 05/30/01 08:41 Received: 05/30/01 15:14									
Purgeable Hydrocarbons	4700	500	ug/l	10	1060041	06/06/01	06/06/01	DHS LUFT	zP-02
Benzene	200	5.0	"	"	"	"	"	"	
Toluene	71	5.0	"	"	"	"	"	"	
Ethylbenzene	260	5.0	"	"	"	"	"	"	
Xylenes (total)	780	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	43	25	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		76.3 %	60-140		"	"	"	"	
<b>MW3-17' (S105429-03) Water</b> Sampled: 05/30/01 08:37 Received: 05/30/01 15:14									
Purgeable Hydrocarbons	500	50	ug/l	1	1060041	06/06/01	06/06/01	DHS LUFT	zP-02
Benzene	10	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	7.0	0.50	"	"	"	"	"	"	
Xylenes (total)	16	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	20	2.5	"	"	"	"	"	"	
Surrogate: a,a,a-Trifluorotoluene		88.9 %	60-140		"	"	"	"	



**Sequoia  
Analytical**

819 Striker Avenue, Suite 8  
Sacramento, CA 95834  
(916) 921-9600  
FAX (916) 921-0100  
www.sequoialabs.com

Delta Environmental Consultants(Rancho Cordova 3164 Gold Camp Drive Ste. 200 Rancho Cordova CA, 95670	Project: ARCO 6148, Oakland, CA Project Number: N/A Project Manager: Steven Meeks	Reported: 06/08/01 13:57
---	---	-----------------------------

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT  
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>MW5-15' (S105429-04) Water</b> <b>Sampled: 05/30/01 09:00</b> <b>Received: 05/30/01 15:14</b>									
<b>Purgeable Hydrocarbons</b>	<b>110</b>	<b>50</b>	ug/l	1	1060041	06/06/01	06/06/01	DHS LUFT	zP-02
<b>Benzene</b>	<b>2.3</b>	<b>0.50</b>	"	"	"	"	"	"	
<b>Toluene</b>	<b>ND</b>	<b>0.50</b>	"	"	"	"	"	"	
<b>Ethylbenzene</b>	<b>ND</b>	<b>0.50</b>	"	"	"	"	"	"	
<b>Xylenes (total)</b>	<b>0.81</b>	<b>0.50</b>	"	"	"	"	"	"	
<b>Methyl tert-butyl ether</b>	<b>72</b>	<b>2.5</b>	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		<i>101 %</i>		<i>60-140</i>	"	"	"	"	



Delta Environmental Consultants(Rancho Cordova  
3164 Gold Camp Drive Ste. 200  
Rancho Cordova CA, 95670

Project: ARCO 6148, Oakland, CA  
Project Number: N/A  
Project Manager: Steven Meeks

Reported:  
06/08/01 13:57

**Total Purgeable Hydrocarbons (C6-C12), BTEX and MTBE by DHS LUFT - Quality Control  
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch 1060041 - EPA 5030B (P/T)</b>										
<b>Blank (1060041-BLK1)</b> Prepared & Analyzed: 06/06/01										
Purgeable Hydrocarbons	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	2.5	"							
Surrogate: a,a,a-Trifluorotoluene	8.58		"	10.0		85.8	60-140			
<b>LCS (1060041-BS1)</b> Prepared & Analyzed: 06/06/01										
Benzene	8.80	0.50	ug/l	10.0		88.0	70-130			
Toluene	9.66	0.50	"	10.0		96.6	70-130			
Ethylbenzene	9.99	0.50	"	10.0		99.9	70-130			
Xylenes (total)	30.7	0.50	"	30.0		102	70-130			
Methyl tert-butyl ether	7.73	2.5	"	10.0		77.3	70-130			
Surrogate: a,a,a-Trifluorotoluene	8.66		"	10.0		86.6	60-140			
<b>Matrix Spike (1060041-MS1)</b> Source: S105450-04 Prepared & Analyzed: 06/06/01										
Benzene	8.26	0.50	ug/l	10.0	ND	82.6	60-140			
Toluene	9.04	0.50	"	10.0	ND	90.4	60-140			
Ethylbenzene	9.32	0.50	"	10.0	ND	93.2	60-140			
Xylenes (total)	27.7	0.50	"	30.0	ND	92.3	60-140			
Methyl tert-butyl ether	8.34	2.5	"	10.0	ND	83.4	60-140			
Surrogate: a,a,a-Trifluorotoluene	8.21		"	10.0		82.1	60-140			
<b>Matrix Spike Dup (1060041-MSD1)</b> Source: S105450-04 Prepared & Analyzed: 06/06/01										
Benzene	8.18	0.50	ug/l	10.0	ND	81.8	60-140	0.973	25	
Toluene	9.19	0.50	"	10.0	ND	91.9	60-140	1.65	25	
Ethylbenzene	9.40	0.50	"	10.0	ND	94.0	60-140	0.855	25	
Xylenes (total)	28.6	0.50	"	30.0	ND	95.3	60-140	3.20	25	
Methyl tert-butyl ether	8.29	2.5	"	10.0	ND	82.9	60-140	0.601	25	
Surrogate: a,a,a-Trifluorotoluene	7.96		"	10.0		79.6	60-140			





Delta Environmental Consultants(Rancho Cordova  
3164 Gold Camp Drive Ste. 200  
Rancho Cordova CA, 95670

Project: ARCO 6148, Oakland, CA  
Project Number: N/A  
Project Manager: Steven Meeks

**Reported:**  
06/08/01 13:57

#### Notes and Definitions

zP-02      Chromatogram Pattern: Weathered Gasoline C6-C12  
DET        Analyte DETECTED  
ND        Analyte NOT DETECTED at or above the reporting limit  
NR        Not Reported  
dry        Sample results reported on a dry weight basis  
RPD        Relative Percent Difference

ARCO Facility no. **6148** City (Facility) **Oakland** Project manager (Consultant) **Steve Meeks**  
 ARCO engineer **Rod Supply** Telephone no. (ARCO) \_\_\_\_\_ Telephone no. (Consultant) **916-536-2613** Fax no. (Consultant) **916-638-8385**  
 Consultant name **R. Supply** Address (Consultant) **3164 Gold Camp Dr. Ruchon Creek**

Laboratory name  
**SUELLER**  
Contract number

Sample I.D.	Lab no.	Container no.	Matrix			Preservation		Sampling date	Sampling time	BTEX EPA 802/EPA 8020	BTEX/TPH EPA M602/6020/8015/8015A	TPH Modified 8015 Gas <input type="checkbox"/> Diesel <input type="checkbox"/>	Oil and Grease 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/>	TPH EPA 418.1/SM503E	EPA 601/8010	EPA 624/8240	EPA 625/8270	TCLP Metals <input type="checkbox"/> VOAC <input type="checkbox"/> VOAC	CAN METALS EPA 601/700 TLC <input type="checkbox"/> STLC <input type="checkbox"/>	Lead Org./DHS <input type="checkbox"/> Lead EPA 74207/421 <input type="checkbox"/>	MDE 8020						
			Soil	Water	Other	Ice	Acid																				
MW-17	6		X			X	X	5/30/01	0832	X														SIDS429-01		X	
MW-16	6		X			X	X		0841	X															-03		X
MW-17	6		X			X	X		0837	X															-03		X
MW-15	6		X			X	X	5/30/01	0700	X																	X

Method of shipment

Special detection Limit/reporting

Special QA/QC

Remarks  
**TPH6-8015M  
BTEX 8020  
MDE 8020**

Lab number

Turnaround time

Priority Rush  
1 Business Day

Rush  
2 Business Days

Expedited  
5 Business Days

Standard  
10 Business Days

Condition of sample: \_\_\_\_\_ Temperature received: **13°C**  
 Relinquished by sampler: \_\_\_\_\_ Date: **5/30/01** Time: **1514** Received by: **Monica Grogan** Date: **5/30/01** Time: **1514**  
 Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_ Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_ Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

SEP 27 '01 10:29PM SQUOTA/SAC P. 2/2