From: Cheung, Robert

To: Plunkett, Steven, Env. Health
Cc: Deborah Castles; Gallardo, Susan
Eval Legic Cose No. 2070

Subject: Fuel Leak Case No R079

Date: Wednesday, September 30, 2009 5:36:01 PM

Attachments: AMEC 09 13310 Draft Fuel Leak Case No. R00000079 One National Engravers 093009.pdf

Good afternoon Mr. Plunkett,

On behalf of 1001 42nd Street, LLC, AMEC Geomatrix has prepared for your review the attached responses to comments, which were presented in the Alameda County Environmental Health (ACEH) directive letter dated July 13, 2009. The attachment also includes a Work Plan to perform vacuum extraction pilot test studies. As indicated in my voice message to you, these documents are DRAFTS as we would like to get your feedback on the technical responses and proposed actions before we finalize the documents. Because the winter season is approaching, AMEC recommends that the proposed actions described in our responses be completed as soon as possible. As such, we are available to discuss at your earliest convenience.

Respectfully,

Robert H. Cheung | Senior Toxicologist Risk Assessor

AMEC Geomatrix, Inc.

2101 Webster Street, Suite 1200 | Oakland, CA 94612

510.663.4299 (direct) | 510.663.4141 (fax) | 510.529.5948 (cell) | robert.cheung@amec.com

The materials transmitted by this electronic mail are confidential, are only for the use of the intended recipient, and may also be subject to applicable privileges. Any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify the sender. Please also remove this message from your hard drive, diskette, and any other storage device.

The information contained in this e-mail is intended only for the individual or entity to whom it is addressed.

Its contents (including any attachments) may contain confidential and/or privileged information.

If you are not an intended recipient you must not use, disclose, disseminate, copy or print its contents.

If you receive this e-mail in error, please notify the sender by reply e-mail and delete and destroy the message.