



PACIFIC
ENVIRONMENTAL
GROUP, INC.

AN  COMPANY

June 21, 1999
Project 340-087.9A

Mr. Richard Hiatt
California Regional Water Quality Control Board – San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612

Re: **Quarterly Monitoring Report - First Quarter 1999**
Former Texaco Service Station
1127 Lincoln Avenue at Bay Street
Alameda, California
Incident 90015162

STID # 3566

Dear Mr. Hiatt: *Larry Seto*

The following presents the results of the first quarter 1999 monitoring program for the site referenced above. This letter has been prepared for Equiva Services LLC (Equiva) by Pacific Environmental Group, Inc. (PEG). Equiva is managing the subject site on behalf of Texaco, Inc.

FINDINGS

Ground-water monitoring wells were gauged and sampled by Blaine Tech Services, Inc. (Blaine) at the direction of PEG on February 9, 1999. Blaine's ground-water monitoring report which includes the Well Concentrations table, certified analytical report, and field data is presented as Attachment A. Ground-water elevation contours for this sampling event are shown on Figure 1. The Well Concentrations table presents the ground-water elevation data for monitoring wells gauged this quarter.

Ground-water analytical data are presented in the Well Concentrations table. All wells sampled were analyzed for total purgeable petroleum hydrocarbons (TPPH), benzene, toluene, ethylbenzene, xylenes (BTEX compounds), and methyl tert-butyl ether (MtBE). TPPH, benzene, and MtBE concentrations for the first quarter sampling event are shown on Figure 1.

Handwritten notes:
... JUN 23
...
...

DISCUSSION

Concentrations of TPPH, benzene, and MtBE were reported in one of the nine monitoring wells, Well MW-2, sampled during the first quarter. A TPPH level of 257 micrograms per liter ($\mu\text{g/L}$), a benzene concentration of 16 $\mu\text{g/L}$, and a MtBE concentration of 7.36 $\mu\text{g/L}$ were reported in the ground-water sample collected from Well MW-2. Concentrations of TPPH, BTEX compounds, and MtBE for ground-water samples collected during the first quarter 1999 appear to be consistent with historic levels for all of the sampled wells.


If you have any questions or comments regarding this site, please contact me at your convenience at (408) 441-7500.

Sincerely,

Pacific Environmental Group, Inc.



Erin Garner
Senior Geologist
CHG 0243



Attachments Figure 1 - Ground-water Monitoring Map
 Attachment A - Groundwater Monitoring Report

cc: Ms. Karen Petryna, Equiva Services LLC, P.O. Box 6249, Carson, CA 90749-6249
 Mr. Leo Pagano, 1127 Lincoln Avenue, Alameda, CA 94602

~~Ms. Julie Shin, Alameda County Health Care Services Agency, 1131 Harbor Bay Parkway,
Alameda, CA 94502-6577~~



LEGEND

⊙ GROUND-WATER MONITORING WELL LOCATION AND DESIGNATION


■ SOIL VAPOR EXTRACTION WELL LOCATION AND DESIGNATION


(10.68) GROUND-WATER ELEVATION IN FEET - MSL, 2-9-99

11.00 — GROUND-WATER ELEVATION CONTOUR LINE IN FEET - MSL, 2-9-99

257/16/7.36 TPAH/BENZENE/MtBE CONCENTRATION IN GROUND WATER, IN PARTS PER BILLION, 2-9-99

* WELL INACCESSIBLE




 PACIFIC ENVIRONMENTAL GROUP, INC.	TITLE: GROUND-WATER MONITORING MAP		
	PREPARED FOR: FORMER TEXACO SERVICE STATION 1127 Lincoln Avenue at Bay Street Alameda, California		
DATE: 5/25/99	PROJECT: 340-087.9A	SCALE: AS SHOWN	FIGURE: 1

ATTACHMENT A
GROUNDWATER MONITORING REPORT

BLAINE
TECH SERVICES INC.



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112-1105
(408) 573-7771 FAX
(408) 573-0555 PHONE



April 14, 1999

Karen Petryna
Equiva Services LLC
P.O. Box 6249
Carson, CA 90749-6249

First Quarter 1999 Groundwater Monitoring at
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, CA

Monitoring performed on February 9, 1999

Groundwater Monitoring Report 990209-C-1

This report covers the routine monitoring of groundwater wells at this Former Texaco facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, appropriate calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Shell Martinez Manufacturing Complex.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. concentrates on objective data collection and does not participate in the interpretation of analytical results, the definition of geological or hydrological conditions, the formulation of recommendations, or the marketing of remedial systems.

Please call if you have any questions.

Yours truly,

A handwritten signature in black ink, appearing to read "Deidre Kerwin", with a long horizontal flourish extending to the right.

Deidre Kerwin
Operations Manager

DK/mt

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheet

cc: Janet Yantis
Pacific Environmental Group
2025 Gateway Place, Suite 440
San Jose, CA 95110

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-1	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.14	5.63	10.51	NA
MW-1	02/04/1993	120	NA	22	3.1	3.3	10	NA	NA	16.14	6.02	10.12	NA
MW-1	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.14	5.92	10.22	NA
MW-1	05/06/1993	710	NA	320	3.1	4.2	20	NA	NA	16.14	6.76	9.38	NA
MW-1	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.14	6.81	9.33	NA
MW-1	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.14	NA	NA	NA
MW-1	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.14	NA	NA	NA
MW-1	09/27/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.14	NA	NA	NA
MW-1	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.14	NA	NA	NA
MW-1	11/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.14	NA	NA	NA
MW-1	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.14	NA	NA	NA
MW-1	02/07/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.14	NA	NA	NA
MW-1	05/20/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.14	NA	NA	NA
MW-1	08/22/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.14	7.78	8.36	NA
MW-1	11/02/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.14	NA	NA	NA
MW-1	02/14/1995	350	NA	40	1.6	15	31	NA	NA	16.14	15.16	0.98	NA
MW-1	05/19/1995	220	NA	35	2.4	7.2	23	NA	NA	16.14	13.90	2.24	NA
MW-1	08/22/1995	330	NA	44	1.2	14	21	<10	NA	16.14	7.06	9.08	NA
MW-1	10/25/1995	<50	NA	1.6	<0.5	<0.5	<0.5	NA	NA	16.14	NA	NA	NA
MW-1	02/09/1996	160	NA	3.2	1.5	0.9	2.7	NA	NA	16.14	NA	NA	NA
MW-1	04/11/1996	1,300	NA	300	85	25	110	NA	NA	16.14	NA	NA	NA
MW-1	08/01/1996	3,700	NA	1,100	80	46	210	NA	NA	16.14	NA	NA	NA
MW-1	11/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	16.14	NA	NA	NA
MW-1	02/04/1997	NA	NA	NA	NA	NA	NA	NA	NA	16.14	5.40	10.74	NA
MW-1	05/02/1997	650	NA	63	<3	4.3	2.2	<30	NA	16.14	6.46	9.68	NA
MW-1	07/31/1997	440	NA	99	1.6	2.6	5.8	<30	NA	16.14	6.98	9.16	NA
MW-1	10/30/1997	290	NA	48	0.5	0.9	1.9	<30	NA	16.14	8.00	8.14	NA
MW-1	02/04/1998	<50	NA	1.3	<0.5	<0.5	<0.5	NA	NA	16.14	3.40	12.74	NA
MW-1	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	16.14	5.09	11.05	NA
MW-1	07/21/1998	50	NA	16	<0.5	<0.5	0.7	5.6	NA	16.14	6.50	9.64	NA
MW-1	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	16.14	6.79	9.35	NA
MW-1	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	16.14	4.40	11.74	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-2	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	6.29	10.55	NA
MW-2	02/04/1993	430	NA	45	0.5	20	30	NA	NA	16.84	6.60	10.24	NA
MW-2	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	6.36	10.48	NA
MW-2	05/06/1993	2,000	NA	460	2.4	160	66	NA	NA	16.84	6.37	10.47	NA
MW-2	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	7.04	9.80	NA
MW-2	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	09/21/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	11/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	02/07/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	05/20/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	08/22/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	8.08	8.76	NA
MW-2	11/02/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	02/14/1995	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	05/19/1995	580	NA	75	19	5.1	30	NA	NA	16.84	11.77	5.07	NA
MW-2	08/22/1995	1,200	NA	130	8.3	84	86	<10	NA	16.84	7.22	9.62	NA
MW-2	10/25/1995	350	NA	79	1.2	55	13	NA	NA	16.84	12.11	4.73	NA
MW-2	02/09/1996	<50	NA	1.5	0.5	1.1	1.5	NA	NA	16.84	NA	NA	NA
MW-2	04/11/1996	80	NA	1.5	<0.5	<0.5	<0.5	NA	NA	16.84	11.20	5.64	NA
MW-2	08/01/1996	330	NA	42	0.6	20	8.1	NA	NA	16.84	7.00	9.84	NA
MW-2	11/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	02/04/1997	NA	NA	NA	NA	NA	NA	NA	NA	16.84	5.48	11.36	NA
MW-2	05/02/1997	<50	NA	1.5	<0.5	<0.5	0.5	<30	NA	16.84	6.93	9.91	NA
MW-2	07/31/1997	50	NA	1.8	<0.5	<0.5	<0.5	74	NA	16.84	9.10	7.74	NA
MW-2	10/30/1997	63	NA	3.1	<0.5	0.6	1.1	34	NA	16.84	8.33	8.51	NA
MW-2	02/04/1998	<50	NA	6.5	<0.5	1.2	<0.5	NA	NA	16.84	4.88	11.96	NA
MW-2	05/08/1998	<50	NA	0.6	<0.5	<0.5	<0.5	<2.5	NA	16.84	6.00	10.84	NA
MW-2	07/21/1998	81	NA	7.2	<0.5	1.1	1.1	6.3	NA	16.84	6.92	9.92	NA
MW-2	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	16.84	7.41	9.43	NA
MW-2	02/09/1999	257	NA	16.0	0.760	<0.500	1.07	7.36	NA	16.84	6.60	10.24	NA
MW-3	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	5.82	11.04	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-3	02/04/1993	2,900	NA	180	13	210	350	NA	NA	16.86	6.01	10.85	NA
MW-3	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	5.88	10.98	NA
MW-3	05/06/1993	2,700	NA	270	6.2	300	720	NA	NA	16.86	6.38	10.48	NA
MW-3	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	NA	NA	NA
MW-3	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	7.22	9.64	NA
MW-3	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	7.87	8.99	NA
MW-3	09/27/1993	1,800	NA	92	1.7	99	240	NA	NA	16.86	8.58	8.28	NA
MW-3	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	9.13	7.73	NA
MW-3	11/15/1993	1,900	NA	100	2.4	85	280	NA	NA	16.86	8.84	8.02	NA
MW-3	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	7.80	9.06	NA
MW-3	02/07/1994	1,400	NA	69	3.3	100	320	NA	NA	16.86	8.43	8.43	NA
MW-3	05/20/1994	1,100	NA	64	19	120	180	NA	NA	16.86	6.79	10.07	NA
MW-3	08/22/1994	77	NA	4.3	<0.5	2.0	5.6	NA	NA	16.86	8.32	8.54	NA
MW-3	11/02/1994	<50	NA	0.8	<0.5	<0.5	<0.5	NA	NA	16.86	10.98	5.88	NA
MW-3	02/14/1995	1,300	NA	24	5	85	360	NA	NA	16.86	7.93	8.93	NA
MW-3	05/19/1995	5,300	NA	98	28	650	1,700	NA	NA	16.86	8.44	8.42	NA
MW-3	08/22/1995	700	NA	4.1	1.1	50	72	<10	NA	16.86	7.54	9.32	NA
MW-3	10/25/1995	<50	NA	2.4	<0.5	<0.5	1.6	NA	NA	16.86	9.03	7.83	NA
MW-3	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.86	7.05	9.81	NA
MW-3	04/11/1996	2,000	NA	11.0	3.9	190	500	NA	NA	16.86	7.44	9.42	NA
MW-3	08/01/1996	1,500	NA	8.4	<0.5	160	150	NA	NA	16.86	7.08	9.78	NA
MW-3	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	16.86	7.84	9.02	NA
MW-3	02/04/1997	1,500	NA	12	1.3	210	330	<30	NA	16.86	5.17	11.69	NA
MW-3	05/02/1997	3,100	NA	35	<3	520	540	<30	NA	16.86	6.63	10.23	NA
MW-3	07/31/1997	1,200	NA	11	<0.5	140	100	<30	NA	16.86	7.32	9.54	NA
MW-3	10/30/1997	520	NA	6.1	<0.5	58	46	<30	NA	16.86	7.46	9.40	NA
MW-3	02/04/1998	4,800	NA	25	4.0	660	1,200	NA	NA	16.86	4.18	12.68	NA
MW-3	05/08/1998	5,600	NA	17	6.7	300	590	11	NA	16.86	5.84	11.02	NA
MW-3	07/21/1998	1,400	NA	3.4	<1.0	110	270	<5.0	NA	16.86	6.75	10.11	NA
MW-3	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	16.86	7.61	9.25	NA
MW-3	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	16.86	6.31	10.55	NA
MW-4	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	5.91	11.22	NA
MW-4	02/04/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	6.14	10.99	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-4	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	5.81	11.32	NA
MW-4	05/06/1993	<50	NA	1.6	<0.5	1.0	2.1	NA	NA	17.13	6.49	10.64	NA
MW-4	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	6.34	10.79	NA
MW-4	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	7.29	9.84	NA
MW-4	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	8.02	9.11	NA
MW-4	09/27/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	NA	NA	NA
MW-4	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	9.14	7.99	NA
MW-4	11/15/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	9.01	8.12	NA
MW-4	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	7.91	9.22	NA
MW-4	02/07/1994	<50	NA	<0.5	<0.5	<0.5	2.6	NA	NA	17.13	8.02	9.11	NA
MW-4	05/20/1994	82	NA	6.2	7.6	3.3	17	NA	NA	17.13	6.85	10.28	NA
MW-4	08/22/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	8.48	8.65	NA
MW-4	11/02/1994	<50	NA	<0.5	0.6	<0.5	<0.5	NA	NA	17.13	10.52	6.61	NA
MW-4	02/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	6.99	10.14	NA
MW-4	05/19/1995	66	NA	0.8	0.6	0.9	3.6	NA	NA	17.13	7.61	9.52	NA
MW-4	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	17.13	7.62	9.51	NA
MW-4	10/25/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	8.62	8.51	NA
MW-4	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	6.60	10.53	NA
MW-4	04/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	17.13	6.54	10.59	NA
MW-4	08/01/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	7.04	10.09	NA
MW-4	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	7.95	9.18	NA
MW-4	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	5.24	11.89	NA
MW-4	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	6.61	10.52	NA
MW-4	07/31/1997	<50	NA	7.2	<0.5	0.7	2.0	<30	NA	17.13	7.40	9.73	NA
MW-4	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	7.52	9.61	NA
MW-4	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	4.28	12.85	NA
MW-4	05/08/1998	<100	NA	<1.0	<1.0	<1.0	<1.0	<5.0	NA	17.13	5.74	11.39	NA
MW-4	07/21/1998	<50	NA	2.0	2.2	1.2	6.3	<2.5	NA	17.13	6.75	10.38	NA
MW-4	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	17.13	7.51	9.62	NA
MW-4	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	17.13	6.45	10.68	NA
MW-5	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	02/04/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	5.45	10.14	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-5	05/06/1993	6,200	NA	460	980	300	1,200	NA	NA	15.59	6.00	9.59	NA
MW-5	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	7.81	7.78	NA
MW-5	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	09/27/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	11/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	02/07/1994	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	05/20/1994	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	08/22/1994	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	11/02/1994	5,700	NA	800	400	4.7	600	NA	NA	15.59	7.27	8.32	NA
MW-5	02/14/1995	1,300	NA	290	76	21	140	NA	NA	15.59	NA	NA	NA
MW-5	05/19/1995	600	NA	83	20	5.7	33	NA	NA	15.59	11.55	4.04	NA
MW-5	08/22/1995	8,100	NA	650	720	54	1,700	<50	NA	15.59	6.02	9.57	NA
MW-5	10/25/1995	1,500	NA	290	85	15	170	NA	NA	15.59	11.05	4.54	NA
MW-5	02/09/1996	1,000	NA	120	49	26	130	NA	NA	15.59	6.70	8.89	NA
MW-5	04/11/1996	210	NA	5.7	<0.5	9.2	22	NA	NA	15.59	12.21	3.38	NA
MW-5	08/01/1996	86	NA	<0.5	<0.5	<0.5	5.3	NA	NA	15.59	2.80	12.79	NA
MW-5	11/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	02/04/1997	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.59	7.01	8.58	NA
MW-5	07/31/1997	110	NA	5.8	3.2	5.8	17	<30	NA	15.59	6.78	8.81	NA
MW-5	10/30/1997	50	NA	0.8	<0.5	0.5	5.2	<30	NA	15.59	7.69	7.90	NA
MW-5	02/04/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	05/08/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	07/21/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	11/19/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	02/09/1999	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	03/01/1999	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-6	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	6.63	10.42	NA
MW-6	02/04/1993	2,300	NA	19	5.4	27	220	NA	NA	17.05	6.48	10.57	NA
MW-6	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	6.68	10.37	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-6	05/06/1993	540	NA	44	0.9	7.0	6.7	NA	NA	17.05	6.93	10.12	NA
MW 6	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.00	10.05	NA
MW-6	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.25	9.80	NA
MW-6	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.83	9.22	NA
MW 6	09/27/1993	180	NA	2.7	0.7	6.3	13	NA	NA	17.05	8.38	8.67	NA
MW-6	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	8.76	8.29	NA
MW-6	11/15/1993	180	NA	2.2	0.9	5.4	16	NA	NA	17.05	8.65	8.40	NA
MW-6	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.78	9.27	NA
MW-6	02/07/1994	240	NA	2.9	1.2	3.9	7.1	NA	NA	17.05	7.90	9.15	NA
MW-6	05/20/1994	600	NA	4.5	2.2	24	66	NA	NA	17.05	6.95	10.10	NA
MW-6	08/22/1994	400	NA	3.2	1.0	7.9	40	NA	NA	17.05	8.17	8.88	NA
MW-6	11/02/1994	150	NA	1.6	1.3	6.5	27	NA	NA	17.05	10.56	6.49	NA
MW-6	02/14/1995	770	NA	4.0	2.9	42	130	NA	NA	17.05	8.08	8.97	NA
MW-6	05/19/1995	2,400	NA	6.9	11	99	350	NA	NA	17.05	8.51	8.54	NA
MW-6	08/22/1995	190	NA	1.0	1.7	5.2	18	<10	NA	17.05	7.50	9.55	NA
MW-6	10/25/1995	910	NA	5.5	3.3	50	160	NA	NA	17.05	8.61	8.44	NA
MW-6	02/09/1996	4,100	NA	3.8	10	60	270	NA	NA	17.05	7.26	9.79	NA
MW-6	04/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.41	9.64	NA
MW 6	08/01/1996	2,200	NA	5.1	2.4	160	170	NA	NA	17.05	7.10	9.95	NA
MW-6	11/11/1996	1,000	NA	3.7	1.5	38	1,100	<30	NA	17.05	8.04	9.01	NA
MW 6	02/04/1997	2,500	NA	21	3.1	180	320	<30	NA	17.05	6.10	10.95	NA
MW-6	05/02/1997	1,600	NA	33	1.6	92	180	<30	NA	17.05	7.07	9.98	NA
MW-6	07/31/1997	2,600	NA	8.8	5.8	140	280	<30	NA	17.05	7.43	9.62	NA
MW-6	10/30/1997	1,100	NA	3.5	<0.5	64	97	<30	NA	17.05	7.59	9.46	NA
MW-6	02/04/1998	400	NA	2.0	0.6	3.3	36	NA	NA	17.05	5.86	11.19	NA
MW-6	05/08/1998	2,100	NA	83	11	150	250	110	NA	17.05	5.79	11.26	NA
MW 6	07/21/1998	2,100	NA	65	7.4	180	380	110	NA	17.05	7.11	9.94	NA
MW-6	11/19/1998	120	NA	0.785	<0.5	<0.5	1.51	8.31	NA	17.05	7.49	9.56	NA
MW-6	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	17.05	7.07	9.98	NA
MW-7	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	6.53	10.12	NA
MW-7	02/04/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.65	6.40	10.25	NA
MW-7	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	6.52	10.13	NA
MW-7	05/06/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	NA	NA	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-2	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	6.29	10.55	NA
MW-2	02/04/1993	430	NA	45	0.5	20	30	NA	NA	16.84	6.60	10.24	NA
MW-2	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	6.36	10.48	NA
MW-2	05/06/1993	2,000	NA	460	2.4	160	66	NA	NA	16.84	6.37	10.47	NA
MW-2	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	7.04	9.80	NA
MW-2	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	09/21/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	11/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	02/07/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	05/20/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	08/22/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	8.08	8.76	NA
MW-2	11/02/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	02/14/1995	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	05/19/1995	580	NA	75	19	5.1	30	NA	NA	16.84	11.77	5.07	NA
MW-2	08/22/1995	1,200	NA	130	8.3	84	86	<10	NA	16.84	7.22	9.62	NA
MW-2	10/25/1995	350	NA	79	1.2	55	13	NA	NA	16.84	12.11	4.73	NA
MW-2	02/09/1996	<50	NA	1.5	0.5	1.1	1.5	NA	NA	16.84	NA	NA	NA
MW-2	04/11/1996	80	NA	1.5	<0.5	<0.5	<0.5	NA	NA	16.84	11.20	5.64	NA
MW-2	08/01/1996	330	NA	42	0.6	20	8.1	NA	NA	16.84	7.00	9.84	NA
MW-2	11/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	02/04/1997	NA	NA	NA	NA	NA	NA	NA	NA	16.84	5.48	11.36	NA
MW-2	05/02/1997	<50	NA	1.5	<0.5	<0.5	0.5	<30	NA	16.84	6.93	9.91	NA
MW-2	07/31/1997	50	NA	1.8	<0.5	<0.5	<0.5	74	NA	16.84	9.10	7.74	NA
MW-2	10/30/1997	63	NA	3.1	<0.5	0.6	1.1	34	NA	16.84	8.33	8.51	NA
MW-2	02/04/1998	<50	NA	6.5	<0.5	1.2	<0.5	NA	NA	16.84	4.88	11.96	NA
MW-2	05/08/1998	<50	NA	0.6	<0.5	<0.5	<0.5	<2.5	NA	16.84	6.00	10.84	NA
MW-2	07/21/1998	81	NA	7.2	<0.5	1.1	1.1	6.3	NA	16.84	6.92	9.92	NA
MW-2	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	16.84	7.41	9.43	NA
MW-2	02/09/1999	257	NA	16.0	0.760	<0.500	1.07	7.36	NA	16.84	6.60	10.24	NA
MW-3	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	5.82	11.04	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-2	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	6.29	10.55	NA
MW-2	02/04/1993	430	NA	45	0.5	20	30	NA	NA	16.84	6.60	10.24	NA
MW-2	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	6.36	10.48	NA
MW-2	05/06/1993	2,000	NA	460	2.4	160	66	NA	NA	16.84	6.37	10.47	NA
MW-2	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	7.04	9.80	NA
MW-2	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	09/21/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	11/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	02/07/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	05/20/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	08/22/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	8.08	8.76	NA
MW-2	11/02/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	02/14/1995	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	05/19/1995	580	NA	75	19	5.1	30	NA	NA	16.84	11.77	5.07	NA
MW-2	08/22/1995	1,200	NA	130	8.3	84	86	<10	NA	16.84	7.22	9.62	NA
MW-2	10/25/1995	350	NA	79	1.2	55	13	NA	NA	16.84	12.11	4.73	NA
MW-2	02/09/1996	<50	NA	1.5	0.5	1.1	1.5	NA	NA	16.84	NA	NA	NA
MW-2	04/11/1996	80	NA	1.5	<0.5	<0.5	<0.5	NA	NA	16.84	11.20	5.64	NA
MW-2	08/01/1996	330	NA	42	0.6	20	8.1	NA	NA	16.84	7.00	9.84	NA
MW-2	11/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	02/04/1997	NA	NA	NA	NA	NA	NA	NA	NA	16.84	5.48	11.36	NA
MW-2	05/02/1997	<50	NA	1.5	<0.5	<0.5	0.5	<30	NA	16.84	6.93	9.91	NA
MW-2	07/31/1997	50	NA	1.8	<0.5	<0.5	<0.5	74	NA	16.84	9.10	7.74	NA
MW-2	10/30/1997	63	NA	3.1	<0.5	0.6	1.1	34	NA	16.84	8.33	8.51	NA
MW-2	02/04/1998	<50	NA	6.5	<0.5	1.2	<0.5	NA	NA	16.84	4.88	11.96	NA
MW-2	05/08/1998	<50	NA	0.6	<0.5	<0.5	<0.5	<2.5	NA	16.84	6.00	10.84	NA
MW-2	07/21/1998	81	NA	7.2	<0.5	1.1	1.1	6.3	NA	16.84	6.92	9.92	NA
MW-2	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	16.84	7.41	9.43	NA
MW-2	02/09/1999	257	NA	16.0	0.760	<0.500	1.07	7.36	NA	16.84	6.60	10.24	NA
MW-3	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	5.82	11.04	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-3	02/04/1993	2,900	NA	180	13	210	350	NA	NA	16.86	6.01	10.85	NA
MW-3	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	5.88	10.98	NA
MW-3	05/06/1993	2,700	NA	270	6.2	300	720	NA	NA	16.86	6.38	10.48	NA
MW-3	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	NA	NA	NA
MW-3	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	7.22	9.64	NA
MW-3	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	7.87	8.99	NA
MW-3	09/27/1993	1,800	NA	92	1.7	99	240	NA	NA	16.86	8.58	8.28	NA
MW-3	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	9.13	7.73	NA
MW-3	11/15/1993	1,900	NA	100	2.4	85	280	NA	NA	16.86	8.84	8.02	NA
MW-3	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	7.80	9.06	NA
MW-3	02/07/1994	1,400	NA	69	3.3	100	320	NA	NA	16.86	8.43	8.43	NA
MW-3	05/20/1994	1,100	NA	64	19	120	180	NA	NA	16.86	6.79	10.07	NA
MW-3	08/22/1994	77	NA	4.3	<0.5	2.0	5.6	NA	NA	16.86	8.32	8.54	NA
MW-3	11/02/1994	<50	NA	0.8	<0.5	<0.5	<0.5	NA	NA	16.86	10.98	5.88	NA
MW-3	02/14/1995	1,300	NA	24	5	85	360	NA	NA	16.86	7.93	8.93	NA
MW-3	05/19/1995	5,300	NA	98	28	650	1,700	NA	NA	16.86	8.44	8.42	NA
MW-3	08/22/1995	700	NA	4.1	1.1	50	72	<10	NA	16.86	7.54	9.32	NA
MW-3	10/25/1995	<50	NA	2.4	<0.5	<0.5	1.6	NA	NA	16.86	9.03	7.83	NA
MW-3	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.86	7.05	9.81	NA
MW-3	04/11/1996	2,000	NA	11.0	3.9	190	500	NA	NA	16.86	7.44	9.42	NA
MW-3	08/01/1996	1,500	NA	8.4	<0.5	160	150	NA	NA	16.86	7.08	9.78	NA
MW-3	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	16.86	7.84	9.02	NA
MW-3	02/04/1997	1,500	NA	12	1.3	210	330	<30	NA	16.86	5.17	11.69	NA
MW-3	05/02/1997	3,100	NA	35	<3	520	540	<30	NA	16.86	6.63	10.23	NA
MW-3	07/31/1997	1,200	NA	11	<0.5	140	100	<30	NA	16.86	7.32	9.54	NA
MW-3	10/30/1997	520	NA	6.1	<0.5	58	46	<30	NA	16.86	7.46	9.40	NA
MW-3	02/04/1998	4,800	NA	25	4.0	660	1,200	NA	NA	16.86	4.18	12.68	NA
MW-3	05/08/1998	5,600	NA	17	6.7	300	590	11	NA	16.86	5.84	11.02	NA
MW-3	07/21/1998	1,400	NA	3.4	<1.0	110	270	<5.0	NA	16.86	6.75	10.11	NA
MW-3	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	16.86	7.61	9.25	NA
MW-3	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	16.86	6.31	10.55	NA
MW-4	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	5.91	11.22	NA
MW-4	02/04/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	6.14	10.99	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-4	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	5.81	11.32	NA
MW-4	05/06/1993	<50	NA	1.6	<0.5	1.0	2.1	NA	NA	17.13	6.49	10.64	NA
MW-4	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	6.34	10.79	NA
MW-4	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	7.29	9.84	NA
MW-4	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	8.02	9.11	NA
MW-4	09/27/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	NA	NA	NA
MW-4	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	9.14	7.99	NA
MW-4	11/15/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	9.01	8.12	NA
MW-4	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	7.91	9.22	NA
MW-4	02/07/1994	<50	NA	<0.5	<0.5	<0.5	2.6	NA	NA	17.13	8.02	9.11	NA
MW-4	05/20/1994	82	NA	6.2	7.6	3.3	17	NA	NA	17.13	6.85	10.28	NA
MW-4	08/22/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	8.48	8.65	NA
MW-4	11/02/1994	<50	NA	<0.5	0.6	<0.5	<0.5	NA	NA	17.13	10.52	6.61	NA
MW-4	02/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	6.99	10.14	NA
MW-4	05/19/1995	66	NA	0.8	0.6	0.9	3.6	NA	NA	17.13	7.61	9.52	NA
MW-4	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	17.13	7.62	9.51	NA
MW-4	10/25/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	8.62	8.51	NA
MW-4	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	6.60	10.53	NA
MW-4	04/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	17.13	6.54	10.59	NA
MW-4	08/01/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	7.04	10.09	NA
MW-4	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	7.95	9.18	NA
MW-4	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	5.24	11.89	NA
MW-4	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	6.61	10.52	NA
MW-4	07/31/1997	<50	NA	7.2	<0.5	0.7	2.0	<30	NA	17.13	7.40	9.73	NA
MW-4	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	7.52	9.61	NA
MW-4	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	4.28	12.85	NA
MW-4	05/08/1998	<100	NA	<1.0	<1.0	<1.0	<1.0	<5.0	NA	17.13	5.74	11.39	NA
MW-4	07/21/1998	<50	NA	2.0	2.2	1.2	6.3	<2.5	NA	17.13	6.75	10.38	NA
MW-4	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	17.13	7.51	9.62	NA
MW-4	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	17.13	6.45	10.68	NA
MW-5	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	02/04/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	5.45	10.14	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-5	05/06/1993	6,200	NA	460	980	300	1,200	NA	NA	15.59	6.00	9.59	NA
MW-5	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	7.81	7.78	NA
MW-5	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	09/27/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	11/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	02/07/1994	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	05/20/1994	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	08/22/1994	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	11/02/1994	5,700	NA	800	400	4.7	600	NA	NA	15.59	7.27	8.32	NA
MW-5	02/14/1995	1,300	NA	290	76	21	140	NA	NA	15.59	NA	NA	NA
MW-5	05/19/1995	600	NA	83	20	5.7	33	NA	NA	15.59	11.55	4.04	NA
MW-5	08/22/1995	8,100	NA	650	720	54	1,700	<50	NA	15.59	6.02	9.57	NA
MW-5	10/25/1995	1,500	NA	290	85	15	170	NA	NA	15.59	11.05	4.54	NA
MW-5	02/09/1996	1,000	NA	120	49	26	130	NA	NA	15.59	6.70	8.89	NA
MW-5	04/11/1996	210	NA	5.7	<0.5	9.2	22	NA	NA	15.59	12.21	3.38	NA
MW-5	08/01/1996	86	NA	<0.5	<0.5	<0.5	5.3	NA	NA	15.59	2.80	12.79	NA
MW-5	11/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	02/04/1997	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.59	7.01	8.58	NA
MW-5	07/31/1997	110	NA	5.8	3.2	5.8	17	<30	NA	15.59	6.78	8.81	NA
MW-5	10/30/1997	50	NA	0.8	<0.5	0.5	5.2	<30	NA	15.59	7.69	7.90	NA
MW-5	02/04/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	05/08/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	07/21/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	11/19/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	02/09/1999	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	03/01/1999	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-6	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	6.63	10.42	NA
MW-6	02/04/1993	2,300	NA	19	5.4	27	220	NA	NA	17.05	6.48	10.57	NA
MW-6	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	6.68	10.37	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-6	05/06/1993	540	NA	44	0.9	7.0	6.7	NA	NA	17.05	6.93	10.12	NA
MW 6	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.00	10.05	NA
MW-6	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.25	9.80	NA
MW-6	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.83	9.22	NA
MW 6	09/27/1993	180	NA	2.7	0.7	6.3	13	NA	NA	17.05	8.38	8.67	NA
MW-6	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	8.76	8.29	NA
MW-6	11/15/1993	180	NA	2.2	0.9	5.4	16	NA	NA	17.05	8.65	8.40	NA
MW-6	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.78	9.27	NA
MW-6	02/07/1994	240	NA	2.9	1.2	3.9	7.1	NA	NA	17.05	7.90	9.15	NA
MW-6	05/20/1994	600	NA	4.5	2.2	24	66	NA	NA	17.05	6.95	10.10	NA
MW-6	08/22/1994	400	NA	3.2	1.0	7.9	40	NA	NA	17.05	8.17	8.88	NA
MW-6	11/02/1994	150	NA	1.6	1.3	6.5	27	NA	NA	17.05	10.56	6.49	NA
MW-6	02/14/1995	770	NA	4.0	2.9	42	130	NA	NA	17.05	8.08	8.97	NA
MW-6	05/19/1995	2,400	NA	6.9	11	99	350	NA	NA	17.05	8.51	8.54	NA
MW-6	08/22/1995	190	NA	1.0	1.7	5.2	18	<10	NA	17.05	7.50	9.55	NA
MW-6	10/25/1995	910	NA	5.5	3.3	50	160	NA	NA	17.05	8.61	8.44	NA
MW-6	02/09/1996	4,100	NA	3.8	10	60	270	NA	NA	17.05	7.26	9.79	NA
MW-6	04/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.41	9.64	NA
MW 6	08/01/1996	2,200	NA	5.1	2.4	160	170	NA	NA	17.05	7.10	9.95	NA
MW-6	11/11/1996	1,000	NA	3.7	1.5	38	1,100	<30	NA	17.05	8.04	9.01	NA
MW 6	02/04/1997	2,500	NA	21	3.1	180	320	<30	NA	17.05	6.10	10.95	NA
MW-6	05/02/1997	1,600	NA	33	1.6	92	180	<30	NA	17.05	7.07	9.98	NA
MW-6	07/31/1997	2,600	NA	8.8	5.8	140	280	<30	NA	17.05	7.43	9.62	NA
MW-6	10/30/1997	1,100	NA	3.5	<0.5	64	97	<30	NA	17.05	7.59	9.46	NA
MW-6	02/04/1998	400	NA	2.0	0.6	3.3	36	NA	NA	17.05	5.86	11.19	NA
MW-6	05/08/1998	2,100	NA	83	11	150	250	110	NA	17.05	5.79	11.26	NA
MW 6	07/21/1998	2,100	NA	65	7.4	180	380	110	NA	17.05	7.11	9.94	NA
MW-6	11/19/1998	120	NA	0.785	<0.5	<0.5	1.51	8.31	NA	17.05	7.49	9.56	NA
MW-6	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	17.05	7.07	9.98	NA
MW-7	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	6.53	10.12	NA
MW-7	02/04/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.65	6.40	10.25	NA
MW-7	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	6.52	10.13	NA
MW-7	05/06/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	NA	NA	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-2	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	6.29	10.55	NA
MW-2	02/04/1993	430	NA	45	0.5	20	30	NA	NA	16.84	6.60	10.24	NA
MW-2	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	6.36	10.48	NA
MW-2	05/06/1993	2,000	NA	460	2.4	160	66	NA	NA	16.84	6.37	10.47	NA
MW-2	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	7.04	9.80	NA
MW-2	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	09/21/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	11/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	02/07/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	05/20/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	08/22/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	8.08	8.76	NA
MW-2	11/02/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	02/14/1995	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	05/19/1995	580	NA	75	19	5.1	30	NA	NA	16.84	11.77	5.07	NA
MW-2	08/22/1995	1,200	NA	130	8.3	84	86	<10	NA	16.84	7.22	9.62	NA
MW-2	10/25/1995	350	NA	79	1.2	55	13	NA	NA	16.84	12.11	4.73	NA
MW-2	02/09/1996	<50	NA	1.5	0.5	1.1	1.5	NA	NA	16.84	NA	NA	NA
MW-2	04/11/1996	80	NA	1.5	<0.5	<0.5	<0.5	NA	NA	16.84	11.20	5.64	NA
MW-2	08/01/1996	330	NA	42	0.6	20	8.1	NA	NA	16.84	7.00	9.84	NA
MW-2	11/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	16.84	NA	NA	NA
MW-2	02/04/1997	NA	NA	NA	NA	NA	NA	NA	NA	16.84	5.48	11.36	NA
MW-2	05/02/1997	<50	NA	1.5	<0.5	<0.5	0.5	<30	NA	16.84	6.93	9.91	NA
MW-2	07/31/1997	50	NA	1.8	<0.5	<0.5	<0.5	74	NA	16.84	9.10	7.74	NA
MW-2	10/30/1997	63	NA	3.1	<0.5	0.6	1.1	34	NA	16.84	8.33	8.51	NA
MW-2	02/04/1998	<50	NA	6.5	<0.5	1.2	<0.5	NA	NA	16.84	4.88	11.96	NA
MW-2	05/08/1998	<50	NA	0.6	<0.5	<0.5	<0.5	<2.5	NA	16.84	6.00	10.84	NA
MW-2	07/21/1998	81	NA	7.2	<0.5	1.1	1.1	6.3	NA	16.84	6.92	9.92	NA
MW-2	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	16.84	7.41	9.43	NA
MW-2	02/09/1999	257	NA	16.0	0.760	<0.500	1.07	7.36	NA	16.84	6.60	10.24	NA
MW-3	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	5.82	11.04	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-3	02/04/1993	2,900	NA	180	13	210	350	NA	NA	16.86	6.01	10.85	NA
MW-3	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	5.88	10.98	NA
MW-3	05/06/1993	2,700	NA	270	6.2	300	720	NA	NA	16.86	6.38	10.48	NA
MW-3	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	NA	NA	NA
MW-3	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	7.22	9.64	NA
MW-3	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	7.87	8.99	NA
MW-3	09/27/1993	1,800	NA	92	1.7	99	240	NA	NA	16.86	8.58	8.28	NA
MW-3	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	9.13	7.73	NA
MW-3	11/15/1993	1,900	NA	100	2.4	85	280	NA	NA	16.86	8.84	8.02	NA
MW-3	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	7.80	9.06	NA
MW-3	02/07/1994	1,400	NA	69	3.3	100	320	NA	NA	16.86	8.43	8.43	NA
MW-3	05/20/1994	1,100	NA	64	19	120	180	NA	NA	16.86	6.79	10.07	NA
MW-3	08/22/1994	77	NA	4.3	<0.5	2.0	5.6	NA	NA	16.86	8.32	8.54	NA
MW-3	11/02/1994	<50	NA	0.8	<0.5	<0.5	<0.5	NA	NA	16.86	10.98	5.88	NA
MW-3	02/14/1995	1,300	NA	24	5	85	360	NA	NA	16.86	7.93	8.93	NA
MW-3	05/19/1995	5,300	NA	98	28	650	1,700	NA	NA	16.86	8.44	8.42	NA
MW-3	08/22/1995	700	NA	4.1	1.1	50	72	<10	NA	16.86	7.54	9.32	NA
MW-3	10/25/1995	<50	NA	2.4	<0.5	<0.5	1.6	NA	NA	16.86	9.03	7.83	NA
MW-3	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.86	7.05	9.81	NA
MW-3	04/11/1996	2,000	NA	11.0	3.9	190	500	NA	NA	16.86	7.44	9.42	NA
MW-3	08/01/1996	1,500	NA	8.4	<0.5	160	150	NA	NA	16.86	7.08	9.78	NA
MW-3	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	16.86	7.84	9.02	NA
MW-3	02/04/1997	1,500	NA	12	1.3	210	330	<30	NA	16.86	5.17	11.69	NA
MW-3	05/02/1997	3,100	NA	35	<3	520	540	<30	NA	16.86	6.63	10.23	NA
MW-3	07/31/1997	1,200	NA	11	<0.5	140	100	<30	NA	16.86	7.32	9.54	NA
MW-3	10/30/1997	520	NA	6.1	<0.5	58	46	<30	NA	16.86	7.46	9.40	NA
MW-3	02/04/1998	4,800	NA	25	4.0	660	1,200	NA	NA	16.86	4.18	12.68	NA
MW-3	05/08/1998	5,600	NA	17	6.7	300	590	11	NA	16.86	5.84	11.02	NA
MW-3	07/21/1998	1,400	NA	3.4	<1.0	110	270	<5.0	NA	16.86	6.75	10.11	NA
MW-3	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	16.86	7.61	9.25	NA
MW-3	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	16.86	6.31	10.55	NA
MW-4	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	5.91	11.22	NA
MW-4	02/04/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	6.14	10.99	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-4	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	5.81	11.32	NA
MW-4	05/06/1993	<50	NA	1.6	<0.5	1.0	2.1	NA	NA	17.13	6.49	10.64	NA
MW-4	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	6.34	10.79	NA
MW-4	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	7.29	9.84	NA
MW-4	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	8.02	9.11	NA
MW-4	09/27/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	NA	NA	NA
MW-4	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	9.14	7.99	NA
MW-4	11/15/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	9.01	8.12	NA
MW-4	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	7.91	9.22	NA
MW-4	02/07/1994	<50	NA	<0.5	<0.5	<0.5	2.6	NA	NA	17.13	8.02	9.11	NA
MW-4	05/20/1994	82	NA	6.2	7.6	3.3	17	NA	NA	17.13	6.85	10.28	NA
MW-4	08/22/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	8.48	8.65	NA
MW-4	11/02/1994	<50	NA	<0.5	0.6	<0.5	<0.5	NA	NA	17.13	10.52	6.61	NA
MW-4	02/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	6.99	10.14	NA
MW-4	05/19/1995	66	NA	0.8	0.6	0.9	3.6	NA	NA	17.13	7.61	9.52	NA
MW-4	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	17.13	7.62	9.51	NA
MW-4	10/25/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	8.62	8.51	NA
MW-4	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	6.60	10.53	NA
MW-4	04/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	17.13	6.54	10.59	NA
MW-4	08/01/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	7.04	10.09	NA
MW-4	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	7.95	9.18	NA
MW-4	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	5.24	11.89	NA
MW-4	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	6.61	10.52	NA
MW-4	07/31/1997	<50	NA	7.2	<0.5	0.7	2.0	<30	NA	17.13	7.40	9.73	NA
MW-4	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	7.52	9.61	NA
MW-4	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	4.28	12.85	NA
MW-4	05/08/1998	<100	NA	<1.0	<1.0	<1.0	<1.0	<5.0	NA	17.13	5.74	11.39	NA
MW-4	07/21/1998	<50	NA	2.0	2.2	1.2	6.3	<2.5	NA	17.13	6.75	10.38	NA
MW-4	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	17.13	7.51	9.62	NA
MW-4	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	17.13	6.45	10.68	NA
MW-5	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	02/04/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	5.45	10.14	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-5	05/06/1993	6,200	NA	460	980	300	1,200	NA	NA	15.59	6.00	9.59	NA
MW-5	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	7.81	7.78	NA
MW-5	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	09/27/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	11/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	02/07/1994	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	05/20/1994	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	08/22/1994	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	11/02/1994	5,700	NA	800	400	4.7	600	NA	NA	15.59	7.27	8.32	NA
MW-5	02/14/1995	1,300	NA	290	76	21	140	NA	NA	15.59	NA	NA	NA
MW-5	05/19/1995	600	NA	83	20	5.7	33	NA	NA	15.59	11.55	4.04	NA
MW-5	08/22/1995	8,100	NA	650	720	54	1,700	<50	NA	15.59	6.02	9.57	NA
MW-5	10/25/1995	1,500	NA	290	85	15	170	NA	NA	15.59	11.05	4.54	NA
MW-5	02/09/1996	1,000	NA	120	49	26	130	NA	NA	15.59	6.70	8.89	NA
MW-5	04/11/1996	210	NA	5.7	<0.5	9.2	22	NA	NA	15.59	12.21	3.38	NA
MW-5	08/01/1996	86	NA	<0.5	<0.5	<0.5	5.3	NA	NA	15.59	2.80	12.79	NA
MW-5	11/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	02/04/1997	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.59	7.01	8.58	NA
MW-5	07/31/1997	110	NA	5.8	3.2	5.8	17	<30	NA	15.59	6.78	8.81	NA
MW-5	10/30/1997	50	NA	0.8	<0.5	0.5	5.2	<30	NA	15.59	7.69	7.90	NA
MW-5	02/04/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	05/08/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	07/21/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	11/19/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	02/09/1999	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	03/01/1999	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-6	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	6.63	10.42	NA
MW-6	02/04/1993	2,300	NA	19	5.4	27	220	NA	NA	17.05	6.48	10.57	NA
MW-6	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	6.68	10.37	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-6	05/06/1993	540	NA	44	0.9	7.0	6.7	NA	NA	17.05	6.93	10.12	NA
MW 6	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.00	10.05	NA
MW-6	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.25	9.80	NA
MW-6	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.83	9.22	NA
MW 6	09/27/1993	180	NA	2.7	0.7	6.3	13	NA	NA	17.05	8.38	8.67	NA
MW-6	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	8.76	8.29	NA
MW-6	11/15/1993	180	NA	2.2	0.9	5.4	16	NA	NA	17.05	8.65	8.40	NA
MW-6	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.78	9.27	NA
MW-6	02/07/1994	240	NA	2.9	1.2	3.9	7.1	NA	NA	17.05	7.90	9.15	NA
MW-6	05/20/1994	600	NA	4.5	2.2	24	66	NA	NA	17.05	6.95	10.10	NA
MW-6	08/22/1994	400	NA	3.2	1.0	7.9	40	NA	NA	17.05	8.17	8.88	NA
MW-6	11/02/1994	150	NA	1.6	1.3	6.5	27	NA	NA	17.05	10.56	6.49	NA
MW-6	02/14/1995	770	NA	4.0	2.9	42	130	NA	NA	17.05	8.08	8.97	NA
MW-6	05/19/1995	2,400	NA	6.9	11	99	350	NA	NA	17.05	8.51	8.54	NA
MW-6	08/22/1995	190	NA	1.0	1.7	5.2	18	<10	NA	17.05	7.50	9.55	NA
MW-6	10/25/1995	910	NA	5.5	3.3	50	160	NA	NA	17.05	8.61	8.44	NA
MW-6	02/09/1996	4,100	NA	3.8	10	60	270	NA	NA	17.05	7.26	9.79	NA
MW-6	04/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.41	9.64	NA
MW 6	08/01/1996	2,200	NA	5.1	2.4	160	170	NA	NA	17.05	7.10	9.95	NA
MW-6	11/11/1996	1,000	NA	3.7	1.5	38	1,100	<30	NA	17.05	8.04	9.01	NA
MW 6	02/04/1997	2,500	NA	21	3.1	180	320	<30	NA	17.05	6.10	10.95	NA
MW-6	05/02/1997	1,600	NA	33	1.6	92	180	<30	NA	17.05	7.07	9.98	NA
MW-6	07/31/1997	2,600	NA	8.8	5.8	140	280	<30	NA	17.05	7.43	9.62	NA
MW-6	10/30/1997	1,100	NA	3.5	<0.5	64	97	<30	NA	17.05	7.59	9.46	NA
MW-6	02/04/1998	400	NA	2.0	0.6	3.3	36	NA	NA	17.05	5.86	11.19	NA
MW-6	05/08/1998	2,100	NA	83	11	150	250	110	NA	17.05	5.79	11.26	NA
MW 6	07/21/1998	2,100	NA	65	7.4	180	380	110	NA	17.05	7.11	9.94	NA
MW-6	11/19/1998	120	NA	0.785	<0.5	<0.5	1.51	8.31	NA	17.05	7.49	9.56	NA
MW-6	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	17.05	7.07	9.98	NA
MW-7	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	6.53	10.12	NA
MW-7	02/04/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.65	6.40	10.25	NA
MW-7	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	6.52	10.13	NA
MW-7	05/06/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	NA	NA	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-9	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	4.30	10.14	NA
MW-9	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	5.34	9.10	NA
MW-9	07/31/1997	120	NA	4.3	3.0	3.2	10	<30	NA	14.44	5.97	8.47	NA
MW-9	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	6.15	8.29	NA
MW-9	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	14.44	3.30	11.14	NA
MW-9	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	14.44	4.70	9.74	NA
MW-9	07/21/1998	75	NA	7.5	6.1	2.3	12	<2.5	NA	14.44	5.53	8.91	NA
MW-9	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	14.44	6.15	8.29	NA
MW-9	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	14.44	5.08	9.36	NA
MW-10	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	15.04	6.86	8.18	NA
MW-10	10/25/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	7.91	7.13	NA
MW-10	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	4.45	10.59	NA
MW-10	04/11/1996	<50	NA	0.7	1.8	1.3	7.7	NA	NA	15.04	4.61	10.43	NA
MW-10	08/01/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	6.25	8.79	NA
MW-10	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	7.42	7.62	NA
MW-10	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	4.00	11.04	NA
MW-10	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	5.52	9.52	NA
MW-10	07/31/1997	85	NA	2.6	1.4	2.3	6.8	<30	NA	15.04	6.68	8.36	NA
MW-10	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	6.92	8.12	NA
MW-10	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	1.90	13.14	NA
MW-10	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	15.04	4.29	10.75	NA
MW-10	07/21/1998	87	NA	8.9	7.1	2.7	14	<2.5	NA	15.04	5.65	9.39	NA
MW-10	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	15.04	6.69	8.35	NA
MW-10	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	15.04	4.80	10.24	NA
MW-11	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	10.61	5.12	5.49	NA
MW-11	10/25/1995	NA	NA	NA	NA	NA	NA	NA	NA	10.61	NA	NA	NA
MW-11	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	2.73	7.88	NA
MW-11	04/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	3.00	7.61	NA
MW-11	08/01/1996	76	NA	6.8	5.3	2.7	9.1	NA	NA	10.61	4.66	5.95	NA
MW-11	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	5.85	4.76	NA
MW-11	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	2.20	8.41	NA
MW-11	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	3.95	6.66	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-9	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	4.30	10.14	NA
MW-9	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	5.34	9.10	NA
MW-9	07/31/1997	120	NA	4.3	3.0	3.2	10	<30	NA	14.44	5.97	8.47	NA
MW-9	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	6.15	8.29	NA
MW-9	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	14.44	3.30	11.14	NA
MW-9	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	14.44	4.70	9.74	NA
MW-9	07/21/1998	75	NA	7.5	6.1	2.3	12	<2.5	NA	14.44	5.53	8.91	NA
MW-9	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	14.44	6.15	8.29	NA
MW-9	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	14.44	5.08	9.36	NA
MW-10	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	15.04	6.86	8.18	NA
MW-10	10/25/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	7.91	7.13	NA
MW-10	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	4.45	10.59	NA
MW-10	04/11/1996	<50	NA	0.7	1.8	1.3	7.7	NA	NA	15.04	4.61	10.43	NA
MW-10	08/01/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	6.25	8.79	NA
MW-10	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	7.42	7.62	NA
MW-10	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	4.00	11.04	NA
MW-10	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	5.52	9.52	NA
MW-10	07/31/1997	85	NA	2.6	1.4	2.3	6.8	<30	NA	15.04	6.68	8.36	NA
MW-10	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	6.92	8.12	NA
MW-10	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	1.90	13.14	NA
MW-10	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	15.04	4.29	10.75	NA
MW-10	07/21/1998	87	NA	8.9	7.1	2.7	14	<2.5	NA	15.04	5.65	9.39	NA
MW-10	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	15.04	6.69	8.35	NA
MW-10	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	15.04	4.80	10.24	NA
MW-11	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	10.61	5.12	5.49	NA
MW-11	10/25/1995	NA	NA	NA	NA	NA	NA	NA	NA	10.61	NA	NA	NA
MW-11	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	2.73	7.88	NA
MW-11	04/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	3.00	7.61	NA
MW-11	08/01/1996	76	NA	6.8	5.3	2.7	9.1	NA	NA	10.61	4.66	5.95	NA
MW-11	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	5.85	4.76	NA
MW-11	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	2.20	8.41	NA
MW-11	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	3.95	6.66	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-11	07/31/1997	170	NA	11	4.5	6.4	19	<30	NA	10.61	5.33	5.28	NA
MW-11	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	5.76	4.85	NA
MW-11	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	1.60	9.01	NA
MW-11	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	10.61	2.66	7.95	NA
MW-11	07/21/1998	160	NA	16	12	4.6	24	<2.5	NA	10.61	3.99	6.62	NA
MW-11	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	10.61	5.96	4.65	NA
MW-11	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	10.61	3.27	7.34	NA

Abbreviations

TPPH = Total petroleum hydrocarbons as gasoline by modified EPA Method 8015

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015

BTEX = benzene, toluene, ethylbenzene, xylenes

MTBE = methyl-tertiary-butyl ether by EPA Method 8020

TOC = Top of Casing Elevation

SPH = Separate Phase Hydrocarbons

GW = Groundwater

ug/L = parts per billion

msl = Mean sea level

ft = Feet

<n = Below detection limit

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-3	02/04/1993	2,900	NA	180	13	210	350	NA	NA	16.86	6.01	10.85	NA
MW-3	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	5.88	10.98	NA
MW-3	05/06/1993	2,700	NA	270	6.2	300	720	NA	NA	16.86	6.38	10.48	NA
MW-3	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	NA	NA	NA
MW-3	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	7.22	9.64	NA
MW-3	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	7.87	8.99	NA
MW-3	09/27/1993	1,800	NA	92	1.7	99	240	NA	NA	16.86	8.58	8.28	NA
MW-3	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	9.13	7.73	NA
MW-3	11/15/1993	1,900	NA	100	2.4	85	280	NA	NA	16.86	8.84	8.02	NA
MW-3	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.86	7.80	9.06	NA
MW-3	02/07/1994	1,400	NA	69	3.3	100	320	NA	NA	16.86	8.43	8.43	NA
MW-3	05/20/1994	1,100	NA	64	19	120	180	NA	NA	16.86	6.79	10.07	NA
MW-3	08/22/1994	77	NA	4.3	<0.5	2.0	5.6	NA	NA	16.86	8.32	8.54	NA
MW-3	11/02/1994	<50	NA	0.8	<0.5	<0.5	<0.5	NA	NA	16.86	10.98	5.88	NA
MW-3	02/14/1995	1,300	NA	24	5	85	360	NA	NA	16.86	7.93	8.93	NA
MW-3	05/19/1995	5,300	NA	98	28	650	1,700	NA	NA	16.86	8.44	8.42	NA
MW-3	08/22/1995	700	NA	4.1	1.1	50	72	<10	NA	16.86	7.54	9.32	NA
MW-3	10/25/1995	<50	NA	2.4	<0.5	<0.5	1.6	NA	NA	16.86	9.03	7.83	NA
MW-3	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.86	7.05	9.81	NA
MW-3	04/11/1996	2,000	NA	11.0	3.9	190	500	NA	NA	16.86	7.44	9.42	NA
MW-3	08/01/1996	1,500	NA	8.4	<0.5	160	150	NA	NA	16.86	7.08	9.78	NA
MW-3	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	16.86	7.84	9.02	NA
MW-3	02/04/1997	1,500	NA	12	1.3	210	330	<30	NA	16.86	5.17	11.69	NA
MW-3	05/02/1997	3,100	NA	35	<3	520	540	<30	NA	16.86	6.63	10.23	NA
MW-3	07/31/1997	1,200	NA	11	<0.5	140	100	<30	NA	16.86	7.32	9.54	NA
MW-3	10/30/1997	520	NA	6.1	<0.5	58	46	<30	NA	16.86	7.46	9.40	NA
MW-3	02/04/1998	4,800	NA	25	4.0	660	1,200	NA	NA	16.86	4.18	12.68	NA
MW-3	05/08/1998	5,600	NA	17	6.7	300	590	11	NA	16.86	5.84	11.02	NA
MW-3	07/21/1998	1,400	NA	3.4	<1.0	110	270	<5.0	NA	16.86	6.75	10.11	NA
MW-3	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	16.86	7.61	9.25	NA
MW-3	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	16.86	6.31	10.55	NA
MW-4	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	5.91	11.22	NA
MW-4	02/04/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	6.14	10.99	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-4	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	5.81	11.32	NA
MW-4	05/06/1993	<50	NA	1.6	<0.5	1.0	2.1	NA	NA	17.13	6.49	10.64	NA
MW-4	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	6.34	10.79	NA
MW-4	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	7.29	9.84	NA
MW-4	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	8.02	9.11	NA
MW-4	09/27/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	NA	NA	NA
MW-4	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	9.14	7.99	NA
MW-4	11/15/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	9.01	8.12	NA
MW-4	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.13	7.91	9.22	NA
MW-4	02/07/1994	<50	NA	<0.5	<0.5	<0.5	2.6	NA	NA	17.13	8.02	9.11	NA
MW-4	05/20/1994	82	NA	6.2	7.6	3.3	17	NA	NA	17.13	6.85	10.28	NA
MW-4	08/22/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	8.48	8.65	NA
MW-4	11/02/1994	<50	NA	<0.5	0.6	<0.5	<0.5	NA	NA	17.13	10.52	6.61	NA
MW-4	02/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	6.99	10.14	NA
MW-4	05/19/1995	66	NA	0.8	0.6	0.9	3.6	NA	NA	17.13	7.61	9.52	NA
MW-4	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	17.13	7.62	9.51	NA
MW-4	10/25/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	8.62	8.51	NA
MW-4	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	6.60	10.53	NA
MW-4	04/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	17.13	6.54	10.59	NA
MW-4	08/01/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	7.04	10.09	NA
MW-4	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	7.95	9.18	NA
MW-4	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	5.24	11.89	NA
MW-4	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	6.61	10.52	NA
MW-4	07/31/1997	<50	NA	7.2	<0.5	0.7	2.0	<30	NA	17.13	7.40	9.73	NA
MW-4	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	17.13	7.52	9.61	NA
MW-4	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	17.13	4.28	12.85	NA
MW-4	05/08/1998	<100	NA	<1.0	<1.0	<1.0	<1.0	<5.0	NA	17.13	5.74	11.39	NA
MW-4	07/21/1998	<50	NA	2.0	2.2	1.2	6.3	<2.5	NA	17.13	6.75	10.38	NA
MW-4	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	17.13	7.51	9.62	NA
MW-4	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	17.13	6.45	10.68	NA
MW-5	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	02/04/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	5.45	10.14	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-5	05/06/1993	6,200	NA	460	980	300	1,200	NA	NA	15.59	6.00	9.59	NA
MW-5	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	7.81	7.78	NA
MW-5	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	09/27/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	11/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	02/07/1994	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	05/20/1994	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	08/22/1994	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	11/02/1994	5,700	NA	800	400	4.7	600	NA	NA	15.59	7.27	8.32	NA
MW-5	02/14/1995	1,300	NA	290	76	21	140	NA	NA	15.59	NA	NA	NA
MW-5	05/19/1995	600	NA	83	20	5.7	33	NA	NA	15.59	11.55	4.04	NA
MW-5	08/22/1995	8,100	NA	650	720	54	1,700	<50	NA	15.59	6.02	9.57	NA
MW-5	10/25/1995	1,500	NA	290	85	15	170	NA	NA	15.59	11.05	4.54	NA
MW-5	02/09/1996	1,000	NA	120	49	26	130	NA	NA	15.59	6.70	8.89	NA
MW-5	04/11/1996	210	NA	5.7	<0.5	9.2	22	NA	NA	15.59	12.21	3.38	NA
MW-5	08/01/1996	86	NA	<0.5	<0.5	<0.5	5.3	NA	NA	15.59	2.80	12.79	NA
MW-5	11/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	02/04/1997	NA	NA	NA	NA	NA	NA	NA	NA	15.59	NA	NA	NA
MW-5	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.59	7.01	8.58	NA
MW-5	07/31/1997	110	NA	5.8	3.2	5.8	17	<30	NA	15.59	6.78	8.81	NA
MW-5	10/30/1997	50	NA	0.8	<0.5	0.5	5.2	<30	NA	15.59	7.69	7.90	NA
MW-5	02/04/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	05/08/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	07/21/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	11/19/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	02/09/1999	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5	03/01/1999	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-6	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	6.63	10.42	NA
MW-6	02/04/1993	2,300	NA	19	5.4	27	220	NA	NA	17.05	6.48	10.57	NA
MW-6	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	6.68	10.37	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-6	05/06/1993	540	NA	44	0.9	7.0	6.7	NA	NA	17.05	6.93	10.12	NA
MW 6	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.00	10.05	NA
MW-6	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.25	9.80	NA
MW-6	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.83	9.22	NA
MW 6	09/27/1993	180	NA	2.7	0.7	6.3	13	NA	NA	17.05	8.38	8.67	NA
MW-6	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	8.76	8.29	NA
MW-6	11/15/1993	180	NA	2.2	0.9	5.4	16	NA	NA	17.05	8.65	8.40	NA
MW-6	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.78	9.27	NA
MW-6	02/07/1994	240	NA	2.9	1.2	3.9	7.1	NA	NA	17.05	7.90	9.15	NA
MW-6	05/20/1994	600	NA	4.5	2.2	24	66	NA	NA	17.05	6.95	10.10	NA
MW-6	08/22/1994	400	NA	3.2	1.0	7.9	40	NA	NA	17.05	8.17	8.88	NA
MW-6	11/02/1994	150	NA	1.6	1.3	6.5	27	NA	NA	17.05	10.56	6.49	NA
MW-6	02/14/1995	770	NA	4.0	2.9	42	130	NA	NA	17.05	8.08	8.97	NA
MW-6	05/19/1995	2,400	NA	6.9	11	99	350	NA	NA	17.05	8.51	8.54	NA
MW-6	08/22/1995	190	NA	1.0	1.7	5.2	18	<10	NA	17.05	7.50	9.55	NA
MW-6	10/25/1995	910	NA	5.5	3.3	50	160	NA	NA	17.05	8.61	8.44	NA
MW-6	02/09/1996	4,100	NA	3.8	10	60	270	NA	NA	17.05	7.26	9.79	NA
MW-6	04/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	17.05	7.41	9.64	NA
MW 6	08/01/1996	2,200	NA	5.1	2.4	160	170	NA	NA	17.05	7.10	9.95	NA
MW-6	11/11/1996	1,000	NA	3.7	1.5	38	1,100	<30	NA	17.05	8.04	9.01	NA
MW 6	02/04/1997	2,500	NA	21	3.1	180	320	<30	NA	17.05	6.10	10.95	NA
MW-6	05/02/1997	1,600	NA	33	1.6	92	180	<30	NA	17.05	7.07	9.98	NA
MW-6	07/31/1997	2,600	NA	8.8	5.8	140	280	<30	NA	17.05	7.43	9.62	NA
MW-6	10/30/1997	1,100	NA	3.5	<0.5	64	97	<30	NA	17.05	7.59	9.46	NA
MW-6	02/04/1998	400	NA	2.0	0.6	3.3	36	NA	NA	17.05	5.86	11.19	NA
MW-6	05/08/1998	2,100	NA	83	11	150	250	110	NA	17.05	5.79	11.26	NA
MW 6	07/21/1998	2,100	NA	65	7.4	180	380	110	NA	17.05	7.11	9.94	NA
MW-6	11/19/1998	120	NA	0.785	<0.5	<0.5	1.51	8.31	NA	17.05	7.49	9.56	NA
MW-6	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	17.05	7.07	9.98	NA
MW-7	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	6.53	10.12	NA
MW-7	02/04/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.65	6.40	10.25	NA
MW-7	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	6.52	10.13	NA
MW-7	05/06/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	NA	NA	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-9	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	4.30	10.14	NA
MW-9	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	5.34	9.10	NA
MW-9	07/31/1997	120	NA	4.3	3.0	3.2	10	<30	NA	14.44	5.97	8.47	NA
MW-9	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	6.15	8.29	NA
MW-9	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	14.44	3.30	11.14	NA
MW-9	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	14.44	4.70	9.74	NA
MW-9	07/21/1998	75	NA	7.5	6.1	2.3	12	<2.5	NA	14.44	5.53	8.91	NA
MW-9	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	14.44	6.15	8.29	NA
MW-9	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	14.44	5.08	9.36	NA
MW-10	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	15.04	6.86	8.18	NA
MW-10	10/25/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	7.91	7.13	NA
MW-10	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	4.45	10.59	NA
MW-10	04/11/1996	<50	NA	0.7	1.8	1.3	7.7	NA	NA	15.04	4.61	10.43	NA
MW-10	08/01/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	6.25	8.79	NA
MW-10	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	7.42	7.62	NA
MW-10	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	4.00	11.04	NA
MW-10	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	5.52	9.52	NA
MW-10	07/31/1997	85	NA	2.6	1.4	2.3	6.8	<30	NA	15.04	6.68	8.36	NA
MW-10	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	6.92	8.12	NA
MW-10	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	1.90	13.14	NA
MW-10	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	15.04	4.29	10.75	NA
MW-10	07/21/1998	87	NA	8.9	7.1	2.7	14	<2.5	NA	15.04	5.65	9.39	NA
MW-10	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	15.04	6.69	8.35	NA
MW-10	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	15.04	4.80	10.24	NA
MW-11	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	10.61	5.12	5.49	NA
MW-11	10/25/1995	NA	NA	NA	NA	NA	NA	NA	NA	10.61	NA	NA	NA
MW-11	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	2.73	7.88	NA
MW-11	04/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	3.00	7.61	NA
MW-11	08/01/1996	76	NA	6.8	5.3	2.7	9.1	NA	NA	10.61	4.66	5.95	NA
MW-11	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	5.85	4.76	NA
MW-11	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	2.20	8.41	NA
MW-11	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	3.95	6.66	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-9	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	4.30	10.14	NA
MW-9	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	5.34	9.10	NA
MW-9	07/31/1997	120	NA	4.3	3.0	3.2	10	<30	NA	14.44	5.97	8.47	NA
MW-9	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	6.15	8.29	NA
MW-9	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	14.44	3.30	11.14	NA
MW-9	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	14.44	4.70	9.74	NA
MW-9	07/21/1998	75	NA	7.5	6.1	2.3	12	<2.5	NA	14.44	5.53	8.91	NA
MW-9	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	14.44	6.15	8.29	NA
MW-9	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	14.44	5.08	9.36	NA
MW-10	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	15.04	6.86	8.18	NA
MW-10	10/25/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	7.91	7.13	NA
MW-10	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	4.45	10.59	NA
MW-10	04/11/1996	<50	NA	0.7	1.8	1.3	7.7	NA	NA	15.04	4.61	10.43	NA
MW-10	08/01/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	6.25	8.79	NA
MW-10	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	7.42	7.62	NA
MW-10	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	4.00	11.04	NA
MW-10	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	5.52	9.52	NA
MW-10	07/31/1997	85	NA	2.6	1.4	2.3	6.8	<30	NA	15.04	6.68	8.36	NA
MW-10	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	6.92	8.12	NA
MW-10	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	1.90	13.14	NA
MW-10	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	15.04	4.29	10.75	NA
MW-10	07/21/1998	87	NA	8.9	7.1	2.7	14	<2.5	NA	15.04	5.65	9.39	NA
MW-10	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	15.04	6.69	8.35	NA
MW-10	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	15.04	4.80	10.24	NA
MW-11	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	10.61	5.12	5.49	NA
MW-11	10/25/1995	NA	NA	NA	NA	NA	NA	NA	NA	10.61	NA	NA	NA
MW-11	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	2.73	7.88	NA
MW-11	04/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	3.00	7.61	NA
MW-11	08/01/1996	76	NA	6.8	5.3	2.7	9.1	NA	NA	10.61	4.66	5.95	NA
MW-11	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	5.85	4.76	NA
MW-11	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	2.20	8.41	NA
MW-11	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	3.95	6.66	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-11	07/31/1997	170	NA	11	4.5	6.4	19	<30	NA	10.61	5.33	5.28	NA
MW-11	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	5.76	4.85	NA
MW-11	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	1.60	9.01	NA
MW-11	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	10.61	2.66	7.95	NA
MW-11	07/21/1998	160	NA	16	12	4.6	24	<2.5	NA	10.61	3.99	6.62	NA
MW-11	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	10.61	5.96	4.65	NA
MW-11	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	10.61	3.27	7.34	NA

Abbreviations

TPPH = Total petroleum hydrocarbons as gasoline by modified EPA Method 8015

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015

BTEX = benzene, toluene, ethylbenzene, xylenes

MTBE = methyl-tertiary-butyl ether by EPA Method 8020

TOC = Top of Casing Elevation

SPH = Separate Phase Hydrocarbons

GW = Groundwater

ug/L = parts per billion

msl = Mean sea level

ft = Feet

<n = Below detection limit



SEQUOIA ANALYTICAL CHAIN OF CUSTODY

680; Chesapeake Drive • Redwood City, CA 94063 • (650) 364-9600 FAX (650) 364-9233
 819 Striker Ave., Suite 8 • Sacramento, CA 95834 • (916) 921-9600 FAX (916) 921-0100
 404 N. Wiget Lane • Walnut Creek, CA 94598 • (510) 988-9600 FAX (510) 988-9673

Company Name: TRM1 EHS		Project Name: 990209-C1	
Address: Texaco Loc. #624881450, 1127 Lincoln Ave.		Billing Address (if different): 108 Cutting Boulevard	
City: Alameda	State: CA	Zip Code:	Richmond, California 94804
Telephone (510) 236-3541	FAX #: (510) 237-7821	P.O. #:	
Report to Deidre Kerwin (BTS)	Sampler:	QC Data: <input type="checkbox"/> Level D (Standard) <input type="checkbox"/> Level C <input type="checkbox"/> Level B <input type="checkbox"/> Level A	

Turnaround 10 Working Days 3 Working Days 2 - 8 Hours
 Time: 7 Working Days 2 Working Days
 5 Working Days 24 Hours

Analyses Requested
 Drinking Water
 Waste Water
 Other

Client Sample ID	Date/Time Sampled	Matrix Desc.	# of Cont.	Cont. Type	Sequoia's Sample #	Analyses Requested					Comments	
						TPH-g/BTEX +MTBE	TPH Diesel	O&G/TPPH (418.1)	Nitrate	Sulfate		Total Sulfide
1 MW1	2/9/99	W	3	VOA	P00260-d	X						
2 MW2					-02	X						
3 MW3					-03	X						
4 MW4					-04	X						
5 MW6					-05	X						
6 MW8					-06	X						
7 MW9					-07	X						
8 MW10					-08	X						
9 MW11					-09	X						

COOLER CUSTODY SEALS INTACT NOT INTACT
 COOLER TEMPERATURE 6 °S

Relinquished By: <i>[Signature]</i>	Date: 2/10	Time: 11:20	Received By: <i>[Signature]</i>	Date: 2/10/99	Time: 11:20
Relinquished By: <i>[Signature]</i>	Date: 2/10	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By Lab: <i>[Signature]</i>	Date: 2/10/99	Time: 1:32

Pink - Client
 Yellow - Sequoia
 White - Sequoia

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-7	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	6.69	9.96	NA
MW-7	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	NA	NA	NA
MW-7	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	NA	NA	NA
MW-7	09/27/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.65	NA	NA	NA
MW-7	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	16.65	7.97	8.68	NA
MW-7	11/15/1993	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.65	8.24	8.41	NA
MW-7	12/17/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.65	8.22	8.43	NA
MW-7	02/07/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.65	NA	NA	NA
MW-7	05/20/1994	NA	NA	NA	NA	NA	NA	NA	NA	16.65	NA	NA	NA
MW-7	08/22/1994	130	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.65	7.78	8.87	NA
MW-7	11/02/1994	73	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.65	9.70	6.95	NA
MW-7	02/14/1995	NA	NA	NA	NA	NA	NA	NA	NA	16.65	NA	NA	NA
MW-7	05/19/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.65	NA	NA	NA
MW-7	08/22/1995	400	NA	<0.5	<0.5	<0.5	2.3	NA	NA	16.65	7.33	9.32	NA
MW-7	10/25/1995	NA	NA	NA	NA	NA	0.8	<10	NA	16.65	6.72	9.93	NA
MW-7	02/09/1996	NA	NA	NA	NA	NA	NA	NA	NA	16.65	NA	NA	NA
MW-7	04/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	16.65	7.06	9.59	NA
MW-7	08/01/1996	460	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	16.65	NA	NA	NA
MW-7	11/11/1996	NA	NA	NA	NA	NA	NA	NA	NA	16.65	6.94	9.71	NA
MW-7	02/04/1997	NA	NA	NA	NA	NA	NA	NA	NA	16.65	NA	NA	NA
MW-7	05/02/1997	150	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	16.65	NA	NA	NA
MW-7	07/31/1997	100	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	16.65	6.58	10.07	NA
MW-7	10/30/1997	74	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	16.65	7.04	9.61	NA
MW-7	02/04/1998	Well inaccessible		NA	NA	NA	NA	<30	NA	16.65	7.02	9.63	NA
MW-7	05/08/1998	65	NA	<0.5	<0.5	<0.5	1.0	<2.5	NA	16.65	NA	NA	NA
MW-7	07/21/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	16.65	6.22	10.43	NA
MW-7	11/19/1998	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-7	02/09/1999	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-8	01/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.87	5.30	10.57	NA
MW-8	02/04/1993	540	NA	150	3.7	5.2	10.0	NA	NA	15.87	5.62	10.25	NA
MW-8	03/09/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.87	5.56	10.31	NA
MW-8	05/06/1993	22,000	NA	9,400	46	390	520	NA	NA	15.87	5.99	9.88	NA
MW-8	06/15/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.87	6.32	9.55	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-8	07/26/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.87	6.75	9.12	NA
MW-8	08/31/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.87	7.35	8.52	NA
MW-8	09/27/1993	8,000	NA	1,700	22	30	75	NA	NA	15.87	7.86	8.01	NA
MW-8	10/19/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.87	8.27	7.60	NA
MW-8	11/15/1993	2,000	NA	840	8.8	15	42	NA	NA	15.87	8.17	7.70	NA
MW-8	12/17/1993	NA	NA	NA	NA	NA	NA	NA	NA	15.87	7.14	8.73	NA
MW-8	02/07/1994	1,700	NA	460	0.6	13	5.0	NA	NA	15.87	7.26	8.61	NA
MW-8	05/20/1994	110	NA	98	1.4	1.3	3.4	NA	NA	15.87	6.17	9.70	NA
MW-8	08/22/1994	51	NA	16	<0.5	<0.5	<0.5	NA	NA	15.87	7.63	8.24	NA
MW-8	11/02/1994	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.87	10.16	5.71	NA
MW-8	02/14/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.87	7.32	8.55	NA
MW-8	05/19/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.87	7.83	8.04	NA
MW-8	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	15.87	6.98	8.89	NA
MW-8	10/25/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.87	8.16	7.71	NA
MW-8	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.87	4.89	10.98	NA
MW-8	04/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.87	8.48	7.39	NA
MW-8	08/01/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.87	6.60	9.27	NA
MW-8	11/11/1996	<50	NA	1.3	<0.5	<0.5	0.67	<30	NA	15.87	7.28	8.59	NA
MW-8	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.87	5.39	10.48	NA
MW-8	05/02/1997	<50	NA	1.6	<0.5	<0.5	<0.5	<30	NA	15.87	6.28	9.59	NA
MW-8	07/31/1997	960	NA	520	<0.5	2.3	6.4	<30	NA	15.87	6.84	9.03	NA
MW-8	10/30/1997	150	NA	51	<0.5	2.5	<0.5	<30	NA	15.87	6.66	9.21	NA
MW-8	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.87	3.76	12.11	NA
MW-8	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	5.4	NA	15.87	5.48	10.39	NA
MW-8	07/21/1998	58	NA	6.8	2.5	1.2	6.6	<2.5	NA	15.87	6.50	9.37	NA
MW-8	11/19/1998	<50	NA	1.20	<0.5	<0.5	<0.5	<2.0	NA	15.87	6.81	9.06	NA
MW-8	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	15.87	5.75	10.12	NA
MW-9	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	14.44	6.00	8.44	NA
MW-9	10/25/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	14.44	6.71	7.73	NA
MW-9	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	14.44	4.87	9.57	NA
MW-9	04/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	14.44	5.40	9.04	NA
MW-9	08/01/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	14.44	5.69	8.75	NA
MW-9	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	6.44	8.00	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-9	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	4.30	10.14	NA
MW-9	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	5.34	9.10	NA
MW-9	07/31/1997	120	NA	4.3	3.0	3.2	10	<30	NA	14.44	5.97	8.47	NA
MW-9	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	14.44	6.15	8.29	NA
MW-9	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	14.44	3.30	11.14	NA
MW-9	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	14.44	4.70	9.74	NA
MW-9	07/21/1998	75	NA	7.5	6.1	2.3	12	<2.5	NA	14.44	5.53	8.91	NA
MW-9	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	14.44	6.15	8.29	NA
MW-9	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	14.44	5.08	9.36	NA
MW-10	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	15.04	6.86	8.18	NA
MW-10	10/25/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	7.91	7.13	NA
MW-10	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	4.45	10.59	NA
MW-10	04/11/1996	<50	NA	0.7	1.8	1.3	7.7	NA	NA	15.04	4.61	10.43	NA
MW-10	08/01/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	6.25	8.79	NA
MW-10	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	7.42	7.62	NA
MW-10	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	4.00	11.04	NA
MW-10	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	5.52	9.52	NA
MW-10	07/31/1997	85	NA	2.6	1.4	2.3	6.8	<30	NA	15.04	6.68	8.36	NA
MW-10	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	15.04	6.92	8.12	NA
MW-10	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	15.04	1.90	13.14	NA
MW-10	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	15.04	4.29	10.75	NA
MW-10	07/21/1998	87	NA	8.9	7.1	2.7	14	<2.5	NA	15.04	5.65	9.39	NA
MW-10	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	15.04	6.69	8.35	NA
MW-10	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	15.04	4.80	10.24	NA
MW-11	08/22/1995	<50	NA	<0.5	<0.5	<0.5	<0.5	<10	NA	10.61	5.12	5.49	NA
MW-11	10/25/1995	NA	NA	NA	NA	NA	NA	NA	NA	10.61	NA	NA	NA
MW-11	02/09/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	2.73	7.88	NA
MW-11	04/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	3.00	7.61	NA
MW-11	08/01/1996	76	NA	6.8	5.3	2.7	9.1	NA	NA	10.61	4.66	5.95	NA
MW-11	11/11/1996	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	5.85	4.76	NA
MW-11	02/04/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	2.20	8.41	NA
MW-11	05/02/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	3.95	6.66	NA

WELL CONCENTRATIONS
Former Texaco Service Station
1127 Lincoln Avenue
Alameda, California

Well ID	Date	TPPH (ug/L)	TEPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	SPH Thickness (ft.)
MW-11	07/31/1997	170	NA	11	4.5	6.4	19	<30	NA	10.61	5.33	5.28	NA
MW-11	10/30/1997	<50	NA	<0.5	<0.5	<0.5	<0.5	<30	NA	10.61	5.76	4.85	NA
MW-11	02/04/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	NA	NA	10.61	1.60	9.01	NA
MW-11	05/08/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.5	NA	10.61	2.66	7.95	NA
MW-11	07/21/1998	160	NA	16	12	4.6	24	<2.5	NA	10.61	3.99	6.62	NA
MW-11	11/19/1998	<50	NA	<0.5	<0.5	<0.5	<0.5	<2.0	NA	10.61	5.96	4.65	NA
MW-11	02/09/1999	<50.0	NA	<0.500	<0.500	<0.500	<0.500	<2.00	NA	10.61	3.27	7.34	NA

Abbreviations

TPPH = Total petroleum hydrocarbons as gasoline by modified EPA Method 8015

TEPH = Total petroleum hydrocarbons as diesel by modified EPA Method 8015

BTEX = benzene, toluene, ethylbenzene, xylenes

MTBE = methyl-tertiary-butyl ether by EPA Method 8020

TOC = Top of Casing Elevation

SPH = Separate Phase Hydrocarbons

GW = Groundwater

ug/L = parts per billion

msl = Mean sea level

ft = Feet

<n = Below detection limit



Sequoia
Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(925) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (925) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342

February 24, 1999

Deidre Kerwin
Blaine Technical Services, Inc.
1680 Rogers Ave.
San Jose, CA 95112

RE: Texaco/P902260

Dear Deidre Kerwin

Enclosed are the results of analyses for sample(s) received by the laboratory on February 11, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Scott Forbes
Project Manager

CA ELAP Certificate Number 2245





**Sequoia
Analytical**

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(925) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (925) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342

Blaine Technical Services, Inc. 1680 Rogers Ave. San Jose, CA 95112	Project: Texaco Project Number: 1127 Lincoln Ave, Alameda/990209-C1 Project Manager: Deidre Kerwin	Sampled: 2/9/99 Received: 2/11/99 Reported: 2/24/99
---	--	---

ANALYTICAL REPORT FOR P902260

Sample Description	Laboratory Sample Number	Sample Matrix	Date Sampled
MW 1	P902260-01	Water	2/9/99
MW 2	P902260-02	Water	2/9/99
MW 3	P902260-03	Water	2/9/99
MW 4	P902260-04	Water	2/9/99
MW 6	P902260-05	Water	2/9/99
MW 8	P902260-06	Water	2/9/99
MW 9	P902260-07	Water	2/9/99
MW 10	P902260-08	Water	2/9/99
MW 11	P902260-09	Water	2/9/99





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8
1455 McDowell Blvd. North, Ste. D

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834
Petaluma, CA 94954

(650) 364-9600
(925) 988-9600
(916) 921-9600
(707) 792-1865

FAX (650) 364-9233
FAX (925) 988-9673
FAX (916) 921-0100
FAX (707) 792-0342

Blaine Technical Services, Inc. 1680 Rogers Ave. San Jose, CA 95112	Project: Texaco Project Number: 1127 Lincoln Ave, Alameda/990209-C1 Project Manager: Deidre Kerwin	Sampled: 2/9/99 Received: 2/11/99 Reported: 2/24/99
---	--	---

Total Petroleum Hydrocarbons as Gasoline and BTEX by EPA 8015M/8020M Sequoia Analytical - Petaluma

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
				<u>P902260-01</u>				
						<u>Water</u>		
Gasoline	9020464	2/22/99	2/22/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	ND	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.00	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	65.0-135		107	%	
Surrogate: 4-Bromofluorobenzene	"	"	"	65.0-135		102	"	
				<u>P902260-02</u>				
						<u>Water</u>		
Gasoline	9020464	2/22/99	2/22/99		50.0	257	ug/l	
Benzene	"	"	"		0.500	16.0	"	
Toluene	"	"	"		0.500	0.760	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	1.07	"	
Methyl tert-butyl ether	"	"	"		2.00	7.36	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	65.0-135		109	%	
Surrogate: 4-Bromofluorobenzene	"	"	"	65.0-135		99.7	"	
				<u>P902260-03</u>				
						<u>Water</u>		
Gasoline	9020464	2/22/99	2/22/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	ND	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.00	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	65.0-135		107	%	
Surrogate: 4-Bromofluorobenzene	"	"	"	65.0-135		99.3	"	
				<u>P902260-04</u>				
						<u>Water</u>		
Gasoline	9020464	2/22/99	2/22/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	ND	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.00	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	65.0-135		102	%	
Surrogate: 4-Bromofluorobenzene	"	"	"	65.0-135		94.7	"	
				<u>P902260-05</u>				
						<u>Water</u>		
Gasoline	9020464	2/22/99	2/22/99		50.0	ND	ug/l	





Blaine Technical Services, Inc. 1680 Rogers Ave. San Jose, CA 95112	Project: Texaco Project Number: 1127 Lincoln Ave, Alameda/990209-C1 Project Manager: Deidre Kerwin	Sampled: 2/9/99 Received: 2/11/99 Reported: 2/24/99
---	--	---

**Total Petroleum Hydrocarbons as Gasoline and BTEX by EPA 8015M/8020M
Sequoia Analytical - Petaluma**

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
MW 6 (continued)				P902260-05			Water	
Benzene	9020464	2/22/99	2/22/99		0.500	ND	ug/l	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.00	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	65.0-135		108	%	
Surrogate: 4-Bromofluorobenzene	"	"	"	65.0-135		104	"	
MW 8				P902260-06			Water	
Gasoline	9020464	2/22/99	2/22/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	ND	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.00	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	65.0-135		109	%	
Surrogate: 4-Bromofluorobenzene	"	"	"	65.0-135		100	"	
MW 9				P902260-07			Water	
Gasoline	9020464	2/22/99	2/22/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	ND	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.00	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	65.0-135		108	%	
Surrogate: 4-Bromofluorobenzene	"	"	"	65.0-135		98.7	"	
MW 10				P902260-08			Water	
Gasoline	9020464	2/22/99	2/22/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	ND	"	
Toluene	"	"	"		0.500	ND	"	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.00	ND	"	
Surrogate: a,a,a-Trifluorotoluene	"	"	"	65.0-135		106	%	
Surrogate: 4-Bromofluorobenzene	"	"	"	65.0-135		100	"	
MW 11				P902260-09			Water	
Gasoline	9020464	2/22/99	2/22/99		50.0	ND	ug/l	
Benzene	"	"	"		0.500	ND	"	



Blaine Technical Services, Inc. 1680 Rogers Ave. San Jose, CA 95112	Project: Texaco Project Number: 1127 Lincoln Ave, Alameda/990209-C1 Project Manager: Deidre Kerwin	Sampled: 2/9/99 Received: 2/11/99 Reported: 2/24/99
---	--	---

**Total Petroleum Hydrocarbons as Gasoline and BTEX by EPA 8015M/8020M
Sequoia Analytical - Petaluma**

Analyte	Batch Number	Date Prepared	Date Analyzed	Surrogate Limits	Reporting Limit	Result	Units	Notes*
<u>MW 11 (continued)</u>				<u>P902260-09</u>			<u>Water</u>	
Toluene	9020464	2/22/99	2/22/99		0.500	ND	ug/l	
Ethylbenzene	"	"	"		0.500	ND	"	
Xylenes (total)	"	"	"		0.500	ND	"	
Methyl tert-butyl ether	"	"	"		2.00	ND	"	
Surrogate: <i>a,a,a-Trifluorotoluene</i>	"	"	"	65.0-135		110	%	
Surrogate: <i>4-Bromofluorobenzene</i>	"	"	"	65.0-135		101	"	





Blaine Technical Services, Inc. 1680 Rogers Ave. San Jose, CA 95112	Project: Texaco Project Number: 1127 Lincoln Ave, Alameda/990209-C1 Project Manager: Deidre Kerwin	Sampled: 2/9/99 Received: 2/11/99 Reported: 2/24/99
---	--	---

**Total Petroleum Hydrocarbons as Gasoline and BTEX by EPA 8015M/8020M/Quality Control
Sequoia Analytical - Petaluma**

Analyte	Date Analyzed	Spike Level	Sample Result	QC Result	Units	Reporting Limit Recov. Limits	Recov. %	RPD Limit	RPD %	Notes*
Batch: 9020464		Date Prepared: 2/22/99		Extraction Method: EPA 5030 waters						
Blank		9020464-BLK1								
Gasoline	2/22/99			ND	ug/l	50.0				
Benzene	"			ND	"	0.500				
Toluene	"			ND	"	0.500				
Ethylbenzene	"			ND	"	0.500				
Xylenes (total)	"			ND	"	0.500				
Methyl tert-butyl ether	"			ND	"	2.00				
Surrogate: a,a,a-Trifluorotoluene	"	300		329	"	65.0-135	110			
Surrogate: 4-Bromofluorobenzene	"	300		297	"	65.0-135	99.0			
LCS		9020464-BS1								
Gasoline	2/22/99	1000		842	ug/l	65.0-135	84.2			
Surrogate: 4-Bromofluorobenzene	"	300		293	"	65.0-135	97.7			
Matrix Spike		9020464-MS1		P902260-01						
Gasoline	2/22/99	1000	ND	955	ug/l	65.0-135	95.5			
Surrogate: 4-Bromofluorobenzene	"	300		279	"	65.0-135	93.0			
Matrix Spike Dup		9020464-MSD1		P902260-01						
Gasoline	2/22/99	1000	ND	1020	ug/l	65.0-135	102	20.0	6.58	
Surrogate: 4-Bromofluorobenzene	"	300		287	"	65.0-135	95.7			



Blaine Technical Services, Inc. 1680 Rogers Ave. San Jose, CA 95112	Project: Texaco Project Number: 1127 Lincoln Ave, Alameda/990209-C1 Project Manager: Deidre Kerwin	Sampled: 2/9/99 Received: 2/11/99 Reported: 2/24/99
---	--	---

Notes and Definitions

#	Note
---	------

- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- Recov. Recovery
- RPD Relative Percent Difference





SEQUOIA ANALYTICAL CHAIN OF CUSTODY

680; Chesapeake Drive • Redwood City, CA 94063 • (650) 364-9600 FAX (650) 364-9233
 819 Striker Ave., Suite 8 • Sacramento, CA 95834 • (916) 921-9600 FAX (916) 921-0100
 404 N. Wiget Lane • Walnut Creek, CA 94598 • (510) 988-9600 FAX (510) 988-9673

Company Name: TRM1 EHS		Project Name: 990209-C1	
Address: Texaco Loc. #624881450, 1127 Lincoln Ave.		Billing Address (if different): 108 Cutting Boulevard	
City: Alameda	State: CA	Zip Code:	Richmond, California 94804
Telephone (510) 236-3541	FAX #: (510) 237-7821	P.O. #:	
Report to Deidre Kerwin (BTS)	Sampler:	QC Data: <input type="checkbox"/> Level D (Standard) <input type="checkbox"/> Level C <input type="checkbox"/> Level B <input type="checkbox"/> Level A	

Turnaround 10 Working Days 3 Working Days 2 - 8 Hours
 Time: 7 Working Days 2 Working Days
 5 Working Days 24 Hours

Analyses Requested
 Drinking Water
 Waste Water
 Other

Client Sample ID	Date/Time Sampled	Matrix Desc.	# of Cont.	Cont. Type	Sequoia's Sample #	Analyses Requested					Comments	
						TPH-g/BTEX +MTBE	TPH Diesel	O&G/TPPH (418.1)	Nitrate	Sulfate		Total Sulfide
1 MW1	2/9/99	W	3	VOA	P00260-01	X						
2 MW2					-02	X						
3 MW3					-03	X						
4 MW4					-04	X						
5 MW6					-05	X						
6 MW8					-06	X						
7 MW9					-07	X						
8 MW10					-08	X						
9 MW11					-09	X						

COOLER CUSTODY SEALS INTACT NOT INTACT
 COOLER TEMPERATURE 6 °S

Relinquished By: <i>[Signature]</i>	Date: 2/10	Time: 11:20	Received By: <i>[Signature]</i>	Date: 2/10/99	Time: 11:20
Relinquished By: <i>[Signature]</i>	Date: 2/10	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By Lab: <i>[Signature]</i>	Date: 2/10/99	Time: 1:32

Pink - Client
 Yellow - Sequoia
 White - Sequoia

TEXACO WELL MONITORING DATA SHEET

Project #: 990209-C1	Texaco ID#: 624881450
Sampler: CM	Date: 2-9-99
Well I.D.: MW1	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth: 19.00	Depth to Water: 440
Depth to Free Product:	Thickness of Free Product:
All Measurements are referenced to TOC. Meter used is Myron LpDS pH/EC Meter. All temperatures taken in degrees Fahrenheit.	

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.17	5"	1.02
3"	0.38	6"	1.50
4"	0.66	8"	2.60
4.5"	0.83	Other	radius ² * 0.164

Purge Method: S.S. Bailer Sampling Method: S.S. Bailer ~~X~~
 Teflon Bailer Teflon Bailer
 Middleburg Extraction Port
 Electric Submersible Other: _____
 Extraction Pump

Other: _____

<u>9.5</u>	x	<u>3</u>	=	<u>28.5</u> Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Color/Odor
10:30	61.3	7.1	380	48	10	
10:31	61.4	7.0	200	30	20	
10:32	60.9	7.0	200	30	29	

Did well dewater? Yes <u>No</u>	Gallons actually evacuated: 29
Sampling Time: 1037	Sampling Date: 2-9-99
Sample I.D.: MW1	Laboratory: <u>Sequoia</u>
Analyzed for: <u>Tph-G</u> <u>BTEX</u> Tph-D	Other: <u>MTBE</u>
Equipment Blank I.D.:	Analyzed for same as primary sample

TEXACO WELL MONITORING DATA SHEET

Project #: 990209-C1	Texaco ID#: 624881450
Sampler: CM	Date: 2-9-99
Well I.D.: MW2	Well Diameter: 2 3 ④ 6 8
Total Well Depth: 19.17	Depth to Water: 6.60
Depth to Free Product:	Thickness of Free Product:
All Measurements are referenced to TOC. Meter used is Myron LpDS pH/EC Meter. All temperatures taken in degrees Fahrenheit.	

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.17	5"	1.02
3"	0.38	6"	1.50
4"	0.66	8"	2.60
4.5"	0.83	Other	radius ² * 0.164

Purge Method: S.S. Bailer Sampling Method: S.S. Bailer
 Teflon Bailer Teflon Bailer
 Middleburg Extraction Port
 Electric Submersible Other: _____
 Extraction Pump
 Other: _____

8.2	x	3	=	24.6	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Color/Odor
1139	62.2	7.3	1100	64	9	
1140	61.7	7.2	1013	21	18	
1141	61.0	7.2	987	20	25	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: 25
Sampling Time: 1145	Sampling Date: 2-9-99
Sample I.D.: MW2	Laboratory: Sequoia
Analyzed for: <input checked="" type="checkbox"/> Tph-G <input checked="" type="checkbox"/> BTEX <input type="checkbox"/> Tph-D	Other: MTBE
Equipment Blank I.D.:	Analyzed for same as primary sample

TEXACO WELL MONITORING DATA SHEET

Project #: 990209-C1	Texaco ID#: 624881450
Sampler: CM	Date: 2-9-99
Well I.D.: MW4	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 20.34	Depth to Water: 6.45
Depth to Free Product:	Thickness of Free Product:
All Measurements are referenced to TOC. Meter used is Myron LpDS pH/EC Meter. All temperatures taken in degrees Fahrenheit.	

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.17	5"	1.02
3"	0.38	6"	1.50
4"	0.66	8"	2.60
4.5"	0.83	Other	radius ² * 0.164

Purge Method: S.S. Bailer Teflon Bailer Middleburg Electric Submersible* Extraction Pump Other: _____	Sampling Method: S.S. Bailer* Teflon Bailer Extraction Port Other: _____
--	---

<u>9.0</u>	x	<u>3</u>	=	<u>27</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Color/Odor
1047	62.1	7.3	313	26	9	
1048	61.9	7.2	300	19	18	
1049	61.3	7.1	300	17	27	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: 27
Sampling Time: 10 55	Sampling Date: 2-9-99
Sample I.D.: MW4	Laboratory: Sequoia
Analyzed for: Tph-G BTEX Tph-D	Other: MTBE
Equipment Blank I.D.:	Analyzed for same as primary sample

TEXACO WELL MONITORING DATA SHEET

Project #: 990209-C1	Texaco ID#: 624881450
Sampler: CM	Date: 2-9-99
Well ID.: MW 6	Well Diameter: (2) 3 4 6 8 ____
Total Well Depth: 19.55	Depth to Water: 7.07
Depth to Free Product:	Thickness of Free Product:

All Measurements are referenced to TOC. Meter used is Myron LpDS pH/EC Meter. All temperatures taken in degrees Fahrenheit.

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.17	5"	1.02
3"	0.38	6"	1.50
4"	0.66	8"	2.60
4.5"	0.83	Other	radius ² * 0.164

Purge Method: S.S. Bailer <input checked="" type="checkbox"/> Teflon Bailer Middleburg Electric Submersible Extraction Pump Other: _____	Sampling Method: S.S. Bailer <input checked="" type="checkbox"/> Teflon Bailer Extraction Port Other: _____
---	--

<u>2.0</u>	X	<u>3</u>	=	<u>6.0</u>	Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume	

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Color/Odor
1255	67.3	7.4	880	7200	2	
1300	61.9	7.2	864	7200	4	
1303	61.8	7.1	851	7200	4	

Did well dewater? Yes No Gallons actually evacuated:

Sampling Time: 1310 Sampling Date: 2-9-99

Sample I.D.: MWG Laboratory: Sequoia

Analyzed for: (Tph-G) (BTEX) Tph-D Other: MTBE

Equipment Blank I.D.: Analyzed for same as primary sample

TEXACO WELL MONITORING DATA SHEET

Project #: 990209-C1	Texaco ID#: 624881450
Sampler: CM	Date: 2-9-99
Well I.D.: MW11	Well Diameter: 2 3 (4) 6 8
Total Well Depth: 14.23	Depth to Water: 3.27
Depth to Free Product:	Thickness of Free Product:
All Measurements are referenced to TOC. Meter used is Myron LpDS pH/EC Meter. All temperatures taken in degrees Fahrenheit.	

Well Diameter	Multiplier	Well Diameter	Multiplier
2"	0.17	5"	1.02
3"	0.38	6"	1.50
4"	0.66	8"	2.60
4.5"	0.83	Other	radius ² * 0.164

Purge Method: S.S. Bailer Sampling Method: S.S. Bailer
 Teflon Bailer Teflon Bailer
 Middleburg Extraction Port
 Electric Submersible Other: _____
 Extraction Pump

Other: _____

<u>7.1</u>	x	<u>3</u>	=	<u>21.3</u> Gals.
1 Case Volume (Gals.)		Specified Volumes		Calculated Volume

Time	Temp (°F)	pH	Cond.	Turbidity	Gals. Removed	Color/Odor
1213	61.8	7.4	1100 ^u	100	7.0	
1214	62.0	7.3	480	60	15.0	
1215	62.1	7.1	400	34	22.0	

Did well dewater? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Gallons actually evacuated: 22.0
Sampling Time: 1220	Sampling Date: 2-9-99
Sample I.D.: MW11	Laboratory: <u>Sequoia</u>
Analyzed for: <u>Tph-G</u> <u>BTEX</u> Tph-D	Other: <u>MTBE</u>
Equipment Blank I.D.:	Analyzed for same as primary sample

WELL HEAD INSPECTION CHECKLIST AND REPAIR ORDER

Client Shell Site # 624881450

Inspection date: 2-9-99

Site address 1127 Lincoln Ave
Alameda

Inspected by: cm

BTS Event # 990209-C1

1. Lid on the box? Yes No	5. Water standing in the well box?	7. Can cap be pulled loose?
2. Lid whole?	5a. Standing above well top?	8. Can cap seal out water?
3. Lid secure?	5b. Standing below well top?	9. Padlock present?
4. Lid seal intact?	5c. Water even with top of well cap?	10. Padlock found locked?
	6. Well cap/plug present?	11. Padlock functional?

Check box if *no deficiencies* were found. Note below deficiencies you were able to correct.

Well I.D.	Deficiency	Corrective Action Taken

Note below all deficiencies that could not be corrected and *still need to be corrected*.

Well I.D.	Persisting Deficiency	BTS Office assigns or defers Correction to:	Date assigned	Date corrected

Office review and assignments made by _____ date _____