



Texaco Refining
and Marketing Inc

September 5, 1995

SENT VIA FACSIMILE W/O ENCLOSURES
HARD COPY W/ ENCLOSURES TO FOLLOW BY U. S. PRIORITY MAIL

ENV - STUDIES, SURVEYS & REPORTS

Former Texaco Service Station
1127 Lincoln Avenue, Alameda, CA
EBMUD Account No. 502-74621

Ms. Deidre Mena
East Bay Municipal Utility District
Source Control Division, M.S. 702
P.O. Box 24055, 375 11th Street,
Mail slot #702
Oakland, California 94623

Dear Ms. Mena:

Enclosed are four documents regarding the subject site, Notification of Discharge at the Former Texaco Service Station, dated August 17, 1995, Technical Review of Discharge at the Former Texaco Service Station, dated August 17, 1995, Notice of Deficient Report at the Former Texaco Service Station, dated August 18, 1995, and Permit Violation at the Former Texaco Service Station, dated August 30, 1995. The first three documents were sent to you directly. The fourth is being submitted to you for the first time with this letter.


These four documents are in response to your letters, Notice of Deficient Report, dated August 14, 1995, Violation of Wastewater Discharge Permit Limitation for Benzene, dated August 16, 1995, and Violation of Wastewater Discharge Permit Limitation for Benzene, dated August 30, 1995, all regarding two incidents of permit violation, one on May 3, 1995 when permitted benzene discharge limitations were exceeded by eight parts in ten billion and a second on July 5, 1995 when permitted benzene discharge limitations were exceeded by nine parts in ten billion.

Regarding the four attached documents, I certify under penalty of law that, to the best of my knowledge, these documents and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I presume that these attached documents, as well as both my and Texaco's consultant's verbal responses to these incidents of violations are satisfactory to meet your Agency's permit requirements and that the issue may now be closed. If that is not the case, or if you have any further questions regarding the subject site, please call me at (510) 236-9139

Ms. Deidre Mena
Page 2

Best Regards,



Karen E. Petryna
Project Coordinator
Texaco Environmental Services

KEP:hs
U:\...\1127\VIOLRESP.DM

Enclosures (4)

cc w/o enclosures:

Mr. Thomas Peacock
Alameda County
Hazardous Materials
1131 Harbor Bay Pky
Alameda, CA 94502-6577

Mr. Tim Ross
Kaprealian Engineering Inc.
2401 Stanwell Dr., Suite 400
Concord, CA 94520

Mr. Brian Garber, GTI

RRZielinski (w/o enclosure)

RAOFile-UCPFile(w/o enclosure)

PR_RD