

1095

6920 Koll Center Parkway
Suite 216
Pleasanton, CA 94566
925.426.2600
Fax 925.426.0106



February 5, 2003

Alameda County
FEB 11 2003
Environmental Health

Ms. Betty Graham
REGIONAL WATER QUALITY CONTROL BOARD
1515 Clay Street, Suite 1400
Oakland, California 94612

Clayton Project No. 70-00509.00

Subject: Annual Summary and Fourth Quarter 2002 Groundwater Monitoring Report at 5050, 5051, and 5200 Coliseum Way and 750-50th Avenue, Oakland, California. SLIC No. 01S0422 (BG)

Dear Ms. Graham:

Enclosed please find Clayton Group Services, Inc.'s (Clayton's) *Annual Summary and Fourth Quarter 2002 Groundwater Monitoring Report at 5050, 5051, and 5200 Coliseum Way and 750-50th Avenue, Oakland, California*. This report presents the results of Clayton's quarterly monitoring conducted in August 2002 at the subject property.

Clayton, under penalty of perjury as an authorized representative of Oakland 5051, LLC, presents this report as true and correct to the best of our knowledge. If you have any questions or comments, please call me at (925) 426-2686.

Sincerely,

Dwight R. Hoenig
Vice President, Western Regional Director
Environmental Services
San Francisco Regional Office

DRH/daa

cc: Matthew Robinson - Environmental Operations, Inc.
Tim Colvig - Wulfsberg Reese & Sykes
Barney Chan - Alameda County Health Care Services
William Wick - Crosby, Heafey, Roach, and May

6920 Koll Center Parkway
Suite 216
Pleasanton, CA 94566
925.426.2600
Fax 925.426.0106



Alameda County
FEB 11 2003
Environmental Health

**Annual Evaluation and Fourth Quarter 2002
Groundwater Monitoring Report
at
5050, 5051, and 5200 Coliseum Way, and
750-50th Street
Oakland, California**

**For
5050 Coliseum, LLC, and
Oakland 5051, LLC
Clayton Project No. 70-00509.00.300**

February 5, 2003

<u>Section</u>	<u>Page</u>
1.0 INTRODUCTION	1
2.0 SITE SETTING	1
3.0 FIELD ACTIVITIES	2
3.1. DEPTH TO WATER MEASUREMENTS	2
3.2. MONITORING WELL SAMPLES	3
4.0 LABORATORY ANALYSES	3
5.0 SITE HYDROLOGY	3
6.0 GROUNDWATER ANALYTICAL RESULTS	4
6.1. PETROLEUM HYDROCARBONS	4
6.2. METALS	4
6.3. WEEP-WATER SAMPLING	5
7.0 ANNUAL EVALUATION OF RESULTS	6
8.0 LIMITATIONS.....	8

Photographs

Tables

- 1 Quarterly Monitoring/Sampling Schedule
- 2 Groundwater Elevation Data
- 3 Petroleum Hydrocarbons Detected in Groundwater
- 4 Metals, Total Dissolved Solids, pH, and Chloride Detected in Groundwater
- 5 Metals and pH in Weep-Water Samples

Figures

- 1 Site Location Map
- 2 Potentiometric Surface Map
- 3 Concentrations of Arsenic in Groundwater
- 4 Concentrations of Barium in Groundwater
- 5 Concentrations of Cadmium in Groundwater
- 6 Concentrations of Zinc in Groundwater
- 7 Weep-Water Monitoring Sample Results

1.0 INTRODUCTION

Clayton Group Services, Inc. (Clayton), performed quarterly groundwater monitoring activities at the Coliseum Way Properties located at 5050, 5051, and 5200 Coliseum Way and 750-50th Avenue in Oakland, California (Figure 1 and Figure 2). The California Regional Water Quality Control Board - San Francisco Bay region (RWQCB), has requested that groundwater monitoring be performed at the subject properties to monitor the fate of petroleum hydrocarbons and metal ions.

The quarterly monitoring and sampling schedule employed is presented in Table 1. The fourth quarter 2002 monitoring event included collecting depth to water measurements from 22 groundwater-monitoring wells and groundwater samples from 12 wells. Field measurements and groundwater monitoring well sampling were carried out on November 19, 2002. This report presents groundwater measurements recorded in the field and the results of laboratory analyses performed on groundwater samples collected for the fourth quarter 2002 monitoring event.

Due to the installation of a groundwater barrier wall on the 5051 property in November 2001, weep-water monitoring is being conducted on a quarterly basis. Weep hole sampling was conducted on November 19, 2002. As requested by the RWQCB, an Annual Evaluation of the results for the historic quarterly results is included in this report.

2.0 SITE SETTING

The 5050 and 5200 properties are located about 600 feet east of Interstate 880 and the 5051 property is located about 75 feet east of Interstate 880, in Oakland, California. The properties are bordered by stormwater drainage channels that flow into San Leandro Bay, located approximately one-half mile to the west (Figure 1). Regionally, groundwater flows from the Oakland Hills west towards San Leandro Bay. The 5050 and 5200 properties encompass approximately 10 acres and the 5051 property is approximately 4.4 acres of relatively flat ground approximately 7 to 15 feet above mean sea level (msl).

The subject properties and surrounding area have a long history of industrial usage. The 5050 property (which also includes the 750-50th Avenue property) is the location of former lead smelting operations (1879-1903), acids manufacturing (1903-1917), various chemical operations (1917-1926), lithopone manufacturing (1926-1963), vacant or razed property (1963-1974), and truck maintenance operations (1974 to the present). The 5051 property and the mini-storage facility at 5200 property were also part of the former lithopone manufacturing facility.

Tidally influenced stormwater drainage channels border each of the subject properties (Figure 2). An open and unlined channel parallels the southeast property boundary of the 5051 and 5200 properties. Two subsurface culverts, the Courtland Creek Culvert and the Second Line G Culvert, parallel the northwest property boundaries of the 5050 property and the 750-50th Avenue property. The two culverts merge into an open concrete-lined

channel south of the intersection of Coliseum Way and 50th Avenue. The drainage channel is open and concrete-lined along the northwestern perimeter of the 5051 property, and is open and unlined along the southwestern perimeter of the property, prior to flowing under Interstate 880.

Construction of the groundwater diversion barrier, or groundwater barrier wall, was completed between October 30 and November 1, 2001, as a remedial action for the 5051 property as outlined in the site cleanup requirements (Task 4 of Board Order No. 01-032, March 21, 2001). The groundwater barrier wall (approximately 350 feet in length) was constructed of interlocking sheetpiles along the west property boundary (Figure 2) to a total depth of between 15 and 20 feet below ground surface (bgs) to provide a barrier for groundwater that contains elevated concentrations of soluble metals from flowing into the surface water channel that borders this portion of the subject property. During the utility survey of the property, an underground optical cable was identified near the bend in the wall. It was necessary to leave a gap in the wall of approximately 10 feet to clear the utility. On June 17, 2002 Clayton supervised the installation of a neat cement (grout) curtain to close the utility gap and to extend the sheet pile wall approximately 10 feet on the northern end.

The 5051 property was recently paved for use as a parking lot. The new pavement covers virtually the entire property. The paving reportedly occurred in August 2002 to enhance the adjacent Flea Market business. Clayton believes that the paving activity will also assist the remedial efforts that have been put in place for this property by limiting water percolation into the subsurface during the wet months, further limiting the potential migration of soluble metals in groundwater to the adjacent surface water channels. Photographs of the 5051 property showing the paved condition of the property are presented in the Photographs section of this report.

3.0 FIELD ACTIVITIES

The following discussion outlines field activities used to obtain depth to water measurements, monitoring-well and weep-water samples, and other field data.

3.1. DEPTH TO WATER MEASUREMENTS

Depth to water measurements were obtained from all 22 wells selected for monitoring of the Coliseum Way Properties on November 19, 2002 prior to well purging and sampling activities. The wells were opened and allowed to stabilize prior to measuring the depth to water. Measurements were obtained in a timely manner in order to minimize tidal effects. The depth to water in each monitoring well was measured with a water level indicator meter from the top of the monitoring well casing to the free water surface. The depth to water measurement was used to determine the groundwater elevation at each monitoring well location, and also to determine the groundwater purge volume for each monitoring well. The depth to water measurements were recorded onto groundwater sampling data sheets that were used to calculate the groundwater elevations presented in Table 2.

3.2. MONITORING WELL SAMPLES

Groundwater samples were collected from 12 monitoring wells (CW-1, CW-2, CW-6, CW-7, CW-12, CW-13, LF-5, LF-11, LF-12, MWA-1, MW-4 and MW-5) on November 19, 2002. The monitoring wells selected for sampling were purged of approximately four well casing volumes of groundwater until the water quality parameters had stabilized or until the well dewatered. A submersible pump was used to purge groundwater from each well. During purging, the groundwater quality was monitored in the field for the following parameters: temperature, pH, specific conductance, and turbidity. The water quality parameters were recorded on groundwater sampling data sheets. After purging, a new disposable bailer was used to collect a groundwater sample from each select monitoring well. Groundwater samples were collected in appropriate laboratory-supplied containers. The containers were sealed, labeled with identifying information, entered onto a formal chain-of-custody document, and placed in a chilled ice-chest for transportation to the laboratory.

4.0 LABORATORY ANALYSES

Groundwater samples were collected from 12 monitoring wells and submitted to Curtis & Tompkins, Ltd. Analytical Laboratory located in Berkeley, California, a State of California certified laboratory, for analyses. The groundwater samples were analyzed by some or all of the following United States Environmental Protection Agency (USEPA) methods:

- EPA Methods 6010 and 7470 for California Assessment Manual (CAM-17) Total Metals, Laboratory Filtered and Preserved
- EPA Methods 160.1 for Total Dissolved Solids (TDS)
- EPA Method 8015 modified for Total Petroleum Hydrocarbons as Gasoline (TPH-G) MW-4, MWA-1, CW-2, CW-6, and CW-7 only.
- EPA Method 8015 modified for Total Petroleum Hydrocarbons as Diesel (TPH-D) and Motor Oil (TPH-O) for LF-11, MWA-1, CW-2, CW-6, and CW-7 only.
- Method 8020 for Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX) for MW-4, MWA-1, CW-2, CW-6, and CW-7 only.

5.0 SITE HYDROLOGY

The groundwater elevation at each monitoring well location was determined by subtracting the depth to water measured in each monitoring well from its surveyed top of casing elevation. The groundwater elevations in the 5050, 5051 and 5200 Coliseum Way monitoring well network ranged from a low of -1.66 feet below msl in monitoring well MW-4 to a high of 6.01 feet above msl in monitoring well CW-4.

The general property groundwater flow direction is to the west at a hydraulic gradient of 0.010 feet per foot (ft/ft) as measured between wells LF-11 and LF-12. The average groundwater elevation was approximately 0.32 feet lower than the average elevation

recorded during the third quarter monitoring event on August 21, 2002. The subject property groundwater flow direction has flow components to the southwest and south at the 5051 and 5200 properties, which are apparently a result of the surrounding ditches.

A summary of current and historic depths to groundwater and groundwater elevation data for the monitoring well network at the subject properties are presented in Table 2. A potentiometric surface map was prepared from the November 19, 2002 groundwater elevation data and is presented as Figure 2.

6.0 GROUNDWATER ANALYTICAL RESULTS

The sampling schedule and analytical program for this monitoring event is presented in Table 1. The following discussion presents a summary of the laboratory analytical results.

6.1. PETROLEUM HYDROCARBONS

Six groundwater samples were submitted for petroleum hydrocarbon analyses (CW-2, CW-6, CW-7, LF-11, MWA-1, and MW-4). Detectable TPH-G was reported in MWA-1 at 0.46 mg/L and MW-4 at 0.083 mg/L, two of the five wells sampled and analyzed for gasoline. BTEX compounds were not present at or above the method detection limits in any of the five samples analyzed, except MWA-1, which reported benzene at 0.014 mg/L, ethyl benzene at 0.015 mg/L, toluene at 0.010 mg/L, and total xylenes at a concentration of 0.023 mg/L. Out of five samples analyzed, TPH-D/O was detected in LF-11; TPH-D was reported at 0.06 mg/L, and TPH-O at 0.41 mg/L. A summary of petroleum hydrocarbons detected in groundwater is presented in Table 3.

6.2. METALS

Twelve groundwater samples were submitted for metals analyses. Fifteen of the seventeen CAM 17 metal analytes were detected above laboratory reporting limits during this monitoring event. Antimony and vanadium were the only metals not detected in one or more samples. The highest concentration and corresponding monitoring well location for each detected metal ion are listed below:

Arsenic	to 3.1 mg/L	(CW-2)
Barium	to 490 mg/L	(CW-6)
Beryllium	to 0.056 mg/L	(LF-11)
Cadmium	to 92 mg/L	(LF-11)
Chromium	to 0.078 mg/L	(LF-11)
Cobalt	to 3.2 mg/L	(LF-11)
Copper	to 2.8 mg/L	(LF-11)
Lead	to 0.5 mg/L	(MWA-1)
Mercury	to 0.00055 mg/L	(MWA-1)
Molybdenum	to 0.023 mg/L	(LF-11)

Nickel	to 14.0 mg/L	(LF-11)
Selenium	to 0.1 mg/L	(LF-11)
Silver	to 0.017 mg/L	(LF-11)
Thallium	to 0.53 mg/L	(LF-11)
Zinc	to 48,000 mg/L	(LF-11)

Total Dissolved Solids (TDS) ranged in concentration from 940 mg/L in monitoring well CW-7 to 64,300 mg/L in monitoring well LF-11. Field measurements of groundwater pH levels ranged from 3.5 standard units (SU) in monitoring well LF-11 to 9.61 SU in monitoring well CW-7.

An historical summary of metals, total dissolved solids (TDS), and pH detected in groundwater is presented in Table 4. Isoconcentration maps for arsenic, barium, cadmium, and zinc in groundwater are presented in Figures 3, 4, 5, and 6, respectively.

6.3. WEEP-WATER SAMPLING

Weep-water monitoring was initiated during the Second Quarter 2002 quarterly monitoring event to determine the quality of the groundwater entering the adjacent surface water channel from the 5051 property following the installation of a groundwater barrier wall along the west boundary of the 5051 property. Weep-water monitoring was conducted during a low-tide event by collecting water samples from the exposed drain holes located at the base of the concrete-lined drainage channel wall that parallels a portion of the 5051 property. The sampling was conducted where weep-water flow was adequate to allow for the collection of grab-water samples. An effort was made to collect samples from the same weep holes during each sampling event; however, variations in the limited flow (Clayton estimated that the weeping from all of the drain holes along the channel wall at approximately one-gallon per minute during the first sampling event in 1999) does not always allow this and some adjustment in sample locations are periodically made. Weep-water sample locations are identified by sequential numbering of the weep holes counting south from the bend in the channel. The water samples were collected in an appropriate laboratory supplied container and submitted for total metal analyses for arsenic, barium, cadmium, and zinc. These metals were selected as the metals of concern from a previous baseline sampling conducted by Clayton (*Additional Remedial Investigation 1999 at 5050, 5051, and 5200 Coliseum Way and 750-50th Avenue, Oakland, California, May 25, 1999, Clayton Project No. 70-99203.00.201*). The historical analytical results are presented in Table 5 and the sample results and locations are shown on Figure 7.

Clayton conducted weep-hole sampling on November 19, 2002 during favorable tidal conditions. The metals concentrations in sample WH-4 (barium at 0.026 mg/L, cadmium at 0.15 mg/L, and zinc at 23 mg/L) were all lower than previous quarterly monitoring results but are still somewhat elevated from the 1999 weep-hole No. 4 concentrations. Arsenic was not detected in sample WH-4. Metal results for sample WH-9 (Arsenic at 0.024 mg/L, barium at 0.022 mg/L, cadmium at 0.02 mg/L, and zinc at 8.8 mg/L) are similar to past quarterly results but still higher than the 1999 results for weep-hole No. 9.

Although arsenic was detected for the first time in sample WH-14 at 0.0042 mg/L, other metals results from WH-14 (barium at 0.019 mg/L and zinc at 0.49 mg/L) were lower than the previous quarterly monitoring. All other sample results did not indicate any significant changes in metal concentrations between sampling events.

7.0 ANNUAL EVALUATION OF RESULTS

An annual review of the historical analytical results for the subject property groundwater monitoring and sampling program indicates that the groundwater quality at the subject property is relatively stable, with the possible exception of petroleum hydrocarbon concentrations at the 5051 property and the zinc concentrations at the 5050 property.

The depth to groundwater in the fourth quarter is typically at its lowest level for the year, as the rainy season typically begins during this time of the year. The groundwater elevations appear to be at levels typical for this time of year when compared to the past five years. The five-year average groundwater elevation was computed for each well of the 22 wells monitored and 13 were below, 7 were above, and 2 were at the average elevation for each well. This has been a "dry" year for precipitation; therefore, the recorded groundwater elevations appear to reflect this when averaged overall.

Petroleum hydrocarbon concentration results in groundwater were evaluated in six wells around the perimeter of a petroleum hydrocarbon plume that has its source area in the west and central portions of the 5200 property. Detectable concentrations of TPH-g were found in samples MWA-1 at 0.46 mg/L and MW-4 at 0.083 mg/L. BTEX compounds were only found in sample MWA-1, with benzene at 0.014 mg/L, a concentration that exceeds the maximum contaminant level (MCL) for drinking water suppliers. Gasoline and benzene have been detected in MWA-1 historically. The historic benzene concentrations in well MWA-1 are not always at detectable concentrations; however, this events concentration is the highest historical concentration to date. Clayton will further evaluate the petroleum hydrocarbon concentrations in these wells in the following quarterly monitoring events to confirm if this finding is representative of a change in site conditions.

Indicator metals used in this evaluation are cadmium and zinc on the west side of the properties and arsenic and barium on the east side of the properties. The metal concentrations monitored in 12 wells indicate that the metal concentrations are relatively stable across the Coliseum Way Properties when compared with historic results, with one exception being the zinc concentrations in well LF-11. The zinc concentrations in well LF-11 appeared to significantly decrease with time by more than an order of magnitude to a low of 1,400 mg/L between 1993 and March 2000. In December 2000 the zinc concentration was reported at 26,000 mg/L and now is reported at 48,000 mg/L. The historical data for other metals suggests subtle possible changes in concentrations in December 2000; however, they are not distinctive. Clayton cannot fully explain this variation in the data; however, a change in the use of the property may be the reason.


In late 2000, the City of Oakland, the tenant on the 5050 property, constructed a new truck wash facility with an in-ground sump about 75 feet to the southeast. Construction of the sump impacted the shallow aquifer that is monitored by well LF-11 and the use of the truck wash appears to have resulted in daily operational changes at the vehicle maintenance yard, in particular, wash water run off to storm drains appears to have been eliminated. It would appear that well LF-11 may have been impacted by changes to the shallow aquifer during construction and or by surface run off that may have impacted the well through infiltration at the surface cover well box. It should be noted that this well is in an area heavily trafficked by trucks and tractors and is in a low area that is impacted by surface runoff. The well box was damaged and repaired several years ago, exact time not known. Since the well is near the center of the property and near the heart of the buried waste slag debris that was left from the former smelting operations at or before the turn of the last century, Clayton believes that there is no immediate concern for off site migration of the soluble metal. Clayton will continue to monitor the condition of this well and evaluate the metal concentrations in this and other wells in the area.

Historic groundwater and weep-water results for the 5051 property indicate that changes in the hydrodynamics of groundwater occurred in the area of the groundwater-barrier wall that was installed in November 2001. Also, a gap in the wall was grouted in June 2002. The barrier wall was installed to divert groundwater flow, primarily to the south along the 5051 property to allow soluble metals to buffer out of the groundwater before reaching the adjacent surface water bodies. Although there appears to have been an increase in some of the metals concentrations in two of the weep-water samples collected in February 2000 when compared with the first round of weep-water sampling in January 1999, it appears that the soluble metals in groundwater entering the adjacent storm water channel are returning to the concentrations similar to those reported for the initial 1999 sampling. One possible exception is the soluble zinc concentrations found in weep-hole number 9. The concentrations are about three times the concentration reported in 1999; however, the amount of data collected to date is not considered sufficient to establish this as a trend. It should be noted that the groundwater flowing into the channel is truly weeping and these subtle concentration changes are not believed to constitute a significant change in the migration of soluble metals to surface waters. Clayton will continue to monitor the weep-water metal concentrations.

8.0 LIMITATIONS


The information and opinions rendered in this report was prepared on behalf of 5050 Coliseum LLC and Oakland 5051 LLC. The information and opinions included in this report were given in response to a specific scope of work and should be considered and implemented only in light of that particular scope of work. The services provided by Clayton in completing this project have been provided in a manner consistent with the normal standards of the profession. No other warranty, expressed or implied, is made.

This report prepared by:




Marc Mullaney, R.G.
Geologist

This report reviewed by:



Donald A. Ashton, R.G., REA
Senior Geologist

This report reviewed by:



Dwight R. Hoenig
Vice President, Western Regional Director
Environmental Management and Remediation
San Francisco Regional Office

February 5, 2003



Clayton Project No. 70-00509.00.300	Description	View to the north of 5051 property. Peralta Creek to the left of left edge of photo. Coliseum Way and 5050 property beyond road area.	1 Photo Date September 4, 2002
	Site Name	5050, 5051, and 5200 Coliseum Way and 750-50 th Avenue, Oakland, California	



Clayton Project No. 70-00509.00.300	Description	View to the east across 5051 property	2 Photo Date September 4, 2002
	Site Name	5050, 5051, and 5200 Coliseum Way and 750-50 th Avenue, Oakland, California	



Clayton Project No. 70-00509.00.300	Description	View to south across 5051 property. Drainage channels and Interstate 880 beyond	3
	Site Name	5050, 5051, and 5200 Coliseum Way and 750-50 th Avenue, Oakland, California	Photo Date September 4, 2002



Clayton Project No. 70-00509.00.300	Description	View of typical monitoring well box on the 5051 property	4
	Site Name	5050, 5051, and 5200 Coliseum Way and 750-50 th Avenue, Oakland, California	Photo Date September 4, 2002

TABLE 1
Quarterly Monitoring/Sampling Schedule
Coliseum Way Properties, Oakland, CA
 Clayton Project No. 70-00509.00.300

SITE	WELL	TPH-g/BTEX	TPH-d/o	CAM-17	TDS	GW Elevation
5050	LF-2					1
	LF-5			1	1	1
	LF-6					1
	LF-11		1	1	1	1
	LF-12			1	1	1
	LF-13					1
	LF-17					1
	CW-13			1	1	1
5051	MWA-1	1	1	1	1	1
	MWA-2					1
	MWA-3					1
	MW-4	1		1	1	1
	MW-5			1	1	1
	CW-8					1
	CW-9					1
ACPWA-W	CW-10					1
	CW-12			1	1	1
5200	CW-1			1	1	1
	CW-2	1	1	1	1	1
	CW-4					1
ACPWA-E	CW-6	1	1	1	1	1
	CW-7	1	1	1	1	1
TOTALS	22	5	5	12	12	22

TPH-g/BTEX = Total Petroleum Hydrocarbons as Gasoline / Benzene, Toluene, Ethylbenzene, & Xylenes

TPH-d/o = Total Petroleum Hydrocarbons as Diesel and Motor Oil

CAM-17 = California Assessment Manual 17 Metals

TDS = Total Dissolved Solids

GW Elevation = Groundwater Elevation in Feet Above Mean Sea Level

TABLE 2
Groundwater Elevation Data
5050, 5051 & 5200 Coliseum Way

Site	Monitoring Well	Measurement Date	Top of Casing Elevation (ft, msl)	Depth to Groundwater (ft)	Groundwater Elevation (ft, msl)	Change from Previous Measurement (ft)
5050	LF-2	07-Nov-91	9.84	7.26	2.58	
		26-Oct-92		6.28	3.56	0.98
		04-Mar-92		5.14	4.70	1.14
		14-Apr-93		4.95	4.89	0.19
		24-May-93		5.09	4.75	-0.14
		14-Jun-93		5.21	4.63	-0.12
		30-Jul-93		5.38	4.46	-0.17
		31-Aug-93		5.57	4.27	-0.19
		27-Sep-93		5.70	4.14	-0.13
		25-Oct-93		5.80	4.04	-0.10
		02-Nov-93		5.86	3.98	-0.06
		08-Dec-93		6.21	3.63	-0.35
		28-Jan-94		6.12	3.72	0.09
		15-Feb-94		6.07	3.77	0.05
		24-May-94		5.65	4.19	0.42
		21-Sep-94		6.00	3.84	-0.35
		19-Dec-94		5.91	3.93	0.09
		13-Mar-95		4.30	5.54	1.61
		07-Jun-95		4.36	5.48	-0.06
		05-Sep-95		5.12	4.72	-0.76
		18-Dec-95		5.56	4.28	-0.44
		19-Aug-97		5.28	4.56	0.28
		10-Dec-97		5.35	4.49	-0.07
		23-Mar-98		3.98	5.86	1.37
		17-Jun-98		4.13	5.71	-0.15
		30-Sep-98		5.00	4.84	-0.87
		03-Dec-98		5.16	4.68	-0.16
		23-Feb-99		3.84	6.00	1.32
		26-May-99		4.34	5.50	-0.50
		15-Sep-99		5.14	4.70	-0.80
		06-Dec-99		5.52	4.32	-0.38
		29-Mar-00		4.08	5.76	1.44
		14-Dec-00		5.64	4.20	-1.56
		27-Mar-01		4.56	5.28	1.08
11-Jun-01		4.94	4.90	-0.38		
30-Aug-01		5.40	4.44	-0.46		
06-Dec-01		5.92	3.92	-0.52		
18-Mar-02		4.89	4.95	1.03		
24-Jun-02		4.89	4.95	0.00		
21-Aug-02		5.18	4.66	-0.29		
19-Nov-02			6.04	3.80	-0.86	

TABLE 2
Groundwater Elevation Data
5050, 5051 & 5200 Coliseum Way

Site	Monitoring Well	Measurement Date	Top of Casing Elevation (ft, msl)	Depth to Groundwater (ft)	Groundwater Elevation (ft, msl)	Change from Previous Measurement (ft)		
5050	LF-5	07-Nov-91	8.03	7.34	0.69			
		26-Oct-92		7.05	0.98	0.29		
		04-Mar-92		6.05	1.98	1.00		
		14-Apr-93		6.25	1.78	-0.20		
		24-May-93		6.61	1.42	-0.36		
		14-Jun-93		6.97	1.06	-0.36		
		30-Jul-93		6.72	1.31	0.25		
		31-Aug-93		6.84	1.19	-0.12		
		27-Sep-93		7.10	0.93	-0.26		
		25-Oct-93		7.11	0.92	-0.01		
		02-Nov-93		7.04	0.99	0.07		
		08-Dec-93		7.27	0.76	-0.23		
		28-Jan-94		6.82	1.21	0.45		
		15-Feb-94		6.85	1.18	-0.03		
		24-May-94		6.76	1.27	0.09		
		21-Sep-94		7.05	0.98	-0.29		
		19-Dec-94		6.48	1.55	0.57		
		13-Mar-95		5.25	2.78	1.23		
		07-Jun-95		5.98	2.05	-0.73		
		05-Sep-95		6.42	1.61	-0.44		
		18-Dec-95		5.87	2.16	0.55		
		19-Aug-97		5.95	2.08	-0.08		
		10-Dec-97		5.20	2.83	0.75		
		23-Mar-98		4.72	3.31	0.48		
		17-Jun-98		5.29	2.74	-0.57		
		30-Sep-98		8.03	6.10	B	1.93	-0.81
		03-Dec-98			6.03	2.00	0.07	
		23-Feb-99		4.43	3.60	1.60		
		26-May-99		5.86	2.17	-1.43		
		15-Sep-99	6.24	1.79	-0.38			
		06-Dec-99	6.54	1.49	-0.30			
		26-Mar-00	4.84	3.19	1.70			
		14-Dec-00	6.08	1.95	-1.24			
		27-Mar-01	4.98	3.05	1.10			
		11-Jun-01	5.45	2.58	-0.47			
		30-Aug-01	5.96	2.07	-0.51			
		06-Dec-01	5.92	2.11	0.04			
		18-Mar-01		Not Sampled, car parked on wellhead				
		24-Jun-02		Not Sampled, car parked on wellhead				
		21-Aug-02		5.55		2.48	0.37	
19-Nov-02		6.23		1.80	1.80			

TABLE 2
Groundwater Elevation Data
5050, 5051 & 5200 Coliseum Way

Site	Monitoring Well	Measurement Date	Top of Casing Elevation (ft, msl)	Depth to Groundwater (ft)	Groundwater Elevation (ft, msl)	Change from Previous Measurement (ft)
5050	LF-6	07-Nov-91	11.59	8.59	3.00	
		26-Oct-92		8.82	2.77	-0.23
		04-Mar-92		5.79	5.80	3.03
		14-Apr-93		5.41	6.18	0.38
		24-May-93		6.05	5.54	-0.64
		14-Jun-93		6.29	5.30	-0.24
		30-Jul-93		6.83	4.76	-0.54
		31-Aug-93		7.27	4.32	-0.44
		27-Sep-93		7.61	3.98	-0.34
		25-Oct-93		7.79	3.80	-0.18
		02-Nov-93		8.07	3.52	-0.28
		08-Dec-93		7.34	4.25	0.73
		28-Jan-94		6.37	5.22	0.97
		15-Feb-94		5.98	5.61	0.39
		24-May-94		6.14	5.45	-0.16
		21-Sep-94		7.39	4.20	-1.25
		19-Dec-94		6.12	5.47	1.27
		13-Mar-95		4.98	6.61	1.14
		07-Jun-95		5.03	6.56	-0.05
		05-Sep-95		6.23	5.36	-1.20
		18-Dec-95		5.71	5.88	0.52
		23-Mar-98		4.10	7.49	1.61
		17-Jun-98		4.82	6.77	-0.72
		30-Sep-98		6.04	5.55	-1.22
		03-Dec-98		5.42	6.17	0.62
		23-Feb-99		4.63	6.96	0.79
		26-May-99		5.16	6.43	-0.53
		15-Sep-99		6.21	5.38	-1.05
		06-Dec-99		6.48	5.11	-0.27
		29-Mar-00		4.86	6.73	1.62
		14-Dec-00		6.55	5.04	-1.69
		27-Mar-01		5.26	6.33	1.29
11-Jun-01		5.88	5.71	-0.62		
30-Aug-01		6.59	5.00	-0.71		
06-Dec-01		6.02	5.57	0.57		
18-Mar-02		4.96	6.63	1.06		
24-Jun-02		5.68	5.91	-0.72		
21-Aug-02		6.18	5.41	-0.50		
19-Nov-02		6.44	5.15	-0.26		

TABLE 2
Groundwater Elevation Data
5050, 5051 & 5200 Coliseum Way

Site	Monitoring Well	Measurement Date	Top of Casing Elevation (ft, msl)	Depth to Groundwater (ft)	Groundwater Elevation (ft, msl)	Change from Previous Measurement (ft)		
5050	LF-11	02-Nov-93	9.07	11.68	-2.61			
		08-Dec-93		5.35	3.72	6.33		
		28-Jan-94		5.27	3.80	0.08		
		15-Feb-94		5.04	4.03	0.23		
		24-May-94		4.20	4.87	0.84		
		21-Sep-94		4.70	4.37	-0.50		
		19-Dec-94		4.72	4.35	-0.02		
		13-Mar-95		3.27	5.80	1.45		
		07-Jun-95		3.75	5.32	-0.48		
		05-Sep-95		3.70	5.37	0.05		
		18-Dec-95		4.20	4.87	-0.50		
		19-Aug-97		3.60	5.47	0.60		
		10-Dec-97		3.10	5.97	0.50		
		23-Mar-98		0.00	**	9.07	3.10	
		17-Jun-98		1.60		7.47	-1.60	
		30-Sep-98		8.96	3.16	A	5.80	-1.67
		03-Dec-98			4.44		4.52	-1.28
		23-Feb-99			2.57		6.39	1.87
		26-May-99			2.52		6.44	0.05
		15-Sep-99			3.50		5.46	-0.98
		06-Dec-99			4.18		4.78	-0.68
		29-Mar-00			2.16		6.80	2.02
		14-Dec-00			3.91		5.05	-1.75
		27-Mar-01			2.62		6.34	1.29
		11-Jun-01			2.06		6.90	0.56
		30-Aug-01			3.74		5.22	-1.68
		06-Dec-01			3.21		5.75	0.53
		18-Mar-02			2.35		6.61	0.86
		24-Jun-02			2.98		5.98	-0.63
		21-Aug-02			3.90		5.06	-0.92
		19-Nov-02			4.40		4.56	-0.50

TABLE 2
Groundwater Elevation Data
5050, 5051 & 5200 Coliseum Way

Site	Monitoring Well	Measurement Date	Top of Casing Elevation (ft, msl)	Depth to Groundwater (ft)	Groundwater Elevation (ft, msl)	Change from Previous Measurement (ft)
5050	LF-12	02-Nov-93	8.70	7.87	0.83	
		08-Dec-93		7.90	0.80	-0.03
		28-Jan-94		7.46	1.24	0.44
		15-Feb-94		7.66	1.04	-0.20
		24-May-94		--	--	--
		21-Sep-94		7.80	0.90	
		19-Dec-94		7.32	1.38	0.48
		13-Mar-95		6.00	2.70	1.32
		07-Jun-95		7.40	1.30	-1.40
		05-Sep-95		7.45	1.25	-0.05
		18-Dec-95		6.71	1.99	0.74
		19-Aug-97		6.89	1.81	-0.18
		10-Dec-97		5.97	2.73	0.92
		23-Mar-98		5.15	3.55	0.82
		17-Jun-98		6.64	2.06	-1.49
		30-Sep-98		7.18	1.52	-0.54
		03-Dec-98		6.42	2.28	0.76
		23-Feb-99		5.80	2.90	0.62
		26-May-99		6.80	1.90	-1.00
		15-Sep-99		7.22	1.48	-0.42
		06-Dec-99		7.36	1.34	-0.14
		29-Mar-00		6.08	2.62	1.28
		14-Dec-00		6.92	1.78	-0.84
		27-Mar-01		6.08	2.62	0.84
		11-Jun-01		6.51	2.19	-0.43
		30-Aug-01		6.94	1.76	-0.43
		06-Dec-01		5.95	2.75	0.99
		18-Mar-02		6.31	2.39	-0.36
		24-Jun-02		6.40	2.30	-0.09
		21-Aug-02		6.59	2.11	-0.19
19-Nov-02	6.95	1.75	-0.36			
5050	LF-13	08-Dec-93	9.75	5.94	3.81	
		28-Jan-94		4.94	4.81	1.00
		15-Feb-94		4.84	4.91	0.10
		24-May-94		4.81	4.94	0.03
		21-Sep-94		6.32	3.43	-1.51
		19-Dec-94		4.67	5.08	1.65
		13-Mar-95		3.22	6.53	1.45
		07-Jun-95		3.32	6.43	-0.10
		05-Sep-95		3.90	5.85	-0.58
		18-Dec-95		4.13	5.62	-0.23
		20-Aug-97		4.00	5.75	0.13
		10-Dec-97		3.67	6.08	0.33
		23-Mar-98		2.21	7.54	1.46
		17-Jun-98		2.52	7.23	-0.31
		30-Sep-98		3.75	6.00	-1.23
		03-Dec-98		3.98	5.77	-0.23
		23-Feb-99		3.18	6.57	0.80
		26-May-99		3.15	6.60	0.03
		15-Sep-99		3.98	5.77	-0.83
		06-Dec-99		4.76	4.99	-0.78
		29-Mar-00		2.88	6.87	1.88

TABLE 2
Groundwater Elevation Data
5050, 5051 & 5200 Coliseum Way

Site	Monitoring Well	Measurement Date	Top of Casing Elevation (ft, msl)	Depth to Groundwater (ft)	Groundwater Elevation (ft, msl)	Change from Previous Measurement (ft)
	LF-13 Cond.	14-Dec-00		4.55	5.20	-1.67
		27-Mar-01		3.40	6.35	1.15
		11-Jun-01		2.78	6.97	0.62
		30-Aug-01		4.22	5.53	-1.44
		06-Dec-01		4.70	5.05	-0.48
		18-Mar-02		3.48	6.27	1.22
		24-Jun-02		3.61	6.14	-0.13
		21-Aug-02		4.31	5.44	-0.70
		19-Nov-02		4.71	5.04	-0.40
5050	LF-17	08-Dec-93	9.71	6.72	2.99	
		28-Jan-94		5.86	3.85	0.86
		15-Feb-94		5.87	3.84	-0.01
		24-May-94		6.00	3.71	-0.13
		21-Sep-94		6.88	2.83	-0.88
		19-Dec-94		5.45	4.26	1.43
		13-Mar-95		4.68	5.03	0.77
		07-Jun-95		6.52	3.19	-1.84
		05-Sep-95		7.02	2.69	-0.50
		18-Dec-95		5.11	4.60	1.91
		23-Mar-98		5.00	4.71	0.11
		17-Jun-98		5.36	4.35	-0.36
		30-Sep-98		6.00	3.71	-0.64
		03-Dec-98		4.60	5.11	1.40
		23-Feb-99		4.40	5.31	0.20
		26-May-99		5.42	4.29	-1.02
		15-Sep-99		6.09	3.62	-0.67
		06-Dec-99		5.74	3.97	0.35
		29-Mar-00		6.20	3.51	-0.46
		14-Dec-00		6.30	3.41	-0.10
		27-Mar-01		6.14	3.57	0.16
		11-Jun-01		6.45	3.26	-0.31
		30-Aug-01		6.76	2.95	-0.31
		06-Dec-01		4.35	5.36	2.41
		18-Mar-02		5.25	4.46	-0.90
		24-Jun-02		5.83	3.88	-0.58
		21-Aug-02		6.33	3.38	-0.50
		19-Nov-02		6.22	3.49	0.11
5051	MWA-1	19-Dec-95 ⁽¹⁾	9.27	9.70	-0.43	
		19-Dec-95 ⁽²⁾		9.64	-0.37	0.06
		10-Dec-96 ⁽¹⁾		9.27	0.00	0.37
		10-Dec-96 ⁽²⁾		9.64	-0.37	-0.37
		13-Dec-96		9.25	0.02	0.39
		23-Mar-98		7.10	2.17	2.15
		17-Jun-98		8.64	0.63	-1.54
		30-Sep-98		10.09	-0.82	-1.45
		03-Dec-98		9.36	-0.09	0.73
		23-Feb-99		7.16	2.11	2.20
		26-May-99		9.08	0.19	-1.92
		15-Sep-99		10.59	-1.32	-1.51
		06-Dec-99		10.96	-1.69	-0.37
		29-Mar-00		8.91	0.36	2.05

TABLE 2
Groundwater Elevation Data
5050, 5051 & 5200 Coliseum Way

Site	Monitoring Well	Measurement Date	Top of Casing Elevation (ft, msl)	Depth to Groundwater (ft)	Groundwater Elevation (ft, msl)	Change from Previous Measurement (ft)
	MWA-1 Cond.	14-Dec-00		10.78	-1.51	-1.87
		27-Mar-01		8.66	0.61	2.12
		11-Jun-01		9.73	-0.46	-1.07
		30-Aug-01		10.46	-1.19	-0.73
		06-Dec-01		8.98	0.29	1.48
		18-Mar-02		8.65	0.62	0.33
		24-Jun-02		9.33	-0.06	-0.68
		21-Aug-02		9.62	-0.35	-0.29
		19-Nov-02		10.48	-1.21	-0.86
5051	MWA-2	19-Dec-95 ⁽¹⁾	7.79	3.95	3.84	
		19-Dec-95 ⁽⁴⁾		3.95	3.84	0.00
		10-Dec-96 ⁽¹⁾		3.27	4.52	0.68
		10-Dec-96 ⁽⁴⁾		6.20	1.59	-2.93
		13-Dec-96		6.00	1.79	0.20
		23-Mar-98		3.24	4.55	2.76
		17-Jun-98		4.22	3.57	-0.98
		30-Sep-98		6.78	1.01	-2.56
		03-Dec-98		5.69	2.10	1.09
		23-Feb-99		1.79	6.00	3.90
		26-May-99		4.95	2.84	-3.16
		15-Sep-99		6.76	1.03	-1.81
		06-Dec-99		6.98	0.81	-0.22
		29-Mar-00		3.56	4.23	3.42
		14-Dec-00		6.90	0.89	-3.34
		27-Mar-01		4.16	3.63	2.74
		11-Jun-01		5.80	1.99	-1.64
		30-Aug-01		7.02	0.77	-1.22
		06-Dec-01		4.01	3.78	3.01
		18-Mar-02		3.11	4.68	0.90
		24-Jun-02		5.73	2.06	-2.62
		21-Aug-02		6.02	1.77	-0.29
		19-Nov-02		5.82	1.97	0.20
5051	MWA-3	19-Dec-95 ⁽¹⁾	10.50	8.23	2.27	
		19-Dec-95 ⁽⁴⁾		8.22	2.28	
		10-Dec-96 ⁽¹⁾		7.67	2.83	
		10-Dec-96 ⁽⁴⁾		8.19	2.31	
		13-Dec-96		7.94	2.56	0.25
		23-Mar-98		6.36	4.14	1.58
		17-Jun-98		7.56	2.94	-1.20
		30-Sep-98		8.93	1.57	-1.37
		03-Dec-98		8.70	1.80	0.23
		23-Feb-99		5.10	5.40	3.60
		26-May-99		7.59	2.91	-2.49
		15-Sep-99		9.07	1.43	-1.48
		06-Dec-99		10.84	-0.34	-1.77
		29-Mar-00		6.41	4.09	4.43
		14-Dec-00		9.48	1.02	-3.07
		27-Mar-01		5.88	4.62	3.60
		11-Jun-01		8.25	2.25	-2.37
		30-Aug-01		9.18	1.32	-0.93

TABLE 2
Groundwater Elevation Data
5050, 5051 & 5200 Coliseum Way

Site	Monitoring Well	Measurement Date	Top of Casing Elevation (ft, msl)	Depth to Groundwater (ft)	Groundwater Elevation (ft, msl)	Change from Previous Measurement (ft)
	MWA-3 Cond.	06-Dec-01		2.07	8.43	7.11
		18-Mar-02		2.80	7.70	-0.73
		24-Jun-02		8.03	2.47	-5.23
		21-Aug-02		5.81	4.69	2.22
		19-Nov-02		8.81	1.69	-3.00
5051	MW-4	19-Dec-95 ⁽¹⁾	10.27	9.95	0.32	
		19-Dec-95 ⁽²⁾		11.45	-1.18	
		10-Dec-96 ⁽¹⁾		9.22	1.05	
		10-Dec-96 ⁽²⁾		10.68	-0.41	
		13-Dec-96		10.00	0.27	0.68
		23-Mar-98		9.89	0.38	0.11
		17-Jun-98		10.62	-0.35	-0.73
		30-Sep-98		12.00	-1.73	-1.38
		03-Dec-98		11.05	-0.78	0.95
		23-Feb-99		10.15	0.12	0.90
		26-May-99		11.37	-1.10	-1.22
		15-Sep-99		12.59	-2.32	-1.22
		06-Dec-99		11.66	-1.39	0.93
		29-Mar-00		10.90	-0.63	0.76
		14-Dec-00		12.10	-1.83	-1.20
		27-Mar-01		11.38	-1.11	0.72
		11-Jun-01		11.86	-1.59	-0.48
		30-Aug-01		12.57	-2.30	-0.71
		06-Dec-01		10.68	-0.41	1.89
		18-Mar-02		11.55	-1.28	-0.87
		24-Jun-02		12.19	-1.92	-0.64
		21-Aug-02		12.39	-2.12	-0.20
		19-Nov-02		11.93	-1.66	0.46
5051	MW-5	19-Dec-95 ⁽¹⁾	9.45	8.51	0.94	
		19-Dec-95 ⁽²⁾		8.49	0.96	0.02
		10-Dec-96 ⁽¹⁾		8.16	1.29	0.33
		10-Dec-96 ⁽²⁾		8.62	0.83	-0.46
		13-Dec-96		8.50	0.95	0.12
		23-Mar-98		7.91	1.54	0.59
		17-Jun-98		8.28	1.17	-0.37
		30-Sep-98		8.70	0.75	-0.42
		03-Dec-98		8.87	0.58	-0.17
		23-Feb-99		7.71	1.74	1.16
		26-May-99		8.30	1.15	-0.59
		15-Sep-99		8.94	0.51	-0.64
		06-Dec-99		9.30	0.15	-0.36
		29-Mar-00		8.25	1.20	1.05
		12-Jan-01		8.50	0.95	-0.25
		27-Mar-01		8.10	1.35	0.40
		11-Jun-01		8.70	0.75	-0.60
		30-Aug-01		9.20	0.25	-0.50
		06-Dec-01		8.51	0.94	0.69
		18-Mar-02		8.10	1.35	0.41
		24-Jun-02		8.65	0.80	-0.55
		21-Aug-02	Well not accessible, buried			
		19-Nov-02		9.00	0.45	-0.35

TABLE 2
Groundwater Elevation Data
5050, 5051 & 5200 Coliseum Way

Site	Monitoring Well	Measurement Date	Top of Casing Elevation (ft, msl)	Depth to Groundwater (ft)	Groundwater Elevation (ft, msl)	Change from Previous Measurement (ft)	
5200	CW-1	30-Sep-96	14.11	9.22	4.89		
		19-Aug-97		9.39	4.72	-0.17	
		10-Dec-97		8.66	3	5.45	0.73
		23-Mar-98		7.55	6.56	1.11	
		17-Jun-98		8.15	5.96	-0.60	
		30-Sep-98		9.01	5.10	-0.86	
		03-Dec-98		9.08	5.03	-0.07	
		23-Feb-99		8.11	6.00	0.97	
		26-May-99		8.37	5.74	-0.26	
		15-Sep-99		9.20	4.91	-0.83	
		06-Dec-99		9.38	4.73	-0.18	
		29-Mar-00		8.91	5.20	0.47	
		14-Dec-00		9.29	4.82	-0.38	
		27-Mar-01		8.32	5.79	0.97	
		11-Jun-01		8.70	5.41	-0.38	
		30-Aug-01		9.24	4.87	-0.54	
		06-Dec-01		9.07	5.04	0.17	
		18-Mar-02		8.35	5.76	0.72	
		24-Jun-02		8.48	5.63	-0.13	
		21-Aug-02		8.98	5.13	-0.50	
19-Nov-02	9.36	4.75	-0.38				
5200	CW-2	30-Sep-96	14.88	9.50	5.38		
		19-Aug-97		9.65	5.23	-0.15	
		10-Dec-97		9.30	5.58	0.35	
		23-Mar-98		7.79	7.09	1.51	
		17-Jun-98		8.43	6.45	-0.64	
		30-Sep-98		9.24	5.64	-0.81	
		03-Dec-98		9.61	5.27	-0.37	
		23-Feb-99		8.69	6.19	0.92	
		26-May-99		8.70	6.18	-0.01	
		15-Sep-99		9.48	5.40	-0.78	
		06-Dec-99		9.88	5.00	-0.40	
		29-Mar-00		8.34	6.54	1.54	
		14-Dec-00		9.77	5.11	-1.43	
		27-Mar-01		8.90	5.98	0.87	
		11-Jun-01		9.10	5.78	-0.20	
		30-Aug-01		9.61	5.27	-0.51	
		06-Dec-01		9.92	4.96	-0.31	
		18-Mar-02		8.78	6.10	1.14	
		24-Jun-02		9.04	5.84	-0.26	
		21-Aug-02		9.38	5.50	-0.34	
19-Nov-02	9.91	4.97	-0.53				
5200	CW-4	30-Sep-96	14.76	8.08	6.68		
		19-Aug-97		8.92	2	5.84	-0.84
		10-Dec-97		8.06	4	6.70	0.86
		23-Mar-98		6.08	8.68	1.98	
		17-Jun-98		6.98	7.78	-0.90	
		30-Sep-98		7.90	6.86	-0.92	
		03-Dec-98		8.25	6.51	-0.35	
		23-Feb-99		6.92	7.84	1.33	

TABLE 2
Groundwater Elevation Data
5050, 5051 & 5200 Coliseum Way

Site	Monitoring Well	Measurement Date	Top of Casing Elevation (ft, msl)	Depth to Groundwater (ft)		Groundwater Elevation (ft, msl)	Change from Previous Measurement (ft)
	CW-4 Cond.	26-May-99		7.18		7.58	-0.26
		15-Sep-99		8.10		6.66	-0.92
		06-Dec-99		8.52		6.24	-0.42
		29-Mar-00		6.78		7.98	1.74
		14-Dec-00		8.51		6.25	-1.73
		27-Mar-01		7.38		7.38	1.13
		11-Jun-01		7.75		7.01	-0.37
		30-Aug-01		8.30		6.46	-0.55
		06-Dec-01		8.60		6.16	-0.30
		18-Mar-02		7.22		7.54	1.38
		24-Jun-02		7.71		7.05	-0.49
		21-Aug-02		8.04		6.72	-0.33
		19-Nov-02		8.75		6.01	-0.71
5200	CW-6	30-Sep-98	13.20	8.97	B	4.23	
		03-Dec-98		8.74		4.46	0.23
		23-Feb-99		7.70		5.50	1.04
		26-May-99		8.19		5.01	-0.49
		15-Sep-99		9.12		4.08	-0.93
		06-Dec-99		9.32		3.88	-0.20
		29-Mar-00		7.73		5.47	1.59
		14-Dec-00		9.24		3.96	-1.51
		27-Mar-01		8.12		5.08	1.12
		11-Jun-01		8.56		4.64	-0.44
		30-Aug-01		9.12		4.08	-0.56
		06-Dec-01		8.56		4.64	0.56
		18-Mar-02		7.95		5.25	0.61
		24-Jun-02		8.40		4.80	-0.45
		21-Aug-02		8.98		4.22	-0.58
	19-Nov-02		9.31		3.89	-0.33	
5200	CW-7	30-Sep-98	11.86	7.61	B	4.25	
		03-Dec-98		7.35		4.51	0.26
		23-Feb-99		6.43		5.43	0.92
		26-May-99		6.87		4.99	-0.44
		15-Sep-99		7.76		4.10	-0.89
		06-Dec-99		7.96		3.90	-0.20
		29-Mar-00		6.47		5.39	1.49
		14-Dec-00		7.82		4.04	-1.35
		27-Mar-01		6.84		5.02	0.98
		11-Jun-01		7.20		4.66	-0.36
		30-Aug-01		7.76		4.10	-0.56
		06-Dec-01		7.24		4.62	0.52
		18-Mar-02		12.05		-0.19	-4.81
		24-Jun-02		7.12		4.74	4.93
		21-Aug-02		7.70		4.16	-0.58
	19-Nov-02		7.96		3.90	-0.26	

TABLE 2
Groundwater Elevation Data
5050, 5051 & 5200 Coliseum Way

Site	Monitoring Well	Measurement Date	Top of Casing Elevation (ft, msl)	Depth to Groundwater (ft)		Groundwater Elevation (ft, msl)	Change from Previous Measurement (ft)
5200	CW-8	30-Sep-98	9.24	5.41	B	3.83	
		03-Dec-98		5.05		4.19	0.36
		23-Feb-99		4.18		5.06	0.87
		26-May-99		4.82		4.42	-0.64
		15-Sep-99		5.55		3.69	-0.73
		06-Dec-99		5.64		3.60	-0.09
		29-Mar-00		4.59		4.65	1.05
		14-Dec-00		5.59		3.65	-1.00
		27-Mar-01		4.62		4.62	0.97
		11-Jun-01		4.91		4.33	-0.29
		30-Aug-01		5.41		3.83	-0.50
		06-Dec-01		4.94		4.30	0.47
		18-Mar-02		4.70		4.54	0.24
		24-Jun-02		4.55		4.69	0.15
		21-Aug-02		4.33		4.91	0.22
19-Nov-02	4.39	4.85	-0.06				
5200	CW-9	30-Sep-98	10.35	11.42	B	-1.07	
		03-Dec-98		11.11		-0.76	0.31
		23-Feb-99		11.43		-1.08	-0.32
		26-May-99		11.29		-0.94	0.14
		15-Sep-99		11.39		-1.04	-0.10
		06-Dec-99		11.90		-1.55	-0.51
		29-Mar-00		11.37		-1.02	0.53
		14-Dec-00		11.32		-0.97	0.05
		27-Mar-01		11.36		-1.01	-0.04
		11-Jun-01		11.18		-0.83	0.18
		30-Aug-01		11.16		-0.81	0.02
		06-Dec-01		11.59		-1.24	-0.43
		18-Mar-02		11.33		-0.98	0.26
		24-Jun-02		10.95		-0.60	0.38
		21-Aug-02		10.70		-0.35	0.25
19-Nov-02	11.44	-1.09	-0.74				
5200	CW-10	30-Sep-98	8.33	7.18	B	1.15	
		03-Dec-98		5.79		2.54	1.39
		23-Feb-99		7.46		0.87	-1.67
		26-May-99		7.45		0.88	0.01
		15-Sep-99		8.04		0.29	-0.59
		06-Dec-99		6.29		2.04	1.75
		29-Mar-00		6.66		1.67	-0.37
		14-Dec-00		6.68		1.65	-0.02
		27-Mar-01		well inaccessible			
		11-Jun-01		7.44		0.89	-0.76
		30-Aug-01		7.90		0.43	-0.46
		06-Dec-01		6.07		2.26	1.83
		18-Mar-02		7.47		0.86	-1.40
		24-Jun-02		7.35		0.98	0.12
		21-Aug-02		4.71		3.62	2.64
19-Nov-02	7.45	0.88	-2.74				

TABLE 2
Groundwater Elevation Data
5050, 5051 & 5200 Coliseum Way

Site	Monitoring Well	Measurement Date	Top of Casing Elevation (ft, msl)	Depth to Groundwater (ft)		Groundwater Elevation (ft, msl)	Change from Previous Measurement (ft)
5200	CW-12	30-Sep-98	7.84	6.79	B	1.05	
		03-Dec-98		6.02		1.82	0.77
		23-Feb-99		5.93		1.91	0.09
		26-May-99		6.84		1.00	-0.91
		15-Sep-99		7.01		0.83	-0.17
		06-Dec-99		6.99		0.85	0.02
		29-Mar-00		7.56		0.28	-0.57
		14-Dec-00		6.87		0.97	0.69
		27-Mar-01		6.74		1.10	0.13
		11-Jun-01		6.65		1.19	0.09
		30-Aug-01		6.74		1.10	-0.09
		06-Dec-01		6.92		0.92	-0.18
		18-Mar-02		6.60		1.24	0.32
		24-Jun-02		6.48		1.36	0.12
		21-Aug-02		11.10		-3.26	-4.62
19-Nov-02	7.42	0.42	3.68				
5200	CW-13	30-Sep-98	7.47	6.27	B	1.20	
		03-Dec-98		5.58		1.89	0.69
		23-Feb-99		4.87		2.60	0.71
		26-May-99		6.08		1.39	-1.21
		15-Sep-99		6.39		1.08	-0.31
		06-Dec-99		6.49		0.98	-0.10
		29-Mar-00		5.22		2.25	1.27
		14-Dec-00		6.00		1.47	-0.78
		27-Mar-01		5.24		2.23	0.76
		11-Jun-01		5.63		1.84	-0.39
		30-Aug-01		5.98		1.49	-0.35
		06-Dec-01		4.89		2.58	1.09
		18-Mar-02		5.08		2.39	-0.19
		24-Jun-02		5.53		1.94	-0.45
		21-Aug-02		5.69		1.78	-0.16
19-Nov-02	6.05	1.42	-0.36				

Notes: reference to top of PVC casing of each well.

-- = Not Measured

** approximately 0.10 feet of free product encountered in well casing.

1 = Sheen

2 = Sheen and Petroleum Odor

3 = Sulfur Odor

4 = Sheen and Sulfur Odor

a = Field error in numbering wells, CW-3 and CW-5 reversed

' = High Tide Measurement

' = Low Tide Measurement

A = Well covered repaired and TOC resurveyed (10/12/98)

B = TOC resurveyed (10/12/98) - MW-6 discrepancy confirmed 12-3-98

TABLE 3
Petroleum Hydrocarbons Detected in Groundwater
5050, 5051 & 5200 Coliseum Way
(Concentrations Reported in Milligrams per Liter [mg/L])

Sample ID	Date Sampled	TEPH	TPH-D	TPH-O	TPH-G	Benzene	Ethyl-Benzene	Toluene	Total Xylenes
		MCL	--	--	--	0.001	0.7	1	10
LF-11	28-Oct-93	-	<0.05	-	<0.1	-	-	-	-
LF-11	19-Dec-97	9.5	<2	9.0	<0.05	0.0004	<0.0003	0.0004	<0.0004
LF-11	25-Mar-98	-	<0.05	<0.2	-	-	-	-	-
LF-11	17-Jun-98	-	<0.09	0.7	-	-	-	-	-
LF-11	09-Sep-98	0.8	<0.2rl	0.8	-	-	-	-	-
LF-11	10-Dec-98	0.58	<0.09	0.6	-	-	-	-	-
LF-11	24-Feb-99	0.08rl	<0.06rl	<0.2rl	-	-	-	-	-
LF-11	28-May-99	-	<0.05	<0.25	-	-	-	-	-
LF-11	17-Sep-99	-	<0.05	<0.5	-	-	-	-	-
LF-11	07-Dec-99	-	<1.0	<0.5	-	-	-	-	-
LF-11	15-Dec-00	-	<0.05	<0.3	-	-	-	-	-
LF-11	27-Mar-01	-	<0.05	<0.3	-	-	-	-	-
LF-11	11-Jun-01	-	0.11	<0.3	-	-	-	-	-
LF-11	30-Aug-01	-	<0.05	<0.3	-	-	-	-	-
LF-11	7-Dec-01	-	<0.05	<0.3	-	-	-	-	-
LF-11	18-Mar-02	-	<0.05	<0.3	-	-	-	-	-
LF-11	24-Jun-02	-	<0.05	<0.3	-	-	-	-	-
LF-11	21-Aug-02	-	<0.05	<0.3	-	-	-	-	-
LF-11	19-Nov-02	-	0.06	0.41	-	-	-	-	-
MWA-1	27-Apr-98	-	<0.08	<0.2	0.14	0.0009	<0.0003	0.0004	<0.0004
MWA-1	19-Jun-98	-	<0.2	<0.2	0.13	0.0008	<0.0003	0.0003	<0.0004
MWA-1	11-Sep-98	0.38	<0.4rl	<0.2	0.25	0.0011	<0.0003	0.001	<0.0004
MWA-1	09-Dec-98	0.66	<0.4	0.4	0.27	0.0014	0.0029	0.0007	0.0156
MWA-1	25-Feb-99	-	0.940	0.46	0.09	0.001	<0.0003	0.0004	<0.0004
MWA-1	27-May-99	-	0.087	<0.25	0.31	0.001	<0.0005	<0.0005	0.0018
MWA-1	16-Sep-99	-	<0.05	<0.5	0.11	<0.0005	<0.0005	<0.0005	<0.0005
MWA-1	07-Dec-99	-	<1.0	<0.5	1.4	<0.001	<0.001	<0.001	<0.003
MWA-1	29-Mar-00	-	-	-	0.29	<0.001	<0.001	<0.001	<0.003
MWA-1	15-Dec-00	-	<0.05	<0.3	0.91	0.00087	<0.0005	<0.0005	<0.0005
MWA-1	27-Mar-01	-	<0.05	<0.3	0.54	0.0017	<0.0005	<0.0005	<0.0005
MWA-1	11-Jun-01	-	0.066	<0.3	0.5	0.00059	<0.0005	<0.0005	<0.0005
MWA-1	30-Aug-01	-	<0.05	<0.3	0.17	<0.0005	<0.0005	<0.0005	<0.0005
MWA-1	6-Dec-01	-	<0.05	<0.3	0.7	<0.0005	<0.0005	0.00062	<0.0005

TABLE 3
Petroleum Hydrocarbons Detected in Groundwater
5050, 5051 & 5200 Coliseum Way
(Concentrations Reported in Milligrams per Liter [mg/L])

Sample ID	Date Sampled	TEPH	TPH-D	TPH-O	TPH-G	Benzene	Ethyl-Benzene	Toluene	Total Xylenes
		MCL	--	--	--	0.001	0.7	1	10
MWA-1	18-Mar-02	-	<0.05	<0.3	0.27	0.0012	<0.0005	<0.0005	<0.0005
MWA-1	24-Jun-02	-	0.057	<0.3	0.27	0.0013	<0.0005	<0.0005	0.00054
MWA-1	21-Aug-02	-	<0.05	<0.3	0.17	<0.0005	<0.0005	<0.0005	0.0039
MWA-1	19-Nov-02	-	<0.05	<0.3	0.46	0.014	0.015	0.010	0.023
MW-4	25-Feb-99	-	-	-	< 0.05	< 0.0004	< 0.0003	< 0.0003	< 0.0004
MW-4	23-Sep-99	-	-	-	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
MW-4	07-Dec-99	-	-	-	0.13	< 0.001	< 0.001	< 0.001	< 0.003
MW-4	29-Mar-00	-	-	-	< 0.05	< 0.001	< 0.001	< 0.001	< 0.003
MW-4	15-Dec-00	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.0005
MW-4	27-Mar-01	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.0005
MW-4	11-Jun-01	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.0005
MW-4	30-Aug-01	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.0005
MW-4	6-Dec-01	-	-	-	<0.05	0.001	<0.0005	0.0031	0.0014
MW-4	18-Mar-02	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.0005
MW-4	24-Jun-02	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.0005
MW-4	21-Aug-02	-	-	-	<0.05	<0.0005	<0.0005	<0.0005	<0.0005
MW-4	19-Nov-02	-	-	-	0.083	<0.0005	<0.0005	<0.0005	<0.0005

TABLE 3
Petroleum Hydrocarbons Detected in Groundwater
5050, 5051 & 5200 Coliseum Way
(Concentrations Reported in Milligrams per Liter [mg/L])

Sample ID	Date Sampled	TEPH	TPH-D	TPH-O	TPH-G	Benzene	Ethyl-Benzene	Toluene	Total Xylenes
		MCL	--	--	--	0.001	0.7	1	10
CW-2	19-Aug-97	0.57	< 0.4	0.4	< 0.05	0.0008	< 0.0003	< 0.0003	0.0004
CW-2	11-Dec-97	1.1	< 0.3	0.8	< 0.05	0.0008	< 0.0003	< 0.0003	< 0.0004
CW-2	25-Mar-98	-	< 0.3	< 0.2	< 0.05	0.0006	< 0.0003	< 0.0003	< 0.0004
CW-2	19-Jun-98	-	< 0.2	< 0.2	< 0.05	0.0005	< 0.0003	< 0.0003	< 0.0004
CW-2	10-Sep-98	0.12	< 0.08	< 0.2	< 0.05	0.0005	< 0.0003	< 0.0003	< 0.0004
CW-2	04-Dec-98	1.10	< 0.6	0.7	< 0.05	0.0008	< 0.0003	0.0004	0.0004
CW-2	24-Feb-99	0.510	< 0.3	< 0.4	< 0.05	0.0007	< 0.0003	< 0.0003	< 0.0004
CW-2	27-May-99	-	0.13	< 0.25	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-2	16-Sep-99	-	0.074	< 0.5	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-2	10-Dec-99	-	< 1.0	< 0.5	< 0.05	< 0.001	< 0.001	< 0.001	< 0.003
CW-2	15-Dec-00	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-2	27-Mar-01	-	0.055	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-2	11-Jun-01	-	0.19	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-2	30-Aug-01	-	0.066	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-2	6-Dec-01	-	< 0.050	< 0.3	0.071	0.0038	0.00093	0.010	0.0057
CW-2	18-Mar-02	-	< 0.050	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-2	24-Jun-02	-	0.12	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-2	21-Aug-02	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-2	19-Nov-02	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-6	04-Dec-98	0.59	< 0.4	0.4	< 0.05	< 0.0004	< 0.0003	< 0.0003	< 0.0004
CW-6	24-Feb-99	< 0.05	< 0.05	< 0.2	< 0.05	< 0.0004	< 0.0003	< 0.0003	< 0.0004
CW-6	27-May-99	-	0.088	< 0.25	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-6	16-Sep-99	-	0.059	< 0.5	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-6	10-Dec-99	-	< 1.0	< 0.5	< 0.05	< 0.001	< 0.001	< 0.001	< 0.003
CW-6	15-Dec-00	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-6	27-Mar-01	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-6	11-Jun-01	-	0.43	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-6	30-Aug-01	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-6	6-Dec-01	-	< 0.05	< 0.3	< 0.05	0.00073	< 0.0005	0.0023	0.0012
CW-6	18-Mar-02	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-6	24-Jun-02	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-6	21-Aug-02	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-6	19-Nov-02	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005

TABLE 3
Petroleum Hydrocarbons Detected in Groundwater
5050, 5051 & 5200 Coliseum Way
(Concentrations Reported in Milligrams per Liter [mg/L])

Sample ID	Date Sampled	TEPH	TPH-D	TPH-O	TPH-G	Benzene	Ethyl-Benzene	Toluene	Total Xylenes
		MCL	--	--	--	0.001	0.7	1	10
CW-7-D3	29-Sep-98	-	< 0.05	< 0.5	-	-	-	-	-
CW-7-D4	29-Sep-98	-	-	-	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-7	04-Dec-98	0.47	< 0.4	0.3	< 0.05	< 0.0004	< 0.0003	< 0.0003	< 0.0004
CW-7	24-Feb-99	0.11	< 0.08	< 0.2	< 0.05	< 0.0004	< 0.0003	< 0.0003	< 0.0004
CW-7	27-May-99	-	0.17	< 0.25	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-7	16-Sep-99	-	< 0.05	< 0.5	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-7	10-Dec-99	-	1.0	< 0.5	< 0.05	< 0.001	< 0.001	< 0.001	< 0.003
CW-7	15-Dec-00	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-7	27-Mar-01	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-7	11-Jun-01	-	0.14	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-7	30-Aug-01	-	< 0.05	0.41	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-7	6-Dec-01	-	< 0.05	< 0.3	0.065	< 0.0005	0.00063	0.0055	0.00379
CW-7	18-Mar-02	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-7	24-Jun-02	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-7	21-Aug-02	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005
CW-7	19-Nov-02	-	< 0.05	< 0.3	< 0.05	< 0.0005	< 0.0005	< 0.0005	< 0.0005

Notes:

All results reported in milligrams per liter (mg/L)

TEPH = Total Extractable Petroleum Hydrocarbons

TPH-D = Total Petroleum Hydrocarbons as Diesel

TPH-O = Total Petroleum Hydrocarbons as Motor Oil

TPH-G = Total Petroleum Hydrocarbons as Gasoline

MCL = Maximum Contaminant Levels for Drinking Water (CCR Title 22, Sections 64431 and 64444)

"-" = Not established

"<" = Analytes not detected at reporting limit

"-" = Not analyzed

(dup) = Duplicate Sample Collected by LFR

* = Field error resulted in switched well numbers (CW-3 & CW-5)

rl = TPH laboratory surrogate recovery low due to use of silica gel cleanup, standard is not adjusted for use of silica gel

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way

Site	Monitoring Well	Sample Date	Concentrations in Milligrams per Liter (mg/L)									
			Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Lead (Pb)	Mercury (Hg)
MCL			0.006	0.05	1	0.004	0.005	0.05	--	1.3 ⁺	0.015 ⁺⁺	0.002
5050	LF-5	4-Nov-91	< 0.02	< 0.002	0.018	< 0.001	0.049	< 0.01	0.03	< 0.005	< 0.005	0.0004
5050	LF-5	27-Oct-92	< 0.02	0.005	< 0.05	< 0.002	0.24	< 0.01	1.4	< 0.01	< 0.04	< 0.0003
5050	LF-5	4-Mar-93	< 0.02	< 0.005	< 0.05	< 0.002	0.21	< 0.01	1.1	< 0.01	< 0.04	< 0.0003
5050	LF-5	25-May-93	< 0.02	< 0.002	< 0.05	< 0.002	0.17	< 0.01	0.84	< 0.01	< 0.04	< 0.0003
5050	LF-5	31-Aug-93	< 0.02	0.02	< 0.05	< 0.002	0.25	< 0.01	1.3	< 0.01	< 0.04	< 0.0003
5050	LF-5	26-Oct-93	< 0.02	0.052	< 0.05	< 0.002	0.28	< 0.01	1.4	0.01	0.07	< 0.0003
5050	LF-5	16-Feb-94	< 0.02	< 0.02	< 0.05	< 0.002	0.16	< 0.01	0.95	< 0.01	< 0.04	< 0.0002
5050	LF-5	24-May-94	< 0.005	< 0.005	0.01	< 0.0005	0.14	< 0.002	0.71	< 0.002	< 0.01	< 0.0002
5050	LF-5	21-Sep-94	< 0.005	< 0.01	0.01	< 0.0005	0.17	0.003	0.81	0.003	< 0.01	< 0.0002
5050	LF-5	19-Dec-94	< 0.005	< 0.01	0.01	< 0.0005	0.25	0.003	1.2	0.004	< 0.008	< 0.0002
5050	LF-5	14-Mar-95	< 0.004	< 0.02	0.013	< 0.0005	0.11	0.004	0.61	0.003	< 0.01	< 0.0002
5050	LF-5	7-Jun-95	< 0.004	< 0.01	0.015	< 0.0005	0.31	0.006	1.5	0.005	< 0.02	< 0.0002
5050	LF-5	7-Sep-95	< 0.004	< 0.005	0.014	< 0.0005	0.31	0.006	1.5	0.005	< 0.01	< 0.0002
5050	LF-5	18-Dec-95	< 0.004	< 0.005	0.017	< 0.0005	0.2	0.004	0.99	0.002	< 0.005	< 0.0002
5050	LF-5	20-Aug-97	< 0.03	0.06	0.02	< 0.005	0.26	0.01	1.3	< 0.01	< 0.05	< 0.0005
5050	LF-5	11-Dec-97	< 0.03	0.06	0.21	< 0.005	0.24	< 0.01	1.1	< 0.01	< 0.05	< 0.0005
5050	LF-5	25-Mar-98	< 0.03	< 0.05	0.05	< 0.005	0.062	< 0.01	0.21	< 0.03	< 0.05	< 0.0005
5050	LF-5	18-Jun-98	< 0.03	0.12	0.26	< 0.005	1.2	0.06	6.5	0.02	< 0.05	< 0.0005
5050	LF-5	9-Sep-98	< 0.03	< 0.05	0.08	< 0.005	0.19	< 0.01	0.76	< 0.01	< 0.05	< 0.0005
5050	LF-5	9-Dec-98	< 0.03	< 0.05	0.08	< 0.005	0.3	0.01	1.1	< 0.01	< 0.05	< 0.0005
5050	LF-5	23-Feb-99	< 0.03	0.07	0.02	0.008	0.09	< 0.01	0.33	0.02	< 0.05	< 0.0005
5050	LF-5	27-May-99	< 0.05	< 0.005	< 0.05	< 0.004	0.23	< 0.005	0.8	< 0.05	< 0.005	< 0.0008
5050	LF-5	23-Sep-99	< 0.03	< 0.05	0.01	< 0.005	0.21	0.01	0.8	< 0.01	< 0.05	< 0.0002
5050	LF-5	15-Dec-99	< 0.03	< 0.05	0.04	< 0.005	0.3	0.058	1.4	< 0.01	< 0.05	< 0.0002
5050	LF-5	29-Mar-00	< 0.03	< 0.05	< 0.01	0.014	0.5	0.041	2.5	< 0.01	< 0.05	< 0.0002
5050	LF-5	15-Dec-00	< 0.06	< 0.005	0.012	< 0.002	0.27	< 0.01	1.3	< 0.01	0.0095	< 0.0002
5050	LF-5	27-Mar-01	< 0.06	< 0.005	< 0.01	< 0.002	0.34	< 0.01	1.6	< 0.01	0.0087	< 0.0002
5050	LF-5	11-Jun-01	< 0.06	0.008	0.013	< 0.002	0.83	0.012	4.1	< 0.01	0.027	< 0.0002
5050	LF-5	30-Aug-01	< 0.06	0.0071	0.014	< 0.002	0.72	0.011	3.1	< 0.01	0.025	< 0.0002
5050	LF-5	7-Dec-01	< 0.06	< 0.005	0.020	< 0.002	0.390	< 0.010	1.6	< 0.01	0.012	< 0.0002
5050	LF-5	18-Mar-02	Well inaccessible									
5050	LF-5	24-Jun-02	Well inaccessible									
5050	LF-5	21-Aug-02	< 0.06	< 0.005	0.018	< 0.002	0.089	< 0.010	0.29	< 0.01	0.0042	< 0.0002
5050	LF-5	19-Nov-02	< 0.06	< 0.005	< 0.010	< 0.002	0.570	0.050	2.30	< 0.010	0.017	< 0.0002

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way
Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Molybdenum (Mo)	Nickel (Ni)	Selenium (Se)	Silver (Ag)	Thallium (Tl)	Vanadium (V)	Zinc (Zn)	TDS	pH (SU)	Chloride
		MCL	--	0.10	0.05	0.1 ⁺	0.002	--	5			
5050	LF-5	4-Nov-91	< 0.01	0.23	< 0.004	0.004	< 0.1	< 0.005	11	9,100	-	-
5050	LF-5	27-Oct-92	< 0.01	5.4	0.017	0.022	< 0.1	< 0.005	35	-	-	-
5050	LF-5	4-Mar-93	< 0.01	5	< 0.01	0.021	< 0.1	< 0.005	36	-	-	-
5050	LF-5	25-May-93	< 0.01	3.2	< 0.004	0.01	0.2	< 0.005	23	-	-	-
5050	LF-5	31-Aug-93	< 0.01	4.6	< 0.02	0.013	0.2	< 0.005	38	-	-	-
5050	LF-5	26-Oct-93	< 0.01	5.3	< 0.04	0.011	0.3	0.01	51	-	6.07	-
5050	LF-5	16-Feb-94	< 0.01	3.3	< 0.04	0.009	0.1	< 0.005	28	-	6.20	-
5050	LF-5	24-May-94	< 0.002	2.4	< 0.01	0.008	0.09	0.002	23	-	-	-
5050	LF-5	21-Sep-94	< 0.002	2.5	< 0.02	0.006	0.03	< 0.001	25	-	-	-
5050	LF-5	19-Dec-94	< 0.002	3.8	0.02	0.007	0.08	< 0.001	58	-	-	-
5050	LF-5	14-Mar-95	< 0.002	2.6	< 0.04	0.004	0.06	0.003	25	-	-	-
5050	LF-5	7-Jun-95	< 0.002	5	< 0.02	0.006	0.05	0.001	76	-	-	-
5050	LF-5	7-Sep-95	< 0.002	4.8	< 0.004	0.004	0.04	< 0.001	38	-	-	-
5050	LF-5	18-Dec-95	< 0.002	3.1	< 0.01	0.003	0.12	0.003	47	-	6.35	-
5050	LF-5	20-Aug-97	< 0.01	4	< 0.05	< 0.01	< 0.05	< 0.01	52	-	5.79	-
5050	LF-5	11-Dec-97	< 0.01	3.2	< 0.05	< 0.01	< 0.05	< 0.01	44	-	6.23	-
5050	LF-5	25-Mar-98	< 0.01	0.74	< 0.07	< 0.01	< 0.05	< 0.01	16	5,600	5.87	-
5050	LF-5	18-Jun-98	< 0.01	18	< 0.07	0.03	0.43	< 0.01	300	21,000	6.19	-
5050	LF-5	9-Sep-98	< 0.01	2.4	< 0.07	< 0.01	< 0.05	< 0.01	36	7,800	6.22	-
5050	LF-5	9-Dec-98	< 0.01	3.7	< 0.07	0.01	< 0.05	< 0.01	50	12,000	6.11	-
5050	LF-5	23-Feb-99	< 0.01	1.1	< 0.07	< 0.01	< 0.05	< 0.01	20	6,800	6.41	-
5050	LF-5	27-May-99	< 0.05	2.4	< 0.005	< 0.01	< 0.005	< 0.05	52	6,100	6.21	-
5050	LF-5	23-Sep-99	< 0.01	2.5	< 0.07	< 0.01	< 0.05	< 0.01	35	9,000	6.03	-
5050	LF-5	15-Dec-99	< 0.01	3.8	< 0.07	< 0.01	< 0.05	< 0.01	52	12,000	5.57	-
5050	LF-5	29-Mar-00	< 0.01	7	< 0.07	< 0.01	< 0.05	< 0.01	110	14,000	5.10	-
5050	LF-5	15-Dec-00	< 0.02	3.7	0.037	< 0.005	0.15	< 0.01	63	11,900	6.06	-
5050	LF-5	27-Mar-01	< 0.02	4.3	0.028	< 0.005	0.16	< 0.01	120	14,300	6.95	-
5050	LF-5	11-Jun-01	< 0.02	11	0.1	< 0.005	0.43	< 0.01	240	20,600	6.65	-
5050	LF-5	30-Aug-01	< 0.02	8.9	0.088	< 0.005	0.36	< 0.01	170	16,500	6.24	-
5050	LF-5	7-Dec-01	< 0.02	4.6	0.047	< 0.005	0.16	< 0.01	80	9,480	6.24	-
5050	LF-5	18-Mar-02	Well inaccessible									
5050	LF-5	24-Jun-02	Well inaccessible									
5050	LF-5	21-Aug-02	< 0.02	0.94	0.026	< 0.005	0.083	< 0.01	20	5,920	3.71	-
5050	LF-5	19-Nov-02	< 0.02	6.5	0.073	0.012	0.37	< 0.01	150	11,400	5.90	-

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way

Site	Monitoring Well	Sample Date	Concentrations in Milligrams per Liter (mg/L)									
			Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Lead (Pb)	Mercury (Hg)
		MCL	0.006	0.05	1	0.004	0.005	0.05	--	1.3 ⁺	0.015 ⁺⁺	0.002
5050	LF-11	28-Oct-93	< 0.02	0.07	0.1	< 0.002	120	< 0.01	5.9	3	6	< 0.0003
5050	LF-11	18-Feb-94	< 2	< 0.02	< 5	< 0.2	140	< 1	8.4	4	< 4	< 0.0002
5050	LF-111(dup)	18-Feb-94	< 2	< 0.2	< 5	< 0.2	140	< 1	9.4	4	< 4	< 0.0002
5050	LF-11	23-Sep-94	< 2	< 0.2	< 0.01	0.2	130	< 1	7.1	5	0.41	< 0.0002
5050	LF-11	15-Mar-95	< 2	< 0.01	< 1	< 0.2	91	< 1	4.9	3	0.08	< 0.0002
5050	LF-11	8-Jun-95	< 20	< 0.02	< 1	< 3	99	< 10	< 5	< 10	0.09	< 0.0002
5050	LF-11	7-Sep-95	< 2	< 0.01	< 1	< 0.2	120	< 1	6.5	5	0.04	< 0.0002
5050	LF-11	18-Dec-95	< 20	0.31	< 1	< 3	110	< 10	6.0	< 10	0.021	< 0.0002
5050	LF-11	20-Aug-97	< 0.03	0.19	0.02	0.06	75	0.04	3.9	3.3	< 0.05	< 0.0005
5050	LF-11	19-Dec-97	< 0.03	0.16	< 0.01	0.062	72	< 0.01	3.6	3.2	< 0.05	< 0.0005
5050	LF-11	25-Mar-98	< 0.03	< 0.05	< 0.01	< 0.005	36	< 0.01	< 0.01	< 0.03	< 0.05	< 0.0005
5050	LF-11	17-Jun-98	< 0.03	0.11	0.14	0.034	46	0.03	2.5	1.9	< 0.05	< 0.0005
5050	LF-11	9-Sep-98	< 0.03	0.08	0.12	0.04	43	< 0.01	2.1	2.0	< 0.05	< 0.0005
5050	LF-11	10-Dec-98	< 0.03	0.1	0.1	0.035	51	0.03	2.3	2.2	< 0.05	< 0.0005
5050	LF-11	24-Feb-99	< 0.03	< 0.05	0.02	0.018	48	< 0.01	0.79	0.9	< 0.05	< 0.0005
5050	LF-11	28-May-99	< 0.05	< 0.005	< 0.05	0.048	68	0.013	2.8	1.9	< 0.01	< 0.0008
5050	LF-11	17-Sep-99	< 0.03	< 0.05	0.02	0.05	46	0.03	2.7	2.7	< 0.05	0.0005
5050	LF-11	7-Dec-99	< 0.03	0.13	< 0.01	0.087	92	0.12	4.3	3.6	< 0.05	0.0005
5050	LF-11	29-Mar-00	< 0.03	< 0.05	< 0.01	0.038	37	0.029	1.8	1.5	< 0.05	< 0.0002
5050	LF-11	15-Dec-00	< 0.06	0.045	0.013	0.044	84	0.012	2.7	3.0	0.088	< 0.0002
5050	LF-11	27-Mar-01	< 0.06	0.035	0.011	0.043	83	0.013	2.7	3.2	0.065	< 0.0002
5050	LF-11	11-Jun-01	< 0.06	0.056	0.013	0.045	86	0.024	2.8	2.7	0.084	< 0.0002
5050	LF-11	30-Aug-01	< 0.06	0.034	0.013	0.041	73	0.017	2.7	2.7	0.23	< 0.0002
5050	LF-11	7-Dec-01	< 0.06	0.045	0.019	0.050	79	0.021	3.1	3.4	0.076	< 0.0002
5050	LF-11	18-Mar-02	< 0.06	0.034	0.015	0.034	62	0.011	2.5	2.5	0.066	0.0002
5050	LF-11	24-Jun-02	< 0.06	0.054	0.011	0.049	96	0.031	3.2	2.9	0.084	< 0.0002
5050	LF-11	21-Aug-02	< 0.06	0.057	0.011	0.053	98	0.015	3.2	3.1	0.12	< 0.0002
5050	LF-11	19-Nov-02	< 0.06	0.039	0.013	0.056	92	0.078	3.2	2.8	0.095	< 0.0002
5050	LF-12	1-Nov-93	< 0.2	0.022	< 0.5	< 0.02	3.7	< 0.1	2.7	0.9	< 0.4	< 0.0003
5050	LF-12	17-Feb-94	< 0.2	0.004	< 0.5	< 0.02	2.9	< 0.1	1.9	0.7	< 0.4	< 0.0002
5050	LF-12	24-May-94	< 0.3	0.008	< 0.05	< 0.02	3.6	< 0.1	2.4	1.0	0.049	< 0.0002
5050	LF-12	22-Sep-94	< 0.2	< 0.005	< 0.05	0.02	3.4	< 0.1	2.2	1.1	0.02	< 0.0002
5050	LF-12	19-Dec-94	< 0.2	< 0.005	< 0.5	0.02	3.5	< 0.1	2.3	1.1	0.01	< 0.0002
5050	LF-12	15-Mar-95	< 0.2	< 0.002	< 0.1	0.02	3	< 0.1	2	1	< 0.005	< 0.0002

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way
Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Molybdenum (Mo)	Nickel (Ni)	Selenium (Se)	Silver (Ag)	Thallium (Tl)	Vanadium (V)	Zinc (Zn)	TDS	pH (SU)	Chloride
MCL			--	0.10	0.05	0.1 ⁺	0.002	--	5			
5050	LF-11	28-Oct-93	< 0.01	28	< 0.04	< 0.005	< 0.1	2.0	47,000	170,000	4.72	-
5050	LF-11	18-Feb-94	< 1	37	< 0.02	< 0.5	< 10	< 0.5	44,000	-	4.14	-
5050	LF-111(dup)	18-Feb-94	< 1	40	< 0.02	< 0.5	< 10	< 0.5	46,000	-	4.14	-
5050	LF-11	23-Sep-94	< 1	32	< 0.04	0.5	< 10	< 0.5	33,000	-	-	-
5050	LF-11	15-Mar-95	< 1	22	< 0.02	< 0.5	< 5	< 0.5	37,000	-	-	-
5050	LF-11	8-Jun-95	< 10	21	< 0.04	< 5	< 50	< 5	37,000	-	-	-
5050	LF-11	7-Sep-95	< 1	26	< 0.02	< 0.5	< 5	< 0.5	37,000	-	-	-
5050	LF-11	18-Dec-95	< 10	25	< 0.08	< 5	< 50	< 5	37,000	-	3.73	-
5050	LF-11	20-Aug-97	< 0.01	16.	0.16	< 0.01	0.12	< 0.01	30,000	-	3.49	-
5050	LF-11	19-Dec-97	< 0.01	13.	< 0.05	< 0.01	< 0.05	< 0.01	31,000	-	3.91	-
5050	LF-11	25-Mar-98	< 0.01	5.1	< 0.07	< 0.01	< 0.05	< 0.01	13,000	54,000	3.83	-
5050	LF-11	17-Jun-98	< 0.01	12	0.10	< 0.01	0.22	< 0.01	18,000	58,000	4.89	-
5050	LF-11	9-Sep-98	< 0.01	9.8	0.13	< 0.01	< 0.05	< 0.01	17,000	51,000	5.34	-
5050	LF-11	10-Dec-98	< 0.01	9.8	< 0.07	< 0.01	< 0.05	< 0.01	18,000	66,000	3.77	-
5050	LF-11	24-Feb-99	< 0.01	4.2	< 0.07	< 0.01	< 0.05	< 0.01	8,600	57,000	3.77	-
5050	LF-11	28-May-99	< 0.05	14	< 0.005	< 0.01	< 0.02	< 0.05	23,000	98,000	3.39	-
5050	LF-11	17-Sep-99	0.02	17	< 0.07	< 0.01	< 0.05	< 0.01	7,000	67,000	3.72	-
5050	LF-11	7-Dec-99	0.19	20	< 0.07	< 0.01	< 0.05	< 0.01	2,000	89,000	3.49	-
5050	LF-11	29-Mar-00	0.073	8.2	0.07	< 0.01	< 0.05	< 0.01	1,400	38,000	4.30	-
5050	LF-11	15-Dec-00	< 0.02	12	0.068	< 0.005	0.33	< 0.01	26,000	103,000	4.29	-
5050	LF-11	27-Mar-01	< 0.02	11	0.044	< 0.005	0.27	< 0.01	28,000	94,500	4.63	-
5050	LF-11	11-Jun-01	< 0.02	13	0.077	< 0.005	0.32	< 0.01	24,000	89,800	4.16	-
5050	LF-11	30-Aug-01	< 0.02	12	0.077	< 0.005	0.35	< 0.01	25,000	77,000	3.75	-
5050	LF-11	7-Dec-01	< 0.02	14	0.081	< 0.005	0.34	< 0.01	34,000	96,800	3.75	-
5050	LF-11	18-Mar-02	< 0.02	11	0.074	< 0.005	0.34	< 0.01	20,000	86,700	4.21	-
5050	LF-11	24-Jun-02	0.023	14	0.11	< 0.005	0.46	< 0.01	34,000	40,000	5.00	-
5050	LF-11	21-Aug-02	0.047	14	0.12	< 0.005	0.52	< 0.01	31,000	90,300	3.92	-
5050	LF-11	19-Nov-02	0.023	14	0.10	0.017	0.53	< 0.01	48,000	64,300	3.50	-
5050	LF-12	1-Nov-93	< 0.1	8.1	0.014	< 0.05	< 1	< 0.05	3,400	17,000	4.56	-
5050	LF-12	17-Feb-94	< 0.1	5.9	0.014	< 0.05	< 1	< 0.05	2,700	-	4.68	-
5050	LF-12	24-May-94	< 0.1	7.1	0.017	< 0.05	< 1	< 0.05	3,100	-	-	-
5050	LF-12	22-Sep-94	< 0.1	6.7	0.02	< 0.05	< 1	< 0.05	3,100	-	-	-
5050	LF-12	19-Dec-94	< 0.1	6.9	0.03	< 0.05	< 1	< 0.05	3,200	-	-	-
5050	LF-12	15-Mar-95	< 0.1	6.7	0.019	< 0.05	< 0.5	< 0.05	2,600	-	-	-

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way

Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Lead (Pb)	Mercury (Hg)
		MCL	0.006	0.05	1	0.004	0.005	0.05	--	1.3 ⁺	0.015 ⁺⁺	0.002
5050	LF-12	Cond. 7-Jun-95	< 0.2	< 0.005	< 0.1	0.03	3.3	< 0.1	2.1	1.2	< 0.005	< 0.0002
5050	LF-12	6-Sep-95	< 0.2	< 0.005	< 0.1	0.02	3.2	< 0.1	2.2	1.3	0.01	< 0.0002
5050	LF-12	18-Dec-95	< 0.2	< 0.002	< 0.1	< 0.03	3.8	< 0.1	2.1	1.1	< 0.005	< 0.0002
5050	LF-12	20-Aug-97	< 0.03	0.05	0.03	0.015	2.4	< 0.01	1.6	1.3	< 0.05	< 0.0005
5050	LF-12	19-Dec-97	< 0.03	< 0.05	< 0.01	0.014	2.4	< 0.01	1.6	1.5	< 0.05	< 0.0005
5050	LF-12	25-Mar-98	< 0.03	< 0.05	< 0.01	< 0.005	1.1	< 0.01	0.4	1.1	< 0.05	< 0.0005
5050	LF-12	18-Jun-98	< 0.03	< 0.05	0.24	0.01	2.3	< 0.01	1.6	0.98	< 0.05	< 0.0005
5050	LF-12	9-Sep-98	< 0.03	< 0.05	0.11	0.013	2.0	< 0.01	1.3	1.7	< 0.05	< 0.0005
5050	LF-12-H	8-Oct-98	-	0.06	-	-	2.2	-	-	-	-	-
5050	LF-12-L	8-Oct-98	-	0.06	-	-	2.0	-	-	-	-	-
5050	LF-12	10-Dec-98	< 0.03	< 0.05	0.1	0.011	2.5	< 0.01	1.8	3.1	< 0.05	< 0.0005
5050	LF-12	23-Feb-99	< 0.3	< 0.5	< 0.1	< 0.05	1.9	< 0.1	1.4	1.1	< 0.5	< 0.0005
5050	LF-12	28-May-99	< 0.05	< 0.005	0.076	0.0092	2.5	< 0.005	1.5	0.59	< 0.005	< 0.0008
5050	LF-12	16-Sep-99	< 0.03	< 0.05	< 0.01	< 0.02	1.9	< 0.01	1.5	0.97	< 0.05	0.0002
5050	LF-12	7-Dec-99	< 0.03	< 0.05	< 0.01	< 0.005	2.4	< 0.01	1.8	0.94	< 0.05	0.00054
5050	LF-12	29-Mar-00	< 0.03	< 0.05	0.32	< 0.005	2.4	0.014	1.7	0.86	< 0.05	0.00093
5050	LF-12	15-Dec-00	< 0.06	< 0.005	0.01	0.012	1.5	< 0.01	1.2	0.73	0.012	0.0003
5050	LF-12	27-Mar-01	< 0.06	< 0.005	0.01	0.0075	1.8	< 0.01	1.1	0.72	0.014	< 0.0002
5050	LF-12	11-Jun-01	< 0.06	0.015	0.012	0.011	1.6	< 0.01	1.3	0.66	0.022	< 0.0002
5050	LF-12	30-Aug-01	< 0.06	0.01	0.013	0.012	1.6	< 0.01	1.3	0.69	0.033	0.00027
5050	LF-12	7-Dec-01	< 0.06	0.023	0.013	0.013	1.6	< 0.01	1.3	0.79	0.029	< 0.0002
5050	LF-12	18-Mar-02	< 0.06	< 0.005	0.015	0.009	1.3	< 0.01	1.0	0.92	0.014	0.00045
5050	LF-12	24-Jun-02	< 0.06	0.021	< 0.010	0.011	2.4	< 0.01	1.3	0.60	0.023	0.00054
5050	LF-12	21-Aug-02	< 0.06	< 0.005	0.011	0.011	1.5	< 0.01	1.1	0.65	0.016	< 0.0002
5050	LF-12	19-Nov-02	< 0.06	0.018	< 0.010	0.0099	1.4	0.019	1.1	0.52	0.016	0.00028
5051	MWA-1	2-Jun-95	< 0.2	< 0.02	0.01	< 0.02	2.7	< 0.1	< 0.05	0.57	< 0.4	< 0.002
5051	MWA-1	12-Dec-95	< 0.2	0.011	< 0.1	< 0.02	2.8	< 0.1	0.11	1	0.6	0.0003
5051	MWA-1	13-Dec-96	< 0.02	0.01	0.01	< 0.002	3.1	< 0.01	0.14	1.4	1	< 0.0002
5051	MWA-1	13-Dec-96 (D)	< 0.02	0.011	0.02	< 0.002	3.1	< 0.01	0.17	1.5	1.1	< 0.0002
5051	MWA-1	27-Apr-98	< 0.03	< 0.05	0.2	< 0.005	4.2	0.01	0.01	1.1	1.3	< 0.0005
5051	MWA-1	19-Jun-98	< 0.03	< 0.05	0.22	< 0.005	3.4	< 0.01	0.02	0.88	0.81	< 0.0005
5051	MWA-1	11-Sep-98	< 0.03	< 0.05	0.06	< 0.005	3.5	< 0.01	0.03	1.3	0.84	< 0.0005
5051	MWA-1	9-Dec-98	< 0.03	0.05	0.09	< 0.005	3.5	< 0.01	0.03	1.3	0.94	< 0.0005
5051	MWA-1	25-Feb-99	< 0.03	< 0.05	0.03	< 0.005	3.3	< 0.01	0.02	1.0	0.67	< 0.0005
5051	MWA-1	27-May-99	< 0.05	< 0.005	< 0.05	< 0.004	4.2	< 0.005	< 0.05	0.91	1.2	< 0.0008
5051	MWA-1	16-Sep-99	< 0.03	< 0.05	< 0.01	< 0.009	3.1	< 0.01	0.04	1.3	1.3	< 0.0002

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way
Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Molybdenum (Mo)	Nickel (Ni)	Selenium (Se)	Silver (Ag)	Thallium (Tl)	Vanadium (V)	Zinc (Zn)	TDS	pH (SU)	Chloride	
		MCL	--	0.10	0.05	0.1 [†]	0.002	--	5				
5050	LF-12	Cond.	7-Jun-95	<0.1	6.6	0.04	<0.05	<0.5	<0.05	2,900	-	7.59	-
5050	LF-12		6-Sep-95	<0.1	6.4	<0.01	<0.05	<0.5	<0.05	2,900	-	-	-
5050	LF-12		18-Dec-95	<0.1	6.6	0.055	<0.05	<0.5	<0.05	3,000	-	4.08	-
5050	LF-12		20-Aug-97	<0.01	4.7	0.12	<0.01	0.05	0.03	2,200	-	3.58	-
5050	LF-12		19-Dec-97	<0.01	4.4	<0.05	<0.01	<0.05	0.02	2,600	-	4.49	-
5050	LF-12		25-Mar-98	<0.01	1.9	<0.07	<0.01	<0.05	<0.01	1,200	7,100	4.00	-
5050	LF-12		18-Jun-98	<0.01	4.6	0.11	<0.01	0.14	0.01	2,500	12,000	4.02	-
5050	LF-12		9-Sep-98	<0.01	4.1	0.13	<0.01	<0.05	<0.01	2,100	12,000	4.85	-
5050	LF-12-H		8-Oct-98	-	-	-	-	-	-	2,400	11,000	3.30	590
5050	LF-12-L		8-Oct-98	-	-	-	-	-	-	1,700	10,000	3.50	820
5050	LF-12		10-Dec-98	<0.01	4.8	0.1	<0.01	<0.05	0.01	2,800	13,000	3.87	-
5050	LF-12		23-Feb-99	<0.1	3.9	<0.7	<0.1	<0.5	<0.1	2,000	11,000	3.68	-
5050	LF-12		28-May-99	<0.05	4.6	0.017	<0.01	<0.005	<0.05	2,100	11,000	4.93	-
5050	LF-12		16-Sep-99	<0.01	5	<0.07	<0.01	<0.05	<0.01	870	11,000	4.18	-
5050	LF-12		7-Dec-99	<0.01	4.9	<0.07	0.096	<0.05	<0.01	1,200	13,000	3.88	-
5050	LF-12		29-Mar-00	0.021	4.6	0.097	<0.01	<0.05	<0.01	890	13,000	4.20	-
5050	LF-12		15-Dec-00	<0.02	3.5	0.071	<0.005	0.1	0.011	2,100	12,300	4.66	-
5050	LF-12		27-Mar-01	<0.02	3.2	0.058	<0.005	0.084	<0.01	1,700	10,800	4.91	-
5050	LF-12		11-Jun-01	<0.02	3.7	0.045	<0.005	0.099	<0.01	5,500	10,200	4.45	-
5050	LF-12		30-Aug-01	<0.02	3.8	0.055	<0.005	0.11	<0.01	1,800	10,300	4.13	-
5050	LF-12		7-Dec-01	<0.02	3.9	0.044	<0.005	0.091	<0.01	2,300	10,700	4.13	-
5050	LF-12		18-Mar-02	<0.02	3.1	0.049	<0.005	0.1	<0.01	1,600	9,120	4.00	-
5050	LF-12		24-Jun-02	<0.02	3.8	0.042	<0.005	0.13	<0.01	2,200	6,670	4.21	-
5050	LF-12		21-Aug-02	<0.02	3.3	0.046	<0.005	0.13	<0.01	1,800	8,850	3.85	-
5050	LF-12		19-Nov-02	<0.02	3.2	0.042	<0.005	0.13	<0.01	2,000	13,300	4.00	-
5051	MWA-1		2-Jun-95	<0.1	0.9	<0.04	<0.05	<0.05	<0.05	990	NA	NA	-
5051	MWA-1		12-Dec-95	<0.1	1.2	0.013	<0.05	<500	<0.05	1,000	NA	NA	-
5051	MWA-1		13-Dec-96	0.03	0.97	<0.004	0.008	<0.05	<0.005	990	7,400	5.60	-
5051	MWA-1		13-Dec-96 (D)	0.03	1.1	<0.004	0.01	<0.05	<0.005	970	7,500	5.60	-
5051	MWA-1		27-Apr-98	<0.01	0.48	<0.07	<0.01	<0.05	<0.01	90	5,100	5.80	-
5051	MWA-1		19-Jun-98	<0.01	0.55	<0.07	<0.01	0.07	<0.01	820	5,400	5.70	-
5051	MWA-1		11-Sep-98	<0.01	0.64	0.09	<0.01	<0.05	<0.01	1,800	6,600	6.21	-
5051	MWA-1		9-Dec-98	<0.01	0.81	<0.07	<0.01	<0.05	<0.01	1,000	6,500	6.15	-
5051	MWA-1		25-Feb-99	<0.01	0.56	<0.07	<0.01	<0.05	<0.01	620	110	7.16	-
5051	MWA-1		27-May-99	<0.05	0.69	<0.005	<0.01	<0.005	<0.05	950	5,500	5.98	-
5051	MWA-1		16-Sep-99	<0.01	0.79	<0.07	<0.01	<0.05	<0.01	700	6,300	6.11	-

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way

Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Lead (Pb)	Mercury (Hg)
MCL			0.006	0.05	1	0.004	0.005	0.05	--	1.3 ⁺	0.015 ⁺⁺	0.002
5051	MWA-1	Cond. 7-Dec-99	< 0.03	< 0.05	< 0.01	< 0.005	3.6	< 0.010	0.14	1.2	1.4	0.0012
5051	MWA-1	29-Mar-00	< 0.03	< 0.05	0.024	0.007	3.8	< 0.010	< 0.01	0.78	0.87	0.00027
5051	MWA-1	15-Jan-01	< 0.06	< 0.005	< 0.01	< 0.002	2.5	< 0.015	< 0.02	0.8	0.75	< 0.0002
5051	MWA-1	27-Mar-01	< 0.06	< 0.005	< 0.01	< 0.002	2.4	< 0.01	< 0.02	0.74	0.68	0.00033
5051	MWA-1	11-Jun-01	< 0.06	0.0077	0.015	< 0.002	2.3	< 0.01	0.023	0.72	0.71	< 0.0002
5051	MWA-1	30-Aug-01	< 0.06	< 0.005	0.11	< 0.002	2.2	< 0.01	0.033	0.99	1.1	< 0.0002
5051	MWA-1	6-Dec-01	< 0.06	< 0.005	< 0.01	< 0.002	2.5	< 0.01	0.029	1.2	0.94	0.00054
5051	MWA-1	18-Mar-02	< 0.06	0.0086	< 0.01	< 0.002	2.9	< 0.01	< 0.02	0.79	0.89	0.00094
5051	MWA-1	24-Jun-02	< 0.06	0.009	0.015	< 0.002	3.7	< 0.01	< 0.02	0.91	0.56	0.0019
5051	MWA-1	21-Aug-02	< 0.06	0.012	0.010	< 0.002	4.2	< 0.01	< 0.02	0.92	0.63	0.00033
5051	MWA-1	19-Nov-02	< 0.06	0.013	0.016	< 0.002	3.1	0.014	< 0.02	0.66	0.50	0.00055
5051	MW-4	11-Dec-95	< 0.2	0.005	< 0.1	< 0.2	< 0.05	< 0.1	1.2	< 0.1	< 0.4	< 0.0002
5051	MW-4	13-Dec-96	< 0.2	0.013	0.1	< 0.02	0.38	< 0.01	< 0.05	< 0.01	< 0.4	< 0.0002
5051	MW-4	27-Apr-98	< 0.03	< 0.05	< 0.01	< 0.005	0.28	0.02	0.04	< 0.01	< 0.05	< 0.0005
5051	MW-4	19-Jun-98	< 0.03	< 0.05	0.14	< 0.005	0.28	0.02	0.04	< 0.01	< 0.05	< 0.0005
5051	MW-4	11-Sep-98	< 0.03	< 0.05	0.08	0.005	0.25	0.02	0.05	0.08	< 0.05	< 0.0005
5051	MW-4	9-Dec-98	< 0.03	0.06	0.12	< 0.005	0.34	0.02	0.05	0.01	< 0.05	< 0.0005
5051	MW-4	25-Feb-99	< 0.03	< 0.05	0.05	< 0.005	0.28	0.01	0.03	0.02	< 0.05	< 0.0005
5051	MW-4	27-May-99	< 0.05	< 0.005	< 0.05	< 0.004	0.31	< 0.005	< 0.05	< 0.05	< 0.005	< 0.0008
5051	MW-4	16-Sep-99	< 0.03	< 0.05	< 0.01	< 0.009	0.17	0.02	< 0.01	< 0.01	< 0.05	< 0.0002
5051	MW-4	7-Dec-99	< 0.03	< 0.05	< 0.01	< 0.005	0.24	< 0.01	0.13	< 0.01	< 0.05	< 0.0002
5051	MW-4	29-Mar-00	< 0.03	< 0.05	0.14	< 0.005	0.13	0.038	0.035	< 0.01	< 0.05	< 0.0002
5051	MW-4	15-Jan-01	< 0.06	< 0.005	< 0.01	< 0.002	0.17	0.039	0.059	0.021	0.029	< 0.0002
5051	MW-4	27-Mar-01	< 0.06	< 0.005	< 0.01	< 0.002	0.19	< 0.01	0.03	0.011	0.016	< 0.0002
5051	MW-4	11-Jun-01	< 0.06	< 0.005	0.014	< 0.002	0.17	0.013	0.04	0.033	0.035	< 0.0002
5051	MW-4	30-Aug-01	< 0.06	< 0.005	0.077	< 0.002	0.13	< 0.01	0.052	0.035	0.029	< 0.0002
5051	MW-4	6-Dec-01	< 0.06	< 0.005	0.01	< 0.002	0.28	< 0.01	0.056	0.020	0.021	< 0.0002
5051	MW-4	18-Mar-02	< 0.06	< 0.005	< 0.01	< 0.002	0.21	< 0.01	0.036	< 0.010	0.028	< 0.0002
5051	MW-4	24-Jun-02	< 0.06	< 0.005	< 0.01	< 0.002	0.14	0.018	0.046	0.016	0.017	< 0.0002
5051	MW-4	21-Aug-02	< 0.06	< 0.005	< 0.01	< 0.002	0.23	< 0.01	0.069	0.019	0.024	< 0.0002
5051	MW-4	19-Nov-02	< 0.06	0.026	< 0.01	< 0.002	0.27	0.039	0.085	< 0.20	0.02	< 0.0002

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way
Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Molybdenum (Mo)	Nickel (Ni)	Selenium (Se)	Silver (Ag)	Thallium (Tl)	Vanadium (V)	Zinc (Zn)	TDS	pH (SU)	Chloride
		MCL	--	0.10	0.05	0.1 ⁺	0.002	--	5			
5051	MWA-1	Cond. 7-Dec-99	<0.01	0.88	<0.07	0.067	<0.05	<0.01	700	7,300	5.25	-
5051	MWA-1	29-Mar-00	<0.01	0.37	<0.07	<0.01	<0.05	<0.01	550	4,500	8.07	-
5051	MWA-1	15-Jan-01	<0.02	0.64	0.024	0.006	0.14	<0.01	810	5,740	5.86	-
5051	MWA-1	27-Mar-01	<0.02	0.41	0.014	<0.005	0.077	<0.01	660	4,830	6.67	-
5051	MWA-1	11-Jun-01	<0.02	0.54	0.024	<0.005	0.11	<0.01	620	5,410	6.22	-
5051	MWA-1	30-Aug-01	<0.02	0.61	0.03	<0.005	0.13	<0.01	800	5,790	5.81	-
5051	MWA-1	6-Dec-01	<0.02	0.64	0.033	<0.005	0.12	<0.01	1,100	5,830	5.81	-
5051	MWA-1	18-Mar-02	<0.02	0.51	0.024	<0.005	0.10	<0.01	850	5,180	6.01	-
5051	MWA-1	24-Jun-02	<0.02	0.55	0.023	<0.005	0.097	<0.01	960	4,200	6.02	-
5051	MWA-1	21-Aug-02	<0.02	0.55	0.038	<0.005	0.120	<0.01	990	4,560	5.77	-
5051	MWA-1	19-Nov-02	<0.02	0.56	0.022	0.0068	0.120	<0.01	990	5,940	5.89	-
5051	MW-4	11-Dec-95	<0.1	3	<0.02	<0.05	<500	<0.05	430	NA	NA	-
5051	MW-4	13-Dec-96	<0.01	1	<0.004	<0.05	<0.5	<0.05	660	7,100	5.50	-
5051	MW-4	27-Apr-98	<0.01	0.96	<0.07	<0.01	<0.05	<0.01	670	6,800	6.21	-
5051	MW-4	19-Jun-98	<0.01	1	<0.07	<0.01	<0.05	<0.01	1,000	6,800	5.64	-
5051	MW-4	11-Sep-98	<0.01	0.89	<0.07	<0.01	<0.05	<0.01	1,400	7,800	5.98	-
5051	MW-4	9-Dec-98	<0.01	1.1	<0.07	<0.01	<0.05	<0.01	680	7,300	5.59	-
5051	MW-4	25-Feb-99	<0.01	0.76	0.08	<0.01	<0.05	<0.01	450	6,000	7.12	-
5051	MW-4	27-May-99	<0.05	1.1	<0.005	<0.01	<0.005	<0.05	730	7,200	5.83	-
5051	MW-4	16-Sep-99	<0.01	1.2	<0.07	<0.01	<0.05	<0.01	550	7,300	5.51	-
5051	MW-4	7-Dec-99	<0.01	1	<0.07	<0.01	<0.05	<0.01	520	7,700	5.01	-
5051	MW-4	29-Mar-00	<0.01	0.91	0.078	<0.01	<0.05	<0.01	480	7,500	7.42	-
5051	MW-4	15-Jan-01	<0.02	0.94	0.06	0.014	0.28	<0.01	600	6,970	5.47	-
5051	MW-4	27-Mar-01	<0.02	0.65	0.029	<0.01	0.016	<0.01	440	5,900	6.42	-
5051	MW-4	11-Jun-01	<0.02	0.78	0.058	0.0056	0.23	<0.01	88	6,910	5.92	-
5051	MW-4	30-Aug-01	<0.02	0.86	0.068	<0.005	0.28	<0.01	570	6,960	5.05	-
5051	MW-4	6-Dec-01	<0.02	0.88	0.064	<0.005	0.25	<0.01	720	6,860	5.05	-
5051	MW-4	18-Mar-02	<0.02	0.75	0.055	<0.005	0.25	<0.01	570	5,980	6.21	-
5051	MW-4	24-Jun-02	<0.02	0.83	0.073	0.0056	0.31	<0.01	570	4,160	5.45	-
5051	MW-4	21-Aug-02	<0.02	0.92	0.1	<0.005	0.38	<0.01	620	7,020	5.57	-
5051	MW-4	19-Nov-02	<0.02	0.85	0.068	<0.10	0.33	<0.01	660	7,690	4.97	-

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way

Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Lead (Pb)	Mercury (Hg)
MCL			0.006	0.05	1	0.004	0.005	0.05	--	1.3 ⁺	0.015 ⁺⁺	0.002
5051	MW-5	11-Dec-95	< 0.02	0.009	0.21	< 0.002	< 0.005	< 0.01	< 0.005	< 0.01	< 0.04	< 0.0002
5051	MW-5	13-Dec-96	< 0.02	0.005	0.73	< 0.02	< 0.005	< 0.01	< 0.005	< 0.01	< 0.04	< 0.0002
5051	MW-5	27-Apr-98	< 0.03	< 0.05	< 0.01	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0005
5051	MW-5	19-Jun-98	< 0.03	< 0.05	0.57	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0005
5051	MW-5	11-Sep-98	< 0.03	< 0.05	0.47	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0005
5051	MW-5	9-Dec-98	< 0.03	< 0.05	0.83	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0005
5051	MW-5	25-Feb-99	< 0.03	< 0.05	0.58	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0005
5051	MW-5	27-May-99	< 0.05	< 0.005	0.33	< 0.004	< 0.005	< 0.005	< 0.05	< 0.05	< 0.005	< 0.0008
5051	MW-5	23-Sep-99	< 0.03	< 0.05	0.18	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0002
5051	MW-5	10-Dec-99	< 0.03	< 0.05	1.1	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0002
5051	MW-5	29-Mar-00	< 0.03	< 0.05	0.88	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0002
5051	MW-5	12-Jan-01	< 0.06	0.0078	1.2	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
5051	MW-5	27-Mar-01	< 0.06	< 0.005	0.65	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
5051	MW-5	11-Jun-01	< 0.06	0.0073	0.84	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
5051	MW-5	30-Aug-01	< 0.06	0.013	1.1	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
5051	MW-5	6-Dec-01	< 0.06	< 0.005	0.9	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
5051	MW-5	18-Mar-02	< 0.06	< 0.005	0.71	< 0.002	< 0.005	< 0.01	< 0.02	0.010	0.0097	< 0.0002
5051	MW-5	24-Jun-02	< 0.06	< 0.005	0.64	< 0.002	< 0.005	< 0.01	< 0.02	0.010	< 0.003	< 0.0002
5051	MW-5	21-Aug-02	Well inaccessible									
5051	MW-5	19-Nov-02	< 0.06	0.0073	0.57	< 0.002	< 0.005	< 0.01	< 0.02	< 0.010	< 0.003	< 0.0002
5200	CW-1	1-Oct-96	< 0.03	0.52	2.5	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0005
5200	CW-1	19-Aug-97	< 0.03	0.56	90	< 0.005	< 0.005	< 0.01	0.08	< 0.01	< 0.05	< 0.0005
5200	CW-1	11-Dec-97	< 0.03	0.56	70	< 0.005	< 0.005	< 0.01	0.06	< 0.01	< 0.05	< 0.0005
5200	CW-1	25-Mar-98	< 0.03	0.43	80	< 0.005	< 0.005	0.13	0.07	< 0.01	< 0.05	< 0.0005
5200	CW-1	19-Jun-98	< 0.03	0.18	3.6	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0005
5200	CW-1	10-Sep-98	< 0.03	0.19	0.79	< 0.005	< 0.005	0.03	0.01	< 0.01	< 0.05	< 0.0005
5200	CW-1	4-Dec-98	< 0.03	0.16	6.7	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0005
5200	CW-1	24-Feb-99	< 0.03	0.17	2.4	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0005
5200	CW-1	27-May-99	< 0.05	0.26	0.27	< 0.004	0.0056	< 0.005	< 0.05	< 0.05	< 0.005	< 0.0008
5200	CW-1	17-Sep-99	< 0.03	0.11	13	< 0.009	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0002
5200	CW-1	13-Dec-99	< 0.03	0.089	38	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0002
5200	CW-1	29-Mar-00	< 0.03	0.2	0.85	< 0.005	< 0.005	< 0.01	0.022	< 0.01	< 0.05	< 0.0002
5200	CW-1	15-Dec-00	< 0.06	0.17	0.082	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
5200	CW-1	27-Mar-01	< 0.06	0.22	0.23	< 0.002	0.0091	< 0.01	0.036	< 0.01	< 0.003	< 0.0002
5200	CW-1	11-Jun-01	< 0.06	0.29	0.1	< 0.002	0.0089	< 0.01	0.032	< 0.01	< 0.003	< 0.0002

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way

Site	Monitoring Well	Sample Date	Concentrations in Milligrams per Liter (mg/L)										
			Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Lead (Pb)	Mercury (Hg)	
		MCL	0.006	0.05	1	0.004	0.005	0.05	--	1.3 ⁺	0.015 ⁺⁺	0.002	
5200	CW-1	Cond.	30-Aug-01	<0.06	0.2	0.14	<0.002	0.013	<0.01	<0.02	<0.01	<0.003	<0.0002
5200	CW-1		7-Dec-01	<0.06	0.17	0.24	<0.002	<0.005	<0.01	<0.02	<0.01	<0.003	<0.0002
5200	CW-1		18-Mar-02	<0.06	0.43	0.11	<0.002	0.013	<0.01	0.043	<0.01	<0.003	<0.0002
5200	CW-1		24-Jun-02	<0.06	0.39	0.031	<0.002	0.032	<0.01	0.069	<0.01	<0.003	<0.0002
5200	CW-1		21-Aug-02	<0.06	0.4	0.027	<0.002	0.023	<0.01	0.055	<0.01	<0.003	<0.0002
5200	CW-1		19-Nov-02	<0.06	0.18	0.038	<0.002	<0.005	<0.01	<0.02	<0.01	<0.003	<0.0002
5200	CW-2		1-Oct-96	<0.03	3.5	220	<0.005	<0.005	<0.01	0.2	<0.01	<0.05	<0.0005
5200	CW-2		19-Aug-97	<0.03	2.6	220	<0.005	<0.005	<0.01	0.2	<0.01	<0.05	<0.0005
5200	CW-2		11-Dec-97	<0.03	3.6	150	<0.005	<0.005	<0.01	0.14	<0.01	<0.05	<0.0005
5200	CW-2		25-Mar-98	<0.03	1.8	230	<0.005	<0.005	0.13	0.07	0.01	<0.05	<0.0005
5200	CW-2		19-Jun-98	<0.03	2.1	170	<0.005	<0.005	<0.01	0.13	<0.01	<0.05	<0.0005
5200	CW-2		10-Sep-98	<0.03	2.9	190	<0.005	<0.005	<0.01	0.12	<0.01	<0.05	<0.0005
5200	CW-2		4-Dec-98	<0.03	2.0	250	<0.005	<0.005	<0.01	0.12	<0.01	<0.05	<0.0005
5200	CW-2		24-Feb-99	<0.03	2.5	17	<0.005	<0.005	<0.01	<0.01	<0.01	<0.05	<0.0005
5200	CW-2		27-May-99	<0.05	2.7	150	<0.004	<0.005	<0.005	<0.05	<0.05	0.0051	<0.0008
5200	CW-2		16-Sep-99	<0.03	1.5	160	<0.009	<0.005	<0.01	<0.01	<0.01	<0.05	<0.0002
5200	CW-2		10-Dec-99	<0.03	1.3	220	<0.005	<0.005	<0.01	<0.01	<0.01	<0.05	<0.0002
5200	CW-2		29-Mar-00	<0.03	1.6	210	<0.005	<0.005	<0.01	<0.01	<0.01	<0.050	<0.0002
5200	CW-2		15-Dec-00	<0.06	1.1	170	<0.002	<0.05	<0.01	<0.02	<0.01	<0.003	<0.0002
5200	CW-2		27-Mar-01	<0.06	2.5	150	<0.002	<0.005	<0.01	<0.02	<0.01	<0.003	<0.0002
5200	CW-2		11-Jun-01	<0.06	2.8	790	<0.002	<0.005	<0.01	<0.02	<0.01	<0.003	<0.0002
5200	CW-2		30-Aug-01	<0.06	2.7	110	<0.002	0.005	<0.01	<0.02	<0.01	<0.003	<0.0002
5200	CW-2		7-Dec-01	<0.06	2.8	220	<0.002	0.005	<0.01	<0.02	<0.01	<0.003	<0.0002
5200	CW-2		18-Mar-02	<0.06	0.27	130	<0.002	<0.005	<0.01	<0.02	<0.01	<0.003	<0.0002
5200	CW-2		24-Jun-02	<0.06	3.7	160	<0.002	<0.005	<0.01	<0.02	<0.01	<0.003	<0.0002
5200	CW-2		21-Aug-02	<0.06	3.3	150	<0.002	<0.005	<0.01	<0.02	<0.01	<0.003	<0.0002
5200	CW-2		19-Nov-02	<0.06	3.1	150	<0.002	<0.005	<0.01	<0.02	<0.01	<0.003	<0.0002
ACPWA-E	CW-6		29-Sep-98	<0.03	0.13	470	<0.005	0.1	<0.01	0.34	<0.01	<0.05	<0.0005
ACPWA-E	CW-6-H		8-Oct-98	-	0.33	610	-	0.2	-	-	-	-	-
ACPWA-E	CW-6-L		8-Oct-98	-	0.09	460	-	0.11	-	-	-	-	-
ACPWA-E	CW-6		4-Dec-98	<0.03	0.19	610	<0.005	0.14	<0.01	0.42	<0.01	<0.05	<0.0005
ACPWA-E	CW-6		24-Feb-99	<0.03	0.13	550	0.005	0.11	<0.01	<0.01	<0.01	<0.05	<0.0005
ACPWA-E	CW-6		27-May-99	<0.05	0.054	600	<0.004	0.17	<0.005	0.10	<0.05	0.005	<0.0008
ACPWA-E	CW-6		16-Sep-99	<0.03	0.09	800	<0.009	0.092	<0.01	<0.01	<0.01	<0.05	<0.0002

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way
Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Molybdenum (Mo)	Nickel (Ni)	Selenium (Se)	Silver (Ag)	Thallium (Tl)	Vanadium (V)	Zinc (Zn)	TDS	pH (SU)	Chloride	
		MCL	--	0.10	0.05	0.1 ⁺	0.002	--	5				
5200	CW-1	Cond.	30-Aug-01	<0.02	0.021	0.0058	<0.005	<0.005	<0.01	22	1,850	7.16	-
5200	CW-1		7-Dec-01	<0.02	<0.02	0.011	<0.005	<0.005	<0.01	11	1,460	7.16	-
5200	CW-1		18-Mar-02	<0.02	0.096	<0.005	<0.005	<0.005	<0.01	94	1,630	7.39	-
5200	CW-1		24-Jun-02	<0.02	0.15	0.0063	<0.005	0.013	<0.01	160	1,820	6.33	-
5200	CW-1		21-Aug-02	<0.02	0.11	0.011	<0.005	0.015	<0.01	120	1,900	6.53	-
5200	CW-1		19-Nov-02	<0.02	0.027	<0.005	<0.005	<0.005	<0.01	16	1,880	6.93	-
5200	CW-2		1-Oct-96	<0.01	<0.02	<0.05	<0.01	<0.05	<0.01	0.06	-	6.80	-
5200	CW-2		19-Aug-97	<0.01	<0.02	<0.05	<0.01	<0.05	<0.01	<0.01	-	7.60	-
5200	CW-2		11-Dec-97	<0.01	<0.02	<0.05	<0.01	<0.05	<0.01	0.05	-	7.30	-
5200	CW-2		25-Mar-98	<0.01	1.4	<0.07	<0.01	<0.05	0.02	0.07	900	8.61	-
5200	CW-2		19-Jun-98	0.05	<0.02	<0.07	<0.01	<0.05	<0.01	0.08	930	6.88	-
5200	CW-2		10-Sep-98	<0.01	<0.02	<0.07	<0.01	<0.05	<0.01	<0.01	1,200	6.81	-
5200	CW-2		4-Dec-98	<0.01	<0.02	<0.07	<0.01	<0.05	<0.01	0.03	1,300	7.06	-
5200	CW-2		24-Feb-99	<0.01	<0.02	<0.07	<0.01	<0.05	<0.01	0.02	900	7.08	-
5200	CW-2		27-May-99	<0.05	<0.05	<0.005	<0.01	<0.001	<0.05	0.055	880	7.53	-
5200	CW-2		16-Sep-99	<0.01	<0.02	<0.07	<0.01	<0.05	<0.01	<0.01	1,000	7.31	-
5200	CW-2		10-Dec-99	<0.01	0.03	<0.07	<0.01	<0.05	0.01	0.01	1,200	8.44	-
5200	CW-2		29-Mar-00	<0.01	<0.02	<0.07	<0.01	<0.05	<0.01	<0.01	960	7.30	-
5200	CW-2		15-Dec-00	<0.02	<0.02	<0.05	<0.05	<0.05	<0.01	0.46	1,250	7.52	-
5200	CW-2		27-Mar-01	<0.02	<0.02	<0.05	<0.005	0.0051	<0.01	0.37	1,120	8.46	-
5200	CW-2		11-Jun-01	<0.02	<0.02	<0.05	<0.005	0.0052	<0.01	0.74	1,020	7.96	-
5200	CW-2		30-Aug-01	<0.02	<0.02	0.0073	<0.005	<0.005	<0.01	3.5	1,050	7.33	-
5200	CW-2		7-Dec-01	<0.02	<0.02	0.01	<0.005	<0.005	<0.01	<0.5	1,290	7.33	-
5200	CW-2		18-Mar-02	<0.02	<0.02	<0.005	<0.005	0.0062	<0.01	0.055	700	7.36	-
5200	CW-2		24-Jun-02	<0.02	<0.02	<0.005	<0.005	<0.005	<0.01	0.44	1,010	7.12	-
5200	CW-2		21-Aug-02	<0.02	<0.02	<0.005	<0.005	<0.005	<0.01	<0.02	1,310	7.06	-
5200	CW-2		19-Nov-02	<0.02	<0.02	<0.005	<0.005	<0.005	<0.01	0.12	1,390	7.14	-
ACPWA-E	CW-6		29-Sep-98	<0.01	0.26	<0.07	<0.01	<0.05	0.02	15	3,900	6.71	-
ACPWA-E	CW-6-H		8-Oct-98	-	-	-	-	-	-	33	4,300	6.60	1,700
ACPWA-E	CW-6-L		8-Oct-98	-	-	-	-	-	-	15	4,100	6.70	1,300
ACPWA-E	CW-6		4-Dec-98	<0.01	0.42	<0.07	<0.01	<0.05	<0.01	21	3,300	7.30	-
ACPWA-E	CW-6		24-Feb-99	0.02	0.37	<0.07	<0.01	<0.05	<0.01	19	3,000	6.99	-
ACPWA-E	CW-6		27-May-99	<0.05	0.41	<0.005	<0.01	<0.001	<0.05	28	3,400	6.87	-
ACPWA-E	CW-6		16-Sep-99	0.02	0.41	<0.07	<0.05	<0.05	0.03	16	3,700	7.73	-

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way
Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Lead (Pb)	Mercury (Hg)	
		MCL	0.006	0.05	1	0.004	0.005	0.05	--	1.3 ⁺	0.015 ⁺⁺	0.002	
ACPWA-E	CW-6	Cond.	10-Dec-99	< 0.03	0.06	640	< 0.005	0.056	< 0.01	0.022	< 0.01	< 0.05	< 0.0002
ACPWA-E	CW-6		29-Mar-00	< 0.03	0.14	440	< 0.005	0.1	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0002
ACPWA-E	CW-6		15-Dec-00	< 0.06	0.19	500	< 0.02	0.062	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-6		27-Mar-01	< 0.06	0.13	300	< 0.002	0.046	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-6		11-Jun-01	< 0.06	0.14	160	< 0.002	0.044	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-6		30-Aug-01	< 0.06	0.23	510	< 0.002	0.034	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-6		6-Dec-01	< 0.06	0.29	410	< 0.002	0.02	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-6		18-Mar-02	< 0.06	0.26	290	< 0.002	0.041	< 0.01	< 0.02	0.034	< 0.003	< 0.0002
ACPWA-E	CW-6		24-Jun-02	< 0.06	0.18	350	< 0.002	0.13	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-6		21-Aug-02	< 0.06	0.24	400	< 0.002	0.042	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-6		19-Nov-02	< 0.06	0.29	490	< 0.002	0.03	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-7		29-Sep-98	< 0.03	< 0.05	140	< 0.005	< 0.005	< 0.01	0.08	< 0.01	< 0.05	< 0.0005
ACPWA-E	CW-7-D1		29-Sep-98	< 0.005	0.04	140	< 0.005	0.0024	< 0.005	0.0052	0.0091	0.015	< 0.0005
ACPWA-E	CW-7-D2		29-Sep-98	-	-	-	-	-	-	-	-	-	-
ACPWA-E	CW-7-H		8-Oct-98	-	0.07	167	-	< 0.005	-	-	-	-	-
ACPWA-E	CW-7-L		8-Oct-98	-	< 0.05	120	-	< 0.005	-	-	-	-	-
ACPWA-E	CW-7		4-Dec-98	< 0.03	< 0.05	190	< 0.005	< 0.005	< 0.01	0.09	< 0.01	< 0.05	< 0.0005
ACPWA-E	CW-7		24-Feb-99	< 0.03	0.05	210	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0005
ACPWA-E	CW-7		27-May-99	< 0.05	0.019	54	< 0.004	< 0.005	< 0.005	< 0.05	< 0.05	< 0.005	< 0.0008
ACPWA-E	CW-7		16-Sep-99	< 0.03	0.08	200	< 0.009	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0002
ACPWA-E	CW-7		10-Dec-99	< 0.03	< 0.05	210	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0002
ACPWA-E	CW-7		29-Mar-00	< 0.03	0.057	200	< 0.005	< 0.005	< 0.01	< 0.01	0.016	< 0.05	< 0.0002
ACPWA-E	CW-7		15-Dec-00	< 0.06	0.023	210	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-7		27-Mar-01	< 0.06	0.041	140	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-7		11-Jun-01	< 0.06	0.028	160	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-7		30-Aug-01	< 0.06	0.035	84	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-7		6-Dec-01	< 0.06	0.023	210	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-7		18-Mar-02	< 0.06	0.034	180	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-7		24-Jun-02	< 0.06	0.052	210	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-7		21-Aug-02	< 0.06	0.056	200	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWA-E	CW-7		19-Nov-02	< 0.06	0.048	130	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way
Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Molybdenum (Mo)	Nickel (Ni)	Selenium (Se)	Silver (Ag)	Thallium (Tl)	Vanadium (V)	Zinc (Zn)	TDS	pH (SU)	Chloride	
		MCL	--	0.10	0.05	0.1 ⁺	0.002	--	5				
ACPWA-E	CW-6	Cond.	10-Dec-99	0.02	0.25	< 0.07	< 0.01	< 0.05	0.019	9.8	3,300	6.97	-
ACPWA-E	CW-6		29-Mar-00	< 0.01	0.3	< 0.07	< 0.01	< 0.05	< 0.01	25	2,400	8.39	-
ACPWA-E	CW-6		15-Dec-00	< 0.02	0.21	< 0.005	< 0.005	< 0.05	< 0.01	8.5	2,600	7.04	-
ACPWA-E	CW-6		27-Mar-01	< 0.02	0.19	< 0.005	< 0.005	0.0097	< 0.01	12	2,200	8.15	-
ACPWA-E	CW-6		11-Jun-01	< 0.02	0.21	< 0.005	< 0.005	0.014	< 0.01	20	2,260	7.63	-
ACPWA-E	CW-6		30-Aug-01	< 0.02	0.21	0.008	< 0.005	< 0.005	< 0.01	10	2,430	7.18	-
ACPWA-E	CW-6		6-Dec-01	< 0.02	0.15	0.0089	< 0.005	< 0.005	< 0.01	9.9	1,850	7.18	-
ACPWA-E	CW-6		18-Mar-02	< 0.02	0.20	< 0.005	< 0.005	< 0.005	0.024	12	1,680	7.28	-
ACPWA-E	CW-6		24-Jun-02	< 0.02	0.19	< 0.005	< 0.005	< 0.005	0.016	9.9	1,710	6.87	-
ACPWA-E	CW-6		21-Aug-02	< 0.02	0.17	0.0077	< 0.005	0.0084	< 0.01	9.4	1,970	6.91	-
ACPWA-E	CW-6		19-Nov-02	< 0.02	0.13	< 0.005	< 0.005	0.008	< 0.01	7.1	1,450	6.87	-
ACPWA-E	CW-7		29-Sep-98	0.02	< 0.02	< 0.07	< 0.01	< 0.05	0.02	0.02	820	9.79	-
ACPWA-E	CW-7-D1		29-Sep-98	0.029	0.0089	< 0.005	< 0.005	< 0.005	0.031	0.2	-	-	-
ACPWA-E	CW-7-D2		29-Sep-98	-	-	-	-	-	-	-	770	-	-
ACPWA-E	CW-7-H		8-Oct-98	-	-	-	-	-	-	0.08	860	10.70	860
ACPWA-E	CW-7-L		8-Oct-98	-	-	-	-	-	-	0.28	880	10.50	880
ACPWA-E	CW-7		4-Dec-98	0.02	< 0.02	< 0.07	< 0.01	< 0.05	0.02	0.01	800	9.72	-
ACPWA-E	CW-7		24-Feb-99	0.02	< 0.02	< 0.07	< 0.01	< 0.05	0.01	0.03	710	8.31	-
ACPWA-E	CW-7		27-May-99	< 0.05	< 0.05	< 0.005	< 0.01	< 0.001	< 0.05	< 0.05	2,500	8.87	-
ACPWA-E	CW-7		16-Sep-99	0.03	< 0.02	< 0.07	< 0.01	< 0.05	< 0.01	< 0.01	870	8.46	-
ACPWA-E	CW-7		10-Dec-99	0.033	0.026	< 0.07	< 0.01	< 0.05	0.017	< 0.01	870	7.72	-
ACPWA-E	CW-7		29-Mar-00	0.01	< 0.02	< 0.07	< 0.01	< 0.05	< 0.01	< 0.01	840	8.29	-
ACPWA-E	CW-7		15-Dec-00	0.027	< 0.02	< 0.005	< 0.005	< 0.005	< 0.01	< 0.02	890	10.48	-
ACPWA-E	CW-7		27-Mar-01	0.03	< 0.02	< 0.005	< 0.005	< 0.005	< 0.01	0.2	780	11.54	-
ACPWA-E	CW-7		11-Jun-01	0.021	< 0.02	< 0.005	< 0.005	< 0.005	< 0.01	< 0.02	810	10.30	-
ACPWA-E	CW-7		30-Aug-01	0.029	< 0.02	< 0.005	< 0.005	< 0.005	0.01	< 0.02	800	9.37	-
ACPWA-E	CW-7		6-Dec-01	0.028	< 0.02	< 0.005	< 0.005	< 0.005	< 0.01	< 0.5	860	9.37	-
ACPWA-E	CW-7		18-Mar-02	< 0.02	< 0.02	< 0.005	< 0.005	< 0.005	< 0.01	0.083	680	10.31	-
ACPWA-E	CW-7		24-Jun-02	0.021	< 0.02	< 0.005	< 0.005	< 0.005	< 0.01	< 0.02	680	10.41	-
ACPWA-E	CW-7		21-Aug-02	0.023	< 0.02	< 0.005	< 0.005	< 0.005	< 0.01	< 0.02	880	8.79	-
ACPWA-E	CW-7		19-Nov-02	< 0.02	< 0.02	< 0.005	< 0.005	< 0.005	< 0.01	0.065	940	9.61	-

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way
Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Lead (Pb)	Mercury (Hg)
		MCL	0.006	0.05	1	0.004	0.005	0.05	--	1.3 ⁺	0.015 ⁺⁺	0.002
ACPWA-W	CW-12	29-Sep-98	< 0.03	< 0.05	0.2	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0005
ACPWA-W	CW-12-H	8-Oct-98	-	< 0.05	-	-	< 0.005	-	-	-	-	-
ACPWA-W	CW-12-L	8-Oct-98	-	< 0.05	-	-	< 0.005	-	-	-	-	-
ACPWA-W	CW-12	8-Dec-98	< 0.03	< 0.05	0.22	< 0.005	< 0.005	0.01	< 0.01	0.01	< 0.05	< 0.0005
ACPWA-W	CW-12	23-Feb-99	< 0.03	< 0.05	0.05	< 0.005	< 0.005	< 0.01	< 0.01	0.02	< 0.05	< 0.0005
ACPWA-W	CW-12	27-May-99	< 0.05	< 0.005	0.11	< 0.004	< 0.005	< 0.005	< 0.05	< 0.05	< 0.005	< 0.0008
ACPWA-W	CW-12	23-Sep-99	< 0.03	< 0.05	0.7	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0002
ACPWA-W	CW-12	10-Dec-99	< 0.03	< 0.05	0.13	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0002
ACPWA-W	CW-12	29-Mar-00	< 0.03	< 0.05	0.053	< 0.005	< 0.005	< 0.01	< 0.01	< 0.01	< 0.05	< 0.0002
ACPWAW	CW-12	15-Dec-00	< 0.06	< 0.005	0.055	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWAW	CW-12	27-Mar-01	< 0.06	< 0.005	0.045	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWAW	CW-12	11-Jun-01	< 0.06	< 0.005	0.077	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWAW	CW-12	30-Aug-01	< 0.06	< 0.005	0.18	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWAW	CW-12	6-Dec-01	< 0.06	< 0.005	0.074	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWAW	CW-12	18-Mar-02	< 0.06	< 0.005	0.037	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWAW	CW-12	24-Jun-02	< 0.06	< 0.005	0.11	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWAW	CW-12	21-Aug-02	< 0.06	< 0.005	0.15	< 0.002	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002
ACPWAW	CW-12	19-Nov-02	< 0.06	< 0.005	0.037	0.0023	< 0.005	< 0.01	< 0.02	< 0.01	< 0.003	< 0.0002

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way
Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Molybdenum (Mo)	Nickel (Ni)	Selenium (Se)	Silver (Ag)	Thallium (Tl)	Vanadium (V)	Zinc (Zn)	TDS	pH (SU)	Chloride
		MCL	--	0.10	0.05	0.1 ⁺	0.002	--	5			
ACPWA-W	CW-12	29-Sep-98	<0.01	<0.02	<0.07	<0.01	<0.05	<0.01	0.03	12,000	7.95	-
ACPWA-W	CW-12-H	8-Oct-98	-	-	-	-	-	-	1.8	13,000	7.80	5,900
ACPWA-W	CW-12-L	8-Oct-98	-	-	-	-	-	-	2.1	13,000	7.70	5,400
ACPWA-W	CW-12	8-Dec-98	<0.01	<0.02	<0.07	<0.01	<0.05	<0.01	0.05	13,000	7.53	-
ACPWA-W	CW-12	23-Feb-99	<0.01	<0.02	<0.07	<0.01	<0.05	<0.01	0.06	1,400	7.50	-
ACPWA-W	CW-12	27-May-99	<0.05	<0.05	<0.005	<0.01	<0.005	<0.05	0.056	2,500	8.10	-
ACPWA-W	CW-12	23-Sep-99	<0.01	<0.02	<0.07	<0.01	<0.05	<0.01	0.01	6,300	7.26	-
ACPWA-W	CW-12	10-Dec-99	<0.01	0.042	<0.07	<0.01	<0.05	<0.01	0.44	17,000	6.03	-
ACPWA-W	CW-12	29-Mar-00	<0.01	<0.02	<0.07	<0.01	<0.05	<0.01	<0.01	14,000	5.77	-
ACPWAW	CW-12	15-Dec-00	<0.02	<0.02	0.0051	<0.005	<0.005	<0.01	0.28	16,600	7.46	-
ACPWAW	CW-12	27-Mar-01	<0.02	<0.02	<0.005	<0.005	<0.005	<0.01	0.89	2,620	8.24	-
ACPWAW	CW-12	11-Jun-01	<0.02	<0.02	<0.005	<0.005	<0.005	<0.01	0.12	6,550	7.60	-
ACPWAW	CW-12	30-Aug-01	<0.02	<0.02	<0.005	<0.005	<0.005	<0.01	0.035	19,700	7.64	-
ACPWAW	CW-12	6-Dec-01	<0.02	<0.02	0.0055	<0.005	<0.005	<0.01	0.63	11,700	7.64	-
ACPWAW	CW-12	18-Mar-02	<0.02	<0.02	<0.005	<0.005	0.0052	<0.01	0.053	3,240	8.00	-
ACPWAW	CW-12	24-Jun-02	<0.02	<0.02	<0.005	<0.005	<0.005	<0.01	<0.02	6,380	7.41	-
ACPWAW	CW-12	21-Aug-02	<0.02	<0.02	<0.005	<0.005	<0.005	<0.01	<0.02	12,900	7.12	-
ACPWAW	CW-12	19-Nov-02	<0.02	<0.02	<0.005	<0.005	<0.005	<0.01	0.39	15,500	7.43	-

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way
Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Antimony (Sb)	Arsenic (As)	Barium (Ba)	Beryllium (Be)	Cadmium (Cd)	Chromium (Cr)	Cobalt (Co)	Copper (Cu)	Lead (Pb)	Mercury (Hg)
		MCL	0.006	0.05	1	0.004	0.005	0.05	--	1.3 ⁺	0.015 ⁺⁺	0.002
5050	CW-13	11-Sep-98	<0.03	0.09	0.11	<0.005	1.4	<0.01	1.4	<0.01	<0.05	<0.0005
5050	CW-13-H	8-Oct-98	-	<0.05	-	-	1.2	-	-	-	-	-
5050	CW-13-L	8-Oct-98	-	<0.05	-	-	1.2	-	-	-	-	-
5050	CW-13	8-Dec-98	<0.03	<0.05	0.12	<0.005	1.0	0.02	0.77	0.02	<0.05	<0.0005
5050	CW-13	23-Feb-99	<0.03	<0.05	0.05	<0.005	0.05	<0.01	0.01	0.03	<0.05	<0.0005
5050	CW-13	27-May-99	<0.05	<0.005	<0.05	<0.004	0.99	<0.005	0.77	<0.05	<0.005	<0.0008
5050	CW-13	16-Sep-99	<0.03	<0.05	<0.01	<0.009	1.1	<0.01	0.85	<0.01	<0.05	<0.0002
5050	CW-13	10-Dec-99	0.038	<0.05	0.23	<0.005	1.3	0.034	1.1	0.017	<0.05	<0.0002
5050	CW-13	15-Dec-00	<0.06	<0.005	0.013	0.0022	0.72	<0.01	0.68	0.036	0.0053	<0.0002
5050	CW-13	27-Mar-01	<0.06	<0.005	0.012	<0.002	0.46	<0.01	0.46	0.027	0.0034	<0.0002
5050	CW-13	11-Jun-01	<0.06	<0.005	0.012	0.0028	0.82	<0.01	0.83	0.07	0.0076	<0.0002
5050	CW-13	30-Aug-01	<0.06	<0.005	0.023	0.0026	0.81	<0.01	0.72	0.067	0.0087	<0.0002
5050	CW-13	6-Dec-01	<0.06	<0.005	<0.01	0.0025	0.77	<0.01	0.71	0.052	0.0062	<0.0002
5050	CW-13	18-Mar-02	<0.06	0.0063	0.087	<0.002	0.40	<0.01	0.39	0.093	0.054	0.00051
5050	CW-13	24-Jun-02	<0.06	<0.005	0.039	0.0026	0.84	<0.01	0.78	0.058	0.0097	<0.0002
5050	CW-13	21-Aug-02	<0.06	<0.005	0.061	<0.002	0.81	<0.01	0.71	0.047	0.009	<0.0002
5050	CW-13	19-Nov-02	<0.06	<0.005	<0.010	0.002	0.75	0.019	0.60	<0.010	0.0088	<0.0002

TABLE 4
Metals, Total Dissolved Solids, pH and Chloride Detected in Groundwater
5050, 5051 5200 Coliseum Way
Concentrations in Milligrams per Liter (mg/L)

Site	Monitoring Well	Sample Date	Molybdenum (Mo)	Nickel (Ni)	Selenium (Se)	Silver (Ag)	Thallium (Tl)	Vanadium (V)	Zinc (Zn)	TDS	pH (SU)	Chloride
		MCL	--	0.10	0.05	0.1 ⁺	0.002	--	5			
5050	CW-13	11-Sep-98	<0.01	2.8	<0.07	<0.01	<0.05	<0.01	1,900	8,600	5.66	-
5050	CW-13-H	8-Oct-98	-	-	-	-	-	-	1,300	9,300	5.60	1,100
5050	CW-13-L	8-Oct-98	-	-	-	-	-	-	1,200	9,100	5.60	920
5050	CW-13	8-Dec-98	<0.01	2.2	<0.07	<0.01	<0.05	<0.01	990	7,600	7.64	-
5050	CW-13	23-Feb-99	<0.01	0.12	<0.07	<0.01	<0.05	<0.01	40	1,400	6.71	-
5050	CW-13	27-May-99	<0.05	2.3	<0.005	<0.01	<0.005	<0.05	1,000	5,300	6.30	-
5050	CW-13	16-Sep-99	<0.01	2.8	<0.07	<0.01	<0.05	<0.01	770	8,300	5.98	-
5050	CW-13	10-Dec-99	0.012	3.1	<0.07	<0.01	<0.05	<0.01	280	8,800	7.00	-
5050	CW-13	15-Dec-00	<0.02	1.9	0.02	<0.005	0.069	<0.01	920	7,420	6.16	-
5050	CW-13	27-Mar-01	<0.02	1.2	0.019	<0.005	0.042	<0.01	520	5,840	6.08	-
5050	CW-13	11-Jun-01	<0.02	2.2	0.028	<0.005	0.081	<0.01	860	7,070	6.35	-
5050	CW-13	30-Aug-01	<0.02	2.1	0.024	<0.005	0.081	<0.01	990	7,530	5.66	-
5050	CW-13	6-Dec-01	<0.02	2.2	0.022	<0.005	0.066	<0.01	1,200	7,940	5.66	-
5050	CW-13	18-Mar-02	<0.02	1.1	0.016	<0.005	0.048	<0.01	600	3,160	6.60	-
5050	CW-13	24-Jun-02	<0.02	2.3	0.033	<0.005	0.11	<0.01	1,100	5,630	5.71	-
5050	CW-13	21-Aug-02	<0.02	2.2	0.028	<0.005	0.11	<0.01	980	7,550	5.75	-
5050	CW-13	19-Nov-02	<0.02	1.8	0.028	0.0098	0.084	<0.01	950	7,350	5.48	-

FOOTNOTES:

(Sb) = Chemical Symbol for Metal (eg. Antimony)

TDS = Total dissolved solids

MCL = Maximum Contaminant Levels for Drinking Water (CCR Title 22, Sections 64431 and 64444)

-- = Not established

+ = Secondary Drinking Water Standard

** = Lead level established by the Federal Copper and Lead Rule for public drinking water suppliers

(SU) = Standard Units for pH, typically reported from field data, some are laboratory analysis

* = Sample date reported as 1992 in tables by LFR (Date corrected to 1991 by Clayton)

(1) = Labeling error in the field or laboratory may account for anomalous data reported for wells MW-2 and MW-3 (LFR)


(2) = Labeling error in the field, well numbers reversed (CW-3 and CW-5)

- = Not analyzed

TABLE 5
Weep Water Sampling Results
5051 Coliseum Way, Oakland, CA
 Concentrations in milligrams per liter (mg/L)

SAMPLE NO.	Weep Hole #	Sample Date	Arsenic	Barium	Cadmium	Zinc	pH
WW-1	4	13-Jan-99	< 0.05	<0.01	0.08	9.4	7.4
WW-1	4	25-Feb-02	--	0.038	1.1	120	7.49
WW-1	4	25-Mar-02	--	0.03	1	140	6.89
WH-4	4	17-Jun-02	< 0.005	0.032	0.52	53	6.8
WH-4	4	05-Sep-02	< 0.005	0.029	0.25	26	6.7
WH-4	4	19-Nov-02	< 0.005	0.026	0.15	23	5.73
WH-5	5	25-Feb-02	--	0.033	<0.005	1.3	7.93
WH-6	6	25-Feb-02	--	0.037	0.0053	0.48	7.76
WH-6	6	25-Mar-02	--	0.042	< 0.005	0.45	7.41
WH-6	6	17-Jun-02	< 0.005	0.036	0.0061	0.58	7.3
WH-6	6	05-Sep-02	< 0.005	0.032	0.0066	0.67	7.3
WW-2	7	13-Jan-99	< 0.05	<0.10	<0.05	1.7	7.2
WH-8	8	19-Nov-02	<0.005	0.029	<0.005	0.98	6.07
WW-3	9	13-Jan-99	< 0.05	<0.10	<0.05	2.9	7.3
WW-3	9	25-Feb-02	--	0.036	0.012	7.2	7.3
WW-3	9	25-Mar-02	--	0.037	0.013	11	7.49
WH-9	9	17-Jun-02	< 0.005	0.038	0.015	7.4	7.2
WH-9	9	06-Sep-02	0.0092	0.036	0.019	8.2	7.2
WH-9	9	19-Nov-02	0.024	0.022	0.02	8.8	6.19
WH-12	12	25-Feb-02	--	<0.200	<0.005	2.1	7.62
WH-12	12	25-Mar-02	--	0.042	< 0.005	2	7.06
WH-12	12	17-Jun-02	< 0.005	0.043	< 0.005	1.4	7.2
WH-12	12	05-Sep-02	< 0.005	0.037	< 0.005	1.3	7.3
WH-12	12	19-Nov-02	<0.005	< 0.200	<0.005	0.8	6.34
WW-4	14	13-Jan-99	< 0.05	<0.10	<0.05	2.7	7.3
WH-14	14	05-Sep-02	< 0.005	0.042	0.0054	1.1	7.5
WH-14	14	19-Nov-02	0.042	0.019	<0.005	0.49	6.46
WW-5	16	13-Jan-99	< 0.05	<0.10	<0.05	1.9	7.4
WW-5	16	25-Mar-02	--	0.031	< 0.005	1.4	7.9
WH-16	16	17-Jun-02	< 0.005	0.044	0.0063	1.4	7.2
WH-17	17	25-Feb-02	--	0.037	<0.005	0.58	7.85
WH-17	17	25-Mar-02	--	0.035	< 0.005	0.55	7.71
WH-17	17	17-Jun-02	< 0.005	0.045	< 0.005	0.72	7.0
WH-17	17	05-Sep-02	< 0.005	0.037	< 0.005	0.75	7.2
WH-17	17	19-Nov-02	<0.005	0.053	<0.005	0.51	6.54
WW-6	18	13-Jan-99	< 0.05	<0.10	<0.05	0.8	7.7

Notes:
 pH results reported in Standard Units (SU).



Portion of the 7.5-Minute Series Oakland East, California
 Quadrangle Topographic Map
 United States Department of the Interior
 Geological Survey
 1997




PROPERTY LOCATION MAP
 Coliseum Way Properties
 Oakland, California

Clayton Project No. 70-00509.00.300



Figure

1





LEGEND:

-  Monitoring Well Location
-  Barrier Wall
(Sheetpile constructed October-November 2001. Portion grouted on June 17, 2002)
Line indicates sheetpiles where dashed and grouted where solid.
Reference: Survey of Sheet Pile Barrier Wall, RBF Consulting, April 2002.
- (3.80) Potentiometric Surface Elevation (ft msl)
- 5.0 Potentiometric Surface Elevation Contour


**POTENTIOMETRIC SURFACE MAP
NOVEMBER 19, 2002**


5050, 5051, AND 5200 COLISEUM WAY
OAKLAND, CALIFORNIA
Clayton Project No. 70-00509.00.300

Figure
2

02/04/03
SITE1102DATA







LEGEND:


- Monitoring Well Location
- Barrier Wall (Sheetpile constructed October-November 2001. Portion grouted on June 17, 2002)
- Line indicates sheetpile where dashed and grouted where solid.
- Reference: Survey of Sheet Pile Barrier Wall, RBF Consulting, April 2002.

(0.013) Barium Concentration in Groundwater (mg/L)


1.0 Barium Concentrations in Groundwater (mg/L), dashed where approximate and queried where unknown


mg/L milligrams per liter

Note: MCL for Barium is 1 mg/L.



<p>CONCENTRATIONS OF BARIUM IN GROUNDWATER NOVEMBER 19, 2002</p> <p>5050, 5051, AND 5200 COLISEUM WAY OAKLAND, CALIFORNIA</p> <p>Clayton Project No. 70-00509.00.300</p>	<p>Figure 4</p> <p>02/04/03 SITE1102DATA</p>	
---	---	--






CONCENTRATIONS OF ZINC IN GROUNDWATER NOVEMBER 19, 2002
 5050, 5051, AND 5200 COLISEUM WAY
 OAKLAND, CALIFORNIA
 Clayton Project No. 70-00509.00.300

Figure
6
 02/04/03
 SITE1102DATA





WEEP-WATER MONITORING SAMPLE RESULTS NOVEMBER 19, 2002
 5050, 5051, AND 5200 COLISEUM WAY
 OAKLAND, CALIFORNIA
 Clayton Project No. 70-00509.00.300

Figure
7
 02/04/03
 SITE1102DATA

