

## Nowell, Keith, Env. Health

---

**From:** Brinigar, Ryan <ryan.brinigar@aecom.com>  
**Sent:** Wednesday, June 27, 2018 1:47 PM  
**To:** Yoo, James; well@acpwa.org; Nowell, Keith, Env. Health  
**Cc:** Sequeira, Ian; eenglehart@portoakland.com  
**Subject:** TraPac Geotechnical Investigation 6/23/18 - AECOM  
**Attachments:** SB-1-1\_Optimized.pdf; SB-1-2\_Optimized.pdf; SB-1-3\_Optimized.pdf; SB-1-4\_Optimized.pdf; SB-2-2\_Optimized.pdf; SB-2-3\_Optimized.pdf; SB-2-4\_Optimized.pdf; SB-2-5\_Optimized.pdf

James,

All work was completed successfully on 6/23/18 at 2800 7<sup>th</sup> street (Port of Oakland). SB-1 was completed to 16.5 feet below ground surface (bgs) and SB-2 was completed to 18 feet bgs. The map previously provided is accurate for SB-1 and SB-2.

Both boreholes were destroyed using tremie grout through the hollow stem augers. Please see the attached photos and let me know if you have any questions.

Keith,

The highest PID reading was 7.8ppm in SB-2 at 9.5 to 10 feet bgs (odor and readings were noted on the logs). Samples were collected for chemical analysis at 3 feet and 9.5 feet bgs in SB-1, and 4 feet and 9.5 feet bgs in SB-2. Boring logs and analytical reports will be submitted to you within 45 days of 6/23/18.

Let me know if you have any questions.

Thank you,

**Ryan Brinigar**

Geologist

Environmental Remediation

AECOM | Tel: 415.896.5858

Dir: 415.243.3839 | Cell: 858-254-2297 | Fax: 415.882.9261

***Please note our new address:***

**AECOM**

300 Lakeside Drive, Suite 400

Oakland, CA 94612, USA

T +1-510-893-3600 F: 1-510-874-3268





























