

# TRC

Customer-Focused Solutions

January 18, 2007

Project 41-0236-10

Mr. Steven Plunkett  
Alameda County Health Care Services Agency  
Department of Environmental Health  
Hazardous Materials Program  
1131 Harbor Bay Parkway  
Alameda, California 94502-6577

SITE: QUIK STOP MARKET NO. 56  
3132 BEAUMONT AVENUE  
OAKLAND, CALIFORNIA

RE: QUARTERLY GROUNDWATER MONITORING REPORT, FOURTH QUARTER 2006


Dear Mr. Plunkett:

Enclosed is a copy of the *Fourth Quarter 2006 Quarterly Groundwater Monitoring Report* for the property located at 3132 Beaumont Avenue in Oakland, California. This report is submitted on behalf of our client, Quik Stop Markets, Inc.

Please direct all questions and correspondence to:

Mr. Mike Karvelot  
Quik Stop Markets, Inc.  
4567 Enterprise Street  
Fremont, California 94538  
Phone: (510) 657-8500

Sincerely,



Jonathan Scheiner  
Associate

cc: Mr. Mike Karvelot, Quik Stop Markets, Inc.



Customer-Focused Solutions

January 18, 2007

Project 41-0236-10

Mr. Mike Karvelot  
Quik Stop Markets, Inc.  
4567 Enterprise Street  
Fremont, California 94538

SITE: QUIK STOP MARKET NO. 56  
3132 BEAUMONT AVENUE  
OAKLAND, CALIFORNIA

RE: QUARTERLY GROUNDWATER MONITORING REPORT, FOURTH QUARTER 2006

Dear Mr. Karvelot:

This *Fourth Quarter 2006 Quarterly Groundwater Monitoring Report* presents the results of the Fourth Quarter 2006 fluid level monitoring and groundwater sampling at the above-referenced site (Figure 1). The work at this site was performed in accordance with the requirements of the Alameda County Health Care Services Agency, Department of Environmental Health (ACDEH).

## 1.0 FLUID-LEVEL MONITORING

Fluid levels were measured in onsite monitoring wells MW-1, MW-2, and MW-3 on December 8, 2006. Groundwater elevations averaged 127.65 feet above mean sea level (MSL). Groundwater flow direction was to the west at a gradient of 0.107 feet per foot. Refer to Table 1 for fluid-level monitoring data. Figure 2 is a groundwater elevation contour map based on the fluid-level measurements. A description of fluid-level monitoring procedures is included in the Appendix.

## 2.0 GROUNDWATER SAMPLING

On December 8, 2006, groundwater samples were collected from onsite wells MW-1, MW-2, and MW-3. Groundwater samples were submitted to a state-certified laboratory for analysis of total petroleum hydrocarbons as gasoline (TPH-G) by EPA Method 8015B, and for benzene, toluene, ethylbenzene, and total xylenes (BTEX), methyl tert-butyl ether (MTBE) by EPA Method 8260B, and ethanol by EPA Method 8260B-DI. Refer to Table 1 and Figure 3 for a summary of analytical results. General Field Procedures, Field Measurement Forms, Official Laboratory Reports, and Chain of Custody Records are included in the Appendix.


Approximately 50 gallons of purge water and equipment rinsate were generated during groundwater sampling activities conducted on December 8, 2006. The purge water was stored onsite in one Department of Transportation-approved 55-gallon drum pending disposal.

### 3.0 LIST OF ATTACHMENTS

- Figure 1: Vicinity Map
- Figure 2: Groundwater Elevation Contour Map, December 8, 2006
- Figure 3: Dissolved-Phase Hydrocarbon Concentrations, December 8, 2006
- Table 1: Summary of Groundwater Levels and Chemical Analysis
- Appendix: General Field Procedures, Field Measurement Forms, Official Laboratory Reports, and Chain of Custody Records

If you have any questions regarding this report, please call me at (925) 688-2473.


Sincerely,



Jonathan Scheiner  
Associate



Amy Wilson, Ph.D., P.E.  
Senior Project Engineer



## FIGURES



1 MILE    3/4    1/2    1/4    0    1 MILE



SCALE 1 : 24,000




SOURCE:  
 United States Geological Survey  
 7.5 Minute Topographic Maps:  
 Oakland East and  
 Oakland West Quadrangles

**VICINITY MAP**




Quik Stop No. 56  
 3132 Beaumont Avenue  
 Oakland, California

**TRC**


**FIGURE 1**




**LEGEND**

- MW-3  Monitoring Well
- 122.48 Groundwater Elevation in Feet Above Mean Sea Level
- 124  Groundwater Elevation Contour Line
-  General Direction of Groundwater Gradient

**GROUNDWATER ELEVATION CONTOUR MAP**  
**December 8, 2006**  
 Quik Stop No. 56  
 3132 Beaumont Avenue  
 Oakland, California



**SOURCE:** Client-provided drawings and Garlow, 1998. Revised in November 2001 per well survey by Doble Thomas Associates and in September 2006 per Navteq aerial photo of site.




**LEGEND**

Monitoring Well

MW-3	
TPH-G	
B	
MTBE	

Dissolved-Phase Hydrocarbon Concentrations (µg/L)

EAST 31ST STREET



**NOTES:**  
 Results are based on laboratory analysis of groundwater samples. µg/L = micrograms per liter; TPH-G = total petroleum hydrocarbons as gasoline; B = benzene; MTBE = methyl tert butyl ether; < = not detected at or above the reported method detection limit.

**SOURCE:** Client-provided drawings and Garlow, 1998. Revised in November 2001 per well survey by Doble Thomas Associates and in September 2006 per Navteq aerial photo of site.

**DISSOLVED-PHASE HYDROCARBON CONCENTRATIONS**  
**December 8, 2006**  
 Quik Stop No. 56  
 3132 Beaumont Avenue  
 Oakland, California

**TABLE**



**Table 1**  
**Summary of Groundwater Levels and Chemical Analysis**  
 Quik Stop No. 56 - 3132 Beaumont Avenue, Oakland

Sample ID	Date	Top of Casing Elevation (ft-MSL)	Depth to Water (feet)	Groundwater Elevation (feet)	TPH-G (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8260 (µg/L)	Ethanol (mg/L)	DO (mg/L)
MW-1	03/02/00	131.58	10.33	121.25	670	<1.0	<1.0	<1.0	<1.0	2,200	—	0.62
MW-1	11/16/00	131.58	11.86	119.72	<500	<0.5	<0.5	<0.5	<0.5	18,000	—	0.34
MW-1	01/23/01	131.58	11.05	120.53	6,400	<10	<10	<10	<10	21,000	—	0.83
MW-1	04/25/01	131.58	12.06	119.52	12,000	<20	<20	<20	<20	17,000	—	0.39
MW-1	07/24/01	131.58	12.42	119.16	8,800	<13	<13	<13	<13	14,000	—	7.61
MW-1	11/08/01	131.58	12.00	119.58	18,000	<25	<25	<25	<25	28,000	—	—
MW-1	11/27/01	134.13	Well resurveyed to new reference point									
MW-1	02/05/02	134.13	10.99	123.14	28,000	<50	<50	<50	<50	44,000	—	—
MW-1	04/29/02	134.13	10.97	123.16	12,000	<25	<25	<25	<25	30,000	—	—
MW-1	07/29/02	134.13	10.20	123.93	16,000	<25	<25	<25	<25	22,000	—	—
MW-1	10/21/02	134.13	10.48	123.65	17,000	<50	<50	<50	<50	39,000	—	—
MW-1	03/05/03	134.13	8.94	125.19	40,000	<100	<100	<100	<100	69,000	—	—
MW-1	06/06/03	134.13	8.68	125.45	27,000	<50	<50	<50	<50	63,000	—	—
MW-1	09/05/03	134.13	9.21	124.92	28,000	<25	<25	<25	<25	51,000	—	—
MW-1	12/24/03	134.13	8.65	125.48	29,000	<50	<50	<50	<50	84,000	—	—
MW-1	03/25/04	134.13	8.66	125.47	39,000	<100	<100	<100	<100	72,000	—	—
MW-1	06/25/04	134.13	8.66	125.47	50,000	<100	<100	<100	<100	90,000	—	—
MW-1	09/16/04	134.13	9.02	125.11	30,000	<50	<50	<50	<50	75,000	—	—
MW-1	12/17/04	134.13	7.46	126.67	35,000	<50	<50	<50	<50	59,000	—	—
MW-1	03/10/05	134.13	7.17	126.96	14,000	<25	<25	<25	<25	33,000	—	—
MW-1	06/09/05	134.13	8.14	125.99	36,000	<50	<50	<50	<50	60,000	—	—
MW-1	09/13/05	134.13	12.64	121.49	<20,000	<100	<100	<100	<100	32,000	—	—
MW-1	12/06/05	134.13	11.40	122.73	<5,000	<25	<25	<25	<25	5,700	—	—
MW-1	03/29/06	134.13	10.51	123.62	16,000	<25	<25	<25	<25	23,000	—	—
MW-1	06/29/06	134.13	11.28	122.85	8,200	<15	<15	<15	<15	12,000	<5.0	—
MW-1	09/21/06	134.13	11.90	122.23	4,500	<10	<10	<10	<10	7,900	<5.0	—
MW-1	12/08/06	134.13	11.65	122.48	3,900	<10	<10	<10	<10	4,100	<5.0	—
MW-2	03/02/00	132.63	5.88	126.75	<50	<0.50	<0.50	<0.50	<0.50	<0.50	—	1.45
MW-2	11/16/00	132.63	6.40	126.23	<50	<0.5	<0.5	<0.5	<0.5	<1.0	—	1.67
MW-2	01/23/01	132.63	5.67	126.96	<50	<0.50	<0.50	<0.50	<0.50	<0.50	—	1.20
MW-2	04/25/01	132.63	6.26	126.37	<50	<0.50	<0.50	<0.50	<0.50	<0.50	—	0.76
MW-2	07/24/01	132.63	6.38	126.25	<50	<0.50	<0.50	<0.50	<0.50	<0.50	—	2.92
MW-2	11/08/01	132.63	5.97	126.66	<50	<0.50	<0.50	<0.50	<0.50	2.7	—	—
MW-2	11/27/01	135.16	Well resurveyed to new reference point									

**Table 1**  
**Summary of Groundwater Levels and Chemical Analysis**  
 Quik Stop No. 56 - 3132 Beaumont Avenue, Oakland

Sample ID	Date	Top of Casing Elevation (ft-MSL)	Depth to Water (feet)	Groundwater Elevation (feet)	TPH-G (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8260 (µg/L)	Ethanol (mg/L)	DO (mg/L)
MW-2	02/05/02	135.16	4.95	130.21	<50	<0.50	<0.50	<0.50	<0.50	2.7	—	—
MW-2	04/29/02	135.16	5.03	130.13	<50	<0.50	<0.50	<0.50	<0.50	2.8	—	—
MW-2	07/29/02	135.16	5.46	129.70	<50	<0.50	<0.50	<0.50	<0.50	4.1	—	—
MW-2	10/21/02	135.16	5.68	129.48	<50	<0.50	<0.50	<0.50	<0.50	8.1	—	—
MW-2	03/05/03	135.16	4.87	130.29	<50	1.4	<0.50	0.61	0.69	5.5	—	—
MW-2	06/06/03	135.16	4.88	130.28	<50	<0.50	<0.50	<0.50	<0.50	5.2	—	—
MW-2	09/05/03	135.16	5.60	129.56	<50	<0.50	<0.50	<0.50	0.66	6.4	—	—
MW-2	12/24/03	135.16	5.25	129.91	<50	<0.50	<0.50	<0.50	<0.50	5.4	—	—
MW-2	03/25/04	135.16	5.25	129.91	<50	<0.50	<0.50	<0.50	<0.50	5.3	—	—
MW-2	06/25/04	135.16	6.89	128.27	<50	<0.50	<0.50	<0.50	<0.50	5.4	—	—
MW-2	09/16/04	135.16	6.09	129.07	<50	<0.50	<0.50	<0.50	<0.50	5.5	—	—
MW-2	12/17/04	135.16	5.30	129.86	<50	<0.50	<0.50	<0.50	<0.50	5.4	—	—
MW-2	03/10/05	135.16	4.49	130.67	<50	<0.50	<0.50	<0.50	<0.50	3.7	—	—
MW-2	06/09/05	135.16	4.85	130.31	<50	<0.50	<0.50	<0.50	<0.50	4.8	—	—
MW-2	09/13/05	135.16	5.82	129.34	<50	<0.50	<0.50	<0.50	<0.50	5.6	—	—
MW-2	12/06/05	135.16	5.14	130.02	<50	<0.50	<0.50	<0.50	<0.50	4.5	—	—
MW-2	03/29/06	135.16	4.27	130.89	<50	<0.50	<0.50	<0.50	<0.50	4.4	—	—
MW-2	06/29/06	135.16	5.21	129.95	<50	<0.50	<0.50	<0.50	<0.50	5.1	<5.0	—
MW-2	09/21/06	135.16	5.62	129.54	<50	<0.50	<0.50	<0.50	<0.50	3.3	<5.0	—
MW-2	12/08/06	135.16	5.29	129.87	<50	<0.50	<0.50	<0.50	<0.50	3.1	<5.0	—
MW-3	03/02/00	133.78	6.41	127.37	<50	<0.50	<0.50	<0.50	<0.50	0.96	—	0.90
MW-3	11/16/00	133.78	6.46	127.32	<50	<0.5	<0.5	<0.5	<0.5	24	—	3.91
MW-3	01/23/01	133.78	5.75	128.03	<50	<0.50	<0.50	<0.50	<0.50	72	—	1.47
MW-3	04/25/01	133.78	5.90	127.88	<50	<0.50	<0.50	<0.50	<0.50	25	—	0.56
MW-3	07/24/01	133.78	6.56	127.22	<50	<0.50	0.79	0.73	0.68	5.2	—	6.67
MW-3	11/08/01	133.78	6.92	126.86	<50	<0.50	<0.50	<0.50	<0.50	14	—	—
MW-3	11/27/01	136.35	Well resurveyed to new reference point									
MW-3	02/05/02	136.35	5.13	131.22	<50	<0.50	<0.50	<0.50	<0.50	10	—	—
MW-3	04/29/02	136.35	5.67	130.68	<50	<0.50	<0.50	<0.50	<0.50	5.1	—	—
MW-3	07/29/02	136.35	6.11	130.24	<50	<0.50	<0.50	<0.50	<0.50	31	—	—
MW-3	10/21/02	136.35	6.57	129.78	<50	<0.50	<0.50	<0.50	<0.50	5.8	—	—
MW-3	01/06/04	136.35	5.02	131.33	<50	<0.50	<0.50	<0.50	<0.50	4.9	—	—
MW-3	06/06/03	136.35	5.12	131.23	<50	<0.50	<0.50	<0.50	<0.50	6.6	—	—
MW-3	09/05/03	136.35	6.53	129.82	<50	<0.50	<0.50	<0.50	<0.50	4.4	—	—

**Table 1**  
**Summary of Groundwater Levels and Chemical Analysis**

Quik Stop No. 56 - 3132 Beaumont Avenue, Oakland

Sample ID	Date	Top of Casing Elevation (ft-MSL)	Depth to Water (feet)	Groundwater		TPH-G (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE 8260 (µg/L)	Ethanol (mg/L)	DO (mg/L)
				Elevation (feet)									
MW-3	12/24/03	136.35	5.20	131.15	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.2	—	—
MW-3	03/25/04	136.35	5.42	130.93	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.2	—	—
MW-3	06/25/04	136.35	6.50	129.85	<50	<0.50	<0.50	<0.50	<0.50	<0.50	13	—	—
MW-3	09/16/04	136.35	6.79	129.56	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.0	—	—
MW-3	12/17/04	136.35	5.20	131.15	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.6	—	—
MW-3	03/10/05	136.35	4.42	131.93	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.8	—	—
MW-3	06/09/05	136.35	4.98	131.37	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.6	—	—
MW-3	09/13/05	136.35	6.42	129.93	<50	<0.50	<0.50	<0.50	<0.50	<0.50	11	—	—
MW-3	12/06/05	136.35	5.35	131.00	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.4	—	—
MW-3	03/29/06	136.35	4.01	132.34	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.2	—	—
MW-3	06/29/06	136.35	5.41	130.94	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.5	<5.0	—
MW-3	09/21/06	136.35	6.31	130.04	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.1	<5.0	—
MW-3	12/08/06	136.35	5.75	130.60	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.6	<5.0	—

NOTES:

ft-MSL = feet above mean sea level

µg/L = micrograms per liter

mg/L = milligrams per liter

TPH-G = total petroleum hydrocarbons as gasoline

DO = dissolved oxygen

< = not detected at or above the stated detection limit

MTBE = methyl tert butyl ether

**APPENDIX**

**GENERAL FIELD PROCEDURES, FIELD MEASUREMENT FORMS, OFFICIAL  
LABORATORY REPORTS, AND CHAIN OF CUSTODY RECORDS**

## GENERAL FIELD PROCEDURES

General field procedures used during fluid-level monitoring and groundwater sampling activities are described below.

### FLUID-LEVEL MONITORING

Fluid levels are monitored in the wells using an electronic interface probe with conductance sensors. The presence of liquid-phase hydrocarbons is verified using a hydrocarbon-reactive paste. The depth to liquid-phase hydrocarbons and water is measured relative to the well box top or top of casing. Well box or casing elevations are surveyed to within 0.02 foot relative to a county or city benchmark.

### GROUNDWATER SAMPLING

Groundwater monitoring wells are purged and sampled in accordance with standard regulatory protocol. Typically, monitoring wells that contain no liquid-phase hydrocarbons are purged of groundwater prior to sampling so that fluids sampled are representative of fluids within the formation. Temperature, pH, and specific conductance are typically measured after each well casing volume has been removed. Purging is considered complete when these parameters vary less than 10% from the previous readings, or when four casing volumes of fluid have been removed. Samples are collected without further purging if the well does not recharge within 2 hours to 80% of its volume before purging.

The purged water is stored in labeled drums prior to transport to an appropriate treatment or recycling facility. If an automatic recovery system (ARS) is operating at the site, purged water may be pumped into the ARS for treatment.

Groundwater samples are collected by lowering a 1.5-inch-diameter, bottom-fill, disposable polyethylene bailer just below the static water level in the well. The samples are carefully transferred from the check-valve-equipped bailer to 1-liter and 40-milliliter glass containers. The sample containers are filled to zero headspace and fitted with Teflon-sealed caps. Each sample is labeled with the project number, well number, sample date, and sampler's initials. Samples remain chilled at approximately 4°C prior to analysis by a state-certified laboratory.



# GROUND WATER SAMPLING FIELD NOTES

Site: Quik Stop #56 Project No.: 41023610 Sampled By: J. Chidester Date: 12/8/06

Well No. MW-2 Purge Method: 2" Sub.  
 Total Depth (feet) 29.91 Depth to Product (feet): -  
 Depth to Water (feet): 5.29 Product Recovered (gallons): -  
 Water Column (feet): 24.62 Casing Diameter (Inches): 2"  
 80% Recharge Depth (feet): 10.21 1 Well Volume (gallons): 3.94

Well No. MW-3 Purge Method: 2" Sub.  
 Total Depth (feet) 30.62 Depth to Product (feet): -  
 Depth to Water (feet): 5.75 Product Recovered (gallons): -  
 Water Column (feet): 24.87 Casing Diameter (Inches): 2"  
 80% Recharge Depth (feet): 10.72 1 Well Volume (gallons): 3.98

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conduc-tivity (uS/cm)	Temper-ature (F. C)	pH
0949			4	989	19.7	6.69
			8	957	20.3	6.64
	0953		12	1009	21.6	6.61
Total Purged			12	Time Sampled		1150

Comments:  
Turbidity=

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conduc-tivity (uS/cm)	Temper-ature (F. C)	pH
1016			4	708	20.6	7.02
			8	677	21.6	6.78
	1024		12	720	22.4	6.91
Total Purged			12	Time Sampled		1150

Comments:  
Turbidity=

Well No. MW-1 Purge Method: 2" Sub.  
 Total Depth (feet) 29.84 Depth to Product (feet): -  
 Depth to Water (feet): 11.65 Product Recovered (gallons): -  
 Water Column (feet): 18.19 Casing Diameter (Inches): 2"  
 80% Recharge Depth (feet): 15.29 1 Well Volume (gallons): 2.91

Well No. \_\_\_\_\_ Purge Method: \_\_\_\_\_  
 Total Depth (feet) \_\_\_\_\_ Depth to Product (feet): \_\_\_\_\_  
 Depth to Water (feet): \_\_\_\_\_ Product Recovered (gallons): \_\_\_\_\_  
 Water Column (feet): \_\_\_\_\_ Casing Diameter (Inches): \_\_\_\_\_  
 80% Recharge Depth (feet): \_\_\_\_\_ 1 Well Volume (gallons): \_\_\_\_\_

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conduc-tivity (uS/cm)	Temper-ature (F. C)	pH
1033			3	727	21.6	6.76
			6	777	22.6	6.71
	1039		9	743	22.7	6.62
Total Purged			9	Time Sampled		1210

Comments:  
Turbidity=

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conduc-tivity (uS/cm)	Temper-ature (F. C)	pH
Total Purged				Time Sampled		

Comments:  
Turbidity=

Well No. \_\_\_\_\_ Purge Method: \_\_\_\_\_  
 Total Depth (feet) \_\_\_\_\_ Depth to Product (feet): \_\_\_\_\_  
 Depth to Water (feet): \_\_\_\_\_ Product Recovered (gallons): \_\_\_\_\_  
 Water Column (feet): \_\_\_\_\_ Casing Diameter (Inches): \_\_\_\_\_  
 80% Recharge Depth (feet): \_\_\_\_\_ 1 Well Volume (gallons): \_\_\_\_\_

Well No. \_\_\_\_\_ Purge Method: \_\_\_\_\_  
 Total Depth (feet) \_\_\_\_\_ Depth to Product (feet): \_\_\_\_\_  
 Depth to Water (feet): \_\_\_\_\_ Product Recovered (gallons): \_\_\_\_\_  
 Water Column (feet): \_\_\_\_\_ Casing Diameter (Inches): \_\_\_\_\_  
 80% Recharge Depth (feet): \_\_\_\_\_ 1 Well Volume (gallons): \_\_\_\_\_

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conduc-tivity (uS/cm)	Temper-ature (F. C)	pH
Total Purged				Time Sampled		

Comments:  
Turbidity=

Time Start	Time Stop	Depth To Water (feet)	Volume Purged (gallons)	Conduc-tivity (uS/cm)	Temper-ature (F. C)	pH
Total Purged				Time Sampled		

Comments:  
Turbidity=



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

TRC-Alton Geoscience  
1590 Solano Way Suite A  
Concord, CA 94520

Attn: James Chidester  
Phone: (925) 688-2485  
Fax: (925) 688-0388  
Date Received 12/12/06

Job#: 41023610-TA08

GC/MSD by Direct Injection  
EPA Method SW8260B-DI

	Parameter	Concentration	Reporting Limit	Date Sampled	Date Analyzed
Client ID:	MW-2				
Lab ID:	TRC06121232-01A	Ethanol	ND	5.0 µg/L	12/08/06 12/12/06
Client ID:	MW-3				
Lab ID:	TRC06121232-02A	Ethanol	ND	5.0 µg/L	12/08/06 12/12/06
Client ID:	MW-1				
Lab ID:	TRC06121232-03A	Ethanol	ND	5.0 µg/L	12/08/06 12/12/06

ND = Not Detected

*Roger Scholl*     *Randy Gardner*     *Walter Hinchman*  
Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer  
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / info@alpha-analytical.com

12/26/06

Report Date





# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## ANALYTICAL REPORT

TRC-Alton Geoscience  
1590 Solano Way Suite A  
Concord, CA 94520

Attn: James Chidester  
Phone: (925) 688-2485  
Fax: (925) 688-0388  
Date Received 12/12/06

Job#: 41023610-TA08

Total Petroleum Hydrocarbons - Purgeable (TPH-P) EPA Method SW8015B  
Volatile Organic Compounds (VOCs) EPA Method SW8260B

	Parameter	Concentration	Reporting Limit	Date Sampled	Date Analyzed
Client ID :	TPH-P (GRO)	ND	0.050 mg/L	12/08/06	12/15/06
MW-2	Methyl tert-butyl ether (MTBE)	3.1	0.50 µg/L	12/08/06	12/15/06
Lab ID :	Benzene	ND	0.50 µg/L	12/08/06	12/15/06
TRC06121232-01A	Toluene	ND	0.50 µg/L	12/08/06	12/15/06
	Ethylbenzene	ND	0.50 µg/L	12/08/06	12/15/06
	Xylenes, Total	ND	0.50 µg/L	12/08/06	12/15/06
Client ID :	TPH-P (GRO)	ND	0.050 mg/L	12/08/06	12/15/06
MW-3	Methyl tert-butyl ether (MTBE)	1.6	0.50 µg/L	12/08/06	12/15/06
Lab ID :	Benzene	ND	0.50 µg/L	12/08/06	12/15/06
TRC06121232-02A	Toluene	ND	0.50 µg/L	12/08/06	12/15/06
	Ethylbenzene	ND	0.50 µg/L	12/08/06	12/15/06
	Xylenes, Total	ND	0.50 µg/L	12/08/06	12/15/06
Client ID :	TPH-P (GRO)	3.9	2.0 mg/L	12/08/06	12/15/06
MW-1	Methyl tert-butyl ether (MTBE)	4,100	10 µg/L	12/08/06	12/15/06
Lab ID :	Benzene	ND	10 µg/L	12/08/06	12/15/06
TRC06121232-03A	Toluene	ND	10 µg/L	12/08/06	12/15/06
	Ethylbenzene	ND	10 µg/L	12/08/06	12/15/06
	Xylenes, Total	ND	10 µg/L	12/08/06	12/15/06

Gasoline Range Organics (GRO) C4-C13

V = Reporting Limits were increased due to high concentrations of target analytes.

ND = Not Detected

*Roger Scholl*

*Randy Gardner*

*Walter Hinchman*

Roger L. Scholl, Ph.D., Laboratory Director • Randy Gardner, Laboratory Manager • Walter Hinchman, Quality Assurance Officer  
Sacramento, CA • (916) 366-9089 / Las Vegas, NV • (702) 281-4848 / info@alpha-analytical.com

*YJG*

12/26/06

Report Date



# Alpha Analytical, Inc.

255 Glendale Ave. • Suite 21 • Sparks, Nevada 89431-5778  
(775) 355-1044 • (775) 355-0406 FAX • 1-800-283-1183

## VOC Sample Preservation Report

Work Order: TRC06121232

Project: 41023610-TA08

Alpha's Sample ID	Client's Sample ID	Matrix	pH
06121232-01A	MW-2	Aqueous	2
06121232-02A	MW-3	Aqueous	2
06121232-03A	MW-1	Aqueous	2

12/26/06  
Report Date

Billing Information :

# CHAIN-OF-CUSTODY RECORD

# CA

WorkOrder : TRC06121232

**Alpha Analytical, Inc.**  
 255 Glendale Avenue, Suite 21 Sparks, Nevada 89431-5778  
 TEL: (775) 355-1044 FAX: (775) 355-0406

Report Due By : 5:00 PM On : 27-Dec-06

Client:  
 TRC-Alton Geoscience  
 1590 Solano Way Suite A  
  
 Concord, CA 94520

James Chidester  
 TEL : (925) 688-2485 x 238  
 FAX : (925) 688-0388  
 EMail jchidester@trcsolutions.com

EDD Required : Yes

Sampled by : James Chidester

Report Attention : James Chidester

Job : 41023610-TA08

Cooler Temp Samples Received Date Printed  
 4 °C 12-Dec-06 12-Dec-06

CC Report :

PO :

Client's COC # : 14839

QC Level : S3 = Final Rpt, MBLK, LCS, MS/MSD With Surrogates

Alpha Sample ID	Client Sample ID	Collection Matrix	Collection Date	No. of Bottles				Requested Tests						Sample Remarks		
				ORG	SUB	TAT	PWS #	ALCOHOL_W	TPHP_W	VOC_W						
TRC06121232-01A	MW-2	AQ	12/08/06 11:30	6	0	10		Low Level EtOH	GAS-C	BTXE/M_C						
TRC06121232-02A	MW-3	AQ	12/08/06 11:50	6	0	10		Low Level EtOH	GAS-C	BTXE/M_C						
TRC06121232-03A	MW-1	AQ	12/08/06 12:10	6	0	10		Low Level EtOH	GAS-C	BTXE/M_C						

Comments: Security seals intact. Frozen ice. Site @ Quik Stop # 56, Oakland, CA. :

Logged in by:	<u>Signature</u> <i>Laticia Edrosa</i>	<u>Print Name</u> Laticia Edrosa	<u>Company</u> Alpha Analytical, Inc.	<u>Date/Time</u> 12/12/06 13:26
---------------	---	-------------------------------------	--	------------------------------------

NOTE: Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for the report.

Matrix Type : AQ(Aqueous) AR(Air) SO(Soil) WS(Waste) DW(Drinking Water) OT(Other) Bottle Type: L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass P-Plastic OT-Other

**Billing Information:**

Name TRC  
 Address 21 Technology Dr.  
 City, State, Zip Irvine, CA 92618  
 Phone Number (949) 753-0101 / Fax (949) 753-0111



**Alpha Analytical, Inc.**  
 255 Glendale Avenue, Suite 21  
 Sparks, Nevada 89431-5778  
 Phone (775) 355-1044  
 Fax (775) 355-0406

**Samples Collected From Which State?**

AZ  CA  NV  WA   
 ID  OR  OTHER  Page # 1 of 1

Time Sampled	Date Sampled	Matrix* See Key Below	Sampled by <u>James Chidester</u>	Report Attention <u>James Chidester</u>	Lab ID Number (Office Use Only)	Sample Description	TAT	Field Filtered	Total and type of containers ** See below	Analyses Required				REMARKS
										TPH-P	BTEX	MTBE	ETOH	
1130	12/8/06	AQ	TRC06121232-01			MW-2	STD	GV		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
1150	↓	↓				MW-3	↓	↓		↓	↓	↓	↓	
1210	↓	↓				MW-1	↓	↓		↓	↓	↓	↓	

14839  
 Required QC Level?  
 I II III IV  
 EDD / EDF? YES  NO   
 Global ID # T06019774175

**ADDITIONAL INSTRUCTIONS:**

Site @ Quik Stop #56 Oakland, CA

Signature	Print Name	Company	Date	Time
<u>James Chidester</u>	James Chidester	TRC	12/11/06	12:30
<u>Patricia Edrso</u>	Patricia Edrso	Alpha	12/12/06	1:00
Relinquished by				
Received by				
Relinquished by				
Received by				

\*Key: AQ - Aqueous SO - Soil WA - Waste OT - Other AR - Air \*\* L-Liter V-Voa S-Soil Jar O-Orbo T-Tedlar B-Brass

**NOTE:** Samples are discarded 60 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at client's expense. The liability of the laboratory is limited to the amount paid for the reanalysis of the above samples is applicable only to those samples received by the laboratory with this coc. The liability of the laboratory is limited to the amount paid for the reanalysis.