

Environmental Management
Company
6001 Bollinger Canyon Rd, K2256
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-1589
Fax 925-842-8370

Karen Streich
Project Manager

ChevronTexaco

February 9, 2005

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Alameda County
FEB 15 2005
Environmental Health

Re: Chevron Service Station # 9-9708

Address: 5910 MacArthur Blvd., Oakland, California

I have reviewed the attached routine groundwater monitoring report dated January 21, 2005.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Karen Streich
Project Manager

Enclosure: Report



GETTLER-RYAN INC.

TRANSMITTAL

January 21, 2005

G-R #386395

TO: Mr. Robert Foss
Cambria Environmental Technology, Inc.
5900 Hollis Street, Suite A
Emeryville, California 94608

CC: Ms. Karen Streiber
ChevronTexaco Company
P.O. Box 6012, Room K2226
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-9708
5910 MacArthur Boulevard
Oakland, California
RO 0000124

Alameda County
FEB 1 2005
Environmental Health

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	January 21, 2005	Groundwater Monitoring and Sampling Report Fourth Quarter - Event of December 17, 2004

COMMENTS:

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **February 8, 2005**, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Nisson Saidion, 5910 MacArthur Boulevard, Oakland, CA 94605

Enclosures

trans/9-9708-KS



GETTLER-RYAN INC.

January 21, 2005
G-R Job #386395

Ms. Karen Streich
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, CA 94583

RE: Fourth Quarter Event of December 17, 2004
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

Dear Ms. Streich:


This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).


Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,



Deanna L. Harding
Project Coordinator



Hagop Kevork
P.E. No. C55734



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-9708
 5910 MacArthur Boulevard
 Oakland, California

FIGURE

1

PROJECT NUMBER
 386395

REVIEWED BY

DATE
 December 17, 2004

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)	1,2-DCB♦ (ppb)	1,2-DCA♦ (ppb)	HVOCs♦ (ppb)
MW-1														
05/29/97	96.61	84.41	12.20	--	--	--	--	--	--	--	--	--	--	--
06/04/97	96.61	84.40	12.21	--	380	58	1.2	5.4	40	85	--	--	--	--
09/16/97	96.61	83.84	12.77	--	420	120	<0.5	19	2.7	28	--	--	--	--
12/17/97	96.61	85.43	11.18	--	210 ¹	43	0.61	11	0.61	69	--	--	--	--
03/18/98	96.61	84.59	12.02	--	210 ¹	47	<0.5	8.2	<0.5	92	--	--	--	--
06/28/98	96.61	83.99	12.62	--	<50	<0.5	<0.5	<0.5	<0.5	66	--	--	--	--
09/07/98	96.61	82.32	14.29	--	<50	6.7	<0.5	<0.5	<0.5	92	--	--	--	--
12/29/98	96.61	83.18	13.43	--	<100	<1.0	<1.0	2.24	1.14	278	--	--	--	--
03/11/99	96.61	83.80	12.81	--	110	<1.0	<1.0	7.95	<1.0	418	--	--	--	--
05/04/99	96.61	83.85	12.76	--	--	--	--	--	--	--	--	--	--	--
06/29/99	96.61	84.06	12.55	--	352	34.6	<2.5	51	<2.5	780	--	--	--	--
09/29/99	96.61	83.21	13.40	--	647	167	<2.5	58.6	14.8	1,570	--	--	--	--
12/08/99	96.61	85.70	10.91	--	481	121	1.16	17.9	11	3,910	--	--	--	--
03/01/00	96.61	85.46	11.15	--	2,580	481	6.84	86.6	41.9	5,460	--	--	--	--
06/23/00	96.61	83.68	12.93	--	900 ⁴	120	<5.0	22	6.7	5,400	--	--	--	--
09/30/00	96.61	83.07	13.54	--	1,300 ⁴	450	5.5	170	11	2,000	--	--	--	--
12/08/00	96.61	83.63	12.98	--	<1,000	41.7	<10.0	11.5	<10.0	6,030	--	--	--	--
03/01/01	96.61	84.94	11.67	--	340 ⁷	36.6	<0.500	10.1	<0.500	3,360	--	--	--	--
06/19/01	96.61	83.94	12.67	--	610 ⁴	110	<5.0	9.2	<5.0	110	--	--	--	--
09/18/01	96.61	83.48	13.13	--	200	32	0.55	3.0	<1.5	1,600	--	--	--	--
12/26/01	96.61	85.14	11.47	--	140	9.1	<0.50	1.2	<1.5	1,900	--	--	--	--
03/06/02	97.52	86.38	11.14	--	93	7.0	<0.50	0.72	<1.5	1,000	--	--	--	--
06/21/02	97.52	84.92	12.60	--	93	8.2	<0.50	1.2	<1.5	1,300	--	--	--	--
09/27/02	97.52	84.38	13.14	--	78	1.5	<0.50	<0.50	<1.5	1,200	--	--	--	--
12/26/02	97.52	87.74	9.78	--	86	1.7	<0.50	<0.50	<1.5	600	--	--	--	--
03/28/03	97.52	85.96	11.56	--	190	24	<0.50	2.4	<1.5	1,200	--	--	--	--
06/16/03 ¹¹	97.52	85.96	11.56	--	<50	3	<0.5	<0.5	<0.5	220	--	--	--	--
09/15/03 ¹¹	97.52	85.21	12.31	--	53	3	<0.5	<0.5	<0.5	580	<50	--	--	--
12/15/03 ¹¹	97.52	86.35	11.17	--	<50	<0.5	0.7	<0.5	0.8	410	<50	--	--	--
03/05/04 ¹¹	97.52	86.09	11.43	--	760	110	2	12	2	460	<50	--	--	--
06/18/04 ¹¹	97.52	85.40	12.12	--	1,400	200	3	7	2	740	<50	--	--	--
09/17/04 ¹¹	97.52	85.12	12.40	--	920	48	<0.5	<0.5	<0.5	340	<50	--	--	--
12/17/04 ¹¹	97.52	86.78	10.74	--	190	9	<0.5	<0.5	<0.5	110	<50	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)	1,2-DCB♦ (ppb)	1,2-DCA♦ (ppb)	HVOCs♦ (ppb)
MW-2														
05/29/97	96.91	83.85	13.06	--	--	--	--	--	--	--	--	--	--	--
06/04/97	96.91	83.96	12.95	--	1,600	120	5.9	32	15	2,100	--	--	--	--
09/16/97	96.91	83.92	12.99	--	1,100	23	3.2	7.0	2.5	1,200	--	--	--	--
12/17/97	96.91	84.73	12.18	--	7,100 ¹	650	69	610	69	4,700/2,600 ²	--	--	--	--
03/18/98	96.91	84.21	12.70	--	5,900 ¹	250	<50	98	<50	12,000/7,100 ²	--	--	--	--
06/28/98	96.91	83.98	12.93	--	4,300	400	<10	<10	<10	3,000/4,000 ²	--	--	--	--
09/07/98	96.91	83.94	12.97	--	3,700	220	5.1	38	7.6	1,300/1,400 ²	--	--	--	--
12/29/98	96.91	83.99	12.92	--	6,500	573	26.8	131	33.9	2,660	--	--	--	--
03/11/99	96.91	84.04	12.87	--	4,970	651	30.8	60.3	<5.0	2,600	--	--	--	--
05/04/99	96.91	84.05	12.86	--	--	--	--	--	--	--	--	--	--	--
06/29/99	96.91	83.98	12.93	--	2,030	238	11.6	8.98	<5.0	540	--	--	--	--
09/29/99	96.91	84.02	12.89	--	2,000	320	10.4	16.5	20.3	642	--	--	--	--
12/08/99	96.91	86.18	10.73	--	96.8	2.74	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/01/00	96.91	84.31	12.60	--	<50	6.92	<0.5	<0.5	<0.5	254	--	--	--	--
06/23/00	96.91	83.98	12.93	--	1,700 ⁴	490	7.5	<5.0	7.7	770	--	--	--	--
09/30/00	96.91	83.95	12.96	--	2,000 ⁴	420	14	<10	<10	380	--	--	--	--
12/08/00	96.91	83.98	12.93	--	984	54.9	<2.50	4.15	<2.50	306	--	--	--	--
03/01/01	96.91	84.15	12.76	--	<50.0	4.16	<0.500	<0.500	<0.500	245	--	--	--	--
06/19/01	96.91	83.23	13.68	--	1,700 ⁴	250	9.2	<5.0	6.9	410	--	--	--	--
09/18/01	96.91	83.96	12.95	--	1,700	42	1.9	2.0	2.9	280	--	--	--	--
12/26/01	96.91	83.88	13.03	--	<50	0.50	<0.50	<0.50	<1.5	120	--	--	--	--
03/06/02	97.81	84.82	12.99	--	670	170	2.5	<0.50	<1.5	410	--	--	--	--
06/21/02	97.81	84.10	13.71	--	1,800	120	7.3	2.0	3.1	440	--	--	--	--
09/27/02	97.81	82.51	15.30	--	180	11	1.0	<0.50	<1.5	4,700	--	--	--	--
12/26/02	97.81	84.81	13.00	--	<50	<0.50	<0.50	<0.50	<1.5	160	--	--	--	--
03/28/03	97.81	84.46	13.35	--	580	88	2.2	22	12	280	--	--	--	--
06/16/03 ¹¹	97.81	83.10	14.71	--	200	1	29	<0.5	<0.5	1,400	--	--	--	--
09/15/03 ¹¹	97.81	82.78	15.03	--	130	<1	<1	<1	<1	2,400	<130	--	--	--
12/15/03 ¹¹	97.81	84.84	12.97	--	<50	<0.5	<0.5	<0.5	<0.5	63	<50	--	--	--
03/05/04 ¹¹	97.81	84.79	13.02	--	<50	0.8	<0.5	<0.5	<0.5	49	<50	--	--	--
06/18/04 ¹¹	97.81	82.72	15.09	--	60	<0.5	<0.5	<0.5	<0.5	1,900	<50	--	--	--
09/17/04 ¹¹	97.81	82.46	15.35	--	66	<1	<1	<1	<1	2,100	<130	--	--	--
12/17/04 ¹¹	97.81	84.61	13.20	--	120	7	<0.5	<0.5	0.7	91	<50	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)	1,2-DCB◆ (ppb)	1,2-DCA◆ (ppb)	HVOCs◆ (ppb)
MW-3														
05/29/97	97.86	86.41	11.45	--	--	--	--	--	--	--	--	--	--	--
06/04/97 ³	97.86	86.58	11.28	1200	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	ND	1.0	--
09/16/97	97.86	85.67	12.19	2,700 ¹	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
12/17/97	97.86	87.06	10.80	1,200 ¹	<50	0.9	0.53	<0.5	<0.5	<2.5	--	--	--	--
03/18/98	97.86	86.98	10.88	820 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
06/28/98	97.86	86.26	11.60	1,100 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	0.99	ND	<0.5-<5.0
09/07/98	97.86	85.64	12.22	1,100 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	0.79	0.54	--
12/29/98	97.86	86.06	11.80	1,760 ¹	185	<0.5	<0.5	<0.5	0.669	<2.0	--	1.04	0.578	<0.5-<5.0
03/11/99	97.86	86.83	11.03	1440	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	<1.0	<1.0	<1.0-<2.0
05/04/99	97.86	86.43	11.43	--	--	--	--	--	--	--	--	--	--	--
06/29/99	97.86	85.71	12.15	690 ¹	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	0.754	<0.5	<0.5-<5.0
09/29/99	97.86	INACCESSIBLE			--	--	--	--	--	--	--	--	--	--
12/08/99	97.86	88.43	9.43	1,000 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	<0.5	0.66	<0.5-<5.0
03/01/00	97.86	87.16	10.70	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	0.821	0.984	<0.5-<5.0
06/23/00	97.86	85.96	11.90	2,600 ⁵	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	<2.0	<2.0	<0.5-<2.0
09/30/00	97.86	85.45	12.41	1,100 ⁵	<50	<0.50	0.61	<0.50	0.82	2.7	--	<2.0	<2.0	<0.50-<2.0
12/08/00	97.86	85.78	12.08	870 ⁵	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	<2.0	<2.0	<0.50-<10
03/01/01	97.86	87.09	10.77	1,060 ⁶	60.9 ⁷	<0.500	<0.500	<0.500	<0.500	<2.50	--	0.545	0.528	<0.500-<5.00
06/19/01	97.86	85.87	11.99	120 ⁵	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	<1.2	<1.6	<0.50-<2.0
09/18/01	97.86	85.19	12.67	4,800	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<2 ⁸	<1-<2 ⁸
12/26/01	97.86	86.92	10.94	5,000	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<2 ⁸	<1-<2.0 ⁸
03/06/02	98.78	87.20	11.58	30,000	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<2 ⁸	<1-<2.0 ⁸
06/21/02	98.78	86.23	12.55	3,800 ¹⁰	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<2 ⁸	<1-<2.0 ⁸
09/27/02	98.78	85.93	12.85	2,000	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<2 ⁸	<1-<2.0 ⁸
12/26/02	98.78	87.87	10.91	3,600	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<2 ⁸	<1-<2.0 ⁸
03/28/03	98.78	86.77	12.01	2,100	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<1 ⁸	<0.8-<2 ⁸
06/16/03 ¹¹	98.78	86.79	11.99	2,400	<50	<0.5	<0.5	<0.5	<1	<0.5	--	<1 ⁸	0.8 ⁸	<0.5-<2 ⁸
09/15/03 ¹¹	98.78	86.07	12.71	4,300	<50	<0.5	<0.5	<0.5	<1	<0.5	<50	<1 ⁸	0.8 ⁸	<0.8-<2 ⁸
12/15/03 ¹¹	98.78	87.23	11.55	3,200	<50	<0.5	0.7	<0.5	0.7	<0.5	<50	<1 ⁸	0.8 ⁸	<0.8-<2 ⁸
03/05/04 ¹¹	98.78	87.66	11.12	8,000	<50	<0.5	0.6	<0.5	0.7	<0.5	<50	<1 ⁸	<0.5 ⁸	<0.8-<2 ⁸
06/18/04 ¹¹	98.78	86.21	12.57	3,100	<50	<0.5	<0.5	<0.5	<1	<0.5	<50	<1 ⁸	<0.5 ⁸	<0.8-<2 ⁸
09/17/04 ¹¹	98.78	85.92	12.86	3,200	<50	<0.5	<0.7	<0.8	<1.6	<0.5	<50	<1 ⁸	<1 ⁸	<0.8-<2 ⁸
12/17/04 ¹¹	98.78	87.63	11.15	2,800	<50	<0.5	<0.5	<0.5	<1.0	<0.5	<50	<1 ⁸	<0.5 ⁸	<0.8-<2 ⁸

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)	1,2-DCB♦ (ppb)	1,2-DCA♦ (ppb)	HVOCs♦ (ppb)
MW-4														
05/04/99	96.25	83.66	12.59	--	140	<0.5	0.62	0.67	2.6	<2.5	--	--	--	--
06/29/99	96.25	83.64	12.61	--	183	<0.5	<0.5	1.1	<0.5	<5.0	--	--	--	--
09/29/99	96.25	83.70	12.55	--	64.3	<0.5	<0.5	<0.5	1.18	<2.5	--	--	--	--
12/08/99	96.25	83.81	12.44	--	91.2	0.589	<0.5	0.52	<0.5	86	--	--	--	--
03/01/00	96.25	84.55	11.70	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
06/23/00	96.25	84.12	12.13	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
09/30/00	96.25	84.30	11.95	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
12/08/00	96.25	83.85	12.40	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
03/01/01	96.25	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--
06/19/01	96.25	82.83	13.42	--	210 ⁷	7.6	1.4	<0.50	<0.50	10	--	--	--	--
09/18/01	96.25	83.17	13.08	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
12/26/01	96.25	83.36	12.89	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
03/06/02	97.14	84.06	13.08	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
06/21/02	97.14	83.63	13.51	--	<50	<0.50	12	<0.50	<1.5	<2.5	--	--	--	--
09/27/02	97.14	83.47	13.67	--	110	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
12/26/02	97.14	84.12	13.02	--	<50	<0.50	2.6	<0.50	<1.5	<2.5	--	--	--	--
03/28/03	97.14	83.71	13.43	--	<50	<0.50	<0.50	<0.50	<1.5	18	--	--	--	--
06/16/03 ¹¹	97.14	83.10	14.04	--	250	<0.5	31	<0.5	<0.5	<0.5	--	--	--	--
09/15/03 ¹¹	97.14	82.93	14.21	--	220	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--	--	--
12/15/03 ¹¹	97.14	84.30	12.84	--	310	<0.5	21	<0.5	1	<0.5	<50	--	--	--
03/05/04 ¹¹	97.14	84.00	13.14	--	<50	<0.5	0.7	<0.5	0.6	5	<50	--	--	--
06/18/04 ¹¹	97.14	83.14	14.00	--	220	<0.5	<0.5	<0.5	<0.5	1	<50	--	--	--
09/17/04 ¹¹	97.14	83.06	14.08	--	97	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--	--	--
12/17/04 ¹¹	97.14	83.77	13.37	--	<50	<0.5	<0.5	<0.5	<0.5	0.9	<50	--	--	--
MW-5														
03/06/02 ⁹	95.71	84.31	11.40	--	4,900	18	2.7	29	9.8	290	--	--	--	--
06/21/02	95.71	83.29	12.42	--	1,400	3.6	1.4	<0.50	1.6	190	--	--	--	--
09/27/02	95.71	83.00	12.71	--	540	1.3	<0.50	<0.50	<1.5	190	--	--	--	--
12/26/02	95.71	85.55	10.16	--	2,600	5.0	0.86	3.6	3.7	170	--	--	--	--
03/28/03	95.71	84.25	11.46	--	920	3.8	<0.50	2.1	1.7	160	--	--	--	--
06/16/03 ¹¹	95.71	83.92	11.79	--	600	3	0.9	0.7	0.9	150	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)	1,2-DCB♦ (ppb)	1,2-DCA♦ (ppb)	HVOCs♦ (ppb)
MW-5 (cont)														
09/15/03 ¹¹	95.71	83.28	12.43	--	760	<0.5	<0.5	<0.5	<0.5	180	<50	--	--	--
12/15/03 ¹¹	95.71	85.01	10.70	--	1,200	0.7	0.5	0.6	0.8	120	<50	--	--	--
03/05/04 ¹¹	95.71	84.65	11.06	--	1,800	2	0.7	0.7	2	60	<50	--	--	--
06/18/04 ¹¹	95.71	83.54	12.17	--	1,700	<0.5	<0.5	<0.5	<0.5	77	<50	--	--	--
09/17/04 ¹¹	95.71	83.35	12.36	--	1,900	<0.5	<0.5	<0.5	0.6	73	<50	--	--	--
12/17/04 ¹¹	95.71	84.91	10.80	--	1,200	1	<0.5	<0.5	0.6	41	<50	--	--	--
MW-6														
03/06/02 ⁹	95.84	85.67	10.17	--	220	<0.50	<0.50	<0.50	<1.5	53	--	--	--	--
06/21/02	95.84	84.86	10.98	--	<50	<0.50	<0.50	<0.50	<1.5	15	--	--	--	--
09/27/02	95.84	84.61	11.23	--	<50	<0.50	<0.50	<0.50	<1.5	11	--	--	--	--
12/26/02	95.84	87.47	8.37	--	57	<0.50	<0.50	<0.50	<1.5	19	--	--	--	--
03/28/03	95.84	85.53	10.31	--	<50	<0.50	<0.50	<0.50	<1.5	11	--	--	--	--
06/16/03 ¹¹	95.84	85.50	10.34	--	<50	<0.5	0.6	<0.5	<0.5	5	--	--	--	--
09/15/03 ¹¹	95.84	84.84	11.00	--	<50	<0.5	<0.5	<0.5	<0.5	6	<50	--	--	--
12/15/03 ¹¹	95.84	86.49	9.35	--	<50	<0.5	<0.5	<0.5	<0.5	4	<50	--	--	--
03/05/04 ¹¹	95.84	87.04	8.80	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--	--	--
06/18/04 ¹¹	95.84	85.04	10.80	--	<50	<0.5	<0.5	<0.5	<0.5	2	<50	--	--	--
09/17/04 ¹¹	95.84	84.84	11.00	--	<50	<0.5	<0.5	<0.5	<0.5	2	<50	--	--	--
12/17/04 ¹¹	95.84	86.32	9.52	--	<50	<0.5	<0.5	<0.5	<0.5	2	<50	--	--	--
TRIP BLANK														
06/04/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
09/16/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
12/17/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/18/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
06/28/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
09/07/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
09/07/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
12/29/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--	--	--
03/11/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)	1,2-DCB♦ (ppb)	1,2-DCA♦ (ppb)	HVOCs♦ (ppb)
TRIP BLANK (cont)														
05/04/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
06/29/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
09/29/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
12/08/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/01/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
06/23/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
09/30/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
12/08/00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
03/01/01	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
06/19/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
09/18/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
QA														
12/26/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
03/06/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
06/21/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
09/27/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
12/26/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
03/28/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
06/16/03 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
09/15/03 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
12/15/03 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
03/05/04 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
06/18/04 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
09/17/04 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
12/17/04 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH-G = Total Petroleum Hydrocarbons as Gasoline B = Benzene	1,2-DCB = 1,2-Dichlorobenzene 1,2-DCA = 1,2-Dichloroethane
GWE = Groundwater Elevation (msl) = Mean sea level	T = Toluene E = Ethylbenzene	HVOCs = Halogenated Volatile Organic Compounds ND = Not Detected
DTW = Depth to Water	X = Xylenes	-- = Not Measured/Not Analyzed
TPH-D Total Petroleum Hydrocarbons as Diesel	MTBE = Methyl tertiary butyl ether	QA = Quality Assurance/Trip Blank

* TOC elevations were surveyed in February 2002, by Morrow Surveying. Elevations are based on City of Oakland Benchmark; a standard city of Oakland disc stamped "SEC 50 STA F" set under a standard casting on the monument line of Camden Street and 72 feet westerly of the monument at Seminary and Camden, (Elevation = 90.63 feet).

◆ Analysis by EPA Method 8010.

¹ Chromatogram pattern indicates an unidentified hydrocarbon.

² Confirmation run.

³ Sample also analyzed for the following: Total Oil & Grease by EPA Method 5520F was ND; Semivolatile Organics by EPA Method 8270B were ND; Volatile Organics by EPA Method 8010B were ND.

⁴ Laboratory report indicates gasoline C6-C12.

⁵ Laboratory report indicates unidentified hydrocarbons >C16.

⁶ Laboratory report indicates unidentified hydrocarbons C9-C24.

⁷ Laboratory report indicates unidentified hydrocarbons C6-C12.

⁸ Volatile Organic Compounds (VOCs) by EPA Method 8260.

⁹ Well development performed.

¹⁰ Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.

¹¹ BTEX and MTBE by EPA Method 8260.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 12-17-04 (inclusive)
 City: Oakland, CA Sampler: Joe

Well ID: MW-1 Date Monitored: 12-17-04 Well Condition: OK
 Well Diameter: 2 in.
 Total Depth: 20.25 ft.
 Depth to Water: 10.74 ft.
9.51 xVF 0.17 = 1.62 x3 case volume = Estimated Purge Volume: 5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0916 Weather Conditions: clear
 Sample Time/Date: 0940 / 12-17-04 Water Color: clear Odor: yes
 Purging Flow Rate: 0.1 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0922</u>	<u>2.5</u>	<u>6.64</u>	<u>1.06</u>	<u>64.3</u>		
<u>0926</u>	<u>3</u>	<u>6.67</u>	<u>0.88</u>	<u>64.0</u>		
<u>0930</u>	<u>5</u>	<u>6.69</u>	<u>0.83</u>	<u>64.1</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x vob vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708
 Site Address: 5910 Macarthur Blvd.
 City: Oakland, CA

Job Number: 386395
 Event Date: 12-17-04 (inclusive)
 Sampler: Joc

Well ID: MW-2
 Well Diameter: 2 in.
 Total Depth: 20.20 ft.
 Depth to Water: 13.20 ft.
7.00

Date Monitored: 12-17-04 Well Condition: o.k.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF 0.17 = 1.19 x3 case volume= Estimated Purge Volume: 3.5 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0848 Weather Conditions: clear
 Sample Time/Date: 091012-17-04 Water Color: clear Odor: some
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ^x (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0854</u>	<u>1</u>	<u>6.80</u>	<u>0.55</u>	<u>64.7</u>		
<u>0857</u>	<u>2</u>	<u>6.76</u>	<u>0.52</u>	<u>64.6</u>		
<u>0901</u>	<u>3.5</u>	<u>6.75</u>	<u>0.50</u>	<u>64.7</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x voe vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 12-17-04 (inclusive)
 City: Oakland, CA Sampler: Joc

Well ID: MW-3 Date Monitored: 12-17-04 Well Condition: o.k.
 Well Diameter: 2 in.
 Total Depth: 20.15 ft.
 Depth to Water: 11.15 ft.
 $9.00 \times VF \ 0.17 = 1.53$ x3 case volume = Estimated Purge Volume: 5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0947 Weather Conditions: Clear
 Sample Time/Date: 1015 / 12-17-04 Water Color: clear Odor: yes
 Purging Flow Rate: 1.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0954</u>	<u>1.5</u>	<u>6.55</u>	<u>0.51</u>	<u>63.6</u>	_____	_____
<u>1000</u>	<u>3</u>	<u>6.52</u>	<u>0.40</u>	<u>63.9</u>	_____	_____
<u>1005</u>	<u>5</u>	<u>6.58</u>	<u>0.46</u>	<u>64.0</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-3	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)
	3 x voa vial	YES	HCL	LANCASTER	HVOC'S(8260)
	2 x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 12-17-04 (inclusive)
 City: Oakland, CA Sampler: Joe

Well ID: MW-4 Date Monitored: 12-17-04 Well Condition: o.k.
 Well Diameter: 2 in.
 Total Depth: 19.65 ft.
 Depth to Water: 13.37 ft.
6.28 xVF 0.17 = 1.07 x3 case volume = Estimated Purge Volume: 3.5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0730 Weather Conditions: clear
 Sample Time/Date: 0758/12-17-04 Water Color: clear Odor: mild
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) ¹⁰⁰⁰	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0742</u>	<u>1</u>	<u>7.31</u>	<u>1.28</u>	<u>65.0</u>		
<u>0745</u>	<u>2</u>	<u>7.30</u>	<u>1.32</u>	<u>64.9</u>		
<u>0749</u>	<u>3.5</u>	<u>7.37</u>	<u>1.30</u>	<u>64.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6 x vob vial</u>	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708
 Site Address: 5910 Macarthur Blvd.
 City: Oakland, CA

Job Number: 386395
 Event Date: 12-17-04 (inclusive)
 Sampler: 50c

Well ID: MW-5
 Well Diameter: 2 in.
 Total Depth: 18.70 ft.
 Depth to Water: 10.80 ft.
7.90 xVF = 0.17 = 1.34 x3 case volume = Estimated Purge Volume: 4 gal.

Date Monitored: 12-17-04 Well Condition: o.k.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0815 Weather Conditions: clear
 Sample Time/Date: 0840 / 12-17-04 Water Color: clear Odor: yes
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm) ^{x100}	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0824</u>	<u>1.5</u>	<u>6.67</u>	<u>0.32</u>	<u>65.0</u>	_____	_____
<u>0828</u>	<u>3</u>	<u>6.70</u>	<u>0.31</u>	<u>65.1</u>	_____	_____
<u>0832</u>	<u>4</u>	<u>6.72</u>	<u>0.28</u>	<u>64.8</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x voc vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 12-17-04 (inclusive)
 City: Oakland, CA Sampler: Jaa

Well ID: MW-6 Date Monitored: 12-17-04 Well Condition: o.k.
 Well Diameter: 2 in.
 Total Depth: 18.90 ft.
 Depth to Water: 9.52 ft.
9.38 xVF 0.17 = 1.59 x3 case volume= Estimated Purge Volume: 5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 12 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0640 Weather Conditions: clear
 Sample Time/Date: 0712/12-17-04 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0652</u>	<u>1.5</u>	<u>7.12</u>	<u>2.11</u>	<u>65.2</u>	_____	_____
<u>0657</u>	<u>3</u>	<u>7.18</u>	<u>1.96</u>	<u>65.1</u>	_____	_____
<u>0703</u>	<u>5</u>	<u>7.26</u>	<u>1.99</u>	<u>64.7</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



Acct. #: 10904

For Lancaster Laboratories use only
Sample #: 4433440-46

86 # 925647
SCR#:

121704-05

Facility #: SS#9-9708 G-R#386395 Global ID#T0600102093
 Site Address: 5910 MACARTHUR BLVD., OAKLAND, CA
 Chevron PM: KS Lead Consultant: CAMBRIA
 Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568
 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com)
 Consultant Phone: 925-551-7555 Fax: 925-551-7899
 Sampler: JOE ASEMIAN
 Service Order #: _____ Non SAR: _____

Matrix		Analyses Requested									
		Preservation Codes									
Soil	Water	Oil	Air	Total Number of Containers	H	H			H	H	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		BTEX + MTBE 8260 <input type="checkbox"/> 8021 <input type="checkbox"/>						
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		TPH 8015 MOD GRO						
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup						
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		8260 full scan						
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Oxygenates						
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/>						
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<u>HVOC's (8260)</u>						
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<u>Ethanol (8260)</u>						

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers
<u>GA</u>			<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>2</u>
<u>MW-1</u>	<u>12-17-04</u>	<u>0940</u>							<u>6</u>
<u>MW-2</u>		<u>0910</u>							<u>6</u>
<u>MW-3</u>		<u>1015</u>							<u>11</u>
<u>MW-4</u>		<u>0758</u>							<u>6</u>
<u>MW-5</u>		<u>0840</u>							<u>6</u>
<u>MW-6</u>		<u>0712</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>

Comments / Remarks

Turnaround Time Requested (TAT) (please circle)
 STD. TAT
 24 hour 72 hour 48 hour
 4 day 5 day

Data Package Options (please circle if required)
 QC Summary Type I — Full
 Type VI (Raw Data) Coelt Deliverable not needed
 WIP (RWQCB)
 Disk

Relinquished by: <u>[Signature]</u>	Date: <u>12-17-04</u>	Time: <u>1120</u>	Received by:	Date:	Time:
Relinquished by: <u>[Signature]</u>	Date: <u>12/17/04</u>	Time: <u>0940</u>	Received by: <u>[Signature]</u>	Date: <u>12/17/04</u>	Time: <u>1430</u>
Relinquished by: <u>[Signature]</u>	Date: <u>12/17/04</u>	Time: <u>1530</u>	Received by: <u>DHL</u>	Date: <u>12/17/04</u>	Time:
Relinquished by Commercial Carrier: UPS FedEx Other <u>DHL</u>	Temperature Upon Receipt: <u>10/12 C</u>		Received by: <u>[Signature]</u>	Date: <u>12/17/04</u>	Time: <u>0920</u>
Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

RECEIVED
REVISED

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

GETTLER RYAN INC.
GENERAL CONTRACTORS

SAMPLE GROUP

The sample group for this submittal is 925647. Samples arrived at the laboratory on Saturday, December 18, 2004. The PO# for this group is 99011184 and the release number is STREICH.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-041217	NA	Water	4433440
MW-1-W-041217	Grab	Water	4433441
MW-2-W-041217	Grab	Water	4433442
MW-3-W-041217	Grab	Water	4433443
MW-4-W-041217	Grab	Water	4433444
MW-5-W-041217	Grab	Water	4433445
MW-6-W-041217	Grab	Water	4433446

1 COPY TO Cambria C/O Gettler- Ryan
ELECTRONIC Gettler-Ryan
COPY TO

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report.

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

REVISED

Questions? Contact your Client Services Representative
Megan A Moeller at (717) 656-2300.

Respectfully Submitted,

A handwritten signature in cursive script that reads "Michele M. Turner".

Michele M. Turner
Manager



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1
REVISED

Lancaster Laboratories Sample No. WW 4433440

QA-T-041217 NA Water
Facility# 99708 Job# 386395 GRD
5910 MacArthur-Oakland T0600102093 QA
Collected: 12/17/2004

Account Number: 10904

Submitted: 12/18/2004 09:20
Reported: 01/18/2005 at 13:55
Discard: 02/18/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

MBOQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.		0.5	ug/l	1
05401	Benzene	71-43-2	N.D.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/22/2004 10:38	Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	12/28/2004 14:36	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/22/2004 10:38	Michael F Barrow	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/28/2004 14:36	Anita M Dale	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1
REVISED

Lancaster Laboratories Sample No. WW 4433441

MW-1-W-041217 Grab Water
 Facility# 99708 Job# 386395 GRD
 5910 MacArthur-Oakland T0600102093 MW-1
 Collected: 12/17/2004 09:40 by JA

Account Number: 10904

Submitted: 12/18/2004 09:20
 Reported: 01/18/2005 at 13:55
 Discard: 02/18/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MBO01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Detection Limit	
01728	TPH-GRO - Waters	n.a.	190.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	110.	0.5	ug/l	1
05401	Benzene	71-43-2	9.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/22/2004	11:07	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/28/2004	18:07	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/22/2004	11:07	Michael F Barrow	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/28/2004	18:07	Anita M Dale	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1
REVISED

Lancaster Laboratories Sample No. WW 4433442

MW-2-W-041217 Grab Water
 Facility# 99708 Job# 386395 GRD
 5910 MacArthur-Oakland T0600102093 MW-2
 Collected: 12/17/2004 09:10 by JA

Account Number: 10904

Submitted: 12/18/2004 09:20
 Reported: 01/18/2005 at 13:55
 Discard: 02/18/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MBO02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	120.		50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH						
01587	Ethanol	64-17-5	N.D.		50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	91.		0.5	ug/l	1
05401	Benzene	71-43-2	7.		0.5	ug/l	1
05407	Toluene	108-88-3	N.D.		0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.		0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	0.7		0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/22/2004 13:56	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/28/2004 18:57	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/22/2004 13:56	Michael F Barrow	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/28/2004 18:57	Anita M Dale	n.a.

Lancaster Laboratories Sample No. WW 4433443

 MW-3-W-041217 Grab Water
 Facility# 99708 Job# 386395 GRD
 5910 MacArthur-Oakland T0600102093 MW-3
 Collected: 12/17/2004 10:15 by JA

Account Number: 10904

 Submitted: 12/18/2004 09:20
 Reported: 01/18/2005 at 13:55
 Discard: 02/18/2005

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MBO03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	Detection Limit 50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO CALUPT(Waters)	n.a.	2,800.	130.	ug/l	9
05382	EPA SW846/8260 (water)					
05385	Chloromethane	74-87-3	N.D.	1.	ug/l	1
05386	Vinyl Chloride	75-01-4	N.D.	1.	ug/l	1
05387	Bromomethane	74-83-9	N.D.	1.	ug/l	1
05388	Chloroethane	75-00-3	N.D.	1.	ug/l	1
05389	Trichlorofluoromethane	75-69-4	N.D.	2.	ug/l	1
05390	1,1-Dichloroethene	75-35-4	N.D.	0.8	ug/l	1
05391	Methylene Chloride	75-09-2	N.D.	2.	ug/l	1
05392	trans-1,2-Dichloroethene	156-60-5	N.D.	0.8	ug/l	1
05393	1,1-Dichloroethane	75-34-3	N.D.	1.	ug/l	1
05395	cis-1,2-Dichloroethene	156-59-2	N.D.	0.8	ug/l	1
05396	Chloroform	67-66-3	N.D.	0.8	ug/l	1
05398	1,1,1-Trichloroethane	71-55-6	N.D.	0.8	ug/l	1
05399	Carbon Tetrachloride	56-23-5	N.D.	1.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05402	1,2-Dichloroethane	107-06-2	N.D.	0.5	ug/l	1
05403	Trichloroethene	79-01-6	N.D.	1.	ug/l	1
05404	1,2-Dichloropropane	78-87-5	N.D.	1.	ug/l	1
05406	Bromodichloromethane	75-27-4	N.D.	1.	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05408	1,1,2-Trichloroethane	79-00-5	N.D.	0.8	ug/l	1
05409	Tetrachloroethene	127-18-4	N.D.	0.8	ug/l	1
05411	Dibromochloromethane	124-48-1	N.D.	1.	ug/l	1
05412	1,2-Dibromoethane	106-93-4	N.D.	0.5	ug/l	1
05413	Chlorobenzene	108-90-7	N.D.	0.8	ug/l	1
05383	EPA SW846/8260 (water) cont					
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
05416	m+p-Xylene	1330-20-7	N.D.	0.5	ug/l	1
05417	o-Xylene	95-47-6	N.D.	0.5	ug/l	1
05419	Bromoform	75-25-2	N.D.	1.	ug/l	1
05421	1,1,1,2-Tetrachloroethane	79-34-5	N.D.	1.	ug/l	1
05432	1,3-Dichlorobenzene	541-73-1	N.D.	1.	ug/l	1
05433	1,4-Dichlorobenzene	106-46-7	N.D.	1.	ug/l	1

Lancaster Laboratories Sample No. WW 4433443

MW-3-W-041217 Grab Water
 Facility# 99708 Job# 386395 GRD
 5910 MacArthur-Oakland T0600102093 MW-3
 Collected: 12/17/2004 10:15 by JA

Account Number: 10904

Submitted: 12/18/2004 09:20
 Reported: 01/18/2005 at 13:55
 Discard: 02/18/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MBO03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
05435	1,2-Dichlorobenzene	95-50-1	N.D.	1.	ug/l	1
08202	EPA SW 846/8260 - Water					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
06306	trans-1,3-Dichloropropene	10061-02-6	N.D.	1.	ug/l	1
06307	cis-1,3-Dichloropropene	10061-01-5	N.D.	1.	ug/l	1
08203	Freon 113	76-13-1	N.D.	2.	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/22/2004 14:24	Michael F Barrow	1
06609	TPH-DRO CALUFT(Waters)	CALUFT-DRO/8015B, Modified	1	12/29/2004 12:15	Tracy A Cole	5
05382	EPA SW846/8260 (water)	SW-846 8260B	1	12/23/2004 00:28	Dawn M Harle	1
05383	EPA SW846/8260 (water) cont	SW-846 8260B	1	12/23/2004 00:28	Dawn M Harle	1
08202	EPA SW 846/8260 - Water	SW-846 8260B	1	12/23/2004 00:28	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/22/2004 14:24	Michael F Barrow	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/23/2004 00:28	Dawn M Harle	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	1	12/21/2004 17:15	JoElla L Rice	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1
REVISED

Lancaster Laboratories Sample No. WW 4433444

MW-4-W-041217 Grab Water
Facility# 99708 Job# 386395 GRD
5910 MacArthur-Oakland T0600102093 MW-4
Collected: 12/17/2004 07:58 by JA

Account Number: 10904

Submitted: 12/18/2004 09:20
Reported: 01/18/2005 at 13:55
Discard: 02/18/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

MBO04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method		Units	Dilution Factor
				Detection Limit			
01728	TPH-GRO - Waters	n.a.	N.D.	50.		ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH						
01587	Ethanol	64-17-5	N.D.	50.		ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	0.9	0.5		ug/l	1
05401	Benzene	71-43-2	N.D.	0.5		ug/l	1
05407	Toluene	108-88-3	N.D.	0.5		ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5		ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5		ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/22/2004	14:52	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/28/2004	19:22	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/22/2004	14:52	Michael F Barrow	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/28/2004	19:22	Anita M Dale	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1
REVISED

Lancaster Laboratories Sample No. WW 4433445

MW-5-W-041217 Grab Water
 Facility# 99708 Job# 386395 GRD
 5910 MacArthur-Oakland T0600102093 MW-5
 Collected: 12/17/2004 08:40 by JA

Account Number: 10904

Submitted: 12/18/2004 09:20
 Reported: 01/18/2005 at 13:55
 Discard: 02/18/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MBO05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Detection Limit	
01728	TPH-GRO - Waters	n.a.	1,200.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
01594	BTEX+5 Oxygenates+EDC+EDE+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	41.	0.5	ug/l	1
05401	Benzene	71-43-2	1.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	0.6	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUPT Gasoline Method	1	12/22/2004	15:21	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDE+ETOH	SW-846 8260B	1	12/28/2004	19:46	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/22/2004	15:21	Michael F Barrow	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/28/2004	19:46	Anita M Dale	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1
REVISED

Lancaster Laboratories Sample No. WW 4433446

MW-6-W-041217 Grab Water
Facility# 99708 Job# 386395 GRD
5910 MacArthur-Oakland T0600102093 MW-6
Collected: 12/17/2004 07:12 by JA

Account Number: 10904

Submitted: 12/18/2004 09:20
Reported: 01/18/2005 at 13:55
Discard: 02/18/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

MBO06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	2.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	12/22/2004 15:49	Michael F Barrow	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	12/28/2004 20:36	Anita M Dale	1
01146	GC VOA Water Prep	SW-846 5030B	1	12/22/2004 15:49	Michael F Barrow	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	12/28/2004 20:36	Anita M Dale	n.a.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 01/18/05 at 01:55 PM

Group Number: 925647

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 043560008A TPH-DRO CALUFT(Waters)	N.D.	50.	Sample number(s): 4433443 ug/l	81	81	61-126	0	20
Batch number: 04357A08A TPH-GRO - Waters	N.D.	50.	Sample number(s): 4433440-4433441 ug/l	95	99	70-130	4	30
Batch number: 04357A08B TPH-GRO - Waters	N.D.	50.	Sample number(s): 4433442-4433446 ug/l	95	99	70-130	4	30
Batch number: N043571AB	N.D.	50.	Sample number(s): 4433443 ug/l	84		46-145		
Ethanol	N.D.	0.5	ug/l	95		77-127		
Methyl Tertiary Butyl Ether	N.D.	1.	ug/l	112		66-143		
Chloromethane	N.D.	1.	ug/l	103		71-134		
Vinyl Chloride	N.D.	1.	ug/l	85		55-131		
Bromomethane	N.D.	1.	ug/l	96		59-133		
Chloroethane	N.D.	2.	ug/l	110		67-140		
Trichlorofluoromethane	N.D.	0.8	ug/l	97		79-130		
1,1-Dichloroethene	N.D.	2.	ug/l	95		80-128		
Methylene Chloride	N.D.	0.8	ug/l	97		81-124		
trans-1,2-Dichloroethene	N.D.	1.	ug/l	95		83-127		
1,1-Dichloroethane	N.D.	0.8	ug/l	98		84-117		
cis-1,2-Dichloroethene	N.D.	0.8	ug/l	95		86-124		
Chloroform	N.D.	0.8	ug/l	94		83-127		
1,1,1-Trichloroethane	N.D.	1.	ug/l	94		77-130		
Carbon Tetrachloride	N.D.	0.5	ug/l	97		85-117		
Benzene	N.D.	0.5	ug/l	94		77-132		
1,2-Dichloroethane	N.D.	1.	ug/l	96		87-117		
Trichloroethene	N.D.	1.	ug/l	98		80-117		
1,2-Dichloropropane	N.D.	1.	ug/l	93		83-121		
Bromodichloromethane	N.D.	0.5	ug/l	95		85-115		
Toluene	N.D.	0.8	ug/l	93		86-113		
1,1,2-Trichloroethane	N.D.	0.8	ug/l	99		82-126		
Tetrachloroethene	N.D.	1.	ug/l	93		78-119		
Dibromochloromethane	N.D.	0.5	ug/l	94		81-114		
1,2-Dibromoethane	N.D.	0.8	ug/l	97		85-115		
Chlorobenzene	N.D.	0.5	ug/l	96		82-119		
Ethylbenzene	N.D.	0.5	ug/l	99		84-120		
m+p-Xylene	N.D.	0.5	ug/l	99		82-113		
o-Xylene	N.D.	1.	ug/l	94		69-118		
Bromoform	N.D.	1.	ug/l	93		72-119		
1,1,2,2-Tetrachloroethane	N.D.	1.	ug/l	100		81-114		
1,3-Dichlorobenzene	N.D.	1.	ug/l	99		84-116		
1,4-Dichlorobenzene	N.D.	1.	ug/l	99		81-112		
1,2-Dichlorobenzene	N.D.	1.	ug/l	99		81-112		

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 01/18/05 at 01:55 PM

Group Number: 925647

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
trans-1,3-Dichloropropene	N.D.	1.	ug/l	93		79-114		
cis-1,3-Dichloropropene	N.D.	1.	ug/l	96		78-114		
Freon 113	N.D.	2.	ug/l	99		73-140		

Batch number: Z043631AA	Sample number(s): 4433441-4433442,4433444-4433446
Ethanol	N.D. 50. ug/l 93 46-145
Methyl Tertiary Butyl Ether	N.D. 0.5 ug/l 98 77-127
Benzene	N.D. 0.5 ug/l 103 85-117
Toluene	N.D. 0.5 ug/l 103 85-115
Ethylbenzene	N.D. 0.5 ug/l 105 82-119
Xylene (Total)	N.D. 0.5 ug/l 103 83-113

Batch number: Z043632AA	Sample number(s): 4433440	RPD	RPD Max
Methyl Tertiary Butyl Ether	N.D. 0.5 ug/l 97 98 77-127	1	30
Benzene	N.D. 0.5 ug/l 103 101 85-117	3	30
Toluene	N.D. 0.5 ug/l 104 99 85-115	4	30
Ethylbenzene	N.D. 0.5 ug/l 105 101 82-119	4	30
Xylene (Total)	N.D. 0.5 ug/l 103 99 83-113	4	30

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 04357A08A	Sample number(s): 4433440-4433441								
TPH-GRO - Waters	120		63-154						
Batch number: 04357A08B	Sample number(s): 4433442-4433446								
TPH-GRO - Waters	120		63-154						
Batch number: N043571AB	Sample number(s): 4433443								
Ethanol	80	75	33-153	7	30				
Methyl Tertiary Butyl Ether	97	95	69-134	2	30				
Chloromethane	118	109	69-157	8	30				
Vinyl Chloride	112	108	70-151	4	30				
Bromomethane	86	82	59-143	5	30				
Chloroethane	100	97	63-142	3	30				
Trichlorofluoromethane	126	121	67-163	4	30				
1,1-Dichloroethene	107	105	78-146	2	30				
Methylene Chloride	98	96	79-133	2	30				
trans-1,2-Dichloroethene	101	99	82-133	2	30				
1,1-Dichloroethane	99	96	85-135	2	30				
cis-1,2-Dichloroethene	101	100	83-126	1	30				
Chloroform	98	96	82-131	2	30				
1,1,1-Trichloroethane	100	97	81-142	2	30				
Carbon Tetrachloride	103	100	73-144	3	30				
Benzene	100	98	83-128	3	30				
1,2-Dichloroethane	95	93	73-136	2	30				
Trichloroethene	100	98	75-135	3	30				
1,2-Dichloropropane	99	98	81-121	0	30				
Bromodichloromethane	95	92	80-129	3	30				
Toluene	98	98	83-127	1	30				
1,1,2-Trichloroethane	94	92	77-125	2	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 01/18/05 at 01:55 PM

Group Number: 925647

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Tetrachloroethene	102	101	78-133	1	30				
Dibromochloromethane	92	91	73-119	2	30				
1,2-Dibromoethane	92	91	78-120	1	30				
Chlorobenzene	98	97	83-120	1	30				
Ethylbenzene	100	98	82-129	2	30				
m+p-Xylene	102	100	82-130	2	30				
o-Xylene	102	100	82-130	2	30				
Bromoform	89	89	64-119	0	30				
1,1,2,2-Tetrachloroethane	92	88	69-121	3	30				
1,3-Dichlorobenzene	101	99	79-123	2	30				
1,4-Dichlorobenzene	100	98	81-122	1	30				
1,2-Dichlorobenzene	100	97	82-117	3	30				
trans-1,3-Dichloropropene	92	91	75-117	2	30				
cis-1,3-Dichloropropene	96	93	76-117	2	30				
Freon 113	116	113	73-166	3	30				

Batch number: Z043631AA	Sample number(s): 4433441-4433442,4433444-4433446
Ethanol	82 83 33-153 0 30
Methyl Tertiary Butyl Ether	101 96 69-134 1 30
Benzene	107 107 83-128 0 30
Toluene	106 107 83-127 1 30
Ethylbenzene	108 108 82-129 0 30
Xylene (Total)	102 102 82-130 0 30

Batch number: Z043632AA	Sample number(s): 4433440
Methyl Tertiary Butyl Ether	99 69-134
Benzene	108 83-128
Toluene	106 83-127
Ethylbenzene	106 82-129
Xylene (Total)	102 82-130

Surrogate Quality Control

Analysis Name: TPH-DRO CALUFT (Waters)
Batch number: 043560008A
Orthoterphenyl

4433443	103
Blank	93
LCS	113
LCSD	111

Limits: 57-128

Analysis Name: TPH-GRO - Waters
Batch number: 04357A08A
Trifluorotoluene-F

4433440	102
4433441	105
Blank	101
LCS	106

*. Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 01/18/05 at 01:55 PM

Group Number: 925647

Surrogate Quality Control

LCSD 102
MS 108

Limits: 57-146

Analysis Name: TPH-GRO - Waters
Batch number: 04357A08B
Trifluorotoluene-F

4433442 110
4433443 104
4433444 100
4433445 111
4433446 101
Blank 104
LCS 106
LCSD 102
MS 108

Limits: 57-146

Analysis Name: EPA SW846/8260 (water)
Batch number: N043571AB

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4433443	95	92	97	93
Blank	94	93	98	92
LCS	96	94	99	97
MS	96	94	99	97
MSD	96	93	99	97

Limits: 81-120

82-112

85-112

83-113

Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH
Batch number: Z043631AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4433441	102	100	104	102
4433442	101	99	104	101
4433444	102	99	102	102
4433445	102	100	102	102
4433446	101	99	104	101
Blank	102	100	104	100
LCS	101	100	104	102
MS	103	101	104	102
MSD	102	100	104	101

Limits: 81-120

82-112

85-112

83-113

Analysis Name: BTEX+MTBE by 8260B
Batch number: Z043632AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4433440	104	101	105	103
Blank	105	101	106	103
LCS	104	101	106	103
LCSD	104	102	105	104
MS	104	102	106	104

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 01/18/05 at 01:55 PM

Group Number: 925647

Surrogate Quality Control

Limits:	81-120	82-112	85-112	83-113
---------	--------	--------	--------	--------

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
J	Estimated value
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns >25%
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is <CRDL, but ≥IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike amount not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.