



J. Mark Inglis
Project Manager

**Retail & Terminal
Business Unit**
Chevron Environmental
Management Company
6001 Bollinger Canyon Road,
Room K2256
San Ramon, CA 94583-2324
Tel 925 842 1589
Fax 925 842 8370
jmark.inglis@chevrontexaco.
com

November 7, 2005

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station # 9-9708

Address: 5910 MacArthur Blvd., Oakland, California


I have reviewed the attached routine groundwater monitoring report dated October 20, 2005.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,


J. Mark Inglis
Project Manager

Enclosure: Report



GETTLER-RYAN INC.

TRANSMITTAL

October 20, 2005

G-R #386395

TO: Ms. Laura Genin
Cambria Environmental Technology, Inc.
5900 Hollis Street, Suite A
Emeryville, CA 94608

CC: Mr. Mark Inglis
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron Service Station**
#9-9708
5910 MacArthur Boulevard
Oakland, California
RO 0000124

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	October 20, 2005	Groundwater Monitoring and Sampling Report Third Quarter - Event of September 12, 2005

COMMENTS:

Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **November 4, 2005**, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Nisson Saidion, 5910 MacArthur Boulevard, Oakland, CA 94605

Enclosures

trans/9-9708-MI

6747 Sierra Court, Suite J • Dublin, CA 94568 • (925) 551-7555 • Fax (925) 551-7888
3140 Gold Camp Drive, Suite 170 • Rancho Cordova, CA 95670 • (916) 631-1300 • Fax (916) 631-1317
1364 N. McDowell Blvd., Suite B2 • Petaluma, CA 94954 • (707) 789-3255 • Fax (707) 789-3218



GETTLER-RYAN INC.

October 20, 2005
G-R Job #386395

Mr. Mark Inglis
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, CA 94583

RE: Third Quarter Event of September 12, 2005
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

Dear Mr. Inglis:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.


Sincerely,

Deanna L. Harding
Project Coordinator

Robert A. Lauritzen
Senior Geologist, P.G. No. 7504




Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



EXPLANATION

- ◆ Groundwater monitoring well
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- - - 99.99 - - - Groundwater elevation contour, dashed where inferred

←
 Approximate groundwater flow direction at a gradient of 0.02 to 0.04 Ft./Ft.



Source: Figure modified from drawing provided by Morrow Surveying, dated February, 2002

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-9708
 5910 MacArthur Boulevard
 Oakland, California

FIGURE
1

PROJECT NUMBER 386395	REVIEWED BY	DATE September 12, 2005	REVISED DATE
---------------------------------	-------------	----------------------------	--------------

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)	1,2-DCB◆ (ppb)	1,2-DCA◆ (ppb)	HVOCs◆ (ppb)
MW-1														
05/29/97	96.61	84.41	12.20	--	--	--	--	--	--	--	--	--	--	--
06/04/97	96.61	84.40	12.21	--	380	58	1.2	5.4	40	85	--	--	--	--
09/16/97	96.61	83.84	12.77	--	420	120	<0.5	19	2.7	28	--	--	--	--
12/17/97	96.61	85.43	11.18	--	210 ¹	43	0.61	11	0.61	69	--	--	--	--
03/18/98	96.61	84.59	12.02	--	210 ¹	47	<0.5	8.2	<0.5	92	--	--	--	--
06/28/98	96.61	83.99	12.62	--	<50	<0.5	<0.5	<0.5	<0.5	66	--	--	--	--
09/07/98	96.61	82.32	14.29	--	<50	6.7	<0.5	<0.5	<0.5	92	--	--	--	--
12/29/98	96.61	83.18	13.43	--	<100	<1.0	<1.0	2.24	1.14	278	--	--	--	--
03/11/99	96.61	83.80	12.81	--	110	<1.0	<1.0	7.95	<1.0	418	--	--	--	--
05/04/99	96.61	83.85	12.76	--	--	--	--	--	--	--	--	--	--	--
06/29/99	96.61	84.06	12.55	--	352	34.6	<2.5	51	<2.5	780	--	--	--	--
09/29/99	96.61	83.21	13.40	--	647	167	<2.5	58.6	14.8	1,570	--	--	--	--
12/08/99	96.61	85.70	10.91	--	481	121	1.16	17.9	11	3,910	--	--	--	--
03/01/00	96.61	85.46	11.15	--	2,580	481	6.84	86.6	41.9	5,460	--	--	--	--
06/23/00	96.61	83.68	12.93	--	900 ⁴	120	<5.0	22	6.7	5,400	--	--	--	--
09/30/00	96.61	83.07	13.54	--	1,300 ⁴	450	5.5	170	11	2,000	--	--	--	--
12/08/00	96.61	83.63	12.98	--	<1,000	41.7	<10.0	11.5	<10.0	6,030	--	--	--	--
03/01/01	96.61	84.94	11.67	--	340 ⁷	36.6	<0.500	10.1	<0.500	3,360	--	--	--	--
06/19/01	96.61	83.94	12.67	--	610 ⁴	110	<5.0	9.2	<5.0	110	--	--	--	--
09/18/01	96.61	83.48	13.13	--	200	32	0.55	3.0	<1.5	1,600	--	--	--	--
12/26/01	96.61	85.14	11.47	--	140	9.1	<0.50	1.2	<1.5	1,900	--	--	--	--
03/06/02	97.52	86.38	11.14	--	93	7.0	<0.50	0.72	<1.5	1,000	--	--	--	--
06/21/02	97.52	84.92	12.60	--	93	8.2	<0.50	1.2	<1.5	1,300	--	--	--	--
09/27/02	97.52	84.38	13.14	--	78	1.5	<0.50	<0.50	<1.5	1,200	--	--	--	--
12/26/02	97.52	87.74	9.78	--	86	1.7	<0.50	<0.50	<1.5	600	--	--	--	--
03/28/03	97.52	85.96	11.56	--	190	24	<0.50	2.4	<1.5	1,200	--	--	--	--
06/16/03 ¹¹	97.52	85.96	11.56	--	<50	3	<0.5	<0.5	<0.5	220	--	--	--	--
09/15/03 ¹¹	97.52	85.21	12.31	--	53	3	<0.5	<0.5	<0.5	580	<50	--	--	--
12/15/03 ¹¹	97.52	86.35	11.17	--	<50	<0.5	0.7	<0.5	0.8	410	<50	--	--	--
03/05/04 ¹¹	97.52	86.09	11.43	--	760	110	2	12	2	460	<50	--	--	--
06/18/04 ¹¹	97.52	85.40	12.12	--	1,400	200	3	7	2	740	<50	--	--	--
09/17/04 ¹¹	97.52	85.12	12.40	--	920	48	<0.5	<0.5	<0.5	340	<50	--	--	--
12/17/04 ¹¹	97.52	86.78	10.74	--	190	9	<0.5	<0.5	<0.5	110	<50	--	--	--
03/14/05 ¹¹	97.52	87.67	9.85	--	120	5	<0.5	<0.5	<0.5	130	<50	--	--	--
06/13/05 ¹¹	97.52	85.61	11.91	--	110	6	<0.5	<0.5	<0.5	130	<50	--	--	--
09/12/05 ¹¹	97.52	85.31	12.21	--	290	10	<0.5	<0.5	<0.5	90	<50	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)	1,2-DCB◆ (ppb)	1,2-DCA◆ (ppb)	HVOCs◆ (ppb)
MW-2														
05/29/97	96.91	83.85	13.06	--	--	--	--	--	--	--	--	--	--	--
06/04/97	96.91	83.96	12.95	--	1,600	120	5.9	32	15	2,100	--	--	--	--
09/16/97	96.91	83.92	12.99	--	1,100	23	3.2	7.0	2.5	1,200	--	--	--	--
12/17/97	96.91	84.73	12.18	--	7,100 ¹	650	69	610	69	4,700/2,600 ²	--	--	--	--
03/18/98	96.91	84.21	12.70	--	5,900 ¹	250	<50	98	<50	12,000/7,100 ²	--	--	--	--
06/28/98	96.91	83.98	12.93	--	4,300	400	<10	<10	<10	3,000/4,000 ²	--	--	--	--
09/07/98	96.91	83.94	12.97	--	3,700	220	5.1	38	7.6	1,300/1,400 ²	--	--	--	--
12/29/98	96.91	83.99	12.92	--	6,500	573	26.8	131	33.9	2,660	--	--	--	--
03/11/99	96.91	84.04	12.87	--	4,970	651	30.8	60.3	<5.0	2,600	--	--	--	--
05/04/99	96.91	84.05	12.86	--	--	--	--	--	--	--	--	--	--	--
06/29/99	96.91	83.98	12.93	--	2,030	238	11.6	8.98	<5.0	540	--	--	--	--
09/29/99	96.91	84.02	12.89	--	2,000	320	10.4	16.5	20.3	642	--	--	--	--
12/08/99	96.91	86.18	10.73	--	96.8	2.74	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/01/00	96.91	84.31	12.60	--	<50	6.92	<0.5	<0.5	<0.5	254	--	--	--	--
06/23/00	96.91	83.98	12.93	--	1,700 ⁴	490	7.5	<5.0	7.7	770	--	--	--	--
09/30/00	96.91	83.95	12.96	--	2,000 ⁴	420	14	<10	<10	380	--	--	--	--
12/08/00	96.91	83.98	12.93	--	984	54.9	<2.50	4.15	<2.50	306	--	--	--	--
03/01/01	96.91	84.15	12.76	--	<50.0	4.16	<0.500	<0.500	<0.500	245	--	--	--	--
06/19/01	96.91	83.23	13.68	--	1,700 ⁴	250	9.2	<5.0	6.9	410	--	--	--	--
09/18/01	96.91	83.96	12.95	--	1,700	42	1.9	2.0	2.9	280	--	--	--	--
12/26/01	96.91	83.88	13.03	--	<50	0.50	<0.50	<0.50	<1.5	120	--	--	--	--
03/06/02	97.81	84.82	12.99	--	670	170	2.5	<0.50	<1.5	410	--	--	--	--
06/21/02	97.81	84.10	13.71	--	1,800	120	7.3	2.0	3.1	440	--	--	--	--
09/27/02	97.81	82.51	15.30	--	180	11	1.0	<0.50	<1.5	4,700	--	--	--	--
12/26/02	97.81	84.81	13.00	--	<50	<0.50	<0.50	<0.50	<1.5	160	--	--	--	--
03/28/03	97.81	84.46	13.35	--	580	88	2.2	22	12	280	--	--	--	--
06/16/03 ¹¹	97.81	83.10	14.71	--	200	1	29	<0.5	<0.5	1,400	--	--	--	--
09/15/03 ¹¹	97.81	82.78	15.03	--	130	<1	<1	<1	<1	2,400	<130	--	--	--
12/15/03 ¹¹	97.81	84.84	12.97	--	<50	<0.5	<0.5	<0.5	<0.5	63	<50	--	--	--
03/05/04 ¹¹	97.81	84.79	13.02	--	<50	0.8	<0.5	<0.5	<0.5	49	<50	--	--	--
06/18/04 ¹¹	97.81	82.72	15.09	--	60	<0.5	<0.5	<0.5	<0.5	1,900	<50	--	--	--
09/17/04 ¹¹	97.81	82.46	15.35	--	66	<1	<1	<1	<1	2,100	<130	--	--	--
12/17/04 ¹¹	97.81	84.61	13.20	--	120	7	<0.5	<0.5	0.7	91	<50	--	--	--
03/14/05 ¹¹	97.81	84.79	13.02	--	390	69	0.8	10	2	74	<50	--	--	--
06/13/05 ¹¹	97.81	82.87	14.94	--	<50	6	<0.5	<0.5	<0.5	10	<50	--	--	--
09/12/05 ¹¹	97.81	82.62	15.19	--	77	<1	<1	<1	<1	1,400	<100	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (mst)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)	1,2-DCB♦ (ppb)	1,2-DCA♦ (ppb)	HVOCs♦ (ppb)
MW-3														
05/29/97	97.86	86.41	11.45	--	--	--	--	--	--	--	--	--	--	--
06/04/97 ³	97.86	86.58	11.28	1200	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	ND	1.0	--
09/16/97	97.86	85.67	12.19	2,700 ¹	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
12/17/97	97.86	87.06	10.80	1,200 ¹	<50	0.9	0.53	<0.5	<0.5	<2.5	--	--	--	--
03/18/98	97.86	86.98	10.88	820 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
06/28/98	97.86	86.26	11.60	1,100 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	0.99	ND	<0.5-<5.0
09/07/98	97.86	85.64	12.22	1,100 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	0.79	0.54	--
12/29/98	97.86	86.06	11.80	1,760 ¹	185	<0.5	<0.5	<0.5	0.669	<2.0	--	1.04	0.578	<0.5-<5.0
03/11/99	97.86	86.83	11.03	1440	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	<1.0	<1.0	<1.0-<2.0
05/04/99	97.86	86.43	11.43	--	--	--	--	--	--	--	--	--	--	--
06/29/99	97.86	85.71	12.15	690 ¹	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	0.754	<0.5	<0.5-<5.0
09/29/99	97.86	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--
12/08/99	97.86	88.43	9.43	1,000 ¹	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	<0.5	0.66	<0.5-<5.0
03/01/00	97.86	87.16	10.70	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	0.821	0.984	<0.5-<5.0
06/23/00	97.86	85.96	11.90	2,600 ⁵	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	<2.0	<2.0	<0.5-<2.0
09/30/00	97.86	85.45	12.41	1,100 ⁵	<50	<0.50	0.61	<0.50	0.82	2.7	--	<2.0	<2.0	<0.50-<2.0
12/08/00	97.86	85.78	12.08	870 ⁵	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	<2.0	<2.0	<0.50-<1.0
03/01/01	97.86	87.09	10.77	1,060 ⁶	60.9 ⁷	<0.500	<0.500	<0.500	<0.500	<2.50	--	0.545	0.528	<0.500-<5.00
06/19/01	97.86	85.87	11.99	120 ⁵	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	<1.2	<1.6	<0.50-<2.0
09/18/01	97.86	85.19	12.67	4,800	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<2 ⁸	<1-<2 ⁸
12/26/01	97.86	86.92	10.94	5,000	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<2 ⁸	<1-<2.0 ⁸
03/06/02	98.78	87.20	11.58	30,000	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<2 ⁸	<1-<2.0 ⁸
06/21/02	98.78	86.23	12.55	3,800 ¹⁰	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<2 ⁸	<1-<2.0 ⁸
09/27/02	98.78	85.93	12.85	2,000	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<2 ⁸	<1-<2.0 ⁸
12/26/02	98.78	87.87	10.91	3,600	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<2 ⁸	<1-<2.0 ⁸
03/28/03	98.78	86.77	12.01	2,100	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	<1 ⁸	<1 ⁸	<0.8-<2 ⁸
06/16/03 ¹¹	98.78	86.79	11.99	2,400	<50	<0.5	<0.5	<0.5	<1	<0.5	--	<1 ⁸	0.8 ⁸	<0.5-<2 ⁸
09/15/03 ¹¹	98.78	86.07	12.71	4,300	<50	<0.5	<0.5	<0.5	<1	<0.5	<50	<1 ⁸	0.8 ⁸	<0.8-<2 ⁸
12/15/03 ¹¹	98.78	87.23	11.55	3,200	<50	<0.5	0.7	<0.5	0.7	<0.5	<50	<1 ⁸	0.8 ⁸	<0.8-<2 ⁸
03/05/04 ¹¹	98.78	87.66	11.12	8,000	<50	<0.5	0.6	<0.5	0.7	<0.5	<50	<1 ⁸	<0.5 ⁸	<0.8-<2 ⁸
06/18/04 ¹¹	98.78	86.21	12.57	3,100	<50	<0.5	<0.5	<0.5	<1	<0.5	<50	<1 ⁸	<0.5 ⁸	<0.8-<2 ⁸
09/17/04 ¹¹	98.78	85.92	12.86	3,200	<50	<0.5	<0.7	<0.8	<1.6	<0.5	<50	<1 ⁸	<1 ⁸	<0.8-<2 ⁸
12/17/04 ¹¹	98.78	87.63	11.15	2,800	<50	<0.5	<0.5	<0.5	<1.0	<0.5	<50	<1 ⁸	<0.5 ⁸	<0.8-<2 ⁸
03/14/05 ¹¹	98.78	88.21	10.57	1,300	<50	<0.5	<0.5	<0.5	<1.0	<0.5	<50	<1 ⁸	<0.5 ⁸	<0.8-<2 ⁸
06/13/05 ¹¹	98.78	86.45	12.33	2,700	<50	<0.5	<0.5	<0.5	<1.0	<0.5	<50	<1 ⁸	<0.5 ⁸	<0.8-<2 ⁸
09/12/05 ¹¹	98.78	85.89	12.89	2,000 ¹²	<50	<0.5	<0.5	<0.5	<1.0	<0.5	<50	<1 ⁸	<0.5 ⁸	<0.8-<2 ⁸

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)	1,2-DCB◆ (ppb)	1,2-DCA◆ (ppb)	HVOCs◆ (ppb)
MW-4														
05/04/99	96.25	83.66	12.59	--	140	<0.5	0.62	0.67	2.6	<2.5	--	--	--	--
06/29/99	96.25	83.64	12.61	--	183	<0.5	<0.5	1.1	<0.5	<5.0	--	--	--	--
09/29/99	96.25	83.70	12.55	--	64.3	<0.5	<0.5	<0.5	1.18	<2.5	--	--	--	--
12/08/99	96.25	83.81	12.44	--	91.2	0.589	<0.5	0.52	<0.5	86	--	--	--	--
03/01/00	96.25	84.55	11.70	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
06/23/00	96.25	84.12	12.13	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
09/30/00	96.25	84.30	11.95	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
12/08/00	96.25	83.85	12.40	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
03/01/01	96.25	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--
06/19/01	96.25	82.83	13.42	--	210 ⁷	7.6	1.4	<0.50	<0.50	10	--	--	--	--
09/18/01	96.25	83.17	13.08	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
12/26/01	96.25	83.36	12.89	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
03/06/02	97.14	84.06	13.08	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
06/21/02	97.14	83.63	13.51	--	<50	<0.50	12	<0.50	<1.5	<2.5	--	--	--	--
09/27/02	97.14	83.47	13.67	--	110	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
12/26/02	97.14	84.12	13.02	--	<50	<0.50	2.6	<0.50	<1.5	<2.5	--	--	--	--
03/28/03	97.14	83.71	13.43	--	<50	<0.50	<0.50	<0.50	<1.5	18	--	--	--	--
06/16/03 ¹¹	97.14	83.10	14.04	--	250	<0.5	31	<0.5	<0.5	<0.5	--	--	--	--
09/15/03 ¹¹	97.14	82.93	14.21	--	220	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--	--	--
12/15/03 ¹¹	97.14	84.30	12.84	--	310	<0.5	21	<0.5	1	<0.5	<50	--	--	--
03/05/04 ¹¹	97.14	84.00	13.14	--	<50	<0.5	0.7	<0.5	0.6	5	<50	--	--	--
06/18/04 ¹¹	97.14	83.14	14.00	--	220	<0.5	<0.5	<0.5	<0.5	1	<50	--	--	--
09/17/04 ¹¹	97.14	83.06	14.08	--	97	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--	--	--
12/17/04 ¹¹	97.14	83.77	13.37	--	<50	<0.5	<0.5	<0.5	<0.5	0.9	<50	--	--	--
03/14/05 ¹¹	97.14	83.69	13.45	--	<50	<0.5	0.8	<0.5	<0.5	1	<50	--	--	--
06/13/05 ¹¹	97.14	83.53	13.61	--	<50	<0.5	<0.5	<0.5	<0.5	2	<50	--	--	--
09/12/05 ¹¹	97.14	83.34	13.80	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--	--	--
MW-5														
03/06/02 ⁹	95.71	84.31	11.40	--	4,900	18	2.7	29	9.8	290	--	--	--	--
06/21/02	95.71	83.29	12.42	--	1,400	3.6	1.4	<0.50	1.6	190	--	--	--	--
09/27/02	95.71	83.00	12.71	--	540	1.3	<0.50	<0.50	<1.5	190	--	--	--	--
12/26/02	95.71	85.55	10.16	--	2,600	5.0	0.86	3.6	3.7	170	--	--	--	--
03/28/03	95.71	84.25	11.46	--	920	3.8	<0.50	2.1	1.7	160	--	--	--	--
06/16/03 ¹¹	95.71	83.92	11.79	--	600	3	0.9	0.7	0.9	150	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)	1,2-DCB◆ (ppb)	1,2-DCA◆ (ppb)	HVOCs◆ (ppb)
MW-5 (cont)														
09/15/03 ¹¹	95.71	83.28	12.43	--	760	<0.5	<0.5	<0.5	<0.5	180	<50	--	--	--
12/15/03 ¹¹	95.71	85.01	10.70	--	1,200	0.7	0.5	0.6	0.8	120	<50	--	--	--
03/05/04 ¹¹	95.71	84.65	11.06	--	1,800	2	0.7	0.7	2	60	<50	--	--	--
06/18/04 ¹¹	95.71	83.54	12.17	--	1,700	<0.5	<0.5	<0.5	<0.5	77	<50	--	--	--
09/17/04 ¹¹	95.71	83.35	12.36	--	1,900	<0.5	<0.5	<0.5	0.6	73	<50	--	--	--
12/17/04 ¹¹	95.71	84.91	10.80	--	1,200	1	<0.5	<0.5	0.6	41	<50	--	--	--
03/14/05 ¹¹	95.71	85.26	10.45	--	1,400	9	<0.5	<0.5	<0.5	19	<50	--	--	--
06/13/05 ¹¹	95.71	83.82	11.89	--	760	<0.5	<0.5	<0.5	<0.5	16	<50	--	--	--
09/12/05 ¹¹	95.71	83.43	12.28	--	610	<0.5	<0.5	<0.5	<0.5	22	<50	--	--	--
MW-6														
03/06/02 ⁹	95.84	85.67	10.17	--	220	<0.50	<0.50	<0.50	<1.5	53	--	--	--	--
06/21/02	95.84	84.86	10.98	--	<50	<0.50	<0.50	<0.50	<1.5	15	--	--	--	--
09/27/02	95.84	84.61	11.23	--	<50	<0.50	<0.50	<0.50	<1.5	11	--	--	--	--
12/26/02	95.84	87.47	8.37	--	57	<0.50	<0.50	<0.50	<1.5	19	--	--	--	--
03/28/03	95.84	85.53	10.31	--	<50	<0.50	<0.50	<0.50	<1.5	11	--	--	--	--
06/16/03 ¹¹	95.84	85.50	10.34	--	<50	<0.5	0.6	<0.5	<0.5	5	--	--	--	--
09/15/03 ¹¹	95.84	84.84	11.00	--	<50	<0.5	<0.5	<0.5	<0.5	6	<50	--	--	--
12/15/03 ¹¹	95.84	86.49	9.35	--	<50	<0.5	<0.5	<0.5	<0.5	4	<50	--	--	--
03/05/04 ¹¹	95.84	87.04	8.80	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--	--	--
06/18/04 ¹¹	95.84	85.04	10.80	--	<50	<0.5	<0.5	<0.5	<0.5	2	<50	--	--	--
09/17/04 ¹¹	95.84	84.84	11.00	--	<50	<0.5	<0.5	<0.5	<0.5	2	<50	--	--	--
12/17/04 ¹¹	95.84	86.32	9.52	--	<50	<0.5	<0.5	<0.5	<0.5	2	<50	--	--	--
03/14/05 ¹¹	95.84	86.94	8.90	--	<50	<0.5	<0.5	<0.5	<0.5	0.8	<50	--	--	--
06/13/05 ¹¹	95.84	85.37	10.47	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<50	--	--	--
09/12/05 ¹¹	95.84	85.16	10.68	--	<50	<0.5	<0.5	<0.5	<0.5	1	<50	--	--	--
TRIP BLANK														
06/04/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
09/16/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
12/17/97	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/18/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
06/28/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
09/07/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

WELL ID/ DATE	TOC* (ft.)	GWE (msl)	DTW (ft.)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	ETHANOL (ppb)	1,2-DCB♦ (ppb)	1,2-DCA♦ (ppb)	HVOCs♦ (ppb)
TRIP BLANK (cont)														
09/07/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
12/29/98	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--	--	--
03/11/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--	--	--
05/04/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
06/29/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--
09/29/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
12/08/99	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
03/01/00	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--
06/23/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
09/30/00	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
12/08/00	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
03/01/01	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	--	--	--	--
06/19/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--
09/18/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
QA														
12/26/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
03/06/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
06/21/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
09/27/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
12/26/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
03/28/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--
06/16/03 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
09/15/03 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
12/15/03 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
03/05/04 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
06/18/04 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
09/17/04 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
12/17/04 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
03/14/05 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
06/13/05 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--
09/12/05 ¹¹	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-9708
5910 MacArthur Boulevard
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to June 23, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	TPH-G = Total Petroleum Hydrocarbons as Gasoline B = Benzene	1,2-DCB = 1,2-Dichlorobenzene 1,2-DCA = 1,2-Dichloroethane
GWE = Groundwater Elevation (msl) = Mean sea level	T = Toluene E = Ethylbenzene	HVOCs = Halogenated Volatile Organic Compounds ND = Not Detected
DTW = Depth to Water	X = Xylenes	-- = Not Measured/Not Analyzed
TPH-D Total Petroleum Hydrocarbons as Diesel	MTBE = Methyl tertiary butyl ether	QA = Quality Assurance/Trip Blank

* TOC elevations were surveyed in February 2002, by Morrow Surveying. Elevations are based on City of Oakland Benchmark; a standard city of Oakland disc stamped "SEC 50 STA F" set under a standard casting on the monument line of Camden Street and 72 feet westerly of the monument at Seminary and Camden, (Elevation = 90.63 feet).

◆ Analysis by EPA Method 8010.

- 1 Chromatogram pattern indicates an unidentified hydrocarbon.
- 2 Confirmation run.
- 3 Sample also analyzed for the following: Total Oil & Grease by EPA Method 5520F was ND; Semivolatile Organics by EPA Method 8270B were ND; Volatile Organics by EPA Method 8010B were ND.
- 4 Laboratory report indicates gasoline C6-C12.
- 5 Laboratory report indicates unidentified hydrocarbons >C16.
- 6 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 7 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 8 Volatile Organic Compounds (VOCs) by EPA Method 8260.
- 9 Well development performed.
- 10 Laboratory report indicates the observed sample pattern is not typical of diesel/#2 fuel oil.
- 11 BTEX and MTBE by EPA Method 8260.
- 12 Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708
 Site Address: 5910 Macarthur Blvd.
 City: Oakland, CA

Job Number: 386395
 Event Date: 9-12-05 (inclusive)
 Sampler: Joe

Well ID: MW-1
 Well Diameter: 2 in.
 Total Depth: 20.27 ft.
 Depth to Water: 12.21 ft.
8.06 xVF

Date Monitored: 9-12-05 Well Condition: o.k.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

0.17 = 1.37 x3 case volume = Estimated Purge Volume: 4.8 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0930 Weather Conditions: clear
 Sample Time/Date: 0958 9-12-05 Water Color: clear Odor: mild
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0939</u>	<u>1.5</u>	<u>6.87</u>	<u>1207</u>	<u>63.6</u>	_____	_____
<u>0942</u>	<u>3</u>	<u>6.92</u>	<u>1161</u>	<u>64.4</u>	_____	_____
<u>0947</u>	<u>4.5</u>	<u>6.97</u>	<u>1170</u>	<u>64.2</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 9-12-05 (inclusive)
 City: Oakland, CA Sampler: Joe

Well ID: MW-2 Date Monitored: 9-12-05 Well Condition: o.k.
 Well Diameter: 2 in.
 Total Depth: 20.23 ft.
 Depth to Water: 15.19 ft.
5.04 xVF 0.17 = 0.87 x3 case volume = Estimated Purge Volume: 3 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0852 Weather Conditions: clear
 Sample Time/Date: 0920 9-12-05 Water Color: clear Odor: none
 Purging Flow Rate: 2.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0905</u>	<u>1</u>	<u>7.19</u>	<u>1283</u>	<u>64.0</u>	_____	_____
<u>0908</u>	<u>2</u>	<u>7.25</u>	<u>1280</u>	<u>63.6</u>	_____	_____
<u>0912</u>	<u>3</u>	<u>7.24</u>	<u>1276</u>	<u>63.7</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 9-12-05 (inclusive)
 City: Oakland, CA Sampler: Soe

Well ID: MW-3 Date Monitored: 9-12-05 Well Condition: o.k.

Well Diameter: 2 in.
 Total Depth: 20.16 ft.
 Depth to Water: 12.89 ft.
7.27 xVF 0.17 = 1.24 x3 case volume = Estimated Purge Volume: 4 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer
 Stack Pump
 Suction Pump
 Grundfos
 Other:

Sampling Equipment:

Disposable Bailer
 Pressure Bailer
 Discrete Bailer
 Other:

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1015 Weather Conditions: clear
 Sample Time/Date: 1045 9-12-05 Water Color: clear Odor: yes
 Purging Flow Rate: 0.1 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>1026</u>	<u>1.5</u>	<u>6.56</u>	<u>809</u>	<u>63.3</u>		
<u>1030</u>	<u>3</u>	<u>6.55</u>	<u>812</u>	<u>63.8</u>		
<u>1034</u>	<u>4</u>	<u>6.59</u>	<u>816</u>	<u>63.9</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-3	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)
	<u>3</u> x voa vial	YES	HCL	LANCASTER	HVOC'S(8260)
	<u>2</u> x Amber	YES	NP	LANCASTER	TPH-D

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708
 Site Address: 5910 Macarthur Blvd.
 City: Oakland, CA

Job Number: 386395
 Event Date: 9-12-05 (inclusive)
 Sampler: Joc

Well ID: MW-4 Date Monitored: 9-12-05 Well Condition: o.k.
 Well Diameter: 2 in.
 Total Depth: 19.65 ft.
 Depth to Water: 13.80 ft.
5.85 xVF 0.17 = 0.99 x3 case volume = Estimated Purge Volume: 3 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0815 Weather Conditions: clear
 Sample Time/Date: 0842 / 9-12-05 Water Color: clear Odor: None
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0826</u>	<u>1</u>	<u>7.35</u>	<u>1416</u>	<u>64.1</u>	_____	_____
<u>0830</u>	<u>2</u>	<u>7.32</u>	<u>1381</u>	<u>63.6</u>	_____	_____
<u>0833</u>	<u>3</u>	<u>7.30</u>	<u>1380</u>	<u>63.7</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS:

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708 Job Number: 386395
 Site Address: 5910 Macarthur Blvd. Event Date: 9-12-05 (inclusive)
 City: Oakland, CA Sampler: Joe

Well ID: MW-5 Date Monitored: 9-12-05 Well Condition: o.k.
 Well Diameter: 2 in.
 Total Depth: 18.72 ft.
 Depth to Water: 12.28 ft.
6.44 xVF 0.17 = 1.09 x3 case volume= Estimated Purge Volume: 3.5 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0725 Weather Conditions: clear
 Sample Time/Date: 0800 10/12-05 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0733</u>	<u>1</u>	<u>7.44</u>	<u>906</u>	<u>62.9</u>	_____	_____
<u>0737</u>	<u>2</u>	<u>7.40</u>	<u>909</u>	<u>63.4</u>	_____	_____
<u>0742</u>	<u>3.5</u>	<u>7.42</u>	<u>914</u>	<u>63.3</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x vva vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-9708
 Site Address: 5910 Macarthur Blvd.
 City: Oakland, CA

Job Number: 386395
 Event Date: 9-12-05 (inclusive)
 Sampler: SOA

Well ID: MW-6
 Well Diameter: 2 in.
 Total Depth: 18.91 ft.
 Depth to Water: 10.62 ft.
8.23 xVF

Date Monitored: 9-12-05 Well Condition: oil

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

x3 case volume = Estimated Purge Volume: 4.5 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0645 Weather Conditions: clear
 Sample Time/Date: 0715 / 9-12-05 Water Color: clear Odor: none
 Purging Flow Rate: 0.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0700</u>	<u>1.5</u>	<u>7.10</u>	<u>1613</u>	<u>64.7</u>	_____	_____
<u>0704</u>	<u>3</u>	<u>7.12</u>	<u>1551</u>	<u>64.2</u>	_____	_____
<u>0708</u>	<u>4.5</u>	<u>7.10</u>	<u>1548</u>	<u>63.9</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-6</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



Acct. #: **10904**

For Lancaster Laboratories use only
Sample #: **4604292-98**

SCR#:

091505-08

G# 959527

Facility #: **SS#9-9708-OML G-R#388395 Global ID#T0600102093**
 Site Address: **5910 MACARTHUR BLVD., OAKLAND, CA**
 Chevron PM/MI: _____ Lead Consultant: **CAMBRIARF**
 Consultant/Office: **G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568**
 Consultant Prj. Mgr.: **Deanna L. Harding (deanna@grinc.com)**
 Consultant Phone #: **925-551-7555** Fax #: **925-551-7899**
 Sampler: **JOE ASEMIAN**
 Service Order #: _____ Non SAR:

Matrix		Analyses Requested									
Soil	Water	Preservation Codes									
<input type="checkbox"/> Potable	<input type="checkbox"/> MPEES	H	H					H	H		
<input type="checkbox"/>	<input type="checkbox"/>	8021	8021								
<input type="checkbox"/>	<input type="checkbox"/>	TPH 8015 MOD GRO	TPH 8015 MOD DRO								
<input type="checkbox"/>	<input type="checkbox"/>	8260 full scan	Oxygenates								
<input type="checkbox"/>	<input type="checkbox"/>	Lead 7420	7421								
<input type="checkbox"/>	<input type="checkbox"/>	Ethanol (8260)									
<input type="checkbox"/>	<input type="checkbox"/>	HBC's (8260)									

Preservative Codes
 H = HCl T = Thiosulfate
 N = HNO₃ B = NaOH
 S = H₂SO₄ O = Other

J value reporting needed
 Must meet lowest detection limits possible for 8260 compounds

8021 MTBE Confirmation
 Confirm highest hit by 8260
 Confirm all hits by 8260
 Run ___ oxy s on highest hit
 Run ___ oxy s on all hits

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	OK	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Lead 7420	7421	Ethanol (8260)	HBC's (8260)	
QA	—	—	✓			✓			2	✓	✓								
MW-1	9-12-05	0958							6	✓	✓						✓		
MW-2		0920							6	✓	✓						✓		
MW-3		1045							11	✓	✓	✓					✓	✓	
MW-4		0842							6	✓	✓						✓		
MW-5		0800							6	✓	✓						✓		
MW-6		0715							6	✓	✓						✓		

Comments / Remarks

Turnaround Time Requested (TAT) (please circle) STD. TAT 72 hour 48 hour 24 hour 4 day 5 day	Relinquished by: _____	Date: 9-13-05	Time: 1230	Received by: Deanna	Date: 9/15/05	Time: _____
	Relinquished by: _____	Date: 9/15/05	Time: 1420	Received by: Andee Perry	Date: 9/15/05	Time: 1420
Data Package Options (please circle if required) QC Summary Type I — Full Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk	Relinquished by: _____	Date: 9/15/05	Time: 1530	Received by: Fed Ex	Date: 9/15/05	Time: _____
	Relinquished by Commercial Carrier: _____	UPS <input checked="" type="checkbox"/> FedEx Other: _____	Received by: _____	Date: 9/16/05	Time: 0855	
	Temperature Upon Receipt: 10 coolers @ 2.5°-4.8°	Custody seals intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

RECEIVED

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

GETTLER RYAN
GENERAL CHEMICAL

SAMPLE GROUP

The sample group for this submittal is 959527. Samples arrived at the laboratory on Friday, September 16, 2005. The PO# for this group is 99011184 and the release number is INGLIS.

<u>Client Description</u>			<u>Lancaster Labs Number</u>
QA-T-050912	NA	Water	4604292
MW-1-W-050912	Grab	Water	4604293
MW-2-W-050912	Grab	Water	4604294
MW-3-W-050912	Grab	Water	4604295
MW-4-W-050912	Grab	Water	4604296
MW-5-W-050912	Grab	Water	4604297
MW-6-W-050912	Grab	Water	4604298

1 COPY TO
ELECTRONIC
COPY TO

Cambria C/O Gettler- Ryan
Gettler-Ryan

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Lynn M Frederiksen at (717) 656-2300

Respectfully Submitted,

A handwritten signature in cursive script that reads "Dana M. Kauffman".

Dana M. Kauffman
Manager

Lancaster Laboratories Sample No. WW 4604292

 QA-T-050912 NA Water
 Facility# 99708 Job# 386395 GRD
 5910 MacArthur-Oakland T0600102093 QA
 Collected: 09/12/2005

Account Number: 10904

 Submitted: 09/16/2005 08:55
 Reported: 09/28/2005 at 14:56
 Discard: 10/29/2005

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MACQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.		ug/l	1
06054	BTEX+MTBE by 8260B						
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5		ug/l	1
05401	Benzene	71-43-2	N.D.	0.5		ug/l	1
05407	Toluene	108-88-3	N.D.	0.5		ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5		ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5		ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/20/2005 04:55	Kathie J Bowman	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	09/23/2005 01:45	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/20/2005 04:55	Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/23/2005 01:45	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4604293

MW-1-W-050912 Grab Water
Facility# 99708 Job# 386395 GRD
5910 MacArthur-Oakland T0600102093 MW-1
Collected: 09/12/2005 09:58 by JA

Account Number: 10904

Submitted: 09/16/2005 08:55
Reported: 09/28/2005 at 14:56
Discard: 10/29/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

MAC01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	290.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	90.	0.5	ug/l	1
05401	Benzene	71-43-2	10.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/20/2005 07:57	Kathie J Bowman	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	09/20/2005 23:13	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/20/2005 07:57	Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/20/2005 23:13	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4604294

MW-2-W-050912 Grab Water
 Facility# 99708 Job# 386395 GRD
 5910 MacArthur-Oakland T0600102093 MW-2
 Collected: 09/12/2005 09:20 by JA

Account Number: 10904

Submitted: 09/16/2005 08:55
 Reported: 09/28/2005 at 14:56
 Discard: 10/29/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MAC02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	77.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
01594	BTEX+5 Oxygenates+EDC+EDE+ETOH					
01587	Ethanol	64-17-5	N.D.	100.	ug/l	2
02010	Methyl Tertiary Butyl Ether	1634-04-4	1,400.	5.	ug/l	10
05401	Benzene	71-43-2	N.D.	1.	ug/l	2
05407	Toluene	108-88-3	N.D.	1.	ug/l	2
05415	Ethylbenzene	100-41-4	N.D.	1.	ug/l	2
06310	Xylene (Total)	1330-20-7	N.D.	1.	ug/l	2

Due to the level of methyl tertiary butyl ether, the reporting limits for all GC/MS volatile compounds were raised.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/20/2005 08:33	Kathie J Bowman	1
01594	BTEX+5 Oxygenates+EDC+EDE+ETOH	SW-846 8260B	1	09/20/2005 23:37	Dawn M Harle	2
01594	BTEX+5 Oxygenates+EDC+EDE+ETOH	SW-846 8260B	1	09/21/2005 00:01	Dawn M Harle	10
01146	GC VOA Water Prep	SW-846 5030B	1	09/20/2005 08:33	Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/20/2005 23:37	Dawn M Harle	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	2	09/21/2005 00:01	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW 4604295

MW-3-W-050912 Grab Water
 Facility# 99708 Job# 386395 GRD
 5910 MacArthur-Oakland T0600102093 MW-3
 Collected: 09/12/2005 10:45 by JA

Account Number: 10904

Submitted: 09/16/2005 08:55
 Reported: 09/28/2005 at 14:56
 Discard: 10/29/2005

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MAC03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06609	TPH-DRO CALUPT(Waters)	n.a.	2,000.	50.	ug/l	5
	The observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.					
05382	EPA SW846/8260 (water)					
05385	Chloromethane	74-87-3	N.D.	1.	ug/l	1
05386	Vinyl Chloride	75-01-4	N.D.	1.	ug/l	1
05387	Bromomethane	74-83-9	N.D.	1.	ug/l	1
05388	Chloroethane	75-00-3	N.D.	1.	ug/l	1
05389	Trichlorofluoromethane	75-69-4	N.D.	2.	ug/l	1
05390	1,1-Dichloroethene	75-35-4	N.D.	0.8	ug/l	1
05391	Methylene Chloride	75-09-2	N.D.	2.	ug/l	1
05392	trans-1,2-Dichloroethene	156-60-5	N.D.	0.8	ug/l	1
05393	1,1-Dichloroethane	75-34-3	N.D.	1.	ug/l	1
05395	cis-1,2-Dichloroethene	156-59-2	N.D.	0.8	ug/l	1
05396	Chloroform	67-66-3	N.D.	0.8	ug/l	1
05398	1,1,1-Trichloroethane	71-55-6	N.D.	0.8	ug/l	1
05399	Carbon Tetrachloride	56-23-5	N.D.	1.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05402	1,2-Dichloroethane	107-06-2	N.D.	0.5	ug/l	1
05403	Trichloroethene	79-01-6	N.D.	1.	ug/l	1
05404	1,2-Dichloropropane	78-87-5	N.D.	1.	ug/l	1
05406	Bromodichloromethane	75-27-4	N.D.	1.	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05408	1,1,2-Trichloroethane	79-00-5	N.D.	0.8	ug/l	1
05409	Tetrachloroethene	127-18-4	N.D.	0.8	ug/l	1
05411	Dibromochloromethane	124-48-1	N.D.	1.	ug/l	1
05413	Chlorobenzene	108-90-7	N.D.	0.8	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
05416	m+p-Xylene	1330-20-7	N.D.	0.5	ug/l	1
05417	o-Xylene	95-47-6	N.D.	0.5	ug/l	1
05419	Bromoform	75-25-2	N.D.	1.	ug/l	1
05421	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	1.	ug/l	1
05432	1,3-Dichlorobenzene	541-73-1	N.D.	1.	ug/l	1
05433	1,4-Dichlorobenzene	106-46-7	N.D.	1.	ug/l	1
05435	1,2-Dichlorobenzene	95-50-1	N.D.	1.	ug/l	1

Lancaster Laboratories Sample No. WW 4604295

 MW-3-W-050912 Grab Water
 Facility# 99708 Job# 386395 GRD
 5910 MacArthur-Oakland T0600102093 MW-3
 Collected: 09/12/2005 10:45 by JA

Account Number: 10904

 Submitted: 09/16/2005 08:55
 Reported: 09/28/2005 at 14:56
 Discard: 10/29/2005

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MAC03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
08202	EPA SW 846/8260 - Water					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
06306	trans-1,3-Dichloropropene	10061-02-6	N.D.	1.	ug/l	1
06307	cis-1,3-Dichloropropene	10061-01-5	N.D.	1.	ug/l	1
08203	Freon 113	76-13-1	N.D.	2.	ug/l	1

Matrix QC was performed on this sample for the GCMS volatile analysis.
 Please see the attached QC summary report for compounds showing a matrix bias.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	09/20/2005 09:09	Kathie J Bowman	1
06609	TPH-DRO CALUFT (Waters)	Method CALUFT-DRO/8015B, Modified	1	09/28/2005 08:13	Tracy A Cole	5
05382	EPA SW846/8260 (water)	SW-846 8260B	1	09/21/2005 04:28	Anastasia Papadoplos	1
08202	EPA SW 846/8260 - Water	SW-846 8260B	1	09/21/2005 04:28	Anastasia Papadoplos	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/20/2005 09:09	Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/21/2005 04:28	Anastasia Papadoplos	n.a.
02135	Extraction - DRO Water Special	TPH by CA LUFT	2	09/23/2005 08:30	Zachary S Dennis	1

Lancaster Laboratories Sample No. WW 4604296

 MW-4-W-050912 Grab Water
 Facility# 99708 Job# 386395 GRD
 5910 MacArthur-Oakland T0600102093 MW-4
 Collected: 09/12/2005 08:42 by JA

Account Number: 10904

 Submitted: 09/16/2005 08:55
 Reported: 09/28/2005 at 14:56
 Discard: 10/29/2005

 ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

MAC04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	Detection Limit	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/20/2005 09:45	Kathie J Bowman	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	09/21/2005 00:25	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/20/2005 09:45	Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/21/2005 00:25	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. **WW 4604297**

MW-5-W-050912 **Grab Water**
Facility# 99708 Job# 386395 **GRD**
5910 MacArthur-Oakland T0600102093 MW-5
Collected:09/12/2005 08:00 by JA

Account Number: 10904

Submitted: 09/16/2005 08:55
Reported: 09/28/2005 at 14:56
Discard: 10/29/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

MAC05

CAT No.	Analysis Name	CAS Number	As Received	As Received	Units	Dilution Factor
			Result	Method Detection Limit		
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	610.	50.	ug/l	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	22.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/20/2005 11:34	Kathie J Bowman	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	09/21/2005 00:49	Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/20/2005 11:34	Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/21/2005 00:49	Dawn M Harle	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4604298

MW-6-W-050912 Grab: Water
Facility# 99708 Job# 386395 GRD
5910 MacArthur-Oakland T0600102093 MW-6
Collected: 09/12/2005 07:15 by JA

Account Number: 10904

Submitted: 09/16/2005 08:55
Reported: 09/28/2005 at 14:57
Discard: 10/29/2005

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

MAC06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Units	Dilution Factor
				Method	Detection Limit		
01728	TPH-GRO - Waters	n.a.	N.D.	50.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH						
01587	Ethanol	64-17-5	N.D.	50.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	1.	0.5	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis		Analyst	Dilution Factor
				Date and Time			
01728	TPH-GRO - Waters	N. CA LUFT Gasoline	1	09/20/2005 12:10		Kathie J Bowman	1
01594	BTEX+5 Oxygenates+EDC+EDB+ETOH	SW-846 8260B	1	09/21/2005 01:12		Dawn M Harle	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/20/2005 12:10		Kathie J Bowman	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/21/2005 01:12		Dawn M Harle	n.a.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 09/28/05 at 02:57 PM

Group Number: 959527

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 05262A07A TPH-GRO - Waters	Sample number(s): 4604292-4604296							
	N.D.	50.	ug/l	103	101	70-130	2	30
Batch number: 05262A07B TPH-GRO - Waters	Sample number(s): 4604297-4604298							
	N.D.	50.	ug/l	103	101	70-130	2	30
Batch number: 052650015A TPH-DRO CALUFT(Waters)	Sample number(s): 4604295							
	N.D.	50.	ug/l	84	90	59-131	7	20
Batch number: W052641AA	Sample number(s): 4604295							
Ethanol	N.D.	50.	ug/l	111		30-155		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	97		77-127		
Chloromethane	N.D.	1.	ug/l	99		66-139		
Vinyl Chloride	N.D.	1.	ug/l	99		71-126		
Bromomethane	N.D.	1.	ug/l	82		62-131		
Chloroethane	N.D.	1.	ug/l	87		67-127		
Trichlorofluoromethane	N.D.	2.	ug/l	97		70-148		
1,1-Dichloroethene	N.D.	0.8	ug/l	104		79-130		
Methylene Chloride	N.D.	2.	ug/l	102		85-120		
trans-1,2-Dichloroethene	N.D.	0.8	ug/l	101		83-117		
1,1-Dichloroethane	N.D.	1.	ug/l	99		83-127		
cis-1,2-Dichloroethene	N.D.	0.8	ug/l	101		84-117		
Chloroform	N.D.	0.8	ug/l	100		86-124		
1,1,1-Trichloroethane	N.D.	0.8	ug/l	101		83-127		
Carbon Tetrachloride	N.D.	1.	ug/l	100		77-130		
Benzene	N.D.	0.5	ug/l	99		85-117		
1,2-Dichloroethane	N.D.	0.5	ug/l	101		77-132		
Trichloroethene	N.D.	1.	ug/l	100		87-117		
1,2-Dichloropropane	N.D.	1.	ug/l	100		80-117		
Bromodichloromethane	N.D.	1.	ug/l	99		83-121		
Toluene	N.D.	0.5	ug/l	99		85-115		
1,1,2-Trichloroethane	N.D.	0.8	ug/l	99		86-113		
Tetrachloroethene	N.D.	0.8	ug/l	104		74-125		
Dibromochloromethane	N.D.	1.	ug/l	92		78-119		
Chlorobenzene	N.D.	0.8	ug/l	98		85-115		
Ethylbenzene	N.D.	0.5	ug/l	100		82-119		
m+p-Xylene	N.D.	0.5	ug/l	100		83-113		
o-Xylene	N.D.	0.5	ug/l	99		83-113		
Bromoform	N.D.	1.	ug/l	74		69-118		
1,1,2,2-Tetrachloroethane	N.D.	1.	ug/l	90		72-119		
1,3-Dichlorobenzene	N.D.	1.	ug/l	96		81-114		
1,4-Dichlorobenzene	N.D.	1.	ug/l	95		84-116		
1,2-Dichlorobenzene	N.D.	1.	ug/l	95		81-112		
trans-1,3-Dichloropropene	N.D.	1.	ug/l	90		79-114		

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 09/28/05 at 02:57 PM

Group Number: 959527

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
cis-1,3-Dichloropropene	N.D.	1.	ug/l	93		78-114		
Freon 113	N.D.	2.	ug/l	96		73-140		
Batch number: Z052631AA								
Ethanol	N.D.	50.	ug/l	80		30-155		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	94		77-127		
Benzene	N.D.	0.5	ug/l	97		85-117		
Toluene	N.D.	0.5	ug/l	101		85-115		
Ethylbenzene	N.D.	0.5	ug/l	100		82-119		
Xylene (Total)	N.D.	0.5	ug/l	102		83-113		
Sample number(s): 4604293-4604294,4604296-4604298								
Batch number: Z052654AA								
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	95		77-127		
Benzene	N.D.	0.5	ug/l	94		85-117		
Toluene	N.D.	0.5	ug/l	98		85-115		
Ethylbenzene	N.D.	0.5	ug/l	97		82-119		
Xylene (Total)	N.D.	0.5	ug/l	98		83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 05262A07A									
TPH-GRO - Waters	73	100	63-154	31*	30				
Batch number: 05262A07B									
TPH-GRO - Waters	73	100	63-154	31*	30				
Batch number: W052641AA									
Ethanol	77	76	26-162	1	30				
Methyl Tertiary Butyl Ether	96	103	69-134	6	30				
Chloromethane	108	114	69-155	5	30				
Vinyl Chloride	111	117	81-150	6	30				
Bromomethane	108	113	59-143	5	30				
Chloroethane	103	109	63-142	6	30				
Trichlorofluoromethane	116	123	77-177	6	30				
1,1-Dichloroethene	116	123	87-145	6	30				
Methylene Chloride	103	107	79-133	4	30				
trans-1,2-Dichloroethene	108	113	82-133	5	30				
1,1-Dichloroethane	103	111	85-135	8	30				
cis-1,2-Dichloroethene	105	112	83-126	6	30				
Chloroform	104	109	82-131	5	30				
1,1,1-Trichloroethane	110	115	81-142	5	30				
Carbon Tetrachloride	111	115	79-155	4	30				
Benzene	104	111	83-128	7	30				
1,2-Dichloroethane	103	109	70-143	5	30				
Trichloroethene	108	115	83-136	6	30				
1,2-Dichloropropane	99	107	83-129	7	30				
Bromodichloromethane	101	102	80-129	1	30				
Toluene	101	109	83-127	8	30				
1,1,2-Trichloroethane	96	102	77-125	7	30				
Tetrachloroethene	109	115	78-133	6	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 09/28/05 at 02:57 PM

Group Number: 959527

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Dibromochloromethane	86	87	82-119	1	30				
Chlorobenzene	100	106	83-120	6	30				
Ethylbenzene	103	110	82-129	7	30				
m+p-Xylene	103	110	82-130	6	30				
o-Xylene	101	107	82-130	6	30				
Bromoform	63*	59*	64-119	5	30				
1,1,2,2-Tetrachloroethane	87	93	69-128	7	30				
1,3-Dichlorobenzene	97	104	79-123	7	30				
1,4-Dichlorobenzene	97	104	81-122	7	30				
1,2-Dichlorobenzene	97	105	82-117	7	30				
trans-1,3-Dichloropropene	86	91	77-123	6	30				
cis-1,3-Dichloropropene	89	95	80-126	6	30				
Freon 113	118	124	73-166	5	30				

Batch number: Z052631AA	Sample number(s): 4604293-4604294,4604296-4604298
Ethanol	85 111 26-162 26 30
Methyl Tertiary Butyl Ether	95 95 69-134 0 30
Benzene	105 104 83-128 0 30
Toluene	103 103 83-127 0 30
Ethylbenzene	105 104 82-129 1 30
Xylene (Total)	99 101 82-130 1 30

Batch number: Z052654AA	Sample number(s): 4604292
Methyl Tertiary Butyl Ether	93 97 69-134 4 30
Benzene	101 103 83-128 1 30
Toluene	105 109 83-127 4 30
Ethylbenzene	103 106 82-129 3 30
Xylene (Total)	103 106 82-130 3 30

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 05262A07A
 Trifluorotoluene-F

4604292	87
4604293	114
4604294	91
4604295	87
4604296	89
Blank	90
LCS	117
LCSD	115
MS	108
MSD	117

Limits: 63-135

 Analysis Name: TPH-GRO - Waters
 Batch number: 05262A07B
 Trifluorotoluene-F

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 09/28/05 at 02:57 PM

Group Number: 959527

Surrogate Quality Control

 4604297 130
 4604298 89
 Blank 89
 LCS 117
 LCSD 115
 MS 108
 MSD 117

Limits: 63-135

 Analysis Name: TPH-DRO CALUFT (Waters)
 Batch number: 052650015A
 Orthoterphenyl

 4604295 95
 Blank 89
 LCS 106
 LCSD 107

Limits: 59-131

 Analysis Name: EPA SW846/8260 (water)
 Batch number: W052641AA
 Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4604295	96	95	96	93
Blank	96	94	96	92
LCS	97	97	99	97
MS	98	96	98	96
MSD	97	97	98	96

Limits: 80-116

77-113

80-113

78-113

 Analysis Name: BTEX+5 Oxygenates+EDC+EDB+ETOH
 Batch number: Z052631AA
 Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4604293	92	90	96	91
4604294	92	91	95	89
4604296	94	93	92	90
4604297	92	91	95	93
4604298	94	93	96	89
Blank	94	93	97	90
LCS	93	92	96	96
MS	88	87	95	91
MSD	89	87	94	90

Limits: 80-116

77-113

80-113

78-113

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: Z052654AA
 Dibromofluoromethane

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4604292	97	94	99	90
Blank	98	94	99	91
LCS	96	90	100	97
MS	96	91	100	95
MSD	96	91	101	95

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

Client Name: ChevronTexaco
Reported: 09/28/05 at 02:57 PM

Group Number: 959527

Surrogate Quality Control

Limits:	80-116	77-113	80-113	78-113
---------	--------	--------	--------	--------

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns $>25\%$
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is $<CRDL$, but $\geq IDL$
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.