


STD 819



# BT Associates

Environmental Services

31 Nightowl Court, Richmond, CA 94803  
(Office) 510-222-1541 (Fax) 510-525-2178

STD 819

## QUARTERLY GROUNDWATER MONITORING WELL SAMPLING REPORT FOR:

**3516 ADELINE STREET  
OAKLAND, CA**

(August 2, 1994)

### SITE DESCRIPTION

3516 Adeline Street is located in the northwest portion of the City of Oakland, which is in Alameda County, California. This address occupies the southeast corner of the intersection of Adeline and 35th Streets, approximately 0.1 mile west from the point at which 35th Street intersects with San Pablo Avenue. The subject site is approximately one (1) mile east of the San Francisco Bay, 60 feet south of State Highway 580 (an elevated structure), and 0.6 mile west of the Highway 580-Highway 980 interchange (see Figures 1 and 2). Contiguous properties consist of a mixture of residential and commercial occupancies. The on-site buildings, which formerly housed the City of Paris Cleaners (a full-service laundry and dry cleaning business), are currently vacant.

### GEOLOGY AND HYDROGEOLOGY

The subject site is located at an elevation of approximately 30 feet above mean sea level, on an alluvial plain that slopes gently westward toward the San Francisco Bay. Underlying deposits, known as "Bay Mud", are generally composed of unconsolidated olive-gray, blue-gray, brown or black silty clay. This clay varies from soft to stiff and is typically plastic. Permeability is generally low except where lenses of sand occur. The Franciscan Formation, a complex assemblage of deformed and altered sediments and volcanic rocks

commonly forming the bedrock in the San Francisco Bay region, has been documented underlying the sediments in the area.

The geologic materials encountered during excavation and drilling operations conducted in December of 1991 and March of 1992 by Uriah Environmental Services, Inc. (UES) of Modesto consisted predominantly of ~~sandy gravel, clayey sand, and sandy clay~~. General subsoil conditions encountered during the drilling of the three (3) on-site monitoring wells were noted by UES as being consistent with regional conditions. ~~A brown sandy gravel was encountered to a depth of approximately 12.5 feet below ground surface (bgs)~~. A moist, olive-gray, medium clayey sand of medium density was encountered from 12.5 to 27.5 feet bgs. This clayey sand was, in turn, underlain by a stiff brown sandy clay that exhibited low plasticity (UES Report: "The Installation, Development, and Sampling of Three Groundwater Monitoring Wells at the City of Paris Cleaners site; March 31, 1993).

Groundwater was first encountered during drilling at 19 to 20 feet bgs. The static water level was measured in each well on November 18, 1992, and found to be 13.99 feet in MW-1, 13.18 feet in MW-2, and 13.93 feet in MW-3. On August 2, 1994, the hydraulic gradient was calculated as 0.023 ft./ft., and the direction of groundwater flow was determined to be to the northwest (N44°W).

#### OVERVIEW OF PREVIOUS ENVIRONMENTAL COMPLIANCE ACTIVITIES PERFORMED AT THE SITE

##### Removal of Underground Storage Tanks

On October 4, 1990, one (1) 750-gallon and two (2) 1,000-gallon underground stoddard solvent storage tanks were excavated and removed from this location by the Semco Company of San Mateo (a California-licensed contractor).

Six (6) discrete soil samples acquired attendant to the removal of the tanks were submitted for certified laboratory analysis and found to contain between 1 and 1,000 parts per million (ppm) Total Petroleum Hydrocarbons as Gasoline (TPH-G), and some elevated levels of ethylbenzene and total xylenes. Although reported as TPH-G, the TPH compound(s) detected were believed to have been stoddard solvent. On July 31 and August 1-2, 1991, UES performed a soil vapor survey at the site in an effort to define the approximate boundaries of the area of soil contamination. Although vapors were found to be widely distributed across the site, a discrete soil plume could not be defined due to the presence of buildings, subsurface utilities, and the public roadway.

### **Excavation and Remediation of Hydrocarbon-Contaminated Soil**

On August 30, 1991, employees of W.A. Craig, Inc. (WAC), a California-licensed contractor, overexcavated the eastern portion of the tank pit to a depth of approximately 15 feet. While digging in the southeastern corner of the pit, WAC encountered a 250-gallon underground stoddard solvent storage tank. This tank was subsequently excavated and disposed of in accordance with requirements set forth by Alameda County Health Care Services Agency (ACoHCSA) Inspector Dennis Byrne.

Additional excavation was performed, and 59 cubic yards of contaminated soil was subsequently bioremediated on site and later used to backfill the tank pit. Although soil samples acquired from boundaries of the remedial excavation revealed that some residual contamination remained unexcavated (9.8 to 140 ppm TPH-Stoddard Solvent and 15 to 110 ppm TPH-Diesel), Inspector Byrne advised UES that ACoHCSA would require no additional excavation as the integrity of significant structures (both on site and upon contiguous properties) could be jeopardized if further excavation was attempted.

### **Installation, Development, and Sampling of Monitoring Wells**

On October 29 and 30, 1992, three (3) groundwater monitoring wells were installed at the subject site by Soils Exploration Services (SES) of Vacaville. The wells were placed at locations approved by ACoHCSA (see Figure 4). The borings were advanced with a truck-mounted drill rig equipped with 8-inch outside diameter, continuous flight, hollow-stem augers. Drilling, logging (in accordance with the Unified Soil Classification System), and sampling were performed by/under the direction of a UES staff hydrogeologist.

Discrete soil samples were collected from the borings at five-foot intervals beginning at five (5) feet bgs in a 2-inch inside diameter, split-spoon sampler fitted with clean brass tubes measuring 1.9 inches in diameter by 6.0 inches in length. The sampler was driven 18 inches into undisturbed soil using a standard 30-inch drop of a 140 pound hammer. Upon being retrieved from the sampler, the ends of the lower-most brass tube were covered with teflon sheeting, fitted with plastic caps, and sealed with duct tape. Each tube was then labeled and placed on blue ice for transportation to a California-state certified hazardous waste analytical laboratory under chain-of-custody.

The soil samples acquired from vadose soils (from 5 and 10 feet bgs) were subsequently analyzed for Total Petroleum Hydrocarbons as Stoddard Solvent (TPH-SS), Total Petroleum Hydrocarbons as Diesel (TPH-D), and benzene, toluene, ethylbenzene, and total xylenes (BTEX) as well as for chlorobenzene and dichlorobenzene using EPA Methods 3550/8015-8020 (602).

The drilling augers and sampling equipment were steam cleaned or thoroughly scrubbed with Alconox solution followed by a distilled water rinse prior to being brought on site and between all samplings. Analytical results for the soil samples collected are presented in Table I, below:

**Table I**  
**Soil Sample Results - Soil Borings for Monitoring Wells**  
**October 29 & 30, 1992 (UES)**

Sample I.D.	TPH-SS (ppm)	TPH-D (ppm)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	Chl./Dichl- benzenes (ppb)
MW1-5'	ND	ND	0.3	12	ND	ND	ND
MW1-10'	210	ND	1.1	21	12	ND	23
MW2-5'	ND	ND	ND	63	130	210	740
MW2-10'	17	ND	ND	120	ND	360	ND
MW3-5'	ND	ND	2.4	120	47	160	410
MW3-10'	30	ND	26	550	ND	ND	230
<b>Method Detection Limits</b>	10	10	5	5	5	5	5
TPH-SS = Total Petroleum Hydrocarbons as Stoddard Solvent					ppm = Parts per million		
TPH-D = Total Petroleum Hydrocarbons as Diesel					ppb = Parts per billion		
ND = Not detected at or above the Method Detection Limit							
Chl./Dichl. = Chlorobenzene; 1,3 Dichlorobenzene; 1,4 Dichlorobenzene; and 1,2 Dichlorobenzene							

Following completion of the drilling, logging, and soil sampling, each boring was converted into a 2-inch inside diameter groundwater monitoring well. The wells were constructed of 2-inch inside diameter, threaded, Schedule 40 PVC risers attached to 0.020-inch slotted PVC well screen. The screened interval extended more than five (5) feet above the water table to account for anticipated fluctuations in the depth to water. The annular space around the well screen was filled with #3 Monterey Silica Sand. The sand was covered by a one foot thick bentonite seal to protect groundwater from surface water infiltration. The wells were finished by covering the bentonite with cement from the top of the seal to 0.5 feet bgs followed by concrete aggregate to grade. Each well was then covered with a locked traffic cover.

Prior to development, the newly installed wells were allowed to equilibrate for a period in excess of 48 hours. Depths to water and total well depths were

measured with an electric water level meter and the volume of water contained in each well casing was computed. The wells were then developed using a vented surge block to release and draw fines (silts, clays, and fine sands) by forcing water in and out of the well screen and adjacent annular pack. The wells were then purged using a clean, disposable polyethylene bailer until the groundwater was free of significant sediment and other grit material and pH, electrical conductivity, and temperature readings stabilized.

A water sample from each developed well was obtained with a clean, disposable, polyethylene bailer lowered into the well to a point immediately below the water surface. The sample was promptly transferred into two (2) amber glass sample bottles and two (2) Volatile Organic Analysis (VOA) vials containing hydrochloric acid preservative. Each container was sealed with a teflon-lined screw cap, labeled, and placed on blue ice for transportation to a California-state certified hazardous waste analytical laboratory under chain-of-custody. Analyses were subsequently performed for TPH-SS, TPH-D, and BTEX using EPA Methods 3510/8015-8020 (602). Analytical results are summarized in Table II (page 6, below and Appendix A).

Cuttings from the boring and rinsate generated from steam cleaning of the augers were each placed in a labeled, covered, 55-gallon DOT drum and stored on site pending receipt of laboratory analyses and development of an appropriate disposal protocol.

Groundwater acquired attendant to the development and initial sampling of all three (3) on-site monitoring wells was found to be free of detectable concentrations of TPH-D and BTEX. TPH-SS was detected in each well, as follows: 1,800 parts per billion (ppb) in MW-1; 630 ppb in MW-2; and 11,000 ppb in MW-3.

Although all soil samples contained detectable concentrations of some target analytes, UES proposed that the only significant presence was that of 210 parts per million (ppm) stoddard solvent at MW1-10. This sample was acquired from slightly moist sandy gravel overlaying less permeable clayey sand. As the soil sample acquired from this area during the course of remedial excavation contained only 14 ppm stoddard solvent, UES believed that the 210 ppm level was either: 1) representative of a small, environmentally insignificant area of residual contamination; or 2) indicative of contamination that had moved as a non-aqueous phase liquid with groundwater during a period when the water table was higher.

In consideration of the data acquired at the site by UES and others, UES proposed that no additional environmental compliance activities be required other than quarterly monitoring of wells MW-1, MW-2, and MW-3 with subsequent laboratory analyses for TPH-SS, TPH-D, and BTEX.

### COMPLIANCE MONITORING/ON-SITE GROUNDWATER MONITORING WELLS

Groundwater samples were first collected from the on-site monitoring wells by UES on November 18, 1992. In April of 1993, UES ceased business operations. In November of 1993, the sampling and reporting responsibilities for the subject site were assumed by BT Associates.

With the approval of Hazardous Materials Specialist Susan Hugo, BT Associates again collected groundwater samples from the on-site monitoring wells on August 2, 1994. Analytical results for all groundwater samples collected at the subject site have been summarized in Table II, below:

Table II - Groundwater Sampling Results

Well #	Date	Depth to Water (ft)	TPH-D (ppb)	TPH-G (ppb)	TPH-SS (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Total Xylenes (ppb)
MW-1	11/18/92	13.99	ND	na	1,800	ND	ND	ND	ND
	11/4/93	16.79	ND	ND	2,000	ND	ND	ND	ND
	3/28/94	14.14	ND	na	150	35	40	72	120
	8/2/94	13.18	ND	ND	2,100	ND	ND	ND	ND
MW-2	11/18/92	13.18	ND	na	630	ND	ND	ND	ND
	11/4/93	14.84	ND	ND	3,200	ND	ND	ND	ND
	3/28/94	11.50	ND	na	45	1.4	2	11	19
	8/2/94	13.14	ND	ND	170	ND	ND	ND	ND
MW-3	11/18/92	13.93	ND	na	11,000	ND	ND	ND	ND
	11/4/93	15.16	ND	ND	320	ND	ND	ND	ND
	3/28/94	13.43	ND	na	ND	0.8	0.9	5	10
	8/2/94	12.82	ND	ND	ND	ND	ND	ND	ND
Method Detection Limits	-	-	50	50	20	0.5	0.5	0.5	0.5
Method of Analysis	-	-	3510/ 8015	5030/ 8015	3510/ 8015	602	602	602	602
TPH-D = Total Petroleum Hydrocarbons as Diesel					ND = Not detected at or above Method Detection Limit				
TPH-G = Total Petroleum Hydrocarbons as Gasoline					na = Not analyzed				
TPH-SS = Total Petroleum Hydrocarbons as Stoddard Solvent					ppb = Parts per billion				

## Well Sampling Methodology

Depth to water and total well depth were measured using an electric tape, and the volume of water within the 2-inch inside-diameter casings computed. Each well was then purged using a clean, disposable polyethylene bailer until the groundwater was free of significant sand, silt, and/or other grit material, and pH, conductivity, and temperature readings stabilized. In each case, more than three (3) well volumes were removed from each well. Measurements of pH, conductivity, and temperature were recorded as referenced within Appendix B.

Subsequent to purging the wells, a groundwater sample was collected from each using a clean, disposable polyethylene bailer lowered to a point just below the water surface. Using a Voss VOC Sampler, each groundwater sample was immediately transferred into a one-liter, amber glass bottle and two (2) Volatile Organic Analysis (VOA) vials. Each sample container was promptly sealed with a teflon-lined screw cap, labeled, placed on ice in an insulated container, and then transported under chain-of-custody to a California state-certified hazardous waste analytical laboratory for the following analyses: Total Petroleum Hydrocarbons as Gasoline (TPH-G) and benzene, toluene, ethylbenzene, and total xylenes (BTEX) using EPA Methods 5030/8015-8020 (602); Total Petroleum Hydrocarbons as Diesel (TPH-D) and Total Petroleum Hydrocarbons as Stoddard Solvent (TPH-SS) using EPA Methods 3510/8015.

Extracted groundwater, in excess of that acquired for laboratory analysis, was placed into a covered DOT drum and stored on site pending the receipt of the report of laboratory analysis and the development of an appropriate disposal protocol.

## Results of Certified Laboratory Analyses

TPH-D, TPH-G, and BTEX were non-detectable (ND) in all groundwater samples collected on August 2, 1994. TPH-SS was detected in MW-1 and MW-2 at levels of 2,100 and 170 parts per billion (ppb), respectively. TPH-SS was ND in MW-3. Analytical results for the groundwater samples collected have been summarized in Table II (page 6, above, and Appendix A). Copies of all laboratory results as received from the certified hazardous waste analytical laboratory are enclosed within Appendix B.

## CONCLUSIONS AND RECOMMENDATIONS

The levels of Total Petroleum Hydrocarbons as Diesel (TPH-D), Total Petroleum Hydrocarbons as Gasoline (TPH-G), and benzene, toluene, ethylbenzene, and total xylenes (BTEX) were found to be below the limits of laboratory detection (ND) in all groundwater samples collected on August 2, 1994.

Total Petroleum Hydrocarbons as Stoddard Solvent (TPH-SS) was detected in samples from two (2) of the three (3) on-site monitoring wells (MW-1 and MW-2), at levels of 2,100 and 170 parts per billion (ppb), respectively. In the previous round of sampling, TPH-SS levels in samples from these wells were 150 and 45 ppb. TPH-SS has been detected in both of these wells at various levels in all sampling events. TPH-SS was ND in MW-3 (also ND in the previous round).

This round of sampling represents the third consecutive sampling event (fourth overall) conducted at this location. As such, it is recommended that quarterly groundwater monitoring be continued.

In addition, BT Associates proposes to perform measurements of hydraulic conductivity at the subject site. As the contaminant present, stoddard solvent, consists of lighter-than-water, non-aqueous phase liquid petroleum hydrocarbons (LNAPLs), it will have a horizontal flow rate equal to the product of the hydraulic gradient and the hydraulic conductivity values exhibited by the soils near the top of the water table, whether or not groundwater below this depth moves at a higher rate.

In order to ascertain if the extraction and treatment of small to moderate volumes of water from the upper portion of first encountered groundwater will significantly reduce the levels of stoddard solvent contamination, BT Associates recommends performing a pilot study using a small Pump and Treat system. This system is intended to extract free product (if present) and hydrocarbons dissolved in groundwater from the existing, on-site wells and introduce these contaminants into an above grade, fluidized-bed aerobic bioreactor system. The non-pathogenic, aerobic bacteria present within the reactor vessel are known to be capable of the complete biological detoxification of fuel hydrocarbons to form the non-toxic end products of carbon dioxide, minerals, and water.

As petroleum hydrocarbons are very complex mixtures containing large numbers of alicyclic, aromatic, and other compounds. As each of these compounds possess distinct physical and chemical characteristics, they differ in their capacity to serve as microbial substrates (i.e. be utilized by microorganisms as sources of carbon and energy) within a given environment. In addition, the physical state of the pollutants, environmental temperature, availability of oxygen and nutrients (particularly nitrogen, phosphorous, potassium, and/or micro nutrients) significantly impact the rate of pollutant degradation. By



employing a fluidized-bed bioreactor system to treat contaminated water, these factors can be carefully monitored and controlled, thus ensuring rapid and complete destruction of contaminants.

Should the client concur, BT Associates will prepare and submit a proposal/work plan pertaining to the above. With the approval of the client and the Alameda County Health Care Services Agency (ACoHCSA), BT Associates will begin the referenced work at the time of the next groundwater sampling event for this site (scheduled to take place in November, 1994).

Should you have any questions, or if we may otherwise be of assistance, please feel free to contact either of the undersigned at 510-222-1541.

Sincerely,



Bruce A. Tsutsui  
President, BT Associates  
Registered Environmental Health Specialist (#4522)



Marvin D. Kirkeby  
President, Kirkeby Engineering  
Registered Civil Engineer (#14001)



**APPENDIX A**

**FIGURES AND TABLES**




Figure 1 - Regional Map

Colored circle denotes location of  
3516 Adeline Street,  
Oakland, CA

0 2




Scale (miles)




**BT Associates**  
Environmental Services

31 Nightowl Court, Richmond, CA 94803



**Figure 2 - Locality Map**

Colored circle denotes location of  
3516 Adeline Street,  
Oakland, CA



**BT Associates**  
Environmental Services

31 Nightowl Court, Richmond, CA 94803


MacArthur Freeway (above)



### 35TH STREET

477

ADELINE STREET





479

CHESTNUT STREET

### 34TH STREET

Re-drawn from Alameda  
County Assessor's Map  
5-478-23 (12/20/82)

**Figure 3 - Detail Map**  
Location and shape of subject site at  
3516 Adeline Street,  
Oakland, CA



**BT Associates**  
Environmental Services


31 Nightowl Court, Richmond, CA 94803



**35TH STREET**

*FORMER  
TANK PIT*


**ADELINE STREET**



Location of former underground storage tanks and excavated area re-drawn from "Groundwater Monitoring Well Installation Report" (Uriah Environmental Services, Inc., March 31, 1993)

**Figure 4 - Detail Map**

Location and shape of subject site at  
3516 Adeline Street,  
Oakland, CA



**BT Associates**  
Environmental Services

31 Nighthowl Court, Richmond, CA 94803


\* Soil  
 \* H<sub>2</sub>O  
 23 ppm  
 210 ppm SS  
 chelate  
 benzene



**35TH STREET**

Groundwater Flow Direction (08/02/94)


**ADELINE STREET**



Date	Gradient	Direction
11/04/93	0.127 ft/ft	N45°E
03/28/94	0.149 ft/ft	N50°E
08/02/94	0.023 ft/ft	N44°W

Location of former underground storage tanks and excavated area re-drawn from "Groundwater Monitoring Well Installation Report" (Uniah Environmental Services, Inc., March 31, 1993)

**Figure 5 - Detail Map**  
 Direction of groundwater flow at  
 3516 Adeline Street,  
 Oakland, CA



**BT Associates**  
 Environmental Services  
 31 Nighowl Court, Richmond, CA 94803

**Table I**  
**Soil Sample Results - Soil Borings for Monitoring Wells**  
**October 29 & 30, 1992 (UES)**

Sample I.D.	TPH-SS (ppm)	TPH-D (ppm)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	Chl./Dichl.- benzenes (ppb)
MW1-5'	ND	ND	0.3	12	ND	ND	ND
MW1-10'	210	ND	1.1	21	12	ND	23
MW2-5'	ND	ND	ND	63	130	210	740
MW2-10'	17	ND	ND	120	ND	360	ND
MW3-5'	ND	ND	2.4	120	47	160	410
MW3-10'	30	ND	26	550	ND	ND	230
<b>Method Detection Limits</b>	10	10	5	5	5	5	5
TPH-SS = Total Petroleum Hydrocarbons as Stoddard Solvent		ppm = Parts per million					
TPH-D = Total Petroleum Hydrocarbons as Diesel		ppb = Parts per billion					
ND = Not detected at or above the Method Detection Limit							
Chl./Dichl. = Chlorobenzene; 1,3 Dichlorobenzene; 1,4 Dichlorobenzene; and 1,2 Dichlorobenzene							



**Table II**  
**Groundwater Sampling Results**

Well #	Date	Depth to Water (ft)	TPH-D (ppb)	TPH-G (ppb)	TPH-SS (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Total Xylenes (ppb)
MW-1	11/18/92	13.99	ND	na	1,800	ND	ND	ND	ND
	11/4/93	16.79	ND	ND	2,000	ND	ND	ND	ND
	3/28/94	14.14	ND	na	150	35	40	72	120
	8/2/94	13.18	ND	ND	2,100	ND	ND	ND	ND
MW-2	11/18/92	13.18	ND	na	630	ND	ND	ND	ND
	11/4/93	14.84	ND	ND	3,200	ND	ND	ND	ND
	3/28/94	11.50	ND	na	45	1.4	2	11	19
	8/2/94	13.14	ND	ND	170	ND	ND	ND	ND
MW-3	11/18/92	13.93	ND	na	11,000	ND	ND	ND	ND
	11/4/93	15.16	ND	ND	320	ND	ND	ND	ND
	3/28/94	13.43	ND	na	ND	0.8	0.9	5	10
	8/2/94	12.82	ND	ND	ND	ND	ND	ND	ND
Method Detection Limits	-	-	50	50	20	0.5	0.5	0.5	0.5
Method of Analysis	-	-	3510/8015	5030/8015	3510/8015	602	602	602	602
TPH-D = Total Petroleum Hydrocarbons as Diesel					ND = Not detected at or above Method Detection Limit				
TPH-G = Total Petroleum Hydrocarbons as Gasoline					na = Not analyzed				
TPH-SS = Total Petroleum Hydrocarbons as Stoddard Solvent					ppb = Parts per billion				

**APPENDIX B**

**REPORTS OF CERTIFIED LABORATORY ANALYSES  
CHAIN-OF-CUSTODY AND QA/QC DOCUMENTS  
WELL MONITORING FORMS**



# PRIORITY ENVIRONMENTAL LABS

Precision Environmental Analytical Laboratory

August 08, 1994

PEL # 9408015

BT ASSOCIATES, INC.

Attn: John Rapp

Re: Three water samples for Gasoline/BTEX and TEPH analyses.

Project name: City of Paris Cleaners

Project location: 35th & Adeline - Oakland

Date sampled: Aug 02, 1994


Date submitted: Aug 04, 1994

Date extracted: Aug 04-06, 1994

Date analyzed: Aug 04-06, 1994

## RESULTS:

SAMPLE I.D.	Gasoline (ug/L)	Diesel (ug/L)	Benzene (ug/L)	Toluene (ug/L)	Ethyl Benzene (ug/L)	Total Xylenes (ug/L)	Stoddard Solvent (ug/L)
MW-1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2100
MW-2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	170
MW-3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Blank	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Spiked Recovery	97.9%	100.7%	90.3%	92.5%	105.2%	98.5%	---
Detection limit	50	50	0.5	0.5	0.5	0.5	50
Method of Analysis	5030 / 8015	3510 / 8015	602	602	602	602	3510 / 8015

  
David Duong  
Laboratory Director



**BT Associates**  
Environmental Services

31 Nightowl Court  
Richmond, CA 94803  
(Office) 510-222-1541 (Fax) 510-525-2178

**CHAIN**

Date: \_\_\_\_\_

PEL # 9408015

INV # 25061

PROJECT I.D. <u>CITY OF PARI CLEANERS</u>				ANALYSIS REQUEST													# OF CONTAINERS
ADDRESS <u>35<sup>TH</sup> + ADELINE, OAKLAND</u>				T	T	T	B	O	M	PH	VO	OR	T	S			
SAMPLER'S NAME <u>J. RAPP / G. BUTTM</u>				P	P	P	T	&	E	X	G	A	L	S	I	A	N
SIGNATURE <u>John E. Rapp</u>				H	H	H	E	X	S	B	T	E	X	E	L	E	L
TELEPHONE NUMBER <u>(209) 551-3591</u>				G	D	&	X										
SAMPLE I.D.	DATE	TIME	MATRIX														
MW-1	8-2-94		Soil <u>Water</u>	X	X										X		
MW-2	8-2-94		Soil <u>Water</u>	X	X										X		
MW-3	8-2-94		Soil <u>Water</u>	X	X										X		
			Soil Water														
			Soil Water														
			Soil Water														

LABORATORY INSTRUCTIONS / COMMENTS:  Turn-around Time (Circle One) Same Day 24 Hrs. 48 Hrs. 72 Hrs. <u>Normal</u>  <u>SAMPLES HELD UNDER REFRIGERATION AT 4°C 8/2-4/94</u>	RELINQUISHED BY: <u>JOHN RAPP</u> Printed Name <u>BT ASSOCIATES</u> Company <u>John E. Rapp</u> Signature Time 16:15 Date 8-4-94	RELINQUISHED BY: _____ Printed Name _____ Company _____ Signature Time _____ Date _____	RELINQUISHED BY: _____ Printed Name _____ Company _____ Signature Time _____ Date _____
	RECEIVED BY: <u>DAVID DUCNG</u> Printed Name <u>PEL</u> Company <u>David Ducng</u> Signature Time 16:15 Date 8/4/94	RECEIVED BY: _____ Printed Name _____ Company _____ Signature Time _____ Date _____	RECEIVED BY: _____ Printed Name _____ Company _____ Signature Time _____ Date _____

ANALYTICAL LABORATORY <u>PRIORITY ENVIRONMENTAL</u> CITY <u>MILPITAS</u>
---



# BT Associates

Environmental Services

31 Nightowl Court, Richmond, CA 94803

(Office)  
510-222-1541

(Fax)  
510-525-2178

## WELL MONITORING FORM

CLIENT: City of Paris/Champion Family Estate

DATE: August 2, 1994

SITE ADDRESS: 3516 Adeline Street

COUNTY REPRESENTATIVE: Ms. Susan Hugo

Oakland, CA

COUNTY REPRESENTATIVE CONTACTED PRIOR TO SAMPLING? Yes

Note 1: TOTAL WELL DEPTH & DEPTH TO WATER measurements are read to an accuracy of .01' from a straight edge placed in a north-south orientation on top of the christy box.

Note 2: The 0.17 figure used below to convert WATER COLUMN HEIGHT to gallons has units of gallons/linear foot, and is for a 2" diameter, Schedule 40 PVC pipe with an inside diameter of 2.067". Similarly, use a conversion factor of 0.66 for a 4" pipe, which has a 4.026" I.D.

TOTAL WELL DEPTH 30.08' MONITORING WELL # MW-1

- DEPTH TO WATER 13.18' PURGE METHOD: Disposable Polyethylene Bailer

= WATER COLUMN HEIGHT 16.90' x 0.17 = 2.88 Gallons (1 well volume)

Multiply 1 well volume by 3 to obtain the minimum number of gallons of water to be purged from monitoring well prior to taking samples.

3 x 2.88 = 8.64 Gallons (3 Well Volumes)

TIME	GALLONS	TEMPERATURE (°F)	pH	CONDUCTIVITY $\mu$ mhos/cm
1405	0	65.4	6.03	1560
1415	3	65.5	5.99	1540
1426	6	65.2	5.88	1530
1438	9	65.5	5.74	1510

\* Light gray after 3 gallons

CONTAMINANT ODOR? Yes

TIME OF SAMPLE COLLECTION: 1442


TURBIDITY LEVEL: Moderate

WITNESSED BY: No Witness

SHEEN ON WATER? Slight

SAMPLER'S SIGNATURE: [Signature]

(John Rapp)



# BT Associates Environmental Services

31 Nightowl Court, Richmond, CA 94803

(Office)  
510-222-1541

(Fax)  
510-525-2178

## WELL MONITORING FORM

CLIENT: City of Paris/Champion Family Estate

DATE: August 2, 1994

SITE ADDRESS: 3516 Adeline Street

COUNTY REPRESENTATIVE: Ms. Susan Hugo

Oakland, CA

COUNTY REPRESENTATIVE CONTACTED PRIOR TO SAMPLING? Yes

Note 1: TOTAL WELL DEPTH & DEPTH TO WATER measurements are read to an accuracy of .01' from a straight edge placed in a north-south orientation on top of the christy box.

Note 2: The 0.17 figure used below to convert WATER COLUMN HEIGHT to gallons has units of gallons/linear foot, and is for a 2" diameter, Schedule 40 PVC pipe with an inside diameter of 2.067". Similarly, use a conversion factor of 0.66 for a 4" pipe, which has a 4.026" I.D.

TOTAL WELL DEPTH 30.08' MONITORING WELL # MW-2  
 - DEPTH TO WATER 13.14' PURGE METHOD: Disposable Polyethylene Bailer  
 = WATER COLUMN HEIGHT 16.94' x 0.17 = 2.88 Gallons (1 well volume)

Multiply 1 well volume by 3 to obtain the minimum number of gallons of water to be purged from monitoring well prior to taking samples.

3 x 2.88 = 8.64 Gallons (3 Well Volumes)

TIME	GALLONS	TEMPERATURE (°F)	pH	CONDUCTIVITY $\mu$ mhos/cm
1235	0	67.8	6.42	1440
1245	3	66.7	6.02	1400
1254	6	66.2	6.05	1400
1309	9	65.8	6.02	1380

\* Mild sewage odor <4 gal.; >4 gal. - solvent odor, intermittent flecks of iridescent floating material; gray color >8 gal.

CONTAMINANT ODOR? Yes

TIME OF SAMPLE COLLECTION: 1315


TURBIDITY LEVEL: Moderate

WITNESSED BY: No Witness

SHEEN ON WATER? Slight

SAMPLER'S SIGNATURE: John E. Rapp

(John Rapp)



# BT Associates

Environmental Services

31 Nightowl Court, Richmond, CA 94803

(Office)  
510-222-1541

(Fax)  
510-525-2178

## WELL MONITORING FORM

CLIENT: City of Paris/Champion Family Estate

DATE: August 2, 1994

SITE ADDRESS: 3516 Adeline Street

COUNTY REPRESENTATIVE: Ms. Susan Hugo

Oakland, CA

COUNTY REPRESENTATIVE CONTACTED PRIOR TO SAMPLING? Yes

Note 1: TOTAL WELL DEPTH & DEPTH TO WATER measurements are read to an accuracy of .01' from a straight edge placed in a north-south orientation on top of the christy box.

Note 2: The 0.17 figure used below to convert WATER COLUMN HEIGHT to gallons has units of gallons/linear foot, and is for a 2" diameter, Schedule 40 PVC pipe with an inside diameter of 2.067". Similarly, use a conversion factor of 0.66 for a 4" pipe, which has a 4.026" I.D.

TOTAL WELL DEPTH 30.18' MONITORING WELL # MW-3

- DEPTH TO WATER 12.82' PURGE METHOD: Disposable Polyethylene Bailer

= WATER COLUMN HEIGHT 17.36' x 0.17 = 2.95 Gallons (1 well volume)

Multiply 1 well volume by 3 to obtain the minimum number of gallons of water to be purged from monitoring well prior to taking samples.

3 x 2.95 = 8.85 Gallons (3 Well Volumes)

TIME	GALLONS	TEMPERATURE (°F)	pH	CONDUCTIVITY $\mu$ mhos/cm
1320	0	64.9	5.98	1160
1334	3	64.4	6.52	1320
1344	6	64.3	6.22	1280
1355	9	64.8	6.16	1260

\* dark gray color >1/2 gal.; intermittent flecks of iridescent floating material as in MW-2

CONTAMINANT ODOR? No

TIME OF SAMPLE COLLECTION: 1400

TURBIDITY LEVEL: Moderate

WITNESSED BY: No Witness

SHEEN ON WATER? Slight

SAMPLER'S SIGNATURE: John F. Rapp

(John Rapp)