

Environmental Management
Company
6001 Bollinger Canyon Rd, K2256
P.O. Box 6012
San Ramon, CA 94583-2324
Tel 925-842-1589
Fax 925-842-8370

Karen Streich
Project Manager

10137 ✓

ChevronTexaco

November 3, 2004

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

ALAMEDA COUNTY HEALTH CARE SERVICES
NOV 05 2004
ALAMEDA COUNTY HEALTH CARE SERVICES

Re: Chevron Service Station #9-0019

Address: 210 Grand Avenue, Oakland, California


I have reviewed the attached routine groundwater monitoring report dated October 14, 2004.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,



Karen Streich
Project Manager

Enclosure: Report



GETTLER - RYAN INC.

TRANSMITTAL

October 14, 2004
G-R #386500

TO: Mr. Robert Foss
Cambria Environmental Technology, Inc.
5900 Hollis Street, Suite A
Emeryville, California 94608

CC: Ms. Karen Streich
ChevronTexaco Company
P.O. Box 6012, Room K2256
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-0019
210 Grand Avenue
Oakland, California**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	October 14, 2004	Groundwater Monitoring and Sampling Report Second Semi-Annual - Event of September 13, 2004

COMMENTS:


This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **November 2, 2004**, at which time the final report will be distributed to the following:

cc: Mr. Barney Chan, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay
Parkway, Suite 250, Alameda, CA 94502-6577
Mr. Ron Basarich, City of Oakland, Real Estate Department, 1330 Broadway, Suite 101, Oakland, CA 94612

Enclosures

trans/9-0019-ks

6747 Sierra Court, Suite J • Dublin, CA 94568 • (925) 551-7555 • Fax (925) 551-7888
3140 Gold Camp Drive, Suite 170 • Rancho Cordova, CA 95670 • (916) 631-1300 • Fax (916) 631-1317
1364 N. McDowell Blvd., Suite B2 • Petaluma, CA 94954 • (707) 789-3255 • Fax (707) 789-3218



GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-0019
 210 Grand Avenue
 Oakland, California

FIGURE
1

PROJECT NUMBER 386500	REVIEWED BY	DATE September 13, 2004	REVISED DATE
---------------------------------	-------------	----------------------------	--------------

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	Chloro-						
											form (ppb)	1,2-DCA (ppb)	Freon (ppb)	1,1,1-TCA (ppb)	PCE (ppb)	1,2-DCE (ppb)	1,2-DCE (ppb)
MW-1																	
03/14/89	9.63	2.89	6.74	600	<0.2	<0.2	3.2	1.7	--	<3,000	1.0	<0.2	<20	<0.2	--	--	--
06/08/89	9.63	2.49	7.14	<50	<0.1	<0.5	<0.1	<0.2	--	--	<0.5	<0.1	<20	<0.1	--	--	--
09/14/89	9.63	2.42	7.21	<50	<0.2	<1.0	<0.2	<0.4	--	--	<1.0	<0.2	<1.0	0.7	--	--	--
12/08/89	9.63	2.34	7.29	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
03/19/90	9.63	2.63	7.00	190	0.8	<0.3	7.0	3.0	--	--	<0.5	<0.5	--	<0.5	--	--	--
07/06/90	9.63	2.50	7.13	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	9.63	2.10	7.53	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	9.63	2.57	7.06	150	5.0	11	3.5	10	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	9.63	2.16	7.47	86	7.2	11	2.9	13	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	9.63	2.94	6.69	<50	<0.5	<0.5	<0.5	1.4	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	9.63	2.67	6.96	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	9.63	2.44	7.19	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	9.63	2.60	7.03	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/22/93	9.63	3.03	6.60	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	9.63	2.66	6.97	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/10/93	9.63	2.55	7.08	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	9.63	2.80	6.83	<50	<0.5	<0.5	<0.5	1.0	--	--	--	--	--	--	--	--	--
06/16/94	9.63	2.60	7.03	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	9.63	2.53	7.10	<50	1.3	1.5	<0.5	1.7	--	--	--	--	--	--	--	--	--
11/29/94	9.63	2.81	6.82	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	9.63	3.73	5.90	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	9.63	2.69	6.94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	9.63	2.13	7.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ABANDONED																	
MW-2																	
03/14/89	8.99	2.91	6.08	<100	6.7	7.1	0.5	4.6	--	<3,000	<1.0	0.7	<20	<0.2	--	--	--
06/08/89	8.99	3.77	5.22	--	--	--	--	--	--	--	--	--	--	<0.2	--	--	--
06/09/89	8.99	--	--	<100	<0.2	<1.0	<0.2	<0.4	--	--	<1.0	<0.2	<20	<0.2	--	--	--
09/14/89	8.99	3.04	5.95	<50	<0.2	<1.0	<0.2	<0.4	--	--	<1.0	<0.2	<1.0	<0.2	--	--	--
12/08/89	8.99	-0.26	9.25	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
03/19/90	8.99	3.07	5.92	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Former Chevron Service Station #9-0019
 210 Grand Avenue
 Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	Chloro- form (ppb)	1,2-DCA (ppb)	Freon (ppb)	1,1,1-TCA (ppb)	PCE (ppb)	1,2-DCPA (ppb)	1,2-DCE (ppb)
MW-2 (cont)																	
07/06/90	9.01	2.22	6.79	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	9.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/23/91	9.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
DESTROYED																	
MW-3																	
03/14/89	8.19	2.16	6.02	<100	2.1	0.8	<0.2	2.0	--	<3,000	<1.0	3.0	<20	<0.2	--	--	--
06/08/89	8.19	2.30	5.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/09/89	8.19	--	--	<100	<0.5	<1.0	<0.2	<0.4	--	--	<1.0	3.3	<20	<0.2	--	--	--
09/14/89	8.19	1.88	6.30	<50	<0.2	<1.0	<0.2	<0.4	--	--	<1.0	2.2	<1.0	<0.2	--	--	--
12/08/89	8.19	-1.34	9.52	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	1.3	--	<0.5	--	--	--
03/19/90	8.19	2.01	6.17	<50	<0.3	<0.3	<0.3	<0.6	--	--	0.5	1.3	--	<0.5	--	--	--
07/06/90	8.19	0.67	7.52	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	8.19	0.88	7.31	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	0.83	--	<0.5	--	--	--
08/23/91	8.19	2.53	5.65	220	16	22	5.5	16	--	--	<0.5	0.6	--	<0.5	--	--	--
11/22/91	8.19	1.41	6.78	<50	<0.5	<0.5	<0.5	0.6	--	--	0.6	1.0	<0.5	<0.5	--	--	--
02/26/92	8.19	3.54	4.65	<50	4.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	8.19	2.63	5.56	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	8.19	1.96	6.23	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	8.19	2.37	5.82	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
03/22/93	8.19	3.27	4.92	<50	7.0	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
06/07/93	8.19	2.50	5.69	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
09/10/93	8.19	2.15	6.04	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
03/07/94	8.19	3.04	5.15	<50	1.0	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
06/16/94	8.19	2.30	5.89	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
09/08/94	8.19	2.13	6.06	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	1.0	--	--
11/29/94	8.19	3.00	5.19	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/21/95	8.19	4.43	3.76	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/27/95	8.19	3.09	5.10	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/27/95	8.19	2.94	5.25	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ABANDONED																	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	Chloro-						
											form (ppb)	1,2-DCA (ppb)	Freon (ppb)	1,1,1-TCA (ppb)	PCE (ppb)	1,2-DCPA (ppb)	1,2-DCE (ppb)
MW-4																	
03/14/89	7.60	2.08	5.52	3,000	810	200	30	130	--	<3,000	<20	<5.0	<20	<5.0	--	--	--
06/08/89	7.60	3.41	4.19	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/09/89	7.60	--	--	900	440	13	22	40	--	--	<20	<5.0	60	<5.0	--	--	--
09/14/89	7.60	2.80	4.80	540	220	2.0	6.1	9.3	--	--	<1.0	2.3	<1.0	<0.2	--	--	--
12/08/89	7.60	2.74	4.86	150	18	<0.3	1.0	<0.6	--	--	<0.5	1.9	--	<0.5	--	--	--
03/19/90	7.60	2.95	4.65	270	50	<0.3	0.7	<0.6	--	--	<0.5	0.8	--	<0.5	--	--	--
07/06/90	7.59	1.17	6.42	140	0.7	<0.3	0.5	<0.6	--	--	<0.5	0.79	--	<0.5	--	--	--
10/03/90	7.59	1.20	6.39	180	<0.3	<0.3	2.0	<0.6	--	--	<0.5	0.5	--	<0.5	--	--	--
08/23/91	7.59	3.17	4.42	400	9.9	6.8	3.1	7.1	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	7.59	2.21	5.38	130	3.4	1.3	3.5	6.0	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	7.59	4.94	2.65	520	15	2.7	6.1	8.6	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	7.59	3.63	3.96	460	20	2.8	5.0	6.9	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	7.59	2.91	4.68	160	1.1	1.7	0.8	2.8	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	7.59	3.96	3.63	110	0.7	0.5	0.9	1.7	--	--	--	--	--	--	--	--	--
03/22/93	7.59	4.69	2.90	930	9.0	3.0	7.0	8.0	--	--	--	--	--	--	--	--	--
06/07/93	7.59	3.70	3.89	240	2.0	0.9	3.0	3.0	--	--	--	--	--	--	--	--	--
09/10/93	7.59	3.07	4.52	<50	<0.5	<0.5	0.8	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	7.59	4.44	3.15	550	3.0	3.0	8.0	12	--	--	--	--	--	--	--	--	--
06/16/94	7.59	3.51	4.08	150	<0.5	0.6	1.5	0.7	--	--	--	--	--	--	--	--	--
09/08/94	7.59	3.04	4.55	<50	<0.5	<0.5	<0.5	1.2	--	--	--	--	--	--	--	--	--
11/29/94	7.59	4.74	2.85	130	<0.5	1.1	<0.5	0.58	--	--	--	--	--	--	--	--	--
03/21/95	7.59	5.89	1.70	720	2.2	<2.0	5.9	<2.0	--	--	--	--	--	--	--	--	--
06/27/95	7.59	4.21	3.38	100	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	7.59	3.84	3.75	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/29/95	7.59	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/10/96	7.59	3.71	3.88	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/19/96	7.59	2.53	5.06	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/22/97	7.59	3.42	4.17	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/29/97	10.03	5.76	4.27	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
09/12/97	10.03	5.61	4.42	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/05/97	10.03	5.57	4.46	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
02/21/98	10.03	5.92	4.11	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	Chloro-						
											form (ppb)	1,2-DCA (ppb)	Freon (ppb)	1,1,1-TCA (ppb)	PCE (ppb)	1,2-DCEPA (ppb)	1,2-DCE (ppb)
MW-4 (cont)																	
08/17/98	10.03	5.61	4.42	120	5.4	7.8	3.0	28	7.4	--	--	--	--	--	--	--	--
03/11/99	10.03	5.69	4.34	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--	--	--	--	--	--	--
09/28/99	10.03	4.50	5.53	<50	<0.5	0.69	<0.5	0.901	<5.0	--	--	--	--	--	--	--	--
03/14/00	10.03	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/29/00	10.03	4.71	5.32	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
03/21/01	10.03	5.11	4.92	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
09/10/01 ⁴	10.03	4.65	5.38	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
03/06/02 ⁴	10.03	5.06	4.97	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
09/14/02 ⁴	10.03	4.86	5.17	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
03/28/03 ⁵	10.03	4.85	5.18	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	--	--	--	--	--	--	--
09/02/03 ^{4,6}	10.03	4.53	5.50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/26/04 ^{4,6}	10.03	5.22	4.81	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/13/04 ^{6,7}	10.03	4.83	5.20	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
MW-5																	
03/14/89	8.35	1.37	6.98	20,000	6,600	1,600	270	1,100	--	<3,000	<100	<20	<20	<20	--	--	--
06/08/89	8.35	3.62	4.73	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/09/89	8.35	--	--	15,000	>2,800	270	240	640	--	--	<20	28	<20	<5.0	--	--	--
06/09/89 (D)	8.35	--	--	12,000	5,100	300	240	700	--	--	<200	<50	<20	<50	--	--	--
09/14/89	8.35	2.98	5.37	15,000	>730	>320	>290	440	--	--	<10	<2.0	<20	<2.0	--	--	--
09/14/89 (D)	8.35	--	--	15,000	3,300	450	490	730	--	--	<100	<20	100	<20	--	--	--
09/14/89 (T)	8.35	--	--	16,000	3,100	550	400	690	--	--	<50	<10	<50	<10	--	--	--
12/08/89	8.35	-0.78	9.13	20,000	4,600	640	390	1,300	--	--	<0.5	27	--	<0.5	--	--	--
03/19/90	8.35	3.23	5.12	25,000	6,500	1,200	450	2,200	--	--	<0.5	10	--	0.7	--	--	--
07/06/90	8.35	2.54	5.81	30,000	5,600	890	210	1,400	--	--	<0.5	<0.5	--	<0.5	1.2	--	--
10/03/90	8.35	1.45	6.90	29,000	6,000	790	270	1,500	--	--	<0.5	<0.5	--	<0.5	--	2.0	--
08/23/91	8.35	3.30	5.05	36,000	6,100	1,200	460	2,600	--	--	<0.5	3.9	--	<0.5	--	0.9	--
11/22/91	8.35	2.10	6.25	21,000	8,000	1,500	530	2,600	--	--	<0.5	3.9	<0.5	<0.5	1.0	0.8	--
02/26/92	8.35	5.35	3.00	43,000	14,000	1,600	640	4,700	--	--	<0.5	2.0	<0.5	<0.5	--	--	--
05/22/92	8.35	3.86	4.49	72,000	18,000	8,100	920	10,000	--	--	<0.5	6.8	<0.5	<0.5	--	--	--
09/29/92	8.35	3.50	4.85	54,000	14,000	1,400	740	8,100	--	--	<0.5	4.4	--	<0.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	Chloro-						
											form (ppb)	1,2-DCA (ppb)	Freon (ppb)	1,1,1-TCA (ppb)	PCE (ppb)	1,2-DCPA (ppb)	1,2-DCE (ppb)
MW-5 (cont)																	
12/23/92	8.35	4.77	3.58	38,000	8,400	910	530	5,300	--	--	<0.5	2.9	--	<0.5	--	--	--
03/22/93	8.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/07/93	8.35	-3.82	12.17	24,000	3,000	280	360	1,200	--	--	<0.5	<0.5	--	<0.5	--	--	--
09/10/93	8.35	-0.15	8.50	8,900	860	160	100	320	--	--	<5.0	<5.0	--	<5.0	--	--	--
03/07/94	8.35	5.30	3.05	9,600	2,100	380	120	290	--	--	<12.5	<12.5	--	<12.5	--	--	--
06/16/94	8.35	2.64	5.71	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/08/94	8.35	2.43	5.92	10,000	3,600	360	210	460	--	--	<0.5	<0.5	--	<0.5	1.2	--	2.0
09/08/94	8.35	3.04	5.31	14,000	2,800	270	170	360	--	--	<0.5	2.8	--	<0.5	--	--	--
11/29/94	8.35	5.72	2.63	11,000	2,800	280	130	300	--	--	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	--
03/21/95	8.35	7.41	0.94	6,700	1,400	120	100	260	--	--	<0.5	0.59	<0.5	<0.5	<0.5	<0.5	--
06/27/95	8.35	6.01	2.34	18,000	6,100	480	600	990	--	--	<10	<10	<10	<10	<10	<10	--
09/27/95	8.35	4.65	3.70	15,000	3,600	140	210	310	--	--	<25	<25	<25	<25	<25	<25	--
12/29/95	8.35	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/10/96	8.35	4.31	4.04	5,700	1,800	53	530	84	<100	--	--	--	--	--	--	--	--
12/19/96	8.35	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/97	8.35	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/03/97	--	--	4.46	21,000	6,800	4,100	610	1,900	530	--	--	--	--	--	--	--	--
06/29/97	10.99	5.90	5.09	16,000	5,300	1,900	530	1,600	<250	--	--	--	--	--	--	--	--
09/12/97	10.99	5.98	5.01	6,100	1,900	510	120	390	<25	--	--	--	--	--	--	--	--
12/05/97	10.99	5.36	5.63	52,000	11,000	7,700	1,400	3,600	920	--	--	--	--	--	--	--	--
02/21/98	10.99	6.34	4.65	55,000	13,000	11,000	450	3,300	1,200	--	--	--	--	--	--	--	--
06/24/98 ¹	10.99	5.51	5.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/17/98	10.99	6.05	4.94	5,700	4,100	1,500	210	81	<50	--	--	--	--	--	--	--	--
03/11/99	10.99	6.09	4.90	11,400	1590	2610	351	1,200	58.2	--	--	--	--	--	--	--	--
09/28/99	10.99	5.45	5.54	21,300	3,250	3,830	656	1,450	<500	--	--	--	--	--	--	--	--
03/10/00 ²	10.99	5.65	5.34	59,800	4,280	17,100	2,280	7,210	<1,000	--	--	--	--	--	--	--	--
08/29/00	10.99	5.96	5.03	42,000 ³	3,300	6,300	1,700	4,300	<1,000	--	--	--	--	--	--	--	--
03/21/01	10.99	5.79	5.20	26,000 ³	2,500	7,300	1,500	4,200	750	--	--	--	--	--	--	--	--
09/10/01 ⁴	10.99	5.91	5.08	300	29	50	7.7	66	<5.0	--	--	--	--	--	--	--	--
03/06/01 ⁴	10.99	6.21	4.78	32,000	2,500	6,900	1,800	5,300	<50	--	--	--	--	--	--	--	--
09/14/02 ⁴	10.99	6.06	4.93	55,000	2,800	8,400	3,200	8,300	160	--	--	--	--	--	--	--	--
03/28/03 ⁵	10.99	6.08	4.91	35,000	2,100	5,700	2,500	7,000	<63	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	Chloro-						
											form (ppb)	1,2-DCA (ppb)	Freon (ppb)	1,1,1-TCA (ppb)	PCE (ppb)	1,2-DCPA (ppb)	1,2-DCE (ppb)
MW-5 (cont)																	
09/02/03 ^{4,6}	10.99	5.76	5.23	680	130	98	54	200	<0.5	--	--	--	--	--	--	--	--
03/26/04 ^{4,6}	10.99	6.35	4.64	15,000	810	2,200	590	2,900	<1	--	--	--	--	--	--	--	--
09/13/04 ^{6,7}	10.99	5.35	5.64	4,800	280	220	170	950	<0.5	--	--	--	--	--	--	--	--
MW-6																	
07/06/90	6.56	-2.53	9.09	210	<0.3	<0.3	3.0	7.0	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	6.56	0.78	5.78	320	<0.3	0.3	1.0	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	6.56	-0.93	7.49	320	1.7	<0.5	2.1	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	6.56	-1.07	7.63	190	1.9	2.2	5.4	7.7	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	6.56	1.01	5.55	120	2.0	1.5	3.5	5.1	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	6.56	-0.38	6.94	160	1.1	0.6	0.9	1.0	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	6.56	-0.24	6.80	65	0.5	1.4	0.5	0.64	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	6.56	0.57	5.99	140	0.7	0.7	0.9	2.1	--	--	--	--	--	--	--	--	--
03/22/93	6.56	-0.51	7.07	71	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	6.56	-1.05	7.61	85	<0.5	<0.5	2.0	1.0	--	--	--	--	--	--	--	--	--
09/10/93	6.56	1.88	4.68	<50	<0.5	<0.5	1.0	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	6.56	1.34	5.22	<50	<0.5	<0.5	<0.5	0.8	--	--	--	--	--	--	--	--	--
06/16/94	6.56	2.39	4.17	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	6.56	1.96	4.60	70	<0.5	0.6	<0.5	2.3	--	--	--	--	--	--	--	--	--
11/29/94	6.56	0.03	6.53	120	<0.5	<0.5	1.3	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	6.56	-0.47	7.03	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	6.56	0.20	6.36	84	<0.5	<0.5	<0.5	1.1	--	--	--	--	--	--	--	--	--
09/27/95	6.56	2.21	4.35	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/29/95	6.56	0.41	6.15	<50	<0.5	<0.5	<0.5	<0.5	3.2	--	--	--	--	--	--	--	--
03/28/96	6.56	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/04/96	6.56	2.75	3.81	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/21/96	6.56	1.64	4.92	130	<0.5	<0.5	<0.5	0.66	<2.5	--	--	--	--	--	--	--	--
09/26/96	6.56	-0.18	6.74	130	<0.5	0.52	0.92	1.0	<2.5	--	--	--	--	--	--	--	--
12/19/96	6.56	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/97	6.56	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/29/97	10.23	3.45	6.78	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	Chloro-						
											form (ppb)	1,2-DCA (ppb)	Freon (ppb)	1,1,1-TCA (ppb)	PCE (ppb)	1,2-DCE (ppb)	
MW-6 (cont)																	
09/12/97	10.23	3.97	6.26	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/05/97	10.23	3.95	6.28	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
02/21/98	10.23	3.88	6.35	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
08/17/98	10.23	4.33	5.90	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/11/99	10.23	4.88	5.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/28/99	10.23	4.61	5.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/14/00	10.23	4.64	5.59	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/29/00	10.23	4.52	5.71	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/21/01	10.23	4.75	5.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/10/01	10.23	5.04	5.19	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/06/02	10.23	4.77	5.46	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/14/02	10.23	4.99	5.24	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/28/03	10.23	4.74	5.49	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/02/03 ⁴	10.23	4.43	5.80	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/26/04	10.23	UNABLE TO LOCATE - NEW LANDSCAPING IN AREA															
09/13/04	10.23	4.68	5.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-7																	
07/06/90	4.99	-0.86	5.85	<50	<0.3	<0.3	<0.3	<0.6	--	<1,000	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	4.99	-1.26	6.25	<50	<1.5	<1.5	<1.5	<3.0	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	4.99	-0.51	5.50	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	4.99	-0.74	5.73	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	4.99	0.15	4.84	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	4.99	0.10	4.89	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	4.99	-0.56	5.55	<50	<0.5	<0.5	<0.5	0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	4.99	0.12	4.87	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/22/93	4.99	0.94	4.05	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	4.99	0.36	4.63	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/10/93	4.99	-0.57	5.56	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	4.99	0.34	4.65	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/16/94	4.99	-0.08	5.07	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	Chloro-						
											form (ppb)	1,2-DCA (ppb)	Freon (ppb)	1,1,1-TCA (ppb)	PCE (ppb)	1,2-DCPA (ppb)	1,2-DCE (ppb)
MW-7 (cont)																	
09/08/94	4.99	-0.34	5.33	250	34	40	4.4	26	--	--	--	--	--	--	--	--	--
11/29/94	4.99	0.12	4.87	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	4.99	1.31	3.68	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	4.99	0.53	4.46	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/29/95	4.99	1.24	3.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/28/96	4.99	1.74	3.25	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/21/96	4.99	0.66	4.33	<50	<0.5	1.2	<0.5	<0.5	5.3	--	--	--	--	--	--	--	--
09/26/96	4.99	0.04	4.95	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/19/96	4.99	1.81	3.18	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/22/97	4.99	2.26	2.73	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/29/97	8.08	4.04	4.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
09/12/97	8.08	6.04	2.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/05/97	8.08	5.68	2.40	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
02/21/98	8.08	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/17/98	8.08	3.46	4.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/11/99	8.08	6.33	1.75	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/28/99	8.08	6.29	1.79	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/14/00	8.08	4.45	3.63	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/29/00	8.08	3.60	4.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/21/01	8.08	5.21	2.87	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/10/01	8.08	4.88	3.20	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/06/02	8.08	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/14/02	8.08	5.27	2.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/28/03	8.08	4.92	3.16	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/02/03 ⁴	8.08	4.59	3.49	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/26/04	8.08	5.14	2.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/13/04	8.08	3.72	4.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	Chloro-						
											form (ppb)	1,2-DCA (ppb)	Freon (ppb)	1,1,1-TCA (ppb)	PCE (ppb)	1,2-DCPA (ppb)	1,2-DCE (ppb)
MW-8																	
07/06/90	6.77	2.79	3.98	<50	<0.3	<0.3	<0.3	<0.6	--	<1,000	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	6.77	2.04	4.73	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	6.77	2.01	4.76	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	6.77	1.04	5.73	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	6.77	2.47	4.30	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	6.77	3.11	3.66	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	6.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/23/92	6.77	3.94	2.83	<50	<0.5	7.2	0.6	2.5	--	--	--	--	--	--	--	--	--
03/22/93	6.77	2.39	4.38	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	6.77	1.60	5.17	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/10/93	6.77	1.61	5.16	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	6.77	2.06	4.71	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/16/94	6.77	2.62	4.15	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	6.77	1.66	5.11	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
11/29/94	6.77	1.94	4.83	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	6.77	0.94	5.83	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	6.77	0.57	6.20	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	6.77	1.62	5.15	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/29/95	6.77	2.22	4.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/28/96	6.77	2.55	4.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/21/96	6.77	3.41	3.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/26/96	6.77	2.65	4.12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/19/96	6.77	3.83	2.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/97	6.77	3.88	2.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/29/97	9.88	6.92	2.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/12/97	9.88	7.11	2.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/05/97	9.88	7.16	2.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02/21/98	9.88	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
NOT MONITORED/SAMPLED																	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (pph)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (pph)	TOG (pph)	Chloro-						
											form (ppb)	1,2-DCA (ppb)	Freon (ppb)	1,1,1-TCA (ppb)	PCE (pph)	1,2-DCPA (ppb)	1,2-DCE (ppb)
MW-9																	
07/06/90	7.63	3.02	4.61	<50	<0.3	<0.3	<0.3	<0.6	--	<1,000	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	7.63	2.49	5.14	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	7.63	2.18	5.45	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	7.63	2.15	5.48	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	7.63	5.00	2.63	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	7.63	3.63	4.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	7.63	2.93	4.70	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	7.63	3.87	3.76	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/22/93	7.63	5.52	2.11	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	7.63	4.35	3.28	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/10/93	7.63	2.45	5.18	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	7.63	4.61	3.02	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/16/94	7.63	3.50	4.13	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	7.63	2.84	4.79	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
11/29/94	7.63	3.71	3.92	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	7.63	0.14	7.49	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--	--	--	--	--	--
06/27/95	7.63	5.73	1.90	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	7.63	3.68	3.95	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/29/95	7.63	5.08	2.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/28/96	7.63	5.43	2.20	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/21/96	7.63	4.98	2.65	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/26/96	7.63	4.27	3.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/19/96	7.63	5.02	2.61	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/97	7.63	5.30	2.33	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/29/97	10.74	7.85	2.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/12/97	10.74	7.33	3.41	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/05/97	10.74	8.00	2.74	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02/21/98	10.74	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
NOT MONITORED/SAMPLED																	

Table 1
Groundwater Monitoring Data and Analytical Results
 Former Chevron Service Station #9-0019
 210 Grand Avenue
 Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	BTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	Chloro- form (ppb)	1,2-DCA (ppb)	Freon (ppb)	1,1,1-TCA (ppb)	PCE (ppb)	1,2-DCPA (ppb)	1,2-DCE (ppb)
TRIP BLANK																	
12/08/89	--	--	--	<100	<0.1	<0.2	<0.1	<0.2	--	--	<0.5	<0.1	--	<0.1	--	--	--
06/09/89	--	--	--	<50	<0.5	<0.5	<0.1	<0.2	--	--	<0.5	<0.1	<20	<0.1	--	--	--
09/14/89	--	--	--	<50	<0.1	<0.5	<0.1	<0.2	--	--	<0.5	<0.1	<0.5	<0.1	--	--	--
12/08/89	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--	--	4.4	<0.5	--	1.9	--	--	--
03/19/90	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
07/06/90	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	--	--	--	<50	<0.3	<0.3	<0.3	1.0	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
11/22/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<0.5	--	--	--	--
02/26/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
05/22/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/29/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/23/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/22/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	--	--	--	<50	<0.5	<0.5	<0.5	1.0	--	--	--	--	--	--	--	--	--
09/10/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/16/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
11/29/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/29/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/28/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/21/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/19/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/22/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/29/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
09/12/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/05/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)	Chloro-						
											form (ppb)	1,2-DCA (ppb)	Freon (ppb)	1,1,1-TCA (ppb)	PCE (ppb)	1,2-DCPA (ppb)	1,2-DCE (ppb)
TRIP BLANK (cont)																	
02/21/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
08/17/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/11/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--	--	--	--	--	--	--
09/28/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--
03/14/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
08/29/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
03/21/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
09/10/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
QA																	
03/06/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
09/14/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
03/28/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
09/02/03 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/26/04 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/13/04 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to August 29, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

TOG = Total Oil and Grease

1,2-DCA = 1,2-Dichloroethane

1,1,1-TCA = 1,1,1-Trichloroethane

PCE = Trichloroethene

1,2-DCPA = 1,2-Dichloropropane

1,2-DCE = 1,2-Dichloroethene

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

(D) = Duplicate

(T) = Triplicate

QA = Quality Assurance/Trip Blank

¹ ORC installed.

² Results reported were generated out of hold time.

³ Laboratory report indicates gasoline C6-C12.

⁴ ORC present in well.

⁵ Absorbent sock in well.

⁶ BTEX and MTBE by EPA Method 8260.

⁷ Removed ORC from well.

Table 2
Dissolved Oxygen Concentrations
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID	DATE	Pre-purge (mg/L)	Post-purge (mg/L)
MW-4	09/10/01	2.60	--
MW-5	08/29/00	2.04	--
	03/21/01	4.60	--
	09/10/01	1.90	--
	03/06/02	2.10	--
	09/14/02	2.60	--
	03/28/03	0.30	--
	09/02/03	0.10	--
	03/26/04	1.20	--

EXPLANATIONS:

(mg/L) = Milligrams per liter
-- = Not Measured

Table 3
Groundwater Analytical Results-Oxygenate Compounds
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)
MW-4						
09/28/99	<1,000	<200	<2.0	<2.0	<2.0	<2.0
09/02/03	--	--	<0.5	--	--	--
03/26/04	--	--	<0.5	--	--	--
09/13/04	--	--	<0.5	--	--	--
MW-5						
09/28/99	<20,000	<4,000	<40	<40	<40	<40
09/02/03	--	--	<0.5	--	--	--
03/26/04	--	--	<1	--	--	--
09/13/04	--	--	<0.5	--	--	--
TB						
09/28/99	<1,000	<200	<2.0	<2.0	<2.0	<2.0

EXPLANATIONS:

Groundwater laboratory analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

- TBA = Tertiary butyl alcohol
- MTBE = Methyl tertiary butyl ether
- DIPE = Di-isopropyl ether
- ETBE = Ethyl tertiary butyl ether
- TAME = Tertiary amyl methyl ether
- (ppb) = Parts per billion
- = Not Analyzed

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by ChevronTexaco Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0019 Job Number: 386500
 Site Address: 210 Grand Avenue Event Date: 9-13-04 (inclusive)
 City: Oakland, CA Sampler: Joe

Well ID: MW-4 Date Monitored: 9-13-04 Well Condition: OK
 Well Diameter: 2 1/4 in.
 Total Depth: 13.82 ft.
 Depth to Water: 5.20 ft.
8.62 xVF 0.66 = 5.69 x3 case volume = Estimated Purge Volume: 17 gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0715 Weather Conditions: Clear
 Sample Time/Date: 0740 9-13-04 Water Color: Clear Odor: none
 Purging Flow Rate: 1.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0725</u>	<u>6</u>	<u>6.96</u>	<u>4.11</u>	<u>69.5</u>		
<u>0729</u>	<u>11</u>	<u>7.10</u>	<u>3.68</u>	<u>70.0</u>		
<u>0733</u>	<u>17</u>	<u>7.14</u>	<u>3.72</u>	<u>70.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>

COMMENTS: Removed & disposed ORC socks.

Add/Replaced Lock: Add/Replaced Plug: Size: 4"



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0019 Job Number: 386500
 Site Address: 210 Grand Avenue Event Date: 9-13-04 (inclusive)
 City: Oakland, CA Sampler: Soc

Well ID: MW-5 Date Monitored: 9-13-04 Well Condition: o.k.
 Well Diameter: 2 1/4 in.
 Total Depth: 9.93 ft.
 Depth to Water: 5.64 ft.
4.29 xVF 0.66 = 2.83 x3 case volume = Estimated Purge Volume: 8.5 gal.

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0747 Weather Conditions: clear
 Sample Time/Date: 0820 9-13-04 Water Color: clear Odor: mild
 Purging Flow Rate: 2.5 gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
<u>0800</u>	<u>3</u>	<u>6.72</u>	<u>1.87</u>	<u>69.8</u>	_____	_____
<u>0805</u>	<u>5</u>	<u>6.77</u>	<u>1.61</u>	<u>65.2</u>	_____	_____
<u>0809</u>	<u>8.5</u>	<u>6.71</u>	<u>1.63</u>	<u>65.3</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: Removed & disposed ORC socks

Add/Replaced Lock:

Add/Replaced Plug: Size: 4"



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0019
 Site Address: 210 Grand Avenue
 City: Oakland, CA

Job Number: 386500
 Event Date: 9-13-04 (inclusive)
 Sampler: SoC

Well ID: MW-6 Date Monitored: 9-13-04 Well Condition: O.K.
 Well Diameter: (2) 1 4 in.
 Total Depth: 7.99 ft.
 Depth to Water: 5.55 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF _____ = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	<u>0</u> ft
Visual Confirmation/Description:	_____
Skimmer / Absorbent Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal
Product Transferred to:	_____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (u mhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voe vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: in. only

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility #: ChevronTexaco #9-0019 Job Number: 386500
 Site Address: 210 Grand Avenue Event Date: 9-13-04 (inclusive)
 City: Oakland, CA Sampler: Joe

Well ID: MW-7 Date Monitored: 9-13-04 Well Condition: OK
 Well Diameter: 2.14 in.
 Total Depth: 9.87 ft.
 Depth to Water: 4.36 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

xVF = _____ x3 case volume= Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: _____
 Purging Flow Rate: gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal.

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm)	Temperature (C/F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)

COMMENTS: no only

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Size: _____

Chevron California Region Analysis Request/Chain of Custody



091704-04

Acct. #: 10904

For Lancaster Laboratories use only

Sample #: 4353094-916

Group# 912237

SCR#:

Facility #: <u>SS#9-0019 G-R#386500 Global ID#T0600100313</u> Site Address: <u>210 GRAND AVENUE, OAKLAND, CA</u> Chevron PM: <u>KS</u> Lead Consultant: <u>CAMBRIA</u> Consultant/Office: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568</u> Consultant Prj. Mgr.: <u>Deanna L. Harding (deanna@grinc.com)</u> Consultant Phone: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>JOE ASEMIAN</u> Service Order #: _____ <input type="checkbox"/> Non SAR: _____				Matrix <input type="checkbox"/> Potable Water <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested <table border="1" style="width: 100%; border-collapse: collapse; font-size: 8pt;"> <tr> <th colspan="2">Preservation Codes</th> <th colspan="10"></th> </tr> <tr> <td>H</td><td>N</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td> </tr> <tr> <td colspan="2">BTEX + MTBE 8260 8021</td> <td colspan="10"></td> </tr> <tr> <td colspan="2">TPH 8015 MOD GRO</td> <td colspan="10"></td> </tr> <tr> <td colspan="2">TPH 8015 MOD DRO</td> <td colspan="10"></td> </tr> <tr> <td colspan="2">8260 full scan</td> <td colspan="10"></td> </tr> <tr> <td colspan="2">Oxygenates</td> <td colspan="10"></td> </tr> <tr> <td colspan="2">Lead 7420</td> <td colspan="10"></td> </tr> <tr> <td colspan="2">7421</td> <td colspan="10"></td> </tr> </table>										Preservation Codes												H	N											<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BTEX + MTBE 8260 8021												TPH 8015 MOD GRO												TPH 8015 MOD DRO												8260 full scan												Oxygenates												Lead 7420												7421												Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy s on highest hit <input type="checkbox"/> Run ___ oxy s on all hits	
Preservation Codes																																																																																																																																									
H	N																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																														
BTEX + MTBE 8260 8021																																																																																																																																									
TPH 8015 MOD GRO																																																																																																																																									
TPH 8015 MOD DRO																																																																																																																																									
8260 full scan																																																																																																																																									
Oxygenates																																																																																																																																									
Lead 7420																																																																																																																																									
7421																																																																																																																																									
Sample Identification			Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers											Comments / Remarks																																																																																																																			
QA					✓						2																																																																																																																														
MW-4			9-13-04	0740	✓						6																																																																																																																														
MW-5			"	0820	✓						6																																																																																																																														
Turnaround Time Requested (TAT) (please circle)			Relinquished by: _____ Date: <u>9-13-04</u> Time: <u>1200</u>		Received by: _____ Date: <u>9/14/04</u> Time: <u>1442</u>		Relinquished by: _____ Date: <u>9/14/04</u> Time: <u>1530</u>		Received by: _____ Date: <u>9/14/04</u> Time: <u>1530</u>		Relinquished by: _____ Date: <u>9/15/04</u> Time: <u>1430</u>		Received by: _____ Date: <u>9/15/04</u> Time: _____		Relinquished by Commercial Carrier: _____ Date: _____ Time: _____		Received by: _____ Date: _____ Time: _____		UPS _____ FedEx _____ Other _____ Date: <u>9-16-04</u> Time: <u>0840</u>		Temperature Upon Receipt: <u>29-3</u> °C		Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																																																																																																																		
STD. TAT. 72 hour 48 hour 24 hour 4 day 5 day			Data Package Options (please circle if required) QC Summary Type I — Full Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk																																																																																																																																						



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2661 • www.lancasterlabs.com

ANALYTICAL RESULTS

Prepared for:

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583.

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 912237. Samples arrived at the laboratory on Thursday, September 16, 2004. The PO# for this group is 99011184 and the release number is STREICH.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
QA-T-040913	NA Water	4353094
MW-4-W-040913	Grab Water	4353095
MW-5-W-040913	Grab Water	4353096

1 COPY TO Cambria C/O Gettler- Ryan
ELECTRONIC Gettler-Ryan
COPY TO

Attn: Deanna L. Harding
Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax 717-656-2661 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Megan A Moeller at (717) 656-2300.

Respectfully Submitted,

A handwritten signature in cursive script that reads "Victoria M. Martell".

Victoria M. Martell
Chemist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4353094

QA-T-040913 NA Water
Facility# 90019 Job# 386500 GRD
210 Grand Ave-Oakland T0600100313 QA
Collected: 09/13/2004

Account Number: 10904

Submitted: 09/16/2004 08:40
Reported: 09/23/2004 at 13:38
Discard: 10/24/2004

ChevronTexaco
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

GRAQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/17/2004 14:13	Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	09/22/2004 03:02	Elizabeth M Taylor	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/17/2004 14:13	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/22/2004 03:02	Elizabeth M Taylor	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4353095

MW-4-W-040913 Grab^u Water
 Facility# 90019 Job# 386500 GRD
 210 Grand Ave-Oakland T0600100313 MW-4
 Collected: 09/13/2004 07:40 by JA

Account Number: 10904

Submitted: 09/16/2004 08:40
 Reported: 09/23/2004 at 13:38
 Discard: 10/24/2004

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

GRAM4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/17/2004 14:42	Michael F Barrow	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	09/22/2004 05:18	Elizabeth M Taylor	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/17/2004 14:42	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030B	1	09/22/2004 05:18	Elizabeth M Taylor	n.a.



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW 4353096

MW-5-W-040913 Grab Water
 Facility# 90019 Job# 386500 GRD
 210 Grand Ave-Oakland T0600100313 MW-5
 Collected: 09/13/2004 08:20 by JA

Account Number: 10904

Submitted: 09/16/2004 08:40
 Reported: 09/23/2004 at 13:38
 Discard: 10/24/2004

ChevronTexaco
 6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

GRAM5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01728	TPH-GRO - Waters	n.a.	4,800.	250.	ug/l	5
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	280.	5.	ug/l	10
05407	Toluene	108-88-3	220.	5.	ug/l	10
05415	Ethylbenzene	100-41-4	170.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	950.	5.	ug/l	10

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01728	TPH-GRO - Waters	N. CA LUFT Gasoline Method	1	09/17/2004 19:31	Michael F Barrow	5
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	09/22/2004 05:43	Elizabeth M Taylor	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	09/22/2004 06:07	Elizabeth M Taylor	10
01146	GC VOA Water Prep	SW-846 5030E	1	09/17/2004 19:31	Michael F Barrow	n.a.
01163	GC/MS VOA Water Prep	SW-846 5030E	1	09/22/2004 05:43	Elizabeth M Taylor	n.a.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 09/23/04 at 01:38 PM

Group Number: 912237

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 04261A08A TPH-GRO - Waters	N.D.	50.	Sample number(s): 4353094-4353095 ug/l	90	107	70-130	17	30
Batch number: 04261A08B TPH-GRO - Waters	N.D.	50.	Sample number(s): 4353096 ug/l	90	107	70-130	17	30
Batch number: Z042653AA Methyl Tertiary Butyl Ether	N.D.	0.5	Sample number(s): 4353095-4353096 ug/l	92		77-127		
Benzene	N.D.	0.5	ug/l	90		85-117		
Toluene	N.D.	0.5	ug/l	89		85-115		
Ethylbenzene	N.D.	0.5	ug/l	88		82-119		
Xylene (Total)	N.D.	0.5	ug/l	89		83-113		
Batch number: Z042654AA Methyl Tertiary Butyl Ether	N.D.	0.5	Sample number(s): 4353094 ug/l	90		77-127		
Benzene	N.D.	0.5	ug/l	85		85-117		
Toluene	N.D.	0.5	ug/l	86		85-115		
Ethylbenzene	N.D.	0.5	ug/l	85		82-119		
Xylene (Total)	N.D.	0.5	ug/l	86		83-113		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 04261A08A TPH-GRO - Waters			Sample number(s): 4353094-4353095 63-154						
Batch number: 04261A08B TPH-GRO - Waters			Sample number(s): 4353096 63-154						
Batch number: Z042653AA Methyl Tertiary Butyl Ether	67	91	69-134	2	30				
Benzene	127	116	83-128	6	30				
Toluene	109	106	83-127	2	30				
Ethylbenzene	96	98	82-129	2	30				
Xylene (Total)	104	102	82-130	1	30				
Batch number: Z042654AA Methyl Tertiary Butyl Ether	68	87	69-134	2	30				
Benzene	90	86	83-128	5	30				
Toluene	91	90	83-127	1	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Quality Control Summary

 Client Name: ChevronTexaco
 Reported: 09/23/04 at 01:38 PM

Group Number: 912237

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD RPD	BKG MAX Conc	DUP Conc	DUP RPD	Dup RPD Max
Ethylbenzene	88	88	82-129	0	30			
Xylene (Total)	88	86	82-130	2	30			

Surrogate Quality Control

 Analysis Name: TPH-GRO - Waters
 Batch number: 04261A08A
 Trifluorotoluene-F

4353094	105
4353095	104
Blank	98
LCS	112
LCSD	118
MS	103

Limits: 57-146

 Analysis Name: TPH-GRO - Waters
 Batch number: 04261A08B
 Trifluorotoluene-F

4353096	113
Blank	106
LCS	112
LCSD	118
MS	103

Limits: 57-146

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: Z042653AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4353095	96	89	96	86
4353096	97	90	96	93
Blank	96	95	96	88
LCS	96	93	94	92
MS	96	88	95	92
MSD	96	90	96	94

Limits: 81-120 82-112 85-112 83-113

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: Z042654AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
4353094	99	93	99	92
Blank	100	97	98	92
LCS	99	97	98	97
MS	100	92	98	97
MSD	100	91	100	98

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Quality Control Summary

Client Name: ChevronTexaco
Reported: 09/23/04 at 01:38 PM

Group Number: 912237

Surrogate Quality Control

Limits:	81-120	82-112	85-112	83-113
---------	--------	--------	--------	--------

* - Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value - The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

A	TIC is a possible aldol-condensation product
B	Analyte was also detected in the blank
C	Pesticide result confirmed by GC/MS
D	Compound quantitated on a diluted sample
E	Concentration exceeds the calibration range of the instrument
N	Presumptive evidence of a compound (TICs only)
P	Concentration difference between primary and confirmation columns $>25\%$
U	Compound was not detected
X,Y,Z	Defined in case narrative

Inorganic Qualifiers

B	Value is $<$ CRDL, but \geq IDL
E	Estimated due to interference
M	Duplicate injection precision not met
N	Spike sample not within control limits
S	Method of standard additions (MSA) used for calculation
U	Compound was not detected
W	Post digestion spike out of control limits
*	Duplicate analysis not within control limits
+	Correlation coefficient for MSA <0.995

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.