



RECEIVED

9:30 am, May 04, 2010

Alameda County
Environmental Health

Stacie H. Frerichs
Team Lead
Marketing Business Unit

**Chevron Environmental
Management Company**
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-9655
Fax (925) 842-8370

May 3, 2010
(date)

Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Chevron Facility # 9-0019

Address: 210 Grand Avenue, Oakland, California

I have reviewed the attached report titled First Semi-Annual 2010 Groundwater Monitoring Report and dated May 3, 2010.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

Stacie H. Frerichs
Project Manager

Enclosure: Report



**CONESTOGA-ROVERS
& ASSOCIATES**

10969 Trade Center Drive, Suite 106, Rancho Cordova, CA 95670
Telephone: 916-889-8900 Facsimile: 916-889-8999
www.CRAworld.com

May 3, 2010

Reference No. 632327

Mr. Mark Detterman, P.G., C.E.G.
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: First Semi-Annual 2010 Groundwater Monitoring Report
Former Chevron Service Station No. 9-0019
210 Grand Avenue
Oakland, California
LOP Case RO0000137

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) is submitting the attached *Groundwater Monitoring and Sampling Report* (report) on behalf of Chevron Environmental Management Company (Chevron) for the site referenced above. The report (prepared by Gettler-Ryan Inc. and dated March 25, 2010) presents the results of the first semi-annual 2010 monitoring event. Monitoring of wells MW-4 and MW-5 is performed on a semi-annual basis during the first and third quarters. Also attached are Figure 1 (Vicinity Map) showing the site location, and Figure 2 (Concentration Map) presenting the first semi-annual 2010 analytical results along with a rose diagram.

Please contact Mr. James Kiernan at (916) 889-8917 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Christopher J. Benedict

James P. Kiernan, P.E. C68498

CB/jt/6
Encl.


Figure 1	Vicinity Map
Figure 2	Concentration Map - March 4, 2010
Attachment A	Groundwater Monitoring and Sampling Report

cc: Ms Stacie Frerichs, Chevron
Mr. Ron Basarich, CEDA Real Estate City of Oakland



Equal
Employment
Opportunity Employer

FIGURES






SOURCE: TOPO! MAPS.

figure 1

VICINITY MAP
 FORMER CHEVRON SERVICE STATION 9-0019
 210 GRAND AVENUE
 Oakland, California





HISTORICAL GROUNDWATER FLOW DIRECTION

- LEGEND**
- MW-4 ● MONITORING WELL LOCATION
 - MW-1 ◐ ABANDONED MONITORING WELL LOCATION
 - 4 ☒ APPROXIMATE EXCAVATION SOIL SAMPLE LOCATION
 - S-1 ☒ APPROXIMATE SHALLOW SOIL SAMPLE LOCATION (1995)
 - ☒ APPROXIMATE EXTENT OF EXCAVATION (DEPTH VARIES)
 - (440) TPHg CONCENTRATION (ug/L)
 - (0.9) BENZENE CONCENTRATION (ug/L)
 - (18) MTBE CONCENTRATION (ug/L)
 - (NS) NOT SAMPLED

figure 2
CONCENTRATION MAP - MARCH 4, 2010
 FORMER CHEVRON SERVICE STATION 9-0019
 210 GRAND AVENUE
 Oakland, California



BASEMAP MODIFIED FROM DRAWING PROVIDED BY GETTLER-RYAN

ATTACHMENT A

GROUNDWATER MONITORING AND SAMPLING REPORT



GETTLER-RYAN INC.



TRANSMITTAL

April 2, 2010
G-R #386500

TO: Mr. James Kiernan
Conestoga-Rovers & Associates
10969 Trade Center Dr, Suite 107
Rancho Cordova, CA 95670

CC: Ms. Stacie H. Frerichs
Chevron Environmental
Management Company
6111 Bollinger Canyon Road,
Room 3596
San Ramon, California 94583
(VIA PDF)

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Former Chevron Service Station
#9-0019 (MTI)
210 Grand Avenue
Oakland, California
RO 0000137**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	March 25, 2010	Groundwater Monitoring and Sampling Report First Semi-Annual Event of March 4, 2010

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to *April 16, 2010*, at which time this final report will be distributed to the following:

cc: Mr. Mark Detterman, Alameda County Health Care Services, Dept. of Environmental Health,
1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
(No Hard Copy-UPLOAD TO ALAMEDA CO.)
Mr. Ron Basarich, CEDA Real Estate City of Oakland, 250 Frank Ogawa Plaza, Suite 4314, Oakland,
California 94612-2033

Enclosures

trans/9-0019-SHF



Stacie H. Frerichs
Team Lead
Marketing Business Unit

Chevron Environmental
Management Company
6001 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 842-9655
Fax (925) 842-8370

April 2, 2010
(date)

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Facility # 9-0019

Address: 210 Grand Ave., Oakland, California

I have reviewed the attached routine groundwater monitoring report dated April 2, 2010.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan, Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Stacie H. Frerichs".

Stacie H. Frerichs
Project Manager

Enclosure: Report

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-0019
 Site Address: 210 Grand Avenue
 City: Oakland, CA

Job #: 386500
 Event Date: 3-4-10
 Sampler: Joe

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges <i>B= Broken S= Stripped R=Retap</i>	APRON Condition <i>C=Cracked B=Broken G=Gone</i>	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-4	O.K	O.K	O.K	O.K	O.K	O.K	O.K	N	N	12" Diversified/2	No
MW-5	↓	↓	↓	↓	↓	↓	↓	↓	↓	12" EMCO/2	↓
MW-6	↓	↓	↓	↓	↓	↓	↓	↓	↓	8" Boost. L. / 3	↓
MW-7	↓	N/A	N/A	N/A	↓	↓	↓	↓	↓	8" Monument box	↓

Comments _____



GETTLER-RYAN INC.



March 25, 2010
G-R Job #386500

Ms. Stacie H. Frerichs
Chevron Environmental Management Company
6111 Bollinger Canyon Road, Room 3596
San Ramon, CA 94583

RE: First Semi-Annual Event of March 4, 2010
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

Dear Ms. Frerichs:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
- FOR -


Deanna L. Harding
Project Coordinator

Douglas J. Lee
Douglas J. Lee

Senior Geologist, P.G. No. 6882



Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Dissolved Oxygen Concentrations
Table 3: Groundwater Analytical Results - Oxygenate Compounds
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-0019
 210 Grand Avenue
 Oakland, California

FIGURE
1

PROJECT NUMBER 386500	REVIEWED BY	DATE March 4, 2010	REVISED DATE
---------------------------------	-------------	-----------------------	--------------

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-4																	
03/14/89	7.60	2.08	5.52	3,000	810	200	30	130	--	<3,000	<20	<5.0	<20	<5.0	--	--	--
06/08/89	7.60	3.41	4.19	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/09/89	7.60	--	--	900	440	13	22	40	--	--	<20	<5.0	60	<5.0	--	--	--
09/14/89	7.60	2.80	4.80	540	220	2.0	6.1	9.3	--	--	<1.0	2.3	<1.0	<0.2	--	--	--
12/08/89	7.60	2.74	4.86	150	18	<0.3	1.0	<0.6	--	--	<0.5	1.9	--	<0.5	--	--	--
03/19/90	7.60	2.95	4.65	270	50	<0.3	0.7	<0.6	--	--	<0.5	0.8	--	<0.5	--	--	--
07/06/90	7.59	1.17	6.42	140	0.7	<0.3	0.5	<0.6	--	--	<0.5	0.79	--	<0.5	--	--	--
10/03/90	7.59	1.20	6.39	180	<0.3	<0.3	2.0	<0.6	--	--	<0.5	0.5	--	<0.5	--	--	--
08/23/91	7.59	3.17	4.42	400	9.9	6.8	3.1	7.1	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	7.59	2.21	5.38	130	3.4	1.3	3.5	6.0	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	7.59	4.94	2.65	520	15	2.7	6.1	8.6	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	7.59	3.63	3.96	460	20	2.8	5.0	6.9	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	7.59	2.91	4.68	160	1.1	1.7	0.8	2.8	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	7.59	3.96	3.63	110	0.7	0.5	0.9	1.7	--	--	--	--	--	--	--	--	--
03/22/93	7.59	4.69	2.90	930	9.0	3.0	7.0	8.0	--	--	--	--	--	--	--	--	--
06/07/93	7.59	3.70	3.89	240	2.0	0.9	3.0	3.0	--	--	--	--	--	--	--	--	--
09/10/93	7.59	3.07	4.52	<50	<0.5	<0.5	0.8	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	7.59	4.44	3.15	550	3.0	3.0	8.0	12	--	--	--	--	--	--	--	--	--
06/16/94	7.59	3.51	4.08	150	<0.5	0.6	1.5	0.7	--	--	--	--	--	--	--	--	--
09/08/94	7.59	3.04	4.55	<50	<0.5	<0.5	<0.5	1.2	--	--	--	--	--	--	--	--	--
11/29/94	7.59	4.74	2.85	130	<0.5	1.1	<0.5	0.58	--	--	--	--	--	--	--	--	--
03/21/95	7.59	5.89	1.70	720	2.2	<2.0	5.9	<2.0	--	--	--	--	--	--	--	--	--
06/27/95	7.59	4.21	3.38	100	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	7.59	3.84	3.75	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/29/95	7.59	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/10/96	7.59	3.71	3.88	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/19/96	7.59	2.53	5.06	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/22/97	7.59	3.42	4.17	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/29/97	10.03	5.76	4.27	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
09/12/97	10.03	5.61	4.42	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/05/97	10.03	5.57	4.46	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
02/21/98	10.03	5.92	4.11	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
08/17/98	10.03	5.61	4.42	120	5.4	7.8	3.0	28	7.4	--	--	--	--	--	--	--	--
03/11/99	10.03	5.69	4.34	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--	--	--	--	--	--	--
09/28/99	10.03	4.50	5.53	<50	<0.5	0.69	<0.5	0.901	<5.0	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-4 (cont)																	
03/14/00	10.03	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/29/00	10.03	4.71	5.32	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
03/21/01	10.03	5.11	4.92	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
09/10/01 ⁴	10.03	4.65	5.38	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
03/06/02 ⁴	10.03	5.06	4.97	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
09/14/02 ⁴	10.03	4.86	5.17	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
03/28/03 ⁵	10.03	4.85	5.18	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	--	--	--	--	--	--	--
09/02/03 ^{4,6}	10.03	4.53	5.50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/26/04 ^{4,6}	10.03	5.22	4.81	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/13/04 ^{6,7}	10.03	4.83	5.20	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/02/05 ⁶	10.03	6.13	3.90	<50	<0.5	1	<0.5	2	<0.5	--	--	--	--	--	--	--	--
09/22/05 ⁶	10.03	5.56	4.47	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/30/06 ⁶	10.03	6.42	3.61	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
08/28/06 ⁶	10.03	5.22	4.81	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/05/07 ⁶	10.03	6.01	4.02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/24/07 ⁶	10.03	5.53	4.50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/06/08 ⁶	10.03	5.43	4.60	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/16/08 ⁶	10.03	5.51	4.52	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/02/09 ⁶	10.03	6.22	3.81	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/16/09 ⁶	10.03	4.76	5.27	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/04/10 ⁶	10.03	5.55	4.48	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
MW-5																	
03/14/89	8.35	1.37	6.98	20,000	6,600	1,600	270	1,100	--	<3,000	<100	<20	<20	<20	--	--	--
06/08/89	8.35	3.62	4.73	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/09/89	8.35	--	--	15,000	>2,800	270	240	640	--	--	<20	28	<20	<5.0	--	--	--
06/09/89 (D)	8.35	--	--	12,000	5,100	300	240	700	--	--	<200	<50	<20	<50	--	--	--
09/14/89	8.35	2.98	5.37	15,000	>730	>320	>290	440	--	--	<10	<2.0	<20	<2.0	--	--	--
09/14/89 (D)	8.35	--	--	15,000	3,300	450	490	730	--	--	<100	<20	100	<20	--	--	--
09/14/89 (T)	8.35	--	--	16,000	3,100	550	400	690	--	--	<50	<10	<50	<10	--	--	--
12/08/89	8.35	-0.78	9.13	20,000	4,600	640	390	1,300	--	--	<0.5	27	--	<0.5	--	--	--
03/19/90	8.35	3.23	5.12	25,000	6,500	1,200	450	2,200	--	--	<0.5	10	--	0.7	--	--	--
07/06/90	8.35	2.54	5.81	30,000	5,600	890	210	1,400	--	--	<0.5	<0.5	--	<0.5	1.2	--	--
10/03/90	8.35	1.45	6.90	29,000	6,000	790	270	1,500	--	--	<0.5	<0.5	--	<0.5	--	2.0	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-5 (cont)																	
08/23/91	8.35	3.30	5.05	36,000	6,100	1,200	460	2,600	--	--	<0.5	3.9	--	<0.5	--	0.9	--
11/22/91	8.35	2.10	6.25	21,000	8,000	1,500	530	2,600	--	--	<0.5	3.9	<0.5	<0.5	1.0	0.8	--
02/26/92	8.35	5.35	3.00	43,000	14,000	1,600	640	4,700	--	--	<0.5	2.0	<0.5	<0.5	--	--	--
05/22/92	8.35	3.86	4.49	72,000	18,000	8,100	920	10,000	--	--	<0.5	6.8	<0.5	<0.5	--	--	--
09/29/92	8.35	3.50	4.85	54,000	14,000	1,400	740	8,100	--	--	<0.5	4.4	--	<0.5	--	--	--
12/23/92	8.35	4.77	3.58	38,000	8,400	910	530	5,300	--	--	<0.5	2.9	--	<0.5	--	--	--
03/22/93	8.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/07/93	8.35	-3.82	12.17	24,000	3,000	280	360	1,200	--	--	<0.5	<0.5	--	<0.5	--	--	--
09/10/93	8.35	-0.15	8.50	8,900	860	160	100	320	--	--	<5.0	<5.0	--	<5.0	--	--	--
03/07/94	8.35	5.30	3.05	9,600	2,100	380	120	290	--	--	<12.5	<12.5	--	<12.5	--	--	--
06/16/94	8.35	2.64	5.71	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/08/94	8.35	2.43	5.92	10,000	3,600	360	210	460	--	--	<0.5	<0.5	--	<0.5	1.2	--	2.0
09/08/94	8.35	3.04	5.31	14,000	2,800	270	170	360	--	--	<0.5	2.8	--	<0.5	--	--	--
11/29/94	8.35	5.72	2.63	11,000	2,800	280	130	300	--	--	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	--
03/21/95	8.35	7.41	0.94	6,700	1,400	120	100	260	--	--	<0.5	0.59	<0.5	<0.5	<0.5	<0.5	--
06/27/95	8.35	6.01	2.34	18,000	6,100	480	600	990	--	--	<10	<10	<10	<10	<10	<10	--
09/27/95	8.35	4.65	3.70	15,000	3,600	140	210	310	--	--	<25	<25	<25	<25	<25	<25	--
12/29/95	8.35	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/10/96	8.35	4.31	4.04	5,700	1,800	53	530	84	<100	--	--	--	--	--	--	--	--
12/19/96	8.35	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/97	8.35	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/03/97	--	--	4.46	21,000	6,800	4,100	610	1,900	530	--	--	--	--	--	--	--	--
06/29/97	10.99	5.90	5.09	16,000	5,300	1,900	530	1,600	<250	--	--	--	--	--	--	--	--
09/12/97	10.99	5.98	5.01	6,100	1,900	510	120	390	<25	--	--	--	--	--	--	--	--
12/05/97	10.99	5.36	5.63	52,000	11,000	7,700	1,400	3,600	920	--	--	--	--	--	--	--	--
02/21/98	10.99	6.34	4.65	55,000	13,000	11,000	450	3,300	1,200	--	--	--	--	--	--	--	--
06/24/98 ¹	10.99	5.51	5.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/17/98	10.99	6.05	4.94	5,700	4,100	1,500	210	81	<50	--	--	--	--	--	--	--	--
03/11/99	10.99	6.09	4.90	11,400	1590	2610	351	1,200	58.2	--	--	--	--	--	--	--	--
09/28/99	10.99	5.45	5.54	21,300	3,250	3,830	656	1,450	<500	--	--	--	--	--	--	--	--
03/10/00 ²	10.99	5.65	5.34	59,800	4,280	17,100	2,280	7,210	<1,000	--	--	--	--	--	--	--	--
08/29/00	10.99	5.96	5.03	42,000 ³	3,300	6,300	1,700	4,300	<1,000	--	--	--	--	--	--	--	--
03/21/01	10.99	5.79	5.20	26,000 ³	2,500	7,300	1,500	4,200	750	--	--	--	--	--	--	--	--
09/10/01 ⁴	10.99	5.91	5.08	300	29	50	7.7	66	<5.0	--	--	--	--	--	--	--	--
03/06/01 ⁴	10.99	6.21	4.78	32,000	2,500	6,900	1,800	5,300	<50	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-BCPA (µg/L)	1,2-DCE (µg/L)
MW-5 (cont)																	
09/14/02 ⁴	10.99	6.06	4.93	55,000	2,800	8,400	3,200	8,300	160	--	--	--	--	--	--	--	--
03/28/03 ⁵	10.99	6.08	4.91	35,000	2,100	5,700	2,500	7,000	<63	--	--	--	--	--	--	--	--
09/02/03 ^{4,6}	10.99	5.76	5.23	680	130	98	54	200	<0.5	--	--	--	--	--	--	--	--
03/26/04 ^{4,6}	10.99	6.35	4.64	15,000	810	2,200	590	2,900	<1	--	--	--	--	--	--	--	--
09/13/04 ^{6,7}	10.99	5.35	5.64	4,800	280	220	170	950	<0.5	--	--	--	--	--	--	--	--
03/02/05 ⁶	10.99	6.67	4.32	39,000	2,900	5,700	2,700	7,900	<3	--	--	--	--	--	--	--	--
09/22/05 ⁶	10.99	5.19	5.80	12,000	640	500	190	880	<0.5	--	--	--	--	--	--	--	--
03/30/06 ⁶	10.99	6.89	4.10	57,000	1,700	4,500	3,500	9,500	<5	--	--	--	--	--	--	--	--
08/28/06 ⁶	10.99	6.03	4.96	41,000	2,700	580	2,400	5,300	<5	--	--	--	--	--	--	--	--
03/05/07 ⁶	10.99	6.59	4.40	25,000	1,800	930	1,600	2,600	<1	--	--	--	--	--	--	--	--
09/24/07 ⁶	10.99	6.09	4.90	13,000	1,200	220	930	860	<2	--	--	--	--	--	--	--	--
03/06/08 ⁶	10.99	6.11	4.88	22,000	1,100	1,700	1,100	4,300	<3	--	--	--	--	--	--	--	--
09/16/08 ⁶	10.99	6.01	4.98	11,000	460	200	390	1,200	<0.5	--	--	--	--	--	--	--	--
03/02/09 ⁶	10.99	6.74	4.25	25,000	450	1,600	2,000	6,000	<3	--	--	--	--	--	--	--	--
09/16/09 ⁶	10.99	5.28	5.71	990	38	30	28	120	<0.5	--	--	--	--	--	--	--	--
03/04/10 ⁶	10.99	5.97	5.02	540	9	10	0.7	82	<0.5	--	--	--	--	--	--	--	--
MW-6																	
07/06/90	6.56	-2.53	9.09	210	<0.3	<0.3	3.0	7.0	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	6.56	0.78	5.78	320	<0.3	0.3	1.0	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	6.56	-0.93	7.49	320	1.7	<0.5	2.1	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	6.56	-1.07	7.63	190	1.9	2.2	5.4	7.7	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	6.56	1.01	5.55	120	2.0	1.5	3.5	5.1	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	6.56	-0.38	6.94	160	1.1	0.6	0.9	1.0	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	6.56	-0.24	6.80	65	0.5	1.4	0.5	0.64	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	6.56	0.57	5.99	140	0.7	0.7	0.9	2.1	--	--	--	--	--	--	--	--	--
03/22/93	6.56	-0.51	7.07	71	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	6.56	-1.05	7.61	85	<0.5	<0.5	2.0	1.0	--	--	--	--	--	--	--	--	--
09/10/93	6.56	1.88	4.68	<50	<0.5	<0.5	1.0	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	6.56	1.34	5.22	<50	<0.5	<0.5	<0.5	0.8	--	--	--	--	--	--	--	--	--
06/16/94	6.56	2.39	4.17	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	6.56	1.96	4.60	70	<0.5	0.6	<0.5	2.3	--	--	--	--	--	--	--	--	--
11/29/94	6.56	0.03	6.53	120	<0.5	<0.5	1.3	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	6.56	-0.47	7.03	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-6 (cont)																	
06/27/95	6.56	0.20	6.36	84	<0.5	<0.5	<0.5	1.1	--	--	--	--	--	--	--	--	--
09/27/95	6.56	2.21	4.35	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/29/95	6.56	0.41	6.15	<50	<0.5	<0.5	<0.5	<0.5	3.2	--	--	--	--	--	--	--	--
03/28/96	6.56	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/04/96	6.56	2.75	3.81	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/21/96	6.56	1.64	4.92	130	<0.5	<0.5	<0.5	0.66	<2.5	--	--	--	--	--	--	--	--
09/26/96	6.56	-0.18	6.74	130	<0.5	0.52	0.92	1.0	<2.5	--	--	--	--	--	--	--	--
12/19/96	6.56	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/97	6.56	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/29/97	10.23	3.45	6.78	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
09/12/97	10.23	3.97	6.26	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/05/97	10.23	3.95	6.28	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
02/21/98	10.23	3.88	6.35	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
08/17/98	10.23	4.33	5.90	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/11/99	10.23	4.88	5.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/28/99	10.23	4.61	5.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/14/00	10.23	4.64	5.59	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/29/00	10.23	4.52	5.71	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/21/01	10.23	4.75	5.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/10/01	10.23	5.04	5.19	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/06/02	10.23	4.77	5.46	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/14/02	10.23	4.99	5.24	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/28/03	10.23	4.74	5.49	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/02/03 ⁴	10.23	4.43	5.80	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/26/04	10.23	UNABLE TO LOCATE - NEW LANDSCAPING IN AREA															
09/13/04	10.23	4.68	5.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/02/05	10.23	5.27	4.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/22/05	10.23	4.55	5.68	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/30/06	10.23	5.88	4.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/28/06	10.23	4.73	5.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/05/07	10.23	5.36	4.87	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/24/07	10.23	5.06	5.17	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/06/08	10.23	5.25	4.98	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/16/08	10.23	5.08	5.15	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-6 (cont)																	
03/02/09	10.23	5.40	4.83	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/16/09	10.23	4.62	5.61	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/04/10	10.23	5.27	4.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-7																	
07/06/90	4.99	-0.86	5.85	<50	<0.3	<0.3	<0.3	<0.6	--	<1,000	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	4.99	-1.26	6.25	<50	<1.5	<1.5	<1.5	<3.0	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	4.99	-0.51	5.50	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	4.99	-0.74	5.73	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	4.99	0.15	4.84	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	4.99	0.10	4.89	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	4.99	-0.56	5.55	<50	<0.5	<0.5	<0.5	0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	4.99	0.12	4.87	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/22/93	4.99	0.94	4.05	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	4.99	0.36	4.63	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/10/93	4.99	-0.57	5.56	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	4.99	0.34	4.65	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/16/94	4.99	-0.08	5.07	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	4.99	-0.34	5.33	250	34	40	4.4	26	--	--	--	--	--	--	--	--	--
11/29/94	4.99	0.12	4.87	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	4.99	1.31	3.68	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	4.99	0.53	4.46	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/29/95	4.99	1.24	3.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/28/96	4.99	1.74	3.25	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/21/96	4.99	0.66	4.33	<50	<0.5	1.2	<0.5	<0.5	5.3	--	--	--	--	--	--	--	--
09/26/96	4.99	0.04	4.95	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/19/96	4.99	1.81	3.18	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/22/97	4.99	2.26	2.73	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/29/97	8.08	4.04	4.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
09/12/97	8.08	6.04	2.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/05/97	8.08	5.68	2.40	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
02/21/98	8.08	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/17/98	8.08	3.46	4.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/11/99	8.08	6.33	1.75	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-7 (cont)																	
09/28/99	8.08	6.29	1.79	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/14/00	8.08	4.45	3.63	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/29/00	8.08	3.60	4.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/21/01	8.08	5.21	2.87	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/10/01	8.08	4.88	3.20	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/06/02	8.08	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/14/02	8.08	5.27	2.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/28/03	8.08	4.92	3.16	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/02/03 ⁴	8.08	4.59	3.49	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/26/04	8.08	5.14	2.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/13/04	8.08	3.72	4.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/02/05	8.08	5.41	2.67	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/22/05	8.08	3.50	4.58	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/30/06	8.08	5.78	2.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/28/06	8.08	3.36	4.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/05/07	8.08	5.27	2.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/24/07	8.08	3.66	4.42	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/06/08	8.08	4.36	3.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/16/08	8.08	3.69	4.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/02/09	8.08	5.53	2.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/16/09	8.08	3.70	4.38	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/04/10	8.08	3.77	4.31	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1																	
03/14/89	9.63	2.89	6.74	600	<0.2	<0.2	3.2	1.7	--	<3,000	1.0	<0.2	<20	<0.2	--	--	--
06/08/89	9.63	2.49	7.14	<50	<0.1	<0.5	<0.1	<0.2	--	--	<0.5	<0.1	<20	<0.1	--	--	--
09/14/89	9.63	2.42	7.21	<50	<0.2	<1.0	<0.2	<0.4	--	--	<1.0	<0.2	<1.0	0.7	--	--	--
12/08/89	9.63	2.34	7.29	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
03/19/90	9.63	2.63	7.00	190	0.8	<0.3	7.0	3.0	--	--	<0.5	<0.5	--	<0.5	--	--	--
07/06/90	9.63	2.50	7.13	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	9.63	2.10	7.53	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	9.63	2.57	7.06	150	5.0	11	3.5	10	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	9.63	2.16	7.47	86	7.2	11	2.9	13	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	9.63	2.94	6.69	<50	<0.5	<0.5	<0.5	1.4	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Frean (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-1 (cont)																	
05/22/92	9.63	2.67	6.96	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	9.63	2.44	7.19	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	9.63	2.60	7.03	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/22/93	9.63	3.03	6.60	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	9.63	2.66	6.97	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/10/93	9.63	2.55	7.08	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	9.63	2.80	6.83	<50	<0.5	<0.5	<0.5	1.0	--	--	--	--	--	--	--	--	--
06/16/94	9.63	2.60	7.03	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	9.63	2.53	7.10	<50	1.3	1.5	<0.5	1.7	--	--	--	--	--	--	--	--	--
11/29/94	9.63	2.81	6.82	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	9.63	3.73	5.90	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	9.63	2.69	6.94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	9.63	2.13	7.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ABANDONED																	
MW-2																	
03/14/89	8.99	2.91	6.08	<100	6.7	7.1	0.5	4.6	--	<3,000	<1.0	0.7	<20	<0.2	--	--	--
06/08/89	8.99	3.77	5.22	--	--	--	--	--	--	--	--	--	--	<0.2	--	--	--
06/09/89	8.99	--	--	<100	<0.2	<1.0	<0.2	<0.4	--	--	<1.0	<0.2	<20	<0.2	--	--	--
09/14/89	8.99	3.04	5.95	<50	<0.2	<1.0	<0.2	<0.4	--	--	<1.0	<0.2	<1.0	<0.2	--	--	--
12/08/89	8.99	-0.26	9.25	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
03/19/90	8.99	3.07	5.92	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
07/06/90	9.01	2.22	6.79	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	9.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/23/91	9.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
DESTROYED																	
MW-3																	
03/14/89	8.19	2.16	6.02	<100	2.1	0.8	<0.2	2.0	--	<3,000	<1.0	3.0	<20	<0.2	--	--	--
06/08/89	8.19	2.30	5.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/09/89	8.19	--	--	<100	<0.5	<1.0	<0.2	<0.4	--	--	<1.0	3.3	<20	<0.2	--	--	--
09/14/89	8.19	1.88	6.30	<50	<0.2	<1.0	<0.2	<0.4	--	--	<1.0	2.2	<1.0	<0.2	--	--	--
12/08/89	8.19	-1.34	9.52	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	1.3	--	<0.5	--	--	--
03/19/90	8.19	2.01	6.17	<50	<0.3	<0.3	<0.3	<0.6	--	--	0.5	1.3	--	<0.5	--	--	--
07/06/90	8.19	0.67	7.52	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-3 (cont)																	
10/03/90	8.19	0.88	7.31	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	0.83	--	<0.5	--	--	--
08/23/91	8.19	2.53	5.65	220	16	22	5.5	16	--	--	<0.5	0.6	--	<0.5	--	--	--
11/22/91	8.19	1.41	6.78	<50	<0.5	<0.5	<0.5	0.6	--	--	0.6	1.0	<0.5	<0.5	--	--	--
02/26/92	8.19	3.54	4.65	<50	4.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	8.19	2.63	5.56	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	8.19	1.96	6.23	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	8.19	2.37	5.82	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
03/22/93	8.19	3.27	4.92	<50	7.0	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
06/07/93	8.19	2.50	5.69	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
09/10/93	8.19	2.15	6.04	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
03/07/94	8.19	3.04	5.15	<50	1.0	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
06/16/94	8.19	2.30	5.89	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
09/08/94	8.19	2.13	6.06	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	1.0	--	--
11/29/94	8.19	3.00	5.19	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
03/21/95	8.19	4.43	3.76	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/27/95	8.19	3.09	5.10	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/27/95	8.19	2.94	5.25	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ABANDONED																	
MW-8																	
07/06/90	6.77	2.79	3.98	<50	<0.3	<0.3	<0.3	<0.6	--	<1,000	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	6.77	2.04	4.73	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	6.77	2.01	4.76	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	6.77	1.04	5.73	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	6.77	2.47	4.30	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	6.77	3.11	3.66	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	6.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/23/92	6.77	3.94	2.83	<50	<0.5	7.2	0.6	2.5	--	--	--	--	--	--	--	--	--
03/22/93	6.77	2.39	4.38	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	6.77	1.60	5.17	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/10/93	6.77	1.61	5.16	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	6.77	2.06	4.71	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/16/94	6.77	2.62	4.15	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	6.77	1.66	5.11	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
11/29/94	6.77	1.94	4.83	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Frean (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-8 (cont)																	
03/21/95	6.77	0.94	5.83	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	6.77	0.57	6.20	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	6.77	1.62	5.15	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/29/95	6.77	2.22	4.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/28/96	6.77	2.55	4.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/21/96	6.77	3.41	3.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/26/96	6.77	2.65	4.12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/19/96	6.77	3.83	2.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/97	6.77	3.88	2.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/29/97	9.88	6.92	2.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/12/97	9.88	7.11	2.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/05/97	9.88	7.16	2.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02/21/98	9.88	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
NOT MONITORED/SAMPLED																	
MW-9																	
07/06/90	7.63	3.02	4.61	<50	<0.3	<0.3	<0.3	<0.6	--	<1,000	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	7.63	2.49	5.14	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	7.63	2.18	5.45	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	7.63	2.15	5.48	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	7.63	5.00	2.63	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	7.63	3.63	4.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	7.63	2.93	4.70	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	7.63	3.87	3.76	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/22/93	7.63	5.52	2.11	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	7.63	4.35	3.28	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/10/93	7.63	2.45	5.18	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	7.63	4.61	3.02	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/16/94	7.63	3.50	4.13	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	7.63	2.84	4.79	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
11/29/94	7.63	3.71	3.92	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	7.63	0.14	7.49	NOT SAMPLED DUE TO INSUFFICIENT WATER													
06/27/95	7.63	5.73	1.90	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	7.63	3.68	3.95	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/29/95	7.63	5.08	2.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freun (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-BCPA (µg/L)	1,2-DCE (µg/L)
MW-9 (cont)																	
03/28/96	7.63	5.43	2.20	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/21/96	7.63	4.98	2.65	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/26/96	7.63	4.27	3.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/19/96	7.63	5.02	2.61	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/97	7.63	5.30	2.33	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/29/97	10.74	7.85	2.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/12/97	10.74	7.33	3.41	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/05/97	10.74	8.00	2.74	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02/21/98	10.74	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
NOT MONITORED/SAMPLED																	
TRIP BLANK																	
12/08/89	--	--	--	<100	<0.1	<0.2	<0.1	<0.2	--	--	<0.5	<0.1	--	<0.1	--	--	--
06/09/89	--	--	--	<50	<0.5	<0.5	<0.1	<0.2	--	--	<0.5	<0.1	<20	<0.1	--	--	--
09/14/89	--	--	--	<50	<0.1	<0.5	<0.1	<0.2	--	--	<0.5	<0.1	<0.5	<0.1	--	--	--
12/08/89	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--	--	4.4	<0.5	--	1.9	--	--	--
03/19/90	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
07/06/90	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	--	--	--	<50	<0.3	<0.3	<0.3	1.0	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
11/22/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<0.5	--	--	--	--
02/26/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
05/22/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/29/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/23/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/22/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	--	--	--	<50	<0.5	<0.5	<0.5	1.0	--	--	--	--	--	--	--	--	--
09/10/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/16/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
11/29/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
TRIP BLANK (cont)																	
09/27/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/29/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/28/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/21/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/19/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/22/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/29/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
09/12/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/05/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
02/21/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
08/17/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/11/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--	--	--	--	--	--	--
09/28/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--
03/14/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
08/29/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
03/21/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
09/10/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
QA																	
03/06/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
09/14/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
03/28/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
09/02/03 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/26/04 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/13/04 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/02/05 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/22/05 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/30/06 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
08/28/06 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/05/07 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/24/07 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
QA (cont)																	
03/06/08 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/16/08 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/02/09 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
DESTROYED																	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to August 29, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing
(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH = Total Petroleum Hydrocarbons

GRO = Gasoline Range Organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

TOG = Total Oil and Grease

1,2-DCA = 1,2-Dichloroethane

1,1,1-TCA = 1,1,1-Trichloroethane

PCE = Trichloroethene

1,2-DCPA = 1,2-Dichloropropane

1,2-DCE = 1,2-Dichloroethene

(µg/L) = Micrograms per liter

-- = Not Measured/Not Analyzed

(D) = Duplicate

(T) = Triplicate

QA = Quality Assurance/Trip Blank

¹ ORC installed.

² Results reported were generated out of hold time.

³ Laboratory report indicates gasoline C6-C12.

⁴ ORC present in well.

⁵ Absorbent sock in well.

⁶ BTEX and MTBE by EPA Method 8260.

⁷ Removed ORC from well.

Table 2
Dissolved Oxygen Concentrations
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID	DATE	Pre-purge (mg/L)	Post-purge (mg/L)
MW-4	09/10/01	2.60	--
MW-5	08/29/00	2.04	--
	03/21/01	4.60	--
	09/10/01	1.90	--
	03/06/02	2.10	--
	09/14/02	2.60	--
	03/28/03	0.30	--
	09/02/03	0.10	--
	03/26/04	1.20	--

EXPLANATIONS:

(mg/L) = Milligrams per liter

-- = Not Measured

Table 3
Groundwater Analytical Results-Oxygenate Compounds
Former Chevron Service Station # 9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-4						
09/28/99	<1,000	<200	<2.0	<2.0	<2.0	<2.0
09/02/03	--	--	<0.5	--	--	--
03/26/04	--	--	<0.5	--	--	--
09/13/04	--	--	<0.5	--	--	--
03/02/05	--	--	<0.5	--	--	--
09/22/05	--	--	<0.5	--	--	--
03/30/06	--	--	<0.5	--	--	--
08/28/06	--	--	<0.5	--	--	--
03/05/07	--	--	<0.5	--	--	--
09/24/07	--	--	<0.5	--	--	--
03/06/08	--	--	<0.5	--	--	--
09/16/08	--	--	<0.5	--	--	--
03/02/09	--	--	<0.5	--	--	--
09/16/09	--	--	<0.5	--	--	--
03/04/10	--	--	<0.5	--	--	--
MW-5						
09/28/99	<20,000	<4,000	<40	<40	<40	<40
09/02/03	--	--	<0.5	--	--	--
03/26/04	--	--	<1	--	--	--
09/13/04	--	--	<0.5	--	--	--
03/02/05	--	--	<3	--	--	--
09/22/05	--	--	<0.5	--	--	--
03/30/06	--	--	<5	--	--	--
08/28/06	--	--	<5	--	--	--
03/05/07	--	--	<1	--	--	--
09/24/07	--	--	<2	--	--	--
03/06/08	--	--	<3	--	--	--
09/16/08	--	--	<0.5	--	--	--
03/02/09	--	--	<3	--	--	--
09/16/09	--	--	<0.5	--	--	--
03/04/10	--	--	<0.5	--	--	--

Table 3
Groundwater Analytical Results-Oxygenate Compounds
 Former Chevron Service Station # 9-0019
 210 Grand Avenue
 Oakland, California

WELL ID/ DATE	ETHANOL ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
TB 09/28/99	<1,000	<200	<2.0	<2.0	<2.0	<2.0

Table 3
Groundwater Analytical Results-Oxygenate Compounds
Former Chevron Service Station # 9-0019
210 Grand Avenue
Oakland, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to September 2, 2003,
were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = t-Butyl alcohol

MTBE = Methyl Tertiary Butyl Ether

DIPE = di-Isopropyl ether

ETBE = Ethyl t-butyl ether

TAME = t-Amyl methyl ether

($\mu\text{g/L}$) = Micrograms per liter

-- = Not Analyzed

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0019 Job Number: 386500
 Site Address: 210 Grand Avenue Event Date: 3-4-10 (inclusive)
 City: Oakland, CA Sampler: Soc

Well ID: MW-4 Date Monitored: 3-4-10
 Well Diameter: 21(4) in.
 Total Depth: 13.75 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water: 4.48 ft. Check if water column is less than 0.50 ft.
9.27 xVF 0.66 = 6.12 x3 case volume = Estimated Purge Volume: 18.5 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.33

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0705 Weather Conditions: cloudy
 Sample Time/Date: 0730 13-4-10 Water Color: clear Odor: Y10
 Approx. Flow Rate: 2-3 gpm. Sediment Description: none
 Did well de-water? no If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 5.16

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - <u>MS</u>)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>0712</u>	<u>6</u>	<u>7.72</u>	<u>1213</u>	<u>16.5</u>		
<u>0716</u>	<u>13</u>	<u>7.41</u>	<u>1225</u>	<u>16.8</u>		
<u>0720</u>	<u>19</u>	<u>7.47</u>	<u>1223</u>	<u>16.9</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS:

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0019 Job Number: 386500
 Site Address: 210 Grand Avenue Event Date: 3-4-10 (inclusive)
 City: Oakland, CA Sampler: Joc

Well ID: MW-5 Date Monitored: 3-4-10
 Well Diameter: 214 in.
 Total Depth: 10.95 ft.
 Depth to Water: 5.02 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.20
 $xVF = 0.66 = 3.91$ x3 case volume = Estimated Purge Volume: 12 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0745 Weather Conditions: cloudy
 Sample Time/Date: 0825 3-4-10 Water Color: clear Odor: DN moderate
 Approx. Flow Rate: _____ gpm. Sediment Description: none
 Did well de-water? no If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 5.43

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - DS)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>0754</u>	<u>4</u>	<u>6.80</u>	<u>956</u>	<u>17.0</u>		
<u>0800</u>	<u>8</u>	<u>6.83</u>	<u>962</u>	<u>16.8</u>		
<u>0810</u>	<u>12</u>	<u>6.77</u>	<u>967</u>	<u>17.2</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX+MTBE(8260)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0019 Job Number: 386500
 Site Address: 210 Grand Avenue Event Date: 3-4-10 (inclusive)
 City: Oakland, CA Sampler: Joe

Well ID: MW-6 Date Monitored: 3-4-10
 Well Diameter: 214 in.
 Total Depth: 7.93 ft.
 Depth to Water: 4.96 ft. Check if water column is less than 0.50 ft.
2.97 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: m-only

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0019
 Site Address: 210 Grand Avenue
 City: Oakland, CA

Job Number: 386500
 Event Date: 3-4-10 (inclusive)
 Sampler: Joe

Well ID: MW-7
 Well Diameter: 2.4 in.
 Total Depth: 9.84 ft.
 Depth to Water: 4.31 ft.
5.53 xVF = _____

Date Monitored: 3-4-10

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)

COMMENTS: n. only

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



03041D-D1

For Lancaster Laboratories use only
 Acct. #: 12099 Sample # 5920304-05 Group #: 017669

Group # 1184860

CRA MTI Project #: 63H-2327

Analyses Requested

Facility #: SS#9-0019 G-R#386500 Global ID#T0600100313 Site Address: 210 GRAND AVENUE, OAKLAND, CA Chevron PM: MTI Lead Consultant: CRAKJ Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com) Consultant Phone #: 925-551-7555 Fax #: 925-551-7899 Sampler: <u>JOE AJEMIAN</u>				Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		Preservation Codes H H BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021 <input type="checkbox"/> TPH 8015 MOD GRO TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan Oxygenates Total Lead Method Dissolved Lead Method										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits				
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Total Lead Method	Dissolved Lead Method	Comments / Remarks	
MW-4	3-4-10	0730	✓		✓				6	✓	✓									
MW-5	"	0825	"		"				6	✓	✓									

Turnaround Time Requested (TAT) (please circle) STD TAT 72 hour 48 hour 24 hour 4 day 5 day				Relinquished by: <u>[Signature]</u> Date: 3-4-10 Time: 945		Received by: <u>[Signature]</u> Date: 3/4/10 Time: 945	
Data Package Options (please circle if required) EDF/EDD QC Summary Type I - Full Type VI (Raw Data) <input type="checkbox"/> Coalt Deliverable not needed WIP (RWQCB) Disk				Relinquished by: <u>[Signature]</u> Date: 3/4/10 Time: 1610		Received by: <u>[Signature]</u> Date: Time:	
Relinquished by Commercial Carrier: UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Other <input type="checkbox"/>				Received by: <u>[Signature]</u> Date: 3/5/10 Time: 0900		Temperature Upon Receipt: <u>0-8-7-1</u> °C Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax 717-656-2681 • www.lancasterlabs.com

RECEIVED

MAR 16 2010

GETTLER-RYAN INC.
GENERAL CONTRACTORS

ANALYTICAL RESULTS

Prepared for:

Chevron c/o CRA
Suite 110
2000 Opportunity Drive
Roseville CA 95678

916-677-3407

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

March 15, 2010

Project: 90019

Samples arrived at the laboratory on Friday, March 05, 2010. The PO# for this group is 90019 and the release number is MTI. The group number for this submittal is 1184860.

Client Sample Description

MW-4-W-100304 Grab Water
MW-5-W-100304 Grab Water

Lancaster Labs (LLI)

5920304
5920305

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC Gettler-Ryan, Inc.
COPY TO

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300

Respectfully Submitted,

Martha L. Seidel

Martha L. Seidel
Senior Chemist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-4-W-100304 Grab Water

Facility# 90019 Job# 386500 MTI# 63H-2327 GRD
210 Grand Ave-Oakland T0600100313 MW-4

LLI Sample # WW 5920304
LLI Group # 1184860
CA

Project Name: 90019

Collected: 03/04/2010 07:30 by JA

Account Number: 12099

Submitted: 03/05/2010 09:00

Chevron c/o CRA

Reported: 03/15/2010 at 16:55

Suite 110

Discard: 04/15/2010

2000 Opportunity Drive
Roseville CA 95678

210M4

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
06054	Benzene	71-43-2	N.D.	0.5 ug/l	1
06054	Ethylbenzene	100-41-4	N.D.	0.5	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06054	Toluene	108-88-3	N.D.	0.5	1
06054	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50 ug/l	1

General Sample Comments

State of California Lab Certification No. 2501
Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T100672AA	03/09/2010 02:57	Nicholas P Riehl	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	T100672AA	03/09/2010 02:57	Nicholas P Riehl	1
01146	GC VOA Water Prep	SW-846 5030B	1	10068A07A	03/10/2010 13:29	Marie D John	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10068A07A	03/10/2010 13:29	Marie D John	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-W-100304 Grab Water
Facility# 90019 Job# 386500 MTI# 63H-2327 GRD
210 Grand Ave-Oakland T0600100313 MW-5

LLI Sample # WW 5920305
LLI Group # 1184860
CA

Project Name: 90019

Collected: 03/04/2010 08:25 by JA

Account Number: 12099

Submitted: 03/05/2010 09:00

Chevron c/o CRA

Reported: 03/15/2010 at 16:55

Suite 110

Discard: 04/15/2010

2000 Opportunity Drive
Roseville CA 95678

210M5

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	
06054	Benzene	71-43-2	9	0.5	1
06054	Ethylbenzene	100-41-4	0.7	0.5	1
06054	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
06054	Toluene	108-88-3	10	0.5	1
06054	Xylene (Total)	1330-20-7	82	0.5	1
GC	Volatiles	SW-846 8015B	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	540	50	1

General Sample Comments

State of California Lab Certification No. 2501
Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01163	GC/MS VOA Water Prep	SW-846 5030B	1	T100672AA	03/09/2010 04:07	Nicholas P Riehl	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	T100672AA	03/09/2010 04:07	Nicholas P Riehl	1
01146	GC VOA Water Prep	SW-846 5030B	1	10068A07A	03/10/2010 13:55	Marie D John	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	10068A07A	03/10/2010 13:55	Marie D John	1

Quality Control Summary

 Client Name: Chevron c/o CRA
 Reported: 03/15/10 at 04:55 PM

Group Number: 1184860

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: T100672AA	Sample number(s): 5920304-5920305							
Benzene	N.D.	0.5	ug/l	95		79-120		
Ethylbenzene	N.D.	0.5	ug/l	92		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	91		76-120		
Toluene	N.D.	0.5	ug/l	97		79-120		
Xylene (Total)	N.D.	0.5	ug/l	91		80-120		
Batch number: 10068A07A	Sample number(s): 5920304-5920305							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	109	118	75-135	8	30

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: T100672AA	Sample number(s): 5920304-5920305 UNSPK: 5920304								
Benzene	104	109	80-126	5	30				
Ethylbenzene	101	106	71-134	5	30				
Methyl Tertiary Butyl Ether	96	100	72-126	4	30				
Toluene	106	110	80-125	4	30				
Xylene (Total)	98	103	79-125	5	30				
Batch number: 10068A07A	Sample number(s): 5920304-5920305 UNSPK: P920301								
TPH-GRO N. CA water C6-C12	118		63-154						

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: BTEX+MTBE by 8260B
 Batch number: T100672AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5920304	99	101	102	104
5920305	99	100	104	110
Blank	99	99	104	102
LCS	98	101	103	105
MS	99	101	102	105

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron c/o CRA
Reported: 03/15/10 at 04:55 PM

Group Number: 1184860

Surrogate Quality Control

MSD	98	101	102	104
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 10068A07A
Trifluorotoluene-F

5920304	100
5920305	107
Blank	103
LCS	112
LCSD	114
MS	115
Limits:	63-135

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is <CRDL, but ≥IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike amount not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
J Estimated value	U Compound was not detected
N Presumptive evidence of a compound (TICs only)	W Post digestion spike out of control limits
P Concentration difference between primary and confirmation columns >25%	* Duplicate analysis not within control limits
U Compound was not detected	+ Correlation coefficient for MSA <0.995
X,Y,Z Defined in case narrative	

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.