



Alexis Fischer
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-6441
AFischer@Chevron.com

May 21, 2012

RECEIVED

2:03 pm, May 23, 2012

Alameda County
Environmental Health

Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Facility # 90019
Address: 210 Grand Avenue, Oakland, California

I have reviewed the attached report titled First Semi-Annual 2012 Groundwater Monitoring Report and dated May 21, 2012.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink, appearing to read "Alexis Fischer".

Alexis Fischer
Project Manager

Enclosure: Report



**CONESTOGA-ROVERS
& ASSOCIATES**

10969 Trade Center Drive
Rancho Cordova, California 95670
Telephone: (916) 889-8900 Fax: (916) 889-8999
<http://www.craworld.com>

May 21, 2012

Reference No. 632327

Mr. Mark Detterman, P.G., C.E.G.
Alameda County Environmental Health (ACEH)
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: First Semi-Annual 2012 Groundwater Monitoring Report
Former Chevron Service Station 90019
210 Grand Avenue
Oakland, California
Case No. RO0000137

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) is submitting the attached *Groundwater Monitoring and Sampling Report* (report) on behalf of Chevron Environmental Management Company (Chevron) for the site referenced above. Groundwater monitoring and sampling was performed on March 21, 2012 by Gettler-Ryan Inc. (G-R) of Dublin, California. The report (prepared by G-R and dated April 17, 2012) presents the results of the first semi-annual 2012 monitoring event. Wells MW-4 and MW-5 are sampled on a semi-annual basis during the first and third quarters. Also attached are Figure 1 (Vicinity Map) showing the site location, and Figure 2 (Concentration Map) presenting the first semi-annual 2012 analytical results along with a rose diagram.

CRA previously submitted the June 25, 2010 *Site Conceptual Model and Case Closure Request* and we are awaiting a response to this document from ACEH. In the meantime, semi-annual groundwater monitoring will continue to further evaluate groundwater quality and concentration trends.

Equal
Employment Opportunity
Employer



**CONESTOGA-ROVERS
& ASSOCIATES**

May 21, 2012

Reference No. 632327

- 2 -

Please contact James Kiernan at (916) 889-8917 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES



James P. Kiernan, P.E.

JK/aa/10


Encl.

Figure 1 Vicinity Map
Figure 2 Concentration Map

Attachment A Groundwater Monitoring and Sampling Report

cc: Ms. Alexis Fischer, Chevron (*electronic copy*)
 Mr. Ron Basarich, CEDA Real Estate City of Oakland

FIGURES



SOURCE: TOPO! MAPS.

Figure 1

VICINITY MAP
 FORMER CHEVRON SERVICE STATION 90019
 210 GRAND AVENUE
Oakland, California







Figure 2
 CONCENTRATION MAP
 FORMER CHEVRON SERVICE STATION 90019
 210 GRAND AVENUE
 Oakland, California
 March 21, 2012

ATTACHMENT A

GROUNDWATER MONITORING AND SAMPLING REPORT



April 17, 2012

Ms. Olivia Skance
Chevron Environmental Management Company
6101 Bollinger Canyon Road
San Ramon, CA 94583

RE: First Semi-Annual Event of March 21, 2012
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

Dear Ms. Skance:

This report documents the most recent groundwater monitoring and sampling events performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

Deanna L. Harding
Project Coordinator

Douglas J. Lee
Senior Geologist, P.G. No. 6882





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Dissolved Oxygen Concentrations
Table 3: Groundwater Analytical Results - Oxygenate Compounds
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-0019
 210 Grand Avenue
 Oakland, California

FIGURE
1

PROJECT NUMBER 386500	REVIEWED BY	DATE March 21, 2012	REVISED DATE
---------------------------------	-------------	------------------------	--------------

FILE NAME: P:\Enviro\Chevron\9-0019\Q12-9-0019.dwg | Layout Tab: Pot1

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-4																	
03/14/89	7.60	2.08	5.52	3,000	810	200	30	130	--	<3,000	<20	<5.0	<20	<5.0	--	--	--
06/08/89	7.60	3.41	4.19	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/09/89	7.60	--	--	900	440	13	22	40	--	--	<20	<5.0	60	<5.0	--	--	--
09/14/89	7.60	2.80	4.80	540	220	2.0	6.1	9.3	--	--	<1.0	2.3	<1.0	<0.2	--	--	--
12/08/89	7.60	2.74	4.86	150	18	<0.3	1.0	<0.6	--	--	<0.5	1.9	--	<0.5	--	--	--
03/19/90	7.60	2.95	4.65	270	50	<0.3	0.7	<0.6	--	--	<0.5	0.8	--	<0.5	--	--	--
07/06/90	7.59	1.17	6.42	140	0.7	<0.3	0.5	<0.6	--	--	<0.5	0.79	--	<0.5	--	--	--
10/03/90	7.59	1.20	6.39	180	<0.3	<0.3	2.0	<0.6	--	--	<0.5	0.5	--	<0.5	--	--	--
08/23/91	7.59	3.17	4.42	400	9.9	6.8	3.1	7.1	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	7.59	2.21	5.38	130	3.4	1.3	3.5	6.0	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	7.59	4.94	2.65	520	15	2.7	6.1	8.6	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	7.59	3.63	3.96	460	20	2.8	5.0	6.9	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	7.59	2.91	4.68	160	1.1	1.7	0.8	2.8	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	7.59	3.96	3.63	110	0.7	0.5	0.9	1.7	--	--	--	--	--	--	--	--	--
03/22/93	7.59	4.69	2.90	930	9.0	3.0	7.0	8.0	--	--	--	--	--	--	--	--	--
06/07/93	7.59	3.70	3.89	240	2.0	0.9	3.0	3.0	--	--	--	--	--	--	--	--	--
09/10/93	7.59	3.07	4.52	<50	<0.5	<0.5	0.8	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	7.59	4.44	3.15	550	3.0	3.0	8.0	12	--	--	--	--	--	--	--	--	--
06/16/94	7.59	3.51	4.08	150	<0.5	0.6	1.5	0.7	--	--	--	--	--	--	--	--	--
09/08/94	7.59	3.04	4.55	<50	<0.5	<0.5	<0.5	1.2	--	--	--	--	--	--	--	--	--
11/29/94	7.59	4.74	2.85	130	<0.5	1.1	<0.5	0.58	--	--	--	--	--	--	--	--	--
03/21/95	7.59	5.89	1.70	720	2.2	<2.0	5.9	<2.0	--	--	--	--	--	--	--	--	--
06/27/95	7.59	4.21	3.38	100	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	7.59	3.84	3.75	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/29/95	7.59	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/10/96	7.59	3.71	3.88	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/19/96	7.59	2.53	5.06	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/22/97	7.59	3.42	4.17	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/29/97	10.03	5.76	4.27	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
09/12/97	10.03	5.61	4.42	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/05/97	10.03	5.57	4.46	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
02/21/98	10.03	5.92	4.11	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
08/17/98	10.03	5.61	4.42	120	5.4	7.8	3.0	28	7.4	--	--	--	--	--	--	--	--
03/11/99	10.03	5.69	4.34	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--	--	--	--	--	--	--
09/28/99	10.03	4.50	5.53	<50	<0.5	0.69	<0.5	0.901	<5.0	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro-						
											form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-4 (cont)																	
03/14/00	10.03	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/29/00	10.03	4.71	5.32	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
03/21/01	10.03	5.11	4.92	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
09/10/01 ⁴	10.03	4.65	5.38	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
03/06/02 ⁴	10.03	5.06	4.97	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
09/14/02 ⁴	10.03	4.86	5.17	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
03/28/03 ⁵	10.03	4.85	5.18	<50	<0.5	<0.5	<0.5	<1.5	<2.5	--	--	--	--	--	--	--	--
09/02/03 ^{4,6}	10.03	4.53	5.50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/26/04 ^{4,6}	10.03	5.22	4.81	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/13/04 ^{6,7}	10.03	4.83	5.20	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/02/05 ⁶	10.03	6.13	3.90	<50	<0.5	1	<0.5	2	<0.5	--	--	--	--	--	--	--	--
09/22/05 ⁶	10.03	5.56	4.47	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/30/06 ⁶	10.03	6.42	3.61	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
08/28/06 ⁶	10.03	5.22	4.81	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/05/07 ⁶	10.03	6.01	4.02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/24/07 ⁶	10.03	5.53	4.50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/06/08 ⁶	10.03	5.43	4.60	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/16/08 ⁶	10.03	5.51	4.52	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/02/09 ⁶	10.03	6.22	3.81	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/16/09 ⁶	10.03	4.76	5.27	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/04/10 ⁶	10.03	5.55	4.48	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/21/10 ⁶	10.03	4.88	5.15	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/09/11 ⁶	10.03	5.08	4.95	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/14/11 ⁶	10.03	6.01	4.02	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/21/12 ⁶	10.03	5.82	4.21	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
MW-5																	
03/14/89	8.35	1.37	6.98	20,000	6,600	1,600	270	1,100	--	<3,000	<100	<20	<20	<20	--	--	--
06/08/89	8.35	3.62	4.73	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/09/89	8.35	--	--	15,000	>2,800	270	240	640	--	--	<20	28	<20	<5.0	--	--	--
06/09/89 (D)	8.35	--	--	12,000	5,100	300	240	700	--	--	<200	<50	<20	<50	--	--	--
09/14/89	8.35	2.98	5.37	15,000	>730	>320	>290	440	--	--	<10	<2.0	<20	<2.0	--	--	--
09/14/89 (D)	8.35	--	--	15,000	3,300	450	490	730	--	--	<100	<20	100	<20	--	--	--
09/14/89 (T)	8.35	--	--	16,000	3,100	550	400	690	--	--	<50	<10	<50	<10	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro-						
											form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-5 (cont)																	
12/08/89	8.35	-0.78	9.13	20,000	4,600	640	390	1,300	--	--	<0.5	27	--	<0.5	--	--	--
03/19/90	8.35	3.23	5.12	25,000	6,500	1,200	450	2,200	--	--	<0.5	10	--	0.7	--	--	--
07/06/90	8.35	2.54	5.81	30,000	5,600	890	210	1,400	--	--	<0.5	<0.5	--	<0.5	1.2	--	--
10/03/90	8.35	1.45	6.90	29,000	6,000	790	270	1,500	--	--	<0.5	<0.5	--	<0.5	--	2.0	--
08/23/91	8.35	3.30	5.05	36,000	6,100	1,200	460	2,600	--	--	<0.5	3.9	--	<0.5	--	0.9	--
11/22/91	8.35	2.10	6.25	21,000	8,000	1,500	530	2,600	--	--	<0.5	3.9	<0.5	<0.5	1.0	0.8	--
02/26/92	8.35	5.35	3.00	43,000	14,000	1,600	640	4,700	--	--	<0.5	2.0	<0.5	<0.5	--	--	--
05/22/92	8.35	3.86	4.49	72,000	18,000	8,100	920	10,000	--	--	<0.5	6.8	<0.5	<0.5	--	--	--
09/29/92	8.35	3.50	4.85	54,000	14,000	1,400	740	8,100	--	--	<0.5	4.4	--	<0.5	--	--	--
12/23/92	8.35	4.77	3.58	38,000	8,400	910	530	5,300	--	--	<0.5	2.9	--	<0.5	--	--	--
03/22/93	8.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/07/93	8.35	-3.82	12.17	24,000	3,000	280	360	1,200	--	--	<0.5	<0.5	--	<0.5	--	--	--
09/10/93	8.35	-0.15	8.50	8,900	860	160	100	320	--	--	<5.0	<5.0	--	<5.0	--	--	--
03/07/94	8.35	5.30	3.05	9,600	2,100	380	120	290	--	--	<12.5	<12.5	--	<12.5	--	--	--
06/16/94	8.35	2.64	5.71	--	--	--	--	--	--	--	--	--	--	--	--	--	--
07/08/94	8.35	2.43	5.92	10,000	3,600	360	210	460	--	--	<0.5	<0.5	--	<0.5	1.2	--	2.0
09/08/94	8.35	3.04	5.31	14,000	2,800	270	170	360	--	--	<0.5	2.8	--	<0.5	--	--	--
11/29/94	8.35	5.72	2.63	11,000	2,800	280	130	300	--	--	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	--
03/21/95	8.35	7.41	0.94	6,700	1,400	120	100	260	--	--	<0.5	0.59	<0.5	<0.5	<0.5	<0.5	--
06/27/95	8.35	6.01	2.34	18,000	6,100	480	600	990	--	--	<10	<10	<10	<10	<10	<10	--
09/27/95	8.35	4.65	3.70	15,000	3,600	140	210	310	--	--	<25	<25	<25	<25	<25	<25	--
12/29/95	8.35	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
10/10/96	8.35	4.31	4.04	5,700	1,800	53	530	84	<100	--	--	--	--	--	--	--	--
12/19/96	8.35	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/97	8.35	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/03/97	--	--	4.46	21,000	6,800	4,100	610	1,900	530	--	--	--	--	--	--	--	--
06/29/97	10.99	5.90	5.09	16,000	5,300	1,900	530	1,600	<250	--	--	--	--	--	--	--	--
09/12/97	10.99	5.98	5.01	6,100	1,900	510	120	390	<25	--	--	--	--	--	--	--	--
12/05/97	10.99	5.36	5.63	52,000	11,000	7,700	1,400	3,600	920	--	--	--	--	--	--	--	--
02/21/98	10.99	6.34	4.65	55,000	13,000	11,000	450	3,300	1,200	--	--	--	--	--	--	--	--
06/24/98 ¹	10.99	5.51	5.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/17/98	10.99	6.05	4.94	5,700	4,100	1,500	210	81	<50	--	--	--	--	--	--	--	--
03/11/99	10.99	6.09	4.90	11,400	1590	2610	351	1,200	58.2	--	--	--	--	--	--	--	--
09/28/99	10.99	5.45	5.54	21,300	3,250	3,830	656	1,450	<500	--	--	--	--	--	--	--	--
03/10/00 ²	10.99	5.65	5.34	59,800	4,280	17,100	2,280	7,210	<1,000	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-5 (cont)																	
08/29/00	10.99	5.96	5.03	42,000 ³	3,300	6,300	1,700	4,300	<1,000	--	--	--	--	--	--	--	--
03/21/01	10.99	5.79	5.20	26,000 ³	2,500	7,300	1,500	4,200	750	--	--	--	--	--	--	--	--
09/10/01 ⁴	10.99	5.91	5.08	300	29	50	7.7	66	<5.0	--	--	--	--	--	--	--	--
03/06/01 ⁴	10.99	6.21	4.78	32,000	2,500	6,900	1,800	5,300	<50	--	--	--	--	--	--	--	--
09/14/02 ⁴	10.99	6.06	4.93	55,000	2,800	8,400	3,200	8,300	160	--	--	--	--	--	--	--	--
03/28/03 ⁵	10.99	6.08	4.91	35,000	2,100	5,700	2,500	7,000	<63	--	--	--	--	--	--	--	--
09/02/03 ^{4,6}	10.99	5.76	5.23	680	130	98	54	200	<0.5	--	--	--	--	--	--	--	--
03/26/04 ^{4,6}	10.99	6.35	4.64	15,000	810	2,200	590	2,900	<1	--	--	--	--	--	--	--	--
09/13/04 ^{6,7}	10.99	5.35	5.64	4,800	280	220	170	950	<0.5	--	--	--	--	--	--	--	--
03/02/05 ⁶	10.99	6.67	4.32	39,000	2,900	5,700	2,700	7,900	<3	--	--	--	--	--	--	--	--
09/22/05 ⁶	10.99	5.19	5.80	12,000	640	500	190	880	<0.5	--	--	--	--	--	--	--	--
03/30/06 ⁶	10.99	6.89	4.10	57,000	1,700	4,500	3,500	9,500	<5	--	--	--	--	--	--	--	--
08/28/06 ⁶	10.99	6.03	4.96	41,000	2,700	580	2,400	5,300	<5	--	--	--	--	--	--	--	--
03/05/07 ⁶	10.99	6.59	4.40	25,000	1,800	930	1,600	2,600	<1	--	--	--	--	--	--	--	--
09/24/07 ⁶	10.99	6.09	4.90	13,000	1,200	220	930	860	<2	--	--	--	--	--	--	--	--
03/06/08 ⁶	10.99	6.11	4.88	22,000	1,100	1,700	1,100	4,300	<3	--	--	--	--	--	--	--	--
09/16/08 ⁶	10.99	6.01	4.98	11,000	460	200	390	1,200	<0.5	--	--	--	--	--	--	--	--
03/02/09 ⁶	10.99	6.74	4.25	25,000	450	1,600	2,000	6,000	<3	--	--	--	--	--	--	--	--
09/16/09 ⁶	10.99	5.28	5.71	990	38	30	28	120	<0.5	--	--	--	--	--	--	--	--
03/04/10 ⁶	10.99	5.97	5.02	540	9	10	0.7	82	<0.5	--	--	--	--	--	--	--	--
09/21/10 ⁶	10.99	5.46	5.53	1,900	81	31	180	340	<0.5	--	--	--	--	--	--	--	--
03/09/11 ⁶	10.99	6.62	4.37	11,000	380	120	980	1,500	<1	--	--	--	--	--	--	--	--
09/14/11 ⁶	10.99	6.39	4.60	8,400	570	59	1,000	670	<5	--	--	--	--	--	--	--	--
03/21/12 ⁶	10.99	6.24	4.75	35,000	1,300	550	2,200	3,800	<10	--	--	--	--	--	--	--	--
MW-6																	
07/06/90	6.56	-2.53	9.09	210	<0.3	<0.3	3.0	7.0	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	6.56	0.78	5.78	320	<0.3	0.3	1.0	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	6.56	-0.93	7.49	320	1.7	<0.5	2.1	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	6.56	-1.07	7.63	190	1.9	2.2	5.4	7.7	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	6.56	1.01	5.55	120	2.0	1.5	3.5	5.1	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	6.56	-0.38	6.94	160	1.1	0.6	0.9	1.0	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	6.56	-0.24	6.80	65	0.5	1.4	0.5	0.64	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	6.56	0.57	5.99	140	0.7	0.7	0.9	2.1	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro-						
											form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-6 (cont)																	
03/22/93	6.56	-0.51	7.07	71	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	6.56	-1.05	7.61	85	<0.5	<0.5	2.0	1.0	--	--	--	--	--	--	--	--	--
09/10/93	6.56	1.88	4.68	<50	<0.5	<0.5	1.0	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	6.56	1.34	5.22	<50	<0.5	<0.5	<0.5	0.8	--	--	--	--	--	--	--	--	--
06/16/94	6.56	2.39	4.17	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	6.56	1.96	4.60	70	<0.5	0.6	<0.5	2.3	--	--	--	--	--	--	--	--	--
11/29/94	6.56	0.03	6.53	120	<0.5	<0.5	1.3	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	6.56	-0.47	7.03	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	6.56	0.20	6.36	84	<0.5	<0.5	<0.5	1.1	--	--	--	--	--	--	--	--	--
09/27/95	6.56	2.21	4.35	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/29/95	6.56	0.41	6.15	<50	<0.5	<0.5	<0.5	<0.5	3.2	--	--	--	--	--	--	--	--
03/28/96	6.56	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
04/04/96	6.56	2.75	3.81	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/21/96	6.56	1.64	4.92	130	<0.5	<0.5	<0.5	0.66	<2.5	--	--	--	--	--	--	--	--
09/26/96	6.56	-0.18	6.74	130	<0.5	0.52	0.92	1.0	<2.5	--	--	--	--	--	--	--	--
12/19/96	6.56	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/97	6.56	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/29/97	10.23	3.45	6.78	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
09/12/97	10.23	3.97	6.26	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/05/97	10.23	3.95	6.28	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
02/21/98	10.23	3.88	6.35	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
08/17/98	10.23	4.33	5.90	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/11/99	10.23	4.88	5.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/28/99	10.23	4.61	5.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/14/00	10.23	4.64	5.59	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/29/00	10.23	4.52	5.71	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/21/01	10.23	4.75	5.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/10/01	10.23	5.04	5.19	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/06/02	10.23	4.77	5.46	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/14/02	10.23	4.99	5.24	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/28/03	10.23	4.74	5.49	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/02/03 ⁴	10.23	4.43	5.80	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/26/04	10.23	UNABLE TO LOCATE - NEW LANDSCAPING IN AREA															
09/13/04	10.23	4.68	5.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/02/05	10.23	5.27	4.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-6 (cont)																	
09/22/05	10.23	4.55	5.68	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/30/06	10.23	5.88	4.35	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/28/06	10.23	4.73	5.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/05/07	10.23	5.36	4.87	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/24/07	10.23	5.06	5.17	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/06/08	10.23	5.25	4.98	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/16/08	10.23	5.08	5.15	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/02/09	10.23	5.40	4.83	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/16/09	10.23	4.62	5.61	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/04/10	10.23	5.27	4.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/21/10	10.23	4.83	5.40	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/09/11 ⁸	10.23	5.12	5.11	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/14/11	10.23	5.46	4.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/21/12	10.23	5.22	5.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-7																	
07/06/90	4.99	-0.86	5.85	<50	<0.3	<0.3	<0.3	<0.6	--	<1,000	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	4.99	-1.26	6.25	<50	<1.5	<1.5	<1.5	<3.0	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	4.99	-0.51	5.50	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	4.99	-0.74	5.73	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	4.99	0.15	4.84	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	4.99	0.10	4.89	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	4.99	-0.56	5.55	<50	<0.5	<0.5	<0.5	0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	4.99	0.12	4.87	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/22/93	4.99	0.94	4.05	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	4.99	0.36	4.63	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/10/93	4.99	-0.57	5.56	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	4.99	0.34	4.65	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/16/94	4.99	-0.08	5.07	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	4.99	-0.34	5.33	250	34	40	4.4	26	--	--	--	--	--	--	--	--	--
11/29/94	4.99	0.12	4.87	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	4.99	1.31	3.68	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	4.99	0.53	4.46	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/29/95	4.99	1.24	3.75	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (fL)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro-						
											form (µg/L)	1,2-DCA (µg/L)	Frean (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-7 (cont)	8.08	3.46	4.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/28/96	4.99	1.74	3.25	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/21/96	4.99	0.66	4.33	<50	<0.5	1.2	<0.5	<0.5	5.3	--	--	--	--	--	--	--	--
09/26/96	4.99	0.04	4.95	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/19/96	4.99	1.81	3.18	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/22/97	4.99	2.26	2.73	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/29/97	8.08	4.04	4.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
09/12/97	8.08	6.04	2.04	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/05/97	8.08	5.68	2.40	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
02/21/98	8.08	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/17/98	8.08	3.46	4.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/11/99	8.08	6.33	1.75	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/28/99	8.08	6.29	1.79	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/14/00	8.08	4.45	3.63	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/29/00	8.08	3.60	4.48	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/21/01	8.08	5.21	2.87	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/10/01	8.08	4.88	3.20	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/06/02	8.08	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/14/02	8.08	5.27	2.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/28/03	8.08	4.92	3.16	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/02/03 ⁴	8.08	4.59	3.49	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/26/04	8.08	5.14	2.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/13/04	8.08	3.72	4.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/02/05	8.08	5.41	2.67	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/22/05	8.08	3.50	4.58	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/30/06	8.08	5.78	2.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/28/06	8.08	3.36	4.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/05/07	8.08	5.27	2.81	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/24/07	8.08	3.66	4.42	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/06/08	8.08	4.36	3.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/16/08	8.08	3.69	4.39	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/02/09	8.08	5.53	2.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/16/09	8.08	3.70	4.38	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/04/10	8.08	3.77	4.31	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/21/10	8.08	3.87	4.21	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro-						
											form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-7 (cont)	8.08	3.46	4.62	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/09/11 ^{6,8}	8.08	5.03	3.05	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/14/11	8.08	4.13	3.95	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/21/12	8.08	4.75	3.33	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-8																	
07/06/90	6.77	2.79	3.98	<50	<0.3	<0.3	<0.3	<0.6	--	<1,000	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	6.77	2.04	4.73	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	6.77	2.01	4.76	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	6.77	1.04	5.73	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	6.77	2.47	4.30	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	6.77	3.11	3.66	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	6.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/23/92	6.77	3.94	2.83	<50	<0.5	7.2	0.6	2.5	--	--	--	--	--	--	--	--	--
03/22/93	6.77	2.39	4.38	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	6.77	1.60	5.17	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/10/93	6.77	1.61	5.16	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	6.77	2.06	4.71	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/16/94	6.77	2.62	4.15	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	6.77	1.66	5.11	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
11/29/94	6.77	1.94	4.83	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	6.77	0.94	5.83	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	6.77	0.57	6.20	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	6.77	1.62	5.15	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/29/95	6.77	2.22	4.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/28/96	6.77	2.55	4.22	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/21/96	6.77	3.41	3.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/26/96	6.77	2.65	4.12	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/19/96	6.77	3.83	2.94	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/97	6.77	3.88	2.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/29/97	9.88	6.92	2.96	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/12/97	9.88	7.11	2.77	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/05/97	9.88	7.16	2.72	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02/21/98	9.88	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--

NOT MONITORED/SAMPLED

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro-						
											form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-8 (cont)																	
03/09/11	9.88	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/11 ^{6,8}	9.88	7.43	2.45	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/14/11	9.88	6.56	3.32	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/21/12	9.88	8.83	1.05	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-9																	
07/06/90	7.63	3.02	4.61	<50	<0.3	<0.3	<0.3	<0.6	--	<1,000	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	7.63	2.49	5.14	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	7.63	2.18	5.45	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	7.63	2.15	5.48	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	7.63	5.00	2.63	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	7.63	3.63	4.00	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	7.63	2.93	4.70	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	7.63	3.87	3.76	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/22/93	7.63	5.52	2.11	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	7.63	4.35	3.28	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/10/93	7.63	2.45	5.18	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	7.63	4.61	3.02	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/16/94	7.63	3.50	4.13	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	7.63	2.84	4.79	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
11/29/94	7.63	3.71	3.92	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	7.63	0.14	7.49	NOT SAMPLED DUE TO INSUFFICIENT WATER							--	--	--	--	--	--	--
06/27/95	7.63	5.73	1.90	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	7.63	3.68	3.95	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/29/95	7.63	5.08	2.55	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/28/96	7.63	5.43	2.20	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/21/96	7.63	4.98	2.65	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/26/96	7.63	4.27	3.36	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/19/96	7.63	5.02	2.61	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/22/97	7.63	5.30	2.33	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/29/97	10.74	7.85	2.89	--	--	--	--	--	--	--	--	--	--	--	--	--	--
09/12/97	10.74	7.33	3.41	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12/05/97	10.74	8.00	2.74	--	--	--	--	--	--	--	--	--	--	--	--	--	--
02/21/98	10.74	INACCESSIBLE	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-9 (cont)																	
NOT MONITORED/SAMPLED																	
03/09/11	10.74	INACCESSIBLE		--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/25/11 ^{6,8}	10.74	9.64	1.10	<50	<0.5	<0.5	<0.5	<0.5	5	--	--	--	--	--	--	--	--
09/14/11	10.74	8.79	1.95	--	--	--	--	--	--	--	--	--	--	--	--	--	--
03/21/12	10.74	8.75	1.99	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-1																	
03/14/89	9.63	2.89	6.74	600	<0.2	<0.2	3.2	1.7	--	<3,000	1.0	<0.2	<20	<0.2	--	--	--
06/08/89	9.63	2.49	7.14	<50	<0.1	<0.5	<0.1	<0.2	--	--	<0.5	<0.1	<20	<0.1	--	--	--
09/14/89	9.63	2.42	7.21	<50	<0.2	<1.0	<0.2	<0.4	--	--	<1.0	<0.2	<1.0	0.7	--	--	--
12/08/89	9.63	2.34	7.29	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
03/19/90	9.63	2.63	7.00	190	0.8	<0.3	7.0	3.0	--	--	<0.5	<0.5	--	<0.5	--	--	--
07/06/90	9.63	2.50	7.13	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	9.63	2.10	7.53	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	9.63	2.57	7.06	150	5.0	11	3.5	10	--	--	<0.5	<0.5	--	<0.5	--	--	--
11/22/91	9.63	2.16	7.47	86	7.2	11	2.9	13	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
02/26/92	9.63	2.94	6.69	<50	<0.5	<0.5	<0.5	1.4	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	9.63	2.67	6.96	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	9.63	2.44	7.19	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	9.63	2.60	7.03	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/22/93	9.63	3.03	6.60	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	9.63	2.66	6.97	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/10/93	9.63	2.55	7.08	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	9.63	2.80	6.83	<50	<0.5	<0.5	<0.5	1.0	--	--	--	--	--	--	--	--	--
06/16/94	9.63	2.60	7.03	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	9.63	2.53	7.10	<50	1.3	1.5	<0.5	1.7	--	--	--	--	--	--	--	--	--
11/29/94	9.63	2.81	6.82	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	9.63	3.73	5.90	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	9.63	2.69	6.94	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	9.63	2.13	7.50	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ABANDONED																	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro-						
											form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-2																	
03/14/89	8.99	2.91	6.08	<100	6.7	7.1	0.5	4.6	--	<3,000	<1.0	0.7	<20	<0.2	--	--	--
06/08/89	8.99	3.77	5.22	--	--	--	--	--	--	--	--	--	--	<0.2	--	--	--
06/09/89	8.99	--	--	<100	<0.2	<1.0	<0.2	<0.4	--	--	<1.0	<0.2	<20	<0.2	--	--	--
09/14/89	8.99	3.04	5.95	<50	<0.2	<1.0	<0.2	<0.4	--	--	<1.0	<0.2	<1.0	<0.2	--	--	--
12/08/89	8.99	-0.26	9.25	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
03/19/90	8.99	3.07	5.92	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
07/06/90	9.01	2.22	6.79	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	9.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
08/23/91	9.01	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
DESTROYED																	
MW-3																	
03/14/89	8.19	2.16	6.02	<100	2.1	0.8	<0.2	2.0	--	<3,000	<1.0	3.0	<20	<0.2	--	--	--
06/08/89	8.19	2.30	5.88	--	--	--	--	--	--	--	--	--	--	--	--	--	--
06/09/89	8.19	--	--	<100	<0.5	<1.0	<0.2	<0.4	--	--	<1.0	3.3	<20	<0.2	--	--	--
09/14/89	8.19	1.88	6.30	<50	<0.2	<1.0	<0.2	<0.4	--	--	<1.0	2.2	<1.0	<0.2	--	--	--
12/08/89	8.19	-1.34	9.52	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	1.3	--	<0.5	--	--	--
03/19/90	8.19	2.01	6.17	<50	<0.3	<0.3	<0.3	<0.6	--	--	0.5	1.3	--	<0.5	--	--	--
07/06/90	8.19	0.67	7.52	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	8.19	0.88	7.31	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	0.83	--	<0.5	--	--	--
08/23/91	8.19	2.53	5.65	220	16	22	5.5	16	--	--	<0.5	0.6	--	<0.5	--	--	--
11/22/91	8.19	1.41	6.78	<50	<0.5	<0.5	<0.5	0.6	--	--	0.6	1.0	<0.5	<0.5	--	--	--
02/26/92	8.19	3.54	4.65	<50	4.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
05/22/92	8.19	2.63	5.56	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	--	--	--
09/29/92	8.19	1.96	6.23	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
12/23/92	8.19	2.37	5.82	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
03/22/93	8.19	3.27	4.92	<50	7.0	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
06/07/93	8.19	2.50	5.69	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
09/10/93	8.19	2.15	6.04	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
03/07/94	8.19	3.04	5.15	<50	1.0	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
06/16/94	8.19	2.30	5.89	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	--	--	--
09/08/94	8.19	2.13	6.06	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	<0.5	1.0	--	--
11/29/94	8.19	3.00	5.19	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
MW-3 (cont)																	
03/21/95	8.19	4.43	3.76	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
06/27/95	8.19	3.09	5.10	<50	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	--
09/27/95	8.19	2.94	5.25	--	--	--	--	--	--	--	--	--	--	--	--	--	--
ABANDONED																	
TRIP BLANK																	
12/08/89	--	--	--	<100	<0.1	<0.2	<0.1	<0.2	--	--	<0.5	<0.1	--	<0.1	--	--	--
06/09/89	--	--	--	<50	<0.5	<0.5	<0.1	<0.2	--	--	<0.5	<0.1	<20	<0.1	--	--	--
09/14/89	--	--	--	<50	<0.1	<0.5	<0.1	<0.2	--	--	<0.5	<0.1	<0.5	<0.1	--	--	--
12/08/89	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--	--	4.4	<0.5	--	1.9	--	--	--
03/19/90	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
07/06/90	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--	--	<0.5	<0.5	--	<0.5	--	--	--
10/03/90	--	--	--	<50	<0.3	<0.3	<0.3	1.0	--	--	<0.5	<0.5	--	<0.5	--	--	--
08/23/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
11/22/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	<0.5	--	--	--	--
02/26/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
05/22/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/29/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/23/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/22/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/07/93	--	--	--	<50	<0.5	<0.5	<0.5	1.0	--	--	--	--	--	--	--	--	--
09/10/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/07/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/16/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/08/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
11/29/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/21/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
06/27/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/27/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/29/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
03/28/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/21/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
09/26/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--	--
12/19/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)	TOG (µg/L)	Chloro- form (µg/L)	1,2-DCA (µg/L)	Freon (µg/L)	1,1,1-TCA (µg/L)	PCE (µg/L)	1,2-DCPA (µg/L)	1,2-DCE (µg/L)
TRIP BLANK (cont)																	
03/22/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
06/29/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
09/12/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
12/05/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
02/21/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
08/17/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
03/11/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.0	--	--	--	--	--	--	--	--
09/28/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--	--	--	--	--	--	--	--
03/14/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	--	--	--	--	--	--
08/29/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
03/21/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
09/10/01	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--	--	--	--	--	--	--	--
QA																	
03/06/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
09/14/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
03/28/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--	--	--	--	--	--	--	--
09/02/03 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/26/04 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/13/04 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/02/05 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/22/05 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/30/06 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
08/28/06 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/05/07 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/24/07 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/06/08 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
09/16/08 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
03/02/09 ⁶	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	--	--	--	--	--	--
DESTROYED																	

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0019
210 Grand Avenue
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to August 29, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing (ft.) = Feet	T = Toluene E = Ethylbenzene	1,2-DCPA = 1,2-Dichloropropane 1,2-DCE = 1,2-Dichloroethene
GWE = Groundwater Elevation (msl) = Mean sea level	X = Xylenes MTBE = Methyl Tertiary Butyl Ether	(µg/L) = Micrograms per liter -- = Not Measured/Not Analyzed
DTW = Depth to Water	TOG = Total Oil and Grease 1,2-DCA = 1,2-Dichloroethane	(D) = Duplicate (T) = Triplicate
TPH = Total Petroleum Hydrocarbons	1,1,1-TCA = 1,1,1-Trichloroethane PCE = Trichloroethene	QA = Quality Assurance/Trip Blank
GRO = Gasoline Range Organics		
B = Benzene		

- ¹ ORC installed.
- ² Results reported were generated out of hold time.
- ³ Laboratory report indicates gasoline C6-C12.
- ⁴ ORC present in well.
- ⁵ Absorbent sock in well.
- ⁶ BTEX and MTBE by EPA Method 8260.
- ⁷ Removed ORC from well.
- ⁸ Well redeveloped.

Table 2
Dissolved Oxygen Concentrations
 Former Chevron Service Station #9-0019
 210 Grand Avenue
 Oakland, California

WELL ID	DATE	Pre-purge (mg/L)	Post-purge (mg/L)
MW-4	09/10/01	2.60	--
MW-5	08/29/00	2.04	--
	03/21/01	4.60	--
	09/10/01	1.90	--
	03/06/02	2.10	--
	09/14/02	2.60	--
	03/28/03	0.30	--
	09/02/03	0.10	--
	03/26/04	1.20	--

EXPLANATIONS:

(mg/L) = Milligrams per liter

-- = Not Measured

Table 3
Groundwater Analytical Results-Oxygenate Compounds
Former Chevron Service Station # 9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-4						
09/28/99	<1,000	<200	<2.0	<2.0	<2.0	<2.0
09/02/03	--	--	<0.5	--	--	--
03/26/04	--	--	<0.5	--	--	--
09/13/04	--	--	<0.5	--	--	--
03/02/05	--	--	<0.5	--	--	--
09/22/05	--	--	<0.5	--	--	--
03/30/06	--	--	<0.5	--	--	--
08/28/06	--	--	<0.5	--	--	--
03/05/07	--	--	<0.5	--	--	--
09/24/07	--	--	<0.5	--	--	--
03/06/08	--	--	<0.5	--	--	--
09/16/08	--	--	<0.5	--	--	--
03/02/09	--	--	<0.5	--	--	--
09/16/09	--	--	<0.5	--	--	--
03/04/10	--	--	<0.5	--	--	--
09/21/10	--	--	<0.5	--	--	--
03/09/11	--	--	<0.5	--	--	--
09/14/11	--	--	<0.5	--	--	--
03/21/12	--	--	<0.5	--	--	--
MW-5						
09/28/99	<20,000	<4,000	<40	<40	<40	<40
09/02/03	--	--	<0.5	--	--	--
03/26/04	--	--	<1	--	--	--
09/13/04	--	--	<0.5	--	--	--
03/02/05	--	--	<3	--	--	--
09/22/05	--	--	<0.5	--	--	--
03/30/06	--	--	<5	--	--	--
08/28/06	--	--	<5	--	--	--
03/05/07	--	--	<1	--	--	--
09/24/07	--	--	<2	--	--	--
03/06/08	--	--	<3	--	--	--
09/16/08	--	--	<0.5	--	--	--
03/02/09	--	--	<3	--	--	--

Table 3
Groundwater Analytical Results-Oxygenate Compounds
Former Chevron Service Station # 9-0019
210 Grand Avenue
Oakland, California

WELL ID/ DATE	ETHANOL ($\mu\text{g/L}$)	TBA ($\mu\text{g/L}$)	MTBE ($\mu\text{g/L}$)	DIPE ($\mu\text{g/L}$)	ETBE ($\mu\text{g/L}$)	TAME ($\mu\text{g/L}$)
MW-5 (cont)						
09/16/09	--	--	<0.5	--	--	--
03/04/10	--	--	<0.5	--	--	--
09/21/10	--	--	<0.5	--	--	--
03/09/11	--	--	<1	--	--	--
09/14/11	--	--	<5	--	--	--
03/21/12	--	--	<10	--	--	--
MW-6						
03/09/11	--	--	<0.5	--	--	--
MW-7						
03/09/11	--	--	<0.5	--	--	--
MW-8						
03/25/11	--	--	<0.5	--	--	--
MW-9						
03/25/11	--	--	5	--	--	--
TB						
09/28/99	<1,000	<200	<2.0	<2.0	<2.0	<2.0

Table 3
Groundwater Analytical Results-Oxygenate Compounds
Former Chevron Service Station # 9-0019
210 Grand Avenue
Oakland, California

EXPLANATIONS:

Groundwater laboratory analytical results prior to September 2, 2003, were compiled from reports prepared by Blaine Tech Services, Inc.

TBA = t-Butyl alcohol

MTBE = Methyl Tertiary Butyl Ether

DIPE = di-Isopropyl ether

ETBE = Ethyl t-butyl ether

TAME = t-Amyl methyl ether

($\mu\text{g/L}$) = Micrograms per liter

-- = Not Analyzed

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by Clean Harbors Environmental Services to Evergreen Oil located in Newark, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0019 Job Number: 386500
 Site Address: 210 Grand Avenue Event Date: 3/21/12 (inclusive)
 City: Oakland, CA Sampler: MLC

Well ID: MW-4
 Well Diameter: 210
 Total Depth: 13.78 ft.
 Depth to Water: 4.21 ft.

Date Monitored: 3-21-12

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.12
 Check if water column is less than 0.50 ft.
 xVF 1.66 = 6.3 x3 case volume = Estimated Purge Volume: 18.9 gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump X
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1100 Weather Conditions: Sunny
 Sample Time/Date: 1130 / 3-21-12 Water Color: Cloudy Odor: Y10
 Approx. Flow Rate: 2 gpm. Sediment Description: Light
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 4.32

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm) ^{MS}	Temperature (°/F)	D.O. (mg/L)	ORP (mV)
<u>1103</u>	<u>6</u>	<u>7.69</u>	<u>1.28</u>	<u>19.0</u>		
<u>1106</u>	<u>12</u>	<u>7.61</u>	<u>1.32</u>	<u>19.5</u>		
<u>1110</u>	<u>20</u>	<u>7.62</u>	<u>1.30</u>	<u>19.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>2</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	<u>1</u> x 1 liter ambers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY SAMPLES

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0019 Job Number: 386500
 Site Address: 210 Grand Avenue Event Date: 3-21-12 (inclusive)
 City: Oakland, CA Sampler: ML

Well ID: MW-5 Date Monitored: 3-21-12

Well Diameter: 214
 Total Depth: 1110 ft.
 Depth to Water: 4.75 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.02
 Check if water column is less than 0.50 ft.
 xVF 1.66 = 41 x3 case volume = Estimated Purge Volume: 12.3 gal.

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1150 Weather Conditions: Sunny
 Sample Time/Date: 1235 / 3-21-12 Water Color: BROWN Odor: 0 / N Medium
 Approx. Flow Rate: _____ gpm. Sediment Description: light
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 4.81

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - MS)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1159</u>	<u>4</u>	<u>7.85</u>	<u>0.83</u>	<u>18.3</u>		
<u>1208</u>	<u>8</u>	<u>7.81</u>	<u>0.76</u>	<u>18.7</u>		
<u>1219</u>	<u>12.5</u>	<u>7.80</u>	<u>0.79</u>	<u>18.7</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-5	4 x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	2 x 1 liter ambers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY SAMPLES

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0019 Job Number: 386500
 Site Address: 210 Grand Avenue Event Date: 3-21-12 (inclusive)
 City: Oakland, CA Sampler: ML

Well ID: MW-6
 Well Diameter: 214
 Total Depth: 8.01 ft.
 Depth to Water: 5.01 ft.

Date Monitored: 3-21-12

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x 1 Voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	x 1 liter ambers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY SAMPLES

COMMENTS: M10

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0019
 Site Address: 210 Grand Avenue
 City: Oakland, CA

Job Number: 386500
 Event Date: 3/24/12 (inclusive)
 Sampler: ML

Well ID: MW-7
 Well Diameter: 214
 Total Depth: 9.95 ft.
 Depth to Water: 3.33 ft.

Date Monitored: 3-21-12

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

 xVF = x3 case volume = Estimated Purge Volume: gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]:

Purge Equipment:

- Disposable Bailer
- Stainless Steel Bailer
- Stack Pump
- Suction Pump
- Grundfos
- Peristaltic Pump
- QED Bladder Pump
- Other:

Sampling Equipment:

- Disposable Bailer
- Pressure Bailer
- Metal Filters
- Peristaltic Pump
- QED Bladder Pump
- Other:

Time Started: (2400 hrs)
 Time Completed: (2400 hrs)
 Depth to Product: ft
 Depth to Water: ft
 Hydrocarbon Thickness: ft
 Visual Confirmation/Description:
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: gal
 Amt Removed from Well: gal
 Water Removed:

Start Time (purge): Weather Conditions:
 Sample Time/Date: / Water Color: Odor: Y / N
 Approx. Flow Rate: gpm. Sediment Description:
 Did well de-water? If yes, Time: Volume: gal. DTW @ Sampling:

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	x 1 liter ambers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY SAMPLES

COMMENTS: M/O

Add/Replaced Lock: Add/Replaced Plug: Add/Replaced Bolt:



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0019
 Site Address: 210 Grand Avenue
 City: Oakland, CA

Job Number: 386500
 Event Date: 3-21-12 (inclusive)
 Sampler: ML

Well ID: MW-8
 Well Diameter: (2) 4
 Total Depth: 7.75 ft.
 Depth to Water: 1.05 ft.

Date Monitored: 3-21-12

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

- Disposable Bailer _____
- Stainless Steel Bailer _____
- Stack Pump _____
- Suction Pump _____
- Grundfos _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Sampling Equipment:

- Disposable Bailer _____
- Pressure Bailer _____
- Metal Filters _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): _____

Weather Conditions: _____

Sample Time/Date: _____ / _____

Water Color: _____ Odor: Y / N

Approx. Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	x 1 liter ampers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY SAMPLES

COMMENTS: M/O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-0019 Job Number: 386500
 Site Address: 210 Grand Avenue Event Date: 3-21-12 (inclusive)
 City: Oakland, CA Sampler: ML

Well ID: MW-9
 Well Diameter: 214
 Total Depth: 8.52 ft.
 Depth to Water: 1.99 ft.

Date Monitored: 3-21-12

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 1 Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-	x vga vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX+MTBE(8260)
	x 1 liter ambers	YES	NP	CHEVRON RTC	CHEVRON PFI STUDY SAMPLES

COMMENTS: M/O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



Ø32112-Ø3

For Lancaster Laboratories use only
 Acct. #: 12099 Sample # 0587749-50 Group #: 020442

CRA MTI Project #: 63H-2327

C# 1297000

Facility #: <u>SS#9-0019 G-R#386500 Global ID#T0600100313</u> Site Address: <u>210 GRAND AVENUE, OAKLAND, CA</u> Chevron PM: <u>MTI</u> Lead Consultant: <u>CRAKJ Kieman</u> Consultant/Office: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568</u> Consultant Prj. Mgr.: <u>Deanna L. Harding (deanna@grinc.com)</u> Consultant Phone #: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>MIKE LOMBARD</u>			Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested Preservation Codes H H BTEX + MTBE 8280 <input type="checkbox"/> 8021 <input type="checkbox"/> TPH 8015 MOD GRO TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8280 full scan Cryogenates Total Lead Method Dissolved Lead Method										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits		
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8280 <input type="checkbox"/> 8021 <input type="checkbox"/>	TPH 8015 MOD GRO	TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup	8280 full scan	Cryogenates	Total Lead Method	Dissolved Lead Method	Comments / Remarks
<u>MW-4</u>	<u>3-21-12</u>	<u>1130</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
<u>MW-5</u>	<u>3-21-12</u>	<u>1235</u>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			<u>6</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						
Turnaround Time Requested (TAT) (please circle) STD. TAT 72 hour 48 hour 24 hour 4 day 5 day			Relinquished by: <u>[Signature]</u> Date: <u>3-21-12</u> Time: <u>1415</u> Received by: <u>A. Bulger</u> Date: <u>21 MAR 12</u> Time: <u>1415</u>		Relinquished by: <u>A. Bulger</u> Date: <u>21 MAR 12</u> Time: <u>1635</u> Received by: <u>DHL</u> Date: Time:		Relinquished by Commercial Carrier: UPS FedEx Other		Received by: <u>Shyette Lehman</u> Date: <u>3/21/12</u> Time: <u>0950</u>		Temperature Upon Receipt: <u>1.1 / 1.8</u> °C Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No						
Data Package Options (please circle if required) EDF/EDD QC Summary Type I - Full Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk																	



Lancaster
Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2881 • www.lancasterlabs.com

RECEIVED

APR 04 2012

ANALYTICAL RESULTS

GETTLER-RYAN INC.
GENERAL CONTRACTORS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Chevron c/o CRA
Suite 107
10969 Trade Center Dr
Rancho Cordova CA 95670

April 03, 2012

Project: 90019

Submittal Date: 03/22/2012

Group Number: 1297000

PO Number: 90019

Release Number: MTI

State of Sample Origin: CA

Client Sample Description

MW-4-W-120321 Grab Water

MW-5-W-120321 Grab Water

Lancaster Labs (LLI) #

6587749

6587750

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC Gettler-Ryan, Inc.

COPY TO

Attn: Rachelle Munoz

ELECTRONIC Chevron c/o CRA

COPY TO

Attn: Report Contact

ELECTRONIC Chevron

COPY TO

Attn: Anna Avina



Lancaster
Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2881 • www.lancasterlabs.com

Respectfully Submitted,

A handwritten signature in cursive script that reads "Jill M. Parker".

Jill M. Parker
Senior Specialist

(717) 556-7262



Lancaster
Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-4-W-120321 Grab Water

Facility# 90019 Job# 386500 MTI# 63H-2327 GRD
210 Grand Ave-Oakland T0600100313 MW-4

LLI Sample # WW 6587749
LLI Group # 1297000
Account # 12099

Project Name: 90019

Collected: 03/21/2012 11:30 by ML

Chevron c/o CRA
Suite 107

Submitted: 03/22/2012 09:50

10969 Trade Center Dr

Reported: 04/03/2012 15:45

Rancho Cordova CA 95670

GAO04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles					
		SW-846 8260B	ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles					
		SW-846 8015B	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1

General Sample Comments

State of California Lab Certification No. 2501

Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z120912AA	03/31/2012 09:07	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z120912AA	03/31/2012 09:07	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12087A07A	03/28/2012 14:05	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	12087A07A	03/28/2012 14:05	Laura M Krieger	1



Lancaster
Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: MW-5-W-120321 Grab Water
 Facility# 90019 Job# 386500 MTI# 63H-2327 GRD
 210 Grand Ave-Oakland T0600100313 MW-5

LLI Sample # WW 6587750
 LLI Group # 1297000
 Account # 12099

Project Name: 90019

Collected: 03/21/2012 12:35 by ML

Chevron c/o CRA
 Suite 107

Submitted: 03/22/2012 09:50

10969 Trade Center Dr
 Rancho Cordova CA 95670

Reported: 04/03/2012 15:45

GA005

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10943	Benzene	71-43-2	ug/l 1,300	ug/l 10	20
10943	Ethylbenzene	100-41-4	2,200	10	20
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	10	20
10943	Toluene	108-88-3	550	10	20
10943	Xylene (Total)	1330-20-7	3,800	10	20
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	ug/l 35,000	ug/l 1,000	20

General Sample Comments

State of California Lab Certification No. 2501
 Trip blank vials were not received by the laboratory for this sample group.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z120912AA	03/31/2012 10:19	Anita M Dale	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z120912AA	03/31/2012 10:19	Anita M Dale	20
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12087A07A	03/28/2012 19:34	Laura M Krieger	20
01146	GC VOA Water Prep	SW-846 5030B	1	12087A07A	03/28/2012 19:34	Laura M Krieger	20

Quality Control Summary

 Client Name: Chevron c/o CRA
 Reported: 04/03/12 at 03:45 PM

Group Number: 1297000

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: Z120912AA	Sample number(s): 6587749-6587750							
Benzene	N.D.	0.5	ug/l	100		77-121		
Ethylbenzene	N.D.	0.5	ug/l	104		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	100		68-121		
Toluene	N.D.	0.5	ug/l	107		79-120		
Xylene (Total)	N.D.	0.5	ug/l	106		77-120		
Batch number: 12087A07A	Sample number(s): 6587749-6587750							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	109	109	75-135	0	30

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: Z120912AA	Sample number(s): 6587749-6587750 UNSPK: 6587749								
Benzene	101	102	72-134	1	30				
Ethylbenzene	106	108	71-134	3	30				
Methyl Tertiary Butyl Ether	100	103	72-126	3	30				
Toluene	107	108	80-125	1	30				
Xylene (Total)	108	110	79-125	2	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: UST VOCs by 8260B - Water
 Batch number: Z120912AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6587749	109	99	101	93
6587750	105	98	102	101
Blank	109	101	101	93
LCS	104	98	101	100
MS	106	102	101	99
MSD	104	98	99	100

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control SummaryClient Name: Chevron c/o CRA
Reported: 04/03/12 at 03:45 PM

Group Number: 1297000

Surrogate Quality Control

Limits:	80-116	77-113	80-113	78-113
---------	--------	--------	--------	--------

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 12087A07A
Trifluorotoluene-F

6587749	80
6587750	104
Blank	79
LCS	91
LCSD	88

Limits: 63-135

***- Outside of specification**

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m3	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is $<$ CRDL, but \geq IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns $>$ 25%	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.