

RECEIVED

By dehloptoxic at 9:22 am, Jul 12, 2006

**SECOND QUARTER 2006
GROUNDWATER
MONITORING REPORT**

**240 W. MACARTHUR BOULEVARD
OAKLAND, CALIFORNIA**

Prepared for:

**MR. GLEN POY-WING
OAKLAND AUTO WORKS
OAKLAND, CALIFORNIA**

July 2006

July 11, 2006

Mr. Jerry Wickham
Hazardous Materials Specialist
Alameda County Health Care Services Agency
Department of Environmental Health
Local Oversight Program
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502

Subject: Second Quarter 2006 Groundwater Monitoring Report
Oakland Auto Works Facility – 240 W. MacArthur Boulevard, Oakland, California
Alameda County Environmental Health Fuel Leak Case No. RO0000142

Dear Mr. Wickham:


Enclosed is the Stellar Environmental Solutions, Inc. report summarizing recent activities conducted at the referenced site. This report presents the findings of the Second Quarter 2006 groundwater monitoring event (the 31st site groundwater monitoring event since August 1997).

This report was uploaded to both the State of California GeoTracker system and the Alameda County Environmental Health Department's Electronic Upload ftp system.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions regarding this report, please contact the undersigned at (510) 644-3123.

Sincerely,



Richard S. Makdisi, R.G., R.E.A.
Principal and Project Manager



cc: Mr. Glen Poy-Wing, Property Owner and Responsible Party

**SECOND QUARTER 2006
GROUNDWATER
MONITORING REPORT**

**240 W. MACARTHUR BOULEVARD
OAKLAND, CALIFORNIA**

Prepared for:

**MR. GLEN POY-WING
OAKLAND AUTO WORKS
240 W. MACARTHUR BOULEVARD
OAKLAND, CALIFORNIA 94612**

Prepared by:

**STELLAR ENVIRONMENTAL SOLUTIONS, INC.
2198 SIXTH STREET
BERKELEY, CALIFORNIA 94710**

July 11, 2006

Project No. 2003-43

TABLE OF CONTENTS

| | Page |
|---|-------------|
| 1.0 INTRODUCTION | 1 |
| Project Background..... | 1 |
| Regulatory Status | 1 |
| Scope of Report..... | 2 |
| Site Description..... | 2 |
| Historical Environmental Activities..... | 2 |
| 2.0 PHYSICAL SETTING | 6 |
| Topography and Surface Water Drainage..... | 6 |
| Lithology | 6 |
| Groundwater Hydrology | 7 |
| 3.0 JUNE 2006 GROUNDWATER MONITORING AND SAMPLING..... | 10 |
| 4.0 REGULATORY CONSIDERATIONS, ANALYTICAL RESULTS AND FINDINGS | 12 |
| Regulatory Considerations..... | 12 |
| Groundwater Sample Analytical Methods..... | 13 |
| Groundwater Sample Results..... | 14 |
| Quality Control Sample Analytical Results | 21 |
| 5.0 SUMMARY, CONCLUSIONS, AND PROPOSED ACTIONS..... | 22 |
| Summary and Conclusions..... | 22 |
| Proposed Actions | 23 |
| 6.0 REFERENCES AND BIBLIOGRAPHY | 25 |
| 7.0 LIMITATIONS | 30 |

Appendices

- Appendix A Current Event Groundwater Monitoring Field Records
- Appendix B Current Event Analytical Laboratory Report and Chain-of-Custody Record
- Appendix C Historical Groundwater Monitoring Well Analytical Data

TABLES AND FIGURES

| Tables | Page |
|---|-------------|
| Table 1 Groundwater Monitoring Well Construction and Groundwater Elevation Data 240 W. MacArthur Boulevard, Oakland, California..... | 11 |
| Table 2 Groundwater Sample Analytical Results – June 9, 2006 Hydrocarbons, BTEX, and MTBE 240 W. MacArthur Boulevard, Oakland, California..... | 15 |
| Table 3 Groundwater Sample Analytical Results – June 9, 2006 Lead Scavengers and Fuel Oxygenates 240 W. MacArthur Boulevard, Oakland, California..... | 16 |

| Figures | Page |
|--|-------------|
| Figure 1 Site Location Map..... | 3 |
| Figure 2 Site Plan | 4 |
| Figure 3 Groundwater Elevation Map – June 9, 2006..... | 8 |
| Figure 4 Gasoline Isoconcentration Contours – June 2006..... | 17 |
| Figure 5 Diesel Isoconcentration Contours – June 2006..... | 18 |
| Figure 6 Benzene Isoconcentration Contours – June 2006 | 19 |
| Figure 7 MTBE Isoconcentration Contours – June 2006..... | 20 |

1.0 INTRODUCTION

PROJECT BACKGROUND

The subject property, located at 240 W. MacArthur Boulevard, Oakland, Alameda County, California, is owned by Glen Poy-Wing and his wife (d/b/a Oakland Auto Works), for whom Stellar Environmental Solutions, Inc. (SES) has provided environmental consulting services since July 2003. The site has undergone contaminant investigations and remediation since 1991 (discussed below). A list of all known environmental reports is included in Section 6.0, References and Bibliography. This report presents findings for the 31st site groundwater monitoring event since monitoring began in August 1997.

In 2002, the current property owners purchased the property and assumed responsibility for continued environmental investigations. The property was formerly owned by Mr. Warren Dodson (Dodson Ltd.) and operated as Vogue Tyres.

REGULATORY STATUS

The Alameda County Health Care Services Agency, Department of Environmental Health (Alameda County Environmental Health) is the lead regulatory agency for the case, acting as a Local Oversight Program (LOP) for the Regional Water Quality Control Board (Water Board). There are no Alameda County Environmental Health or Water Board cleanup orders for the site; however, all site work has been conducted under oversight of Alameda County Environmental Health. In our August 2003 review of the Alameda County Environmental Health case file, we determined that all known technical reports for the site were included in that file to that point.

The previous consultant requested site closure in March 2003 (AEC, 2003a). Alameda County Environmental Health denied that request and, in a letter dated April 16, 2003, requested additional site characterization prior to considering case closure. That work was subsequently conducted by SES, and was summarized in our April 2004 Soil and Groundwater Investigation Report (SES, 2004c). In December 2004, SES submitted a workplan for interim remedial action (including additional site characterization and an evaluation of soil vapor extraction as an interim corrective action). Alameda County Environmental Health responded to that workplan in its March 2006 letter (Water Board, 2006) approving the work (with minor technical revisions). The first technical submittal deadline was July 17, 2006, for the subsurface investigation portion

of the work; however, Mr. Poy-Wing requested a 2-month deadline extension due to his exploration of a real estate sale of the property.

The site is in compliance with State of California GeoTracker requirements for uploading technical data and reports. In addition, electronic copies of technical documentation reports published since Q2 2005 have been uploaded to Alameda County Environmental Health's file transfer protocol (ftp) system. Per Alameda County Environmental Health's October 31, 2005 "Miscellaneous Administrative Topics and Procedures" directive, effective January 31, 2006, paper copies of reports will no longer be provided to Alameda County Environmental Health.

The site has been granted a Letter of Commitment (and has been receiving financial reimbursement) from the California Underground Storage Tank Cleanup Fund.

SCOPE OF REPORT

This report discusses the work conducted between April 1 and June 30, 2006 (specifically, the 31st groundwater monitoring and sampling event, conducted on June 9, 2006).

SITE DESCRIPTION

The project site is located at 240 W. MacArthur Boulevard in Oakland, California (see Figure 1). The rectangular-shaped project site is approximately 14,000 square feet (140 feet long by 100 feet wide), and is oriented with its long axis parallel to W. MacArthur Boulevard (approximately northwest-southeast). The project site is essentially flat and is wholly paved. One structure currently exists on the property—an automobile servicing shop that covers approximately 50 percent of the property. The building is currently occupied by Oakland Auto Works. Figure 2 is a site plan showing adjacent land uses.

Adjacent land use includes: a Shell-branded service station with an ongoing UFST-sourced groundwater investigation (*to the south*); W. MacArthur Boulevard (*to the west*); Howe Street (*to the north*); and a paved driveway, then a multi-story (with basement) health services building (*to the east*).

HISTORICAL ENVIRONMENTAL ACTIVITIES

This section summarizes historical (prior to the current quarter) environmental remediation and site characterization activities, based on documentation provided by the current property owners as well as Alameda County Environmental Health files. Figure 2 shows the site plan with the current groundwater well and former underground fuel storage tank (UFST) locations.



SITE LOCATION ON U.S.G.S. TOPOGRAPHIC MAP


**240 W. MacArthur Blvd.
Oakland, CA**

By: MJC

APRIL 2004

Figure 1

Stellar Environmental Solutions, Inc.
 Geoscience & Engineering Consulting



SITE PLAN WITH BOREHOLE AND GROUNDWATER WELL LOCATIONS

240 W. MacArthur Blvd.
Oakland, CA

By: MJC

JANUARY 2005

Figure 2

Stellar Environmental Solutions, Inc.
Geoscience & Engineering Consulting

2003-43-94

Historical remediation and site characterization activities include:

- **Pre-1991.** Three 10,000-gallon gasoline UFSTs from a former Gulf service station occupancy were removed prior to 1991 (there is no available documentation regarding the removals).
- **1991.** A waste oil sump was removed. Limited overexcavation was conducted, and there was no evidence of residual soil contamination, with the exception of 360 milligrams per kilogram (mg/kg) of petroleum oil & grease (Mittelhauser Corporation, 1991b).
- **1996.** A 350-gallon waste oil underground storage tank (UST) was removed. Elevated levels of diesel and oil & grease were detected in confirmation soil samples. Subsequent overexcavation was conducted, and there was no evidence of residual soil contamination (All Environmental, Inc., 1997a).
- **January 1997.** In accordance with a request by Alameda County Environmental Health, a subsurface investigation was conducted (All Environmental, Inc., 1997b). Six exploratory boreholes were advanced to a maximum depth of 20 feet, and soil samples were collected.
- **August 1997.** Additional site characterization was conducted; this included sampling three boreholes, installing four groundwater monitoring wells, and conducting the initial groundwater sampling event.
- **February 2001.** Four additional groundwater monitoring wells were installed. Maximum historical soil concentrations were detected in well MW-5 in the northeastern corner of the subject property: 11,700 mg/kg of gasoline and 25.6 mg/kg of benzene (AEC, 2001b).
- **October 2001.** Short-term (less than 1-day duration) groundwater and vapor extraction from five wells was conducted over 4 days (AEC, 2001e) (referred to by that consultant as “Hi-Vac” process).
- **2003.** A sensitive receptor and vicinity water well survey was conducted.
- **April 2004.** Additional site characterization was conducted, including: advancing and sampling 12 exploratory boreholes; analyzing 64 soil and 12 grab-groundwater sample results; and further evaluating site hydrogeology and contaminant extent and magnitude.

To date, a total of 31 groundwater monitoring events have been conducted at the site.

2.0 PHYSICAL SETTING

The following evaluation of the physical setting of the site—including topography, surface water drainage, and geologic and hydrogeologic conditions—is based on previous (1991 through April 2003) site investigations conducted by others, and site inspections and groundwater monitoring data collected by SES since 2003.

TOPOGRAPHY AND SURFACE WATER DRAINAGE

The site is on a gently-sloping alluvial fan at the base of the Berkeley/Oakland Hills, which rise approximately 1,100 feet above mean sea level (amsl) and are located approximately 3 miles east of San Francisco Bay. The mean elevation of the subject property is approximately 82 feet amsl. The subject property is essentially flat, with a local topographic gradient to the west. The nearest surface water bodies are: 1) Glen Echo Creek, a northeast-southwest trending creek located approximately 800 feet southeast of the subject property; and 2) Rockridge Branch, a north-south trending creek located approximately 1,000 feet northwest of the subject property. Both creeks are culverted underground in the areas nearest to the subject property.

LITHOLOGY

A previous SES report included geologic cross-sections through the area of historical investigations (SES, 2004c). The following summarizes site lithologic conditions.

The unsaturated zone (from ground surface to approximately 20 feet below ground surface [bgs]) consists of interbedded silty/sandy clays with silty/clayey sand, with occasional gravelly zones. In the sand zones, clay and/or silt content is high, and the sand is generally very fine- to fine-grained—such that the unit is, in essence, gradational between a clayey sand and a sandy clay. The most laterally-extensive unsaturated zone unit is a sandy clay encountered between ground surface and approximately 15 feet, locally pinching out and displaying lenticular form. Locally, this unit is interbedded with a sandy clay. The sediment types and geometry are suggestive of channel deposits, which is a common depositional facies in this area.

Depth to groundwater in all onsite April 2004 boreholes was approximately 20 to 21 feet bgs, predominantly in a saturated, loose, clayey sand. The saturated portion of this clayey sand constitutes the bottom of the unit; the saturated zone is approximately 0.5 to 2.5 feet thick, underlain in all boreholes by a cohesive, non-water-bearing clay. The top of this clay was consistently at a depth between approximately 21 and 23 feet. Of the 12 boreholes, 9 were

advanced at least 1.5 feet into this clay before terminating (and not encountering visible moisture or sand). One of the boreholes was advanced deeper, documenting a thickness of at least 4.5 feet. The lithologic data (supported by soil sample analytical data) strongly suggest that this clay unit inhibits downward migration of groundwater contamination.

The site lithology is consistent with that documented at the adjacent Shell service station site. Specifically, those boreholes have documented the thin upper, water-bearing zone underlain by the likely non-water-bearing clay unit. In three of the four Shell well boreholes, that clay unit was at least 2 feet thick. In one of the well boreholes, the clay unit was underlain by a saturated clayey sand unit (from approximately 22 to 25.5 feet bgs, which was underlain by a non-water-bearing clay). There are insufficient data to conclude whether the second deepest saturated clayey sand is connected to the shallower sitewide saturated zone. The subsequent (March 2004) Shell boreholes SB-1 and SB-2 (between the Shell wells and the subject property) all terminated at 20 feet bgs, which was too shallow to encounter the underlying clay unit.


GROUNDWATER HYDROLOGY

The number and positioning of the existing eight site monitoring wells is currently adequate to evaluate the general groundwater flow direction and gradient. Four of the wells (MW-1, MW-2, MW-3, and MW-4) are screened between approximately 25 and 15 feet bgs, and the other four (MW-5, MW-6, MW-7, and MW -8) are screened at a depth of 10 to 20 feet.

Following the September 26, 2003 well surveying, SES evaluated groundwater flow direction of events (from October 2001 to March 2003), finding groundwater flow to be generally westward, with a slight northern component in some events. Figure 3 is a groundwater elevation map that shows elevations and contours from the current (June 2006) groundwater monitoring event. Groundwater flow direction in this event was generally to the west, although the data suggest local variations. A generally westward (with a slight southern component) groundwater flow direction has also been measured at the adjacent Shell-branded service station (Cambria Environmental Technology, 2004). Subject property groundwater gradient in the current event was relatively flat, at approximately 0.006 feet/foot. Historical groundwater gradient has varied between approximately 0.002 feet/foot and 0.008 feet/foot, averaging approximately 0.005 feet/foot.

Figure 3 includes a rose diagram that shows historical groundwater flow direction measured at the site. The rose diagram is a histogram that has been wrapped around a circle and has the following characteristics:

- Each wedge represents a 15-degree arc of groundwater flow direction.



GROUNDWATER ELEVATION MAP—June 9, 2006

240 W. MacArthur Blvd.
Oakland, CA

By: MJC

JUNE 2006

Figure 3



- The length of each wedge (circle radius) represents the number of sampling events with data falling within the 15-degree arc.
- The bold black line from the center of the circle to the outer edge is the mean groundwater flow direction.
- The arcs extending to either side of the mean groundwater flow direction line represent the 95-degree confidence interval of the data.

Historical equilibrated water levels (in wells) have been measured at depths of approximately 13 to 16 feet (slightly higher than first occurrence of groundwater encountered during drilling), indicating that groundwater occurs under slightly confining conditions. The range of water level elevations has varied by approximately 3 feet, and shows a strong seasonal variation, with highest elevations during the rainy winter-spring seasons and lowest elevations during the dry summer-fall seasons.

3.0 JUNE 2006 GROUNDWATER MONITORING AND SAMPLING

This section presents the groundwater sampling and analytical methods for the current event (Second Quarter 2006), which was conducted on June 9, 2006. Table 1 summarizes monitoring well construction and groundwater monitoring data. Groundwater analytical results are presented and discussed in Section 5.0. Monitoring and sampling protocols were in accordance with the SES technical workplan (SES, 2003) submitted to Alameda County Environmental Health, and subsequent technical revision requested by Alameda County Environmental Health. The groundwater sampling event involved the collection of one set of “post-purge” samples from all wells, in accordance with recent revisions to the quarterly monitoring program approved by Alameda County Environmental Health. Specific activities for this event included:

- Measuring static water levels and field measurement of “pre-purge” groundwater samples for hydrogeochemical parameters (temperature, pH, electrical conductivity, turbidity, and dissolved oxygen) in the eight site wells; and
- Collecting “post-purge” groundwater samples from the eight onsite wells for field measurement of the aforementioned hydrogeochemical parameters, and for offsite laboratory analyses for contaminants of concern.

The locations of all site monitoring wells are shown on Figure 2. Well construction information and water level data are summarized in Table 1. All site wells are 2-inch-diameter PVC, although the borehole geologic logs for MW-1 through MW-4 completed by the previous consultant mistakenly indicated that they are 4-inch-diameter. Appendix A contains the groundwater monitoring field records for the current event.

Groundwater monitoring well water level measurements, sampling, and field analyses were conducted by Blaine Tech Services (San Jose, California) under the supervision of SES personnel. To minimize the potential for cross-contamination, wells were purged and sampled in order of increasing contamination (based on the previous quarter analytical results).

As the first monitoring task, static water levels were measured in the eight site wells using an electric water level indicator. Grab-groundwater samples were then collected from each well (using a new disposable bailer) and field-analyzed for aquifer stability parameters—including temperature, pH, electrical conductivity, turbidity, and dissolved oxygen.

Table 1
Groundwater Monitoring Well Construction and Groundwater Elevation Data
240 W. MacArthur Boulevard, Oakland, California

| Well | Well Depth (feet bgs) | Well Screened Interval | | Groundwater Level Depth ^(a) June 9, 2006 | Groundwater Elevation ^(b) June 9, 2006 |
|------|--------------------------|------------------------|---------------------|---|---|
| | | Depth (feet) | Elevation (feet) | | |
| MW-1 | 25 | 19.5 to 24.5 | 54.5 to 49.5 | 14.60 | 64.55 |
| MW-2 | 25 | 14.5 to 24.5 | 64.2 to 54.2 | 14.15 | 64.30 |
| MW-3 | 25 | 14.5 to 24.5 | 63.4 to 53.4 | 13.27 | 64.31 |
| MW-4 | 25 | 14.5 to 24.5 | 63.6 to 53.6 | 13.02 | 64.72 |
| MW-5 | 20 | 9 to 19 | 70.6 to 60.6 | 14.65 | 64.71 |
| MW-6 | 20 | 9 to 19 | 69.7 to 59.7 | 13.73 | 64.70 |
| MW-7 | 20 | 9 to 19 | 69.6 to 59.6 | 13.98 | 64.29 |
| MW-8 | 20 | 9 to 19 | 67.7 to 57.7 | 12.10 | 64.29 |

Notes:

^(a) Pre-purge measurement, feet below top of well casing.

^(b) Pre-purge measurement, feet above mean sea level.

Each well was then purged (by hand bailing with a new disposable bailer) of three wetted casing volumes, and aquifer stability parameters (pH, temperature, electrical conductivity, and turbidity) were measured between each purging. When measurements indicated that representative formation water was entering the well, a groundwater sample set was collected from each well with the purging bailer. These samples were field-measured for pH, temperature, electrical conductivity, turbidity, and dissolved oxygen. Samples were then transferred to appropriate sampling containers (40-ml VOA vials with hydrochloric acid preservative, and 1-liter amber glass jars), labeled, and placed in coolers with “blue ice.” All groundwater samples were managed under chain-of-custody procedures from the time of sample collection until samples were received in the laboratory.

Approximately 35 gallons of wastewater (purge water and equipment decontamination rinseate) was containerized in a labeled, 55-gallon steel drum that will be temporarily stored onsite. This non-hazardous water will continue to be accumulated onsite until it is cost-effective to coordinate its disposal, at which time it will be profiled and disposed of at a permitted wastewater treatment facility.

4.0 REGULATORY CONSIDERATIONS, ANALYTICAL RESULTS AND FINDINGS

This section presents analytical results of the most recent monitoring event, preceded by a summary of relevant regulatory considerations.

REGULATORY CONSIDERATIONS

Environmental Screening Levels

There are no published cleanup goals for detected site contaminants in groundwater. The Water Board has published “Environmental Screening Levels” (ESLs), which are screening-level concentrations for soil and groundwater that incorporate both environmental and human health risk considerations, and are used as a preliminary guide in determining whether additional remediation and/or investigation are warranted. The ESLs are not cleanup criteria; rather, they are conservative screening-level criteria designed to be protective of both drinking water resources and aquatic environments in general. The groundwater ESLs are composed of one or more components, including ceiling value, human toxicity, indoor air impacts, and aquatic life protection. Exceedance of ESLs suggests that additional remediation and/or investigation may be warranted, such as monitoring plume stability to demonstrate no risk to sensitive receptors in the case of sites where drinking water is not threatened.

The City of Oakland, via its Urban Land Redevelopment (URL) Program, utilizes a similar ESL approach in evaluating whether active remediation is necessary at sites proposed for redevelopment. This program is not currently applicable to the site, as no redevelopment is proposed.

For all site contaminants with published drinking water standards—benzene, toluene, ethylbenzene, and xylenes (BTEX); and methyl *tertiary*-butyl ether (MTBE)—those standards are equal to or greater than the published ESLs.

Sensitive Receptors

Risk evaluation commonly includes the identification of sensitive receptors, including vicinity groundwater supply wells. As discussed in a previous report (SES, 2004c), the California Department of Water Resources identified only one groundwater supply well within 1,500 feet of

the site. Based on its distance and upgradient location relative to the site, there is no reasonable potential for this well to intercept shallow groundwater emanating from the subject property.

As specified in the Water Board's San Francisco Bay Region Water Quality Control Plan (Water Board, 2004), all groundwaters are considered potential sources of drinking water unless otherwise approved by the Water Board, and are assumed to ultimately discharge to a surface water body and potentially impact aquatic organisms. In the case of groundwater contamination, ESLs are published for two scenarios: groundwater *is* a source of drinking water, and groundwater *is not* a source of drinking water. Qualifying for the higher ESLs (applicable to groundwater *is not* a source of drinking water) requires meeting one of the following two criteria:

1. The Water Board has completed the "East Bay Plain Groundwater Basin Beneficial Use Evaluation Report" (Water Board, 1999) that delineates three types of areas with regard to beneficial uses of groundwater: Zone A (significant drinking water resource), Zone B (groundwater unlikely to be used as drinking water resource), and Zone C (shallow groundwater proposed for designation as Municipal Supply Beneficial Use). The subject site falls within Zone A.
2. A site-specific exemption can be obtained from the Water Board. Such an exemption has not been obtained for this site.

As discussed below, multiple groundwater contaminants have been detected in excess of ESLs, for both groundwater beneficial scenarios (groundwater *is* versus *is not* a potential drinking water resource). These data indicate that continued site characterization is warranted until it can be demonstrated that site-sourced contamination poses no unacceptable risk to sensitive receptors. Our subsequent discussion of groundwater contamination is in the context of the ESL criteria for sites where groundwater *is* a potential drinking water resource.

GROUNDWATER SAMPLE ANALYTICAL METHODS

Groundwater samples were analyzed in accordance with the methods proposed in the SES technical workplan. Analytical methods included:

- Total volatile hydrocarbons – gasoline range (TVHg), by EPA Method 8015B (all wells);
- BTEX and MTBE, by EPA Method 8260B;
- The lead scavengers 1,2-dichloroethane (EDC) and 1,2-dibromoethane (EDB), by EPA Method 8260B (all wells except MW-4 and MW-7, which historically have had little or no site-sourced contamination);

- Total extractable hydrocarbons – diesel range (TEHd), by EPA Method 8015M (all wells except MW-4 and MW-7, which historically have never detected diesel); and
- Fuel oxygenates, by EPA Method 8260B.

Groundwater samples were analyzed in accordance with the methods proposed in the SES technical workplan, with one exception. The analytical results for the current event indicate no significant differences from historical analytical results.

GROUNDWATER SAMPLE RESULTS

Tables 2 and 3 summarize the contaminant analytical results of the current monitoring event. Appendix B contains the certified analytical laboratory report and chain-of-custody record. Appendix C contains historical site groundwater monitoring well analytical data.

Gasoline and Diesel

Figure 4 shows gasoline isoconcentration contours for the recent event. Gasoline was detected in six of the eight wells (all except MW-4 and MW-7). Detected concentrations ranged from 460 micrograms per liter ($\mu\text{g/L}$) (in well MW-6) to 28,000 $\mu\text{g/L}$ (in well MW-5). All of the gasoline concentrations exceeded the 100- $\mu\text{g/L}$ ESL criterion. Wells MW-1 and MW-5, at the northern corner of the site (near the original source area), had the highest gasoline concentration, as they have historically. The gasoline plume extends offsite to the north (under Howe Street) and to the south (under W. MacArthur Boulevard).

Figure 5 shows diesel isoconcentration contours for the recent event. Diesel was detected in all six of the wells analyzed for diesel, but is of secondary concern relative to gasoline, with concentrations historically at significantly lower levels than gasoline. Diesel concentrations ranged from 170 $\mu\text{g/L}$ (in well MW-8) to 8,500 $\mu\text{g/L}$ (in well MW-1), with all concentrations exceeding the 100- $\mu\text{g/L}$ ESL criterion. The diesel plume footprint is similar to that of the gasoline plume, but somewhat smaller. Diesel is present offsite under Howe Street (to the north) and under W. MacArthur Boulevard (to the west).

Benzene, Toluene, Ethylbenzene, and Total Xylenes

Figure 6 shows benzene isoconcentration contours for the recent event. Benzene was detected in five of the six wells for which benzene was analyzed, at concentrations ranging from 8.3 $\mu\text{g/L}$ (in MW-6) to 1,600 $\mu\text{g/L}$ (in MW-1). Maximum benzene concentrations were detected in source area wells MW-1 and MW-5, as historically has been the case. The lateral extent of the benzene

Table 2
Groundwater Sample Analytical Results – June 9, 2006
Hydrocarbons, BTEX, and MTBE ^(a)
240 W. MacArthur Boulevard, Oakland, California

| Well | TVHg | TEHd | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE |
|--|--------|-------|--------------------|---------|---------------|---------------|-------|
| MW-1 | 21,000 | 8,500 | 1,600 | 160 | 170 | 1,000 | < 2.5 |
| MW-2 | 1,400 | 1,200 | 33 | 1.3 | 3.5 | < 1.6 | 84 |
| MW-3 | 4,000 | 1,400 | 89 | 8.4 | 14 | 16.7 | 75 |
| MW-4 | < 50 | NA | NA | NA | NA | NA | NA |
| MW-5 | 28,000 | 4,900 | 920 | 250 | 350 | 1,480 | < 2.0 |
| MW-6 | 460 | 1,300 | 8.3 | < 0.5 | 1.4 | 2.6 | < 0.5 |
| MW-7 | < 50 | NA | NA | NA | NA | NA | NA |
| MW-8 | 710 | 170 | < 0.5 | < 0.5 | < 0.5 | < 1.0 | 81 |
| Environmental Screening Levels ^(b) | | | | | | | |
| | NLP | NLP | 1.0 | 40 | 30 | 20 | 5.0 |
| Drinking Water Standards ^(c) | | | | | | | |
| | 100 | 100 | 1.0 ^(d) | 40 | 30 | 13 | 5.0 |

Notes:

^(a) All concentrations in µg/L, equivalent to parts per billion (ppb).

^(b) For commercial/industrial sites where a known or potential drinking water resource is threatened.

^(c) Drinking water standards are State of California Secondary Maximum Contaminant Levels – Proposed, unless specified otherwise.

^(d) State of California Primary Maximum Contaminant Levels.

MTBE = methyl *tertiary*-butyl ether

TEHd = total extractable hydrocarbons - diesel range

TVHg = total volatile hydrocarbons - gasoline range

NA = Not analyzed for this contaminant.

NLP = No level published.

plume was constrained onsite in three directions in the current event; however, it extends under Howe Street to the north (up to approximately 100 µg/L). The benzene plume configuration is generally the same as for gasoline and diesel.

Toluene, ethylbenzene, and xylenes were detected in generally the same wells in which benzene was detected, and contaminant concentrations exceeded respective ESL criteria in several of the wells.

Table 3
Groundwater Sample Analytical Results – June 9, 2006
Lead Scavengers and Fuel Oxygenates ^(a)
240 W. MacArthur Boulevard, Oakland, California

| Well | EDC | DIPE | TBA |
|---|-------|-------|-----|
| MW-1 | < 2.5 | < 2.5 | 220 |
| MW-2 | 1.4 | < 0.8 | 56 |
| MW-3 | < 0.5 | 2.2 | 52 |
| MW-5 | 10 | < 2.0 | 61 |
| MW-6 | 28 | 1.3 | 53 |
| MW-8 | < 0.5 | 0.9 | 20 |
| Drinking Water Standards ^(b) | NLP | NLP | NLP |
| ESLs ^(c) | 0.5 | NLP | 12 |

Notes:

^(a) All concentrations in µg/L, equivalent to parts per billion (ppb).

^(b) Drinking water standards are State of California Secondary Maximum Contaminant Levels – Proposed, unless specified otherwise.

^(c) For commercial/industrial sites where known/potential drinking water resource is threatened.

DIPE = isopropyl ether.

EDC = ethylene dichloride (1,2-dichloroethane).

TBA = *tertiary*-butyl alcohol

NLP = No level published.

Table includes only detected fuel oxygenates and lead scavengers. Contaminants analyzed for and not detected include EDB, ETBE, and TAME.

Methyl *tertiary*-Butyl Ether


Figure 7 shows MTBE isoconcentration contours for the recent event. MTBE was detected in three of the six site wells for which MTBE was analyzed, at concentrations ranging from 75 µg/L (in MW-3) to 84 µg/L (in MW-2). The center of mass of the MTBE plume has migrated downgradient from the source area to the southern side of the property (adjacent to W. MacArthur Boulevard), with trace to no MTBE present in source area wells MW-1 and MW-5.

The lateral extent of the MTBE plume was constrained onsite in three directions in the current event; however, it extends to the west underneath W. MacArthur Boulevard. As discussed in previous reports (SES, 2004c), MTBE appears to be migrating onto the subject property from the adjacent (to the east) Shell-branded service station. This contamination, however, is unrelated to the separate site-sourced MTBE contamination.

LEGEND

- Groundwater monitoring well
- Former 10,000-gal. gasoline UFST
- Gasoline isoconcentration contour ($\mu\text{g/L}$)
- Gasoline concentration ($\mu\text{g/L}$)

0 20
SCALE IN FEET (approx.)



GASOLINE ISOCONCENTRATION CONTOURS (JUNE 2006)

240 W. MacArthur Blvd.
Oakland, CA

By: MJC


JUNE 2006

Figure 4



2003-43-134





DIESEL ISOCONCENTRATION CONTOURS (JUNE 2006)

240 W. MacArthur Blvd.
Oakland, CA

By: MJC


JUNE 2006

Figure 5



2003-43-133





BENZENE ISOCONCENTRATION CONTOURS (JUNE 2006)

240 W. MacArthur Blvd.
Oakland, CA

By: MJC


JUNE 2006

Figure 6



2003-43-136





MTBE ISOCONCENTRATION CONTOURS (JUNE 2005)

240 W. MacArthur Blvd.
Oakland, CA

By: MJC

JUNE 2006

Figure 7



2003-43-135



Lead Scavengers and Fuel Oxygenates

The lead scavenger EDC was detected in three of the six site wells for which lead scavengers were analyzed, at concentrations ranging from 1.4 µg/L (in MW-2) to 28 µg/L (in MW-6). The lead scavenger EDB was not detected in any of the six wells.

Two fuel oxygenates were detected in the current event. DIPE was detected in three of the six wells at concentrations ranging from 0.9 µg/L to 2.2 µg/L. TBA was detected in all six of the wells for which it was analyzed at concentrations between 20 µg/L and 220 µg/L. No other fuel oxygenates were detected.

Summary of Groundwater Contamination

Maximum concentrations of gasoline and diesel were detected in wells MW-5 and MW-1, located in the northeastern corner of the property (near the former UFSTs). Maximum concentrations of MTBE were detected in downgradient wells (adjacent to W. MacArthur Boulevard), indicating that the center of mass of MTBE has migrated downgradient. Groundwater contamination extends offsite to the north and west (beneath Howe Street and W. MacArthur Boulevard). The current quarter conditions were generally consistent with recent historical conditions.

QUALITY CONTROL SAMPLE ANALYTICAL RESULTS

Laboratory QC samples (e.g., method blanks, matrix spikes, surrogate spikes) were analyzed by the laboratory in accordance with requirements of each analytical method. All laboratory QC sample results and sample holding times were within the acceptance limits of the methods (Appendix C).

5.0 SUMMARY, CONCLUSIONS, AND PROPOSED ACTIONS

SUMMARY AND CONCLUSIONS

- The site has undergone site investigations and remediation since 1991 (SES has been involved since August 2003) to address soil and groundwater contamination resulting from leaking UFSTs that were reportedly removed. Alameda County Environmental Health is the lead regulatory agency.
- A total of 31 groundwater monitoring/sampling events have been conducted in the eight site wells between August 1997 and the current event.
- Additional site characterization (exploratory borehole drilling and sampling) in 2004 provided additional data on the extent and magnitude of residual soil and groundwater contamination.
- Groundwater at the site appears to be slightly confined, in an approximately 0.5-foot to 2.5-foot-thick permeable zone, underlain by a stiff low-permeability clay. Local groundwater flow direction ranges between northwest and west, with a relatively flat hydraulic gradient averaging approximately 0.005 ft/ft. Annual fluctuation in water levels is approximately 3 feet and is in response to seasonal precipitation. The groundwater flow direction and gradient in the current event were within the historical range.
- The primary site chemicals of concern, with regard to concentrations and risk issues, are gasoline, benzene, and MTBE. Diesel, aromatic hydrocarbons, lead scavengers, and fuel oxygenates are present at lesser concentrations and over a smaller area.
- As stipulated by Alameda County Environmental Health, analysis for lead scavengers will continue to be conducted in wells MW-1, MW-5, and MW-6. Fuel oxygenates were detected in those wells, and in MW-2, MW-3, and MW-8. Because lead scavengers and fuel oxygenates are analyzed by the same method at no additional cost, the Responsible Party has elected to continue analysis for lead scavengers and fuel oxygenates lead scavengers in all wells except MW-4 and MW-7.
- The greatest concentrations of gasoline, diesel, and benzene in groundwater are located in the northern corner of the site (near the source area). Maximum groundwater contamination by MTBE was detected in the downgradient portion of the property, indicating that the center of mass of these contaminants has migrated downgradient.

Groundwater contamination above ESL criteria extends offsite (likely no more than 25 feet) beneath Howe Street and W. MacArthur Boulevard.

- The groundwater plume geometry is typical of what has been observed in previous monitoring events. Seasonal effects do not appear to change the plume migration direction.
- A previous water well survey identified no vicinity water wells with the potential to intercept site-sourced groundwater contamination.
- Potential preferential pathways identified include deep sanitary sewer lines beneath Howe Street and W. MacArthur Boulevard (adjacent to the subject property). Based on the detection of gasoline and MTBE in well MW-7 (beyond the Howe Street deep utilities), it appears unlikely that the Howe Street deep utilities are acting as a preferential pathway for site-sourced groundwater contamination. The influence of deep utilities beneath W. MacArthur Boulevard is not known.
- The adjacent Shell service station is contributing minor MTBE groundwater contamination to the eastern corner of the subject property. This contamination is unrelated to the separate, site-sourced MTBE groundwater contamination in the northern and western portions of the subject property.
- Sufficient site characterization has been conducted to evaluate the risks associated with residual soil contamination, and to evaluate corrective action options. The data indicate that, if corrective action is not conducted, residual site contamination will remain at elevated levels for at least several years and likely longer.
- In December 2004, the Responsible Party submitted to Alameda County Environmental Health a workplan for interim remedial action (focusing on soil vapor extraction to reduce source area contaminant mass). Alameda County Environmental Health provided written concurrence with that workplan, with minor technical revisions, in its March 2006 letter.

PROPOSED ACTIONS

The property owner proposes to implement the following action to address regulatory concerns:

- In fall 2006, implement the SES-recommended (December 2004) Additional Site Characterization and Interim Remedial Action Workplan approved by Alameda County Environmental Health in March 2006.
- Continue the program of quarterly groundwater sampling and reporting.

- Continue to make required electronic data format uploads to the State of California GeoTracker database, and upload an electronic copy of technical reports to Alameda County Environmental Health's ftp system.
- Continue submitting reimbursement requests under the State of California Petroleum UST Cleanup Fund.

6.0 REFERENCES AND BIBLIOGRAPHY

- Advanced Environmental Concepts, Inc. (AEC), 2003a. 1st Quarter Groundwater Sampling Report (2003) – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. March 7.
- Advanced Environmental Concepts, Inc. (AEC), 2003b. 2nd Quarter Groundwater Sampling Report (2003) – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. April 30.
- Advanced Environmental Concepts, Inc. (AEC), 2002a. December 2001 Quarterly Groundwater Sampling Report – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. January 30.
- Advanced Environmental Concepts, Inc. (AEC), 2002b. March 2002 Quarterly Groundwater Sampling Report – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. April 19.
- Advanced Environmental Concepts, Inc. (AEC), 2002c. 2nd Quarter Groundwater Sampling Report (2002) – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. July 17.
- Advanced Environmental Concepts, Inc. (AEC), 2002d. 4th Quarter Groundwater Sampling Report (2002) – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. November 11.
- Advanced Environmental Concepts, Inc. (AEC), 2001a. December 2000 Quarterly Groundwater Sampling Report – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. January.
- Advanced Environmental Concepts, Inc. (AEC), 2001b. Additional Soil and Groundwater Assessment – 240 W. MacArthur Boulevard, Oakland, County of Alameda, California. March.

- Advanced Environmental Concepts, Inc. (AEC), 2001c. May 2001 Quarterly Groundwater Sampling Report – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. May 27.
- Advanced Environmental Concepts, Inc. (AEC), 2001d. July 2001 Quarterly Groundwater Sampling Report – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. August 31.
- Advanced Environmental Concepts, Inc. (AEC), 2001e. Summary “Hi-Vac” Workplan – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. September 11.
- Advanced Environmental Concepts, Inc. (AEC), 2001f. October 2001 Quarterly Groundwater Sampling and Summary “Hi-Vac” Report – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. December 15.
- Advanced Environmental Concepts, Inc. (AEC), 2000a. Quarterly Groundwater Sampling Report – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. August 11.
- Advanced Environmental Concepts, Inc. (AEC), 2000b. Additional Groundwater Assessment Workplan for Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, County of Alameda, California. October.
- Advanced Environmental Concepts, Inc. (AEC), 1999. Quarterly Groundwater Sampling Report – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. January 22.
- Advanced Environmental Concepts, Inc. (AEC), 1998a. Second Quarterly Groundwater Sampling Report – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. April 2.
- Advanced Environmental Concepts, Inc. (AEC), 1998b. Request for Site Closure – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. June 29.
- Advanced Environmental Concepts, Inc. (AEC), 1998c. Third Quarterly Groundwater Sampling Report – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. August 2.
- Advanced Environmental Concepts, Inc. (AEC), 1998d. Fourth Quarterly Groundwater Sampling Report – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. November 6.

- Advanced Environmental Concepts, Inc. (AEC), 1997a. Subsurface Soil and Groundwater Investigation Workplan for Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. June.
- Advanced Environmental Concepts, Inc. (AEC), 1997b. Continuing Soil and Groundwater Assessment for Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. August.
- Advanced Environmental Concepts, Inc. (AEC), 1997c. First Quarterly Groundwater Sampling Report – Former Vogue Tyres Facility – 240 W. MacArthur Boulevard, Oakland, California. December 21.
- Alameda County Environmental Health Department, 2006. Letter approving SES’ “Workplan for Additional Site Characterization and Interim Corrective Action.” March 14.
- All Environmental, Inc., 1997a. Underground Storage Tank Removal and Excavation, Transport and Disposal of Contaminated Soil Report – 240 W. MacArthur Boulevard, Oakland, California. January 3.
- All Environmental, Inc., 1997b. Phase II Subsurface Investigation Report – 240 W. MacArthur Boulevard, Oakland, California. February 14.
- All Environmental, Inc., 1997c. Soil and Groundwater Investigation Workplan – 240 W. MacArthur Boulevard, Oakland, California. April 15.
- Cambria Environmental Technology, Inc., 2004. Second Quarter 2004 Monitoring Report, Shell-branded Service Station, 230 W. MacArthur Boulevard, Oakland, California. July 29.
- Guidici, 2003. Supervisor, City of Oakland Public Works Department – Sewer Maintenance. Personal communication to Joe Dinan of Stellar Environmental Solutions, Inc. September 8.
- Mittelhauser Corporation, 1991a. Magnetic Survey for Underground Utilities and Recommendations at 240 W. MacArthur Boulevard, Oakland, California. February 21.
- Mittelhauser Corporation, 1991b. Sump Removal and Waste Oil Cleanup at 240 W. MacArthur Boulevard, Oakland, California. April 9.
- Regional Water Quality Control Board (Water Board), 2005. Screening for Environmental Concerns at Sites With Contaminated Soil and Groundwater. February.

- Regional Water Quality Control Board (Water Board), 2004. Water Quality Control Plan, Triennial Review. Water Board Staff Report. November 5.
- Regional Water Quality Control Board (Water Board), 1999. East Bay Plain Groundwater Basin Beneficial Use Evaluation Report.
- Stellar Environmental Solutions, Inc. (SES), 2006a. Fourth Quarter 2005 Groundwater Monitoring and Annual Summary Report, 240 W. MacArthur Boulevard, Oakland, California. January 18.
- Stellar Environmental Solutions, Inc. (SES), 2006b. First Quarter 2006 Groundwater Monitoring Report, 240 W. MacArthur Boulevard, Oakland, California. April 21.
- Stellar Environmental Solutions, Inc. (SES), 2005a. Fourth Quarter 2004 Groundwater Monitoring and Annual Summary Report, 240 W. MacArthur Boulevard, Oakland, California. January 18.
- Stellar Environmental Solutions, Inc. (SES), 2005b. First Quarter 2005 Groundwater Monitoring Report, 240 W. MacArthur Boulevard, Oakland, California. March 31.
- Stellar Environmental Solutions, Inc. (SES), 2005c. Second Quarter 2005 Groundwater Monitoring Report, 240 W. MacArthur Boulevard, Oakland, California. July 8.
- Stellar Environmental Solutions, Inc. (SES), 2005d. Third Quarter 2005 Groundwater Monitoring Report, 240 W. MacArthur Boulevard, Oakland, California. October 12.
- Stellar Environmental Solutions, Inc. (SES), 2004a. Fourth Quarter 2003 Groundwater Monitoring Report, 240 W. MacArthur Boulevard, Oakland, California. January 12.
- Stellar Environmental Solutions, Inc. (SES), 2004b. First Quarter 2004 Groundwater Monitoring Report, 240 W. MacArthur Boulevard, Oakland, California. April 12.
- Stellar Environmental Solutions, Inc. (SES), 2004c. Soil and Groundwater Investigation Report, 240 W. MacArthur Boulevard, Oakland, California. June 8.
- Stellar Environmental Solutions, Inc. (SES), 2004d. Second Quarter 2004 Groundwater Monitoring Report, 240 W. MacArthur Boulevard, Oakland, California. July 12.
- Stellar Environmental Solutions, Inc. (SES), 2004e. Third Quarter 2004 Groundwater Monitoring Report, 240 W. MacArthur Boulevard, Oakland, California. October 11.

Stellar Environmental Solutions, Inc. (SES), 2004f. Workplan for Additional Site Characterization and Interim Remedial Action, 240 W. MacArthur Boulevard, Oakland, California. December 27.

Stellar Environmental Solutions, Inc. (SES), 2003a. Workplan for Additional Site Characterization, 240 W. MacArthur Boulevard, Oakland, California. August 20.

Stellar Environmental Solutions, Inc. (SES), 2003b. Third Quarter 2003 Groundwater Monitoring Report, 240 W. MacArthur Boulevard, Oakland, California. September 5.

Stellar Environmental Solutions, Inc. (SES), 2003c. Amended Workplan for Additional Site Characterization, 240 W. MacArthur Boulevard, Oakland, California. December 10.

7.0 LIMITATIONS

This report has been prepared for the exclusive use of the current property owners (Mr. and Mrs. Glen Poy-Wing, d.b.a. Oakland Auto Works) their representatives, and the regulators. No reliance on this report shall be made by anyone other than those for whom it was prepared.

The findings and conclusions presented in this report are based on the review of previous investigators' findings at the site, as well as site activities conducted by SES since August 2003. This report provides neither a certification nor guarantee that the property is free of hazardous substance contamination. This report has been prepared in accordance with generally accepted methodologies and standards of practice of the area. The SES personnel who performed this limited remedial investigation are qualified to perform such investigations and have accurately reported the information available, but cannot attest to the validity of that information. No warranty, expressed or implied, is made as to the findings, conclusions, and recommendations included in the report.

The findings of this report are valid as of the present. Site conditions may change with the passage of time, natural processes, or human intervention, which can invalidate the findings and conclusions presented in this report. As such, this report should be considered a reflection of the current site conditions as based on the investigation and remediation completed.

APPENDIX A

Current Event Groundwater Monitoring Field Records

WELL GAUGING DATA

Project # 060609-WC1 Date 06/09/06 Client Stellar Env-Serv.

Site 240 W. MacArthur Blvd., Oakland, CA

| Well ID | Well Size (in.) | Sheen / Odor | Depth to Immiscible Liquid (ft.) | Thickness of Immiscible Liquid (ft.) | Volume of Immiscibles Removed (ml) | Depth to water (ft.) | Depth to well bottom (ft.) | Survey Point: TOB of TOC | |
|---------|-----------------|-----------------|----------------------------------|--------------------------------------|------------------------------------|----------------------|----------------------------|--------------------------|-------|
| MW-4 | 2 | | | | | 13.02 | 23.89 | | |
| MW-7 | 2 | | | | | 13.98 | 19.90 | | Tr. |
| MW-8 | 2 | | | | | 12.10 | 19.59 | | Tr. |
| MW-6 | 2 | | | | | 13.73 | 20.19 | | |
| MW-2 | 2 | | | | | 14.15 | 24.16 | | |
| MW-3 | 2 | | | | | 13.77 | 23.69 | | |
| MW-1 | 2 | No SPT detected | | | | 14.60 | 24.40 | | SPT ✓ |
| MW-5 | 2 | | | | | 14.65 | 18.96 | | ✓ |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

WELL MONITORING DATA SHEET

| | |
|--|-----------------------------------|
| Project #: 060609-WC1 | Client: Stellar |
| Sampler: WC, SC | Date: 06/09/06 |
| Well I.D.: MW-1 | Well Diameter: ② 3 4 6 8 |
| Total Well Depth (TD): 24.40 | Depth to Water (DTW): 14.60 |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: PVC Grade | D.O. Meter (if req'd): YSI HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 16.56 | |

| | | |
|--|--|---|
| Purge Method: Bailer <input checked="" type="checkbox"/> Disposable Bailer Positive Air Displacement Electric Submersible | Waterra Peristaltic Extraction Pump Other _____ | Sampling Method: Bailer <input checked="" type="checkbox"/> Disposable Bailer Extraction Port Dedicated Tubing Other: _____ |
|--|--|---|

| $1.6 \text{ (Gals.)} \times 3 = 4.8 \text{ Gals.}$ I Case Volume Specified Volumes Calculated Volume | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius ² * 0.163 |
|---|--|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter | Multiplier | Well Diameter | Multiplier | | | | | | | | | | | | | | |
| 1" | 0.04 | 4" | 0.65 | | | | | | | | | | | | | | |
| 2" | 0.16 | 6" | 1.47 | | | | | | | | | | | | | | |
| 3" | 0.37 | Other | radius ² * 0.163 | | | | | | | | | | | | | | |

| Time | Temp (°F or °C) | pH | Cond. (mS or µS) | Turbidity (NTUs) | Gals. Removed | Observations |
|--|-----------------|-----|------------------|------------------|---------------|-----------------------------|
| 1204 | 18.4 | 6.9 | 1441 | 71000 | 1.6 | greyish, cloudy slight odor |
| 1208 | 18.4 | 6.6 | 1401 | 71000 | 3.2 | " " " |
| 1212 | 18.4 | 6.5 | 1382 | 71000 | 4.8 | " " " |
| Post Purge Fe ²⁺ ⇒ 2.8 mg/L | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 4.8

Sampling Date: 06/09/06 Sampling Time: 1220 Depth to Water: 16.00

Sample I.D.: MW-1 Laboratory: Kiff CalScience Other C+T

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: TVH-GAS, TEH-DIOX, 8015M, EOB, EDC

EB I.D. (if applicable): _____ Time _____ Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: _____

| | | | | |
|--------------------|------------|------|-------------|-----------|
| D.O. (if req'd): | Pre-purge: | mg/L | Post-purge: | 0.79 mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | mV |

WELL MONITORING DATA SHEET

| | |
|---|--|
| Project #: <u>060609-WC1</u> | Client: <u>Stellar</u> |
| Sampler: <u>WLS</u> | Date: <u>06/09/06</u> |
| Well I.D.: <u>MW-4</u> | Well Diameter: <u>(2)</u> 3 4 6 8 |
| Total Well Depth (TD): <u>23.89</u> | Depth to Water (DTW): <u>13.02</u> |
| Depth to Free Product: | Thickness of Free Product (feet): |
| Referenced to: <u>(PVC)</u> Grade | D.O. Meter (if req'd): <u>(YSI)</u> HACH |
| DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>15.19</u> | |

| | | |
|--|--|---|
| Purge Method: Bailer <input checked="" type="checkbox"/> Disposable Bailer Positive Air Displacement Electric Submersible | Waterra Peristaltic Extraction Pump Other _____ | Sampling Method: Bailer <input checked="" type="checkbox"/> Disposable Bailer Extraction Port Dedicated Tubing Other: _____ |
|--|--|---|

| $1.8 \text{ (Gals.)} \times 3 = 5.4 \text{ Gals.}$ 1 Case Volume Specified Volumes Calculated Volume | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table> | Well Diameter | Multiplier | Well Diameter | Multiplier | 1" | 0.04 | 4" | 0.65 | 2" | 0.16 | 6" | 1.47 | 3" | 0.37 | Other | radius ² * 0.163 |
|---|--|---------------|-----------------------------|---------------|------------|----|------|----|------|----|------|----|------|----|------|-------|-----------------------------|
| Well Diameter | Multiplier | Well Diameter | Multiplier | | | | | | | | | | | | | | |
| 1" | 0.04 | 4" | 0.65 | | | | | | | | | | | | | | |
| 2" | 0.16 | 6" | 1.47 | | | | | | | | | | | | | | |
| 3" | 0.37 | Other | radius ² * 0.163 | | | | | | | | | | | | | | |

| Time | Temp (°F or °C) | pH | Cond. (mS or µS) | Turbidity (NTUs) | Gals. Removed | Observations |
|--|-----------------|-----|------------------|------------------|---------------|-----------------|
| 0851 | 18.2 | 6.1 | 724 | 634 | 1.8 | cloudy/brownish |
| 0853 | 18.6 | 6.1 | 682 | 391 | 3.6 | " " |
| 0856 | 18.9 | 6.1 | 696 | 319 | 5.4 | clearing some |
| Post Purge ^{Fe²⁺} = 0.2 mg/L | | | | | | |

Did well dewater? Yes No Gallons actually evacuated: 5.4

Sampling Date: 06/09/06 Sampling Time: 0905 Depth to Water: 14.98

Sample I.D.: MW-4 Laboratory: Kiff CalScience Other: CTT

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: TVH-Gas (8015m)

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:

| | | | | | |
|--------------------|------------|------|---------------------|------|------|
| D.O. (if req'd): | Pre-purge: | mg/L | <u>(Post-purge)</u> | 0.96 | mg/L |
| O.R.P. (if req'd): | Pre-purge: | mV | Post-purge: | | mV |

Chain of Custody Record

Laboratory Curtis and Tompkins, Ltd. Method of Shipment Hand Delivery
 Address 2323 Fifth Street Shipment No. _____
Berkeley, California 94710 Airbill No. _____
510-486-0900 Cooler No. _____
 Project Owner Mr. Glen Poy-Wing Project Manager Bruce Rucker
 Site Address 240 W. MacArthur Blvd. Telephone No. (510) 644-3123
Oakland, California Fax No. (510) 644-3859
 Project Name Oakland Auto Works Samplers: (Signature) _____
 Project Number 2003-43

Lab job no. _____
 Date 6/9/06
 Page 1 of 1

Filtered
 No. of Containers
 TMM-G (BCISM)
 TEH-D (BCISM)
 BTEX/MBE/EDB/EDC/50xys (etc)

Analysis Required

Remarks

| Field Sample Number | Location/Depth | Date | Time | Sample Type | Type/Size of Container | Preservation | | | | | | | | | | | | | | | | | | |
|---------------------|----------------|----------|------|------------------|------------------------------|--------------|----------|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | Cooler | Chemical | | | | | | | | | | | | | | | | | |
| MW-1 | 24.40 | 06/09/06 | 1220 | H ₂ O | 2 NP Amber 1L 3 HCL 400ml | yes | HCL | X | 5 | X | X | X | | | | | | | | | | | | |
| MW-2 | 24.16 | | 1050 | | ↓ | yes | | | 5 | X | X | X | | | | | | | | | | | | |
| MW-3 | 23.69 | | 1059 | | ↓ | yes | | | 5 | X | X | X | | | | | | | | | | | | |
| MW-4 | 23.89 | | 0905 | | 3 HCL 400ml | yes | | | 3 | X | | | | | | | | | | | | | | |
| MW-5 | 18.96 | | 1220 | | 2 NP Amber 1L 3 HCL 400ml | yes | | | 5 | X | X | X | | | | | | | | | | | | |
| MW-6 | 20.19 | | 1015 | | ↓ | yes | | | 5 | X | X | X | | | | | | | | | | | | |
| MW-7 | 19.90 | | 0935 | | 3 HCL 400ml | yes | ↓ | | 3 | X | | | | | | | | | | | | | | |
| MW-8 | 19.59 | ↓ | 1000 | ↓ | 2 NP Amber 1L 3 HCL 400ml | yes | ↓ | ↓ | 5 | X | X | X | | | | | | | | | | | | |

| | | | | | | | |
|---|--|---|---------------------------------------|---|---|--|---|
| Relinquished by: <u>[Signature]</u> Signature _____ Printed <u>Blaine Steven Carmack</u> Company <u>Blaine Tech Services</u> | Date <u>06/09/06</u> Time <u>1353</u> | Received by: <u>[Signature]</u> Signature _____ Printed <u>K. STUMP</u> Company <u>BTS</u> | Date <u>06/06</u> Time <u>1353</u> | Relinquished by: <u>[Signature]</u> Signature _____ Printed <u>K. STUMP</u> Company <u>BTS</u> | Date <u>6/12/06</u> Time <u>1445</u> | Received by: <u>[Signature]</u> Signature _____ Printed <u>Rob Grant</u> Company <u>CST</u> | Date <u>6/12/06</u> Time <u>1445</u> |
| Turnaround Time: <u>5 Day TAT</u> | | | | Relinquished by: _____ Signature _____ Printed _____ Company _____ | | | |
| Comments: _____ _____ | | | | Received by: _____ Signature _____ Printed _____ Company _____ | | | |

2000-00-01

intact cold PK

APPENDIX B

Current Event Analytical Laboratory Report and Chain-of-Custody Record



A N A L Y T I C A L R E P O R T

Prepared for:

Stellar Environmental Solutions
2198 6th Street
Suite 201
Berkeley, CA 94710

Date: 19-JUN-06
Lab Job Number: 187394
Project ID: 2003-43
Location: Oakland Auto Works

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signatures. The results contained in this report meet all requirements of NELAC and pertain only to those samples which were submitted for analysis.

Reviewed by: 
Project Manager

Reviewed by: 
Operations Manager

This package may be reproduced only in its entirety.

CASE NARRATIVE

Laboratory number: 187394
Client: Stellar Environmental Solutions
Project: 2003-43
Location: Oakland Auto Works
Request Date: 06/12/06
Samples Received: 06/12/06

This hardcopy data package contains sample and QC results for eight water samples, requested for the above referenced project on 06/12/06. The samples were received cold and intact.

TPH-Purgeables and/or BTXE by GC (EPA 8015B):

High surrogate recovery was observed for trifluorotoluene (FID) in MW-2 (lab # 187394-002), due to interference from coeluting hydrocarbon peaks. High surrogate recoveries were observed for bromofluorobenzene (FID) in MW-2 (lab # 187394-002) and MW-3 (lab # 187394-003), due to interference from coeluting hydrocarbon peaks. No other analytical problems were encountered.

TPH-Extractables by GC (EPA 8015B):

No analytical problems were encountered.

Volatile Organics by GC/MS (EPA 8260B):

No analytical problems were encountered.

Total Volatile Hydrocarbons

| | |
|---|------------------------------|
| Lab #: 187394 | Location: Oakland Auto Works |
| Client: Stellar Environmental Solutions | Prep: EPA 5030B |
| Project#: 2003-43 | Analysis: EPA 8015B |
| Matrix: Water | Sampled: 06/09/06 |
| Units: ug/L | Received: 06/12/06 |
| Batch#: 114328 | |

| | |
|--------------------|--------------------|
| Field ID: MW-1 | Diln Fac: 10.00 |
| Type: SAMPLE | Analyzed: 06/13/06 |
| Lab ID: 187394-001 | |

| Analyte | Result | RL |
|-----------------|--------|-----|
| Gasoline C7-C12 | 21,000 | 500 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Trifluorotoluene (FID) | 129 | 69-137 |
| Bromofluorobenzene (FID) | 122 | 80-133 |

| | |
|--------------------|--------------------|
| Field ID: MW-2 | Diln Fac: 1.000 |
| Type: SAMPLE | Analyzed: 06/13/06 |
| Lab ID: 187394-002 | |

| Analyte | Result | RL |
|-----------------|--------|----|
| Gasoline C7-C12 | 1,400 | 50 |

| Surrogate | %REC | Limits |
|--------------------------|-------|--------|
| Trifluorotoluene (FID) | 151 * | 69-137 |
| Bromofluorobenzene (FID) | 137 * | 80-133 |

| | |
|--------------------|--------------------|
| Field ID: MW-3 | Diln Fac: 1.000 |
| Type: SAMPLE | Analyzed: 06/13/06 |
| Lab ID: 187394-003 | |

| Analyte | Result | RL |
|-----------------|--------|----|
| Gasoline C7-C12 | 4,000 | 50 |

| Surrogate | %REC | Limits |
|--------------------------|-------|--------|
| Trifluorotoluene (FID) | 124 | 69-137 |
| Bromofluorobenzene (FID) | 163 * | 80-133 |

*= Value outside of QC limits; see narrative

ND= Not Detected

RL= Reporting Limit

Total Volatile Hydrocarbons

| | |
|---|------------------------------|
| Lab #: 187394 | Location: Oakland Auto Works |
| Client: Stellar Environmental Solutions | Prep: EPA 5030B |
| Project#: 2003-43 | Analysis: EPA 8015B |
| Matrix: Water | Sampled: 06/09/06 |
| Units: ug/L | Received: 06/12/06 |
| Batch#: 114328 | |

| | |
|--------------------|--------------------|
| Field ID: MW-4 | Diln Fac: 1.000 |
| Type: SAMPLE | Analyzed: 06/13/06 |
| Lab ID: 187394-004 | |

| Analyte | Result | RL |
|-----------------|--------|----|
| Gasoline C7-C12 | ND | 50 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Trifluorotoluene (FID) | 90 | 69-137 |
| Bromofluorobenzene (FID) | 103 | 80-133 |

| | |
|--------------------|--------------------|
| Field ID: MW-5 | Diln Fac: 10.00 |
| Type: SAMPLE | Analyzed: 06/13/06 |
| Lab ID: 187394-005 | |

| Analyte | Result | RL |
|-----------------|--------|-----|
| Gasoline C7-C12 | 28,000 | 500 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Trifluorotoluene (FID) | 120 | 69-137 |
| Bromofluorobenzene (FID) | 133 | 80-133 |

| | |
|--------------------|--------------------|
| Field ID: MW-6 | Diln Fac: 1.000 |
| Type: SAMPLE | Analyzed: 06/13/06 |
| Lab ID: 187394-006 | |

| Analyte | Result | RL |
|-----------------|--------|----|
| Gasoline C7-C12 | 460 | 50 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Trifluorotoluene (FID) | 110 | 69-137 |
| Bromofluorobenzene (FID) | 120 | 80-133 |

*= Value outside of QC limits; see narrative

ND= Not Detected

RL= Reporting Limit

Total Volatile Hydrocarbons

| | |
|---|------------------------------|
| Lab #: 187394 | Location: Oakland Auto Works |
| Client: Stellar Environmental Solutions | Prep: EPA 5030B |
| Project#: 2003-43 | Analysis: EPA 8015B |
| Matrix: Water | Sampled: 06/09/06 |
| Units: ug/L | Received: 06/12/06 |
| Batch#: 114328 | |

| | |
|--------------------|--------------------|
| Field ID: MW-7 | Diln Fac: 1.000 |
| Type: SAMPLE | Analyzed: 06/13/06 |
| Lab ID: 187394-007 | |

| Analyte | Result | RL |
|-----------------|--------|----|
| Gasoline C7-C12 | ND | 50 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Trifluorotoluene (FID) | 91 | 69-137 |
| Bromofluorobenzene (FID) | 104 | 80-133 |

| | |
|--------------------|--------------------|
| Field ID: MW-8 | Diln Fac: 1.000 |
| Type: SAMPLE | Analyzed: 06/13/06 |
| Lab ID: 187394-008 | |

| Analyte | Result | RL |
|-----------------|--------|----|
| Gasoline C7-C12 | 710 | 50 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Trifluorotoluene (FID) | 137 | 69-137 |
| Bromofluorobenzene (FID) | 115 | 80-133 |

| | |
|------------------|--------------------|
| Type: BLANK | Diln Fac: 1.000 |
| Lab ID: QC343614 | Analyzed: 06/12/06 |

| Analyte | Result | RL |
|-----------------|--------|----|
| Gasoline C7-C12 | ND | 50 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Trifluorotoluene (FID) | 92 | 69-137 |
| Bromofluorobenzene (FID) | 99 | 80-133 |

*= Value outside of QC limits; see narrative

ND= Not Detected

RL= Reporting Limit

Batch QC Report

| Total Volatile Hydrocarbons | | | |
|-----------------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8015B |
| Type: | LCS | Diln Fac: | 1.000 |
| Lab ID: | QC343616 | Batch#: | 114328 |
| Matrix: | Water | Analyzed: | 06/12/06 |
| Units: | ug/L | | |

| Analyte | Spiked | Result | %REC | Limits |
|-----------------|--------|--------|------|--------|
| Gasoline C7-C12 | 2,000 | 2,189 | 109 | 80-120 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Trifluorotoluene (FID) | 137 | 69-137 |
| Bromofluorobenzene (FID) | 113 | 80-133 |

Batch QC Report

| Total Volatile Hydrocarbons | | | |
|-----------------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8015B |
| Field ID: | ZZZZZZZZZZ | Batch#: | 114328 |
| MSS Lab ID: | 187385-001 | Sampled: | 06/12/06 |
| Matrix: | Water | Received: | 06/12/06 |
| Units: | ug/L | Analyzed: | 06/12/06 |
| Diln Fac: | 1.000 | | |

Type: MS Lab ID: QC343647

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|-----------------|------------|--------|--------|------|--------|
| Gasoline C7-C12 | 25.08 | 2,000 | 2,265 | 112 | 80-120 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Trifluorotoluene (FID) | 105 | 69-137 |
| Bromofluorobenzene (FID) | 115 | 80-133 |

Type: MSD Lab ID: QC343648

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-----------------|--------|--------|------|--------|-----|-----|
| Gasoline C7-C12 | 2,000 | 2,295 | 114 | 80-120 | 1 | 20 |

| Surrogate | %REC | Limits |
|--------------------------|------|--------|
| Trifluorotoluene (FID) | 113 | 69-137 |
| Bromofluorobenzene (FID) | 119 | 80-133 |

RPD= Relative Percent Difference

Total Extractable Hydrocarbons

| | |
|---|--|
| Lab #: 187394 Client: Stellar Environmental Solutions Project#: 2003-43 | Location: Oakland Auto Works Prep: EPA 3550B Analysis: EPA 8015B |
| Matrix: Water Units: ug/L Diln Fac: 1.000 Batch#: 114424 | Sampled: 06/09/06 Received: 06/12/06 Prepared: 06/14/06 |

| | |
|----------------|--------------------|
| Field ID: MW-6 | Lab ID: 187394-006 |
| Type: SAMPLE | Analyzed: 06/17/06 |

| Analyte | Result | RL |
|----------------|-----------|----|
| Diesel C10-C24 | 1,300 H L | 50 |

| Surrogate | %REC | Limits |
|------------|------|--------|
| Hexacosane | 104 | 65-130 |

| | |
|----------------|--------------------|
| Field ID: MW-8 | Lab ID: 187394-008 |
| Type: SAMPLE | Analyzed: 06/17/06 |

| Analyte | Result | RL |
|----------------|---------|----|
| Diesel C10-C24 | 170 L Y | 50 |

| Surrogate | %REC | Limits |
|------------|------|--------|
| Hexacosane | 103 | 65-130 |

| | |
|------------------|---------------------------|
| Type: BLANK | Analyzed: 06/16/06 |
| Lab ID: QC344010 | Cleanup Method: EPA 3630C |

| Analyte | Result | RL |
|----------------|--------|----|
| Diesel C10-C24 | ND | 50 |

| Surrogate | %REC | Limits |
|------------|------|--------|
| Hexacosane | 101 | 65-130 |

H= Heavier hydrocarbons contributed to the quantitation
 L= Lighter hydrocarbons contributed to the quantitation
 Y= Sample exhibits chromatographic pattern which does not resemble standard
 ND= Not Detected
 RL= Reporting Limit

Batch QC Report

| Total Extractable Hydrocarbons | | | |
|--------------------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 3550B |
| Project#: | 2003-43 | Analysis: | EPA 8015B |
| Matrix: | Water | Batch#: | 114424 |
| Units: | ug/L | Prepared: | 06/14/06 |
| Diln Fac: | 1.000 | | |

Type: BS Analyzed: 06/16/06
 Lab ID: QC344011 Cleanup Method: EPA 3630C

| Analyte | Spiked | Result | %REC | Limits |
|----------------|--------|--------|------|--------|
| Diesel C10-C24 | 2,500 | 2,500 | 100 | 61-133 |

| Surrogate | %REC | Limits |
|------------|------|--------|
| Hexacosane | 97 | 65-130 |

Type: BSD Analyzed: 06/17/06
 Lab ID: QC344012 Cleanup Method: EPA 3630C

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|----------------|--------|--------|------|--------|-----|-----|
| Diesel C10-C24 | 2,500 | 2,441 | 98 | 61-133 | 2 | 31 |

| Surrogate | %REC | Limits |
|------------|------|--------|
| Hexacosane | 96 | 65-130 |

RPD= Relative Percent Difference

| BTXE & Oxygenates | | | |
|-------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Field ID: | MW-1 | Sampled: | 06/09/06 |
| Lab ID: | 187394-001 | Received: | 06/12/06 |
| Matrix: | Water | Analyzed: | 06/14/06 |
| Units: | ug/L | | |

| Analyte | Result | RL | Diln Fac | Batch# |
|-------------------------------|--------|-----|----------|--------|
| tert-Butyl Alcohol (TBA) | 220 | 50 | 5.000 | 114362 |
| MTBE | ND | 2.5 | 5.000 | 114362 |
| Isopropyl Ether (DIPE) | ND | 2.5 | 5.000 | 114362 |
| Ethyl tert-Butyl Ether (ETBE) | ND | 2.5 | 5.000 | 114362 |
| 1,2-Dichloroethane | ND | 2.5 | 5.000 | 114362 |
| Benzene | 1,600 | 10 | 20.00 | 114401 |
| Methyl tert-Amyl Ether (TAME) | ND | 2.5 | 5.000 | 114362 |
| Toluene | 160 | 2.5 | 5.000 | 114362 |
| 1,2-Dibromoethane | ND | 2.5 | 5.000 | 114362 |
| Ethylbenzene | 170 | 2.5 | 5.000 | 114362 |
| m,p-Xylenes | 550 | 2.5 | 5.000 | 114362 |
| o-Xylene | 450 | 2.5 | 5.000 | 114362 |

| Surrogate | %REC | Limits | Diln Fac | Batch# |
|-----------------------|------|--------|----------|--------|
| Dibromofluoromethane | 108 | 80-120 | 5.000 | 114362 |
| 1,2-Dichloroethane-d4 | 114 | 80-130 | 5.000 | 114362 |
| Toluene-d8 | 106 | 80-120 | 5.000 | 114362 |
| Bromofluorobenzene | 94 | 80-122 | 5.000 | 114362 |

ND= Not Detected
 RL= Reporting Limit

| BTXE & Oxygenates | | | |
|-------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Field ID: | MW-2 | Batch#: | 114444 |
| Lab ID: | 187394-002 | Sampled: | 06/09/06 |
| Matrix: | Water | Received: | 06/12/06 |
| Units: | ug/L | Analyzed: | 06/15/06 |
| Diln Fac: | 1.667 | | |

| Analyte | Result | RL |
|-------------------------------|--------|-----|
| tert-Butyl Alcohol (TBA) | 56 | 17 |
| MTBE | 84 | 0.8 |
| Isopropyl Ether (DIPE) | ND | 0.8 |
| Ethyl tert-Butyl Ether (ETBE) | ND | 0.8 |
| 1,2-Dichloroethane | 1.4 | 0.8 |
| Benzene | 33 | 0.8 |
| Methyl tert-Amyl Ether (TAME) | ND | 0.8 |
| Toluene | 1.3 | 0.8 |
| 1,2-Dibromoethane | ND | 0.8 |
| Ethylbenzene | 3.5 | 0.8 |
| m,p-Xylenes | ND | 0.8 |
| o-Xylene | ND | 0.8 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 105 | 80-120 |
| 1,2-Dichloroethane-d4 | 104 | 80-130 |
| Toluene-d8 | 106 | 80-120 |
| Bromofluorobenzene | 122 | 80-122 |

ND= Not Detected
 RL= Reporting Limit

| BTXE & Oxygenates | | | |
|-------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Field ID: | MW-3 | Batch#: | 114401 |
| Lab ID: | 187394-003 | Sampled: | 06/09/06 |
| Matrix: | Water | Received: | 06/12/06 |
| Units: | ug/L | Analyzed: | 06/14/06 |
| Diln Fac: | 1.000 | | |

| Analyte | Result | RL |
|-------------------------------|--------|-----|
| tert-Butyl Alcohol (TBA) | 52 | 10 |
| MTBE | 75 | 0.5 |
| Isopropyl Ether (DIPE) | 2.2 | 0.5 |
| Ethyl tert-Butyl Ether (ETBE) | ND | 0.5 |
| 1,2-Dichloroethane | ND | 0.5 |
| Benzene | 89 | 0.5 |
| Methyl tert-Amyl Ether (TAME) | ND | 0.5 |
| Toluene | 8.4 | 0.5 |
| 1,2-Dibromoethane | ND | 0.5 |
| Ethylbenzene | 14 | 0.5 |
| m,p-Xylenes | 13 | 0.5 |
| o-Xylene | 3.7 | 0.5 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 112 | 80-120 |
| 1,2-Dichloroethane-d4 | 130 | 80-130 |
| Toluene-d8 | 110 | 80-120 |
| Bromofluorobenzene | 98 | 80-122 |

ND= Not Detected
 RL= Reporting Limit

| BTXE & Oxygenates | | | |
|-------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Field ID: | MW-5 | Units: | ug/L |
| Lab ID: | 187394-005 | Sampled: | 06/09/06 |
| Matrix: | Water | Received: | 06/12/06 |

| Analyte | Result | RL | Diln Fac | Batch# | Analyzed |
|-------------------------------|--------|-----|----------|--------|----------|
| tert-Butyl Alcohol (TBA) | 61 | 40 | 4.000 | 114444 | 06/15/06 |
| MTBE | ND | 2.0 | 4.000 | 114444 | 06/15/06 |
| Isopropyl Ether (DIPE) | ND | 2.0 | 4.000 | 114444 | 06/15/06 |
| Ethyl tert-Butyl Ether (ETBE) | ND | 2.0 | 4.000 | 114444 | 06/15/06 |
| 1,2-Dichloroethane | 10 | 2.0 | 4.000 | 114444 | 06/15/06 |
| Benzene | 920 | 10 | 20.00 | 114499 | 06/16/06 |
| Methyl tert-Amyl Ether (TAME) | ND | 2.0 | 4.000 | 114444 | 06/15/06 |
| Toluene | 250 | 2.0 | 4.000 | 114444 | 06/15/06 |
| 1,2-Dibromoethane | ND | 2.0 | 4.000 | 114444 | 06/15/06 |
| Ethylbenzene | 350 | 2.0 | 4.000 | 114444 | 06/15/06 |
| m,p-Xylenes | 940 | 10 | 20.00 | 114499 | 06/16/06 |
| o-Xylene | 540 | 10 | 20.00 | 114499 | 06/16/06 |

| Surrogate | %REC | Limits | Diln Fac | Batch# | Analyzed |
|-----------------------|------|--------|----------|--------|----------|
| Dibromofluoromethane | 104 | 80-120 | 4.000 | 114444 | 06/15/06 |
| 1,2-Dichloroethane-d4 | 106 | 80-130 | 4.000 | 114444 | 06/15/06 |
| Toluene-d8 | 106 | 80-120 | 4.000 | 114444 | 06/15/06 |
| Bromofluorobenzene | 112 | 80-122 | 4.000 | 114444 | 06/15/06 |

ND= Not Detected
 RL= Reporting Limit

| BTXE & Oxygenates | | | |
|------------------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Field ID: | MW-6 | Batch#: | 114444 |
| Lab ID: | 187394-006 | Sampled: | 06/09/06 |
| Matrix: | Water | Received: | 06/12/06 |
| Units: | ug/L | Analyzed: | 06/15/06 |
| Diln Fac: | 1.000 | | |

| Analyte | Result | RL |
|-------------------------------|---------------|-----------|
| tert-Butyl Alcohol (TBA) | 53 | 10 |
| MTBE | ND | 0.5 |
| Isopropyl Ether (DIPE) | 1.3 | 0.5 |
| Ethyl tert-Butyl Ether (ETBE) | ND | 0.5 |
| 1,2-Dichloroethane | 28 | 0.5 |
| Benzene | 8.3 | 0.5 |
| Methyl tert-Amyl Ether (TAME) | ND | 0.5 |
| Toluene | ND | 0.5 |
| 1,2-Dibromoethane | ND | 0.5 |
| Ethylbenzene | 1.4 | 0.5 |
| m,p-Xylenes | 2.6 | 0.5 |
| o-Xylene | ND | 0.5 |

| Surrogate | %REC | Limits |
|-----------------------|-------------|---------------|
| Dibromofluoromethane | 109 | 80-120 |
| 1,2-Dichloroethane-d4 | 99 | 80-130 |
| Toluene-d8 | 106 | 80-120 |
| Bromofluorobenzene | 115 | 80-122 |

ND= Not Detected
 RL= Reporting Limit

| BTXE & Oxygenates | | | |
|-------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Field ID: | MW-8 | Batch#: | 114444 |
| Lab ID: | 187394-008 | Sampled: | 06/09/06 |
| Matrix: | Water | Received: | 06/12/06 |
| Units: | ug/L | Analyzed: | 06/15/06 |
| Diln Fac: | 1.000 | | |

| Analyte | Result | RL |
|-------------------------------|--------|-----|
| tert-Butyl Alcohol (TBA) | 20 | 10 |
| MTBE | 81 | 0.5 |
| Isopropyl Ether (DIPE) | 0.9 | 0.5 |
| Ethyl tert-Butyl Ether (ETBE) | ND | 0.5 |
| 1,2-Dichloroethane | ND | 0.5 |
| Benzene | ND | 0.5 |
| Methyl tert-Amyl Ether (TAME) | ND | 0.5 |
| Toluene | ND | 0.5 |
| 1,2-Dibromoethane | ND | 0.5 |
| Ethylbenzene | ND | 0.5 |
| m,p-Xylenes | ND | 0.5 |
| o-Xylene | ND | 0.5 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 107 | 80-120 |
| 1,2-Dichloroethane-d4 | 105 | 80-130 |
| Toluene-d8 | 108 | 80-120 |
| Bromofluorobenzene | 118 | 80-122 |

ND= Not Detected
 RL= Reporting Limit

Batch QC Report

| BTXE & Oxygenates | | | |
|-------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Matrix: | Water | Batch#: | 114362 |
| Units: | ug/L | Analyzed: | 06/13/06 |
| Diln Fac: | 1.000 | | |

Type: BS Lab ID: QC343764

| Analyte | Spiked | Result | %REC | Limits |
|-------------------------------|--------|--------|------|--------|
| tert-Butyl Alcohol (TBA) | 125.0 | 135.0 | 108 | 64-141 |
| MTBE | 25.00 | 23.31 | 93 | 72-120 |
| Isopropyl Ether (DIPE) | 25.00 | 23.05 | 92 | 68-123 |
| Ethyl tert-Butyl Ether (ETBE) | 25.00 | 24.74 | 99 | 77-129 |
| 1,2-Dichloroethane | 25.00 | 25.10 | 100 | 77-120 |
| Benzene | 25.00 | 22.52 | 90 | 80-120 |
| Methyl tert-Amyl Ether (TAME) | 25.00 | 24.06 | 96 | 77-120 |
| Toluene | 25.00 | 23.36 | 93 | 80-120 |
| 1,2-Dibromoethane | 25.00 | 24.65 | 99 | 80-120 |
| Ethylbenzene | 25.00 | 23.72 | 95 | 80-120 |
| m,p-Xylenes | 50.00 | 46.59 | 93 | 80-121 |
| o-Xylene | 25.00 | 24.10 | 96 | 80-120 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 109 | 80-120 |
| 1,2-Dichloroethane-d4 | 109 | 80-130 |
| Toluene-d8 | 106 | 80-120 |
| Bromofluorobenzene | 98 | 80-122 |

Type: BSD Lab ID: QC343765

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-------------------------------|--------|--------|------|--------|-----|-----|
| tert-Butyl Alcohol (TBA) | 125.0 | 143.7 | 115 | 64-141 | 6 | 22 |
| MTBE | 25.00 | 24.37 | 97 | 72-120 | 4 | 20 |
| Isopropyl Ether (DIPE) | 25.00 | 24.36 | 97 | 68-123 | 6 | 20 |
| Ethyl tert-Butyl Ether (ETBE) | 25.00 | 26.17 | 105 | 77-129 | 6 | 20 |
| 1,2-Dichloroethane | 25.00 | 27.16 | 109 | 77-120 | 8 | 20 |
| Benzene | 25.00 | 24.83 | 99 | 80-120 | 10 | 20 |
| Methyl tert-Amyl Ether (TAME) | 25.00 | 26.17 | 105 | 77-120 | 8 | 20 |
| Toluene | 25.00 | 25.49 | 102 | 80-120 | 9 | 20 |
| 1,2-Dibromoethane | 25.00 | 26.94 | 108 | 80-120 | 9 | 20 |
| Ethylbenzene | 25.00 | 25.62 | 102 | 80-120 | 8 | 20 |
| m,p-Xylenes | 50.00 | 51.38 | 103 | 80-121 | 10 | 20 |
| o-Xylene | 25.00 | 26.35 | 105 | 80-120 | 9 | 20 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 108 | 80-120 |
| 1,2-Dichloroethane-d4 | 112 | 80-130 |
| Toluene-d8 | 106 | 80-120 |
| Bromofluorobenzene | 98 | 80-122 |

RPD= Relative Percent Difference

Batch QC Report

| BTXE & Oxygenates | | | |
|------------------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC343768 | Batch#: | 114362 |
| Matrix: | Water | Analyzed: | 06/13/06 |
| Units: | ug/L | | |

| Analyte | Result | RL |
|-------------------------------|--------|-----|
| tert-Butyl Alcohol (TBA) | ND | 10 |
| MTBE | ND | 0.5 |
| Isopropyl Ether (DIPE) | ND | 0.5 |
| Ethyl tert-Butyl Ether (ETBE) | ND | 0.5 |
| 1,2-Dichloroethane | ND | 0.5 |
| Benzene | ND | 0.5 |
| Methyl tert-Amyl Ether (TAME) | ND | 0.5 |
| Toluene | ND | 0.5 |
| 1,2-Dibromoethane | ND | 0.5 |
| Ethylbenzene | ND | 0.5 |
| m,p-Xylenes | ND | 0.5 |
| o-Xylene | ND | 0.5 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 105 | 80-120 |
| 1,2-Dichloroethane-d4 | 109 | 80-130 |
| Toluene-d8 | 106 | 80-120 |
| Bromofluorobenzene | 106 | 80-122 |

ND= Not Detected

RL= Reporting Limit

Batch QC Report

| BTXE & Oxygenates | | | |
|------------------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Type: | LCS | Diln Fac: | 1.000 |
| Lab ID: | QC343913 | Batch#: | 114401 |
| Matrix: | Water | Analyzed: | 06/14/06 |
| Units: | ug/L | | |

| Analyte | Spiked | Result | %REC | Limits |
|-------------------------------|--------|--------|------|--------|
| tert-Butyl Alcohol (TBA) | 125.0 | 141.9 | 114 | 64-141 |
| MTBE | 25.00 | 24.30 | 97 | 72-120 |
| Isopropyl Ether (DIPE) | 25.00 | 24.07 | 96 | 68-123 |
| Ethyl tert-Butyl Ether (ETBE) | 25.00 | 25.53 | 102 | 77-129 |
| 1,2-Dichloroethane | 25.00 | 26.70 | 107 | 77-120 |
| Benzene | 25.00 | 23.80 | 95 | 80-120 |
| Methyl tert-Amyl Ether (TAME) | 25.00 | 25.87 | 103 | 77-120 |
| Toluene | 25.00 | 23.89 | 96 | 80-120 |
| 1,2-Dibromoethane | 25.00 | 26.35 | 105 | 80-120 |
| Ethylbenzene | 25.00 | 24.47 | 98 | 80-120 |
| m,p-Xylenes | 50.00 | 48.45 | 97 | 80-121 |
| o-Xylene | 25.00 | 24.91 | 100 | 80-120 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 107 | 80-120 |
| 1,2-Dichloroethane-d4 | 112 | 80-130 |
| Toluene-d8 | 106 | 80-120 |
| Bromofluorobenzene | 100 | 80-122 |

Batch QC Report

| BTXE & Oxygenates | | | |
|------------------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC343914 | Batch#: | 114401 |
| Matrix: | Water | Analyzed: | 06/14/06 |
| Units: | ug/L | | |

| Analyte | Result | RL |
|-------------------------------|---------------|-----------|
| tert-Butyl Alcohol (TBA) | ND | 10 |
| MTBE | ND | 0.5 |
| Isopropyl Ether (DIPE) | ND | 0.5 |
| Ethyl tert-Butyl Ether (ETBE) | ND | 0.5 |
| 1,2-Dichloroethane | ND | 0.5 |
| Benzene | ND | 0.5 |
| Methyl tert-Amyl Ether (TAME) | ND | 0.5 |
| Toluene | ND | 0.5 |
| 1,2-Dibromoethane | ND | 0.5 |
| Ethylbenzene | ND | 0.5 |
| m,p-Xylenes | ND | 0.5 |
| o-Xylene | ND | 0.5 |

| Surrogate | %REC | Limits |
|-----------------------|-------------|---------------|
| Dibromofluoromethane | 109 | 80-120 |
| 1,2-Dichloroethane-d4 | 117 | 80-130 |
| Toluene-d8 | 105 | 80-120 |
| Bromofluorobenzene | 110 | 80-122 |

ND= Not Detected

RL= Reporting Limit

Batch QC Report

| BTXE & Oxygenates | | | |
|------------------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC343915 | Batch#: | 114401 |
| Matrix: | Water | Analyzed: | 06/14/06 |
| Units: | ug/L | | |

| Analyte | Result | RL |
|-------------------------------|--------|-----|
| tert-Butyl Alcohol (TBA) | ND | 10 |
| MTBE | ND | 0.5 |
| Isopropyl Ether (DIPE) | ND | 0.5 |
| Ethyl tert-Butyl Ether (ETBE) | ND | 0.5 |
| 1,2-Dichloroethane | ND | 0.5 |
| Benzene | ND | 0.5 |
| Methyl tert-Amyl Ether (TAME) | ND | 0.5 |
| Toluene | ND | 0.5 |
| 1,2-Dibromoethane | ND | 0.5 |
| Ethylbenzene | ND | 0.5 |
| m,p-Xylenes | ND | 0.5 |
| o-Xylene | ND | 0.5 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 107 | 80-120 |
| 1,2-Dichloroethane-d4 | 113 | 80-130 |
| Toluene-d8 | 105 | 80-120 |
| Bromofluorobenzene | 111 | 80-122 |

ND= Not Detected

RL= Reporting Limit

Batch QC Report

| BTXE & Oxygenates | | | |
|-------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Field ID: | ZZZZZZZZZZ | Batch#: | 114401 |
| MSS Lab ID: | 187405-003 | Sampled: | 06/12/06 |
| Matrix: | Water | Received: | 06/13/06 |
| Units: | ug/L | Analyzed: | 06/14/06 |
| Diln Fac: | 7.143 | | |

Type: MS Lab ID: QC343916

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|-------------------------------|------------|--------|--------|------|--------|
| tert-Butyl Alcohol (TBA) | <9.631 | 892.9 | 980.2 | 110 | 68-148 |
| MTBE | <0.3719 | 178.6 | 181.2 | 101 | 75-120 |
| Isopropyl Ether (DIPE) | <0.1963 | 178.6 | 172.8 | 97 | 74-125 |
| Ethyl tert-Butyl Ether (ETBE) | <0.2434 | 178.6 | 192.2 | 108 | 80-131 |
| 1,2-Dichloroethane | <0.3971 | 178.6 | 206.7 | 116 | 80-124 |
| Benzene | <0.1953 | 178.6 | 175.0 | 98 | 80-122 |
| Methyl tert-Amyl Ether (TAME) | <0.4071 | 178.6 | 185.4 | 104 | 78-120 |
| Toluene | <0.3751 | 178.6 | 182.5 | 102 | 80-120 |
| 1,2-Dibromoethane | <0.4965 | 178.6 | 194.1 | 109 | 80-120 |
| Ethylbenzene | <0.7849 | 178.6 | 180.0 | 101 | 80-121 |
| m,p-Xylenes | <1.397 | 357.1 | 354.8 | 99 | 80-121 |
| o-Xylene | <0.9116 | 178.6 | 183.6 | 103 | 80-120 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 110 | 80-120 |
| 1,2-Dichloroethane-d4 | 123 | 80-130 |
| Toluene-d8 | 108 | 80-120 |
| Bromofluorobenzene | 98 | 80-122 |

Type: MSD Lab ID: QC343917

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-------------------------------|--------|--------|------|--------|-----|-----|
| tert-Butyl Alcohol (TBA) | 892.9 | 1,064 | 119 | 68-148 | 8 | 23 |
| MTBE | 178.6 | 174.0 | 97 | 75-120 | 4 | 20 |
| Isopropyl Ether (DIPE) | 178.6 | 169.8 | 95 | 74-125 | 2 | 20 |
| Ethyl tert-Butyl Ether (ETBE) | 178.6 | 182.2 | 102 | 80-131 | 5 | 20 |
| 1,2-Dichloroethane | 178.6 | 203.6 | 114 | 80-124 | 2 | 20 |
| Benzene | 178.6 | 168.1 | 94 | 80-122 | 4 | 20 |
| Methyl tert-Amyl Ether (TAME) | 178.6 | 184.1 | 103 | 78-120 | 1 | 20 |
| Toluene | 178.6 | 174.5 | 98 | 80-120 | 5 | 20 |
| 1,2-Dibromoethane | 178.6 | 192.5 | 108 | 80-120 | 1 | 20 |
| Ethylbenzene | 178.6 | 177.9 | 100 | 80-121 | 1 | 20 |
| m,p-Xylenes | 357.1 | 351.8 | 98 | 80-121 | 1 | 20 |
| o-Xylene | 178.6 | 178.4 | 100 | 80-120 | 3 | 20 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 108 | 80-120 |
| 1,2-Dichloroethane-d4 | 122 | 80-130 |
| Toluene-d8 | 105 | 80-120 |
| Bromofluorobenzene | 101 | 80-122 |

RPD= Relative Percent Difference

Batch QC Report

| BTXE & Oxygenates | | | |
|------------------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Type: | LCS | Diln Fac: | 1.000 |
| Lab ID: | QC344094 | Batch#: | 114444 |
| Matrix: | Water | Analyzed: | 06/15/06 |
| Units: | ug/L | | |

| Analyte | Spiked | Result | %REC | Limits |
|-------------------------------|--------|--------|------|--------|
| tert-Butyl Alcohol (TBA) | 125.0 | 127.5 | 102 | 64-141 |
| MTBE | 25.00 | 24.65 | 99 | 72-120 |
| Isopropyl Ether (DIPE) | 25.00 | 26.13 | 105 | 68-123 |
| Ethyl tert-Butyl Ether (ETBE) | 25.00 | 26.23 | 105 | 77-129 |
| 1,2-Dichloroethane | 25.00 | 24.96 | 100 | 77-120 |
| Benzene | 25.00 | 25.76 | 103 | 80-120 |
| Methyl tert-Amyl Ether (TAME) | 25.00 | 25.64 | 103 | 77-120 |
| Toluene | 25.00 | 26.57 | 106 | 80-120 |
| 1,2-Dibromoethane | 25.00 | 26.50 | 106 | 80-120 |
| Ethylbenzene | 25.00 | 26.43 | 106 | 80-120 |
| m,p-Xylenes | 50.00 | 51.58 | 103 | 80-121 |
| o-Xylene | 25.00 | 24.94 | 100 | 80-120 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 107 | 80-120 |
| 1,2-Dichloroethane-d4 | 100 | 80-130 |
| Toluene-d8 | 104 | 80-120 |
| Bromofluorobenzene | 105 | 80-122 |

Batch QC Report

| BTXE & Oxygenates | | | |
|------------------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC344095 | Batch#: | 114444 |
| Matrix: | Water | Analyzed: | 06/15/06 |
| Units: | ug/L | | |

| Analyte | Result | RL |
|-------------------------------|---------------|-----------|
| tert-Butyl Alcohol (TBA) | ND | 10 |
| MTBE | ND | 0.5 |
| Isopropyl Ether (DIPE) | ND | 0.5 |
| Ethyl tert-Butyl Ether (ETBE) | ND | 0.5 |
| 1,2-Dichloroethane | ND | 0.5 |
| Benzene | ND | 0.5 |
| Methyl tert-Amyl Ether (TAME) | ND | 0.5 |
| Toluene | ND | 0.5 |
| 1,2-Dibromoethane | ND | 0.5 |
| Ethylbenzene | ND | 0.5 |
| m,p-Xylenes | ND | 0.5 |
| o-Xylene | ND | 0.5 |

| Surrogate | %REC | Limits |
|-----------------------|-------------|---------------|
| Dibromofluoromethane | 108 | 80-120 |
| 1,2-Dichloroethane-d4 | 98 | 80-130 |
| Toluene-d8 | 97 | 80-120 |
| Bromofluorobenzene | 97 | 80-122 |

ND= Not Detected

RL= Reporting Limit

Batch QC Report

| BTXE & Oxygenates | | | |
|-------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Field ID: | ZZZZZZZZZZ | Batch#: | 114444 |
| MSS Lab ID: | 187293-006 | Sampled: | 06/07/06 |
| Matrix: | Water | Received: | 06/07/06 |
| Units: | ug/L | Analyzed: | 06/15/06 |
| Diln Fac: | 1.000 | | |

Type: MS Lab ID: QC344141

| Analyte | MSS Result | Spiked | Result | %REC | Limits |
|-------------------------------|------------|--------|--------|------|--------|
| tert-Butyl Alcohol (TBA) | <1.346 | 125.0 | 132.6 | 106 | 68-148 |
| MTBE | <0.06769 | 25.00 | 25.33 | 101 | 75-120 |
| Isopropyl Ether (DIPE) | <0.08850 | 25.00 | 24.93 | 100 | 74-125 |
| Ethyl tert-Butyl Ether (ETBE) | <0.07928 | 25.00 | 26.59 | 106 | 80-131 |
| 1,2-Dichloroethane | <0.09383 | 25.00 | 26.07 | 104 | 80-124 |
| Benzene | <0.08408 | 25.00 | 26.26 | 105 | 80-122 |
| Methyl tert-Amyl Ether (TAME) | <0.1669 | 25.00 | 25.83 | 103 | 78-120 |
| Toluene | <0.1415 | 25.00 | 27.04 | 108 | 80-120 |
| 1,2-Dibromoethane | <0.08774 | 25.00 | 27.28 | 109 | 80-120 |
| Ethylbenzene | <0.06927 | 25.00 | 26.44 | 106 | 80-121 |
| m,p-Xylenes | <0.1365 | 50.00 | 49.47 | 99 | 80-121 |
| o-Xylene | <0.07818 | 25.00 | 23.52 | 94 | 80-120 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 107 | 80-120 |
| 1,2-Dichloroethane-d4 | 98 | 80-130 |
| Toluene-d8 | 105 | 80-120 |
| Bromofluorobenzene | 117 | 80-122 |

Type: MSD Lab ID: QC344142

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-------------------------------|--------|--------|------|--------|-----|-----|
| tert-Butyl Alcohol (TBA) | 125.0 | 142.2 | 114 | 68-148 | 7 | 23 |
| MTBE | 25.00 | 25.70 | 103 | 75-120 | 1 | 20 |
| Isopropyl Ether (DIPE) | 25.00 | 25.03 | 100 | 74-125 | 0 | 20 |
| Ethyl tert-Butyl Ether (ETBE) | 25.00 | 26.32 | 105 | 80-131 | 1 | 20 |
| 1,2-Dichloroethane | 25.00 | 25.85 | 103 | 80-124 | 1 | 20 |
| Benzene | 25.00 | 25.90 | 104 | 80-122 | 1 | 20 |
| Methyl tert-Amyl Ether (TAME) | 25.00 | 26.01 | 104 | 78-120 | 1 | 20 |
| Toluene | 25.00 | 26.65 | 107 | 80-120 | 1 | 20 |
| 1,2-Dibromoethane | 25.00 | 27.83 | 111 | 80-120 | 2 | 20 |
| Ethylbenzene | 25.00 | 25.99 | 104 | 80-121 | 2 | 20 |
| m,p-Xylenes | 50.00 | 48.68 | 97 | 80-121 | 2 | 20 |
| o-Xylene | 25.00 | 23.31 | 93 | 80-120 | 1 | 20 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 108 | 80-120 |
| 1,2-Dichloroethane-d4 | 99 | 80-130 |
| Toluene-d8 | 104 | 80-120 |
| Bromofluorobenzene | 117 | 80-122 |

RPD= Relative Percent Difference

Batch QC Report

| BTXE & Oxygenates | | | |
|------------------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Type: | BLANK | Diln Fac: | 1.000 |
| Lab ID: | QC344319 | Batch#: | 114499 |
| Matrix: | Water | Analyzed: | 06/16/06 |
| Units: | ug/L | | |

| Analyte | Result | RL |
|-------------------------------|---------------|-----------|
| tert-Butyl Alcohol (TBA) | ND | 10 |
| MTBE | ND | 0.5 |
| Isopropyl Ether (DIPE) | ND | 0.5 |
| Ethyl tert-Butyl Ether (ETBE) | ND | 0.5 |
| 1,2-Dichloroethane | ND | 0.5 |
| Benzene | ND | 0.5 |
| Methyl tert-Amyl Ether (TAME) | ND | 0.5 |
| Toluene | ND | 0.5 |
| 1,2-Dibromoethane | ND | 0.5 |
| Ethylbenzene | ND | 0.5 |
| m,p-Xylenes | ND | 0.5 |
| o-Xylene | ND | 0.5 |

| Surrogate | %REC | Limits |
|-----------------------|-------------|---------------|
| Dibromofluoromethane | 96 | 80-120 |
| 1,2-Dichloroethane-d4 | 102 | 80-130 |
| Toluene-d8 | 100 | 80-120 |
| Bromofluorobenzene | 100 | 80-122 |

ND= Not Detected

RL= Reporting Limit

Batch QC Report

| BTXE & Oxygenates | | | |
|-------------------|---------------------------------|-----------|--------------------|
| Lab #: | 187394 | Location: | Oakland Auto Works |
| Client: | Stellar Environmental Solutions | Prep: | EPA 5030B |
| Project#: | 2003-43 | Analysis: | EPA 8260B |
| Matrix: | Water | Batch#: | 114499 |
| Units: | ug/L | Analyzed: | 06/16/06 |
| Diln Fac: | 1.000 | | |

Type: BS Lab ID: QC344320

| Analyte | Spiked | Result | %REC | Limits |
|-------------------------------|--------|--------|------|--------|
| tert-Butyl Alcohol (TBA) | 125.0 | 113.7 | 91 | 64-141 |
| MTBE | 25.00 | 21.30 | 85 | 72-120 |
| Isopropyl Ether (DIPE) | 25.00 | 22.25 | 89 | 68-123 |
| Ethyl tert-Butyl Ether (ETBE) | 25.00 | 22.82 | 91 | 77-129 |
| 1,2-Dichloroethane | 25.00 | 22.03 | 88 | 77-120 |
| Benzene | 25.00 | 22.11 | 88 | 80-120 |
| Methyl tert-Amyl Ether (TAME) | 25.00 | 24.55 | 98 | 77-120 |
| Toluene | 25.00 | 23.49 | 94 | 80-120 |
| 1,2-Dibromoethane | 25.00 | 22.45 | 90 | 80-120 |
| Ethylbenzene | 25.00 | 25.62 | 102 | 80-120 |
| m,p-Xylenes | 50.00 | 51.02 | 102 | 80-121 |
| o-Xylene | 25.00 | 25.20 | 101 | 80-120 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 97 | 80-120 |
| 1,2-Dichloroethane-d4 | 101 | 80-130 |
| Toluene-d8 | 100 | 80-120 |
| Bromofluorobenzene | 98 | 80-122 |

Type: BSD Lab ID: QC344321

| Analyte | Spiked | Result | %REC | Limits | RPD | Lim |
|-------------------------------|--------|--------|------|--------|-----|-----|
| tert-Butyl Alcohol (TBA) | 125.0 | 126.7 | 101 | 64-141 | 11 | 22 |
| MTBE | 25.00 | 21.70 | 87 | 72-120 | 2 | 20 |
| Isopropyl Ether (DIPE) | 25.00 | 22.28 | 89 | 68-123 | 0 | 20 |
| Ethyl tert-Butyl Ether (ETBE) | 25.00 | 22.87 | 91 | 77-129 | 0 | 20 |
| 1,2-Dichloroethane | 25.00 | 21.44 | 86 | 77-120 | 3 | 20 |
| Benzene | 25.00 | 21.37 | 85 | 80-120 | 3 | 20 |
| Methyl tert-Amyl Ether (TAME) | 25.00 | 24.48 | 98 | 77-120 | 0 | 20 |
| Toluene | 25.00 | 23.02 | 92 | 80-120 | 2 | 20 |
| 1,2-Dibromoethane | 25.00 | 22.42 | 90 | 80-120 | 0 | 20 |
| Ethylbenzene | 25.00 | 24.87 | 99 | 80-120 | 3 | 20 |
| m,p-Xylenes | 50.00 | 49.50 | 99 | 80-121 | 3 | 20 |
| o-Xylene | 25.00 | 24.38 | 98 | 80-120 | 3 | 20 |

| Surrogate | %REC | Limits |
|-----------------------|------|--------|
| Dibromofluoromethane | 97 | 80-120 |
| 1,2-Dichloroethane-d4 | 103 | 80-130 |
| Toluene-d8 | 100 | 80-120 |
| Bromofluorobenzene | 98 | 80-122 |

RPD= Relative Percent Difference

APPENDIX C

Historical Groundwater Monitoring Well Analytical Data

TABLE C-1
Historical Groundwater Monitoring Well Groundwater Analytical Results
Petroleum and Aromatic Hydrocarbons (µg/L)
240 W. MacArthur Boulevard, Oakland, Alameda, California

| MW-1 | | | | | | | | | |
|---------------|--------------------|--------------|---------|---------|---------|---------|--------------|---------------|--------|
| Well Purged? | Sampling Event No. | Date Sampled | TVH-g | TEH-d | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE |
| Yes | 1 | Aug-97 | 1,140 | < 1,000 | 110 | 16 | 15 | 112 | NA |
| Yes | 2 | Dec-97 | ND | NA | ND | ND | ND | 31 | NA |
| Yes | 3 | Mar-98 | 370 | NA | 8.9 | < 0.5 | < 0.5 | 2.2 | 18 |
| Yes | 4 | Jul-98 | 6,400 | NA | 1,300 | 23 | 3.7 | 58 | 97 |
| Yes | 5 | Oct-98 | 2,500 | NA | 360 | 44 | 1.3 | 150 | < 0.5 |
| Yes | 6 | Jan-99 | 2,700 | NA | 1,200 | 28 | 140 | 78 | 130 |
| (a) | 7 | Jun-00 | 27,000 | NA | 5,200 | 500 | 320 | 3,100 | 1,300 |
| (a) | 8 | Dec-00 | 976,000 | NA | 2,490 | 1,420 | 3,640 | 10,100 | < 150 |
| (a) | 9 | Feb-01 | NA | NA | NA | NA | NA | NA | NA |
| (a) | 10 | May-01 | 20,000 | NA | 2,900 | 310 | 230 | 1,900 | < 30 |
| (a) | 11 | Jul-01 | 92,000 | NA | 2,900 | 580 | 2,800 | 20,000 | 560 |
| Pre"hi-vac" | 12 | Oct 22-01 | 20,000 | NA | 3,700 | 560 | 410 | 4,600 | 2,600 |
| Post "hi-vac" | 12 | Oct 26-01 | < 0.05 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| (a) | 13 | Dec-01 | 3,300 | NA | 200 | 12 | 5.7 | 43 | 44 |
| No | 14 | Mar-02 | 4,600 | NA | 820 | 4.4 | 100 | 300 | 210 |
| No | 15 | May-02 | 1,600 | NA | 100 | 23 | 20 | 190 | 7.7 |
| No | 16 | Jul-02 | 2,300 | NA | 250 | 15 | 13 | 180 | 180 |
| No | 17 | Oct-02 | 1,820 | NA | 222 | 16 | < 0.3 | 59 | 58 |
| No | 18 | Jan-03 | 2,880 | NA | 188 | < 50 | < 50 | 157 | 20 |
| No | 19 | Mar-03 | 6,700 | NA | 607 | 64 | 64 | 288 | < 0.18 |
| No | 20 | Aug-03 | 4,900 | 5,000 | 740 | 45 | 85 | 250 | 14 |
| Pre-Purge | 21 | Dec-03 | 5,060 | 400 | 654 | 11 | 79 | 92 | 129 |
| Post-Purge | 21 | Dec-03 | 8,930 | 800 | 1,030 | 55 | 127 | 253 | 212 |
| Yes | 22 | Mar-04 | 11,300 | 1,100 | 483 | 97 | 122 | 452 | 67 |
| Yes | 23 | Jun-04 | 9,300 | 4,000 | 1,700 | 75 | 92 | 350 | 6.0 |
| Yes | 24 | Sep-04 | 9,100 | 97 | 920 | 19 | 82 | 201 | 7.2 |
| Yes | 25 | Dec-04 | 11,000 | 3,300 | 830 | 21 | 74 | 118 | 7.9 |
| Yes | 26 | Mar-05 | 4,700 | 3,500 | 450 | 28 | 42 | 97 | 6.7 |
| Yes | 27 | Jun-05 | 21,000 | 6,800 | 1,900 | 270 | 320 | 2,800 | < 13 |
| Yes | 28 | Sep-05 | 23,000 | 2,500 | 2,100 | 100 | 200 | 880 | < 2.5 |
| Yes | 29 | Dec-05 | 23,000 | 2,500 | 2,100 | 100 | 200 | 880 | < 2.5 |
| Yes | 30 | Mar-06 | 11,000 | 3,000 | 340 | 45 | 89 | 630 | 4.3 |
| Yes | 31 | Jun-06 | 21,000 | 8,500 | 1,600 | 160 | 170 | 1,000 | < 2.5 |

(table continued on next page; footnotes on final page)

TABLE C-1 (continued)

| MW-2 | | | | | | | | | |
|---------------|--------------------|--------------|-------|---------|---------|---------|--------------|---------------|-------|
| Well Purged? | Sampling Event No. | Date Sampled | TVH-g | TEH-d | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE |
| Yes | 1 | Aug-97 | 5,350 | < 1,000 | 108 | 36 | 33 | 144 | NA |
| Yes | 2 | Dec-97 | 1,600 | NA | 73 | ND | ND | ND | NA |
| Yes | 3 | Mar-98 | 3,400 | NA | 830 | 100 | 210 | 240 | 870 |
| Yes | 4 | Jul-98 | 3,100 | NA | 25 | 2.2 | < 0.5 | 0.9 | 1,900 |
| Yes | 5 | Oct-98 | 4,300 | NA | < 0.5 | 1.2 | < 0.5 | 1 | 4,200 |
| Yes | 6 | Jan-99 | 2,900 | NA | 160 | 8.9 | 6.9 | 78.4 | 2,100 |
| (a) | 7 | Jun-00 | 2,700 | NA | 200 | 17 | 30 | 16 | 680 |
| (a) | 8 | Dec-00 | 3,020 | NA | 56.7 | < 1.5 | < 1.5 | < 3.0 | 3,040 |
| (a) | 9 | Feb-01 | NA | NA | NA | NA | NA | NA | NA |
| (a) | 10 | May-01 | 720 | NA | 49 | < 3.0 | 4.6 | < 3.0 | 380 |
| (a) | 11 | Jul-01 | 8,400 | NA | 350 | 44 | 77 | 78 | 550 |
| Pre"hi-vac" | 12 | Oct 22-01 | 850 | NA | 170 | 4.9 | 5.1 | 14 | 260 |
| Post "hi-vac" | 12 | Oct 26-01 | 770 | NA | 86 | 5.5 | 9.6 | 8.5 | 310 |
| (a) | 13 | Dec-01 | 1,300 | NA | 9.2 | < 2.0 | < 2.0 | < 2.0 | 370 |
| No | 14 | Mar-02 | 1,300 | NA | 76 | 3.8 | 21 | 15 | 460 |
| No | 15 | May-02 | 320 | NA | 12 | 1.1 | 4.6 | 4.8 | 160 |
| No | 16 | Jul-02 | 1,300 | NA | 130 | 1.0 | 9.4 | 5.6 | 420 |
| No | 17 | Oct-02 | 1,060 | NA | 12 | 2.2 | 4.2 | 3.5 | 270 |
| No | 18 | Jan-03 | 581 | NA | 6.5 | < 5.0 | < 5.0 | < 5.0 | 130 |
| No | 19 | Mar-03 | 1,250 | NA | < 0.22 | < 0.32 | < 0.31 | < 0.4 | 155 |
| No | 20 | Aug-03 | 2,200 | 730 | 58 | 9.2 | < 0.5 | 28 | 240 |
| Pre-Purge | 21 | Dec-03 | 2,120 | 100 | 45 | 9.4 | 9.5 | 20 | 289 |
| Post-Purge | 21 | Dec-03 | 1,980 | 100 | 29 | 22.0 | 7.4 | 13 | 295 |
| Yes | 22 | Mar-04 | 2,700 | 100 | 12 | 16.0 | 9 | 12 | 249 |
| Yes | 23 | Jun-04 | 1,200 | 370 | 42 | 0.7 | 2.6 | 0.9 | 170 |
| Yes | 24 | Sep-04 | 1,500 | 280 | 14 | < 0.5 | < 0.5 | 0.6 | 130 |
| Yes | 25 | Dec-04 | 1,400 | 540 | 26 | 1.1 | 1.8 | 3.5 | 91 |
| Yes | 26 | Mar-05 | 2,300 | 420 | 5.3 | < 1.0 | 3.7 | < 2.0 | 120 |
| Yes | 27 | Jun-05 | 1,600 | 500 | 14 | < 0.5 | 1.8 | 0.68 | 66 |
| Yes | 28 | Sep-05 | 1,400 | 210 | 30 | 1.3 | 12 | 26 | 58 |
| Yes | 29 | Dec-05 | 1,300 | 800 | 4.9 | 0.6 | 0.7 | 0.8 | 74 |
| Yes | 30 | Mar-06 | 1,300 | 400 | 3.2 | < 0.7 | < 0.7 | < 0.7 | 120 |
| Yes | 31 | Jun-06 | 1,400 | 1,200 | 33.0 | 1.3 | 3.5 | < 1.6 | 84 |

(table continued on next page; footnotes on final page)

TABLE C-1 (continued)

| MW-3 | | | | | | | | | |
|---------------|--------------------|--------------|--------|---------|---------|---------|--------------|---------------|-------|
| Well Purged? | Sampling Event No. | Date Sampled | TVH-g | TEH-d | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE |
| Yes | 1 | Aug-97 | 8,500 | < 1,000 | 450 | 30 | 53 | 106 | NA |
| Yes | 2 | Dec-97 | 5,200 | NA | 180 | 6.0 | 5.0 | 9.3 | NA |
| Yes | 3 | Mar-98 | 1,000 | NA | 6.0 | < 0.5 | < 0.5 | < 0.5 | 810 |
| Yes | 4 | Jul-98 | 6,400 | NA | 490 | 57 | 23 | 78 | 220 |
| Yes | 5 | Oct-98 | 2,100 | NA | < 5.0 | < 5.0 | < 5.0 | < 5.0 | 2,100 |
| Yes | 6 | Jan-99 | 4,400 | NA | 450 | 65 | 26 | 42 | 1,300 |
| (a) | 7 | Jun-00 | 1,700 | NA | 110 | 13 | 34 | 13 | 96 |
| (a) | 8 | Dec-00 | 5,450 | NA | 445 | < 7.5 | 23.8 | < 7.5 | 603 |
| (a) | 9 | Feb-01 | NA | NA | NA | NA | NA | NA | NA |
| (a) | 10 | May-01 | 1,900 | NA | 180 | 12 | < 3.0 | 19 | 330 |
| (a) | 11 | Jul-01 | 10,000 | NA | 830 | 160 | 150 | 260 | 560 |
| Pre"hi-vac" | 12 | Oct 22-01 | 1,400 | NA | 240 | 7.8 | 4.1 | 15 | 220 |
| Post "hi-vac" | 12 | Oct 26-01 | 1,900 | NA | 200 | 16 | 51 | 30 | 290 |
| (a) | 13 | Dec-01 | 5,800 | NA | 93 | < 20 | 31 | < 20 | 330 |
| No | 14 | Mar-02 | 1,900 | NA | 220 | 16 | 31 | 24 | 400 |
| No | 15 | May-02 | 1,600 | NA | 110 | 3.4 | 29 | 14 | 320 |
| No | 16 | Jul-02 | 1,900 | NA | 210 | 27 | 30 | 55 | 200 |
| No | 17 | Oct. 2002 | 3,030 | NA | 178 | 19 | 6.2 | 36 | 178 |
| No | 18 | Jan-03 | 2,980 | NA | 47 | < 5.0 | 7.6 | 6.3 | 105 |
| No | 19 | Mar-03 | 3,620 | NA | 124 | < 0.32 | 22 | 12 | 139 |
| No | 20 | Aug-03 | 3,800 | 2,400 | 170 | 28 | 31 | 31 | 170 |
| Pre-Purge | 21 | Dec-03 | 5,550 | 400 | 311 | 20 | 41 | 48 | 357 |
| Post-Purge | 21 | Dec-03 | 6,860 | 500 | 312 | 20 | 55 | 58 | 309 |
| Yes | 22 | Mar-04 | 5,490 | 500 | 82 | 34 | 46 | 49 | 249 |
| Yes | 23 | Jun-04 | 5,400 | 1,100 | 150 | 30 | 45 | 66 | 130 |
| Yes | 24 | Sep-04 | 5,400 | 1,500 | 70 | 3.2 | 16 | 13 | 110 |
| Yes | 25 | Dec-04 | 5,300 | 2,400 | 91 | 7.4 | 21 | 19 | 92 |
| Yes | 26 | Mar-05 | 4,700 | 2,000 | 19 | 1.1 | 9.9 | 3.7 | 76 |
| Yes | 27 | Jun-05 | 4,200 | 1,800 | 49 | 4.5 | 23.0 | 16.2 | 66 |
| Yes | 28 | Sep-05 | 5,000 | 950 | 60 | 3.1 | 12 | 25.8 | 59 |
| Yes | 29 | Dec-05 | 3,200 | 1,800 | 29 | 1.3 | 6.6 | 5.6 | 80 |
| Yes | 30 | Mar-06 | 4,100 | 1,200 | 24 | 1.1 | 8.5 | 3.4 | 99 |
| Yes | 31 | Jun-06 | 4,000 | 1,400 | 89 | 8.4 | 14.0 | 16.7 | 75 |

(table continued on next page; footnotes on final page)

TABLE C-1 (continued)

| MW-4 | | | | | | | | | |
|---------------|--------------------|--------------|-------|---------|---------|---------|--------------|---------------|-------|
| Well Purged? | Sampling Event No. | Date Sampled | TVH-g | TEH-d | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE |
| Yes | 1 | Aug-97 | < 500 | < 1,000 | < 0.5 | < 0.5 | < 0.5 | < 1.5 | NA |
| Yes | 2 | Dec-97 | ND | NA | ND | ND | ND | ND | NA |
| Yes | 3 | Mar-98 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Yes | 4 | Jul-98 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Yes | 5 | Oct-98 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Yes | 6 | Jan-99 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| (a) | 7 | Jun-00 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| (a) | 8 | Dec-00 | < 500 | NA | < 0.3 | < 0.3 | < 0.6 | < 0.3 | < 0.3 |
| (a) | 9 | Feb-01 | NA | NA | NA | NA | NA | NA | NA |
| (a) | 10 | May-01 | < 50 | NA | 1.2 | < 0.3 | 0.55 | 1.2 | 2.9 |
| (a) | 11 | Jul-01 | < 5.0 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Pre"hi-vac" | 12 | Oct 22-01 | < 5.0 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Post "hi-vac" | 12 | Oct 26-01 | < 5.0 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| (a) | 13 | Dec-01 | ND | NA | ND | ND | ND | ND | ND |
| No | 14 | Mar-02 | < 50 | NA | < 1 | < 1 | < 1 | < 1 | < 1 |
| No | 15 | May-02 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| No | 16 | Jul-02 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| No | 17 | Oct-02 | < 100 | NA | < 0.3 | < 0.3 | < 0.3 | < 0.6 | < 0.3 |
| No | 18 | Jan-03 | < 100 | NA | < 0.3 | < 0.3 | < 0.3 | < 0.6 | 14 |
| No | 19 | Mar-03 | < 15 | NA | < 0.4 | < 0.02 | < 0.02 | < 0.06 | 5.2 |
| No | 20 | Aug-03 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Pre-Purge | 21 | Dec-03 | 71 | NA | < 0.3 | < 0.3 | < 0.3 | < 0.6 | < 5.0 |
| Post-Purge | 21 | Dec-03 | 63 | NA | < 0.3 | < 0.3 | < 0.3 | < 0.6 | < 5.0 |
| Yes | 22 | Mar-04 | < 50 | NA | < 0.3 | < 0.3 | < 0.3 | < 0.6 | < 5.0 |
| Yes | 23 | Jun-04 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | 0.9 |
| Yes | 24 | Sep-04 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | 2.3 |
| Yes | 25 | Dec-04 | < 50 | NA | NA | NA | NA | NA | NA |
| Yes | 26 | Mar-05 | < 50 | NA | NA | NA | NA | NA | NA |
| Yes | 27 | Jun-05 | < 50 | NA | NA | NA | NA | NA | NA |
| Yes | 28 | Sep-05 | < 50 | NA | NA | NA | NA | NA | NA |
| Yes | 29 | Dec-05 | < 50 | NA | NA | NA | NA | NA | NA |
| Yes | 30 | Mar-06 | < 50 | NA | NA | NA | NA | NA | NA |
| Yes | 31 | Jun-06 | < 50 | NA | NA | NA | NA | NA | NA |

(table continued on next page; footnotes on final page)

TABLE C-1 (continued)

| MW-5 | | | | | | | | | |
|---------------|--------------------|--------------|--------|--------|---------|---------|--------------|---------------|--------|
| Well Purged? | Sampling Event No. | Date Sampled | TVH-g | TEH-d | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE |
| (a) | 9 | Feb-01 | 5,660 | NA | 76.9 | 21.1 | 47.3 | 312 | < 0.3 |
| (a) | 10 | May-01 | 22,000 | NA | 2,600 | 480 | 220 | 2,700 | < 30 |
| (a) | 11 | Jul-01 | 72,000 | NA | 3,500 | 1,100 | 4,300 | 22,000 | 2,500 |
| Pre“hi-vac” | 12 | Oct 22-01 | 26,000 | NA | 2,800 | 980 | 6,000 | 950 | 2,300 |
| Post “hi-vac” | 12 | Oct 26-01 | 17,000 | NA | 1,200 | 470 | 2,900 | 440 | 900 |
| (a) | 13 | Dec-01 | 2,000 | NA | 620 | 190 | 110 | 910 | < 20 |
| No | 14 | Mar-02 | 8,800 | NA | 1,200 | 72 | 7.4 | 350 | 1,200 |
| No | 15 | May-02 | 2,000 | NA | 150 | 38 | 21 | 260 | 13 |
| No | 16 | Jul-02 | 4,200 | NA | 480 | 68 | 29 | 280 | 450 |
| No | 17 | Oct-02 | 5,370 | NA | 236 | 45 | 23 | 39 | 135 |
| No | 18 | Jan-03 | 8,270 | NA | 615 | 156 | 174 | 1,010 | < 10 |
| No | 19 | Mar-03 | 12,400 | NA | 824 | 195 | 213 | 1,070 | < 0.18 |
| No | 20 | Aug-03 | 18,000 | 10,000 | 950 | 290 | 330 | 1,820 | < 2.0 |
| Pre-Purge | 21 | Dec-03 | 12,800 | 600 | 1,140 | 327 | 354 | 1,530 | 682 |
| Post-Purge | 21 | Dec-03 | 11,900 | 800 | 627 | 263 | 288 | 1,230 | 595 |
| Yes | 22 | Mar-04 | 20,700 | 850 | 867 | 266 | 305 | 678 | 145 |
| Yes | 23 | Jun-04 | 12,000 | 1,700 | 920 | 240 | 260 | 1,150 | < 3.1 |
| Yes | 24 | Sep-04 | 13,000 | 1,900 | 580 | 240 | 260 | 1,260 | < 4.2 |
| Yes | 25 | Dec-04 | 16,000 | 3,300 | 730 | 200 | 250 | 1,100 | < 4.2 |
| Yes | 26 | Mar-05 | 6,300 | 4,600 | 190 | 28 | 42 | 280 | < 1.7 |
| Yes | 27 | Jun-05 | 16,000 | 4,100 | 1,100 | 260 | 380 | 1,590 | < 7.1 |
| Yes | 28 | Sep-05 | 15,000 | 3,600 | 810 | 210 | 300 | 1,300 | < 1.3 |
| Yes | 29 | Dec-05 | 9,600 | 3,600 | 270 | 80 | 110 | 710 | < 1.7 |
| Yes | 30 | Mar-06 | 9,800 | 5,100 | 240 | 47 | 97 | 590 | < 2.0 |
| Yes | 31 | Jun-06 | 28,000 | 4,900 | 920 | 250 | 350 | 1,480 | < 2.0 |

(table continued on next page; footnotes on final page)

TABLE C-1 (continued)

| MW-6 | | | | | | | | | |
|---------------|--------------------|--------------|-------|-------|---------|---------|--------------|---------------|--------|
| Well Purged? | Sampling Event No. | Date Sampled | TVH-g | TEH-d | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE |
| (a) | 9 | Feb-01 | 1,340 | NA | 17 | 0.967 | 11.1 | 51.4 | < 0.3 |
| (a) | 10 | May-01 | 610 | NA | 15 | 0.97 | < 0.5 | 46 | < 0.5 |
| (a) | 11 | Jul-01 | 2,500 | NA | 130 | 4.7 | 53 | 170 | 120 |
| Pre"hi-vac" | 12 | Oct 22-01 | 280 | NA | 18 | 1.2 | 6.2 | 4.7 | 6.0 |
| Post "hi-vac" | 12 | Oct 26-01 | 3,600 | NA | 210 | 20 | 170 | 62 | 120 |
| (a) | 13 | Dec-01 | 5,300 | NA | 69 | 5.6 | 14 | 17 | < 2.0 |
| No | 14 | Mar-02 | 71 | NA | 54 | 4.2 | 27 | 17 | 8.5 |
| No | 15 | May-02 | 150 | NA | 9.3 | < 0.5 | < 0.5 | < 0.5 | 1.5 |
| No | 16 | Jul-02 | 2,200 | NA | 98 | 32 | 46 | 150 | 66 |
| No | 17 | Oct-02 | 786 | NA | 48 | 5.0 | 2.2 | 44 | 16 |
| No | 18 | Jan-03 | 497 | NA | 6.8 | < 5.0 | < 5.0 | 11 | < 1.0 |
| No | 19 | Mar-03 | 258 | NA | 5.4 | < 0.32 | 3.3 | < 1.1 | < 0.18 |
| No | 20 | Aug-03 | 1,600 | 2,800 | 37 | 4.1 | 23 | 58 | < 0.5 |
| Pre-Purge | 21 | Dec-03 | 444 | 100 | 4.7 | 4.9 | 1.8 | 5.9 | 4.4 |
| Post-Purge | 21 | Dec-03 | 365 | 200 | 2.5 | 3.8 | 1.4 | 6.1 | < 5.0 |
| Yes | 22 | Mar-04 | 215 | 140 | 4.0 | 1.2 | 1.4 | 1.4 | 3.7 |
| Yes | 23 | Jun-04 | 710 | 830 | 14.0 | 0.7 | 5.2 | 6.6 | < 0.5 |
| Yes | 24 | Sep-04 | 350 | 600 | < 0.5 | 2.4 | < 0.5 | < 0.5 | < 0.5 |
| Yes | 25 | Dec-04 | 280 | 1,100 | 4.9 | < 0.5 | 1.4 | 4.4 | < 0.5 |
| Yes | 26 | Mar-05 | 300 | 980 | 5.4 | < 0.5 | 3.3 | 2.3 | < 0.5 |
| Yes | 27 | Jun-05 | 150 | 1,100 | < 0.5 | < 0.5 | < 0.5 | 0.77 | 28 |
| Yes | 28 | Sep-05 | 680 | 200 | 13 | 0.9 | 7 | 13 | < 0.5 |
| Yes | 29 | Dec-05 | 240 | 890 | 3.6 | < 0.5 | 0.7 | 2.4 | 0.5 |
| Yes | 30 | Mar-06 | 530 | 950 | 8.3 | < 0.5 | 4.0 | 2.1 | 0.6 |
| Yes | 31 | Jun-06 | 460 | 1,300 | 8.3 | < 0.5 | 1.4 | 2.6 | < 0.5 |

(table continued on next page; footnotes on final page)

TABLE C-1 (continued)

| MW-7 | | | | | | | | | |
|---------------|--------------------|--------------|-------|-------|---------|---------|--------------|---------------|--------|
| Well Purged? | Sampling Event No. | Date Sampled | TVH-g | TEH-d | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE |
| (a) | 9 | Feb-01 | ND | NA | ND | ND | ND | ND | ND |
| (a) | 10 | May-01 | < 50 | NA | 0.75 | 0.77 | 0.48 | 2.4 | 1.1 |
| (a) | 11 | Jul-01 | < 5.0 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Pre"hi-vac" | 12 | Oct 22-01 | < 5.0 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Post "hi-vac" | 12 | Oct 26-01 | 6,000 | NA | 170 | 550 | 110 | 120 | 970 |
| (a) | 13 | Dec-01 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | 43 |
| No | 14 | Mar-02 | < 50 | NA | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| No | 15 | May-02 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| No | 16 | Jul-02 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| No | 17 | Oct-02 | < 100 | NA | < 0.3 | < 0.3 | < 0.3 | < 0.6 | < 5.0 |
| No | 18 | Jan-03 | NA | NA | NA | NA | NA | NA | NA |
| No | 19 | Mar-03 | < 15 | NA | < 0.04 | < 0.02 | < 0.02 | < 0.06 | < 0.03 |
| No | 20 | Aug-03 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Pre-Purge | 21 | Dec-03 | < 50 | NA | < 0.3 | < 0.3 | < 0.3 | < 0.6 | < 5.0 |
| Post-Purge | 21 | Dec-03 | < 50 | NA | < 0.3 | < 0.3 | < 0.3 | < 0.6 | < 5.0 |
| Yes | 22 | Mar-04 | 86 | NA | < 0.3 | < 0.3 | < 0.3 | < 0.6 | 57 |
| Yes | 23 | Jun-04 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Yes | 24 | Sep-04 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Yes | 25 | Dec-04 | < 50 | NA | NA | NA | NA | NA | NA |
| Yes | 26 | Mar-05 | < 50 | NA | NA | NA | NA | NA | NA |
| Yes | 27 | Jun-05 | < 50 | NA | NA | NA | NA | NA | NA |
| Yes | 28 | Sep-05 | < 50 | NA | NA | NA | NA | NA | NA |
| Yes | 29 | Dec-05 | < 50 | NA | NA | NA | NA | NA | NA |
| Yes | 30 | Mar-06 | < 50 | NA | NA | NA | NA | NA | NA |
| Yes | 31 | Jun-06 | < 50 | NA | NA | NA | NA | NA | NA |

(table continued on next page; footnotes on final page)

TABLE C-1 (continued)

| MW-8 | | | | | | | | | |
|---------------|--------------------|--------------|-------|-------|---------|---------|--------------|---------------|--------|
| Well Purged? | Sampling Event No. | Date Sampled | TVH-g | TEH-d | Benzene | Toluene | Ethylbenzene | Total Xylenes | MTBE |
| (a) | 9 | Feb-01 | 1,000 | NA | 3.97 | < 0.3 | 3.78 | 1.63 | 620 |
| (a) | 10 | May-01 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | 4.4 |
| (a) | 11 | Jul-01 | < 5.0 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Pre"hi-vac" | 12 | Oct 22-01 | < 5.0 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Post "hi-vac" | 12 | Oct 26-01 | < 5.0 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| (a) | 13 | Dec-01 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| No | 14 | Mar-02 | < 50 | NA | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| No | 15 | May-02 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| No | 16 | Jul-02 | < 50 | NA | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| No | 17 | Oct-02 | 458 | NA | 1.7 | < 0.3 | < 0.3 | < 0.6 | 233 |
| No | 18 | Jan-03 | < 100 | NA | < 0.3 | < 0.3 | < 0.3 | < 0.6 | < 5.0 |
| No | 19 | Mar-03 | < 15 | NA | < 0.22 | < 0.32 | < 0.31 | < 0.4 | < 0.18 |
| No | 20 | Jul-03 | 190 | < 50 | < 0.5 | < 0.5 | < 0.5 | 0.6 | < 0.5 |
| Pre-Purge | 21 | Dec-03 | 144 | < 100 | < 0.3 | < 0.3 | < 0.3 | < 0.6 | 7.6 |
| Post-Purge | 21 | Dec-03 | 163 | < 100 | < 0.3 | < 0.3 | < 0.3 | < 0.6 | 66 |
| Yes | 22 | Mar-04 | 412 | < 100 | 1.2 | < 0.3 | 1.7 | 3.9 | 66 |
| Yes | 23 | Jun-04 | 320 | 68 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | 120 |
| Yes | 24 | Sep-04 | 280 | 2600 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | 120 |
| Yes | 25 | Dec-04 | 270 | 84 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | 94 |
| Yes | 26 | Mar-05 | 270 | 120 | < 0.5 | < 0.5 | < 0.5 | < 1.0 | 66 |
| Yes | 27 | Jun-05 | 510 | 63 | 6.8 | < 0.5 | 2.4 | 5.3 | < 0.5 |
| Yes | 28 | Sep-05 | 520 | < 50 | < 0.5 | < 0.5 | < 0.5 | < 1.0 | 65 |
| Yes | 29 | Dec-05 | 65 | 57 | < 0.5 | < 0.5 | < 0.5 | < 1.0 | 29 |
| Yes | 30 | Mar-06 | 140 | 120 | < 0.5 | < 0.5 | < 0.5 | 0.6 | 24 |
| Yes | 31 | Jun-06 | 710 | 170 | < 0.5 | < 0.5 | < 0.5 | < 1.0 | 81 |

Notes:

(a) Data not available to SES as to whether the samples were collected "post-purge" or without purging.

"No Purge" means no purging was conducted before the groundwater sample was collected.

TVH-g = Total volatile hydrocarbons – gasoline range. TEH-d – Total extractable hydrocarbons – diesel range.

NA = Not analyzed for this constituent in this event.

ND = Not Detected (method reporting limit not specified in information available to SES).

TABLE C-2
Historical Groundwater Monitoring Well Groundwater Analytical Results
Fuel Oxygenates and VOCs (µg/L)
240 W. MacArthur Boulevard, Oakland, California

| Well I.D. | Sampling Event No. | Date Sampled | EDB | EDC | 1,2,4-TMB | 1,3,5-TMB | t-Butanol | TBA | DIPE | Naphthalene | cis-1,2-DCE | TCE | PCE | Others |
|-------------|--------------------|--------------|--------|--------|-----------|-----------|-----------|--------|--------|-------------|-------------|--------|--------|--------|
| | 7 | Jun-00 | < 5.0 | < 5.0 | 51 | < 5 | < 1,000 | < 1000 | < 50 | < 5 | < 5 | < 5 | < 5 | ND |
| | 14 | Mar-02 | < 1.0 | < 1.0 | < 1 | 1.6 | < 10 | NA | < 2 | < 1 | < 1 | < 1 | < 1 | ND |
| | 18 | Jan-03 | < 50 | < 50 | 150 | < 50 | NA | 68 | < 10 | < 50 | < 50 | < 50 | < 50 | ND |
| MW-1 | 19 | Mar-03 | < 0.26 | < 0.17 | 373 | < 0.49 | NA | < 10 | < 0.29 | < 0.88 | < 0.30 | < 0.23 | < 0.36 | ND |
| | 20 | Aug-03 | < 1.0 | 7.2 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 21 | Dec-03 | < 5.0 | < 5.0 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 22 | Mar-04 | < 0.26 | < 0.17 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 23 | Jun-04 | < 5.0 | < 5.0 | NA | NA | NA | 270 | < 5.0 | NA | NA | NA | NA | NA |
| | 24 | Sep-04 | < 5.0 | < 5.0 | NA | NA | NA | 120 | < 5.0 | NA | NA | NA | NA | NA |
| | 25 | Dec-04 | < 1.3 | < 1.3 | NA | NA | NA | < 25 | < 1.3 | NA | NA | NA | NA | NA |
| | 26 | Mar-05 | < 0.50 | < 0.50 | NA | NA | NA | < 10 | < 0.50 | NA | NA | NA | NA | NA |
| | 27 | Jun-05 | < 13 | < 13 | NA | NA | NA | < 250 | < 13 | NA | NA | NA | NA | NA |
| | 28 | Sep-05 | < 2.5 | 6.5 | NA | NA | NA | 240 | < 2.5 | NA | NA | NA | NA | NA |
| | 29 | Dec-05 | < 1.3 | < 1.3 | NA | NA | NA | 100 | < 3.6 | NA | NA | NA | NA | NA |
| | 30 | Mar-06 | < 2.0 | < 2.0 | NA | NA | NA | 83 | < 2.0 | NA | NA | NA | NA | NA |
| | 31 | Jun-06 | < 2.5 | < 2.5 | NA | NA | NA | 220 | < 2.5 | NA | NA | NA | NA | NA |

(table continued on next page)

Table C-2 Continued

| Well I.D. | Sampling Event No. | Date Sampled | EDB | EDC | 1,2,4-TMB | 1,3,5-TMB | t-Butanol | TBA | DIPE | Naphthalene | cis-1,2-DCE | TCE | PCE | Others |
|-------------|--------------------|--------------|--------|--------|-----------|-----------|-----------|-------|--------|-------------|-------------|--------|--------|--------|
| | 7 | Jun-00 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 100 | < 100 | < 5.0 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | ND |
| | 14 | Mar-02 | < 1.0 | < 1.0 | < 1 | < 1 | 220 | NA | < 2 | < 1 | < 1 | < 1 | < 1 | ND |
| | 18 | Jan-03 | < 5 | < 5 | < 5 | < 5 | NA | 34 | < 1 | < 5 | 24 | < 5 | < 5 | ND |
| | 19 | Mar-03 | < 0.26 | < 0.17 | < 0.49 | < 0.26 | NA | 94 | < 0.29 | < 0.88 | 15 | < 0.23 | < 0.36 | ND |
| MW-2 | 21 | Dec-03 | < 0.6 | < 0.6 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 20 | Aug-03 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 21 | Dec-03 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 22 | Mar-04 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 23 | Jun-04 | < 0.5 | 2.0 | NA | NA | NA | 190 | 1.1 | NA | NA | NA | NA | NA |
| | 24 | Sep-04 | < 0.5 | 1.2 | NA | NA | NA | 130 | 0.9 | NA | NA | NA | NA | NA |
| | 25 | Dec-04 | < 0.5 | < 0.5 | NA | NA | NA | < 10 | 0.8 | NA | NA | NA | NA | NA |
| | 26 | Mar-05 | < 1.0 | < 1.0 | NA | NA | NA | < 20 | 1.3 | NA | NA | NA | NA | NA |
| | 27 | Jun-05 | < 0.50 | < 0.50 | NA | NA | NA | 200 | 0.79 | NA | NA | NA | NA | NA |
| | 28 | Sep-05 | < 0.50 | 0.6 | NA | NA | NA | 150 | 0.8 | NA | NA | NA | NA | NA |
| | 29 | Dec-05 | < 0.50 | < 0.50 | NA | NA | NA | 54 | 1.0 | NA | NA | NA | NA | NA |
| | 30 | Mar-06 | < 0.7 | < 0.7 | NA | NA | NA | 56 | 1.2 | NA | NA | NA | NA | NA |
| | 31 | Jun-06 | < 0.8 | 1.4 | NA | NA | NA | 56 | < 0.8 | NA | NA | NA | NA | NA |

(table continued on next page)

Table C-2 Continued

| Well I.D. | Sampling Event No. | Date Sampled | EDB | EDC | 1,2,4-TMB | 1,3,5-TMB | t-Butanol | TBA | DIPE | Naphthalene | cis-1,2-DCE | TCE | PCE | Others |
|-------------|--------------------|--------------|--------|--------|-----------|-----------|-----------|------|--------|-------------|-------------|--------|--------|--------|
| | 14 | Mar-02 | < 1.0 | < 1.0 | 1.8 | 4.7 | 180 | NA | < 2 | 2.2 | < 1 | < 1 | < 1 | ND |
| | 18 | Jan-03 | < 5 | < 5 | < 5 | 5.0 | NA | 76 | < 1 | < 5 | 21 | < 5 | < 5 | (a) |
| | 19 | Mar-03 | < 0.26 | < 0.17 | < 0.49 | < 0.26 | NA | < 10 | < 0.29 | < 0.88 | 24 | < 0.23 | < 0.36 | ND |
| MW-3 | 20 | Aug-03 | < 0.5 | < 0.5 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 21 | Dec-03 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 22 | Mar-04 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 23 | Jun-04 | < 0.5 | < 0.5 | NA | NA | NA | 130 | 1.9 | NA | NA | NA | NA | NA |
| | 24 | Sep-04 | < 0.5 | < 0.5 | NA | NA | NA | 82 | 1.5 | NA | NA | NA | NA | NA |
| | 25 | Dec-04 | < 0.7 | < 0.7 | NA | NA | NA | < 14 | 1.3 | NA | NA | NA | NA | NA |
| | 26 | Mar-05 | < 1.0 | < 1.0 | NA | NA | NA | < 20 | 1.1 | NA | NA | NA | NA | NA |
| | 27 | Jun-05 | < 0.5 | < 0.5 | | | | 160 | 1.4 | | | | | |
| | 28 | Sep-05 | < 0.5 | 1.5 | NA | NA | NA | 94 | 0.9 | NA | NA | NA | NA | NA |
| | 29 | Dec-05 | < 0.7 | < 0.7 | NA | NA | NA | 67 | 1.2 | NA | NA | NA | NA | NA |
| | 30 | Mar-06 | < 0.5 | < 0.5 | NA | NA | NA | 29 | 1.0 | NA | NA | NA | NA | NA |
| | 31 | Jun-06 | < 0.5 | < 0.5 | NA | NA | NA | 52 | 2.2 | NA | NA | NA | NA | NA |

(table continued on next page)

Table C-2 Continued

| Well I.D. | Sampling Event No. | Date Sampled | EDB | EDC | 1,2,4-TMB | 1,3,5-TMB | t-Butanol | TBA | DIPE | Naphthalene | cis-1,2-DCE | TCE | PCE | Others |
|-------------|--------------------|--------------|-------|-------|-----------|-----------|-----------|-------|-------|-------------|-------------|-------|-------|--------|
| | 7 | Jun-00 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 100 | < 100 | < 5.0 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | ND |
| | 14 | Mar-02 | < 1.0 | < 1.0 | < 1 | < 1 | < 10 | NA | < 2 | < 1 | 2.9 | 3.7 | 5.0 | ND |
| | 18 | Jan-03 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | ND |
| MW-4 | 19 | Mar-03 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | ND |
| | 20 | Aug-03 | < 0.5 | < 0.5 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 21 | Dec-03 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 22 | Mar-04 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 23 | Jun-04 | < 0.5 | < 0.5 | NA | NA | NA | < 10 | < 0.5 | NA | NA | NA | NA | NA |
| | 24 | Sep-04 | < 0.5 | < 0.5 | NA | NA | NA | < 10 | < 0.5 | NA | NA | NA | NA | NA |
| | 25 | Dec-04 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 26 | Mar-05 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 27 | Jun-05 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 28 | Sep-05 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 29 | Dec-05 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 30 | Mar-06 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 31 | Jun-06 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |

(table continued on next page)

Table C-2 Continued

| Well I.D. | Sampling Event No. | Date Sampled | EDB | EDC | 1,2,4-TMB | 1,3,5-TMB | t-Butanol | TBA | DIPE | Naphthalene | cis-1,2-DCE | TCE | PCE | Others |
|-------------|--------------------|--------------|--------|--------|-----------|-----------|-----------|-------|--------|-------------|-------------|--------|--------|--------|
| | 14 | Mar-02 | < 1.0 | < 1.0 | < 1 | 2.7 | 640 | NA | < 2 | < 1 | < 1 | < 1 | < 1 | ND |
| | 18 | Jan-03 | < 50 | < 50 | 512 | 122 | NA | < 100 | < 10 | 120 | < 50 | < 50 | < 50 | ND |
| | 19 | Mar-03 | < 0.26 | < 0.17 | 554 | 107 | NA | < 10 | < 0.29 | 251 | < 0.3 | < 0.23 | < 0.36 | (b) |
| MW-5 | 20 | Aug-03 | < 2.0 | 6.1 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 21 | Dec-03 | < 5.0 | < 5.0 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 22 | Mar-04 | < 0.26 | < 0.17 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 23 | Jun-04 | < 3.1 | < 3.1 | NA | NA | NA | 120 | < 3.1 | NA | NA | NA | NA | NA |
| | 24 | Sep-04 | < 4.2 | 18 | NA | NA | NA | 87 | < 4.2 | NA | NA | NA | NA | NA |
| | 25 | Dec-04 | < 4.2 | < 4.2 | NA | NA | NA | < 83 | < 4.2 | NA | NA | NA | NA | NA |
| | 26 | Mar-05 | < 1.7 | < 1.7 | NA | NA | NA | < 33 | < 1.7 | NA | NA | NA | NA | NA |
| | 27 | Jun-05 | < 7.1 | < 7.1 | NA | NA | NA | < 140 | < 7.1 | NA | NA | NA | NA | NA |
| | 28 | Sep-05 | < 1.3 | 7.7 | NA | NA | NA | 87 | < 0.50 | NA | NA | NA | NA | NA |
| | 29 | Dec-05 | < 1.7 | < 1.7 | NA | NA | NA | < 33 | < 1.7 | NA | NA | NA | NA | NA |
| | 30 | Mar-06 | < 2.0 | < 2.0 | NA | NA | NA | < 2.0 | < 2.0 | NA | NA | NA | NA | NA |
| | 31 | Jun-06 | < 2.0 | 10 | NA | NA | NA | 61 | < 2.0 | NA | NA | NA | NA | NA |

(table continued on next page)

Table C-2 Continued

| Well I.D. | Sampling Event No. | Date Sampled | EDB | EDC | 1,2,4-TMB | 1,3,5-TMB | t-Butanol | TBA | DIPE | Naphthalene | cis-1,2-DCE | TCE | PCE | Others |
|-------------|--------------------|--------------|--------|--------------------------|-----------|-----------|-----------|-----|--------|-------------|-------------|--------|--------|--------|
| | 14 | Mar-02 | < 1.0 | < 1.0 | < 1 | 2.2 | < 10 | NA | < 2 | 1.6 | < 1 | < 1 | < 1 | ND |
| | 18 | Jan-03 | < 5.0 | < 5.0 | 13 | < 5 | NA | 46 | < 1 | < 5 | < 5 | < 5 | < 5 | ND |
| | 19 | Mar-03 | < 0.26 | 6.9 | < 0.49 | < 0.26 | NA | 40 | < 0.29 | < 0.88 | < 0.3 | < 0.23 | < 0.36 | (c.) |
| | 20 | Aug-03 | < 0.5 | 12.0 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| MW-6 | 21 | Dec-03 | < 5.0 | 11 / 17.1 ^(d) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 22 | Mar-04 | < 0.26 | 31 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 23 | Jun-04 | < 0.5 | 19 | NA | NA | NA | 54 | 1.0 | NA | NA | NA | NA | NA |
| | 24 | Sep-04 | < 0.5 | 31 | NA | NA | NA | 43 | 1.0 | NA | NA | NA | NA | NA |
| | 25 | Dec-04 | < 0.5 | 24 | NA | NA | NA | 32 | 0.7 | NA | NA | NA | NA | NA |
| | 26 | Mar-05 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 27 | Jun-05 | < 0.50 | < 0.50 | NA | NA | NA | 26 | < 0.50 | NA | NA | NA | NA | NA |
| | 28 | Sep-05 | < 0.50 | 15 | NA | NA | NA | 43 | 0.7 | NA | NA | NA | NA | NA |
| | 29 | Dec-05 | < 0.50 | 13 | NA | NA | NA | 30 | 0.9 | NA | NA | NA | NA | NA |
| | 30 | Mar-06 | < 0.50 | 15 | NA | NA | NA | 19 | 0.6 | NA | NA | NA | NA | NA |
| | 31 | Jun-06 | < 0.50 | 28 | NA | NA | NA | 53 | 1.3 | NA | NA | NA | NA | NA |

(table continued on next page)

Table C-2 Continued

| Well I.D. | Sampling Event No. | Date Sampled | EDB | EDC | 1,2,4-TMB | 1,3,5-TMB | t-Butanol | TBA | DIPE | Naphthalene | cis-1,2-DCE | TCE | PCE | Others |
|-------------|--------------------|--------------|-------|-------|-----------|-----------|-----------|------|-------|-------------|-------------|-----|-----|--------|
| | 14 | Mar-02 | < 1.0 | < 1.0 | < 1 | < 1 | < 10 | NA | < 2 | < 1 | < 1 | < 1 | < 1 | ND |
| | 18 | Jan-03 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | ND |
| | 19 | Mar-03 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | ND |
| MW-7 | 20 | Aug-03 | < 0.5 | < 0.5 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 21 | Dec-03 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 22 | Mar-04 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 23 | Jun-04 | < 0.5 | < 0.5 | NA | NA | NA | < 10 | < 0.5 | NA | NA | NA | NA | NA |
| | 24 | Sep-04 | < 0.5 | < 0.5 | NA | NA | NA | < 10 | < 0.5 | NA | NA | NA | NA | NA |
| | 25 | Dec-04 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 26 | Mar-05 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 27 | Jun-05 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 28 | Sep-05 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 29 | Dec-05 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 30 | Mar-06 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 31 | Jun-06 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |

(table continued on next page)

Table C-2 Continued

| Well I.D. | Sampling Event No. | Date Sampled | EDB | EDC | 1,2,4-TMB | 1,3,5-TMB | t-Butanol | TBA | DIPE | Naphthalene | cis-1,2-DCE | TCE | PCE | Others |
|-------------|--------------------|--------------|--------|--------|-----------|-----------|-----------|------|--------|-------------|-------------|--------|--------|--------|
| | 14 | Mar-02 | < 1.0 | < 1.0 | < 1 | < 1 | < 10 | NA | < 2 | < 1 | < 1 | < 1 | < 1 | ND |
| | 18 | Jan-03 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | ND |
| | 19 | Mar-03 | < 0.26 | < 0.17 | < 0.49 | < 0.26 | NA | < 10 | < 0.29 | < 0.88 | < 0.3 | < 0.23 | < 0.36 | ND |
| MW-8 | 20 | Aug-03 | < 0.5 | < 0.5 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 21 | Dec-03 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 22 | Mar-04 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 23 | Jun-04 | < 0.5 | < 0.5 | NA | NA | NA | 61 | 1.0 | NA | NA | NA | NA | NA |
| | 24 | Sep-04 | < 0.5 | < 0.5 | NA | NA | NA | 96 | 1.1 | NA | NA | NA | NA | NA |
| | 25 | Dec-04 | < 0.5 | < 0.5 | NA | NA | NA | < 10 | 1.0 | NA | NA | NA | NA | NA |
| | 26 | Mar-05 | < 0.5 | < 0.5 | NA | NA | NA | < 10 | 0.6 | NA | NA | NA | NA | NA |
| | 27 | Jun-05 | < 0.50 | 25 | NA | NA | NA | 42 | 1.1 | NA | NA | NA | NA | NA |
| | 28 | Sep-05 | < 0.50 | < 0.50 | NA | NA | NA | 120 | 1.4 | NA | NA | NA | NA | NA |
| | 29 | Dec-05 | < 0.50 | < 0.50 | NA | NA | NA | 27 | < 0.50 | NA | NA | NA | NA | NA |
| | 30 | Mar-06 | < 0.50 | < 0.50 | NA | NA | NA | 17 | 0.6 | NA | NA | NA | NA | NA |
| | 31 | Jun-06 | < 0.50 | < 0.50 | NA | NA | NA | 20 | 0.9 | NA | NA | NA | NA | NA |

Table C-2 - Footnotes

Notes:

Table includes only detected contaminants.

EDB = Ethylene dibromide, aka 1,2-Dibromoethane (lead scavenger)

EDC = Ethylene dichloride, aka 1,2-Dichloroethane (lead scavenger)

PCE = Tetrachloroethylene

DCE = Dichloroethylene

TCE = Trichloroethylene

TMB = Trimethylbenzene

DIPE = Isopropyl Ether (a.k.a. di-isopropyl ether)

TBA = Tertiary butyl alcohol

NLP = No Level Published

NA = Not analyzed for this constituent. ND = Not Detected

(a) Also detected were: n-propylbenzene (5.4 µg/L); p-Isopropyltoluene (14 µg/L); sec-Butylbenzene (7.2 µg/L)

(b) Also detected were: isopropylbenzene (38 µg/L); n-Butylbenzene (20 µg/L); n-propylbenzene (36 µg/L); p-Isopropyltoluene (14 µg/L).

(c) Also detected were: isopropylbenzene (3.4 µg/L); n-propylbenzene (2.3 µg/L).

(d) Pre-purge / post-purge sampling, conducted in same event.