



GETTLER-RYAN INC.

NOV 01 2001

TRANSMITTAL

October 15, 2001

G-R #386499

TO: Mr. James Brownell
Delta Environmental Consultants, Inc.
3164 Gold Camp Drive, Suite 200
Rancho Cordova, California 95670

CC: Mr. Thomas Bauhs
Chevron Products Company
P.O. Box 6004
San Ramon, California 94583

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: Former Chevron Service Station
#9-0020
1633 Harrison Street
Oakland, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	October 4, 2001	Groundwater Monitoring and Sampling Report Second Semi-Annual - Event of September 5, 2001

COMMENTS:

This report is being sent for your review. Please provide any comments/changes and propose any groundwater monitoring modifications for the next event prior to **October 29 2001**, at which time the final report will be distributed to the following:

- cc: Mr. Don Hwang, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Pkwy., Suite 250, Alameda, CA 94602-6377
Mr. Greg Guss, Gettler-Ryan Inc., 3140 Gold Camp Drive, Suite 170, Rancho Cordova, CA 95670
Mr. Howard Davis, The Oakland Housing Authority, 1619 Harrison Street, Oakland, CA 94612

Enclosures

Trans/9-0020-TB



GETTLER-RYAN INC.

October 4, 2001
G-R Job #386499

Mr. Thomas Bauhs
Chevron Products Company
P.O. Box 6004
San Ramon, CA 94583

RE: Second Semi-Annual Event of September 5, 2001
Groundwater Monitoring & Sampling Report
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

Dear Mr. Bauhs:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,

- FOR -

Deanna L. Harding
Project Coordinator

David W. Herzog
Senior Geologist, R.G. No. 7211





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results
Table 3: Groundwater Analytical Results
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



Source: Figure modified from drawing provided by RRM engineering contracting firm.

GF GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Former Chevron Service Station #9-0020
 1633 Harrison Street
 Oakland, California

FIGURE

1

PROJECT NUMBER
 386499

REVIEWED BY

DATE
 September 5, 2001

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-1										
11/03/88	29.82	9.42	20.40	<1000	<1.0	<1.0	<1.0	<1.0	--	--
02/02/89	29.82	9.11	20.71	--	--	--	--	--	--	--
02/10/89	29.82	--	--	<100	<0.2	<0.2	<0.2	<0.4	--	--
04/23/89	29.82	9.48	20.34	--	--	--	--	--	--	--
04/24/89	29.82	--	--	<50	<0.5	<1.0	<1.0	<1.0	--	<3000
07/28/89	29.82	9.24	20.58	<50	<0.1	<0.5	<0.2	<0.5	--	<3000
10/30/89	29.82	9.30	20.52	<500	<0.3	<0.3	<0.3	<0.6	--	--
01/09/90	29.82	9.05	20.77	<50	<0.3	<0.3	<0.3	<0.6	--	--
04/18/90	29.82	8.87	20.95	<50	<0.3	<0.3	<0.3	<0.6	--	--
06/22/90	29.82	8.82	21.00	--	--	--	--	--	--	--
08/09/90	29.82	8.88	20.94	<50	<0.3	<0.3	<0.3	<0.6	--	--
11/13/90	29.82	8.84	20.98	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/15/91	29.82	9.18	20.64	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/27/91	29.82	9.03	20.79	110	<0.5	<0.5	<0.5	<0.5	--	--
11/15/91	29.82	9.07	20.75	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/92	29.82	8.92	20.90	<50	0.5	0.6	<0.5	0.9	--	--
06/15/92	29.82	9.18	20.64	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/16/92	29.82	8.98	20.84	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	29.82	9.91	19.91	<50	<0.5	<0.5	<0.5	<1.5	--	--
06/09/93	29.82	9.97	19.85	--	--	--	--	--	--	--
09/10/93	29.82	--	--	--	--	--	--	--	--	--
09/27/93	29.82	9.47	20.35	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/17/93	29.82	9.14	20.68	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/10/94	29.82	9.25	20.57	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/16/94	29.82	9.27	20.55	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/07/94	29.82	9.13	20.69	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	29.82	9.59	20.23	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/22/95	29.82	10.37	19.45	<50	<0.5	<0.5	<0.5	<0.5	--	--
ABANDONED										

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (fl.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-2										
11/03/88	30.59	9.70	20.89	<1000	<1.0	<1.0	<1.0	<1.0	--	--
02/02/89	30.59	9.38	21.21	--	--	--	--	--	--	--
02/10/89	30.59	--	--	<100	<0.2	<0.2	<0.2	<0.4	--	--
04/23/89	30.59	9.77	20.82	--	--	--	--	--	--	--
04/24/89	30.59	--	--	<50	<0.5	<1.0	<1.0	<1.0	--	<3000
07/28/89	30.59	9.57	21.02	<100	<0.2	<1.0	<0.2	<0.5	--	<3000
10/30/89	30.59	9.63	20.96	<500	<0.3	<0.3	<0.3	<0.6	--	--
01/09/90	30.59	9.34	21.25	<50	<0.3	<0.3	<0.3	<0.6	--	--
04/18/90	30.59	9.06	21.53	<50	<0.3	<0.3	<0.3	<0.6	--	--
06/22/90	30.59	9.02	21.57	--	--	--	--	--	--	--
08/09/90	30.59	9.04	21.55	<50	<0.3	<0.3	<0.3	<0.6	--	--
11/13/90	30.59	9.05	21.54	<50	<0.5	0.8	<0.5	0.9	--	--
05/15/91	30.59	9.44	21.15	83	<0.5	<0.5	<0.5	<0.5	--	--
08/27/91	30.59	9.32	21.27	97	<0.5	<0.5	<0.5	<0.5	--	--
11/15/91	30.59	9.29	21.30	<50	0.5	1.5	0.8	3.6	--	--
02/20/92	30.59	9.13	21.43	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/15/92	30.59	9.41	21.18	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/16/92	30.56	9.09	21.47	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	30.56	10.03	20.53	66	<0.5	<0.5	<0.5	<1.5	--	--
06/09/93	30.56	10.11	20.45	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/10/93	30.56	--	--	--	--	--	--	--	--	--
09/27/93	30.56	9.59	20.97	--	--	--	--	--	--	--
12/17/93	30.56	9.25	21.31	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/10/94	30.56	9.33	21.23	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/16/94	30.56	9.35	21.21	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/07/94	30.56	9.22	21.34	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	30.56	9.66	20.90	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/22/95	30.56	10.22	20.34	<50	<0.5	<0.5	<0.5	<0.5	--	--

ABANDONED

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-3										
11/03/88	30.09	9.55	20.54	<1000	<1.0	<1.0	<1.0	<1.0	--	--
02/02/89	30.09	9.24	20.85	--	--	--	--	--	--	--
02/10/89	30.09	--	--	<100	<0.2	<0.2	<0.2	<0.4	--	--
04/23/89	30.09	9.66	20.43	--	--	--	--	--	--	--
04/24/89	30.09	--	--	<50	<0.5	<1.0	<1.0	<1.0	--	<3000
07/28/89	30.09	9.45	20.64	<100	<0.2	<1.0	<0.2	<0.4	--	<3000
10/30/89	30.09	9.48	20.61	<500	<0.3	<0.3	<0.3	<0.6	--	--
01/09/90	30.09	9.21	20.88	<50	<0.3	<0.3	<0.3	<0.6	--	--
04/18/90	30.09	8.94	21.15	<50	<0.3	<0.3	<0.3	<0.6	--	--
06/22/90	30.09	8.89	21.20	--	--	--	--	--	--	--
08/09/90	30.09	8.91	21.18	<50	<0.3	<0.3	<0.3	<0.6	--	--
11/13/90	30.09	8.94	21.15	51	<0.5	<0.5	<0.5	<0.5	--	--
05/15/91	30.09	9.18	20.91	85	<0.5	<0.5	<0.5	<0.5	--	--
08/27/91	30.09	9.20	20.89	91	<0.5	<0.5	<0.5	<0.5	--	--
11/15/91	30.09	9.07	21.02	<50	<0.5	0.7	<0.5	1.3	--	--
02/20/92	30.09	9.02	21.07	<50	<0.5	<0.5	<0.5	0.9	--	--
06/15/92	30.09	9.27	20.82	50	<0.5	<0.5	<0.5	<0.5	--	--
12/16/92	30.08	9.07	21.07	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	30.08	9.95	20.13	<50	<0.5	<0.5	<0.5	<1.5	--	--
06/09/93	30.08	10.03	20.05	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/10/93	30.08	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/27/93	30.08	9.50	20.58	--	--	--	--	--	--	--
12/17/93	30.08	9.07	21.01	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/10/94	30.08	9.22	20.86	<50	<0.5	<0.5	<0.5	1.1	--	--
06/16/94	30.08	9.21	20.87	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/07/94	30.08	9.11	20.97	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	30.08	10.45	19.63	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/22/95	30.08	10.27	19.81	<50	<0.5	<0.5	<0.5	<0.5	--	--

ABANDONED

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-4										
04/23/89	31.17	9.84	21.33	--	--	--	--	--	--	--
04/24/89	31.17	--	--	<50	<0.5	<1.0	<1.0	<1.0	--	<3000
07/28/89	31.17	9.59	21.58	<50	<0.1	<0.5	<0.1	<0.2	--	<3000
10/30/89	31.17	9.63	21.54	<500	<0.3	<0.3	<0.3	<0.6	--	--
01/09/90	31.17	9.35	21.82	<50	<0.3	<0.3	<0.3	<0.6	--	--
04/18/90	31.17	9.08	22.09	<50	<0.3	<0.3	<0.3	<0.6	--	--
06/22/90	31.17	9.05	22.12	--	--	--	--	--	--	--
08/09/90	31.17	9.06	22.11	<50	<0.3	<0.3	<0.3	<0.6	--	--
11/13/90	31.17	9.07	22.10	<50	<0.5	1.0	0.5	1.0	--	--
05/15/91	31.17	9.46	21.71	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/27/91	31.17	9.30	21.87	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/15/91	31.17	9.37	21.80	97	<0.5	0.9	<0.5	1.9	--	--
02/20/92	31.17	9.18	21.99	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/15/92	31.17	9.43	21.74	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/16/92	31.17	9.12	22.05	<50	0.7	0.5	0.5	1.3	--	--
04/07/93	31.17	10.06	21.11	<50	<0.5	<0.5	<0.5	<1.5	--	--
06/09/93	31.17	--	--	--	--	--	--	--	--	--
09/10/93	31.17	--	--	--	--	--	--	--	--	--
09/27/93	31.17	9.63	21.54	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/17/93	31.17	9.28	21.89	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/10/94	31.17	--	--	--	--	--	--	--	--	--
06/16/94	31.17	10.63	20.54	--	--	--	--	--	--	--
09/07/94	31.17	9.27	21.90	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	31.17	9.83	21.34	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/21/95	31.17	10.55	20.62	<50	<0.5	<0.5	<0.5	<0.5	--	--
ABANDONED										

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-5										
04/23/89	30.28	9.66	20.62	--	--	--	--	--	--	--
04/24/89	30.28	--	--	<50	<0.5	<1.0	<1.0	<1.0	--	<3000
07/28/89	30.28	9.42	20.86	<100	<0.2	<1.0	<0.2	<0.4	--	<3000
10/30/89	30.28	9.46	20.82	<500	<0.3	<0.3	<0.3	<0.6	--	--
01/09/90	30.28	9.21	21.07	<50	<0.3	<0.3	<0.3	<0.6	--	--
04/18/90	30.28	8.93	21.35	<50	<0.3	<0.3	<0.3	<0.6	--	--
06/22/90	30.28	8.90	21.38	--	--	--	--	--	--	--
08/09/90	30.28	8.92	21.36	<50	<0.3	<0.3	<0.3	<0.6	--	--
11/13/90	30.28	8.93	21.35	<50	<0.5	1.0	<0.5	1.0	--	--
05/15/91	30.28	8.99	21.29	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/27/91	30.28	9.17	21.11	94	3.0	5.0	1.5	5.5	--	--
11/15/91	30.28	9.10	21.18	<50	0.9	1.7	<0.5	2.2	--	--
02/20/92	30.28	9.03	21.25	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/15/92	30.28	9.28	21.00	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/16/92	30.28	9.05	21.23	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	30.28	9.97	20.31	<50	<0.5	<0.5	<0.5	<1.5	--	--
06/09/93	30.28	--	--	--	--	--	--	--	--	--
09/10/93	30.28	--	--	--	--	--	--	--	--	--
09/27/93	30.28	9.52	20.76	--	--	--	--	--	--	--
ABANDONED										
MW-6										
04/23/89	29.46	9.41	20.05	--	--	--	--	--	--	--
04/24/89	29.46	--	--	<50	<0.5	<1.0	<1.0	<1.0	--	<3.0
07/28/89	29.46	9.16	20.30	<100	<0.2	<1.0	<0.2	<0.4	--	<3.0
10/30/89	29.46	9.14	20.32	<500	<0.3	<0.3	<0.3	<0.6	--	--
01/09/90	29.46	8.95	20.51	<50	<0.3	<0.3	<0.3	<0.6	--	--
04/18/90	29.46	8.74	20.72	<50	<0.3	<0.3	<0.3	<0.6	--	--
06/22/90	29.46	8.69	20.77	--	--	--	--	--	--	--
08/09/90	29.46	8.72	20.74	<50	<0.3	<0.3	<0.3	<0.6	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-6 (cont)										
11/13/90	29.46	8.71	20.75	<50	3.0	5.0	0.5	2.0	--	--
05/15/91	29.46	8.85	20.61	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/27/91	29.46	8.93	20.53	180	6.1	12	3.8	14	--	--
11/15/91	29.46	8.93	20.53	<50	<0.5	0.6	<0.5	<0.5	--	--
02/20/92	29.46	8.77	20.69	<50	0.9	1.1	<0.5	1.4	--	--
06/15/92	29.46	9.08	20.38	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/16/92	29.45	8.88	20.57	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	29.45	9.86	19.59	<50	<0.5	<0.5	<0.5	<1.5	--	--
06/09/93	29.45	9.95	19.50	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/10/93	29.45	--	--	--	--	--	--	--	--	--
09/27/93	29.45	9.38	20.07	--	--	--	--	--	--	--
ABANDONED										
MW-7										
04/23/89	29.01	10.02	18.99	--	--	--	--	--	--	--
04/24/89	29.01	--	--	8400	100	260	160	1300	--	<3.0
07/28/89	29.01	9.07	19.94	7000	230	90	70	440	--	<3000
07/28/89 (D)	29.01	--	--	6000	280	180	58	430	--	--
10/30/89	29.01	9.04	19.97	10,000	570	55	160	400	--	--
10/30/89 (D)	29.01	--	--	9900	520	82	180	410	--	--
01/09/90	29.01	8.86	20.15	3400	290	72	9.0	200	--	--
04/18/90	29.01	8.64	20.37	6800	350	140	110	400	--	--
06/22/90	29.01	8.61	20.40	--	--	--	--	--	--	--
08/09/90	29.01	8.63	20.38	11,000	360	130	14	660	--	--
11/13/90	29.01	8.60	20.41	6500	230	110	97	460	--	--
05/15/91	29.01	8.54	20.47	4600	180	55	46	300	--	--
08/27/91	29.01	8.87	20.14	7000	220	53	63	340	--	--
11/15/91	29.01	8.79	20.22	3300	150	19	4.9	200	--	--
02/20/92	29.01	8.69	20.32	5200	520	150	100	380	--	--
06/15/92	29.01	9.03	19.98	10,000	760	430	320	1100	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-7 (cont)										
12/16/92	29.01	8.87	20.14	11,000	810	350	280	1100	--	--
04/07/93	29.01	9.87	19.14	150	1.4	0.9	0.9	4.5	--	--
06/09/93	29.01	9.96	19.05	180	4.0	1.0	1.0	3.0	--	--
09/10/93	29.01	--	--	--	--	--	--	--	--	--
09/27/93	29.01	--	--	--	--	--	--	--	--	--
12/17/93	29.01	--	--	--	--	--	--	--	--	--
03/10/94	29.01	--	--	--	--	--	--	--	--	--
06/16/94	29.01	--	--	--	--	--	--	--	--	--
09/07/94	29.01	--	--	--	--	--	--	--	--	--
11/30/94	29.01	INACCESSIBLE	--	--	--	--	--	--	--	--
01/17/95	29.01	17.39	11.62	2700	140	65	44	200	--	--
03/22/95	29.01	11.33	17.68	160	3.4	<0.5	1.1	0.77	--	--
06/27/95	29.01	9.75	19.26	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/28/95	29.01	9.67	19.34	1500	84	24	26	130	--	--
12/30/95	29.01	9.85	19.16	200	1.6	<0.5	1.3	5.9	5.5	--
02/28/96	29.01	10.57	18.44	650	14	1.3	4.2	16	34	--
06/27/96	29.01	10.29	18.72	640	140	10	9.8	14	55	--
09/13/96	29.01	9.61	19.40	1400	100	30	24	66	130	--
12/16/96	29.01	8.91	20.10	2600	140	72	51	180	<50	--
03/20/97	29.01	10.06	18.95	64	1.7	2.4	<0.5	0.67	<2.5	--
09/08/97	29.01	9.34	19.67	590	45	<1.0	7.7	<1.0	46	--
02/16/98	29.01	10.41	18.60	120	8.7	7.5	1.9	11	4.4	--
08/25/98	29.01	9.61	19.40	160	6.2	33	0.84	2.0	<2.5	--
03/09/99	29.01	13.01	16.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/29/99	29.01	12.12	16.89	276	35.1	2.54	2.17	5.43	<5.0/<2.0 ¹	--
03/27/00	29.01	9.42	19.59	721	38.5	1.06	6.31	9.38	7.75	--
09/18/00 ³	29.01	8.99	20.02	88 ⁴	2.5	0.92	<0.50	1.3	8.7	--
03/27/01 ³	29.01	9.16	19.85	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	--
09/05/01 ³	29.01	8.60	20.41	220	1.9	2.3	<0.50	<3.0	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-8										
04/23/89	29.57	9.43	20.14	--	--	--	--	--	--	--
04/24/89	29.57	--	--	<50	<0.5	<1.0	<1.0	<1.0	--	3000
04/24/89 ¹	29.57	--	--	<50	<0.5	<1.0	<1.0	<1.0	--	--
07/28/89	29.57	9.20	20.37	<100	<0.2	<1.0	<0.2	<0.4	--	<3000
10/30/89	29.57	9.25	20.32	<500	<0.3	<0.3	<0.3	<0.6	--	--
01/09/90	29.57	8.97	20.60	<50	<0.3	<0.3	<0.3	<0.6	--	--
04/18/90	29.57	8.70	20.87	<50	<0.3	<0.3	<0.3	<0.6	--	--
06/22/90	29.57	9.23	20.34	--	--	--	--	--	--	--
08/09/90	29.57	8.68	20.89	<50	<0.3	<0.3	<0.3	<0.6	--	--
11/13/90	29.57	8.71	20.86	<50	<0.5	0.8	<0.5	2.0	--	--
05/15/91	29.57	9.08	20.49	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/27/91	29.57	8.97	20.60	73	<0.5	<0.5	<0.5	<0.5	--	--
11/15/91	29.57	8.95	20.62	<50	<0.5	0.7	<0.5	2.1	--	--
02/20/92	29.57	8.77	20.80	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/15/92	29.57	9.09	20.48	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/16/92	29.57	8.89	20.68	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	29.57	9.87	19.70	<50	<0.5	<0.5	<0.5	<1.5	--	--
06/09/93	29.57	9.97	19.60	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/10/93	29.57	--	--	--	--	--	--	--	--	--
09/27/93	29.57	9.35	20.22	--	--	--	--	--	--	--
ABANDONED										
MW-9										
06/22/90	28.67	7.87	20.80	5700	47	31	280	530	--	<1000
08/09/90	28.67	7.93	20.74	8000	<0.3	17	210	480	--	--
11/13/90	28.67	7.89	20.78	6400	<3.0	20	240	450	--	--
05/15/91	28.67	8.19	20.48	5700	2.0	16	190	390	--	--
08/27/91	28.67	8.12	20.55	6700	<3.0	31	180	350	--	--
11/15/91	28.67	8.10	20.57	4000	8.8	26	150	280	--	--
02/20/92	28.67	6.90	21.77	3400	13	30	230	460	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-9 (cont)										
06/15/92	28.67	8.30	20.37	4500	19	72	280	560	--	--
12/16/92	28.68	8.39	20.29	9900	380	220	380	1300	--	--
04/07/93	28.68	9.36	19.32	8700	51	150	360	1000	--	--
06/09/93	28.68	9.52	19.16	8900	170	160	350	1100	--	--
09/10/93	28.68	--	--	4600	110	63	190	350	--	--
09/27/93	28.68	8.74	19.94	--	--	--	--	--	--	--
12/17/93	28.68	8.37	20.31	4600	92	85	180	300	--	--
03/10/94	28.68	8.38	20.30	3300	8.0	29	120	170	--	--
06/16/94	28.68	8.42	20.26	2900	4.8	16	85	64	--	--
09/07/94	28.68	8.27	20.41	2900	<0.5	9.9	70	75	--	--
11/30/94	28.68	8.70	19.98	2100	<5.0	<5.0	53	51	--	--
03/22/95	28.68	9.27	19.41	2200	<5.0	5.3	26	69	--	--
06/27/95	28.68	9.28	19.40	2900	7.4	10	68	99	--	--
09/28/95	28.68	9.13	19.55	4000	32	<10	36	44	--	--
12/30/95	28.68	8.88	19.80	3800	<5.0	13	<5.0	120	120	--
02/28/96	28.68	8.93	19.75	2000	9.9	<5.0	46	30	<25	--
06/27/96	28.68	9.13	19.55	2400	36	7.1	65	72	<50	--
09/13/96	28.68	8.86	19.82	2500	26	8.4	53	39	36	--
12/16/96	28.68	7.91	20.77	1200	3.5	2.4	12	14	<10	--
03/20/97	28.68	9.28	19.40	2400	25	5.8	26	22	<25	--
09/08/97	28.68	8.59	20.09	1800	9.5	8.1	22	21	12	--
02/16/98	28.68	9.45	19.23	950	5.6	3.1	13	13	18	--
08/25/98	28.68	9.18	19.50	2100	2.5	6.4	35	51	8.9	--
03/09/99	28.68	8.87	19.81	1400	12	7.8	8.8	16	8.8	--
07/19/99 ²	28.68	--	--	--	--	--	--	--	--	--
09/29/99	28.68	8.27	20.41	217	1.36	1.14	1.56	1.49	<5.0/<2.0 ¹	--
03/27/00	28.68	INACCESSIBLE		--	--	--	--	--	--	--
09/18/00 ³	28.68	8.63	20.05	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/27/01 ³	28.68	8.84	19.84	718	<0.500	<0.500	3.31	12.3	<0.500	--
09/05/01 ³	28.68	8.39	20.29	1,500	<0.50	2.9	11	25	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-10										
06/22/90	28.60	8.12	20.48	<50	<0.5	<0.5	<0.5	<0.5	--	<1000
08/09/90	28.60	8.15	20.45	<50	<0.3	<0.3	<0.3	<0.6	--	--
11/13/90	28.60	8.13	20.47	<50	<0.5	2.0	0.5	2.0	--	--
05/15/91	28.60	8.45	20.15	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/27/91	28.60	8.33	20.27	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/15/91	28.60	8.27	20.33	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/92	28.60	7.15	21.45	<50	2.0	2.2	<0.5	2.1	--	--
06/15/92	28.60	7.30	21.30	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/16/92	28.62	8.45	20.17	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	28.62	9.41	19.26	<50	<0.5	<0.5	<0.5	<1.5	--	--
06/09/93	28.62	9.55	19.07	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/10/93	28.62	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/24/93	28.62	8.90	19.72	--	--	--	--	--	--	--
12/17/93	28.62	8.55	20.07	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/10/94	28.62	8.65	19.97	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/16/94	28.62	8.64	19.98	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/07/94	28.62	8.50	20.12	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	28.62	8.92	19.70	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/22/95	28.62	9.70	18.92	<50	<0.5	<0.5	<0.5	<0.5	--	--
ABANDONED										
MW-11										
06/22/90	29.37	8.34	21.03	<50	<0.5	<0.5	<0.5	<0.5	--	<1000
08/09/90	29.37	8.35	21.02	<50	<0.3	<0.3	<0.3	<0.6	--	--
11/13/90	29.37	8.44	20.93	76	0.6	1.0	0.9	4.0	--	--
05/15/91	29.37	8.76	20.61	78	<0.5	<0.5	<0.5	<0.5	--	--
08/27/91	29.37	8.67	20.70	110	<0.5	<0.5	<0.5	<0.5	--	--
11/15/91	29.37	8.69	20.68	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/92	29.37	7.46	21.91	<50	1.9	2.1	1.0	4.4	--	--
06/15/92	29.37	8.81	20.56	--	--	--	--	--	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-11 (cont)										
12/16/92	29.39	8.64	20.75	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	29.39	9.56	19.83	<50	<0.5	<0.5	<0.5	<1.5	--	--
06/09/93	29.39	9.72	19.67	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/10/93	29.39	--	--	--	--	--	--	--	--	--
09/27/93	29.39	9.06	20.33	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/17/93	29.39	8.66	20.73	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/10/94	29.39	8.70	20.69	--	--	--	--	--	--	--
06/16/94	29.39	8.83	20.56	<50	<0.5	<0.5	<0.5	<0.5	--	--
ABANDONED										
MW-12										
06/22/90	28.43	7.98	20.45	<50	<0.5	<0.5	<0.5	<0.5	--	<1000
08/09/90	28.43	8.00	20.43	<50	<0.3	<0.3	<0.3	<0.6	--	--
11/13/90	28.43	7.98	20.45	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/15/91	28.43	8.36	20.07	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/27/91	28.43	8.28	20.15	56	<0.5	<0.5	<0.5	<0.5	--	--
11/15/91	28.43	8.18	20.25	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/92	28.43	7.06	21.37	<50	2.5	3.1	0.7	3.0	--	--
06/15/92	28.43	8.53	19.90	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/16/92	28.43	8.63	19.80	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	28.43	9.68	18.75	<50	<0.5	<0.5	<0.5	<1.5	--	--
06/09/93	28.43	--	--	--	--	--	--	--	--	--
09/10/93	28.43	--	--	--	--	--	--	--	--	--
09/27/93	28.43	8.80	19.63	--	--	--	--	--	--	--
ABANDONED										

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-13										
11/15/91	28.63	7.56	21.07	3100	68	40	110	270	--	--
02/20/92	28.63	6.46	22.17	3100	120	50	240	400	--	--
06/15/92	28.63	7.96	20.67	3200	35	33	210	300	--	--
12/16/92	28.62	8.28	20.34	87,000	1400	540	2400	11,000	--	--
04/07/93	28.62	9.21	19.41	1500	72	12	70	160	--	--
06/09/93	28.62	9.42	19.20	210	6.0	2.0	7.0	16	--	--
09/10/93	28.62	--	--	73	3.0	<0.5	2.0	3.0	--	--
09/27/93	28.62	8.27	20.35	--	--	--	--	--	--	--
12/17/93	28.62	7.86	20.76	640	43	12	12	37	--	--
03/10/94	28.62	7.93	20.69	540	44	22	10	69	--	--
06/16/94	28.62	7.95	20.67	1800	63	12	18	64	--	--
09/07/94	28.62	7.79	20.83	1400	59	12	22	50	--	--
11/30/94	28.62	8.21	20.41	700	36	4.4	18	31	--	--
03/22/95	28.62	8.80	19.82	190	1.4	1.4	<0.5	<0.5	--	--
06/27/95	28.62	8.86	19.76	220	1.8	<0.5	<0.5	0.84	--	--
09/28/95	28.62	8.58	20.04	160	3.2	<0.5	0.97	2.2	--	--
12/30/95	28.62	8.32	20.30	190	0.94	<0.5	0.74	1.1	<2.5	--
02/28/96	28.62	8.73	19.89	130	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/27/96	28.62	8.64	19.98	280	<0.5	1.4	<0.5	3.8	9.4	--
09/13/96	28.62	8.34	20.28	170	<0.5	<0.5	<0.5	0.89	2.7	--
12/16/96	28.62	8.15	20.47	170	<0.5	0.51	0.6	3.0	<2.5	--
03/20/97	28.62	8.72	19.90	290	1.6	0.78	1.1	1.5	3.4	--
09/08/97	28.62	8.13	20.49	140	0.52	1.5	<0.5	1.2	<2.5	--
02/16/98	28.62	8.87	19.75	64	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/25/98	28.62	8.60	20.02	99	<0.5	<0.5	<0.5	1.7	<2.5	--
03/09/99	28.62	8.62	20.00	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/29/99	28.62	8.13	20.49	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ¹	--
03/27/00	28.62	8.58	20.04	89.5	0.765	0.682	<0.5	0.688	4.04	--
09/18/00	28.62	8.13	20.49	1,300 ⁵	6.9	2.8	14	28	12	--
03/27/01	28.62	8.34	20.28	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	--
09/05/01	28.62	7.96	20.66	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-14										
11/15/91	29.46	9.13	20.33	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/92	29.46	8.05	21.41	<50	1.3	1.8	1.1	5.2	--	--
06/15/92	29.46	--	--	--	--	--	--	--	--	--
12/16/92	29.45	8.79	20.66	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	29.45	--	--	--	--	--	--	--	--	--
06/09/93	29.45	--	--	--	--	--	--	--	--	--
09/10/93	29.45	--	--	--	--	--	--	--	--	--
09/27/93	29.45	9.19	20.26	--	--	--	--	--	--	--
ABANDONED										
MW-15										
12/16/92	28.04	8.30	19.74	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	28.04	9.24	18.80	<50	1.3	<0.5	<0.5	<1.5	--	--
06/09/93	28.04	9.44	18.60	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/10/93	28.04	--	--	--	--	--	--	--	--	--
09/27/93	28.04	8.11	19.93	<50	2.0	<0.5	<0.5	<0.5	--	--
12/17/93	28.04	7.72	20.32	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/10/94	28.04	7.75	20.29	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/16/94	28.04	7.73	20.31	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/07/94	28.04	7.61	20.43	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	28.04	8.03	20.01	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/22/95	28.04	8.57	19.47	69	4.9	<0.5	<0.5	<0.5	--	--
06/27/95	28.04	8.70	19.34	<50	3.9	<0.5	1.4	<0.5	--	--
09/28/95	28.04	8.38	19.66	<50	0.82	<0.5	<0.5	<0.5	--	--
12/30/95	28.04	8.10	19.94	160	7.0	1.4	<0.5	1.8	14	--
02/28/96	28.04	8.41	19.63	81	1.7	<0.5	<0.5	<0.5	<2.5	--
06/27/96	28.04	8.44	19.60	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/13/96	28.04	8.14	19.90	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
12/16/96	28.04	7.81	20.23	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/20/97	28.04	8.52	19.52	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-15 (cont)										
09/08/97	28.04	7.86	20.18	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/16/98	28.04	8.67	19.37	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/25/98	28.04	8.34	19.70	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/09/99	28.04	8.35	19.69	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/29/99	28.04	7.92	20.12	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/27/00	28.04	8.37	19.67	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/18/00	28.04	7.91	20.13	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/27/01	28.04	8.13	19.91	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	--
09/05/01	28.04	7.76	20.28	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--
MW-16										
12/16/92	28.32	8.74	19.58	--	--	--	--	--	--	--
12/21/92	28.32	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	28.32	9.91	18.41	<50	<0.5	6.8	<0.5	<0.5	--	--
06/09/93	28.32	10.07	18.25	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/10/93	28.32	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/27/93	28.32	8.16	20.16	--	--	--	--	--	--	--
12/17/93	28.32	--	--	--	--	--	--	--	--	--
03/10/94	28.32	7.77	20.55	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/16/94	28.32	7.67	20.65	<50	0.9	0.7	<0.5	<0.5	--	--
09/07/94	28.32	7.59	20.73	150	1.3	0.8	1.2	3.6	--	--
11/30/94	28.32	8.04	20.28	4200	300	<5.0	34	350	--	--
03/22/95	28.32	8.65	19.67	2900	180	5.7	21	91	--	--
06/27/95	28.32	8.72	19.60	2000	330	10	27	48	--	--
09/28/95	28.32	INACCESSIBLE	--	--	--	--	--	--	--	--
12/30/95	28.32	8.06	20.26	3100	770	39	30	80	<12	--
02/28/96	28.32	8.48	19.84	1600	320	15	11	21	<25	--
06/27/96	28.32	8.45	19.87	2900	670	48	54	86	280	--
09/13/96	28.32	8.17	20.15	1400	18	4.0	8.6	16	<10	--
12/16/96	28.32	7.53	20.79	3100	500	25	23	52	<25	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (mst)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
MW-16 (cont)										
03/20/97	28.32	8.52	19.80	3800	550	23	14	8.4	140	--
09/08/97	28.32	7.97	20.35	2800	470	28	24	41	<10	--
02/16/98	28.32	8.40	19.92	3100	570	35	27	54	<25	--
08/25/98	28.32	8.12	20.20	3500	520	43	57	75	<12	--
03/09/99	28.32	8.15	20.17	4900	750	55	40	120	<50	--
09/29/99	28.32	7.77	20.55	5480	717	45.3	44	100	<125/<10 ¹	--
03/27/00	28.32	INACCESSIBLE		--	--	--	--	--	--	--
09/18/00 ³	28.32	7.85	20.47	--	--	--	--	--	--	--
03/27/01	28.32	INACCESSIBLE		--	--	--	--	--	--	--
09/05/01 ³	28.32	8.70	19.62	6,500	710	72	45	94	<20	--
TRIP BLANK										
11/03/88	--	--	--	--	<1.0	<1.0	<1.0	<1.0	--	--
02/10/89	--	--	--	<50	<0.1	<0.1	<0.1	<0.2	--	--
04/24/89	--	--	--	<50	<0.5	<0.5	<1.0	<1.0	--	--
07/28/89	--	--	--	<50	<0.1	<0.1	<0.1	<0.2	--	--
10/30/89	--	--	--	<500	<0.3	<0.3	<0.3	<0.6	--	--
01/09/90	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--	--
04/18/90	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--	--
06/22/90	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/09/90	--	--	--	<50	<0.3	<0.3	<0.3	<0.6	--	--
11/13/90	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
05/15/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
08/27/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/15/91	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/20/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/15/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/16/92	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
04/07/93	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	--	--
06/09/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	TOC (ft.)	GWE (msl)	DTW (ft.)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)	TOG (ppb)
TRIP BLANK (cont)										
09/10/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/27/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/17/93	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/10/94	--	--	--	<50	<0.5	0.6	<0.5	0.6	--	--
06/16/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/07/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
11/30/94	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
01/17/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
03/22/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
06/27/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
09/28/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/30/95	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
02/28/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
06/27/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
09/13/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	--	--
12/16/96	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/20/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/08/97	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
02/16/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
08/25/98	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
03/09/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/29/99	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<5.0	--
03/27/00	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--
09/18/00	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5	--
03/27/01	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	--
09/05/01	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

EXPLANATIONS:

Groundwater monitoring data and analytical results prior to September 18, 2000, were compiled from reports prepared by Blaine Tech Services, Inc.

TOC = Top of Casing

(ft.) = Feet

GWE = Groundwater Elevation

(msl) = Mean sea level

DTW = Depth to Water

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl tertiary butyl ether

TOG = Total Oil and Grease

(ppb) = Parts per billion

-- = Not Measured/Not Analyzed

(D) = Duplicate

- 1 Confirmation run.
- 2 ORC installed.
- 3 ORC in well.
- 4 Laboratory report indicates gasoline C6-C12.
- 5 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.

Table 2
Groundwater Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	Carbon Tet (ppb)	Chloroform (ppb)	PCE (ppb)	TCE (ppb)	1,2-DCE (ppb)	i-1,2-DCE (ppb)	c-1,2-DCE (ppb)	1,1,1-TCA (ppb)	1,2-DCA (ppb)	1,2-DCP (ppb)	1,1-DCE (ppb)
MW-1											
11/03/88	18	7.0	<1.0	<1.0	--	<1.0	--	<1.0	<1.0	--	--
02/10/89	17	6.0	<0.2	<0.2	--	<0.2	<0.2	<0.2	<0.2	--	--
04/24/89	16	6.0	<1.0	<1.0	<1.0	--	--	<1.0	<1.0	--	--
07/28/89	20	6.4	<0.1	<0.1	--	<0.1	<0.1	0.3	<0.1	--	--
10/30/89	11	4.9	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	--
01/09/90	24	7.2	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	--
04/18/90	23	5.5	<0.5	<0.5	<0.5	--	--	1.4	<0.5	<0.5	<0.5
08/09/90	32	11	0.7	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5
11/13/90	24	7.0	60.7	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/15/91	15	5.0	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
08/27/91	18	4.2	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5
11/15/91	21	7.9	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
02/20/92	24	7.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
06/15/92	10	3.2	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-2											
11/03/88	3.0	2.0	34	3.0	--	10	--	<1.0	<1.0	--	--
02/10/89	1.4	1.0	17.2	<0.2	--	<0.2	6.3	<0.2	<0.2	--	--
04/24/89	2.0	2.0	38	3.0	9.0	--	--	<1.0	<1.0	--	--
07/28/89	3.7	2.0	46	2.6	--	<0.2	<0.2	<0.2	<0.2	--	--
10/30/89	1.4	2.6	53	1.1	14	--	--	<0.5	<0.5	--	--
01/09/90	3.6	3.9	78	5.3	16	--	--	<0.5	<0.5	--	--
04/18/90	1.5	2.7	130	3.9	19	--	--	<0.5	<0.5	<0.5	<0.5
08/09/90	2.1	2.1	74	6.1	15	--	--	<0.5	<0.5	<0.5	<0.5
11/13/90	<0.5	2.0	40	4.0	--	<0.5	10	<0.5	<0.5	<0.5	<0.5
05/15/91	2.0	2.0	56	6.0	--	<0.5	15	<0.5	<0.5	<0.5	<0.5
08/27/91	1.1	0.9	46	3.9	--	--	8.0	<0.5	<0.5	<0.5	<0.5
11/15/91	0.6	1.1	58	3.1	--	<0.5	6.3	<0.5	<0.5	<0.5	<0.5
02/20/92	11	<2.5	62	3.1	--	<2.5	4.3	<2.5	<2.5	<2.5	<2.5
06/15/92	<0.5	1.2	45	3.1	--	<0.5	4.8	<0.5	<0.5	<0.5	<0.5

Table 2
Groundwater Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	Carbon Tet (ppb)	Chloroform (ppb)	PCE (ppb)	TCE (ppb)	1, 2-DCE (ppb)	i-1, 2-DCE (ppb)	c-1, 2-DCE (ppb)	1, 1, 1-TCA (ppb)	1,2-DCA (ppb)	1, 2-DCP (ppb)	1,1-DCE (ppb)
MW-3											
11/03/88	8.0	6.0	84	3.0	--	5.0	--	<1.0	<1.0	--	--
02/10/89	5.8	4.0	53	1.9	--	<0.2	9.0	<0.2	<0.2	--	--
04/24/89	7.0	6.0	110	3.0	11	--	--	<1.0	<1.0	--	--
07/28/89	8.6	5.0	49	2.1	--	<0.2	11	<0.2	<0.1	--	--
10/30/89	5.6	5.3	62	0.7	8.2	--	--	<0.5	<0.5	--	--
01/09/90	8.6	6.1	81	73.8	8.7	--	--	<0.5	<0.5	--	--
04/18/90	7.6	5.8	120	2.4	11	--	--	<0.5	<0.5	<0.5	<0.5
08/09/90	11	6.7	81	5.1	11	--	--	<0.5	<0.5	<0.5	<0.5
11/13/90	7.0	5.0	43	4.0	--	<0.5	9.0	<0.5	<0.5	<0.5	<0.5
05/15/91	6.0	4.0	46	3.0	--	<0.5	8.0	<0.5	<0.5	<0.5	<0.5
08/27/91	5.5	3.8	43	2.6	--	--	8.1	<0.5	<0.5	<0.5	<0.5
11/15/91	6.3	5.0	67	3.4	--	0.8	7.4	0.9	<0.5	<0.5	<0.5
02/20/92	2.8	4.0	96	3.0	--	<2.5	6.1	<2.5	<2.5	<2.5	<2.5
06/15/92	5.0	3.9	86	2.9	--	<0.5	7.5	<0.5	<0.5	<0.5	<0.5
MW-4											
04/24/89	35	11	<1.0	<1.0	<1.0	--	--	<1.0	<1.0	--	--
07/28/89	32	9.3	<0.1	<0.1	--	<0.1	<0.1	<0.1	<0.1	--	--
10/30/89	32	8.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	--
01/09/90	36	9.8	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	--
04/18/90	41	9.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5
08/09/90	38	11	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5
11/13/90	40	11	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/15/91	35	10	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
08/27/91	28	6.1	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5
11/15/91	23	9.1	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
02/20/92	400	140	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
06/15/92	38	11	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 2
Groundwater Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	Carbon Tet (ppb)	Chloroform (ppb)	PCE (ppb)	TCE (ppb)	1, 2-DCE (ppb)	t-1, 2-DCE (ppb)	c-1, 2-DCE (ppb)	1, 1, 1-TCA (ppb)	1,2-DCA (ppb)	1, 2-DCP (ppb)	1,1-DCE (ppb)
MW-5											
04/24/89	4.0	5.0	4.0	<1.0	2.0	--	--	<1.0	<1.0	--	--
07/28/89	5.6	4.0	5.3	0.3	--	<0.2	2.3	0.5	<0.2	--	--
10/30/89	2.9	2.0	2.7	<0.5	0.86	--	--	<0.5	<0.5	--	--
01/09/90	8.2	4.6	7.8	0.6	3.1	--	--	<0.5	<0.5	--	--
04/18/90	6.3	2.8	2.6	<0.5	1.7	--	--	<0.5	<0.5	<0.5	<0.5
08/09/90	11	4.8	6.0	<0.5	2.3	--	--	<0.5	<0.5	<0.5	<0.5
11/13/90	7.0	3.0	5.0	<0.5	--	<0.5	1	<0.5	<0.5	<0.5	<0.5
05/15/91	4.0	2.0	3.0	<0.5	--	<0.5	0.8	<0.5	<0.5	<0.5	<0.5
08/27/91	3.3	1.1	2.3	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5
11/15/91	5.7	2.8	5.5	<0.5	--	<0.5	1.7	<0.5	<0.5	<0.5	<0.5
02/20/92	4.0	2.0	3.9	<0.5	--	<0.5	0.7	<0.5	<0.5	<0.5	<0.5
06/15/92	4.0	2.0	5.0	<0.5	--	<0.5	1.4	<0.5	<0.5	<0.5	<0.5
MW-6											
04/24/89	13	7.0	<1.0	<1.0	<1.0	--	--	<1.0	<1.0	--	--
07/28/89	9.6	4.0	<0.2	<0.2	--	<0.2	<0.2	0.5	0.6	--	--
10/30/89	8.2	3.6	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	--
01/09/90	10	4.2	<0.5	<0.5	<0.5	--	--	<0.5	1.8	--	--
04/18/90	11	3.8	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5
08/09/90	20	6.6	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5
11/13/90	15	5.0	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/15/91	11	4.0	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
08/27/91	8.0	2.2	2.4	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5
11/15/91	13	5.4	<0.5	<0.5	--	<0.5	<0.5	<0.5	0.8	<0.5	<0.5
02/20/92	11	4.0	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
06/15/92	9.6	4.2	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 2
Groundwater Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	Carbon Tet (ppb)	Chloroform (ppb)	PCE (ppb)	TCE (ppb)	1, 2-DCE (ppb)	1,1, 2-DCE (ppb)	c-1, 2-DCE (ppb)	1, 1, 1-TCA (ppb)	1,2-DCA (ppb)	1, 2-DCP (ppb)	1,1-DCE (ppb)
MW-7											
04/24/89	3.0	9.0	<1.0	<1.0	<1.0	--	--	<1.0	<1.0	--	--
07/28/89	<2.0	<10	<2.0	<2.0	--	<2.0	<2.0	<10	6.0	--	--
07/28/89	<5.0	<20	<5.0	<5.0	--	<5.0	<0.5	<5.0	<5.0	--	--
10/30/89	<1.0	3.9	<1.0	<1.0	<1.0	--	--	<1.0	6.4	--	--
10/30/89	<1.0	3.1	<1.0	<1.0	<1.0	--	--	<1.0	6.2	--	--
01/09/90	<0.5	3.0	<0.5	<0.5	<0.5	--	--	<0.5	8.4	--	--
04/18/90	<0.5	3.2	<0.5	<0.5	<0.5	--	--	<0.5	7.7	0.6	0.6
08/09/90	3.3	7.7	<0.5	<0.5	<0.5	--	--	<0.5	8.4	<0.5	<0.5
11/13/90	0.6	3.0	<0.5	<0.5	--	<0.5	<0.5	<0.5	4.0	<0.5	<0.5
05/15/91	2.0	2.0	<0.5	<0.5	--	<0.5	<0.5	<0.5	3.0	<0.5	<0.5
08/27/91	0.7	2.8	<0.5	<0.5	--	--	<0.5	<0.5	2.7	<0.5	<0.5
11/15/91	0.8	2.7	<0.5	<0.5	--	<0.5	<0.5	<0.5	3.1	<0.5	<0.5
02/20/92	2.2	1.9	<0.5	<0.5	--	<0.5	<0.5	<0.5	3.3	<0.5	<0.5
06/15/92	1.1	1.8	<0.5	<0.5	--	<0.5	<0.5	<0.5	4.5	<0.5	<0.5
MW-8											
04/24/89	2.0	3.0	6.0	<1.0	4.0	--	--	<1.0	<1.0	--	--
04/24/89	2.0	2.0	6.0	<1.0	3.0	--	--	<1.0	<1.0	--	--
07/28/89	2.3	2.0	5.6	<0.2	--	<0.2	3.8	<0.2	<0.2	--	--
10/30/89	2.5	2.6	8.0	<0.5	5.5	--	--	<0.5	<0.5	--	--
01/09/90	4.9	3.9	19	0.9	6.6	--	--	<0.5	<0.5	--	--
04/18/90	3.8	2.8	17	0.6	5.7	--	--	<0.5	<0.5	<0.5	<0.5
08/09/90	5.3	4.4	27	1.2	9.2	--	--	<0.5	<0.5	<0.5	<0.5
11/13/90	3.0	2.0	21	0.7	--	<0.5	6.0	<0.5	<0.5	<0.5	<0.5
05/15/91	2.0	2.0	30	0.9	--	<0.5	6.0	<0.5	<0.5	<0.5	<0.5
08/27/91	1.4	1.1	32	1.0	--	--	4.7	<0.5	<0.5	<0.5	<0.5
11/15/91	1.5	1.9	50	<0.5	--	<0.5	5.8	<0.5	<0.5	2.0	2.0
02/20/92	1.3	2.3	68	2.4	--	<0.5	7.6	<0.5	<0.5	<0.5	<0.5
06/15/92	0.7	1.9	46	1.6	--	<0.5	5.6	<0.5	--	<0.5	<0.5

Table 2
Groundwater Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	Carbon Tet (ppb)	Chloroform (ppb)	PCE (ppb)	TCE (ppb)	1,2-DCE (ppb)	i-1,2-DCE (ppb)	c-1,2-DCE (ppb)	1,1,1-TCA (ppb)	1,2-DCA (ppb)	1,2-DCP (ppb)	1,1-DCE (ppb)
MW-9											
06/22/90	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<0.5	<0.5	<0.5
08/09/90	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	0.71	<0.5	<0.5
11/13/90	<0.5	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	1.0	<0.5	<0.5
05/15/91	<0.5	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	0.5	<0.5	<0.5
08/27/91	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5
11/15/91	<0.5	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	0.6	<0.5	<0.5
02/20/92	<0.5	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
06/15/92	<0.5	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-10											
06/22/90	9.6	8.9	<0.5	<0.5	--	<0.5	--	<0.5	<0.5	<0.5	<0.5
08/09/90	11	7.8	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5
11/13/90	5.0	4.0	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/15/91	5.0	4.0	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
08/27/91	6.9	3.4	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5
11/15/91	2.7	3.3	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
02/20/92	3.3	3.4	3.0	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
06/15/92	4.5	2.9	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11											
06/22/90	4.6	6.5	73	1.3	--	<0.5	8.9	<0.5	<0.5	<0.5	<0.5
08/09/90	8.1	6.8	84	2.0	4.6	--	--	<0.5	<0.5	<0.5	<0.5
11/13/90	<0.5	<0.5	39	<0.5	--	<0.5	2.0	5	<0.5	<0.5	<0.5
05/15/91	1.0	3.0	7	0.5	--	<0.5	2.0	<0.5	<0.5	<0.5	<0.5
08/27/91	4.1	3.3	73	1.0	--	--	2.4	<0.5	<0.5	<0.5	<0.5
11/15/91	3.3	3.6	64	0.9	--	<0.5	2.3	<0.5	<0.5	<0.5	<0.5
02/20/92	<2.5	<2.5	62	<2.5	--	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
06/15/92	--	--	--	--	--	--	--	--	--	--	--

Table 2
Groundwater Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	Carbon Tet (ppb)	Chloroform (ppb)	PCE (ppb)	TCE (ppb)	1,2-DCE (ppb)	1-1,2-DCE (ppb)	c-1,2-DCE (ppb)	1,1,1-TCA (ppb)	1,2-DCA (ppb)	1,2-DCP (ppb)	1,1-DCE (ppb)
MW-12											
06/22/90	6.0	7.3	7.4	<0.5	--	<0.5	13	<0.5	<0.5	<0.5	<0.5
08/09/90	8.0	7.0	6.7	<0.5	5.8	--	--	<0.5	<0.5	<0.5	<0.5
11/13/90	<0.5	<0.5	9.0	<0.5	--	<0.5	3.0	3.0	<0.5	<0.5	<0.5
05/15/91	4.0	4.0	10	<0.5	--	<0.5	3.0	<0.5	<0.5	<0.5	<0.5
08/27/91	3.1	2.6	10	<0.5	--	--	2.3	<0.5	<0.5	<0.5	<0.5
11/15/91	1.9	3.5	8.9	<0.5	--	<0.5	5.9	<0.5	<0.5	<0.5	<0.5
02/20/92	3.3	3.4	3.7	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
06/15/92	2.2	3.7	13	<0.5	--	<0.5	4.5	<0.5	<0.5	<0.5	<0.5
MW-13											
11/15/91	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
02/20/92	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
06/15/92	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-14											
11/15/91	<0.5	5.5	33	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
02/20/92	<0.5	4.3	38	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
06/15/92	--	--	--	--	--	--	--	--	--	--	--
TRIP BLANK											
11/03/88	<1.0	<1.0	<1.0	<1.0	--	<1.0	--	<1.0	<1.0	--	--
02/10/89	<0.1	<0.5	<0.1	<0.1	--	<0.1	<0.1	<0.1	<0.1	--	--
04/24/89	<1.0	<1.0	<1.0	<1.0	<1.0	--	--	<1.0	<1.0	--	--
07/28/89	<0.1	<0.5	<0.1	<0.5	<0.1	--	<0.1	<0.1	<0.1	--	--
10/30/89	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	--
01/09/90	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	--	--
04/18/90	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5
06/22/90	<0.5	<0.5	<0.5	<0.5	--	<0.5	--	<0.5	<0.5	<0.5	<0.5

Table 2
Groundwater Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	Carbon Tet (ppb)	Chloroform (ppb)	PCE (ppb)	TCE (ppb)	1, 2-DCE (ppb)	i-1, 2-DCE (ppb)	c-1, 2-DCE (ppb)	1, 1, 1-TCA (ppb)	1,2-DCA (ppb)	1, 2-DCP (ppb)	1,1-DCE (ppb)
TRIP BLANK (cont)											
08/09/90	<0.5	<0.5	<0.5	<0.5	<0.5	--	--	<0.5	<0.5	<0.5	<0.5
11/13/90	<0.5	0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
05/15/91	--	--	--	--	--	--	--	--	--	--	--
08/27/91	--	--	--	--	--	--	--	--	--	--	--
11/15/91	<0.5	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
02/20/92	<0.5	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
06/15/92	<0.5	<0.5	<0.5	<0.5	--	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 2
Groundwater Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

EXPLANATIONS:

Groundwater analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

Carbon Tet = Carbon Tetrachloride

PCE = Tetrachloroethene

TCE = Trichloroethene

1,2-DCE = 1,2-Dichloroethene

t-1,2-DCE = trans-1,2-Dichloroethene

c-1,2-DCE = cis-1,2-Dichloroethene

1,1,1-TCA = 1,1,1-Trichloroethane

1,2-DCA = 1,2-Dichloroethane

1,2-DCP = 1,2-Dichloropropane

1,1-DCE = 1,1-Dichloroethene

MC = Methylene chloride

-- = Not Measured/Not Analyzed

Table 3
Groundwater Analytical Results
Former Chevron Service Station #9-0020
1633 Harrison Street
Oakland, California

WELL ID/ DATE	2-butanone	Acetone	1,1- DCE	1,1- DCA	Chloro- benzene
MW-3 08/27/91	--	--	1.3	0.5	0.7
MW-7 04/24/89	160	5.0	--	--	--
MW-13 11/15/91	--	--	--	0.6	--

EXPLANATIONS:

Groundwater analytical results were compiled from reports prepared by Blaine Tech Services, Inc.

1,1-DCE = 1,1-Dichloroethene

1,1-DCA = 1,1-Dichloroethane

MC = Methylene chloride

-- = Not Measured/Not Analyzed

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl-chloride bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using Chevron-designated disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Products Company, the purge water and decontamination water generated during sampling activities is transported by IWM to McKittrick Waste Management located in McKittrick, California.

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/ Facility # Chevron 9-0020 Job#: 386499
 Address: 1633 Harrison Street Date: 9-5-01
 City: Oakland, CA Sampler: T.C.

Well ID MW-7 Well Condition: o.k.
 Well Diameter 2" / (4) in. Hydrocarbon Amount Bailed
 Thickness: 0 (feet) (product/water): 0 (Gallons)
 Total Depth 26.04 ft. Volume 2" = 0.17 3" = 0.38 4" = 0.66
 Depth to Water 20.41 ft. Factor (VF) 6" = 1.50 12" = 5.80

5.63 x VF .66 = 3.7 x 3 (case volume) = Estimated Purge Volume: 11.0 (gal.)

Purge Equipment: Disposable Bailer
Stack
 Suction
 Grundfos
 Other: _____
 Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 0835 Weather Conditions: Sunny
 Sampling Time: 0848 Water Color: Black Odor: Y
 Purging Flow Rate: 2.0 gpm. Sediment Description: Very Silty
 Did well de-water? N If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>0837</u>	<u>3.5</u>	<u>7.56</u>	<u>682</u>	<u>73.4</u>	_____	_____	_____
<u>0840</u>	<u>7.0</u>	<u>7.48</u>	<u>501</u>	<u>73.1</u>	_____	_____	_____
<u>0842</u>	<u>11.0</u>	<u>7.42</u>	<u>518</u>	<u>72.8</u>	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>3x VOAVIAL</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(GI)/btex/mtbe</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: ORC IN well.

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/ Facility # Chevron 9-0020
 Address: 1633 Harrison Street
 City: Oakland, CA

Job#: 386499
 Date: 9-5-01
 Sampler: T.C.

Well ID MW-9
 Well Diameter 2 1/4" in.
 Total Depth 23.87 ft.
 Depth to Water 20.29 ft.

Well Condition: O.k.
 Hydrocarbon Thickness: 0 (feet) Amount Bailed (product/water): 0 (Gallons)

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

3.58 X VF .17 = .60 X 3 (case volume) = Estimated Purge Volume: 2.0 (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 0912
 Sampling Time: 0920
 Purging Flow Rate: _____ gpm.
 Did well de-water? N

Weather Conditions: Sunny
 Water Color: cloudy Odor: Y
 Sediment Description: _____
 If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>0913</u>	<u>.50</u>	<u>7.71</u>	<u>806</u>	<u>72.9</u>			
<u>0914</u>	<u>1.0</u>	<u>7.58</u>	<u>713</u>	<u>71.8</u>			
<u>0916</u>	<u>2.0</u>	<u>7.49</u>	<u>728</u>	<u>72.3</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-9</u>	<u>3x VOAVIAL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA LANCASTER</u>	<u>TPH(G)/btex/mtbe</u>

COMMENTS: ONE IN well.

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/ Facility # Chevron 9-0020 Job#: 386499
 Address: 1633 Harrison Street Date: 9-5-01
 City: Oakland, CA Sampler: T-C

Well ID MW-13 Well Condition: o.k. / Broken Flange
 Well Diameter 2" / 4" in. Hydrocarbon Thickness: 0 (feet) Amount Bailed (Gallons) 0
 Total Depth 26.48 ft. Volume 2" = 0.17 3" = 0.38 4" = 0.66
 Depth to Water 20.66 ft. Factor (VF) 6" = 1.50 12" = 5.80

5.82 x VF .17 = .98 x 3 (case volume) = Estimated Purge Volume: 3.0 (gal.)

Purge Equipment: Disposable Bailer Bailer Stack Suction Grundfos Other: _____
 Sampling Equipment: Disposable Bailer Bailer Pressure Bailer Grab Sample Other: _____

Starting Time: 0941 Weather Conditions: Sunny
 Sampling Time: 0949 Water Color: Cloudy Odor: N
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? N If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ hos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>0943</u>	<u>1.0</u>	<u>7.56</u>	<u>692</u>	<u>72.1</u>	_____	_____	_____
<u>0944</u>	<u>2.0</u>	<u>7.40</u>	<u>613</u>	<u>71.7</u>	_____	_____	_____
<u>0946</u>	<u>3.0</u>	<u>7.44</u>	<u>573</u>	<u>71.5</u>	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
				SEQUENCE	TPH(G)/btex/mtbe
<u>MW-13</u>	<u>VOAVIAL</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: well has Broken FLANGE *SEE PICTURE

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/ Facility # Chevron 9-0020
 Address: 1633 Harrison Street
 City: Oakland, CA

Job#: 386499
 Date: 9-5-01
 Sampler: T-C

Well ID: MW-15
 Well Diameter: 2" / 4" in.
 Total Depth: 26.28 ft.
 Depth to Water: 20.28 ft.

Well Condition: OK
 Hydrocarbon Thickness: Ø (feet) Amount Bailed (product/water): Ø (Gallons)

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

6.00 X VF .17 = 1.0 X 3 (case volume) = Estimated Purge Volume: 3.0 (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 1002
 Sampling Time: 1008
 Purging Flow Rate: _____ gpm.
 Did well de-water? N

Weather Conditions: Sunny
 Water Color: cloudy Odor: N
 Sediment Description: _____
 If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity $\mu\text{mhos/cm}$	Temperature $^{\circ}\text{F}$	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1003</u>	<u>1.0</u>	<u>7.42</u>	<u>582</u>	<u>72.9</u>			
<u>1004</u>	<u>2.0</u>	<u>7.36</u>	<u>691</u>	<u>72.5</u>			
<u>1005</u>	<u>3.0</u>	<u>7.27</u>	<u>673</u>	<u>72.3</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-15</u>	<u>3X VOAVIAL</u>	<u>Y</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH(GI)/btex/mtbe</u>

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET**

Client/ Facility # Chevron 9-0020
 Address: 1633 Harrison Street
 City: Oakland, CA

Job#: 386499
 Date: 9-5-01
 Sampler: T.U

Well ID: MW-16 Well Condition: o.k
 Well Diameter: 2" / 4" in. Hydrocarbon Thickness: 0 (feet) Amount Bailed: 0 (Gallons)
 Total Depth: 25.40 ft.
 Depth to Water: 19.62 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

5.78 X VF .17 = .98 X 3 (case volume) = Estimated Purge Volume: 3.0 (gal.)

Purge Equipment: Disposable Bailer
 Bailer
 Stack
 Suction
 Grundfos
 Other: _____

Sampling Equipment: Disposable Bailer
 Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 1020
 Sampling Time: 1029
 Purging Flow Rate: _____ gpm.
 Did well de-water? _____

Weather Conditions: Sunny
 Water Color: _____ Odor: _____
 Sediment Description: _____
 If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
1021	1.0	7.58	891	72.2			
1023	2.0	7.51	826	71.8			
1024	3.0	7.42	791	71.6			

LABORATORY INFORMATION

SAMPLE ID	(#)- CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
					TPH(G)/bTEX/mtbe
MW-16	30 VOAVIAL	Y	HCL	SEAWATER LANCASTER	

COMMENTS: ORC IN well.

Chevron California Region Analysis Request/Chain of Custody



050901-010

Acct. #: 10905 For Lancaster Laboratories use only Sample #: 3683134-39 SCR#:

Facility #: <u>9-0020</u> Job # <u>388490</u> Site Address: <u>1633 HARRISON ST., OAKLAND, CA</u> Chevron PM: <u>Tom Bauhs</u> Lead Consultant: <u>Delta GR</u> Consultant/Office: <u>G R, Inc., 6747 Sierra Court, Dublin, Ca 94568</u> Consultant Prj. Mgr.: <u>Deanna L. Harding</u> (<u>Deanna@grinc.com</u>) Consultant Phone #: <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>Tommy Camarda</u> Service Order #: _____ <input type="checkbox"/> Non SAR: _____			Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Water <input type="checkbox"/> Soil <input type="checkbox"/> Air		Analyses Requested Preservation Codes BTEX + MTBE 8260 <input type="checkbox"/> 8021 <input checked="" type="checkbox"/> TPH 8015 MOD GRO <input type="checkbox"/> Silica Gel Cleanup TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan Oxygenates Lead 7420 <input type="checkbox"/> 7421 <input type="checkbox"/>										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy s on highest hit <input type="checkbox"/> Run ___ oxy s on all hits					
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	8021	TPH 8015 MOD GRO	TPH 8015 MOD DRO	Silica Gel Cleanup	8260 full scan	Oxygenates	Lead 7420	7421	Comments / Remarks	
TB-UB						X			2	X	X									
MW-7	9-5-01	0848				X			3	X	X									
MW-9	9-5-01	0920				X			3	X	X									
MW-13	9-5-01	0949				X			3	X	X									
MW-15	9-5-01	1008				X			3	X	X									
MW-16	9-5-01	1029				X			3	X	X									

Turnaround Time Requested (TAT) (please circle) STD. TAT 72 hour 48 hour 24 hour 4 day 5 day			Relinquished by: <u>[Signature]</u> Date: <u>9/5/01</u> Time: <u>1440</u>		Received by: <u>[Signature]</u> Date: <u>9/5/01</u> Time: <u>15:35</u>	
Data Package Options (please circle if required) QC Summary Type I — Full Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk			Relinquished by: <u>[Signature]</u> Date: <u>9/5/01</u> Time: <u>16:52</u>		Received by: <u>[Signature]</u> Date: <u>9/5/01</u> Time: <u>16:52</u>	
Relinquished by Commercial Carrier: UPS <input checked="" type="checkbox"/> FedEx Other _____			Relinquished by: <u>[Signature]</u> Date: <u>9/6/01</u> Time: <u>1130</u>		Received by: <u>[Signature]</u> Date: <u>9/6/01</u> Time: _____	
Temperature Upon Receipt: <u>20</u> °C			Received by: <u>[Signature]</u> Date: <u>9/8/01</u> Time: <u>1055</u>		Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	



ANALYTICAL RESULTS

Prepared for:

Chevron Products Company
6001 Bollinger Canyon Road
Building L PO Box 6004
San Ramon CA 94583-0904
925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 777382. Samples arrived at the laboratory on Saturday, September 08, 2001. The PO# for this group is 99011184 and the release number is BAUHS.

<u>Client Description</u>		<u>Lancaster Labs Number</u>
TB-LB	Grab Water	3683134
MW-7	Grab Water	3683135
MW-9	Grab Water	3683136
MW-13	Grab Water	3683137
MW-15	Grab Water	3683138
MW-16	Grab Water	3683139

METHODOLOGY

The specific methodologies used in obtaining the enclosed analytical results are indicated on the laboratory chronicles.

1 COPY TO Delta C/O Gettler-Ryan

Attn: Deanna L. Harding



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Questions? Contact your Client Services Representative
Teresa M. Lis at (717) 656-2300.

Respectfully Submitted,



Victoria M. Martell
Chemist

CASE NARRATIVE

Prepared For:

Thomas Bauhs
Chevron Products Company
6001 Bollinger Canyon Road
Building L
P.O. Box 6004
San Ramon, CA 94583-0904

Prepared By:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

SAMPLE GROUP

The sample group for this submittal is 777382. Samples arrived at the laboratory on Saturday, September 08, 2001.

METHODOLOGY

The specific methodologies used in obtaining the enclosed analytical results are indicated on the laboratory chronicles.

COMMENTS

The sample vials MW-7 and MW-16 from Facility 9-0020 submitted for the BTEX/MTBE (8021) and TPH-GRO analysis did not have a pH < 2 at the time of analysis. Due to the volatile nature of the analytes, it is not appropriate for the laboratory to adjust the pH at the time of sample receipt.

Due to the nature of the sample matrix for sample MW-16 from Facility 9-0020, the surrogate recovery is above the range of specification for the TPH-GRO analysis.



Lancaster Laboratories Sample No. WW 3683134

Collected: n.a.

Account Number: 10905

Submitted: 09/08/2001 10:55
Reported: 10/02/2001 at 12:59
Discard: 10/10/2001

Chevron Products Company
6001 Bollinger Canyon Road
Building L PO Box 6004
San Ramon CA 94583-0904

TB-LB Grab Water

Facility# 9-0020 x
1633 Harrison St Oakland x TB-LB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO N. California (waters)					
01730	TPH-GRO N. California (waters)	n.a.	N.D.	50.	ug/l	1
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
	A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.					

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO N. California (waters)	N. CALIF. LUFT Gasoline Method	1	09/12/2001 09:47	Melissa Mann	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	09/12/2001 09:47	Melissa Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/12/2001 09:47	Melissa Mann	n.a.





Lancaster Laboratories Sample No. **WW 3683135**

Collected: 09/05/2001 08:48 by TC

Account Number: 10905

Submitted: 09/08/2001 10:55

Reported: 10/02/2001 at 12:59

Discard: 10/10/2001

Chevron Products Company
6001 Bollinger Canyon Road
Building L PO Box 6004
San Ramon CA 94583-0904

MW-7 Grab Water

Facility# 9-0020 x
1633 Harrison St Oakland x MW-7

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO N. California (waters)					
01730	TPH-GRO N. California (waters) The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	220.	50.	ug/l	1
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	1.9	0.50	ug/l	1
00777	Toluene	108-88-3	2.3	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D. #	3.0	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1

A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.

Due to the presence of an interferent near its retention time, the normal reporting limit was not attained for the compound listed below. The presence or concentration of this compound cannot be determined due to the presence of this interferent.
Total Xylenes

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
01729	TPH-GRO N. California (waters)	N. CALIF. LUFT Gasoline Method	1	09/12/2001 22:47	Melissa Mann	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	09/12/2001 22:47	Melissa Mann	1



Lancaster Laboratories Sample No. WW 3683135

Collected: 09/05/2001 08:48 by TC

Account Number: 10905

Submitted: 09/08/2001 10:55
Reported: 10/02/2001 at 12:59
Discard: 10/10/2001

Chevron Products Company
6001 Bollinger Canyon Road
Building L PO Box 6004
San Ramon CA 94583-0904

MW-7 Grab Water

Facility# 9-0020 x
1633 Harrison St Oakland x MW-7

01146 GC VOA Water Prep SW-846 5030B 1 09/12/2001 22:47 Melissa Mann n.a.



Lancaster Laboratories, Inc.
2425 New Holland Pike
PO Box 12425
Lancaster, PA 17605-2425
717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3683136**

Collected: 09/05/2001 09:20 by TC

Account Number: 10905

Submitted: 09/08/2001 10:55
 Reported: 10/02/2001 at 12:59
 Discard: 10/10/2001

Chevron Products Company
 6001 Bollinger Canyon Road
 Building L PO Box 6004
 San Ramon CA 94583-0904

MW-9 Grab Water

Facility# 9-0020 x
 1633 Harrison St Oakland x MW-9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO N. California (waters)					
01730	TPH-GRO N. California (waters) The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.	n.a.	1,500.	50.	ug/l	1
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	2.9	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	11.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	25.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1

A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO N. California (waters)	N. CALIF. LUFT Gasoline Method	1	09/12/2001 00:49	Melissa Mann	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	09/12/2001 00:49	Melissa Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/12/2001 00:49	Melissa Mann	n.a.



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3683137**

Collected: 09/05/2001 09:49 by TC

Account Number: 10905

Submitted: 09/08/2001 10:55
 Reported: 10/02/2001 at 12:59
 Discard: 10/10/2001

Chevron Products Company
 6001 Bollinger Canyon Road
 Building L PO Box 6004
 San Ramon CA 94583-0904

MW-13 Grab Water

Facility# 9-0020 x
 1633 Harrison St Oakland x MW-13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO N. California (waters)					
01730	TPH-GRO N. California (waters)	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1
A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.						

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO N. California (waters)	N. CALIF. LUFT Gasoline Method	1	09/13/2001 13:39	Melissa-Ann S. McAlpine	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	09/13/2001 13:39	Melissa-Ann S. McAlpine	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/13/2001 13:39	Melissa-Ann S. McAlpine	n.a.



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3683138**

Collected: 09/05/2001 10:08 by TC

Account Number: 10905

Submitted: 09/08/2001 10:55
 Reported: 10/02/2001 at 12:59
 Discard: 10/10/2001

Chevron Products Company
 6001 Bollinger Canyon Road
 Building L PO Box 6004
 San Ramon CA 94583-0904

MW-15 Grab Water

Facility# 9-0020 X
 1633 Harrison St Oakland x MW-15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO N. California (waters)					
01730	TPH-GRO N. California (waters)	n.a.	N.D.	50.	ug/l	1
The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.						
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	N.D.	0.50	ug/l	1
00777	Toluene	108-88-3	N.D.	0.50	ug/l	1
00778	Ethylbenzene	100-41-4	N.D.	0.50	ug/l	1
00779	Total Xylenes	1330-20-7	N.D.	1.5	ug/l	1
00780	Methyl tert-Butyl Ether	1634-04-4	N.D.	2.5	ug/l	1

A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01729	TPH-GRO N. California (waters)	N. CALIF. LUFT Gasoline Method	1	09/12/2001 05:00	Melissa Mann	1
08214	BTEX, MTBE (8021)	SW-846 8021B	1	09/12/2001 05:00	Melissa Mann	1
01146	GC VOA Water Prep	SW-846 5030B	1	09/12/2001 05:00	Melissa Mann	n.a.



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories Sample No. **WW 3683139**

Collected: 09/05/2001 10:29 by TC

Account Number: 10905

Submitted: 09/08/2001 10:55
 Reported: 10/02/2001 at 13:00
 Discard: 10/10/2001
 MW-16

Chevron Products Company
 6001 Bollinger Canyon Road
 Building L PO Box 6004
 San Ramon CA 94583-0904

Grab Water

Facility# 9-0020 x
 1633 Harrison St Oakland x MW-16

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Units	Dilution Factor
01729	TPH-GRO N. California (waters)					
01730	TPH-GRO N. California (waters)	n.a.	6,500.	250.	ug/l	5
	The reported concentration of TPH-GRO does not include MTBE or other gasoline constituents eluting prior to the C6 (n-hexane) TPH-GRO range start time.					
	Due to the nature of the sample matrix, the surrogate standard recovery is above the range of specifications.					
08214	BTEX, MTBE (8021)					
00776	Benzene	71-43-2	710.	1.0	ug/l	5
00777	Toluene	108-88-3	72.	1.0	ug/l	5
00778	Ethylbenzene	100-41-4	45.	1.0	ug/l	5
00779	Total Xylenes	1330-20-7	94.	3.0	ug/l	5
00780	Methyl tert-Butyl Ether	1634-04-4	N.D. #	20.	ug/l	5

A site-specific MSD sample was not submitted for the project. A LCS/LCSD was performed to demonstrate precision and accuracy at a batch level.

Due to the presence of an interferent near its retention time, the normal reporting limit was not attained for the compound listed below. The presence or concentration of this compound cannot be determined due to the presence of this interferent.
 Methyl t-butyl ether

State of California Lab Certification No. 2116

Laboratory Chronicle

CAT No.	Analysis Name	Method	Trial#	Analysis Date and Time	Analyst	Dilution Factor
---------	---------------	--------	--------	------------------------	---------	-----------------



Lancaster Laboratories Sample No. WW 3683139

Collected: 09/05/2001 10:29 by TC

Account Number: 10905

Submitted: 09/08/2001 10:55

Reported: 10/02/2001 at 13:00

Discard: 10/10/2001

Chevron Products Company
 6001 Bollinger Canyon Road
 Building L PO Box 6004
 San Ramon CA 94583-0904

MW-16 Grab Water

Facility# 9-0020 x
 1633 Harrison St Oakland x MW-16

01729	TPH-GRO N. California (waters)	N. CALIF. LUFT Gasoline Method	1	09/12/2001 05:35	Melissa Mann	5
08214	BTEX, MTBE (8021)	SW-846 8021B	1	09/12/2001 05:35	Melissa Mann	5
01146	GC VOA Water Prep	SW-846 5030B	1	09/12/2001 05:35	Melissa Mann	n.a.



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681



Lancaster Laboratories

Where quality is a science.

Quality Control Summary

Client Name: Chevron Products Company
 Reported: 10/02/01 at 01:00 PM

Group Number: 777382

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 01254A56	Sample number(s): 3683134-3683139							
Benzene	N.D.	0.5	ug/l	108	108	80-118	0	30
Toluene	N.D.	0.5	ug/l	107	108	82-119	1	30
Ethylbenzene	N.D.	0.5	ug/l	102	103	81-119	1	30
Total Xylenes	N.D.	1.5	ug/l	103	105	82-120	1	30
Methyl tert-Butyl Ether	N.D.	2.5	ug/l	114	111	79-127	2	30
TPH-GRO N. California (waters)	N.D.	50.	ug/l	88		76-119		

Sample Matrix Quality Control

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	BKG MAX	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 01254A56	Sample number(s): 3683134-3683139							
Benzene	104		66-140					
Toluene	97		72-138					
Ethylbenzene	98		71-138					
Total Xylenes	98		69-140					
Methyl tert-Butyl Ether	134		60-145					
TPH-GRO N. California (waters)	112	109	74-132	3	20			

Surrogate Quality Control

Analysis Name: TPH-GRO N. California (waters)
 Batch number: 01254A56

	Trifluorotoluene-F	Trifluorotoluene-P
3683134	108	99
3683135	116	114
3683136	117	101
3683137	105	103
3683138	107	103
3683139	141*	131
Blank	113	99
LCS	113	103
LCSD	102	105
MS	128	97
MSD	117	
Limits:	65-137	72-134

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The background result was more than four times the spike added.



Lancaster Laboratories, Inc.
 2425 New Holland Pike
 PO Box 12425
 Lancaster, PA 17605-2425
 717-656-2300 Fax: 717-656-2681