



RECEIVED

8:56 am, May 24, 2012

Alameda County
Environmental Health

Dave Patten
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6101 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 790-6491
drpatten@chevron.com

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-0020
1633 Harrison Street
Oakland, CA

I have reviewed the attached report dated May 16, 2012.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Conestoga-Rovers & Associates, upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct to the best of my knowledge.

Sincerely,

Dave Patten
Project Manager

Attachment: Report



**CONESTOGA-ROVERS
& ASSOCIATES**

5900 Hollis Street, Suite A
Emeryville, California 94608
Telephone: (510) 420-0700 Fax: (510) 420-9170
<http://www.craworld.com>

May 16, 2012

Reference No. 311956

Mr. Mark Detterman
Alameda County Environmental Health Services (ACEHS)
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: First Semi-Annual 2012
Groundwater Monitoring and Sampling Report
Former Chevron Service Station 90020
1633 Harrison Street
Oakland, California
Fuel Leak Case No. RO0000143

Dear Mr. Detterman:

Conestoga-Rovers & Associates (CRA) is submitting this *First Semi-Annual 2012 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Blaine Tech Services (Blaine Tech) of San Jose, California. Blaine Tech's November 2, 2011 and March 21, 2012 *Fourth and First Quarter Monitoring* reports are included as Attachment A. Current and historical groundwater monitoring and sampling data are presented in Table 1. Lancaster Laboratories' November 9, 2011 and March 30, 2012 *Analytical Results* are included as Attachment B.

RESULTS OF FIRST SEMI-ANNUAL 2012 EVENT

On March 17, 2012, Blaine Tech monitored and sampled the site wells per the established schedule.

Results of the current monitoring event indicate the following:

- Groundwater Flow Direction East
- Hydraulic Gradient 0.01
- Approximate Depth to Water 19 to 20 feet below grade

Equal
Employment Opportunity
Employer



May 16, 2012

Reference No. 311956

Results of the current sampling event are presented below in Table A:

TABLE A: GROUNDWATER ANALYTICAL DATA						
<i>Well ID</i>	<i>TPHg (µg/L)</i>	<i>Benzene (µg/L)</i>	<i>Toluene (µg/L)</i>	<i>Ethylbenzene (µg/L)</i>	<i>Total Xylenes (µg/L)</i>	<i>MTBE (µg/L)</i>
<i>ESLs</i>	100	1	40	30	20	5
MW-9	980	<0.5	<0.5	0.9 J	3	<0.5
MW-13	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-15	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-16	11,000	33	56	28	78	<3
MW-17	20,000	180	670	580	2,100	<5
ESL	<i>Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater, Prepared by California Regional Water Quality Control Board San Francisco Bay Region, Interim Final - November 2007, (Revised May 2008), Table F-1a-Groundwater Screening Levels-Current or Potential Drinking Water Resource.</i>					
<	<i>Indicates constituent was not detected at or above laboratory reporting limit.</i>					
-	<i>Indicates the sample was not analyzed for the constituent.</i>					
Bold	<i>indicates results above the drinking water environmental screening level (ESL).</i>					

CONCLUSIONS AND RECOMMENDATIONS

The results of ongoing groundwater monitoring and sampling at the site indicate the following:

- Dissolved hydrocarbon concentrations are within historical ranges, seasonal fluctuations, and are stable or decreasing, with the exception of the 11,000 µg/L TPHg detection in well MW-16 (historical high concentration).

Well MW-17 has been sampled for six consecutive quarters; therefore, CRA recommends that MW-17 be monitored and sampled semi-annually during the first and third quarters. CRA plans to enact this change unless otherwise directed by ACEHS.

ANTICIPATED FUTURE ACTIVITIES

Groundwater Monitoring

Blaine Tech will monitor and sample site wells per the established schedule. CRA will submit a groundwater monitoring and sampling report.



**CONESTOGA-ROVERS
& ASSOCIATES**

May 16, 2012

Reference No. 311956

- 3 -

Additional Activity

CRA is currently finalizing a report outlining CRA activities related to the site redevelopment.



**CONESTOGA-ROVERS
& ASSOCIATES**

May 16, 2012


Reference No. 311956

- 4 -

Please contact Tina Hariu at (510) 420-3344 or Nathan Lee at (510) 420-3333 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES



Tina M. Hariu, PG 5907, CHG 346

TH/cw/15
Encl.

Figure 1	Vicinity Map
Figure 2	Groundwater Elevation and Hydrocarbon Concentration Map
Table 1	Groundwater Monitoring and Sampling Data
Attachment A	Monitoring Data Package
Attachment B	Laboratory Analytical Report

cc: Mr. Dave Patten, Chevron (*electronic copy*)
Mr. Shadrick Small, Oakland Housing Authority
Mr. Karl Lauff, Christian Church Homes
Mr. Leroy Griffin, Oakland Fire Department
Ms. Jeriann Alexander, FugroWest, Inc.

FIGURES




Figure 1
 VICINITY MAP
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 Oakland, California






Figure 2
 GROUNDWATER ELEVATION AND HYDROCARBON CONCENTRATION MAP
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 Oakland, California
 March 17, 2012



TABLE

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	06/22/1990	28.67	20.80	7.87	5,700	47	31	280	530	-	<1,000
MW-9	08/09/1990	28.67	20.74	7.93	8,000	<0.3	17	210	480	-	-
MW-9	11/13/1990	28.67	20.78	7.89	6,400	<3.0	20	240	450	-	-
MW-9	05/15/1991	28.67	20.48	8.19	5,700	2.0	16	190	390	-	-
MW-9	08/27/1991	28.67	20.55	8.12	6,700	<3.0	31	180	350	-	-
MW-9	11/15/1991	28.67	20.57	8.10	4,000	8.8	26	150	280	-	-
MW-9	02/20/1992	28.67	21.77	6.90	3,400	13	30	230	460	-	-
MW-9	06/15/1992	28.67	20.37	8.30	4,500	19	72	280	560	-	-
MW-9	12/16/1992	28.68	20.29	8.39	9,900	380	220	380	1,300	-	-
MW-9	04/07/1993	28.68	19.32	9.36	8,700	51	150	360	1,000	-	-
MW-9	06/09/1993	28.68	19.16	9.52	8,900	170	160	350	1,100	-	-
MW-9	09/10/1993	28.68	-	-	4,600	110	63	190	350	-	-
MW-9	09/27/1993	28.68	19.94	8.74	-	-	-	-	-	-	-
MW-9	12/17/1993	28.68	20.31	8.37	4,600	92	85	180	300	-	-
MW-9	03/10/1994	28.68	20.30	8.38	3,300	8.0	29	120	170	-	-
MW-9	06/16/1994	28.68	20.26	8.42	2,900	4.8	16	85	64	-	-
MW-9	09/07/1994	28.68	20.41	8.27	2,900	<0.5	9.9	70	75	-	-
MW-9	11/30/1994	28.68	19.98	8.70	2,100	<5.0	<5.0	53	51	-	-
MW-9	03/22/1995	28.68	19.41	9.27	2,200	<5.0	5.3	26	69	-	-
MW-9	06/27/1995	28.68	19.40	9.28	2,900	7.4	10	68	99	-	-
MW-9	09/28/1995	28.68	19.55	9.13	4,000	32	<10	36	44	-	-
MW-9	12/30/1995	28.68	19.80	8.88	3,800	<5.0	13	<5.0	120	120	-
MW-9	02/28/1996	28.68	19.75	8.93	2,000	9.9	<5.0	46	30	<25	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	06/27/1996	28.68	19.55	9.13	2,400	36	7.1	65	72	<50	-
MW-9	09/13/1996	28.68	19.82	8.86	2,500	26	8.4	53	39	36	-
MW-9	12/16/1996	28.68	20.77	7.91	1,200	3.5	2.4	12	14	<10	-
MW-9	03/20/1997	28.68	19.40	9.28	2,400	25	5.8	26	22	<25	-
MW-9	09/08/1997	28.68	20.09	8.59	1,800	9.5	8.1	22	21	12	-
MW-9	02/16/1998	28.68	19.23	9.45	950	5.6	3.1	13	13	18	-
MW-9	08/25/1998	28.68	19.50	9.18	2,100	2.5	6.4	35	51	8.9	-
MW-9	03/09/1999	28.68	19.81	8.87	1,400	12	7.8	8.8	16	8.8	-
MW-9	07/19/1999 ²	28.68	-	-	-	-	-	-	-	-	-
MW-9	09/29/1999	28.68	20.41	8.27	217	1.36	1.14	1.56	1.49	<2.0 ¹ / ² <5.0	-
MW-9	03/27/2000 ¹⁰	28.68	-	-	-	-	-	-	-	-	-
MW-9	09/18/2000 ³	28.68	20.05	8.63	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-
MW-9	03/27/2001 ³	28.68	19.84	8.84	718	<0.500	<0.500	3.31	12.3	<0.500	-
MW-9	09/05/2001 ³	28.68	20.29	8.39	1,500	<0.50	2.9	11	25	<2.5	-
MW-9	03/15/2002 ³	28.68	20.61	8.07	740	0.56	<0.50	4.0	5.3	<2.5	-
MW-9	09/14/2002 ³	28.68	20.06	8.62	580	<1.0	<1.0	1.8	3.4	3.4	-
MW-9	03/26/2003 ³	28.68	19.97	8.71	440	1.7	0.69	<5.0	<1.5	<2.5	-
MW-9	09/02/2003 ^{6,7}	28.68	20.86	7.82	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-9	03/29/2004 ⁶	28.68	19.14	9.54	660	<0.5	<0.5	12	11	0.8	-
MW-9	09/03/2004 ⁶	28.68	19.77	8.91	350	<0.5	<0.5	2	0.9	<0.5	-
MW-9	03/02/2005 ⁶	28.68	19.11	9.57	800	<0.5	<0.5	3	1.6	<0.5	-
MW-9	09/22/2005 ⁶	28.68	19.01	9.67	690	<0.5	<0.5	0.6	<1.0	<0.5	-
MW-9	03/30/2006 ⁶	28.68	18.66	10.02	540	<0.5	0.9	4	4	<0.5	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	08/28/2006 ⁶	28.68	19.25	9.43	2,700	<0.5	7	10	56	<0.5	-
MW-9	03/05/2007 ⁶	28.68	18.79	9.89	800	<0.5	<0.5	0.7	1	<0.5	-
MW-9	09/24/2007 ⁶	28.68	20.70	7.98	360	<0.5	<0.5	0.6	0.9	<0.5	-
MW-9	03/10/2008 ⁶	28.68	19.86	8.82	390	<0.5	<0.5	<0.5	0.9	<0.5	-
MW-9	09/12/2008 ⁶	28.68	20.45	8.23	540	<0.5	<0.5	0.7	6.5	<0.5	-
MW-9	09/24/2009 ⁶	28.68	20.47	8.21	580	<0.5	<0.5	0.8 J	5	<0.5	-
MW-9	03/31/2010 ⁶	28.68	19.92	8.76	680	<0.5	<0.5	1 J	3 J	<0.5	-
MW-9	09/21/2010	34.56	19.95	14.61	1,100	<0.5	<0.5	3	10	<0.5	-
MW-9	03/19/2011	34.56	19.60	14.96	940	<0.5	<0.5	4	9	<0.5	-
MW-9	06/18/2011	34.56	-	-	-	-	-	-	-	-	-
MW-9	09/17/2011	34.56	19.43	15.13	670	<0.5	<0.5	0.8 J	3	<0.5	-
MW-9	10/29/2011	34.56	-	-	-	-	-	-	-	-	-
MW-9	03/17/2012	34.56	19.93	14.63	980	<0.5	<0.5	0.9 J	3	<0.5	-
MW-13	11/15/1991 ¹⁶	28.63	21.07	7.56	3,100	68	40	110	270	-	-
MW-13	02/20/1992	28.63	22.17	6.46	3,100	120	50	240	400	-	-
MW-13	06/15/1992	28.63	20.67	7.96	3,200	35	33	210	300	-	-
MW-13	12/16/1992	28.62	20.34	8.28	87,000	1,400	540	2,400	11,000	-	-
MW-13	04/07/1993	28.62	19.41	9.21	1,500	72	12	70	160	-	-
MW-13	06/09/1993	28.62	19.20	9.42	210	6.0	2.0	7.0	16	-	-
MW-13	09/10/1993	28.62	-	-	73	3.0	<0.5	2.0	3.0	-	-
MW-13	09/27/1993	28.62	20.35	8.27	-	-	-	-	-	-	-
MW-13	12/17/1993	28.62	20.76	7.86	640	43	12	12	37	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 90020
1633 HARRISON STREET
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	03/10/1994	28.62	20.69	7.93	540	44	22	10	69	-	-
MW-13	06/16/1994	28.62	20.67	7.95	1,800	63	12	18	64	-	-
MW-13	09/07/1994	28.62	20.83	7.79	1,400	59	12	22	50	-	-
MW-13	11/30/1994	28.62	20.41	8.21	700	36	4.4	18	31	-	-
MW-13	03/22/1995	28.62	19.82	8.80	190	1.4	1.4	<0.5	<0.5	-	-
MW-13	06/27/1995	28.62	19.76	8.86	220	1.8	<0.5	<0.5	0.84	-	-
MW-13	09/28/1995	28.62	20.04	8.58	160	3.2	<0.5	0.97	2.2	-	-
MW-13	12/30/1995	28.62	20.30	8.32	190	0.94	<0.5	0.74	1.1	<2.5	-
MW-13	02/28/1996	28.62	19.89	8.73	130	<0.5	<0.5	<0.5	<0.5	<2.5	-
MW-13	06/27/1996	28.62	19.98	8.64	280	<0.5	1.4	<0.5	3.8	9.4	-
MW-13	09/13/1996	28.62	20.28	8.34	170	<0.5	<0.5	<0.5	0.89	2.7	-
MW-13	12/16/1996	28.62	20.47	8.15	170	<0.5	0.51	0.6	3.0	<2.5	-
MW-13	03/20/1997	28.62	19.90	8.72	290	1.6	0.78	1.1	1.5	3.4	-
MW-13	09/08/1997	28.62	20.49	8.13	140	0.52	1.5	<0.5	1.2	<2.5	-
MW-13	02/16/1998	28.62	19.75	8.87	64	<0.5	<0.5	<0.5	<0.5	<2.5	-
MW-13	08/25/1998	28.62	20.02	8.60	99	<0.5	<0.5	<0.5	1.7	<2.5	-
MW-13	03/09/1999	28.62	20.00	8.62	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-
MW-13	09/29/1999	28.62	20.49	8.13	<50	<0.5	<0.5	<0.5	<0.5	<5.0/<2.0 ¹	-
MW-13	03/27/2000	28.62	20.04	8.58	89.5	0.765	0.682	<0.5	0.688	4.04	-
MW-13	09/18/2000	28.62	20.49	8.13	1,300 ⁵	6.9	2.8	14	28	12	-
MW-13	03/27/2001	28.62	20.28	8.34	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	-
MW-13	09/05/2001	28.62	20.66	7.96	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-
MW-13	03/15/2002	28.62	20.10	8.52	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease	
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-13	09/14/2002	28.62	20.46	8.16	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5	-
MW-13	03/26/2003	28.62	20.42	8.20	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5	-
MW-13	09/02/2003 ⁶	28.62	21.35	7.27	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	03/29/2004 ⁶	28.62	19.66	8.96	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	09/03/2004 ⁶	28.62	20.14	8.48	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	03/02/2005 ⁶	28.62	19.51	9.11	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	09/22/2005 ⁶	28.62	19.29	9.33	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	03/30/2006 ⁶	28.62	19.10	9.52	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	08/28/2006 ⁶	28.62	19.54	9.08	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	03/05/2007 ⁶	28.62	19.18	9.44	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	09/24/2007 ⁶	28.62	20.70	7.92	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	03/10/2008 ⁶	28.62	20.21	8.41	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	09/12/2008 ⁶	28.62	20.88	7.74	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	09/24/2009 ^{6,9}	28.62	20.90	7.72	<50	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	03/31/2010 ⁶	28.62	20.23	8.39	88 J	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-13	09/21/2010	34.54	20.44	14.10	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-13	03/19/2011	34.54	19.65	14.89	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-13	06/18/2011	34.54	-	-	-	-	-	-	-	-	-	-
MW-13	09/17/2011	34.54	19.90	14.64	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-13	10/29/2011	34.54	-	-	-	-	-	-	-	-	-	-
MW-13	03/17/2012	34.54	20.00	14.54	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-15	12/16/1992	28.04	19.74	8.30	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-15	04/07/1993	28.04	18.80	9.24	<50	1.3	<0.5	<0.5	<1.5	-	-
MW-15	06/09/1993	28.04	18.60	9.44	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	09/10/1993	28.04	-	-	-	-	-	-	-	-	-
MW-15	09/27/1993	28.04	19.93	8.11	<50	2.0	<0.5	<0.5	<0.5	-	-
MW-15	12/17/1993	28.04	20.32	7.72	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	03/10/1994	28.04	20.29	7.75	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	06/16/1994	28.04	20.31	7.73	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	09/07/1994	28.04	20.43	7.61	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	11/30/1994	28.04	20.01	8.03	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-15	03/22/1995	28.04	19.47	8.57	69	4.9	<0.5	<0.5	<0.5	-	-
MW-15	06/27/1995	28.04	19.34	8.70	<50	3.9	<0.5	1.4	<0.5	-	-
MW-15	09/28/1995	28.04	19.66	8.38	<50	0.82	<0.5	<0.5	<0.5	-	-
MW-15	12/30/1995	28.04	19.94	8.10	160	7.0	1.4	<0.5	1.8	14	-
MW-15	02/28/1996	28.04	19.63	8.41	81	1.7	<0.5	<0.5	<0.5	<2.5	-
MW-15	06/27/1996	28.04	19.60	8.44	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-
MW-15	09/13/1996	28.04	19.90	8.14	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-
MW-15	12/16/1996	28.04	20.23	7.81	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-
MW-15	03/20/1997	28.04	19.52	8.52	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-
MW-15	09/08/1997	28.04	20.18	7.86	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-
MW-15	02/16/1998	28.04	19.37	8.67	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-
MW-15	08/25/1998	28.04	19.70	8.34	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-
MW-15	03/09/1999	28.04	19.69	8.35	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-
MW-15	09/29/1999	28.04	20.12	7.92	<50	<0.5	<0.5	<0.5	<0.5	<5.0	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 90020
1633 HARRISON STREET
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-15	03/27/2000	28.04	19.67	8.37	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-
MW-15	09/18/2000	28.04	20.13	7.91	<50	<0.50	<0.50	<0.50	<0.50	<2.5	-
MW-15	03/27/2001	28.04	19.91	8.13	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	-
MW-15	09/05/2001	28.04	20.28	7.76	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-
MW-15	03/15/2002	28.04	19.71	8.33	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-
MW-15	09/14/2002	28.04	20.10	7.94	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-
MW-15	03/26/2003	28.04	20.05	7.99	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-
MW-15	09/02/2003 ⁶	28.04	20.92	7.12	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	03/29/2004 ⁶	28.04	19.31	8.73	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	09/03/2004 ⁶	28.04	19.73	8.31	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	03/02/2005 ⁶	28.04	19.11	8.93	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	09/22/2005 ⁶	28.04	18.85	9.19	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	03/30/2006 ⁶	28.04	18.75	9.29	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	08/28/2006 ⁶	28.04	19.12	8.92	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	03/05/2007 ⁶	28.04	18.85	9.19	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	09/24/2007 ⁶	28.04	20.33	7.71	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	03/10/2008 ⁶	28.04	19.87	8.17	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	09/12/2008 ⁶	28.04	20.50	7.54	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	09/24/2009 ⁶	28.04	20.47	7.57	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	03/31/2010 ⁶	28.04	19.85	8.19	<50	<0.5	<0.5	<0.5	<1.0	<0.5	-
MW-15	09/21/2010	33.94	20.10	13.84	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-15	03/19/2011	33.94	19.31	14.63	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-15	06/18/2011	33.94	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-15	09/17/2011	33.94	19.60	14.34	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-15	10/29/2011	33.94	-	-	-	-	-	-	-	-	-
MW-15	03/17/2012	33.94	19.64	14.30	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-16	12/16/1992	28.32	19.58	8.74	-	-	-	-	-	-	-
MW-16	12/21/1992	28.32	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-16	04/07/1993	28.32	18.41	9.91	<50	<0.5	6.8	<0.5	<0.5	-	-
MW-16	06/09/1993	28.32	18.25	10.07	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-16	09/10/1993	28.32	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-16	09/27/1993	28.32	20.16	8.16	-	-	-	-	-	-	-
MW-16	12/17/1993	28.32	-	-	-	-	-	-	-	-	-
MW-16	03/10/1994	28.32	20.55	7.77	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-16	06/16/1994	28.32	20.65	7.67	<50	0.9	0.7	<0.5	<0.5	-	-
MW-16	09/07/1994	28.32	20.73	7.59	150	1.3	0.8	1.2	3.6	-	-
MW-16	11/30/1994	28.32	20.28	8.04	4,200	300	<5.0	34	350	-	-
MW-16	03/22/1995	28.32	19.67	8.65	2,900	180	5.7	21	91	-	-
MW-16	06/27/1995	28.32	19.60	8.72	2,000	330	10	27	48	-	-
MW-16	09/28/1995 ¹⁰	28.32	-	-	-	-	-	-	-	-	-
MW-16	12/30/1995	28.32	20.26	8.06	3,100	770	39	30	80	<12	-
MW-16	02/28/1996	28.32	19.84	8.48	1,600	320	15	11	21	<25	-
MW-16	06/27/1996	28.32	19.87	8.45	2,900	670	48	54	86	280	-
MW-16	09/13/1996	28.32	20.15	8.17	1,400	18	4.0	8.6	16	<10	-
MW-16	12/16/1996	28.32	20.79	7.53	3,100	500	25	23	52	<25	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-16	03/20/1997	28.32	19.80	8.52	3,800	550	23	14	8.4	140	-
MW-16	09/08/1997	28.32	20.35	7.97	2,800	470	28	24	41	<10	-
MW-16	02/16/1998	28.32	19.92	8.40	3,100	570	35	27	54	<25	-
MW-16	08/25/1998	28.32	20.20	8.12	3,500	520	43	57	75	<12	-
MW-16	03/09/1999	28.32	20.17	8.15	4,900	750	55	40	120	<50	-
MW-16	09/29/1999	28.32	20.55	7.77	5,480	717	45.3	44	100	<10 ¹ / ¹ <125	-
MW-16	03/27/2000 ¹⁰	28.32	-	-	-	-	-	-	-	-	-
MW-16	09/18/2000 ^{3,10}	28.32	20.47	7.85	-	-	-	-	-	-	-
MW-16	03/27/2001 ¹⁰	28.32	-	-	-	-	-	-	-	-	-
MW-16	09/05/2001 ³	28.32	19.62	8.70	6,500	710	72	45	94	<20	-
MW-16	03/15/2002 ³	28.32	20.04	8.28	5,800	520	60	28	68	<2.5	-
MW-16	09/14/2002 ³	28.32	20.48	7.84	7,300	560	75	52	100	<50	-
MW-16	03/26/2003 ³	28.32	20.41	7.91	8,200	650	96	66	120	<50	-
MW-16	09/02/2003 ^{7,10}	28.32	21.30	7.02	-	-	-	-	-	-	-
MW-16	03/29/2004 ¹⁰	28.32	-	-	-	-	-	-	-	-	-
MW-16	09/03/2004 ⁶	28.32	20.20	8.12	7,400	140	89	58	139	<0.5	-
MW-16	03/02/2005 ⁶	28.32	19.58	8.74	6,500	74	55	31	69	<1	-
MW-16	09/22/2005 ⁶	28.32	19.41	8.91	8,500	60	46	35	64	<3	-
MW-16	03/30/2006 ⁶	28.32	19.24	9.08	8,000	110	72	55	111	<0.5	-
MW-16	08/28/2006 ⁶	28.32	19.55	8.77	10,000	210	100	58	152	<0.5	-
MW-16	03/05/2007 ⁶	28.32	19.37	8.95	8,900	330	78	38	122	<1	-
MW-16	09/24/2007 ⁶	28.32	20.65	7.67	8,000	310	97	55	131	<0.5	-
MW-16	03/10/2008 ⁶	28.32	20.42	7.90	7,200 ⁸	300	100	75	244	<0.5	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 90020
1633 HARRISON STREET
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-16	09/12/2008 ⁶	28.32	20.85	7.47	7,100	180	95	64	172	<3	-
MW-16	09/24/2009 ^{6,10}	28.32	-	-	-	-	-	-	-	-	-
MW-16	03/31/2010 ^{6,10}	28.32	-	-	-	-	-	-	-	-	-
MW-16	09/21/2010	34.21	20.42	13.79	9,200	41	65	49	90	<0.5	-
MW-16	03/19/2011	34.21	19.61	14.60	8,700	34	42	23	68	<0.5	-
MW-16	06/18/2011	34.21	-	-	-	-	-	-	-	-	-
MW-16	09/17/2011	34.21	19.80	14.41	7,600	38	57	52	79	<0.5	-
MW-16	10/29/2011	34.21	-	-	-	-	-	-	-	-	-
MW-16	03/17/2012	34.21	19.97	14.24	11,000	33	56	28	78	<3	-
MW-17	10/30/10	34.55	-	-	11,000	200	1,100	990	3,000	<1	-
MW-17	03/19/2011 ¹⁷	34.53	18.84	15.69	2,400	50	79	110	340	<0.5	-
MW-17	06/18/2011 ¹⁷	34.53	18.96	15.57	24,000	220	760	640	2,400	<3	-
MW-17	09/17/2011 ¹⁷	34.53	19.24	15.29	19,000	150	550	500	2,100	<5	-
MW-17	10/29/2011¹⁷	34.53	19.41	15.12	6,800	170	560	350	1,700	<1	-
MW-17	03/17/2012¹⁷	34.53	19.12	15.41	20,000	180	670	580	2,100	<5	-
QA	03/15/2002	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-
QA	09/14/2002	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-
QA	03/26/2003	-	-	-	<50	<0.50	<0.50	<0.50	<1.5	<2.5	-
QA	09/02/2003 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	03/29/2004 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	09/03/2004 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease	
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
QA	03/02/2005 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	09/22/2005 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	03/30/2006 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	08/28/2006 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	03/05/2007 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	09/24/2007 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	03/10/2008 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	09/12/2008 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	09/24/2009 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	03/31/2010 ⁶	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	09/21/2010	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	03/19/2011	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	06/18/2011	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	09/17/2011	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	10/29/2011	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	03/17/2012	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-1	11/03/1988	29.82	20.40	9.42	<1,000	<1.0	<1.0	<1.0	<1.0	-	-	-
MW-1	02/02/1989	29.82	20.71	9.11	-	-	-	-	-	-	-	-
MW-1	02/10/1989	29.82	-	-	<100	<0.2	<0.2	<0.2	<0.4	-	-	-
MW-1	04/23/1989	29.82	20.34	9.48	-	-	-	-	-	-	-	-
MW-1	04/24/1989	29.82	-	-	<50	<0.5	<1.0	<1.0	<1.0	-	-	<3,000
MW-1	07/28/1989	29.82	20.58	9.24	<50	<0.1	<0.5	<0.2	<0.5	-	-	<3,000

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 90020
1633 HARRISON STREET
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	10/30/1989	29.82	20.52	9.30	<500	<0.3	<0.3	<0.3	<0.6	-	-
MW-1	01/09/1990	29.82	20.77	9.05	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-1	04/18/1990	29.82	20.95	8.87	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-1	06/22/1990	29.82	21.00	8.82	-	-	-	-	-	-	-
MW-1	08/09/1990	29.82	20.94	8.88	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-1	11/13/1990	29.82	20.98	8.84	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	05/15/1991	29.82	20.64	9.18	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	08/27/1991	29.82	20.79	9.03	110	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	11/15/1991	29.82	20.75	9.07	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	02/20/1992	29.82	20.90	8.92	<50	0.5	0.6	<0.5	0.9	-	-
MW-1	06/15/1992	29.82	20.64	9.18	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	12/16/1992	29.82	20.84	8.98	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	04/07/1993	29.82	19.91	9.91	<50	<0.5	<0.5	<0.5	<1.5	-	-
MW-1	06/09/1993	29.82	19.85	9.97	-	-	-	-	-	-	-
MW-1	09/10/1993	29.82	-	-	-	-	-	-	-	-	-
MW-1	09/27/1993	29.82	20.35	9.47	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	12/17/1993	29.82	20.68	9.14	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	03/10/1994	29.82	20.57	9.25	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	06/16/1994	29.82	20.55	9.27	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	09/07/1994	29.82	20.69	9.13	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	11/30/1994	29.82	20.23	9.59	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	03/22/1995	29.82	19.45	10.37	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-1	03/23/1995 ¹²	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-2	11/03/1988	30.59	20.89	9.70	<1,000	<1.0	<1.0	<1.0	<1.0	-	-
MW-2	02/02/1989	30.59	21.21	9.38	-	-	-	-	-	-	-
MW-2	02/10/1989	30.59	-	-	<100	<0.2	<0.2	<0.2	<0.4	-	-
MW-2	04/23/1989	30.59	20.82	9.77	-	-	-	-	-	-	-
MW-2	04/24/1989	30.59	-	-	<50	<0.5	<1.0	<1.0	<1.0	-	<3,000
MW-2	07/28/1989	30.59	21.02	9.57	<100	<0.2	<1.0	<0.2	<0.5	-	<3,000
MW-2	10/30/1989	30.59	20.96	9.63	<500	<0.3	<0.3	<0.3	<0.6	-	-
MW-2	01/09/1990	30.59	21.25	9.34	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-2	04/18/1990	30.59	21.53	9.06	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-2	06/22/1990	30.59	21.57	9.02	-	-	-	-	-	-	-
MW-2	08/09/1990	30.59	21.55	9.04	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-2	11/13/1990	30.59	21.54	9.05	<50	<0.5	0.8	<0.5	0.9	-	-
MW-2	05/15/1991	30.59	21.15	9.44	83	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	08/27/1991	30.59	21.27	9.32	97	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	11/15/1991	30.59	21.30	9.29	<50	0.5	1.5	0.8	3.6	-	-
MW-2	02/20/1992	30.59	21.43	9.13	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	06/15/1992	30.59	21.18	9.41	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	12/16/1992	30.56	21.47	9.09	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	04/07/1993	30.56	20.53	10.03	66	<0.5	<0.5	<0.5	<1.5	-	-
MW-2	06/09/1993	30.56	20.45	10.11	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	09/10/1993	30.56	-	-	-	-	-	-	-	-	-
MW-2	09/27/1993	30.56	20.97	9.59	-	-	-	-	-	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 90020
1633 HARRISON STREET
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease	
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-2	12/17/1993	30.56	21.31	9.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	03/10/1994	30.56	21.23	9.33	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	06/16/1994	30.56	21.21	9.35	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	09/07/1994	30.56	21.34	9.22	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	11/30/1994	30.56	20.90	9.66	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	03/22/1995	30.56	20.34	10.22	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-2	03/23/1995 ¹²	-	-	-	-	-	-	-	-	-	-	-
MW-3	11/03/1988	30.09	20.54	9.55	<1,000	<1.0	<1.0	<1.0	<1.0	<1.0	-	-
MW-3	02/02/1989	30.09	20.85	9.24	-	-	-	-	-	-	-	-
MW-3	02/10/1989	30.09	-	-	<100	<0.2	<0.2	<0.2	<0.4	<0.4	-	-
MW-3	04/23/1989	30.09	20.43	9.66	-	-	-	-	-	-	-	-
MW-3	04/24/1989	30.09	-	-	<50	<0.5	<1.0	<1.0	<1.0	<1.0	-	<3,000
MW-3	07/28/1989	30.09	20.64	9.45	<100	<0.2	<1.0	<0.2	<0.4	<0.4	-	<3,000
MW-3	10/30/1989	30.09	20.61	9.48	<500	<0.3	<0.3	<0.3	<0.6	<0.6	-	-
MW-3	01/09/1990	30.09	20.88	9.21	<50	<0.3	<0.3	<0.3	<0.6	<0.6	-	-
MW-3	04/18/1990	30.09	21.15	8.94	<50	<0.3	<0.3	<0.3	<0.6	<0.6	-	-
MW-3	06/22/1990	30.09	21.20	8.89	-	-	-	-	-	-	-	-
MW-3	08/09/1990	30.09	21.18	8.91	<50	<0.3	<0.3	<0.3	<0.6	<0.6	-	-
MW-3	11/13/1990	30.09	21.15	8.94	51	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-3	05/15/1991	30.09	20.91	9.18	85	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-3	08/27/1991	30.09	20.89	9.20	91	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-3	11/15/1991	30.09	21.02	9.07	<50	<0.5	0.7	<0.5	1.3	<0.5	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 90020
1633 HARRISON STREET
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	02/20/1992	30.09	21.07	9.02	<50	<0.5	<0.5	<0.5	0.9	-	-
MW-3	06/15/1992	30.09	20.82	9.27	50	<0.5	<0.5	<0.5	<0.5	-	-
MW-3	12/16/1992	30.08	21.07	9.07	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-3	04/07/1993	30.08	20.13	9.95	<50	<0.5	<0.5	<0.5	<1.5	-	-
MW-3	06/09/1993	30.08	20.05	10.03	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-3	09/10/1993	30.08	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-3	09/27/1993	30.08	20.58	9.50	-	-	-	-	-	-	-
MW-3	12/17/1993	30.08	21.01	9.07	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-3	03/10/1994	30.08	20.86	9.22	<50	<0.5	<0.5	<0.5	1.1	-	-
MW-3	06/16/1994	30.08	20.87	9.21	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-3	09/07/1994	30.08	20.97	9.11	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-3	11/30/1994	30.08	19.63	10.45	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-3	03/22/1995	30.08	19.81	10.27	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-3	03/23/1995 ¹²	-	-	-	-	-	-	-	-	-	-
MW-3	08/27/2001 ¹⁴	-	-	-	-	-	-	-	-	-	-
MW-4	04/23/1989	31.17	21.33	9.84	-	-	-	-	-	-	-
MW-4	04/24/1989	31.17	-	-	<50	<0.5	<1.0	<1.0	<1.0	-	<3,000
MW-4	07/28/1989	31.17	21.58	9.59	<50	<0.1	<0.5	<0.1	<0.2	-	<3,000
MW-4	10/30/1989	31.17	21.54	9.63	<500	<0.3	<0.3	<0.3	<0.6	-	-
MW-4	01/09/1990	31.17	21.82	9.35	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-4	04/18/1990	31.17	22.09	9.08	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-4	06/22/1990	31.17	22.12	9.05	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	08/09/1990	31.17	22.11	9.06	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-4	11/13/1990	31.17	22.10	9.07	<50	<0.5	1.0	0.5	1.0	-	-
MW-4	05/15/1991	31.17	21.71	9.46	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	08/27/1991	31.17	21.87	9.30	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	11/15/1991	31.17	21.80	9.37	97	<0.5	0.9	<0.5	1.9	-	-
MW-4	02/20/1992	31.17	21.99	9.18	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	06/15/1992	31.17	21.74	9.43	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	12/16/1992	31.17	22.05	9.12	<50	0.7	0.5	0.5	1.3	-	-
MW-4	04/07/1993	31.17	21.11	10.06	<50	<0.5	<0.5	<0.5	<1.5	-	-
MW-4	06/09/1993	31.17	-	-	-	-	-	-	-	-	-
MW-4	09/10/1993	31.17	-	-	-	-	-	-	-	-	-
MW-4	09/27/1993	31.17	21.54	9.63	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	12/17/1993	31.17	21.89	9.28	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	03/10/1994	31.17	-	-	-	-	-	-	-	-	-
MW-4	06/16/1994	31.17	20.54	10.63	-	-	-	-	-	-	-
MW-4	09/07/1994	31.17	21.90	9.27	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	11/30/1994	31.17	21.34	9.83	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	03/21/1995	31.17	20.62	10.55	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-4	03/23/1995 ¹²	-	-	-	-	-	-	-	-	-	-
MW-5	04/23/1989	30.28	20.62	9.66	-	-	-	-	-	-	-
MW-5	04/24/1989	30.28	-	-	<50	<0.5	<1.0	<1.0	<1.0	-	<3,000
MW-5	07/28/1989	30.28	20.86	9.42	<100	<0.2	<1.0	<0.2	<0.4	-	<3,000

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	10/30/1989	30.28	20.82	9.46	<500	<0.3	<0.3	<0.3	<0.6	-	-
MW-5	01/09/1990	30.28	21.07	9.21	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-5	04/18/1990	30.28	21.35	8.93	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-5	06/22/1990	30.28	21.38	8.90	-	-	-	-	-	-	-
MW-5	08/09/1990	30.28	21.36	8.92	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-5	11/13/1990	30.28	21.35	8.93	<50	<0.5	1.0	<0.5	1.0	-	-
MW-5	05/15/1991	30.28	21.29	8.99	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-5	08/27/1991	30.28	21.11	9.17	94	3.0	5.0	1.5	5.5	-	-
MW-5	11/15/1991	30.28	21.18	9.10	<50	0.9	1.7	<0.5	2.2	-	-
MW-5	02/20/1992	30.28	21.25	9.03	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-5	06/15/1992	30.28	21.00	9.28	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-5	12/16/1992	30.28	21.23	9.05	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-5	04/07/1993	30.28	20.31	9.97	<50	<0.5	<0.5	<0.5	<1.5	-	-
MW-5	06/09/1993	30.28	-	-	-	-	-	-	-	-	-
MW-5	09/10/1993	30.28	-	-	-	-	-	-	-	-	-
MW-5	09/27/1993	30.28	20.76	9.52	-	-	-	-	-	-	-
MW-5	09/28/1993 ¹²	-	-	-	-	-	-	-	-	-	-
MW-6	04/23/1989	29.46	20.05	9.41	-	-	-	-	-	-	-
MW-6	04/24/1989	29.46	-	-	<50	<0.5	<1.0	<1.0	<1.0	-	<3.0
MW-6	07/28/1989	29.46	20.30	9.16	<100	<0.2	<1.0	<0.2	<0.4	-	<3.0
MW-6	10/30/1989	29.46	20.32	9.14	<500	<0.3	<0.3	<0.3	<0.6	-	-
MW-6	01/09/1990	29.46	20.51	8.95	<50	<0.3	<0.3	<0.3	<0.6	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 90020
1633 HARRISON STREET
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	04/18/1990	29.46	20.72	8.74	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-6	06/22/1990	29.46	20.77	8.69	-	-	-	-	-	-	-
MW-6	08/09/1990	29.46	20.74	8.72	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-6	11/13/1990	29.46	20.75	8.71	<50	3.0	5.0	0.5	2.0	-	-
MW-6	05/15/1991	29.46	20.61	8.85	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	08/27/1991	29.46	20.53	8.93	180	6.1	12	3.8	14	-	-
MW-6	11/15/1991	29.46	20.53	8.93	<50	<0.5	0.6	<0.5	<0.5	-	-
MW-6	02/20/1992	29.46	20.69	8.77	<50	0.9	1.1	<0.5	1.4	-	-
MW-6	06/15/1992	29.46	20.38	9.08	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	12/16/1992	29.45	20.57	8.88	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	04/07/1993	29.45	19.59	9.86	<50	<0.5	<0.5	<0.5	<1.5	-	-
MW-6	06/09/1993	29.45	19.50	9.95	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-6	09/10/1993	29.45	-	-	-	-	-	-	-	-	-
MW-6	09/27/1993	29.45	20.07	9.38	-	-	-	-	-	-	-
MW-6	09/28/1993 ¹²	-	-	-	-	-	-	-	-	-	-
MW-7	04/23/1989	29.01	18.99	10.02	-	-	-	-	-	-	-
MW-7	04/24/1989 ¹⁵	29.01	-	-	8,400	100	260	160	1,300	-	<3.0
MW-7	07/28/1989	29.01	19.94	9.07	7,000/6,000	280/230	180/90	58/70	430/440	-	<3,000
MW-7	10/30/1989	29.01	19.97	9.04	9,900/10,000	520/570	55/82	180/160	400/410	-	-
MW-7	01/09/1990	29.01	20.15	8.86	3,400	290	72	9.0	200	-	-
MW-7	04/18/1990	29.01	20.37	8.64	6,800	350	140	110	400	-	-
MW-7	06/22/1990	29.01	20.40	8.61	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	08/09/1990	29.01	20.38	8.63	11,000	360	130	14	660	-	-
MW-7	11/13/1990	29.01	20.41	8.60	6,500	230	110	97	460	-	-
MW-7	05/15/1991	29.01	20.47	8.54	4,600	180	55	46	300	-	-
MW-7	08/27/1991	29.01	20.14	8.87	7,000	220	53	63	340	-	-
MW-7	11/15/1991	29.01	20.22	8.79	3,300	150	19	4.9	200	-	-
MW-7	02/20/1992	29.01	20.32	8.69	5,200	520	150	100	380	-	-
MW-7	06/15/1992	29.01	19.98	9.03	10,000	760	430	320	1,100	-	-
MW-7	12/16/1992	29.01	20.14	8.87	11,000	810	350	280	1,100	-	-
MW-7	04/07/1993	29.01	19.14	9.87	150	1.4	0.9	0.9	4.5	-	-
MW-7	06/09/1993	29.01	19.05	9.96	180	4.0	1.0	1.0	3.0	-	-
MW-7	09/10/1993	29.01	-	-	-	-	-	-	-	-	-
MW-7	09/27/1993	29.01	-	-	-	-	-	-	-	-	-
MW-7	12/17/1993	29.01	-	-	-	-	-	-	-	-	-
MW-7	03/10/1994	29.01	-	-	-	-	-	-	-	-	-
MW-7	06/16/1994	29.01	-	-	-	-	-	-	-	-	-
MW-7	09/07/1994	29.01	-	-	-	-	-	-	-	-	-
MW-7	11/30/1994 ¹⁰	29.01	-	-	-	-	-	-	-	-	-
MW-7	01/17/1995	29.01	17.39	11.62	2,700	140	65	44	200	-	-
MW-7	03/22/1995	29.01	17.68	11.33	160	3.4	<0.5	1.1	0.77	-	-
MW-7	06/27/1995	29.01	19.26	9.75	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-7	09/28/1995	29.01	19.34	9.67	1,500	84	24	26	130	-	-
MW-7	12/30/1995	29.01	19.16	9.85	200	1.6	<0.5	1.3	5.9	5.5	-
MW-7	02/28/1996	29.01	18.44	10.57	650	14	1.3	4.2	16	34	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 90020
1633 HARRISON STREET
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	06/27/1996	29.01	18.72	10.29	640	140	10	9.8	14	55	-
MW-7	09/13/1996	29.01	19.40	9.61	1,400	100	30	24	66	130	-
MW-7	12/16/1996	29.01	20.10	8.91	2,600	140	72	51	180	<50	-
MW-7	03/20/1997	29.01	18.95	10.06	64	1.7	2.4	<0.5	0.67	<2.5	-
MW-7	09/08/1997	29.01	19.67	9.34	590	45	<1.0	7.7	<1.0	46	-
MW-7	02/16/1998	29.01	18.60	10.41	120	8.7	7.5	1.9	11	4.4	-
MW-7	08/25/1998	29.01	19.40	9.61	160	6.2	33	0.84	2.0	<2.5	-
MW-7	03/09/1999	29.01	16.00	13.01	<50	<0.5	<0.5	<0.5	<0.5	<2.5	-
MW-7	09/29/1999	29.01	16.89	12.12	276	35.1	2.54	2.17	5.43	<5.0/<2.0 ¹	-
MW-7	03/27/2000	29.01	19.59	9.42	721	38.5	1.06	6.31	9.38	7.75	-
MW-7	09/18/2000 ³	29.01	20.02	8.99	88 ⁴	2.5	0.92	<0.50	1.3	8.7	-
MW-7	03/27/2001 ³	29.01	19.85	9.16	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	-
MW-7	09/05/2001 ³	29.01	20.41	8.60	220	1.9	2.3	<0.50	<3.0	<2.5	-
MW-7	03/15/2002 ^{3,11}	29.01	19.85	9.16	-	-	-	-	-	-	-
MW-7	09/14/2002 ³	29.01	20.29	8.72	69	2.2	0.85	<0.50	<1.5	<2.5	-
MW-7	03/26/2003 ³	29.01	20.12	8.89	78	<0.50	0.68	<0.50	<1.5	<2.5	-
MW-7	09/02/2003 ^{6,7}	29.01	21.02	7.99	76	<0.5	<0.7	<0.8	<1.6	<0.5	-
MW-7	03/29/2004 ⁶	29.01	18.88	10.13	160	1	<0.5	0.5	0.6	1	-
MW-7	09/03/2004 ⁶	29.01	19.49	9.52	110	2	1	0.8	0.8	<0.5	-
MW-7	03/02/2005 ⁶	29.01	13.42	15.59	850	3	0.9	6	1	<0.5	-
MW-7	09/22/2005 ⁶	29.01	18.88	10.13	490	29	5	14	4.9	<0.5	-
MW-7	03/30/2006 ⁶	29.01	18.13	10.88	1,400	51	9	26	10	<0.5	-
MW-7	08/28/2006 ⁶	29.01	18.85	10.16	1,300	53	12	21	16	<0.5	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 90020
1633 HARRISON STREET
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	03/05/2007 ⁶	29.01	18.25	10.76	1,800	66	16	17	19	<0.5	-
MW-7	09/24/2007 ⁶	29.01	19.90	9.11	1,700	76	21	19	24	<0.5	-
MW-7	09/25/2007 ¹³	-	-	-	-	-	-	-	-	-	-
MW-8	04/23/1989	29.57	20.14	9.43	-	-	-	-	-	-	-
MW-8	04/24/1989 ¹	29.57	-	-	<50/<50	<0.5/<0.5	<1.0/<1.0	<1.0/<1.0	<1.0/<1.0	-	3,000
MW-8	07/28/1989	29.57	20.37	9.20	<100	<0.2	<1.0	<0.2	<0.4	-	<3,000
MW-8	10/30/1989	29.57	20.32	9.25	<500	<0.3	<0.3	<0.3	<0.6	-	-
MW-8	01/09/1990	29.57	20.60	8.97	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-8	04/18/1990	29.57	20.87	8.70	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-8	06/22/1990	29.57	20.34	9.23	-	-	-	-	-	-	-
MW-8	08/09/1990	29.57	20.89	8.68	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-8	11/13/1990	29.57	20.86	8.71	<50	<0.5	0.8	<0.5	2.0	-	-
MW-8	05/15/1991	29.57	20.49	9.08	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-8	08/27/1991	29.57	20.60	8.97	73	<0.5	<0.5	<0.5	<0.5	-	-
MW-8	11/15/1991	29.57	20.62	8.95	<50	<0.5	0.7	<0.5	2.1	-	-
MW-8	02/20/1992	29.57	20.80	8.77	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-8	06/15/1992	29.57	20.48	9.09	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-8	12/16/1992	29.57	20.68	8.89	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-8	04/07/1993	29.57	19.70	9.87	<50	<0.5	<0.5	<0.5	<1.5	-	-
MW-8	06/09/1993	29.57	19.60	9.97	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-8	09/10/1993	29.57	-	-	-	-	-	-	-	-	-
MW-8	09/27/1993	29.57	20.22	9.35	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	09/28/1993 ¹²	-	-	-	-	-	-	-	-	-	-
MW-10	06/22/1990	28.60	20.48	8.12	<50	<0.5	<0.5	<0.5	<0.5	-	<1,000
MW-10	08/09/1990	28.60	20.45	8.15	<50	<0.3	<0.3	<0.3	<0.6	-	-
MW-10	11/13/1990	28.60	20.47	8.13	<50	<0.5	2.0	0.5	2.0	-	-
MW-10	05/15/1991	28.60	20.15	8.45	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	08/27/1991	28.60	20.27	8.33	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	11/15/1991	28.60	20.33	8.27	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	02/20/1992	28.60	21.45	7.15	<50	2.0	2.2	<0.5	2.1	-	-
MW-10	06/15/1992	28.60	21.30	7.30	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	12/16/1992	28.62	20.17	8.45	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	04/07/1993	28.62	19.26	9.41	<50	<0.5	<0.5	<0.5	<1.5	-	-
MW-10	06/09/1993	28.62	19.07	9.55	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	09/10/1993	28.62	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	09/24/1993	28.62	19.72	8.90	-	-	-	-	-	-	-
MW-10	12/17/1993	28.62	20.07	8.55	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	03/10/1994	28.62	19.97	8.65	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	06/16/1994	28.62	19.98	8.64	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	09/07/1994	28.62	20.12	8.50	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	11/30/1994	28.62	19.70	8.92	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	03/22/1995	28.62	18.92	9.70	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-10	03/23/1995 ¹²	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease	
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-11	06/22/1990	29.37	21.03	8.34	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<1,000
MW-11	08/09/1990	29.37	21.02	8.35	<50	<0.3	<0.3	<0.3	<0.6	<0.6	-	-
MW-11	11/13/1990	29.37	20.93	8.44	76	0.6	1.0	0.9	4.0	4.0	-	-
MW-11	05/15/1991	29.37	20.61	8.76	78	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	08/27/1991	29.37	20.70	8.67	110	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	11/15/1991	29.37	20.68	8.69	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	02/20/1992	29.37	21.91	7.46	<50	1.9	2.1	1.0	4.4	4.4	-	-
MW-11	06/15/1992	29.37	20.56	8.81	-	-	-	-	-	-	-	-
MW-11	12/16/1992	29.39	20.75	8.64	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	04/07/1993	29.39	19.83	9.56	<50	<0.5	<0.5	<0.5	<1.5	<1.5	-	-
MW-11	06/09/1993	29.39	19.67	9.72	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	09/10/1993	29.39	-	-	-	-	-	-	-	-	-	-
MW-11	09/27/1993	29.39	20.33	9.06	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	12/17/1993	29.39	20.73	8.66	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	03/10/1994	29.39	20.69	8.70	-	-	-	-	-	-	-	-
MW-11	06/16/1994	29.39	20.56	8.83	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-11	06/17/1994 ¹²	-	-	-	-	-	-	-	-	-	-	-
MW-12	06/22/1990	28.43	20.45	7.98	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	<1,000
MW-12	08/09/1990	28.43	20.43	8.00	<50	<0.3	<0.3	<0.3	<0.6	<0.6	-	-
MW-12	11/13/1990	28.43	20.45	7.98	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-12	05/15/1991	28.43	20.07	8.36	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
MW-12	08/27/1991	28.43	20.15	8.28	56	<0.5	<0.5	<0.5	<0.5	<0.5	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-12	11/15/1991	28.43	20.25	8.18	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-12	02/20/1992	28.43	21.37	7.06	<50	2.5	3.1	0.7	3.0	-	-
MW-12	06/15/1992	28.43	19.90	8.53	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-12	12/16/1992	28.43	19.80	8.63	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-12	04/07/1993	28.43	18.75	9.68	<50	<0.5	<0.5	<0.5	<1.5	-	-
MW-12	06/09/1993	28.43	-	-	-	-	-	-	-	-	-
MW-12	09/10/1993	28.43	-	-	-	-	-	-	-	-	-
MW-12	09/27/1993	28.43	19.63	8.80	-	-	-	-	-	-	-
MW-12	09/28/1993 ¹²	-	-	-	-	-	-	-	-	-	-
MW-14	11/15/1991	29.46	20.33	9.13	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	02/20/1992	29.46	21.41	8.05	<50	1.3	1.8	1.1	5.2	-	-
MW-14	06/15/1992	29.46	-	-	-	-	-	-	-	-	-
MW-14	12/16/1992	29.45	20.66	8.79	<50	<0.5	<0.5	<0.5	<0.5	-	-
MW-14	04/07/1993	29.45	-	-	-	-	-	-	-	-	-
MW-14	06/09/1993	29.45	-	-	-	-	-	-	-	-	-
MW-14	09/10/1993	29.45	-	-	-	-	-	-	-	-	-
MW-14	09/27/1993	29.45	20.26	9.19	-	-	-	-	-	-	-
MW-14	09/28/1993 ¹²	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/03/1988	-	-	-	-	<1.0	<1.0	<1.0	<1.0	-	-
Trip Blank	02/10/1989	-	-	-	<50	<0.1	<0.1	<0.1	<0.2	-	-
Trip Blank	04/24/1989	-	-	-	<50	<0.5	<0.5	<1.0	<1.0	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 90020
1633 HARRISON STREET
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS				
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Trip Blank	07/28/1989	-	-	-	<50	<0.1	<0.1	<0.1	<0.2	-	-
Trip Blank	10/30/1989	-	-	-	<500	<0.3	<0.3	<0.3	<0.6	-	-
Trip Blank	01/09/1990	-	-	-	<50	<0.3	<0.3	<0.3	<0.6	-	-
Trip Blank	04/18/1990	-	-	-	<50	<0.3	<0.3	<0.3	<0.6	-	-
Trip Blank	06/22/1990	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	08/09/1990	-	-	-	<50	<0.3	<0.3	<0.3	<0.6	-	-
Trip Blank	11/13/1990	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	05/15/1991	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	08/27/1991	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	11/15/1991	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	02/20/1992	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	06/15/1992	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	12/16/1992	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	04/07/1993	-	-	-	<50	<0.5	<0.5	<0.5	<1.5	-	-
Trip Blank	06/09/1993	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	09/10/1993	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	09/27/1993	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	12/17/1993	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	03/10/1994	-	-	-	<50	<0.5	0.6	<0.5	0.6	-	-
Trip Blank	06/16/1994	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	09/07/1994	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	11/30/1994	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	01/17/1995	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER CHEVRON SERVICE STATION 90020
1633 HARRISON STREET
OAKLAND, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS		PRIMARY VOCS					
					TPH-GRO	B	T	E	X	MTBE by SW8260	Total Oil and Grease	
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
Trip Blank	03/22/1995	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	06/27/1995	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	09/28/1995	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	12/30/1995	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	02/28/1996	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	-
Trip Blank	06/27/1996	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	-
Trip Blank	09/13/1996	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-	-
Trip Blank	12/16/1996	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	-
Trip Blank	03/20/1997	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	-
Trip Blank	09/08/1997	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	-
Trip Blank	02/16/1998	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	-
Trip Blank	08/25/1998	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	-
Trip Blank	03/09/1999	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	-
Trip Blank	09/29/1999	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	-
Trip Blank	03/27/2000	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<2.5	-
Trip Blank	09/18/2000	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.5	-
Trip Blank	03/27/2001	-	-	-	<50.0	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	-
Trip Blank	09/05/2001	-	-	-	<50	<0.50	<0.50	<0.50	<0.50	<1.5	<2.5	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>1,1-DCE</i>	<i>MC</i>	<i>t-1,2-DCE</i>	<i>c-1,2-DCE</i>	<i>Chloroform</i>	<i>1,1,1-TCA</i>	<i>Carbon Tet</i>	<i>1,2-DCA</i>	<i>ICE</i>	<i>1,2-DCP</i>	<i>1,2-DCE</i>	<i>PCE</i>	<i>ETHANOL</i>	<i>TBA</i>	<i>DIPE</i>	<i>ETBE</i>	<i>TAME</i>	<i>EDB</i>	<i>Methane</i>	<i>Nitrate (as N)</i>	<i>Sulfate</i>
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	06/22/1990	<0.5	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-9	08/09/1990	<0.5	-	-	-	<0.5	<0.5	<0.5	0.71	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-9	11/13/1990	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	1.0	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-9	05/15/1991	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-9	08/27/1991	<0.5	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-9	11/15/1991	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-9	02/20/1992	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-9	06/15/1992	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-9	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	12/17/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	03/10/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	06/16/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/07/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	11/30/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	03/22/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	06/27/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/28/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	12/30/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	02/28/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>1,1-DCE</i>	<i>MC</i>	<i>t-1,2-DCE</i>	<i>c-1,2-DCE</i>	<i>Chloroform</i>	<i>1,1,1-TCA</i>	<i>Carbon Tet</i>	<i>1,2-DCA</i>	<i>ICE</i>	<i>1,2-DCP</i>	<i>1,2-DCE</i>	<i>PCE</i>	<i>ETHANOL</i>	<i>TBA</i>	<i>DIPE</i>	<i>ETBE</i>	<i>TAME</i>	<i>EDB</i>	<i>Methane</i>	<i>Nitrate (as N)</i>	<i>Sulfate</i>
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	06/27/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/13/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	12/16/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	03/20/1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/08/1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	02/16/1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	08/25/1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	03/09/1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	07/19/1999 ²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/29/1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	03/27/2000 ¹⁰	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/18/2000 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	03/27/2001 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/05/2001 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	03/15/2002 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/14/2002 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	03/26/2003 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/02/2003 ^{6,7}	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-9	03/29/2004 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.8	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-9	09/03/2004 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-9	03/02/2005 ⁶	<0.5	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-9	09/22/2005 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	12	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-9	03/30/2006 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	<i>t</i> -1,1-TCA	Carbon Tet	<i>t</i> -1,2-DCA	ICE	<i>t</i> -1,2-DCP	<i>t</i> -1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-9	08/28/2006 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-9	03/05/2007 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-9	09/24/2007 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-9	03/10/2008 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-9	09/12/2008 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-9	09/24/2009 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-9	03/31/2010 ⁶	<1	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-9	09/21/2010	-	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-
MW-9	03/19/2011	-	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	240	360 J	14,200
MW-9	06/18/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	09/17/2011	-	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-
MW-9	10/29/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	03/17/2012	-	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-
MW-13	11/15/1991 ¹⁶	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-13	02/20/1992	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-13	06/15/1992	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-13	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	12/17/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS					GENERAL CHEMISTRY				
		<i>l,l</i> -DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	<i>l,l</i> -TCA	Carbon Tet	<i>l</i> ,2-DCA	ICE	<i>l</i> ,2-DCP	<i>l</i> ,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	03/10/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	06/16/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/07/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	11/30/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	03/22/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	06/27/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/28/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	12/30/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	02/28/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	06/27/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/13/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	12/16/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	03/20/1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/08/1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	02/16/1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	08/25/1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	03/09/1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/29/1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	03/27/2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/18/2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	03/27/2001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/05/2001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	03/15/2002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	1,1,1-TCA	Carbon Tet	1,2-DCA	ICE	1,2-DCP	1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	09/14/2002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	03/26/2003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/02/2003 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<5	-	-	-
MW-13	03/29/2004 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-13	09/03/2004 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-13	03/02/2005 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-13	09/22/2005 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-13	03/30/2006 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-13	08/28/2006 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-13	03/05/2007 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-13	09/24/2007 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-13	03/10/2008 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-13	09/12/2008 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-13	09/24/2009 ^{6,9}	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-13	03/31/2010 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-13	09/21/2010	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-
MW-13	03/19/2011	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	25	960	42,800	-
MW-13	06/18/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	09/17/2011	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-
MW-13	10/29/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-13	03/17/2012	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-
MW-15	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS					GENERAL CHEMISTRY				
		<i>1,1-DCE</i>	<i>MC</i>	<i>t-1,2-DCE</i>	<i>c-1,2-DCE</i>	<i>Chloroform</i>	<i>1,1,1-TCA</i>	<i>Carbon Tet</i>	<i>1,2-DCA</i>	<i>ICE</i>	<i>1,2-DCP</i>	<i>1,2-DCE</i>	<i>PCE</i>	<i>ETHANOL</i>	<i>TBA</i>	<i>DIPE</i>	<i>ETBE</i>	<i>TAME</i>	<i>EDB</i>	<i>Methane</i>	<i>Nitrate (as N)</i>	<i>Sulfate</i>
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-15	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	12/17/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	03/10/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	06/16/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/07/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	11/30/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	03/22/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	06/27/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/28/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	12/30/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	02/28/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	06/27/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/13/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	12/16/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	03/20/1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/08/1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	02/16/1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	08/25/1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	03/09/1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/29/1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>1,1-DCE</i>	<i>MC</i>	<i>t-1,2-DCE</i>	<i>c-1,2-DCE</i>	<i>Chloroform</i>	<i>1,1,1-TCA</i>	<i>Carbon Tet</i>	<i>1,2-DCA</i>	<i>TCE</i>	<i>1,2-DCP</i>	<i>1,2-DCE</i>	<i>PCE</i>	<i>ETHANOL</i>	<i>TBA</i>	<i>DIPE</i>	<i>ETBE</i>	<i>TAME</i>	<i>EDB</i>	<i>Methane</i>	<i>Nitrate (as N)</i>	<i>Sulfate</i>
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-15	03/27/2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/18/2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	03/27/2001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/05/2001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	03/15/2002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/14/2002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	03/26/2003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	09/02/2003 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	03/29/2004 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	09/03/2004 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	03/02/2005 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	09/22/2005 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	03/30/2006 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	08/28/2006 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	03/05/2007 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	09/24/2007 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	03/10/2008 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	09/12/2008 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	09/24/2009 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	03/31/2010 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-15	09/21/2010	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-
MW-15	03/19/2011	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	<10	5,900	44,900	-
MW-15	06/18/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS					GENERAL CHEMISTRY					
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	1,1,1-TCA	Carbon Tet	1,2-DCA	ICE	1,2-DCP	1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate	
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-15	09/17/2011	-	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-
MW-15	10/29/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15	03/17/2012	-	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-	-
MW-16	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	12/21/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	12/17/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	03/10/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	06/16/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/07/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	11/30/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	03/22/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	06/27/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/28/1995 ¹⁰	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	12/30/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	02/28/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	06/27/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/13/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	12/16/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	1,1,1-TCA	Carbon Tet	1,2-DCA	ICE	1,2-DCP	1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-16	03/20/1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/08/1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	02/16/1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	08/25/1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	03/09/1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/29/1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	03/27/2000 ¹⁰	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/18/2000 ^{3,10}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	03/27/2001 ¹⁰	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/05/2001 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	03/15/2002 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/14/2002 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	03/26/2003 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/02/2003 ^{7,10}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	03/29/2004 ¹⁰	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/03/2004 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-16	03/02/2005 ⁶	<2	<5	<2	<2	<2	<2	<3	<1	<3	<3	-	<2	<130	<13	<1	<1	<1	<1	-	-	-
MW-16	09/22/2005 ⁶	<4	<10	<4	<4	<4	<4	<5	<3	<5	<5	-	<4	<250	<25	<3	<3	<3	<3	-	-	-
MW-16	03/30/2006 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-16	08/28/2006 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-16	03/05/2007 ⁶	<2	<4	<2	<2	<2	<2	<2	<1	<2	<2	-	<2	<100	<10	<1	<1	<1	<1	-	-	-
MW-16	09/24/2007 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	9	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-16	03/10/2008 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	1,1,1-TCA	Carbon Tet	1,2-DCA	ICE	1,2-DCP	1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-16	09/12/2008 ⁶	<4	<10	<4	<4	<4	<4	<5	<3	<5	<5	-	<4	<250	<25	<3	<3	<3	<3	-	-	-
MW-16	09/24/2009 ^{6,10}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	03/31/2010 ^{6,10}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/21/2010	-	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-
MW-16	03/19/2011	-	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	6,300	<250	3,000 J
MW-16	06/18/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/17/2011	-	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	-	-	-
MW-16	10/29/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	03/17/2012	-	-	-	-	-	-	-	-	-	-	-	-	<250	-	-	-	-	-	-	-	-
MW-17	10/30/10	-	-	-	-	-	-	-	-	-	-	-	-	230 J	-	-	-	-	-	-	-	-
MW-17	03/19/2011 ¹⁷	-	-	-	-	-	-	-	-	-	-	-	-	<50	-	-	-	-	-	1,200	250 J	3,500 J
MW-17	06/18/2011 ¹⁷	-	-	-	-	-	-	-	-	-	-	-	-	<250	-	-	-	-	-	-	-	-
MW-17	09/17/2011 ¹⁷	-	-	-	-	-	-	-	-	-	-	-	-	<500	-	-	-	-	-	-	-	-
MW-17	10/29/2011¹⁷	-	-	-	-	-	-	-	-	-	-	-	-	<100	-	-	-	-	-	-	-	-
MW-17	03/17/2012¹⁷	-	-	-	-	-	-	-	-	-	-	-	-	<500	-	-	-	-	-	-	-	-
QA	03/15/2002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	09/14/2002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	03/26/2003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	09/02/2003 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	03/29/2004 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	09/03/2004 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>1,1-DCE</i>	<i>MC</i>	<i>t-1,2-DCE</i>	<i>c-1,2-DCE</i>	<i>Chloroform</i>	<i>1,1,1-TCA</i>	<i>Carbon Tet</i>	<i>1,2-DCA</i>	<i>ICE</i>	<i>1,2-DCP</i>	<i>1,2-DCE</i>	<i>PCE</i>	<i>ETHANOL</i>	<i>TBA</i>	<i>DIPE</i>	<i>ETBE</i>	<i>TAME</i>	<i>EDB</i>	<i>Methane</i>	<i>Nitrate (as N)</i>	<i>Sulfate</i>
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	03/02/2005 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	09/22/2005 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	03/30/2006 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	08/28/2006 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	03/05/2007 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	09/24/2007 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	03/10/2008 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	09/12/2008 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	09/24/2009 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	03/31/2010 ⁶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	09/21/2010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	03/19/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	06/18/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	09/17/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	10/29/2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QA	03/17/2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	11/03/1988	-	-	<1.0	-	7.0	<1.0	18	<1.0	<1.0	-	-	<1.0	-	-	-	-	-	-	-	-	-
MW-1	02/02/1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	02/10/1989	-	-	<0.2	<0.2	6.0	<0.2	17	<0.2	<0.2	-	-	<0.2	-	-	-	-	-	-	-	-	-
MW-1	04/23/1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	04/24/1989	-	-	-	-	6.0	<1.0	16	<1.0	<1.0	-	<1.0	<1.0	-	-	-	-	-	-	-	-	-
MW-1	07/28/1989	-	-	<0.1	<0.1	6.4	0.3	20	<0.1	<0.1	-	-	<0.1	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	<i>t</i> -1,1-TCA	Carbon Tet	<i>t</i> -1,2-DCA	ICE	<i>t</i> -1,2-DCP	<i>t</i> -1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-1	10/30/1989	-	-	-	-	4.9	<0.5	11	<0.5	<0.5	-	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-1	01/09/1990	-	-	-	-	7.2	<0.5	24	<0.5	<0.5	-	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-1	04/18/1990	<0.5	-	-	-	5.5	1.4	23	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-1	06/22/1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	08/09/1990	<0.5	-	-	-	11	<0.5	32	<0.5	<0.5	<0.5	<0.5	0.7	-	-	-	-	-	-	-	-	-
MW-1	11/13/1990	<0.5	-	<0.5	<0.5	7.0	<0.5	24	<0.5	<0.5	<0.5	-	60.7	-	-	-	-	-	-	-	-	-
MW-1	05/15/1991	<0.5	-	<0.5	<0.5	5.0	<0.5	15	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-1	08/27/1991	<0.5	-	-	<0.5	4.2	<0.5	18	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-1	11/15/1991	<0.5	-	<0.5	<0.5	7.9	<0.5	21	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-1	02/20/1992	<0.5	-	<0.5	<0.5	7.5	<0.5	24	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-1	06/15/1992	<0.5	-	<0.5	<0.5	3.2	<0.5	10	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-1	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	12/17/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	03/10/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	06/16/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	09/07/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	11/30/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	03/22/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1	03/23/1995 ¹²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	<i>t</i> -1,1-TCA	Carbon Tet	<i>t</i> -1,2-DCA	ICE	<i>t</i> -1,2-DCP	<i>t</i> -1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-2	11/03/1988	-	-	10	-	2.0	<1.0	3.0	<1.0	3.0	-	-	34	-	-	-	-	-	-	-	-	-
MW-2	02/02/1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	02/10/1989	-	-	<0.2	6.3	1.0	<0.2	1.4	<0.2	<0.2	-	-	17.2	-	-	-	-	-	-	-	-	-
MW-2	04/23/1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	04/24/1989	-	-	-	-	2.0	<1.0	2.0	<1.0	3.0	-	9.0	38	-	-	-	-	-	-	-	-	-
MW-2	07/28/1989	-	-	<0.2	<0.2	2.0	<0.2	3.7	<0.2	2.6	-	-	46	-	-	-	-	-	-	-	-	-
MW-2	10/30/1989	-	-	-	-	2.6	<0.5	1.4	<0.5	1.1	-	14	53	-	-	-	-	-	-	-	-	-
MW-2	01/09/1990	-	-	-	-	3.9	<0.5	3.6	<0.5	5.3	-	16	78	-	-	-	-	-	-	-	-	-
MW-2	04/18/1990	<0.5	-	-	-	2.7	<0.5	1.5	<0.5	3.9	<0.5	19	130	-	-	-	-	-	-	-	-	-
MW-2	06/22/1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	08/09/1990	<0.5	-	-	-	2.1	<0.5	2.1	<0.5	6.1	<0.5	15	74	-	-	-	-	-	-	-	-	-
MW-2	11/13/1990	<0.5	-	<0.5	10	2.0	<0.5	<0.5	<0.5	4.0	<0.5	-	40	-	-	-	-	-	-	-	-	-
MW-2	05/15/1991	<0.5	-	<0.5	15	2.0	<0.5	2.0	<0.5	6.0	<0.5	-	56	-	-	-	-	-	-	-	-	-
MW-2	08/27/1991	<0.5	-	-	8.0	0.9	<0.5	1.1	<0.5	3.9	<0.5	-	46	-	-	-	-	-	-	-	-	-
MW-2	11/15/1991	<0.5	-	<0.5	6.3	1.1	<0.5	0.6	<0.5	3.1	<0.5	-	58	-	-	-	-	-	-	-	-	-
MW-2	02/20/1992	<2.5	-	<2.5	4.3	<2.5	<2.5	11	<2.5	3.1	<2.5	-	62	-	-	-	-	-	-	-	-	-
MW-2	06/15/1992	<0.5	-	<0.5	4.8	1.2	<0.5	<0.5	<0.5	3.1	<0.5	-	45	-	-	-	-	-	-	-	-	-
MW-2	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	1,1,1-TCA	Carbon Tet	1,2-DCA	ICE	1,2-DCP	1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-2	12/17/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/10/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	06/16/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	09/07/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	11/30/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/22/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2	03/23/1995 ¹²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	11/03/1988	-	-	5.0	-	6.0	<1.0	8.0	<1.0	3.0	-	-	84	-	-	-	-	-	-	-	-	-
MW-3	02/02/1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	02/10/1989	-	-	<0.2	9.0	4.0	<0.2	5.8	<0.2	1.9	-	-	53	-	-	-	-	-	-	-	-	-
MW-3	04/23/1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	04/24/1989	-	-	-	-	6.0	<1.0	7.0	<1.0	3.0	-	11	110	-	-	-	-	-	-	-	-	-
MW-3	07/28/1989	-	-	<0.2	11	5.0	<0.2	8.6	<0.1	2.1	-	-	49	-	-	-	-	-	-	-	-	-
MW-3	10/30/1989	-	-	-	-	5.3	<0.5	5.6	<0.5	0.7	-	8.2	62	-	-	-	-	-	-	-	-	-
MW-3	01/09/1990	-	-	-	-	6.1	<0.5	8.6	<0.5	73.8	-	8.7	81	-	-	-	-	-	-	-	-	-
MW-3	04/18/1990	<0.5	-	-	-	5.8	<0.5	7.6	<0.5	2.4	<0.5	11	120	-	-	-	-	-	-	-	-	-
MW-3	06/22/1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	08/09/1990	<0.5	-	-	-	6.7	<0.5	11	<0.5	5.1	<0.5	11	81	-	-	-	-	-	-	-	-	-
MW-3	11/13/1990	<0.5	-	<0.5	9.0	5.0	<0.5	7.0	<0.5	4.0	<0.5	-	43	-	-	-	-	-	-	-	-	-
MW-3	05/15/1991	<0.5	-	<0.5	8.0	4.0	<0.5	6.0	<0.5	3.0	<0.5	-	46	-	-	-	-	-	-	-	-	-
MW-3	08/27/1991	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	11/15/1991	<0.5	-	0.8	7.4	5.0	0.9	6.3	<0.5	3.4	<0.5	-	67	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	<i>t</i> -1,1-TCA	Carbon Tet	<i>t</i> -1,2-DCA	ICE	<i>t</i> -1,2-DCP	<i>t</i> -1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-3	02/20/1992	<2.5	-	<2.5	6.1	4.0	<2.5	2.8	<2.5	3.0	<2.5	-	96	-	-	-	-	-	-	-	-	-
MW-3	06/15/1992	<0.5	-	<0.5	7.5	3.9	<0.5	5.0	<0.5	2.9	<0.5	-	86	-	-	-	-	-	-	-	-	-
MW-3	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	12/17/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	03/10/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	06/16/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	09/07/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	11/30/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	03/22/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	03/23/1995 ¹²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3	08/27/2001 ¹⁴	<0.5	-	-	8.1	3.8	<0.5	5.5	<0.5	2.6	<0.5	-	43	-	-	-	-	-	-	-	-	-
MW-4	04/23/1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	04/24/1989	-	-	-	-	11	<1.0	35	<1.0	<1.0	-	<1.0	<1.0	-	-	-	-	-	-	-	-	-
MW-4	07/28/1989	-	-	<0.1	<0.1	9.3	<0.1	32	<0.1	<0.1	-	-	<0.1	-	-	-	-	-	-	-	-	-
MW-4	10/30/1989	-	-	-	-	8.5	<0.5	32	<0.5	<0.5	-	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-4	01/09/1990	-	-	-	-	9.8	<0.5	36	<0.5	<0.5	-	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-4	04/18/1990	<0.5	-	-	-	9.5	<0.5	41	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-4	06/22/1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>1,1-DCE</i>	<i>MC</i>	<i>t-1,2-DCE</i>	<i>c-1,2-DCE</i>	<i>Chloroform</i>	<i>1,1,1-TCA</i>	<i>Carbon Tet</i>	<i>1,2-DCA</i>	<i>ICE</i>	<i>1,2-DCP</i>	<i>1,2-DCE</i>	<i>PCE</i>	<i>ETHANOL</i>	<i>TBA</i>	<i>DIPE</i>	<i>ETBE</i>	<i>TAME</i>	<i>EDB</i>	<i>Methane</i>	<i>Nitrate (as N)</i>	<i>Sulfate</i>
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4	08/09/1990	<0.5	-	-	-	11	<0.5	38	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-4	11/13/1990	<0.5	-	<0.5	<0.5	11	<0.5	40	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-4	05/15/1991	<0.5	-	<0.5	<0.5	10	<0.5	35	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-4	08/27/1991	<0.5	-	-	<0.5	6.1	<0.5	28	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-4	11/15/1991	<0.5	-	<0.5	<0.5	9.1	<0.5	23	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-4	02/20/1992	<0.5	-	<0.5	<0.5	140	<0.5	400	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-4	06/15/1992	<0.5	-	<0.5	<0.5	11	<0.5	38	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-4	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	12/17/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	03/10/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	06/16/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	09/07/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	11/30/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	03/21/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-4	03/23/1995 ¹²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	04/23/1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	04/24/1989	-	-	-	-	5.0	<1.0	4.0	<1.0	<1.0	-	2.0	4.0	-	-	-	-	-	-	-	-	-
MW-5	07/28/1989	-	-	<0.2	2.3	4.0	0.5	5.6	<0.2	0.3	-	-	5.3	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	<i>t</i> -1,1-TCA	Carbon Tet	<i>t</i> -1,2-DCA	ICE	<i>t</i> -1,2-DCP	<i>t</i> -1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	10/30/1989	-	-	-	-	2.0	<0.5	2.9	<0.5	<0.5	-	0.86	2.7	-	-	-	-	-	-	-	-	-
MW-5	01/09/1990	-	-	-	-	4.6	<0.5	8.2	<0.5	0.6	-	3.1	7.8	-	-	-	-	-	-	-	-	-
MW-5	04/18/1990	<0.5	-	-	-	2.8	<0.5	6.3	<0.5	<0.5	<0.5	1.7	2.6	-	-	-	-	-	-	-	-	-
MW-5	06/22/1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	08/09/1990	<0.5	-	-	-	4.8	<0.5	11	<0.5	<0.5	<0.5	2.3	6.0	-	-	-	-	-	-	-	-	-
MW-5	11/13/1990	<0.5	-	<0.5	1	3.0	<0.5	7.0	<0.5	<0.5	<0.5	-	5.0	-	-	-	-	-	-	-	-	-
MW-5	05/15/1991	<0.5	-	<0.5	0.8	2.0	<0.5	4.0	<0.5	<0.5	<0.5	-	3.0	-	-	-	-	-	-	-	-	-
MW-5	08/27/1991	<0.5	-	-	<0.5	1.1	<0.5	3.3	<0.5	<0.5	<0.5	-	2.3	-	-	-	-	-	-	-	-	-
MW-5	11/15/1991	<0.5	-	<0.5	1.7	2.8	<0.5	5.7	<0.5	<0.5	<0.5	-	5.5	-	-	-	-	-	-	-	-	-
MW-5	02/20/1992	<0.5	-	<0.5	0.7	2.0	<0.5	4.0	<0.5	<0.5	<0.5	-	3.9	-	-	-	-	-	-	-	-	-
MW-5	06/15/1992	<0.5	-	<0.5	1.4	2.0	<0.5	4.0	<0.5	<0.5	<0.5	-	5.0	-	-	-	-	-	-	-	-	-
MW-5	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	09/28/1993 ¹²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	04/23/1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	04/24/1989	-	-	-	-	7.0	<1.0	13	<1.0	<1.0	-	<1.0	<1.0	-	-	-	-	-	-	-	-	-
MW-6	07/28/1989	-	-	<0.2	<0.2	4.0	0.5	9.6	0.6	<0.2	-	-	<0.2	-	-	-	-	-	-	-	-	-
MW-6	10/30/1989	-	-	-	-	3.6	<0.5	8.2	<0.5	<0.5	-	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-6	01/09/1990	-	-	-	-	4.2	<0.5	10	1.8	<0.5	-	<0.5	<0.5	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS												ADDITIONAL VOCS						GENERAL CHEMISTRY		
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	<i>t</i> -1,1-TCA	Carbon Tet	<i>t</i> -1,2-DCA	ICE	<i>t</i> -1,2-DCP	<i>t</i> -1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	04/18/1990	<0.5	-	-	-	3.8	<0.5	11	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-6	06/22/1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	08/09/1990	<0.5	-	-	-	6.6	<0.5	20	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-6	11/13/1990	<0.5	-	<0.5	<0.5	5.0	<0.5	15	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-6	05/15/1991	<0.5	-	<0.5	<0.5	4.0	<0.5	11	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-6	08/27/1991	<0.5	-	-	<0.5	2.2	<0.5	8.0	<0.5	<0.5	<0.5	-	2.4	-	-	-	-	-	-	-	-	-
MW-6	11/15/1991	<0.5	-	<0.5	<0.5	5.4	<0.5	13	0.8	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-6	02/20/1992	<0.5	-	<0.5	<0.5	4.0	<0.5	11	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-6	06/15/1992	<0.5	-	<0.5	<0.5	4.2	<0.5	9.6	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-6	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	09/28/1993 ¹²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	04/23/1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	04/24/1989 ¹⁵	-	-	-	-	9.0	<1.0	3.0	<1.0	<1.0	-	<1.0	<1.0	-	-	-	-	-	-	-	-	-
MW-7	07/28/1989	-	-	<5.0/<2.0	<2.0/<2.0	<10.0/<2.0	<10.0/<5.0	<2.0/<5.0	<5.0/<2.0	<5.0/<2.0	<5.0/<2.0	-	<2.0/<5.0	-	-	-	-	-	-	-	-	-
MW-7	10/30/1989	-	-	-	-	3.1/3.9	<1.0/<1.0	<1.0/<1.0	6.2/6.4	<1.0/<1.0	-	<1.0/<1.0	<1.0/<1.0	-	-	-	-	-	-	-	-	-
MW-7	01/09/1990	-	-	-	-	3.0	<0.5	<0.5	8.4	<0.5	-	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-7	04/18/1990	0.6	-	-	-	3.2	<0.5	<0.5	7.7	<0.5	0.6	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-7	06/22/1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>1,1-DCE</i>	<i>MC</i>	<i>t-1,2-DCE</i>	<i>c-1,2-DCE</i>	<i>Chloroform</i>	<i>1,1,1-TCA</i>	<i>Carbon Tet</i>	<i>1,2-DCA</i>	<i>ICE</i>	<i>1,2-DCP</i>	<i>1,2-DCE</i>	<i>PCE</i>	<i>ETHANOL</i>	<i>TBA</i>	<i>DIPE</i>	<i>ETBE</i>	<i>TAME</i>	<i>EDB</i>	<i>Methane</i>	<i>Nitrate (as N)</i>	<i>Sulfate</i>
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	08/09/1990	<0.5	-	-	-	7.7	<0.5	3.3	8.4	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-7	11/13/1990	<0.5	-	<0.5	<0.5	3.0	<0.5	0.6	4.0	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-7	05/15/1991	<0.5	-	<0.5	<0.5	2.0	<0.5	2.0	3.0	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-7	08/27/1991	<0.5	-	-	<0.5	2.8	<0.5	0.7	2.7	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-7	11/15/1991	<0.5	-	<0.5	<0.5	2.7	<0.5	0.8	3.1	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-7	02/20/1992	<0.5	-	<0.5	<0.5	1.9	<0.5	2.2	3.3	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-7	06/15/1992	<0.5	-	<0.5	<0.5	1.8	<0.5	1.1	4.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-7	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	12/17/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/10/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	06/16/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/07/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	11/30/1994 ¹⁰	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	01/17/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/22/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	06/27/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/28/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	12/30/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	02/28/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	1,1,1-TCA	Carbon Tet	1,2-DCA	ICE	1,2-DCP	1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	06/27/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/13/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	12/16/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/20/1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/08/1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	02/16/1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	08/25/1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/09/1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/29/1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/27/2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/18/2000 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/27/2001 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/05/2001 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/15/2002 ^{3,11}	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/14/2002 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	03/26/2003 ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	09/02/2003 ^{6,7}	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.8	<1	-	-	-
MW-7	03/29/2004 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	11	<1	<1	-	<0.8	<50	9	<0.5	<0.5	<0.5	2	-	-	-
MW-7	09/03/2004 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-7	03/02/2005 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-7	09/22/2005 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-7	03/30/2006 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-7	08/28/2006 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	1,1,1-TCA	Carbon Tet	1,2-DCA	ICE	1,2-DCP	1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	03/05/2007 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-7	09/24/2007 ⁶	<0.8	<2	<0.8	<0.8	<0.8	<0.8	<1	<0.5	<1	<1	-	<0.8	<50	<5	<0.5	<0.5	<0.5	<0.5	-	-	-
MW-7	09/25/2007 ¹³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	04/23/1989	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	04/24/1989 ¹	-	-	-	-	2.0/3.0	<1.0/<1.0	2.0/2.0	<1.0/<1.0	<1.0/<1.0	-	4.0/3.0	6.0/6.0	-	-	-	-	-	-	-	-	-
MW-8	07/28/1989	-	-	<0.2	3.8	2.0	<0.2	2.3	<0.2	<0.2	-	-	5.6	-	-	-	-	-	-	-	-	-
MW-8	10/30/1989	-	-	-	-	2.6	<0.5	2.5	<0.5	<0.5	-	5.5	8.0	-	-	-	-	-	-	-	-	-
MW-8	01/09/1990	-	-	-	-	3.9	<0.5	4.9	<0.5	0.9	-	6.6	19	-	-	-	-	-	-	-	-	-
MW-8	04/18/1990	<0.5	-	-	-	2.8	<0.5	3.8	<0.5	0.6	<0.5	5.7	17	-	-	-	-	-	-	-	-	-
MW-8	06/22/1990	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	08/09/1990	<0.5	-	-	-	4.4	<0.5	5.3	<0.5	1.2	<0.5	9.2	27	-	-	-	-	-	-	-	-	-
MW-8	11/13/1990	<0.5	-	<0.5	6.0	2.0	<0.5	3.0	<0.5	0.7	<0.5	-	21	-	-	-	-	-	-	-	-	-
MW-8	05/15/1991	<0.5	-	<0.5	6.0	2.0	<0.5	2.0	<0.5	0.9	<0.5	-	30	-	-	-	-	-	-	-	-	-
MW-8	08/27/1991	<0.5	-	-	4.7	1.1	<0.5	1.4	<0.5	1.0	<0.5	-	32	-	-	-	-	-	-	-	-	-
MW-8	11/15/1991	2.0	-	<0.5	5.8	1.9	<0.5	1.5	<0.5	<0.5	2.0	-	50	-	-	-	-	-	-	-	-	-
MW-8	02/20/1992	<0.5	-	<0.5	7.6	2.3	<0.5	1.3	<0.5	2.4	<0.5	-	68	-	-	-	-	-	-	-	-	-
MW-8	06/15/1992	<0.5	-	<0.5	5.6	1.9	<0.5	0.7	-	1.6	<0.5	-	46	-	-	-	-	-	-	-	-	-
MW-8	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>1,1-DCE</i>	<i>MC</i>	<i>t-1,2-DCE</i>	<i>c-1,2-DCE</i>	<i>Chloroform</i>	<i>1,1,1-TCA</i>	<i>Carbon Tet</i>	<i>1,2-DCA</i>	<i>TCE</i>	<i>1,2-DCP</i>	<i>1,2-DCE</i>	<i>PCE</i>	<i>ETHANOL</i>	<i>TBA</i>	<i>DIPE</i>	<i>ETBE</i>	<i>TAME</i>	<i>EDB</i>	<i>Methane</i>	<i>Nitrate (as N)</i>	<i>Sulfate</i>
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	09/28/1993 ¹²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	06/22/1990	<0.5	-	<0.5	-	8.9	<0.5	9.6	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-10	08/09/1990	<0.5	-	-	-	7.8	<0.5	11	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
MW-10	11/13/1990	<0.5	-	<0.5	<0.5	4.0	<0.5	5.0	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-10	05/15/1991	<0.5	-	<0.5	<0.5	4.0	<0.5	5.0	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-10	08/27/1991	<0.5	-	-	<0.5	3.4	<0.5	6.9	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-10	11/15/1991	<0.5	-	<0.5	<0.5	3.3	<0.5	2.7	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-10	02/20/1992	<0.5	-	<0.5	<0.5	3.4	<0.5	3.3	<0.5	<0.5	<0.5	-	3.0	-	-	-	-	-	-	-	-	-
MW-10	06/15/1992	<0.5	-	<0.5	<0.5	2.9	<0.5	4.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
MW-10	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	09/24/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	12/17/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	03/10/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	06/16/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	09/07/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	11/30/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	03/22/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	03/23/1995 ¹²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS												ADDITIONAL VOCS						GENERAL CHEMISTRY		
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	<i>t</i> -1,1-TCA	Carbon Tet	<i>t</i> -1,2-DCA	ICE	<i>t</i> -1,2-DCP	<i>t</i> -1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-11	06/22/1990	<0.5	-	<0.5	8.9	6.5	<0.5	4.6	<0.5	1.3	<0.5	-	73	-	-	-	-	-	-	-	-	-
MW-11	08/09/1990	<0.5	-	-	-	6.8	<0.5	8.1	<0.5	2.0	<0.5	4.6	84	-	-	-	-	-	-	-	-	-
MW-11	11/13/1990	<0.5	-	<0.5	2.0	<0.5	5	<0.5	<0.5	<0.5	<0.5	-	39	-	-	-	-	-	-	-	-	-
MW-11	05/15/1991	<0.5	-	<0.5	2.0	3.0	<0.5	1.0	<0.5	0.5	<0.5	-	7	-	-	-	-	-	-	-	-	-
MW-11	08/27/1991	<0.5	-	-	2.4	3.3	<0.5	4.1	<0.5	1.0	<0.5	-	73	-	-	-	-	-	-	-	-	-
MW-11	11/15/1991	<0.5	-	<0.5	2.3	3.6	<0.5	3.3	<0.5	0.9	<0.5	-	64	-	-	-	-	-	-	-	-	-
MW-11	02/20/1992	<2.5	-	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	-	62	-	-	-	-	-	-	-	-	-
MW-11	06/15/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	12/17/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	03/10/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	06/16/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	06/17/1994 ¹²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	06/22/1990	<0.5	-	<0.5	13	7.3	<0.5	6.0	<0.5	<0.5	<0.5	-	7.4	-	-	-	-	-	-	-	-	-
MW-12	08/09/1990	<0.5	-	-	-	7.0	<0.5	8.0	<0.5	<0.5	<0.5	5.8	6.7	-	-	-	-	-	-	-	-	-
MW-12	11/13/1990	<0.5	-	<0.5	3.0	<0.5	3.0	<0.5	<0.5	<0.5	<0.5	-	9.0	-	-	-	-	-	-	-	-	-
MW-12	05/15/1991	<0.5	-	<0.5	3.0	4.0	<0.5	4.0	<0.5	<0.5	<0.5	-	10	-	-	-	-	-	-	-	-	-
MW-12	08/27/1991	<0.5	-	-	2.3	2.6	<0.5	3.1	<0.5	<0.5	<0.5	-	10	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	<i>t</i> -1,1-TCA	Carbon Tet	<i>t</i> -1,2-DCA	ICE	<i>t</i> -1,2-DCP	<i>t</i> -1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-12	11/15/1991	<0.5	-	<0.5	5.9	3.5	<0.5	1.9	<0.5	<0.5	<0.5	-	8.9	-	-	-	-	-	-	-	-	-
MW-12	02/20/1992	<0.5	-	<0.5	<0.5	3.4	<0.5	3.3	<0.5	<0.5	<0.5	-	3.7	-	-	-	-	-	-	-	-	-
MW-12	06/15/1992	<0.5	-	<0.5	4.5	3.7	<0.5	2.2	<0.5	<0.5	<0.5	-	13	-	-	-	-	-	-	-	-	-
MW-12	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-12	09/28/1993 ¹²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	11/15/1991	<0.5	-	<0.5	<0.5	5.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	33	-	-	-	-	-	-	-	-	-
MW-14	02/20/1992	<0.5	-	<0.5	<0.5	4.3	<0.5	<0.5	<0.5	<0.5	<0.5	-	38	-	-	-	-	-	-	-	-	-
MW-14	06/15/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-14	09/28/1993 ¹²	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/03/1988	-	-	<1.0	-	<1.0	<1.0	<1.0	<1.0	<1.0	-	-	<1.0	-	-	-	-	-	-	-	-	-
Trip Blank	02/10/1989	-	-	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	-	-	<0.1	-	-	-	-	-	-	-	-	-
Trip Blank	04/24/1989	-	-	-	-	<1.0	<1.0	<1.0	<1.0	<1.0	-	<1.0	<1.0	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS						GENERAL CHEMISTRY			
		<i>1,1-DCE</i>	<i>MC</i>	<i>t-1,2-DCE</i>	<i>c-1,2-DCE</i>	<i>Chloroform</i>	<i>1,1,1-TCA</i>	<i>Carbon Tet</i>	<i>1,2-DCA</i>	<i>TCE</i>	<i>1,2-DCP</i>	<i>1,2-DCE</i>	<i>PCE</i>	<i>ETHANOL</i>	<i>TBA</i>	<i>DIPE</i>	<i>ETBE</i>	<i>TAME</i>	<i>EDB</i>	<i>Methane</i>	<i>Nitrate (as N)</i>	<i>Sulfate</i>
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Trip Blank	07/28/1989	-	-	-	<0.1	<0.5	<0.1	<0.1	<0.1	<0.5	-	<0.1	<0.1	-	-	-	-	-	-	-	-	-
Trip Blank	10/30/1989	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	-	-	-	-	-	-	-	-	-
Trip Blank	01/09/1990	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	-	-	-	-	-	-	-	-	-
Trip Blank	04/18/1990	<0.5	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
Trip Blank	06/22/1990	<0.5	-	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
Trip Blank	08/09/1990	<0.5	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	-
Trip Blank	11/13/1990	<0.5	-	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
Trip Blank	05/15/1991	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/27/1991	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/15/1991	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
Trip Blank	02/20/1992	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
Trip Blank	06/15/1992	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	-	-	-	-	-	-	-	-	-
Trip Blank	12/16/1992	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	04/07/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	06/09/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	09/10/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	09/27/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	12/17/1993	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	03/10/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	06/16/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	09/07/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	11/30/1994	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	01/17/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER CHEVRON SERVICE STATION 90020
 1633 HARRISON STREET
 OAKLAND, CALIFORNIA

Location	Date	VOCS											ADDITIONAL VOCS					GENERAL CHEMISTRY				
		<i>t</i> -1,1-DCE	MC	<i>t</i> -1,2-DCE	<i>c</i> -1,2-DCE	Chloroform	1,1,1-TCA	Carbon Tet	1,2-DCA	ICE	1,2-DCP	1,2-DCE	PCE	ETHANOL	TBA	DIPE	ETBE	TAME	EDB	Methane	Nitrate (as N)	Sulfate
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Trip Blank	03/22/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	06/27/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	09/28/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	12/30/1995	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/28/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	06/27/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	09/13/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	12/16/1996	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	03/20/1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	09/08/1997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	02/16/1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	08/25/1998	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	03/09/1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	09/29/1999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	03/27/2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	09/18/2000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	03/27/2001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trip Blank	09/05/2001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

ATTACHMENT A

MONITORING DATA PACKAGE



November 2, 2011

Chevron Environmental Management Company
Dave Patten
6111 Bollinger Canyon Rd.
San Ramon, CA 94583

Fourth Quarter 2011 Monitoring at
Chevron Service Station 90020
1633 Harrison St.
Oakland, CA

Monitoring performed on October 29, 2011

Blaine Tech Services, Inc. Groundwater Monitoring Event 111029-SL1

This submission covers the routine monitoring of groundwater wells conducted on October 29, 2011 at this location. One monitoring well was measured for depth to groundwater (DTW). One monitoring well was sampled. All sampling activities were performed in accordance with local, state and federal guidelines.

Water levels measurements were collected using an electronic slope indicator. All sampled wells were purged of three case volumes, depending on well recovery, or until water temperature, pH and conductivity stabilized. Purging was accomplished using electric submersible pumps, positive air-displacement pumps or stainless steel, Teflon or disposable bailers. Subsequent sample collection and sample handling was performed in accordance with EPA protocols using disposable bailers. Alternately, where applicable, wells were sampled utilizing no-purge methodology. All reused equipment was decontaminated in an integrated stainless steel sink with de-ionized water supplied Hotsy pressure washer and Liquinox or equivalent.

Fourth Quarter Groundwater Monitoring at Chevron 90020, 1633 Harrison St., Oakland, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

www.blainetech.com

Samples were delivered under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania, for analysis. Monitoring well purgewater and equipment rinsate water was collected and transported under bill-of-lading to IWM facilities of San Jose, California.

Enclosed documentation from this event includes copies of the Well Gauging Sheet, Well Monitoring Data Sheets, and Chain-of-Custody.

Blaine Tech Services, Inc.'s activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrogeologic conditions or formulation of recommendations was performed.

Please call if you have any questions.

Sincerely,



Dustin Becker
Blaine Tech Services, Inc.
Senior Project Manager

attachments: SOP
Well Gauging Sheet
Individual Well Monitoring Data Sheets
Chain of Custody
Wellhead Inspection Form
Bill of Lading
Calibration Log

cc: CRA
Attn: Nathan Lee
5900 Hollis St. Suite A
Emeryville, CA 94608

Fourth Quarter Groundwater Monitoring at Chevron 90020, 1633 Harrison St., Oakland, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC: 746684

www.blainetech.com

BLAINE TECH SERVICES, INC. METHODS AND PROCEDURES FOR THE ROUTINE MONITORING OF GROUNDWATER WELLS AT CHEVRON SITES

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. We specialize in groundwater monitoring assignments and intentionally limit the scope of our services to those centered on the generation of objective information.

To avoid conflicts of interest, Blaine Tech Services, Inc. personnel do not evaluate or interpret the information we collect. As a state licensed contractor (C-57 well drilling –water – 746684) performing strictly technical services, we do not make any professional recommendations and perform no consulting of any kind.

SAMPLING PROCEDURES OVERVIEW

SAFETY

All groundwater monitoring assignments performed for Chevron comply with Chevron's safety guidelines, 29 CFR 1910.120 and SB-198 Injury and Illness Prevention Program (IIPP). All Field Technicians receive the full 40-hour 29CFR 1910.120 OSHA SARA HAZWOPER course, medical clearance and on-the-job training prior to commencing any work on any Chevron site.

INSPECTION AND GAUGING

Wells are inspected prior to evacuation and sampling. The condition of the wellhead is checked and noted according to a wellhead inspection checklist.

Standard measurements include the depth to water (DTW) and the total well depth (TD) obtained with industry standard electronic water level indicators that are graduated in increments of hundredths of a foot.

The water in each well is inspected for the presence of immiscibles. When free product is suspected, its presence is confirmed using an electronic interface probe (e.g. GeoTech). No samples are collected from a well containing over two-hundredths of a foot (0.02') of product.

EVACUATION

Depth to water measurements are collected by our personnel prior to purging and minimum purge volumes are calculated anew for each well based on the height of the water column and the diameter of the well. Expected purge volumes are never less than three case volumes and are set at no less than four case volumes in some jurisdictions.

Well purging devices are selected on the basis of the well diameter and the total volume to be

evacuated. In most cases the well will be purged using an electric submersible pump (i.e. Grundfos) suspended near (but not touching) the bottom of the well.

PARAMETER STABILIZATION

Well purging completion standards include minimum purge volumes, but additionally require stabilization of specific groundwater parameters prior to sample collection. Typical groundwater parameters used to measure stability are electrical conductivity, pH, and temperature. Instrument readings are obtained at regular intervals during the evacuation process (no less than once per case volume).

Stabilization standards for routine quarterly monitoring of fuel sites include the following: Temperature is considered to have stabilized when successive readings do not fluctuate more than +/- 1 degree Celsius. Electrical conductivity is considered stable when successive readings are within 10%. pH is considered to be stable when successive readings remain constant or vary no more than 0.2 of a pH unit.

DEWATERED WELLS

Normal evacuation removes no less than three case volumes of water from the well. However, less water may be removed in cases where the well dewateres and does not immediately recharge.

MEASURING RECHARGE

Upon completion of well purging, a depth to water measurement is collected and notated to ensure that the well has recharged to within 80% of its static, pre-purge level prior to sampling.

Wells that do not immediately show 80% recharge or dewatered wells will be allowed approximately 2 hours to recharge prior to sampling or will be sampled at site departure. All wells requiring off-site traffic control in the public right-of-way, the 80% recharge rule may be disregarded in the interests of Health and Safety. The sample may be collected as soon as there is sufficient water. The water level at time of sampling will be noted.

PURGEWATER CONTAINMENT

All non-hazardous purgewater evacuated from each groundwater monitoring well is captured and contained in on-board storage tanks on the Sampling Vehicle and/or special water hauling trailers. Effluent from the decontamination of reusable apparatus (sounders, electric pumps and hoses etc.), consisting of groundwater combined with deionized water and non-phosphate soap, is also captured and pumped into effluent tanks.

Non-hazardous purgewater is transported under standard Bill of Lading documentation to a Blaine Tech Services, Inc. facility before being transported to a Chevron approved disposal facility.

SAMPLE COLLECTION DEVICES

All samples are collected using disposable bailers.

SAMPLE CONTAINERS

Sample material is decanted directly from the sampling bailer into sample containers provided by the laboratory that will analyze the samples. The transfer of sample material from the bailer to the sample container conforms to specifications contained in the USEPA T.E.G.D. The type of sample container, material of construction, method of closure and filling requirements are specific to the intended analysis. Chemicals needed to preserve the sample material are commonly placed inside the sample containers by the laboratory or glassware vendor prior to delivery of the bottle to our personnel. The laboratory sets the number of replicate containers.

TRIP BLANKS

Trip Blanks, if requested, are taken to the site and kept inside the sample cooler for the duration of the event. They are turned over to the laboratory for analysis with the samples from that site.

DUPLICATES

Duplicates, if requested, may be collected at a site. The Duplicate sample is collected, typically from the well containing the most measurable contaminants. The Duplicate sample is labeled the same as the original.

SAMPLE STORAGE

All sample containers are promptly placed in food grade ice chests for storage in the field and transport (direct or via our facility) to the designated analytical laboratory. These ice chests contain quantities of restaurant grade ice as a refrigerant material. The samples are maintained in either an ice chest or a refrigerator until relinquished into the custody of the laboratory or laboratory courier.

DOCUMENTATION CONVENTIONS

A label must be affixed to all sample containers. In most cases these labels are generated by our office personnel and are partially preprinted. Labels can also be hand written by our field personnel. The site is identified with the store number and site address, as is the particular groundwater well from which the sample is drawn (e.g. MW-1, MW-2, S-1 etc.). The time and date of sample collection along with the initials of the person who collects the sample are handwritten onto the label.

Chain of Custody records are created using client specific preprinted forms following USEPA specifications.

Bill of Lading records are contemporaneous records created in the field at the site where the non-hazardous purgewater is generated. Field Technicians use preprinted Bill of Lading forms.

DECONTAMINATION

All equipment is brought to the site in clean and serviceable condition and is cleaned after use in each well and before subsequent use in any other well. Equipment is decontaminated before leaving the site.

The primary decontamination device is a commercial steam cleaner. The steam cleaner is de-tuned to function as a hot pressure washer that is then operated with high quality deionized water that is produced at our facility and stored onboard our sampling vehicle. Cleaning is facilitated by the use of proprietary fixtures and devices included in the patented workstation (U.S. Patent 5,535,775) that is incorporated in each sampling vehicle. The steam cleaner is used to decon reels, pumps and bailers.

Any sensitive equipment or parts (i.e. Dissolved Oxygen sensor membrane, water level indicator, etc.) that cannot be washed using the high pressure water, will be sprayed with a non-phosphate soap and deionized water solution and rinsed with deionized water.

DISSOLVED OXYGEN READINGS

Dissolved Oxygen readings are taken pre- and/or post-purge using YSI meters (e.g. YSI Model 550) or HACH field test kits.

The YSI meters are able to collect accurate in-situ readings. The probe allows downhole measurements to be taken from wells with diameters as small as two inches. The probe and reel is decontaminated between wells as described above. The meter is calibrated between wells as per the instructions in the operating manual. The probe is lowered into the water column and the reading is allowed to stabilize prior to collection.

OXYIDATON REDUCTION POTENTIAL READINGS

All readings are obtained with either Corning or Myron-L meters (e.g. Corning ORP-65 or a Myron-L Ultrameter GP). The meter is cleaned between wells as described above. The meter is calibrated at the start of each day according to the instruction manual.

FERROUS IRON MEASUREMENTS

All field measurements are collected at time of sampling with a HACH test kit.

CHEVRON WELL MONITORING DATA SHEET

Project #: 111029-461	Station #: 90020
Sampler: SL	Date: 10/29/11
Weather: Clear	Ambient Air Temperature: 60° F
Well I.D.: MW-17	Well Diameter: 2 3 4 6 8 <u>①</u>
Total Well Depth: 23.41	Depth to Water: 19.41
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 20.21	

Purge Method:

- Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible
 Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

- Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

0.2	(Gals.) X	3	=	0.6	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
0810	66.7	6.28	732	94	0.2	Odor
						Well Dewatered @ 0.2 gal DTW = 23.17
1010	65.9	6.77	756	419		

Did well dewater? Yes No Gallons actually evacuated: 0.2

Sampling Date: 10/29/11 Sampling Time: 1010 Depth to Water: 21.83 (2hr)

Sample I.D.: MW-17 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See Col

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON-NORTHERN CALIFORNIA TYPE **A** BILL OF LADING

SOURCE RECORD **BILL OF LADING**

FOR NON-HAZARDOUS PURGEWATER RECOVERED FROM GROUNDWATER WELLS AT CHEVRON FACILITIES IN THE STATE OF CALIFORNIA. THE NON-HAZARDOUS PURGE- WATER WHICH HAS BEEN RECOVERED FROM GROUND- WATER WELLS IS COLLECTED BY THE CONTRACTOR, MADE UP INTO LOADS OF APPROPRIATE SIZE AND HAULED BY IWM TO THEIR FACILITY IN SAN JOSE, CALIFORNIA.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BTS), 1680 Rogers Ave. San Jose CA (408)573-0555). Blaine Tech Services, Inc. is authorized by CHEVRON PRODUCTS COMPANY (CHEVRON) to recover, collect, apportion into loads, and haul the Non-Hazardous Well Purgewater that is drawn from wells at the CHEVRON facility indicated below and to deliver that purgewater to BTS. Transport routing of the Non-Hazardous Well Purgewater may be direct from one Chevron facility to BTS; from one Chevron facility to BTS via another Chevron facility; or any combination thereof. The Non-Hazardous Well Purgewater is and remains the property of CHEVRON.

This Source Record **BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

90020 CHEVRON # Dave Patten Chevron Engineer
1633 Harrison, Oakland street number street name city state

WELL I.D.	GALS.	WELL I.D.	GALS.
<u>MW-17</u>	<u>0.2</u>		<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>	<u>/</u>
<u>/</u>	<u>/</u>	<u>/</u>	<u>/</u>
added equip.	<u>0.8</u>	any other	<u>/</u>
rinse water	<u>/</u>	adjustments	<u>/</u>
TOTAL GALS.	<u>1</u>	loaded onto	<u>60</u>
RECOVERED	<u>/</u>	BTS vehicle #	<u>60</u>
BTS event #	<u>11029-GL</u>	time	<u>1015</u>
signature	<u>GLP</u>	date	<u>10/29/11</u>

REC'D AT	<u>BTS</u>	time	<u>1100</u>
unloaded by		date	<u>10/29/11</u>
signature			



March 21, 2012

Chevron Environmental Management Company
Dave Patten
6111 Bollinger Canyon Rd.
San Ramon, CA 94583

First Quarter 2012 Monitoring at
Chevron Service Station 90020
1633 Harrison St.
Oakland, CA

Monitoring performed on March 17, 2012

Blaine Tech Services, Inc. Groundwater Monitoring Event 120317-JO1

This submission covers the routine monitoring of groundwater wells conducted on March 17, 2012 at this location. Five monitoring wells were measured for depth to groundwater (DTW). Five monitoring wells were sampled. All sampling activities were performed in accordance with local, state and federal guidelines.

Water levels measurements were collected using an electronic slope indicator. All sampled wells were purged of three case volumes, depending on well recovery, or until water temperature, pH and conductivity stabilized. Purging was accomplished using electric submersible pumps, positive air-displacement pumps or stainless steel, Teflon or disposable bailers. Subsequent sample collection and sample handling was performed in accordance with EPA protocols using disposable bailers. Alternately, where applicable, wells were sampled utilizing no-purge methodology. All reused equipment was decontaminated in an integrated stainless steel sink with de-ionized water supplied Hotsy pressure washer and Liquinox or equivalent.

First Quarter Groundwater Monitoring at Chevron 90020, 1633 Harrison St., Oakland, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC. 746684

www.blainetech.com

Samples were delivered under chain-of-custody to Lancaster Laboratories of Lancaster, Pennsylvania, for analysis. Monitoring well purgewater and equipment rinsate water was collected and transported under bill-of-lading to IWM facilities of San Jose, California.

Enclosed documentation from this event includes copies of the Well Gauging Sheet, Well Monitoring Data Sheets, and Chain-of-Custody.

Blaine Tech Services, Inc.'s activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrogeologic conditions or formulation of recommendations was performed.

Please call if you have any questions.

Sincerely,



Dustin Becker
Blaine Tech Services, Inc.
Senior Project Manager

attachments: SOP
Well Gauging Sheet
Individual Well Monitoring Data Sheets
Chain of Custody
Wellhead Inspection Form
Bill of Lading
Calibration Log

cc: CRA
Attn: Nathan Lee
5900 Hollis St. Suite A
Emeryville, CA 94608

First Quarter Groundwater Monitoring at Chevron 90020, 1633 Harrison St., Oakland, CA

SAN JOSE

SACRAMENTO

LOS ANGELES

SAN DIEGO

1680 ROGERS AVENUE

SAN JOSE, CA 95112-1105

(408) 573-0555

FAX (408) 573-7771

LIC: 746684

www.blainetech.com

BLAINE TECH SERVICES, INC. METHODS AND PROCEDURES FOR THE ROUTINE MONITORING OF GROUNDWATER WELLS AT CHEVRON SITES

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. We specialize in groundwater monitoring assignments and intentionally limit the scope of our services to those centered on the generation of objective information.

To avoid conflicts of interest, Blaine Tech Services, Inc. personnel do not evaluate or interpret the information we collect. As a state licensed contractor (C-57 well drilling –water – 746684) performing strictly technical services, we do not make any professional recommendations and perform no consulting of any kind.

SAMPLING PROCEDURES OVERVIEW

SAFETY

All groundwater monitoring assignments performed for Chevron comply with Chevron's safety guidelines, 29 CFR 1910.120 and SB-198 Injury and Illness Prevention Program (IIPP). All Field Technicians receive the full 40-hour 29CFR 1910.120 OSHA SARA HAZWOPER course, medical clearance and on-the-job training prior to commencing any work on any Chevron site.

INSPECTION AND GAUGING

Wells are inspected prior to evacuation and sampling. The condition of the wellhead is checked and noted according to a wellhead inspection checklist.

Standard measurements include the depth to water (DTW) and the total well depth (TD) obtained with industry standard electronic water level indicators that are graduated in increments of hundredths of a foot.

The water in each well is inspected for the presence of immiscibles. When free product is suspected, its presence is confirmed using an electronic interface probe (e.g. GeoTech). No samples are collected from a well containing over two-hundredths of a foot (0.02') of product.

EVACUATION

Depth to water measurements are collected by our personnel prior to purging and minimum purge volumes are calculated anew for each well based on the height of the water column and the diameter of the well. Expected purge volumes are never less than three case volumes and are set at no less than four case volumes in some jurisdictions.

Well purging devices are selected on the basis of the well diameter and the total volume to be

evacuated. In most cases the well will be purged using an electric submersible pump (i.e. Grundfos) suspended near (but not touching) the bottom of the well.

PARAMETER STABILIZATION

Well purging completion standards include minimum purge volumes, but additionally require stabilization of specific groundwater parameters prior to sample collection. Typical groundwater parameters used to measure stability are electrical conductivity, pH, and temperature. Instrument readings are obtained at regular intervals during the evacuation process (no less than once per case volume).

Stabilization standards for routine quarterly monitoring of fuel sites include the following: Temperature is considered to have stabilized when successive readings do not fluctuate more than +/- 1 degree Celsius. Electrical conductivity is considered stable when successive readings are within 10%. pH is considered to be stable when successive readings remain constant or vary no more than 0.2 of a pH unit.

DEWATERED WELLS

Normal evacuation removes no less than three case volumes of water from the well. However, less water may be removed in cases where the well dewateres and does not immediately recharge.

MEASURING RECHARGE

Upon completion of well purging, a depth to water measurement is collected and notated to ensure that the well has recharged to within 80% of its static, pre-purge level prior to sampling.

Wells that do not immediately show 80% recharge or dewatered wells will be allowed approximately 2 hours to recharge prior to sampling or will be sampled at site departure. All wells requiring off-site traffic control in the public right-of-way, the 80% recharge rule may be disregarded in the interests of Health and Safety. The sample may be collected as soon as there is sufficient water. The water level at time of sampling will be noted.

PURGEWATER CONTAINMENT

All non-hazardous purgewater evacuated from each groundwater monitoring well is captured and contained in on-board storage tanks on the Sampling Vehicle and/or special water hauling trailers. Effluent from the decontamination of reusable apparatus (sounders, electric pumps and hoses etc.), consisting of groundwater combined with deionized water and non-phosphate soap, is also captured and pumped into effluent tanks.

Non-hazardous purgewater is transported under standard Bill of Lading documentation to a Blaine Tech Services, Inc. facility before being transported to a Chevron approved disposal facility.

SAMPLE COLLECTION DEVICES

All samples are collected using disposable bailers.

SAMPLE CONTAINERS

Sample material is decanted directly from the sampling bailer into sample containers provided by the laboratory that will analyze the samples. The transfer of sample material from the bailer to the sample container conforms to specifications contained in the USEPA T.E.G.D. The type of sample container, material of construction, method of closure and filling requirements are specific to the intended analysis. Chemicals needed to preserve the sample material are commonly placed inside the sample containers by the laboratory or glassware vendor prior to delivery of the bottle to our personnel. The laboratory sets the number of replicate containers.

TRIP BLANKS

Trip Blanks, if requested, are taken to the site and kept inside the sample cooler for the duration of the event. They are turned over to the laboratory for analysis with the samples from that site.

DUPLICATES

Duplicates, if requested, may be collected at a site. The Duplicate sample is collected, typically from the well containing the most measurable contaminants. The Duplicate sample is labeled the same as the original.

SAMPLE STORAGE

All sample containers are promptly placed in food grade ice chests for storage in the field and transport (direct or via our facility) to the designated analytical laboratory. These ice chests contain quantities of restaurant grade ice as a refrigerant material. The samples are maintained in either an ice chest or a refrigerator until relinquished into the custody of the laboratory or laboratory courier.

DOCUMENTATION CONVENTIONS

A label must be affixed to all sample containers. In most cases these labels are generated by our office personnel and are partially preprinted. Labels can also be hand written by our field personnel. The site is identified with the store number and site address, as is the particular groundwater well from which the sample is drawn (e.g. MW-1, MW-2, S-1 etc.). The time and date of sample collection along with the initials of the person who collects the sample are handwritten onto the label.

Chain of Custody records are created using client specific preprinted forms following USEPA specifications.

Bill of Lading records are contemporaneous records created in the field at the site where the non-hazardous purgewater is generated. Field Technicians use preprinted Bill of Lading forms.

DECONTAMINATION

All equipment is brought to the site in clean and serviceable condition and is cleaned after use in each well and before subsequent use in any other well. Equipment is decontaminated before leaving the site.

The primary decontamination device is a commercial steam cleaner. The steam cleaner is de-tuned to function as a hot pressure washer that is then operated with high quality deionized water that is produced at our facility and stored onboard our sampling vehicle. Cleaning is facilitated by the use of proprietary fixtures and devices included in the patented workstation (U.S. Patent 5,535,775) that is incorporated in each sampling vehicle. The steam cleaner is used to decon reels, pumps and bailers.

Any sensitive equipment or parts (i.e. Dissolved Oxygen sensor membrane, water level indicator, etc.) that cannot be washed using the high pressure water, will be sprayed with a non-phosphate soap and deionized water solution and rinsed with deionized water.

DISSOLVED OXYGEN READINGS

Dissolved Oxygen readings are taken pre- and/or post-purge using YSI meters (e.g. YSI Model 550) or HACH field test kits.

The YSI meters are able to collect accurate in-situ readings. The probe allows downhole measurements to be taken from wells with diameters as small as two inches. The probe and reel is decontaminated between wells as described above. The meter is calibrated between wells as per the instructions in the operating manual. The probe is lowered into the water column and the reading is allowed to stabilize prior to collection.

OXYIDATON REDUCTION POTENTIAL READINGS

All readings are obtained with either Corning or Myron-L meters (e.g. Corning ORP-65 or a Myron-L Ultrameter GP). The meter is cleaned between wells as described above. The meter is calibrated at the start of each day according to the instruction manual.

FERROUS IRON MEASUREMENTS

All field measurements are collected at time of sampling with a HACH test kit.

CHEVRON WELL MONITORING DATA SHEET

Project #: 120317-Jol	Station #: 9-0020
Sampler: J0	Date: 3-17-12
Weather: Overcast	Ambient Air Temperature: 60
Well I.D.: MW-9	Well Diameter: (2) 3 4 6 8
Total Well Depth: 24.04	Depth to Water: 11.93
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 20.45	

Purge Method:

- Bailer
- (Disposable Bailer)
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method: Bailer

- (Disposable Bailer)
- Extraction Port
- Dedicated Tubing
- Other: _____

0.7 (Gals.) X 3 = 2.1 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
09102	61.6	7.36	604	104	0.7	
0903	61.0	7.17	600	116	1.4	
0904	60.9	7.14	592	120	2.1	

Did well dewater? Yes (No) Gallons actually evacuated: 2.1

Sampling Date: 3-17-12 Sampling Time: 0910 Depth to Water: 20.24

Sample I.D.: MW-9 Laboratory: (Lancaster) Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: see loc

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: mg/L Post-purge: mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120317-101	Station #: 9-0020
Sampler: 30	Date: 3-17-12
Weather: overcast	Ambient Air Temperature: 59
Well I.D.: MW-13	Well Diameter: (2) 3 4 6 8 _____
Total Well Depth: 26.50	Depth to Water: 20.00
Depth to Free Product: _____	Thickness of Free Product (feet): _____
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 21.30	

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method:

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

1.0	(Gals.) X	3	=	3.0	Gals.
I Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
0824	61.2	6.62	672	221	1.0	
0825	61.1	6.61	641	249	2.0	
0826	61.1	6.59	640	273	3.0	

Did well dewater? Yes No Gallons actually evacuated: 3.0

Sampling Date: 3-17-12 Sampling Time: 0835 Depth to Water: 20.64

Sample I.D.: MW-13 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120317-J01	Station #: 9-0020
Sampler: Jo	Date: 3-17-12
Weather: clear	Ambient Air Temperature: 61.0
Well I.D.: MW-15	Well Diameter: (2) 3 4 6 8
Total Well Depth: 26.23	Depth to Water: 19.64
Depth to Free Product: _____	Thickness of Free Product (feet): _____
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 20.95	

Purge Method:

Sampling Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

- Bailer
- Disposable Bailer
- Extraction Port
- Dedicated Tubing

Other: _____

1.0 (Gals.) X 3 = 3.0 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
0840	61.3	7.11	612	147	1.0	
0842	61.2	7.02	621	156	2.0	
0843	61.2	7.00	622	188	3.0	

Did well dewater? Yes No Gallons actually evacuated: 20.36

Sampling Date: 3-17-12 Sampling Time: 0850 Depth to Water: 20.81

Sample I.D.: MW-15 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: _____ Analyzed for: TPH-G BTEX MTBE OXYS Other: _____

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120317-Joi	Station #: 9-0020
Sampler: Jo	Date: 3-17-17
Weather: Overcast	Ambient Air Temperature: 61
Well I.D.: MW-16	Well Diameter: (2) 3 4 6 8 _____
Total Well Depth: 25.27	Depth to Water: 19.97
Depth to Free Product: _____	Thickness of Free Product (feet): _____
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 19.2097	

Purge Method:

- Bailer
- Disposable Bailer
- Positive Air Displacement
- Electric Submersible
- Waterra
- Peristaltic
- Extraction Pump
- Other _____

Sampling Method: Bailer

- Disposable Bailer
- Extraction Port
- Dedicated Tubing
- Other: _____

0.8	(Gals.) X	3	=	2.4	Gals.
I Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
0920	61.2	7.02	1000	221	0.8	
0921	61.2	6.99	994	236	1.6	
0923	61.3	6.97	990	242	2.4	

Did well dewater? Yes No Gallons actually evacuated: 2.4

Sampling Date: 3-17-17 Sampling Time: 0930 Depth to Water: 20.84

Sample I.D.: MW-16 Laboratory: (Kancaster) Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: See COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHEVRON WELL MONITORING DATA SHEET

Project #: 120317-101	Station #: 9-0020
Sampler: SD	Date: 3-17-12
Weather: overcast	Ambient Air Temperature: 61°
Well I.D.: MW-17	Well Diameter: 2 3 4 6 8 <u>10</u>
Total Well Depth: 23.21	Depth to Water: 19.12
Depth to Free Product: —	Thickness of Free Product (feet): —
Referenced to: <u>RVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 19.94	

Purge Method:

- Bailer
 Disposable Bailer
 Positive Air Displacement
 Electric Submersible
- Waterra
 Peristaltic
 Extraction Pump
 Other _____

Sampling Method:

- Bailer
 Disposable Bailer
 Extraction Port
 Dedicated Tubing
 Other: _____

0.2	(Gals.) X	3	=	0.6	Gals.
1 Case Volume		Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
0730	51.9	7.13	789	>1000	0.2	ok
0815	59.0	7.17	783	>1000	—	

Did well dewater? Yes No Gallons actually evacuated: 0.2

Sampling Date: 3-17-12 Sampling Time: 0815 Depth to Water: 22.16 (Latched)

Sample I.D.: MW-17 Laboratory: Lancaster Other _____

Analyzed for: TPH-G BTEX MTBE OXYS Other: see COC

Duplicate I.D.: Analyzed for: TPH-G BTEX MTBE OXYS Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

CHAIN OF CUSTODY FORM

Chevron Environmental Management Company ■ 6111 Bollinger Canyon Rd. ■ San Ramon, CA 94583

COC 1 of 1

Chevron Site Number: 90020
 Chevron Site Global ID: T0600100304
 Chevron Site Address: 1633 Harrison St., Oakland, CA
 Chevron PM: DAVE PATTEN
 Chevron PM Phone No.: (925)543-1740
 Retail and Terminal Business Unit (RTBU) Job
 Construction/Retail Job

Chevron Consultant: CRA
 Address: 5900 Hollis St. Suite A Emeryville
 CA Consultant Contact: Nathan Lee
 Consultant Phone No. 510-420-3351
 Consultant Project No. 120317-501
 Sampling Company: Blaine Tech Services
 Sampled By (Print): [Signature]
 Sampler Signature: [Signature]

Charge Code: **NWRTB-0090020-0-OML**
 NWRTB 00SITE NUMBER-0- WBS
(WBS ELEMENTS:
 SITE ASSESSMENT: A1L REMEDIATION IMPLEMENTATION: R5L
 SITE MONITORING: OML OPERATION MAINTENANCE & MONITORING: M1L
THIS IS A LEGAL DOCUMENT. ALL FIELDS MUST BE FILLED OUT CORRECTLY AND COMPLETELY.

Lancaster Laboratories
 Lancaster, PA
 Lab Contact: Jill Parker
 2425 New Holland Pike,
 Lancaster, PA 17601
 Phone No:
 (717)656-2300

Other Lab	Temp. Blank Check Time	Temp.
_____	0800	10
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

ANALYSES REQUIRED												Preservation Codes
H	H											
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Special Instructions Must meet lowest detection limits possi. for 8260 Compounds
EPA 8260B/GC/MS TPH-G <input type="checkbox"/>	MIBEX <input type="checkbox"/>	OXYGENATES <input type="checkbox"/>	HVOC <input type="checkbox"/>	DRO <input type="checkbox"/>	ORO <input type="checkbox"/>	HC SCREEN <input type="checkbox"/>	EPA 310.1 ALKALINITY <input type="checkbox"/>	EPA 413.1 OIL & GREASE <input type="checkbox"/>	EPA 150.1 PH <input type="checkbox"/>	SM2510B SPECIFIC CONDUCTIVITY	EPA 418.1 TRPH <input type="checkbox"/>	
EPA 8015B GRO <input checked="" type="checkbox"/>	BTEX <input checked="" type="checkbox"/>											
EPA 8021B BTEX <input type="checkbox"/>	MTBE <input type="checkbox"/>											
EPA 6010 Ca, Fe, K, Mg, Mn, Na												
EPA 6010/7000 TITLE 22 METALS <input type="checkbox"/>	TLC <input type="checkbox"/>	STLC <input type="checkbox"/>										
EPA 8015B												
EPA 8260												
EPA 8015												

SAMPLE ID				Sample Time	# of Containers	Container Type	EPA 8260B/GC/MS TPH-G <input type="checkbox"/>	EPA 8015B GRO <input checked="" type="checkbox"/>	EPA 8021B BTEX <input type="checkbox"/>	EPA 6010 Ca, Fe, K, Mg, Mn, Na	EPA 6010/7000 TITLE 22 METALS <input type="checkbox"/>	EPA 150.1 PH <input type="checkbox"/>	SM2510B SPECIFIC CONDUCTIVITY	EPA 418.1 TRPH <input type="checkbox"/>	EPA 8260 ETHANOL	EPA 8015 TPH-D <input type="checkbox"/>	Notes/Comments	
Field Point Name	Matrix	Top Depth	Date (yymmdd)															
MW-9	W		120317	0910	6	VOLS	X	X										
MW-13				0835	6		X	X										
MW-15				0850	6		X	X										
MW-16				0930	6		X	X										
MW-17				0815	6		X	X										
QA	T			0800	2		X	X										

Relinquished By: <u>[Signature]</u>	Company: <u>BTS</u>	Date/Time: <u>3-9-12/1020</u>	Relinquished To: <u>[Signature]</u>	Company: <u>BTS</u>	Date/Time: <u>3-17-2/1020</u>
Relinquished By: <u>[Signature]</u>	Company: <u>BTS</u>	Date/Time: <u>3/14/12 1015</u>	Relinquished To: <u>[Signature]</u>	Company: <u>CEI</u>	Date/Time: <u>3/15/12 1015</u>
Relinquished By: _____	Company: _____	Date/Time: _____	Relinquished To: _____	Company: _____	Date/Time: _____

Turnaround Time: Standard 24 Hours 48 hours 72 Hours Other

Sample Integrity: (Check by lab on arrival)
 Intact: _____ On Ice: _____ Temp: _____
 COC # _____

CHEVRON-NORTHERN CALIFORNIA TYPE **A** BILL OF LADING

SOURCE RECORD **BILL OF LADING**

FOR NON-HAZARDOUS PURGEWATER RECOVERED FROM GROUNDWATER WELLS AT CHEVRON FACILITIES IN THE STATE OF CALIFORNIA. THE NON-HAZARDOUS PURGE- WATER WHICH HAS BEEN RECOVERED FROM GROUND- WATER WELLS IS COLLECTED BY THE CONTRACTOR, MADE UP INTO LOADS OF APPROPRIATE SIZE AND HAULED BY IWM TO THEIR FACILITY IN SAN JOSE, CALIFORNIA.

The contractor performing this work is BLAINE TECH SERVICES, INC. (BTS), 1680 Rogers Ave. San Jose CA (408)573-0555). Blaine Tech Services, Inc. is authorized by CHEVRON PRODUCTS COMPANY (CHEVRON) to recover, collect, apportion into loads, and haul the Non-Hazardous Well Purgewater that is drawn from wells at the CHEVRON facility indicated below and to deliver that purgewater to BTS. Transport routing of the Non-Hazardous Well Purgewater may be direct from one Chevron facility to BTS; from one Chevron facility to BTS via another Chevron facility; or any combination thereof. The Non-Hazardous Well Purgewater is and remains the property of CHEVRON.

This Source Record **BILL OF LADING** was initiated to cover the recovery of Non-Hazardous Well Purgewater from wells at the Chevron facility described below:

9-0020
 CHEVRON #

David Patton
 Chevron Engineer

633 Hawthorn 4 Oakland CA
 street number street name city state

WELL I.D.	GALS.	WELL I.D.	GALS.
MW-9	2.1		
MW-13	3.0		
MW-15	3.0		
MW-16	2.4		
MW-17	0.2		
added equip.		any other	
rinse water	0.3	adjustments	
TOTAL GALS.	<u>11</u>	loaded onto	
RECOVERED		BTS vehicle #	<u>85</u>
BTS event #	time	date	
<u>120317-10A</u>	<u>0930</u>	<u>3/17/12</u>	
signature <u>[Signature]</u>			

REC'D AT	time	date	
<u>BTS</u>	<u>1015</u>	<u>3/17/12</u>	
unloaded by			
signature <u>[Signature]</u>			

ATTACHMENT B

LABORATORY ANALYTICAL REPORT

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

November 09, 2011

Project: 90020


Submittal Date: 11/02/2011
Group Number: 1274383
PO Number: 0015074399
Release Number: PATTEN
State of Sample Origin: CAClient Sample DescriptionMW-17-W-111029 NA Water
QA-T-111029 NA WaterLancaster Labs (LLI) #6457357
6457358

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	Chevron c/o CRA	Attn: Report Contact
ELECTRONIC COPY TO	Blaine Tech Services, Inc.	Attn: Dustin Becker
ELECTRONIC COPY TO	Chevron	Attn: Anna Avina
ELECTRONIC COPY TO	CRA	Attn: Nathan Lee
ELECTRONIC COPY TO	CRA	Attn: Ian Hull

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,



Lawrence M. Taylor
Senior Specialist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-17-W-111029 NA Water
Facility #90020 BTST
1633 Harrison-Oakland T0600100304 MW-17

LLI Sample # WW 6457357
LLI Group # 1274383
Account # 10991

Project Name: 90020

Collected: 10/29/2011 10:10 by SL

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 11/02/2011 09:00

Reported: 11/09/2011 12:58

HOM17

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	ug/l	
10943	Benzene	71-43-2	170	1	2	2
10943	Ethanol	64-17-5	N.D.	100	500	2
10943	Ethylbenzene	100-41-4	350	1	2	2
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	1	2	2
10943	Toluene	108-88-3	560	10	20	20
10943	Xylene (Total)	1330-20-7	1,700	10	20	20
GC Volatiles SW-846 8015B			ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	6,800	500	1,000	10

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	Z113071AA	11/03/2011 17:23	Daniel H Heller	2
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	Z113071AA	11/03/2011 17:44	Daniel H Heller	20
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z113071AA	11/03/2011 17:23	Daniel H Heller	2
01163	GC/MS VOA Water Prep	SW-846 5030B	2	Z113071AA	11/03/2011 17:44	Daniel H Heller	20
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11307A07A	11/04/2011 20:37	Marie D John	10
01146	GC VOA Water Prep	SW-846 5030B	1	11307A07A	11/04/2011 20:37	Marie D John	10

*=This limit was used in the evaluation of the final result



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: QA-T-111029 NA Water
Facility #90020 BTST
1633 Harrison-Oakland T0600100304 QA

LLI Sample # WW 6457358
LLI Group # 1274383
Account # 10991

Project Name: 90020

Collected: 10/29/2011 07:45

Chevron

Submitted: 11/02/2011 09:00

6001 Bollinger Canyon Rd L4310

Reported: 11/09/2011 12:58

San Ramon CA 94583

HOTB-

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B			ug/l	ug/l	ug/l	
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B			ug/l	ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	Z113071AA	11/03/2011 13:08	Daniel H Heller	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	Z113071AA	11/03/2011 13:08	Daniel H Heller	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	11307A07A	11/04/2011 14:11	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	11307A07A	11/04/2011 14:11	Marie D John	1

*=This limit was used in the evaluation of the final result

Quality Control Summary

 Client Name: Chevron
 Reported: 11/09/11 at 12:58 PM

Group Number: 1274383

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: Z113071AA	Sample number(s): 6457357-6457358								
Benzene	N.D.	0.5	1	ug/l	99	101	79-120	2	30
Ethanol	N.D.	50.	250	ug/l	104	106	54-149	2	30
Ethylbenzene	N.D.	0.5	1	ug/l	108	106	79-120	2	30
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	109	111	76-120	2	30
Toluene	N.D.	0.5	1	ug/l	107	106	79-120	0	30
Xylene (Total)	N.D.	0.5	1	ug/l	109	108	80-120	0	30
Batch number: 11307A07A	Sample number(s): 6457357-6457358								
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	109	109	75-135	0	30

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water

Batch number: Z113071AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6457357	105	95	103	104
6457358	111	101	102	95
Blank	109	99	103	96
LCS	107	100	102	104
LCSD	109	102	101	104
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TPH-GRO N. CA water C6-C12

Batch number: 11307A07A

	Trifluorotoluene-F
6457357	113
6457358	97
Blank	99
LCS	106
LCSD	110
Limits:	63-135

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 11/09/11 at 12:58 PM

Group Number: 1274383

Surrogate Quality Control

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is $<$ CRDL, but \geq IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike sample not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
N Presumptive evidence of a compound (TICs only)	U Compound was not detected
P Concentration difference between primary and confirmation columns $>$ 25%	W Post digestion spike out of control limits
U Compound was not detected	* Duplicate analysis not within control limits
X,Y,Z Defined in case narrative	+ Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

March 30, 2012

Project: 90020

Submittal Date: 03/20/2012
Group Number: 1296506
PO Number: 0015074399
Release Number: PATTEN
State of Sample Origin: CAClient Sample DescriptionMW-9-W-120317 NA Water
MW-13-W-120317 NA Water
MW-15-W-120317 NA Water
MW-16-W-120317 NA Water
MW-17-W-120317 NA Water
QA-T-120317 NA WaterLancaster Labs (LLI) #6585352
6585353
6585354
6585355
6585356
6585357

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	Chevron c/o CRA	Attn: Report Contact
ELECTRONIC COPY TO	Blaine Tech Services, Inc.	Attn: Dustin Becker
ELECTRONIC COPY TO	Chevron	Attn: Anna Avina
ELECTRONIC COPY TO	CRA	Attn: Nathan Lee
ELECTRONIC COPY TO	CRA	Attn: Ian Hull

Respectfully Submitted,



Jill M. Parker
Senior Specialist

(717) 556-7262

Sample Description: MW-9-W-120317 NA Water
Facility #90020 BTST
1633 Harrison-Oakland T0600100304 MW-9

LLI Sample # WW 6585352
LLI Group # 1296506
Account # 10991

Project Name: 90020

Collected: 03/17/2012 09:10 by JO

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 03/20/2012 20:02

Reported: 03/30/2012 17:43

HAOM9

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	0.9 J	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	3	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	980	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F120852AA	03/26/2012 00:50	Holly Berry	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F120852AA	03/26/2012 00:50	Holly Berry	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12081A94A	03/22/2012 18:52	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	12081A94A	03/22/2012 18:52	Laura M Krieger	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-13-W-120317 NA Water
Facility #90020 BTST
1633 Harrison-Oakland T0600100304 MW-13

LLI Sample # WW 6585353
LLI Group # 1296506
Account # 10991

Project Name: 90020

Collected: 03/17/2012 08:35 by JO

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 03/20/2012 20:02

Reported: 03/30/2012 17:43

HA013

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F120852AA	03/26/2012 01:12	Holly Berry	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F120852AA	03/26/2012 01:12	Holly Berry	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12081A94A	03/22/2012 19:18	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	12081A94A	03/22/2012 19:18	Laura M Krieger	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-15-W-120317 NA Water
 Facility #90020 BTST
 1633 Harrison-Oakland T0600100304 MW-15

LLI Sample # WW 6585354
 LLI Group # 1296506
 Account # 10991

Project Name: 90020

Collected: 03/17/2012 08:50 by JO

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 03/20/2012 20:02

Reported: 03/30/2012 17:43

HAO15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethanol	64-17-5	N.D.	50	250	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F120852AA	03/26/2012 01:34	Holly Berry	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F120852AA	03/26/2012 01:34	Holly Berry	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12081A94A	03/22/2012 19:44	Laura M Krieger	1
01146	GC VOA Water Prep	SW-846 5030B	1	12081A94A	03/22/2012 19:44	Laura M Krieger	1

*=This limit was used in the evaluation of the final result

Sample Description: MW-16-W-120317 NA Water
Facility #90020 BTST
1633 Harrison-Oakland T0600100304 MW-16

LLI Sample # WW 6585355
LLI Group # 1296506
Account # 10991

Project Name: 90020

Collected: 03/17/2012 09:30 by JO

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 03/20/2012 20:02

Reported: 03/30/2012 17:43

HA016

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	33	3	5	5
10943	Ethanol	64-17-5	N.D.	250	1,300	5
10943	Ethylbenzene	100-41-4	28	3	5	5
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	3	5	5
10943	Toluene	108-88-3	56	3	5	5
10943	Xylene (Total)	1330-20-7	78	3	5	5
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	11,000	250	500	5

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F120851AA	03/26/2012 04:19	Holly Berry	5
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F120851AA	03/26/2012 04:19	Holly Berry	5
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12081A94A	03/22/2012 20:10	Laura M Krieger	5
01146	GC VOA Water Prep	SW-846 5030B	1	12081A94A	03/22/2012 20:10	Laura M Krieger	5

Sample Description: MW-17-W-120317 NA Water
Facility #90020 BTST
1633 Harrison-Oakland T0600100304 MW-17

LLI Sample # WW 6585356
LLI Group # 1296506
Account # 10991

Project Name: 90020

Collected: 03/17/2012 08:15 by JO

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 03/20/2012 20:02

Reported: 03/30/2012 17:43

HA017

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	180	5	10	10
10943	Ethanol	64-17-5	N.D.	500	2,500	10
10943	Ethylbenzene	100-41-4	580	5	10	10
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	5	10	10
10943	Toluene	108-88-3	670	5	10	10
10943	Xylene (Total)	1330-20-7	2,100	5	10	10
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	20,000	1,000	2,000	20

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	UST VOCs by 8260B - Water	SW-846 8260B	1	F120851AA	03/26/2012 04:40	Holly Berry	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F120851AA	03/26/2012 04:40	Holly Berry	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12082A53A	03/23/2012 12:55	Marie D John	20
01146	GC VOA Water Prep	SW-846 5030B	1	12082A53A	03/23/2012 12:55	Marie D John	20

*=This limit was used in the evaluation of the final result

Sample Description: QA-T-120317 NA Water
 Facility #90020 BTST
 1633 Harrison-Oakland T0600100304 QA

LLI Sample # WW 6585357
 LLI Group # 1296506
 Account # 10991

Project Name: 90020

Collected: 03/17/2012 08:00

Chevron

Submitted: 03/20/2012 20:02

6001 Bollinger Canyon Rd L4310

Reported: 03/30/2012 17:43

San Ramon CA 94583

HAOQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Volatiles SW-846 8260B						
10943	Benzene	71-43-2	N.D.	0.5	1	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1	1
10943	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	1	1
10943	Toluene	108-88-3	N.D.	0.5	1	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1	1
GC Volatiles SW-846 8015B						
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	100	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX/MTBE 8260 Water	SW-846 8260B	1	P120871AA	03/27/2012 13:41	Emily R Styer	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	P120871AA	03/27/2012 13:41	Emily R Styer	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12082A53A	03/22/2012 18:45	Marie D John	1
01146	GC VOA Water Prep	SW-846 5030B	1	12082A53A	03/22/2012 18:45	Marie D John	1

Quality Control Summary

Client Name: Chevron

Group Number: 1296506

Reported: 03/30/12 at 05:43 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: F120851AA Sample number(s): 6585355-6585356									
Benzene	N.D.	0.5	1	ug/l	88		77-121		
Ethanol	N.D.	50.	250	ug/l	77		54-149		
Ethylbenzene	N.D.	0.5	1	ug/l	89		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	76		68-121		
Toluene	N.D.	0.5	1	ug/l	93		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	88		77-120		
Batch number: F120852AA Sample number(s): 6585352-6585354									
Benzene	N.D.	0.5	1	ug/l	90		77-121		
Ethanol	N.D.	50.	250	ug/l	101		54-149		
Ethylbenzene	N.D.	0.5	1	ug/l	91		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	77		68-121		
Toluene	N.D.	0.5	1	ug/l	97		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	90		77-120		
Batch number: P120871AA Sample number(s): 6585357									
Benzene	N.D.	0.5	1	ug/l	98		77-121		
Ethylbenzene	N.D.	0.5	1	ug/l	97		79-120		
Methyl Tertiary Butyl Ether	N.D.	0.5	1	ug/l	105		68-121		
Toluene	N.D.	0.5	1	ug/l	101		79-120		
Xylene (Total)	N.D.	0.5	1	ug/l	100		77-120		
Batch number: 12081A94A Sample number(s): 6585352-6585355									
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	100	100	75-135	0	30
Batch number: 12082A53A Sample number(s): 6585356-6585357									
TPH-GRO N. CA water C6-C12	N.D.	50.	100	ug/l	100	91	75-135	10	30

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: F120851AA Sample number(s): 6585355-6585356 UNSPK: P586053									
Benzene	99	93	72-134	7	30				
Ethanol	94	103	53-146	9	30				
Ethylbenzene	100	96	71-134	4	30				
Methyl Tertiary Butyl Ether	82	76	72-126	7	30				
Toluene	105	100	80-125	5	30				

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron

Group Number: 1296506

Reported: 03/30/12 at 05:43 PM

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u> <u>RPD</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
Xylene (Total)	101	96	79-125	5	30				
Batch number: F120852AA Sample number(s): 6585352-6585354 UNSPK: P585342									
Benzene	91	88	72-134	3	30				
Ethanol	81	92	53-146	13	30				
Ethylbenzene	90	89	71-134	1	30				
Methyl Tertiary Butyl Ether	78	73	72-126	7	30				
Toluene	97	94	80-125	3	30				
Xylene (Total)	91	89	79-125	2	30				
Batch number: P120871AA Sample number(s): 6585357 UNSPK: P585363									
Benzene	106	105	72-134	1	30				
Ethylbenzene	106	102	71-134	4	30				
Methyl Tertiary Butyl Ether	106	106	72-126	1	30				
Toluene	99	104	80-125	5	30				
Xylene (Total)	105	102	79-125	3	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water

Batch number: F120851AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6585355	100	96	100	99
6585356	99	96	101	98
Blank	103	101	98	91
LCS	99	99	99	103
MS	99	100	98	99
MSD	98	98	99	101

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs by 8260B - Water

Batch number: F120852AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6585352	97	96	100	99
6585353	103	101	98	92
6585354	104	101	99	92
Blank	102	100	96	90
LCS	99	98	100	101
MS	101	101	100	102
MSD	98	99	98	101

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs by 8260B - Water

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 03/30/12 at 05:43 PM

Group Number: 1296506

Surrogate Quality Control

Batch number: P120871AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6585357	94	94	98	94
Blank	98	98	98	95
LCS	97	99	98	96
MS	96	97	98	96
MSD	95	97	97	96

Limits: 80-116 77-113 80-113 78-113

Analysis Name: TPH-GRO N. CA water C6-C12

Batch number: 12081A94A

	Trifluorotoluene-F
6585352	88
6585353	76
6585354	77
6585355	151*
Blank	77
LCS	92
LCSD	89

Limits: 63-135

Analysis Name: TPH-GRO N. CA water C6-C12

Batch number: 12082A53A

	Trifluorotoluene-F
6585356	100
6585357	82
Blank	82
LCS	98
LCSD	95

Limits: 63-135

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m³	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is $<$ CRDL, but \geq IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns $>$ 25%	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.