

Western Operations

1252 Quarry Lane  
Pleasanton, CA 94566  
(415) 426-2600  
Fax (415) 426-0106

**Clayton**  
ENVIRONMENTAL  
CONSULTANTS

December 14, 1990

Ms. Laurene Compton  
CLAYTON ENVIRONMENTAL CONSULTANTS, INC.  
1252 Quarry Lane  
Pleasanton, CA 94566

Client Ref. 29196.00  
Clayton Project No. 90120.05


Dear Ms. Compton:

Attached is our analytical laboratory report for the samples received on November 30, 1990. A copy of the Chain-of-Custody form acknowledging receipt of these samples is attached.

Please note that any unused portion of the samples will be disposed of 30 days after the date of this report, unless you have requested otherwise.

We appreciate the opportunity to be of assistance to you. If you have any questions, please contact Maryann Gambino, Client Services Supervisor, at (415) 426-2657.

Sincerely,



Ronald H. Peters, CIH  
Director, Laboratory Services  
Western Operations

RHP/tb  
Attachments

PLTF/DEPT/EXTNDR E  
WIT DEWIS BYRNE  
DATE 11/22/91 ELG  
ELYSE R. GARDNER, CSR

Results of Analysis  
 for  
 Harsch Investments

Client Reference: 29196.00  
 Clayton Project No. 90120.05

Sample Identification:	MW-1	Date Sampled:	11/30/90
Lab Number:	9012005-01A	Date Received:	11/30/90
Sample Matrix/Media:	WATER	Date Prepared:	12/08/90
Preparation Method:	EPA 5030	Date Analyzed:	12/08/90
Analytical Method:	EPA 8015/8020		

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
<u>BTEX/Gasoline</u>			
Benzene	71-43-2	ND	0.4
Toluene	108-88-3	ND	0.3
Ethylbenzene	100-41-4	ND	0.3
Xylenes	1330-20-7	ND	0.4
Gasoline	-----	ND	50

ND Not detected at or above limit of detection  
 -- Information not available or not applicable

Results of Analysis  
 for  
 Harsch Investments

Client Reference: 29196.00  
 Clayton Project No. 90120.05

Sample Identification:	MW-5	Date Sampled:	11/30/90
Lab Number:	9012005-02A	Date Received:	11/30/90
Sample Matrix/Media:	WATER	Date Prepared:	12/08/90
Preparation Method:	EPA 5030	Date Analyzed:	12/08/90
Analytical Method:	EPA 8015/8020		

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
<u>BTEX/Gasoline</u>			
Benzene	71-43-2	800	4
Toluene	108-88-3	12	3
Ethylbenzene	100-41-4	320	3
Xylenes	1330-20-7	66	4
Gasoline	-----	2,900	500

ND Not detected at or above limit of detection  
 -- Information not available or not applicable

Results of Analysis  
for  
Harsch Investments

Client Reference: 29196.00  
Clayton Project No. 90120.05

Sample Identification:	MW-9	Date Sampled:	11/30/90
Lab Number:	9012005-03A	Date Received:	11/30/90
Sample Matrix/Media:	WATER	Date Prepared:	12/08/90
Preparation Method:	EPA 5030	Date Analyzed:	12/08/90
Analytical Method:	EPA 8015/8020		

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
<u>BTEX/Gasoline</u>			
Benzene	71-43-2	ND	0.4
Toluene	108-88-3	ND	0.3
Ethylbenzene	100-41-4	ND	0.3
Xylenes	1330-20-7	ND	0.4
Gasoline	-----	ND	50

ND Not detected at or above limit of detection  
-- Information not available or not applicable

Results of Analysis  
 for  
 Harsch Investments

Client Reference: 29196.00  
 Clayton Project No. 90120.05

Sample Identification:	MW-8	Date Sampled:	11/30/90
Lab Number:	9012005-04A	Date Received:	11/30/90
Sample Matrix/Media:	WATER	Date Prepared:	12/08/90
Preparation Method:	EPA 5030	Date Analyzed:	12/08/90
Analytical Method:	EPA 8015/8020		

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
<u>BTEX/Gasoline</u>			
Benzene	71-43-2	ND	0.4
Toluene	108-88-3	ND	0.3
Ethylbenzene	100-41-4	ND	0.3
Xylenes	1330-20-7	ND	0.4
Gasoline	-----	ND	50

ND Not detected at or above limit of detection  
 -- Information not available or not applicable

Results of Analysis  
for  
Harsch Investments

Client Reference: 29196.00  
Clayton Project No. 90120.05

Sample Identification:	MW-7	Date Sampled:	11/30/90
Lab Number:	9012005-05A	Date Received:	11/30/90
Sample Matrix/Media:	WATER	Date Prepared:	12/08/90
Preparation Method:	EPA 5030	Date Analyzed:	12/08/90
Analytical Method:	EPA 8015/8020		

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
<u>BTEX/Gasoline</u>			
Benzene	71-43-2	ND	0.4
Toluene	108-88-3	ND	0.3
Ethylbenzene	100-41-4	ND	0.3
Xylenes	1330-20-7	ND	0.4
Gasoline	-----	ND	50

ND Not detected at or above limit of detection  
-- Information not available or not applicable

Results of Analysis  
 for  
 Harsch Investments

Client Reference: 29196.00  
 Clayton Project No. 90120.05

Sample Identification:	METHOD BLANK	Date Sampled:	--
Lab Number:	9012005-07A	Date Received:	--
Sample Matrix/Media:	WATER	Date Prepared:	12/08/90
Preparation Method:	EPA 5030	Date Analyzed:	12/08/90
Analytical Method:	EPA 8015/8020		

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
<u>BTEX/Gasoline</u>			
Benzene	71-43-2	ND	0.4
Toluene	108-88-3	ND	0.3
Ethylbenzene	100-41-4	ND	0.3
Xylenes	1330-20-7	ND	0.4
Gasoline	-----	ND	50

ND Not detected at or above limit of detection  
 -- Information not available or not applicable

Results of Analysis  
for  
Harsch Investments

Client Reference: 29196.00  
Clayton Project No. 90120.05

Sample Identification:	MW-1	Date Sampled:	11/30/90
Lab Number:	9012005-01G	Date Received:	11/30/90
Sample Matrix/Media:	WATER	Date Analyzed:	12/11/90
Analytical Method:	EPA 601		

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
<u>Purgeable Halocarbons</u>			
Chloromethane	74-87-3	ND	0.6
Bromomethane	74-83-9	ND	0.7
Vinyl chloride	75-01-4	ND	0.5
Chloroethane	75-00-3	ND	0.5
Methylene chloride	75-09-2	ND	2
1,1-Dichloroethene	75-35-4	ND	0.2
1,1-Dichloroethane	75-35-3	ND	0.4
Trans-1,2-Dichloroethene	156-60-5	ND	0.4
Cis-1,2-Dichloroethene	156-59-2	ND	0.4
1,2-Dichloroethene (total)	540-59-0	ND	0.4
Chloroform	67-66-3	ND	0.5
1,2-Dichloroethane	107-06-2	ND	0.3
1,1,1-Trichloroethane	71-55-6	ND	0.5
Carbon tetrachloride	56-23-5	ND	0.6
Bromodichloromethane	75-27-4	ND	0.7
1,2-Dichloropropane	78-87-5	ND	0.5
Cis-1,3-Dichloropropene	10061-01-5	ND	0.5
Trichloroethene	79-01-6	ND	0.3
Dibromochloromethane	124-48-1	ND	0.6
1,1,2-Trichloroethane	79-00-5	ND	0.6
Trans-1,3-Dichloropropene	10061-02-6	ND	0.6
2-Chloroethylvinylether	100-75-8	ND	1
Bromoform	75-25-2	ND	0.7
Tetrachloroethene	127-18-4	0.6	0.5
1,1,2,2-Tetrachloroethane	79-34-5	ND	0.5
Chlorobenzene	108-90-7	ND	0.7
1,3-Dichlorobenzene	541-73-7	ND	2
1,2-Dichlorobenzene	95-50-1	ND	4
1,4-Dichlorobenzene	106-46-7	ND	4
Dichlorodifluoromethane	75-71-8	ND	1
Trichlorofluoromethane	75-69-4	ND	0.4
Freon 113	76-13-1	ND	0.6

ND Not detected at or above limit of detection  
-- Information not available or not applicable



Results of Analysis  
for  
Harsch Investments

Client Reference: 29196.00  
Clayton Project No. 90120.05

Sample Identification: MW-5 Date Sampled: 11/30/90  
Lab Number: 9012005-02G Date Received: 11/30/90  
Sample Matrix/Media: WATER Date Analyzed: 12/11/90  
Analytical Method: EPA 601

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
<u>Purgeable Halocarbons</u>			
Chloromethane	74-87-3	ND	0.6
Bromomethane	74-83-9	ND	0.7
Vinyl chloride	75-01-4	ND	0.5
Chloroethane	75-00-3	ND	0.5
Methylene chloride	75-09-2	ND	2
1,1-Dichloroethene	75-35-4	ND	0.2
1,1-Dichloroethane	75-35-3	ND	0.4
Trans-1,2-Dichloroethene	156-60-5	ND	0.4
Cis-1,2-Dichloroethene	156-59-2	ND	0.4
1,2-Dichloroethene (total)	540-59-0	ND	0.4
Chloroform	67-66-3	ND	0.5
1,2-Dichloroethane	107-06-2	ND	0.3
1,1,1-Trichloroethane	71-55-6	ND	0.5
Carbon tetrachloride	56-23-5	ND	0.6
Bromodichloromethane	75-27-4	ND	0.7
1,2-Dichloropropane	78-87-5	ND	0.5
Cis-1,3-Dichloropropene	10061-01-5	ND	0.5
Trichloroethene	79-01-6	ND	0.3
Dibromochloromethane	124-48-1	ND	0.6
1,1,2-Trichloroethane	79-00-5	ND	0.6
Trans-1,3-Dichloropropene	10061-02-6	ND	0.6
2-Chloroethylvinylether	100-75-8	ND	1
Bromoform	75-25-2	ND	0.7
Tetrachloroethene	127-18-4	ND	0.5
1,1,2,2-Tetrachloroethane	79-34-5	ND	0.5
Chlorobenzene	108-90-7	ND	0.7
1,3-Dichlorobenzene	541-73-7	ND	2
1,2-Dichlorobenzene	95-50-1	ND	4
1,4-Dichlorobenzene	106-46-7	ND	4
Dichlorodifluoromethane	75-71-8	ND	1
Trichlorofluoromethane	75-69-4	ND	0.4
Freon 113	76-13-1	ND	0.6

ND Not detected at or above limit of detection  
-- Information not available or not applicable

Results of Analysis  
for  
Harsch Investments

Client Reference: 29196.00  
Clayton Project No. 90120.05

Sample Identification: MW-9  
Lab Number: 9012005-03G  
Sample Matrix/Media: WATER  
Analytical Method: EPA 601  
Date Sampled: 11/30/90  
Date Received: 11/30/90  
Date Analyzed: 12/05/90

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
<u>Purgeable Halocarbons</u>			
Chloromethane	74-87-3	ND	0.6
Bromomethane	74-83-9	ND	0.7
Vinyl chloride	75-01-4	ND	0.5
Chloroethane	75-00-3	ND	0.5
Methylene chloride	75-09-2	ND	2
1,1-Dichloroethene	75-35-4	ND	0.2
1,1-Dichloroethane	75-35-3	ND	0.4
Trans-1,2-Dichloroethene	156-60-5	ND	0.4
Cis-1,2-Dichloroethene	156-59-2	ND	0.4
1,2-Dichloroethene (total)	540-59-0	ND	0.4
Chloroform	67-66-3	ND	0.5
1,2-Dichloroethane	107-06-2	ND	0.3
1,1,1-Trichloroethane	71-55-6	ND	0.5
Carbon tetrachloride	56-23-5	ND	0.6
Bromodichloromethane	75-27-4	ND	0.7
1,2-Dichloropropane	78-87-5	ND	0.5
Cis-1,3-Dichloropropene	10061-01-5	ND	0.5
Trichloroethene	79-01-6	ND	0.3
Dibromochloromethane	124-48-1	ND	0.6
1,1,2-Trichloroethane	79-00-5	ND	0.6
Trans-1,3-Dichloropropene	10061-02-6	ND	0.6
2-Chloroethylvinylether	100-75-8	ND	1
Bromoform	75-25-2	ND	0.7
Tetrachloroethene	127-18-4	1.5	0.5
1,1,2,2-Tetrachloroethane	79-34-5	ND	0.5
Chlorobenzene	108-90-7	ND	0.7
1,3-Dichlorobenzene	541-73-7	ND	2
1,2-Dichlorobenzene	95-50-1	ND	4
1,4-Dichlorobenzene	106-46-7	ND	4
Dichlorodifluoromethane	75-71-8	ND	1
Trichlorofluoromethane	75-69-4	ND	0.4
Freon 113	76-13-1	ND	0.6

ND Not detected at or above limit of detection  
-- Information not available or not applicable

Results of Analysis  
for  
Harsch Investments

Client Reference: 29196.00  
Clayton Project No. 90120.05

Sample Identification: MW-8 Date Sampled: 11/30/90  
Lab Number: 9012005-04G Date Received: 11/30/90  
Sample Matrix/Media: WATER Date Analyzed: 12/07/90  
Analytical Method: EPA 601

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
<u>Purgeable Halocarbons</u>			
Chloromethane	74-87-3	ND	60
Bromomethane	74-83-9	ND	70
Vinyl chloride	75-01-4	ND	50
Chloroethane	75-00-3	ND	50
Methylene chloride	75-09-2	ND	200
1,1-Dichloroethene	75-35-4	ND	20
1,1-Dichloroethane	75-35-3	ND	40
Trans-1,2-Dichloroethene	156-60-5	ND	40
Cis-1,2-Dichloroethene	156-59-2	440	40
1,2-Dichloroethene (total)	540-59-0	440	40
Chloroform	67-66-3	ND	50
1,2-Dichloroethane	107-06-2	ND	30
1,1,1-Trichloroethane	71-55-6	ND	50
Carbon tetrachloride	56-23-5	ND	60
Bromodichloromethane	75-27-4	ND	70
1,2-Dichloropropane	78-87-5	ND	50
Cis-1,3-Dichloropropene	10061-01-5	ND	50
Trichloroethene	79-01-6	520	30
Dibromochloromethane	124-48-1	ND	60
1,1,2-Trichloroethane	79-00-5	ND	60
Trans-1,3-Dichloropropene	10061-02-6	ND	60
2-Chloroethylvinylether	100-75-8	ND	100
Bromoform	75-25-2	ND	70
Tetrachloroethene	127-18-4	1,900	50
1,1,2,2-Tetrachloroethane	79-34-5	ND	50
Chlorobenzene	108-90-7	ND	70
1,3-Dichlorobenzene	541-73-7	ND	200
1,2-Dichlorobenzene	95-50-1	ND	400
1,4-Dichlorobenzene	106-46-7	ND	400
Dichlorodifluoromethane	75-71-8	ND	100
Trichlorofluoromethane	75-69-4	ND	40
Freon 113	76-13-1	ND	60

ND Not detected at or above limit of detection  
-- Information not available or not applicable

Results of Analysis  
for  
Harsch Investments

Client Reference: 29196.00  
Clayton Project No. 90120.05

Sample Identification: MW-7 Date Sampled: 11/30/90  
Lab Number: 9012005-05G Date Received: 11/30/90  
Sample Matrix/Media: WATER Date Analyzed: 12/05/90  
Analytical Method: EPA 601

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
<u>Purgeable Halocarbons</u>			
Chloromethane	74-87-3	ND	0.6
Bromomethane	74-83-9	ND	0.7
Vinyl chloride	75-01-4	ND	0.5
Chloroethane	75-00-3	ND	0.5
Methylene chloride	75-09-2	ND	2
1,1-Dichloroethene	75-35-4	ND	0.2
1,1-Dichloroethane	75-35-3	ND	0.4
Trans-1,2-Dichloroethene	156-60-5	ND	0.4
Cis-1,2-Dichloroethene	156-59-2	1.2	0.4
1,2-Dichloroethene (total)	540-59-0	1.2	0.4
Chloroform	67-66-3	ND	0.5
1,2-Dichloroethane	107-06-2	ND	0.3
1,1,1-Trichloroethane	71-55-6	ND	0.5
Carbon tetrachloride	56-23-5	ND	0.6
Bromodichloromethane	75-27-4	ND	0.7
1,2-Dichloropropane	78-87-5	ND	0.5
Cis-1,3-Dichloropropene	10061-01-5	ND	0.5
Trichloroethene	79-01-6	3.0	0.3
Dibromochloromethane	124-48-1	ND	0.6
1,1,2-Trichloroethane	79-00-5	ND	0.6
Trans-1,3-Dichloropropene	10061-02-6	ND	0.6
2-Chloroethylvinylether	100-75-8	ND	1
Bromoform	75-25-2	ND	0.7
Tetrachloroethene	127-18-4	0.9	0.5
1,1,2,2-Tetrachloroethane	79-34-5	ND	0.5
Chlorobenzene	108-90-7	ND	0.7
1,3-Dichlorobenzene	541-73-7	ND	2
1,2-Dichlorobenzene	95-50-1	ND	4
1,4-Dichlorobenzene	106-46-7	ND	4
Dichlorodifluoromethane	75-71-8	ND	1
Trichlorofluoromethane	75-69-4	ND	0.4
Freon 113	76-13-1	ND	0.6

ND Not detected at or above limit of detection  
-- Information not available or not applicable

Results of Analysis  
for  
Harsch Investments

Client Reference: 29196.00  
Clayton Project No. 90120.05

Sample Identification: METHOD BLANK  
Lab Number: 9012005-07A  
Sample Matrix/Media: WATER  
Analytical Method: EPA 601  
Date Sampled: --  
Date Received: --  
Date Analyzed: 12/05/90

Analyte	CAS #	Concentration (ug/L)	Limit of Detection (ug/L)
<u>Purgeable Halocarbons</u>			
Chloromethane	74-87-3	ND	0.6
Bromomethane	74-83-9	ND	0.7
Vinyl chloride	75-01-4	ND	0.5
Chloroethane	75-00-3	ND	0.5
Methylene chloride	75-09-2	ND	2
1,1-Dichloroethene	75-35-4	ND	0.2
1,1-Dichloroethane	75-35-3	ND	0.4
Trans-1,2-Dichloroethene	156-60-5	ND	0.4
Cis-1,2-Dichloroethene	156-59-2	ND	0.4
1,2-Dichloroethene (total)	540-59-0	ND	0.4
Chloroform	67-66-3	ND	0.5
1,2-Dichloroethane	107-06-2	ND	0.3
1,1,1-Trichloroethane	71-55-6	ND	0.5
Carbon tetrachloride	56-23-5	ND	0.6
Bromodichloromethane	75-27-4	ND	0.7
1,2-Dichloropropane	78-87-5	ND	0.5
Cis-1,3-Dichloropropene	10061-01-5	ND	0.5
Trichloroethene	79-01-6	ND	0.3
Dibromochloromethane	124-48-1	ND	0.6
1,1,2-Trichloroethane	79-00-5	ND	0.6
Trans-1,3-Dichloropropene	10061-02-6	ND	0.6
2-Chloroethylvinylether	100-75-8	ND	1
Bromoform	75-25-2	ND	0.7
Tetrachloroethene	127-18-4	ND	0.5
1,1,2,2-Tetrachloroethane	79-34-5	ND	0.5
Chlorobenzene	108-90-7	ND	0.7
1,3-Dichlorobenzene	541-73-7	ND	2
1,2-Dichlorobenzene	95-50-1	ND	4
1,4-Dichlorobenzene	106-46-7	ND	4
Dichlorodifluoromethane	75-71-8	ND	1
Trichlorofluoromethane	75-69-4	ND	0.4
Freon 113	76-13-1	ND	0.6

ND Not detected at or above limit of detection  
-- Information not available or not applicable

Results of Analysis  
for  
Harsch Investments

Client Reference: 29196.00  
Clayton Project No. 90120.05

Sample Identification:	See below	Date Sampled:	11/30/90
Lab Number:	9012005	Date Received:	11/30/90
Sample Matrix/Media:	Water	Date Extracted:	12/05/90
Extraction Method:	EPA 3510	Date Analyzed:	12/08/90
Analytical Method:	EPA 8015		

Laboratory No.	Sample Identification	Diesel ( $\mu\text{g/L}$ )	Limit of Detection ( $\mu\text{g/L}$ )
-01	MW-1	ND	50
-02	MW-5	ND	800 <sup>a</sup>
-03	MW-9	ND	50
-04	MW-8	ND	50
-05	MW-7	ND	50
-MB	METHOD BLANK	ND	50

ND = Not detected at or above limit of detection

<sup>a</sup> Detection limit increased due to weathered gasoline present in sample.

Results of Analysis  
for  
Harsch Investments

Client Reference: 29196.00  
Clayton Project No. 90120.05

Sample Identification:	See below	Date Sampled:	11/30/90
Lab Number:	9012005	Date Received:	11/30/90
Sample Matrix/Media:	Water	Date Analyzed:	12/06/90
Analytical Method:	EPA 418.1		

Laboratory No.	Sample Identification	Total Recoverable Petroleum Hydrocarbons (mg/L)
-01	MW-1	<1
-02	MW-5	2
-03	MW-9	1
-04	MW-8	<1
-05	MW-7	<1
-MB	METHOD BLANK	<1
Limit of detection:		1

< Less than the indicated below limit of detection (LOD)

# Clayton

ENVIRONMENTAL  
CONSULTANTS

A Marsh & McLennan Company

## REQUEST FOR LABORATORY ANALYTICAL SERVICES

For Clayton Use Only Page \_\_\_\_\_ of \_\_\_\_\_

Project No. \_\_\_\_\_

Batch No. 9012005

Client No. \_\_\_\_\_

Date Logged In 12/3/90 By \_\_\_\_\_

REPORT RESULTS TO	Name <u>Lawrence Compton</u>	Title _____		Purchase Order No. _____		Client Job No. <u>Quarterly Sampling</u>	
	Company <u>Clayton</u>	Dept. _____		Name <u>Harseh Investment</u>		Dept. _____	
	Mailing Address _____	City, State, Zip _____		Address _____		City, State, Zip _____	
	Telephone No _____	Telefax No. _____		SEND INVOICE TO			
Date Results Required <u>Normal TAT</u>	Rush Charges Authorized? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Phone Results <input type="checkbox"/>	Samples are: (check if applicable)		ANALYSIS REQUESTED		
Special Instructions: (method, limit of detection, etc.)			<input type="checkbox"/> Drinking Water		(Enter an 'X' in the box below to indicate request; Enter a 'P' if Preservative added. *) 8015/8020 BTEX 418.1 601		
* Explanation of Preservative: <u>Pres. w/Hcl</u>			<input type="checkbox"/> Collected in the State of New York				
CLIENT SAMPLE IDENTIFICATION		DATE SAMPLED	MATRIX/MEDIA	AIR VOLUME (specify units)	Number of Containers	FOR LAB USE ONLY	
<u>MW-1</u>		<u>11-30-90</u>	<u>WATER</u>	<u>40 ML</u>	<u>2</u>	<u>X</u>	<u>O1A,B</u>
↓				<u>LITER</u>	<u>2</u>	<u>X</u>	<u>C,D</u>
↓				<u>LITER</u>	<u>2</u>	<u>X</u>	<u>E,F</u>
↓				<u>40 ML</u>	<u>2</u>	<u>X</u>	<u>VG,H</u>
<u>MW-5</u>				<u>40 ML</u>	<u>2</u>	<u>X</u>	<u>O2A,B</u>
↓				<u>LITER</u>	<u>2</u>	<u>X</u>	<u>C,D</u>
↓				<u>LITER</u>	<u>2</u>	<u>X</u>	<u>E,F</u>
↓				<u>40 ML</u>	<u>2</u>	<u>X</u>	<u>VG,H</u>
CHAIN OF CUSTODY	Relinquished by <u>M Sprickman</u>	Date/Time <u>11-30-90</u>	<u>5:35 PM</u>	Received by: _____		Date/Time _____	
	Relinquished by <u>W. A. ...</u>	Date/Time _____	_____	Received at Lab by: <u>W. A. ...</u>		Date/Time <u>1/30/90 5:40</u>	
	Method of Shipment _____			Sample Condition Upon Receipt: <input type="checkbox"/> Acceptable <input type="checkbox"/> Other (explain)			
Authorized by: _____ Date _____				(Client Signature <u>Must</u> Accompany Request)			

Please return completed form and samples to one of the Clayton Environmental Consultants, Inc. labs listed below:

22345 Roethel Drive  
Novi, MI 48050  
(313) 344-1770

Raritan Center  
160 Fieldcrest Ave.  
Edison, NJ 08837  
(201) 225-6040

400 Chastain Center Blvd., N.W.  
Suite 490  
Kennesaw, GA 30144  
(404) 499-7500

1252 Quarry Lane  
Pleasanton, CA 94566  
(415) 426-2600

DISTRIBUTION:  
WHITE - Clayton Laboratory  
YELLOW - Clayton Accounting  
PINK - Client Copy





# Clayton

ENVIRONMENTAL  
CONSULTANTS

A Marsh & McLennan Company

## REQUEST FOR LABORATORY ANALYTICAL SERVICES

For Clayton Use Only Page \_\_\_\_\_ of \_\_\_\_\_

Project No. \_\_\_\_\_

Batch No. 9012005

Client No. \_\_\_\_\_

Date Logged In 12/3/90 By TS

REPORT RESULTS TO	Name <u>Laurene Compton</u>	Title _____		Purchase Order No. _____		Client Job No. <u>Quarterly Sampling</u>																																																																							
	Company <u>Clayton</u>	Dept. _____		Name <u>Harsch Investment</u>		Company _____ Dept. _____																																																																							
	Mailing Address _____	City, State, Zip _____		Address _____		City, State, Zip _____																																																																							
	Telephone No. _____	Telefax No. _____		SEND INVOICE TO																																																																									
Date Results Required: <u>Normal TAT</u>	Rush Charges Authorized? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Phone Results <input type="checkbox"/>	Samples are: (check if applicable)		ANALYSIS REQUESTED (Enter an 'X' in the box below to indicate request; Enter a 'P' if Preservative added. *)																																																																								
Special Instructions: (method, limit of detection, etc.)			<input type="checkbox"/> Drinking Water <input type="checkbox"/> Collected in the State of New York		<table border="1"> <tr> <td rowspan="4">Number of Containers</td> <td colspan="8">/</td> <td rowspan="4">FOR LAB USE ONLY</td> </tr> <tr> <td colspan="8" style="text-align: center;"> <u>8015/8000 GAS</u>  <u>8015 DIESEL</u>  <u>418.1</u>  <u>601</u>  <u>Holdal</u> </td> </tr> <tr> <td><u>2</u></td> <td><u>X</u></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><u>OSA, B</u></td> </tr> <tr> <td><u>2</u></td> <td></td> <td><u>X</u></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><u>C, D</u></td> </tr> <tr> <td><u>2</u></td> <td></td> <td></td> <td><u>X</u></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><u>E, F</u></td> </tr> <tr> <td><u>2</u></td> <td></td> <td></td> <td></td> <td><u>X</u></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><u>G, H</u></td> </tr> <tr> <td><u>1</u></td> <td></td> <td></td> <td></td> <td></td> <td><u>X</u></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>			Number of Containers	/								FOR LAB USE ONLY	<u>8015/8000 GAS</u> <u>8015 DIESEL</u> <u>418.1</u> <u>601</u> <u>Holdal</u>								<u>2</u>	<u>X</u>								<u>OSA, B</u>	<u>2</u>		<u>X</u>							<u>C, D</u>	<u>2</u>			<u>X</u>						<u>E, F</u>	<u>2</u>				<u>X</u>						<u>G, H</u>	<u>1</u>					<u>X</u>					
Number of Containers	/								FOR LAB USE ONLY																																																																				
	<u>8015/8000 GAS</u> <u>8015 DIESEL</u> <u>418.1</u> <u>601</u> <u>Holdal</u>																																																																												
	<u>2</u>	<u>X</u>													<u>OSA, B</u>																																																														
	<u>2</u>		<u>X</u>								<u>C, D</u>																																																																		
<u>2</u>			<u>X</u>						<u>E, F</u>																																																																				
<u>2</u>				<u>X</u>						<u>G, H</u>																																																																			
<u>1</u>					<u>X</u>																																																																								
* Explanation of Preservative: <u>Pres. w/Hcl</u>																																																																													
CLIENT SAMPLE IDENTIFICATION		DATE SAMPLED	MATRIX/MEDIA	AIR VOLUME (specify units)																																																																									
<u>MW-7</u>		<u>11-30-90</u>	<u>WATER</u>	<u>40 ML</u>	<u>2</u>																																																																								
↓		↓	↓	<u>LITER</u>	<u>2</u>																																																																								
↓		↓	↓	<u>LITER</u>	<u>2</u>																																																																								
↓		↓	↓	<u>40 ML</u>	<u>2</u>																																																																								
<u>Trip Blank (0112.90)</u>			<u>H<sub>2</sub>O</u>	<u>40ml</u>	<u>1</u>																																																																								
CHAIN OF CUSTODY		Relinquished by: <u>M. Spangenberg</u>	Date/Time: <u>11-30-90 5:35 PM</u>	Received by: <u>W. A. [Signature]</u>				Date/Time: _____																																																																					
		Relinquished by: <u>L. [Signature]</u>	Date/Time: _____	Received at Lab by: <u>W. A. [Signature]</u>				Date/Time: <u>11/30/90 5:40</u>																																																																					
		Method of Shipment _____		Sample Condition Upon Receipt: <input type="checkbox"/> Acceptable <input type="checkbox"/> Other (explain) _____																																																																									
Authorized by: _____		Date: _____		(Client Signature <u>Must Accompany Request</u> )																																																																									

Please return completed form and samples to one of the Clayton Environmental Consultants, Inc. labs listed below:

22345 Roethel Drive  
Novi, MI 48050  
(313) 344-1770

Raritan Center  
160 Fieldcrest Ave.  
Edison, NJ 08837  
(201) 225-6040

400 Chastain Center Blvd., N.W.  
Suite 490  
Kennesaw, GA 30144  
(404) 499-7500

1252 Quarry Lane  
Pleasanton, CA 94566  
(415) 426-2600

DISTRIBUTION:

WHITE - Clayton Laboratory  
YELLOW - Clayton Accounting  
PINK - Client Copy