

RECEIVED

1:34 pm, Jul 13, 2007

Alameda County
Environmental Health



Denis L. Brown

Shell Oil Products US

Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

HSE – Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, California
SAP Code 129449
Incident No. 97093397
ACHCSA Case No. RO#0145

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

A handwritten signature in black ink that reads "Denis L. Brown". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

Denis L. Brown
Project Manager



**CONESTOGA-ROVERS
& ASSOCIATES**

19449 Riverside Drive, Suite 230, Sonoma, California 95476
Telephone: 707-935-4850 Facsimile: 707-935-6649
www.CRAworld.com

July 13, 2007

Mr. Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Groundwater Monitoring Report – Second Quarter 2007**
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, California
SAP Code 129449
Incident No. 97093397
ACHCSA Case No: RO#0145

Dear Mr. Wickham:

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell) in accordance with the quarterly reporting requirements of 23 CCR 2652d.

If you have any questions regarding the contents of this document, please call Ana Friel at (707) 268-3812.

Sincerely,
Conestoga-Rovers & Associates

Ana Friel, PG
Associate Geologist



Enclosure: Groundwater Monitoring Report – Second Quarter 2007

cc: Denis Brown, Shell
Rodney & Janet Kwan, property owners
Scott Merillat, 664 27th Street, Oakland, 94612
Monique Oatis, 670 27th Street, Oakland, CA 94612
Jack Chang, 559 9th Avenue, San Francisco, California 94118-3716

Equal
Employment
Opportunity Employer



**CONESTOGA-ROVERS
& ASSOCIATES**

Mr. Jerry Wickham
July 13, 2007

GROUNDWATER MONITORING REPORT – SECOND QUARTER 2007

Site Address	<u>2703 Martin Luther King, Jr Way, Oakland</u>
Site Use	<u>Former Shell Service Station</u>
Shell Project Manager	<u>Denis Brown</u>
Consultant and Contact Person	<u>CRA, Ana Friel</u>
Lead Agency and Contact	<u>ACHCSA, Jerry Wickham</u>
Agency Case No.	<u>0145</u>
Shell SAP Code	129449
Shell Incident No.	97093397
Date of Most Recent Agency Correspondence	<u>June 19, 2007 (electronic)</u>

Current Quarter's Activities

1. Blaine Tech Services, Inc. (Blaine) gauged and sampled wells according to the established monitoring program for this site.
2. CRA prepared a vicinity map (Figure 1) and a groundwater contour and chemical concentration map (Figure 2). The Blaine report, presenting the analytical data, is included in Attachment A.
3. On June 18, 2007 CRA electronically provided a status update of site investigative activities to ACHCSA and requested an extension for the report submittal. The ACHCSA approved the report extension to August 28, 2007 in electronic correspondence dated June 19, 2007.

Current Quarter's Findings

Groundwater Flow Direction	<u>West</u>
Hydraulic Gradient	<u>0.01</u>
Depth to Water	<u>6.60 to 9.00 feet below top of well casing</u>



**CONESTOGA-ROVERS
& ASSOCIATES**

Mr. Jerry Wickham
July 13, 2007

Proposed Activities for Next Quarter


1. Blaine will gauge and sample wells during the second month of the quarter, according to the established monitoring program for this site.
2. On behalf of Shell, CRA will submit the technical report of findings by August 28, 2007.

Figures: 1 - Vicinity Map
 2 - Groundwater Contour and Chemical Concentration Map

Attachments: A - Blaine Tech Services, Inc. - Groundwater Monitoring Report

Conestoga-Rovers & Associates (CRA) prepared this document for use by our client and appropriate regulatory agencies. It is based partially on information available to CRA from outside sources and/or in the public domain, and partially on information supplied by CRA and its subcontractors. CRA makes no warranty or guarantee, expressed or implied, included or intended in this document, with respect to the accuracy of information obtained from these outside sources or the public domain, or any conclusions or recommendations based on information that was not independently verified by CRA. This document represents the best professional judgment of CRA. None of the work performed hereunder constitutes or shall be represented as a legal opinion of any kind or nature.

I:\Sonoma.Shell\Oakland 2703 Martin Luther King Jr Way\QMRs\2007\2Q07\Text 2703 MLK Oakland 2Q07.doc




Former Shell Service Station
 2703 Martin Luther King Jr. Way
 Oakland, California



**CONESTOGA-ROVERS
 & ASSOCIATES**

Vicinity Map

I:\SONOMA-SHELL\OAKLAND 2703 MARTIN LUTHER KING JR WAY\GRAPHICS\MISC\20M07.DWG



EXPLANATION

- MW-12 ● Monitoring well location (2/06)
- MW-6 ● Monitoring well location (1/06)
- MW-3 ● Monitoring well location (11/00)
- MW-1 ● Monitoring well location (7/96)
- V-1 ● Soil vapor well location (7/96) (not used for contouring)
- x.xx Groundwater flow direction and gradient
- xx.xx Groundwater elevation contour, in feet above mean sea level (msl)

Well

- Well designation
- ELEV — Groundwater elevation, in feet above msl
- TPHg — TPHg and benzene concentrations are in micrograms per liter
- Benzene

Notes:

- ND = Not detected
- NS = Not sampled




FIGURE 2

Basemap from Virgil Chavez Land Surveying and Alameda County Assessors Parcel Map

Attachment A

**Blaine Tech Services, Inc.
Groundwater Monitoring Report**

BLAINE
TECH SERVICES INC.

GROUNDWATER SAMPLING SPECIALISTS
SINCE 1985

June 22, 2007

Denis Brown
Shell Oil Products US
20945 South Wilmington Avenue
Carson, CA 90810

Second Quarter 2007 Groundwater Monitoring at
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Monitoring performed on May 29, 2007

Groundwater Monitoring Report **070529-SC-2**

This report covers the routine monitoring of groundwater wells at this former Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Mike Ninokata
Project Manager

MN/ks

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Ana Friel
Conestoga-Rovers & Associates
19449 Riverside Dr., Suite 230
Sonoma, CA 95476

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1 (B-11)	08/02/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.53	NA	NA	NA
MW-1 (B-11)	08/05/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	8.76	14.77	NA
MW-1 (B-11) (D)	08/05/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	NA	NA	NA
MW-1 (B-11)	10/17/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	9.88	13.65	NA
MW-1 (B-11)	01/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	6.82	16.71	NA
MW-1 (B-11)	04/07/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	7.89	15.64	NA
MW-1 (B-11)	07/02/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	8.71	14.82	NA
MW-1 (B-11)	10/24/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	9.26	14.27	NA
MW-1 (B-11)	01/09/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	7.94	15.59	NA
MW-1 (B-11)	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	7.21	16.32	NA
MW-1 (B-11)	07/14/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	7.78	15.75	NA
MW-1 (B-11)	10/01/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	8.39	15.14	NA
MW-1 (B-11)	01/18/1999	<50.0	<0.500	0.785	<0.500	<0.500	2.36	NA	NA	NA	NA	NA	23.53	8.28	15.25	NA
MW-1 (B-11)	04/29/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.53	8.41	15.12	NA
MW-1 (B-11)	08/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	8.17	15.36	NA
MW-1 (B-11)	10/06/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	23.53	9.37	14.16	NA
MW-1 (B-11)	01/27/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	7.52	16.01	NA
MW-1 (B-11)	04/18/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	7.66	15.87	NA
MW-1 (B-11)	07/19/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	7.81	15.72	NA
MW-1 (B-11)	10/24/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	8.33	15.20	NA
MW-1 (B-11)	01/04/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.53	8.33	15.20	NA
MW-1 (B-11)	05/03/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	7.83	15.70	NA
MW-1 (B-11)	07/09/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	8.60	14.93	NA
MW-1	10/18/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	9.01	14.52	0.2
MW-1	01/24/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	7.68	15.85	2.1
MW-1	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	7.38	16.15	1.1

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-1	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.53	7.75	15.78	2.2
MW-1	10/21/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	29.53	8.10	21.43	1.6
MW-1	01/21/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	29.53	7.82	21.71	0.6
MW-1	04/17/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	NA	NA	NA	29.53	7.76	21.77	1.7
MW-1	07/22/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	29.53	7.87	21.66	1.5
MW-1	10/20/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	29.53	8.67	20.86	0.8
MW-1	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	29.53	8.28	21.25	NA
MW-1	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	8.50	21.03	1.1
MW-1	04/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	7.98	21.55	NA
MW-1	07/13/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	8.30	21.23	NA
MW-1	10/26/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	8.27	21.26	NA
MW-1	01/13/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	6.92	22.61	NA
MW-1	04/28/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	7.18	22.35	NA
MW-1	08/01/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	7.43	22.10	NA
MW-1	10/05/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.53	7.55	21.98	NA
MW-1	01/11/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.54	5.35	24.19	NA
MW-1	05/26/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	29.54	6.81	22.73	0.78
MW-1	08/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.54	7.77	21.77	NA
MW-1	11/08/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.54	8.39	21.15	NA
MW-1	02/22/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.54	7.11	22.43	NA
MW-1	05/29/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.54	7.20	22.34	NA

MW-2 (B-12)*	07/17/1996	<50	<0.50	0.69	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	NA	NA	NA
MW-2 (B-12)*	08/05/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	8.35	14.12	NA
MW-2 (B-12)*	10/17/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	9.32	13.15	NA
MW-2 (B-12) (D)*	10/17/1996	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	NA	NA	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2 (B-12)*	01/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	6.80	15.67	NA
MW-2 (B-12) (D)*	01/08/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	NA	NA	NA
MW-2 (B-12)*	04/07/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	7.81	14.66	NA
MW-2 (B-12)*	07/02/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	8.27	14.20	NA
MW-2 (B-12)*	10/24/1997	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	9.12	13.35	NA
MW-2 (B-12)*	01/09/1998	<50	<0.50	<0.50	<0.50	<0.50	6.3	NA	NA	NA	NA	NA	22.47	7.41	15.06	NA
MW-2 (B-12)*	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	6.59	15.88	NA
MW-2 (B-12)*	07/14/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	7.49	14.98	NA
MW-2 (B-12)*	10/01/1998	<50	<0.50	<0.50	<0.50	0.59	<2.5	NA	NA	NA	NA	NA	22.47	8.58	13.89	NA
MW-2 (B-12)*	01/18/1999	<50.0	<0.500	0.971	<0.500	<0.500	2.47	NA	NA	NA	NA	NA	22.47	8.68	13.79	NA
MW-2 (B-12)*	04/29/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	22.47	8.62	13.85	NA
MW-2 (B-12)*	08/23/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	7.43	15.04	NA
MW-2 (B-12)*	10/06/1999	<50.0	<0.500	<0.500	<0.500	<0.500	<5.00	NA	NA	NA	NA	NA	22.47	9.00	13.47	NA
MW-2 (B-12)*	01/27/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	8.15	14.32	NA
MW-2 (B-12)*	04/18/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	7.04	15.43	NA
MW-2 (B-12)*	07/19/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	7.13	15.34	NA
MW-2 (B-12)*	10/24/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	8.78	13.69	NA
MW-2 (B-12)*	01/04/2001	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	22.47	8.33	14.14	NA
MW-2 (B-12)*	05/03/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	7.24	15.23	NA
MW-2 (B-12)*	07/09/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	8.55	13.92	NA
MW-2	10/18/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	9.42	13.05	NA
MW-2	01/24/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	7.23	15.24	NA
MW-2	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	6.90	15.57	NA
MW-2	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.47	7.97	14.50	NA
MW-2	10/21/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	28.47	8.62	19.85	NA
MW-2	01/21/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	28.47	7.08	21.39	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-2	04/17/2003	<50	<0.50	<0.50	0.98	2.5	NA	<5.0	NA	NA	NA	NA	28.47	6.94	21.53	NA
MW-2	07/22/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.47	8.10	20.37	NA
MW-2	10/20/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.47	9.09	19.38	NA
MW-2	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.47	7.28	21.19	NA
MW-2	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	8.99	19.48	2.8
MW-2	04/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	6.88	21.59	NA
MW-2	07/13/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	8.28	20.19	NA
MW-2	10/26/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	8.43	20.04	NA
MW-2	01/13/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	6.52	21.95	NA
MW-2	04/28/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	6.38	22.09	NA
MW-2	08/01/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	7.73	20.74	NA
MW-2	10/05/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.47	8.47	20.00	NA
MW-2	01/11/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.48	6.30	22.18	NA
MW-2	05/26/2006	59.9	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	28.48	6.84	21.64	3.02
MW-2	08/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.48	8.11	20.37	NA
MW-2	11/08/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.48	8.61	19.87	NA
MW-2	02/22/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.48	6.92	21.56	NA
MW-2	05/29/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.48	7.32	21.16	NA

MW-3	04/25/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.30	7.16	15.14	NA
MW-3	05/03/2001	<100	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	7.28	15.02	NA
MW-3	07/09/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	8.45	13.85	NA
MW-3	10/18/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	9.44	12.86	NA
MW-3	01/24/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	5.88	16.42	NA
MW-3	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	6.68	15.62	NA
MW-3	07/18/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	22.30	7.63	14.67	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	------------------------

MW-3	10/21/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	28.30	8.56	19.74	NA
MW-3	01/21/2003	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	28.30	6.95	21.35	NA
MW-3	04/17/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<5.0	NA	NA	NA	NA	28.30	6.77	21.53	NA
MW-3	07/22/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.30	7.92	20.38	NA
MW-3	10/20/2003	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.30	9.12	19.18	NA
MW-3	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	28.30	7.21	21.09	NA
MW-3	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	9.00	19.30	0.6
MW-3	04/01/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	6.65	21.65	NA
MW-3	07/13/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	8.24	20.06	NA
MW-3	10/26/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	8.50	19.80	NA
MW-3	01/13/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	6.32	21.98	NA
MW-3	04/28/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	6.05	22.25	NA
MW-3	08/01/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	7.65	20.65	NA
MW-3	10/05/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	8.31	19.99	NA
MW-3	01/11/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	6.10	22.20	NA
MW-3	05/26/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	<0.500	2.87	<0.500	<0.500	<10.0	28.30	6.72	21.58	1.46
MW-3	08/30/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	8.12	20.18	NA
MW-3	11/08/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	8.71	19.59	NA
MW-3	02/22/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	6.78	21.52	NA
MW-3	05/29/2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.30	7.20	21.10	NA

MW-4	04/25/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.51	7.05	15.46	NA
MW-4	05/03/2001	8,000	3,500	24	37	350	NA	<200	NA	NA	NA	NA	22.51	6.66	15.85	NA
MW-4	07/09/2001	16,000	4,100	32	890	790	NA	<200	NA	NA	NA	NA	22.51	8.28	14.23	NA
MW-4	10/18/2001	12,000	3,300	<20	430	220	NA	<200	NA	NA	NA	NA	22.51	9.40	13.11	NA
MW-4	01/24/2002	5,500	1,200	<5.0	280	240	NA	<50	NA	NA	NA	NA	22.51	5.73	16.78	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-4	04/04/2002	2,000	350	1.4	13	7.8	NA	<10	NA	NA	NA	NA	22.51	5.62	16.89	NA
MW-4	07/18/2002	3,400	440	1.3	200	98	NA	<5.0	NA	NA	NA	NA	22.51	6.94	15.57	NA
MW-4	10/21/2002	16,000	3,100	11	1,200	970	NA	<5.0	NA	NA	NA	NA	28.51	8.04	20.47	NA
MW-4	01/21/2003	3,600	720	3.9	110	58	NA	<25	NA	NA	NA	NA	28.51	6.10	22.41	NA
MW-4	04/17/2003	3,700	810	<5.0	140	17	NA	<50	NA	NA	NA	NA	28.51	5.97	22.54	NA
MW-4	07/22/2003	3,700	450	<2.5	110	7.9	NA	<2.5	NA	NA	NA	NA	28.51	6.37	22.14	NA
MW-4	10/20/2003	11,000 c	2,500	<20	550	95	NA	<20	NA	NA	NA	NA	28.51	8.99	19.52	NA
MW-4	01/13/2004	6,600	1,500	<10	41	37	NA	<10	NA	NA	NA	NA	28.51	6.67	21.84	NA
MW-4	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.51	8.80	19.71	0.3
MW-4	04/01/2004	9,500	2,100	12	170	30	NA	NA	NA	NA	NA	NA	28.51	6.28	22.23	0.1
MW-4	07/13/2004	12,000	3,600	39	160	58	NA	<25	<100	<100	<100	<250	28.51	8.20	20.31	0.1
MW-4	10/26/2004	11,000	2,800	<25	100	<50	NA	NA	NA	NA	NA	NA	28.51	8.00	20.51	0.6
MW-4	01/13/2005	12,000	2,200	14	110	43	NA	NA	NA	NA	NA	NA	28.51	6.03	22.48	0.1
MW-4	04/28/2005	8,600	2,300	27	200	49	NA	NA	NA	NA	NA	NA	28.51	5.93	22.58	3.71
MW-4	08/01/2005	11,000	3,900	57	180	47	NA	<10	<40	<40	<40	<100	28.51	6.20	22.31	NA d
MW-4	10/05/2005	9,400	3,300	45	88	33	NA	NA	NA	NA	NA	NA	28.51	8.22	20.29	2.76
MW-4	01/11/2006	3,900 f	1,700 f	14	95	78	NA	<0.50	7.4	<0.50	<0.50	32	28.51	4.25	24.26	0.6
MW-4	05/26/2006	6,730	455	1.90	56.7	44.8	NA	<0.500	4.36	<0.500	<0.500	<10.0	28.51	5.90	22.61	0.54
MW-4	08/30/2006	29,600	2,740	30.0	448	237	NA	<0.500	<0.500	<0.500	<0.500	<10.0	28.51	7.98	20.53	0.44/0.46
MW-4	11/08/2006	6,300	1,500	13	130	67	NA	NA	NA	NA	NA	NA	28.51	8.52	19.99	0.05/0.22
MW-4	02/22/2007	11,000	2,200	18	620	310	NA	NA	NA	NA	NA	NA	28.51	5.63	22.88	2.96/2.98
MW-4	05/29/2007	14,000 i,j	3,200	27	640	249.0	NA	NA	NA	NA	NA	NA	28.51	6.60	21.91	0.19/0.11
MW-5	04/25/2001	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.54	7.36	16.18	NA
MW-5	05/03/2001	160,000	12,000	20,000	3,600	23,000	NA	<500	NA	NA	NA	NA	23.54	7.77	15.77	NA
MW-5	07/09/2001	130,000	11,000	19,000	4,500	22,000	NA	<500	NA	NA	NA	NA	23.54	9.32	14.22	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-5	10/18/2001	120,000	12,000	23,000	4,200	21,000	NA	<500	NA	NA	NA	NA	23.54	9.39	14.15	0.5
MW-5	01/24/2002	34,000	3,300	3,300	960	6,000	NA	<100	NA	NA	NA	NA	23.54	7.05	16.49	4.0
MW-5	04/04/2002	32,000	2,100	2,800	730	6,400	NA	<200	NA	NA	NA	NA	23.54	6.89	16.65	1.0
MW-5	07/18/2002	75,000	7,500	4,700	2,700	15,000	NA	<500	NA	NA	NA	NA	23.54	8.48	15.06	1.2
MW-5	10/21/2002	140,000	13,000	18,000	4,000	26,000	NA	<500	NA	NA	NA	NA	29.54	9.21	20.33	1.1
MW-5	01/21/2003	47,000	6,400	3,500	370	8,300	NA	<500	NA	NA	NA	NA	29.54	7.23	22.31	0.8
MW-5	04/17/2003	93,000	9,700	16,000	3,200	20,000	NA	<500	NA	NA	NA	NA	29.54	6.61	22.93	0.8
MW-5	07/22/2003	110,000	9,500	15,000	560	23,000	NA	<50	NA	NA	NA	NA	29.54	8.68	20.86	1.2
MW-5	10/20/2003	88,000	6,600	12,000	1,900	16,000	NA	<50	NA	NA	NA	NA	29.54	9.71	19.83	0.1
MW-5	01/13/2004	4,600	460	140	<10	930	NA	<10	NA	NA	NA	NA	29.54	7.30	22.24	NA
MW-5	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.54	9.51	20.03	0.3
MW-5	04/01/2004	70,000	7,900	11,000	2,100	17,000	NA	NA	NA	NA	NA	NA	29.54	6.80	22.74	0.1
MW-5	07/13/2004	66,000	5,900	10,000	1,900	16,000	NA	<50	<200	<200	<200	<500	29.54	9.28	20.26	0.1
MW-5	10/26/2004	6,600	670	110	7.4	2,000	NA	NA	NA	NA	NA	NA	29.54	8.75	20.79	0.8
MW-5	01/13/2005	9,500	1,300	950	360	1,900	NA	NA	NA	NA	NA	NA	29.54	5.87	23.67	6.3
MW-5	04/28/2005	17,000	2,400	1,200	320	3,400	NA	NA	NA	NA	NA	NA	29.54	6.32	23.22	3.54
MW-5	08/01/2005	70,000	6,600	11,000	3,400	17,000	NA	<50	<200	<200	<200	<500	29.54	8.27	21.27	NA d
MW-5	10/05/2005	93,000	8,600	15,000	4,500	23,000	NA	NA	NA	NA	NA	NA	29.54	9.12	20.42	1.43
MW-5	01/11/2006	12,000	1,900	550	2,400	3,800	NA	<25	<25	<25	<25	<250	29.61	5.52	24.09	0.6
MW-5	05/26/2006	112,000	6,600	11,100	3,870	19,900 g	NA	<0.500	5.37	<0.500	<0.500	<10.0	29.61	7.02	22.59	0.45
MW-5	08/30/2006	281,000	8,050	15,400	4,770	26,800	NA	<0.500	<0.500	<0.500	60.6	<10.0	29.61	8.93	20.68	0.55/0.51
MW-5	11/08/2006	83,000	7,000	7,400	3,200	16,000	NA	NA	NA	NA	NA	NA	29.61	9.40	20.21	0.08/0.05
MW-5	02/22/2007	35,000	9,500	13,000	5,300	23,000	NA	NA	NA	NA	NA	NA	29.61	6.87	22.74	1.17/3.17
MW-5	05/29/2007	94,000 i	6,400	9,900	4,300	22,000	NA	NA	NA	NA	NA	NA	29.61	7.85	21.76	0.08/0.19
MW-6	01/09/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.60	4.18	24.42	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-6	01/11/2006	150,000	9,300	1,600	5,100	24,000	NA	<2.5 f	17 f	<2.5 f	<2.5 f	51 f	28.60	4.50	24.10	3.6
MW-6	05/26/2006	67,300	6,930	870	2,440	7,590 g	NA	<5.00	10.1	<5.00	<5.00	<100	28.60	6.10	22.50	0.49
MW-6	08/30/2006	7,060	6,090	1,180	2,040	7,200	NA	<0.500	<0.500	<0.500	<0.500	<10.0	28.60	8.05	20.55	0.39/0.56
MW-6	11/08/2006	8,200	1,900	200	350	890	NA	NA	NA	NA	NA	NA	28.60	8.53	20.07	0.12/0.95
MW-6	02/22/2007	49,000	7,300	2,300	3,600	9,500	NA	NA	NA	NA	NA	NA	28.60	5.94	22.66	1.54/2.03
MW-6	05/29/2007	30,000 i,j	4,100	1,000	1,600	4,900	NA	NA	NA	NA	NA	NA	28.60	6.87	21.73	0.11/0.51
MW-7	01/09/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.71	5.50	24.21	NA
MW-7	01/11/2006	79,000	9,800	1,800	1,900	20,000	NA	<5.0 f	28 f	<5.0 f	<5.0 f	64 f	29.71	5.70	24.01	1.0
MW-7	05/26/2006	98,200	9,620	1,150	3,490	13,400 g	NA	<5.00	30.8	<5.00	<5.00	885	29.71	7.24	22.47	0.30
MW-7	08/30/2006	146,000	8,740	980	3,440	15,400	NA	<0.500	22.7	<0.500	<0.500	<10.0	29.71	9.03	20.68	0.51/0.46
MW-7	11/08/2006	61,000	6,600	880	2,800	12,000	NA	NA	NA	NA	NA	NA	29.71	9.49	20.22	0.02/0.13
MW-7	02/22/2007	50,000	3,400	910	2,200	13,000	NA	NA	NA	NA	NA	NA	29.71	7.00	22.71	0.96/2.57
MW-7	05/29/2007	26,000 i,j	2,700	320	850	3,590	NA	NA	NA	NA	NA	NA	29.71	8.01	21.70	0.09/0.15
MW-8	01/09/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.54	5.56	23.98	NA
MW-8	01/11/2006	32,000	2,400	180	66	5,500	NA	<0.50 f	15 f	<0.50 f	<0.50 f	35 f	29.54	5.53	24.01	0.8
MW-8	05/26/2006	24,800	423	73.0	166	2,820 g	NA	<0.500	2.18	<0.500	<0.500	<10.0	29.54	7.02	22.52	0.35
MW-8	08/30/2006	72,100	1,770	114	324	3,140	NA	<0.500	23.3	<0.500	<0.500	<10.0	29.54	8.81	20.73	0.51/0.50
MW-8	11/08/2006	24,000	2,000	90	190	3,400	NA	NA	NA	NA	NA	NA	29.54	9.25	20.29	0.11/0.40
MW-8	02/22/2007	26,000	2,100	110	180	4,400	NA	NA	NA	NA	NA	NA	29.54	7.08	22.46	1.37/1.71
MW-8	05/29/2007	31,000 i	2,600	99	250	3,140	NA	NA	NA	NA	NA	NA	29.54	7.81	21.73	0.05/0.49
MW-12	05/19/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	31.16	8.42	22.74	NA
MW-12	05/26/2006	<50.0	<0.500	<0.500	<0.500	<0.500	NA	<0.500	<0.500	<0.500	<0.500	<10.0	31.16	8.44	22.72	3.88
MW-12	08/30/2006	746	<0.500	<0.500	<0.500	<0.500	NA	NA	NA	NA	NA	NA	31.16	9.54	21.62	1.75/1.81

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
MW-12	11/08/2006	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	31.16	8.67	22.49	2.26/3.60
MW-12	02/22/2007	<50	<0.50	<1.0	<0.50	<1.0	NA	NA	NA	NA	NA	NA	31.16	7.72	23.44	1.60/2.91
MW-12	05/29/2007	<50 i	0.49 k	<1.0	0.14 k	0.48 k	NA	NA	NA	NA	NA	NA	31.16	9.00	22.16	0.60/0.61
MW-14	05/19/2006	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.09	6.95	21.14	NA
MW-14	05/26/2006	103,000	5,280	76.7	3,930	4,800 g	NA	<5.00	49.7	<5.00	<5.00	895	28.09	7.05	21.04	3.60
MW-14	08/30/2006	10,200	1,260	12.5	1,310	1,330	NA	<0.500	<0.500	<0.500	<0.500	<10.0	28.09	9.19	18.90	3.33/3.49
MW-14	11/08/2006	29,000	4,400 h	34	2,000	1,600	NA	NA	NA	NA	NA	NA	28.09	9.80	18.29	1.16/1.40
MW-14	02/22/2007	31,000	2,600	42	2,200	1,600	NA	NA	NA	NA	NA	NA	28.09	6.70	21.39	0.59/1.11
MW-14	05/29/2007	35,000 i	1,100	14	1,800	767	NA	NA	NA	NA	NA	NA	28.09	7.89	20.20	0.08/0.08
B-10 *	07/17/1996	20,000	400	<100	<100	870	<500	NA	NA	NA	NA	NA	NA	NA	NA	NA
B-13*	07/17/1996	290,000	34,000	21,000	9,900	47,000	<2,500	NA	NA	NA	NA	NA	NA	NA	NA	NA
V-1	08/02/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.26	NA	NA	NA
V-1	08/05/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.26	8.58	14.68	NA
V-1	10/17/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	23.26	10.02	13.24	NA
V-1	01/16/1997	9,500	1,200	250	280	880	<50	NA	NA	NA	NA	NA	23.26	5.55	17.71	NA
V-1	04/07/1997	2,200	42	<5.0	130	15	<25	NA	NA	NA	NA	NA	23.26	7.40	15.86	NA
V-1	07/02/1997	2,600	340	5.8	49	12	74	<4.0	NA	NA	NA	NA	23.26	8.94	14.32	NA
V-1	10/24/1997	57,000	5,200	2,300	3,600	16,000	1,900	<200	NA	NA	NA	NA	23.26	9.43	13.83	NA
V-1	01/09/1998	23,000	2,400	1,700	1,300	2,300	310	NA	NA	NA	NA	NA	23.26	6.81	16.45	NA
V-1 (D)	01/09/1998	24,000	2,500	1,800	1,400	2,400	450	NA	NA	NA	NA	NA	23.26	NA	NA	NA
V-1	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.26	4.58	18.68	NA
V-1 (D)	04/02/1998	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.26	NA	NA	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
V-1	07/14/1998	160	1.9	<0.50	4.2	<0.50	6.1	NA	NA	NA	NA	NA	23.26	7.51	15.75	NA
V-1	10/01/1998	440	18	<0.50	11	0.80	7.9	NA	NA	NA	NA	NA	23.26	8.49	14.77	NA
V-1	01/18/1999	697	55.7	0.839	28.2	<0.500	9.35	NA	NA	NA	NA	NA	23.26	8.59	14.67	NA
V-1	04/29/1999	<50	<0.50	<0.50	<0.50	<0.50	<2.5	NA	NA	NA	NA	NA	23.26	8.69	14.57	NA
V-1	08/23/1999	457	33.4	3.59	16.3	<0.500	13.9	NA	NA	NA	NA	NA	23.26	8.99	14.27	NA
V-1	10/06/1999	714	53.7	0.740	8.69	<0.500	9.83	NA	NA	NA	NA	NA	23.26	9.55	13.71	NA
V-1	01/27/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.26	7.19	16.07	NA
V-1	04/18/2000	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50	NA	NA	NA	NA	NA	23.26	7.67	15.59	NA
V-1	07/19/2000	255	21.7	<0.500	10.2	<0.500	7.33	<1.00 a	NA	NA	NA	NA	23.26	7.53	15.73	NA
V-1	10/24/2000	200	4.05	0.566	<0.500	<0.500	7.82	NA	NA	NA	NA	NA	23.26	7.38	15.88	NA
V-1	01/04/2001	128	1.77	<0.500	<0.500	<0.500	6.40	<10.0 b	NA	NA	NA	NA	23.26	8.41	14.85	NA
V-1	05/03/2001	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.26	7.20	16.06	NA
V-1	07/09/2001	110	4.4	<0.50	0.88	1.7	NA	<5.0	NA	NA	NA	NA	23.26	9.22	14.04	NA
V-1	10/18/2001	1,500	180	12	43	46	NA	<5.0	NA	NA	NA	NA	23.26	10.08	13.18	0.8
V-1	01/24/2002	210	7.1	15	4.6	32	NA	<5.0	NA	NA	NA	NA	23.26	6.44	16.82	3.5
V-1	04/04/2002	<50	<0.50	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	23.26	6.18	17.08	1.0
V-1	07/18/2002	100	1.6	1.2	1.2	6.1	NA	<5.0	NA	NA	NA	NA	23.26	8.08	15.18	1.7
V-1	10/21/2002	210	1.4	<0.50	1.0	1.3	NA	<5.0	NA	NA	NA	NA	29.26	8.94	20.32	1.2
V-1	01/21/2003	61	5.2	<0.50	<0.50	<0.50	NA	<5.0	NA	NA	NA	NA	29.26	6.62	22.64	0.6
V-1	04/17/2003	<50	<0.50	<0.50	<0.50	1.2	NA	<5.0	NA	NA	NA	NA	29.26	6.00	23.26	1.3
V-1	07/22/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	NA	29.26	NA	NA	NA
V-1	10/20/2003	540	11	1.6	6.0	8.9	NA	<0.50	NA	NA	NA	NA	29.26	9.53	19.73	0.1
V-1	01/13/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	<0.50	NA	NA	NA	NA	29.26	6.62	22.64	NA
V-1	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.26	9.08	20.18	0.1
V-1	04/01/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	29.26	6.24	23.02	0.1
V-1	07/13/2004	120	1.8	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	29.26	8.78	20.48	0.1

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
V-1	10/26/2004	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	29.26	8.09	21.17	0.6
V-1	01/13/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	29.26	4.30	24.96	0.1
V-1	04/28/2005	<50	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	29.26	5.27	23.99	3.34
V-1	08/01/2005	54	<0.50	<0.50	<0.50	<1.0	NA	<0.50	<2.0	<2.0	<2.0	<5.0	29.26	7.77	21.49	NA d
V-1	10/05/2005	120 e	<0.50	<0.50	<0.50	<1.0	NA	NA	NA	NA	NA	NA	29.26	8.72	20.54	1.67
V-1	01/11/2006	<50	<0.50	<0.50	<0.50	<0.50	NA	<0.50	<0.50	<0.50	<0.50	<5.0	29.24	4.78	24.46	0.3
V-1	05/26/2006	<50.0	<0.500	<0.500	<0.500	1.02 g	NA	<0.500	<0.500	<0.500	<0.500	<10.0	29.24	6.61	22.63	1.94
V-1	08/30/2006	5,660	6.81	1.39	27.3	21.0	NA	<0.500	<0.500	<0.500	<0.500	<10.0	29.24	8.46	20.78	0.33/0.33
V-1	11/08/2006	1,300	3.7	1.5	5.1	6.9	NA	NA	NA	NA	NA	NA	29.24	8.95	20.29	0.05/0.11
V-1	02/22/2007	<50	<0.50	<1.0	<0.50	<1.0	NA	NA	NA	NA	NA	NA	29.24	6.17	23.07	0.76/0.99
V-1	05/29/2007	650 i	0.64	<1.0	1.2	0.95 k	NA	NA	NA	NA	NA	NA	29.24	7.21	22.03	0.69/0.74

V-2	08/02/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	08/05/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.80	7.94	14.86	NA
V-2	10/17/1996	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.80	9.30	13.50	NA
V-2	01/08/1997	69,000	4,800	2,800	2,700	13,000	750	NA	NA	NA	NA	NA	22.80	5.82	16.98	NA
V-2	04/07/1997	90,000	4,400	1,900	3,300	14,000	<500	NA	NA	NA	NA	NA	22.80	7.10	15.70	NA
V-2 (D)	04/07/1997	77,000	4,400	2,000	3,200	14,000	<250	NA	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	07/02/1997	82,000	5,500	2,700	3,500	16,000	530	<100	NA	NA	NA	NA	22.80	8.35	14.45	NA
V-2 (D)	07/02/1997	85,000	5,600	2,800	3,600	17,000	520	<100	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	10/24/1997	7,300	1,100	97	230	180	91	<12	NA	NA	NA	NA	22.80	10.03	12.77	NA
V-2 (D)	10/24/1997	12,000	1,700	340	650	630	120	<20	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	01/09/1998	40,000	4,100	1,500	2,500	9,000	280	NA	NA	NA	NA	NA	22.80	6.94	15.86	NA
V-2	04/02/1998	62,000	6,800	2,400	3,400	14,000	<250	NA	NA	NA	NA	NA	22.80	5.35	17.45	NA
V-2	07/14/1998	43,000	4,700	1,100	2,500	6,600	<250	NA	NA	NA	NA	NA	22.80	6.48	16.32	NA
V-2 (D)	07/14/1998	48,000	5,100	1,300	2,600	8,100	<250	NA	NA	NA	NA	NA	22.80	NA	NA	NA

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
V-2	10/01/1998	53,000	5,200	1,800	3,200	10,000	83	NA	NA	NA	NA	NA	22.80	8.41	14.39	NA
V-2 (D)	10/01/1998	55,000	5,300	1,900	3,300	11,000	65	NA	NA	NA	NA	NA	22.80	NA	NA	NA
V-2	01/18/1999	47,100	5,800	1,960	3,450	10,200	<100	NA	NA	NA	NA	NA	22.80	8.29	14.51	NA
V-2	04/29/1999	65,000	6,100	2,800	3,200	12,000	540	NA	NA	NA	NA	NA	22.80	8.19	14.61	NA
V-2	08/23/1999	59,600	6,240	2,190	3,900	14,700	390	NA	NA	NA	NA	NA	22.80	8.44	14.36	NA
V-2	10/06/1999	63,800	4,820	1,860	2,840	11,100	<1000	NA	NA	NA	NA	NA	22.80	8.96	13.84	NA
V-2	01/27/2000	59,600	10,200	2,840	3,450	12,100	<500	NA	NA	NA	NA	NA	22.80	7.57	15.23	NA
V-2	04/18/2000	45,000	6,050	2,700	3,340	12,200	<250	NA	NA	NA	NA	NA	22.80	8.14	14.66	NA
V-2	07/19/2000	31,800	4,440	1,270	2,390	6,820	<500	NA	NA	NA	NA	NA	22.80	8.21	14.59	NA
V-2	10/24/2000	40,100	4,810	1,730	2,960	8,650	734	<10.0	NA	NA	NA	NA	22.80	8.53	14.27	NA
V-2	01/04/2001	37,500	4,510	1,390	2,710	6,880	375	NA	NA	NA	NA	NA	22.80	8.03	14.77	NA
V-2	05/03/2001	51,000	4,000	1,900	2,800	8,200	NA	<200	NA	NA	NA	NA	22.80	6.63	16.17	NA
V-2	07/09/2001	9,600	710	190	180	1,400	NA	<25	NA	NA	NA	NA	22.80	8.75	14.05	NA
V-2	10/18/2001	20,000	2,000	540	560	6,000	NA	<50	NA	NA	NA	NA	22.80	9.60	13.20	0.4
V-2	01/24/2002	36,000	2,900	870	1,700	5,900	NA	<100	NA	NA	NA	NA	22.80	5.93	16.87	4.0
V-2	04/04/2002	49,000	3,900	1,500	2,900	9,300	NA	<200	NA	NA	NA	NA	22.80	5.78	17.02	0.9
V-2	07/18/2002	50,000	3,600	1,300	2,800	9,300	NA	<200	NA	NA	NA	NA	22.80	7.58	15.22	1.3
V-2	10/21/2002	86,000	6,000	1,900	4,200	20,000	NA	<250	NA	NA	NA	NA	28.80	8.40	20.40	1.3
V-2	01/21/2003	13,000	630	200	300	2,400	NA	<25	NA	NA	NA	NA	28.80	6.52	22.28	1.2
V-2	04/17/2003	26,000	2,000	570	750	6,000	NA	<100	NA	NA	NA	NA	28.80	5.93	22.87	1.1
V-2	07/22/2003	6,800	130	34	150	440	NA	<2.5	NA	NA	NA	NA	28.80	7.96	20.84	1.4
V-2	10/20/2003	14,000	660	160	260	2,400	NA	<10	NA	NA	NA	NA	28.80	9.21	19.59	0.7
V-2	01/13/2004	20,000	1,400	410	700	4,200	NA	<13	NA	NA	NA	NA	28.80	6.90	21.90	NA
V-2	01/22/2004	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.80	8.50	20.30	0.1
V-2	04/01/2004	28,000	2,000	520	650	8,700	NA	NA	NA	NA	NA	NA	28.80	6.84	21.96	0.2
V-2	07/13/2004	21,000	1,900	460	1,000	4,300	NA	NA	NA	NA	NA	NA	28.80	8.28	20.52	0.1

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
V-2	10/26/2004	43,000	2,700	880	2,300	12,000	NA	NA	NA	NA	NA	NA	28.80	8.43	20.37	0.8
V-2	01/13/2005	23,000	1,400	330	1,800	5,800	NA	NA	NA	NA	NA	NA	28.80	6.67	22.13	0.6
V-2	04/28/2005	16,000	970	230	620	3,800	NA	NA	NA	NA	NA	NA	28.80	5.69	23.11	4.55
V-2	08/01/2005	14,000	610	190	450	3,600	NA	NA	NA	NA	NA	NA	28.80	5.25	23.55	NA d
V-2	10/05/2005	37,000	2,200	680	2,300	8,500	NA	NA	NA	NA	NA	NA	28.80	8.24	20.56	0.75
V-2	01/11/2006 f	45,000	1,900	720	3,000	13,000	NA	<25	<25	<25	<25	<250	28.81	6.60	22.21	0.4
V-2	05/26/2006	66,600	1,300	400	2,950	9,700 g	NA	<0.500	<0.500	<0.500	<0.500	<10.0	28.81	6.28	22.53	0.28
V-2	08/30/2006	7,290	2,390	750	4,680	17,000	NA	NA	NA	NA	NA	NA	28.81	8.03	20.78	0.37/0.31
V-2	11/08/2006	68,000	1,700	580	3,900	13,000	NA	NA	NA	NA	NA	NA	28.81	8.60	20.21	0.05/0.14
V-2	02/22/2007	57,000	1,300	600	4,000	15,000	NA	NA	NA	NA	NA	NA	28.81	5.88	22.93	1.23/2.50
V-2	05/29/2007	48,000 i,j	2,000	650	3,300	10,000	NA	NA	NA	NA	NA	NA	28.81	6.82	21.99	0.07/0.12

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to May 3, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to May 3, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

SPH = Separate-Phase Hydrocarbons

GW = Groundwater

DO = Dissolved Oxygen reading

n/n = Pre-purge/Post-purge DO reading

ug/L = Parts per billion

ppm = Parts per million

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

(D) = Duplicate sample

NA = Not applicable

WELL CONCENTRATIONS
Former Shell Service Station
2703 Martin Luther King Jr. Way
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8020 (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)	DO Reading (ppm)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------	------------------------

Notes:

a = This sample analyzed outside of EPA recommended holding time.

b = Due to error of Sequoia Analytical laboratories, well V-1 confirmed for MTBE by EPA Method 8260 instead of V-2.

c = Hydrocarbon does not match pattern of laboratory's standard.

d = Dissolved oxygen reading not taken due to meter malfunction.

e = Quantity of unknown hydrocarbon(s) in sample based on gasoline.

f = Sample was originally analyzed within the EPA recommended hold time. Re-analysis for dilution was performed past the recommended hold time.

g = Analyte was detected in the associated Method Blank.

h = Initial analysis within holding time. Reanalysis for the required dilution or confirmation was past holding time.

i = Analyzed by EPA Method 8015B (M).

j = The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

k = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.


* = Water sample from Boring.

Site surveyed June 14, 2001 by Virgil Chavez Land Surveying of Vallejo, CA.

Site surveyed August 13, 2002 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells MW-1 through MW-8, V-1, and V-2 surveyed on February 14, 2006 by Virgil Chavez Land Surveying of Vallejo, CA..

Wells MW-12 and MW-14 surveyed on April 19, 2006 by Virgil Chavez Land Surveying of Vallejo, CA..



June 11, 2007

Michael Ninokata
Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Subject: **Calscience Work Order No.: 07-06-0094**
Client Reference: 2703 Martin Luther King Jr. Way, Oakland, CA

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 6/2/2007 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Don Burley". The signature is written in a cursive, somewhat stylized script.

Calscience Environmental
Laboratories, Inc.
Don Burley
Project Manager

Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/02/07
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Page 1 of 3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
----------------------	-------------------	----------------	--------	------------	---------------	---------------	-------------

MW-4	07-06-0094-1	05/29/07	Aqueous	GC 21	06/04/07	06/04/07	070604B01
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	14000	5000	100		ug/L

Surrogates:	REC (%)	Control Limits	Qual
-------------	---------	----------------	------

1,4-Bromofluorobenzene	105	38-134	
------------------------	-----	--------	--

MW-5	07-06-0094-2	05/29/07	Aqueous	GC 18	06/02/07	06/02/07	070602B01
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	94000	1000	20		ug/L

Surrogates:	REC (%)	Control Limits	Qual
-------------	---------	----------------	------

1,4-Bromofluorobenzene	99	38-134	
------------------------	----	--------	--

MW-6	07-06-0094-3	05/29/07	Aqueous	GC 21	06/04/07	06/04/07	070604B01
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	30000	10000	200		ug/L

Surrogates:	REC (%)	Control Limits	Qual
-------------	---------	----------------	------

1,4-Bromofluorobenzene	99	38-134	
------------------------	----	--------	--

MW-7	07-06-0094-4	05/29/07	Aqueous	GC 21	06/04/07	06/04/07	070604B01
-------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	26000	5000	100		ug/L

Surrogates:	REC (%)	Control Limits	Qual
-------------	---------	----------------	------

1,4-Bromofluorobenzene	101	38-134	
------------------------	-----	--------	--

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/02/07
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Page 2 of 3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-8	07-06-0094-5	05/29/07	Aqueous	GC 18	06/02/07	06/02/07	070602B01

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	31000	1000	20		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	98	38-134			

MW-12	07-06-0094-6	05/29/07	Aqueous	GC 18	06/02/07	06/02/07	070602B01
--------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	86	38-134			

MW-14	07-06-0094-7	05/29/07	Aqueous	GC 18	06/02/07	06/02/07	070602B01
--------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	35000	5000	100		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	89	38-134			

V-1	07-06-0094-8	05/29/07	Aqueous	GC 18	06/02/07	06/02/07	070602B01
------------	---------------------	-----------------	----------------	--------------	-----------------	-----------------	------------------

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
TPH as Gasoline	650	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	90	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/02/07
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Page 3 of 3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
V-2	07-06-0094-9	05/29/07	Aqueous	GC 21	06/04/07	06/04/07	070604B01

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	48000	10000	200		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	102	38-134			

Method Blank	099-12-436-516	N/A	Aqueous	GC 18	06/02/07	06/02/07	070602B01
--------------	----------------	-----	---------	-------	----------	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	81	38-134			

Method Blank	099-12-436-518	N/A	Aqueous	GC 21	06/04/07	06/04/07	070604B01
--------------	----------------	-----	---------	-------	----------	----------	-----------

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	103	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/02/07
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Page 1 of 3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-4	07-06-0094-1	05/29/07	Aqueous	GC/MS Q	06/06/07	06/06/07	070606L01

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	3200	25	9.6	50		p/m-Xylene	240	5.0	1.4	5	
Ethylbenzene	640	5.0	0.67	5		o-Xylene	9.0	5.0	0.85	5	
Toluene	27	5.0	1.1	5							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	102	74-140				1,2-Dichloroethane-d4	108	74-146			
Toluene-d8	101	88-112				1,4-Bromofluorobenzene	99	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-5	07-06-0094-2	05/29/07	Aqueous	GC/MS Q	06/06/07	06/06/07	070606L01

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	6400	50	19	100		p/m-Xylene	16000	100	27	100	
Ethylbenzene	4300	100	13	100		o-Xylene	6000	100	17	100	
Toluene	9900	100	23	100							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	97	74-140				1,2-Dichloroethane-d4	103	74-146			
Toluene-d8	97	88-112				1,4-Bromofluorobenzene	99	74-110			


Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-6	07-06-0094-3	05/29/07	Aqueous	GC/MS Q	06/06/07	06/06/07	070606L01

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	4100	25	9.6	50		p/m-Xylene	3200	10	2.7	10	
Ethylbenzene	1600	10	1.3	10		o-Xylene	1700	10	1.7	10	
Toluene	1000	10	2.3	10							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	99	74-140				1,2-Dichloroethane-d4	102	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	99	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-7	07-06-0094-4	05/29/07	Aqueous	GC/MS Q	06/06/07	06/06/07	070606L01

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	2700	25	9.6	50		p/m-Xylene	2800	10	2.7	10	
Ethylbenzene	850	10	1.3	10		o-Xylene	790	10	1.7	10	
Toluene	320	10	2.3	10							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	97	74-140				1,2-Dichloroethane-d4	99	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	98	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/02/07
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Page 2 of 3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-8	07-06-0094-5	05/29/07	Aqueous	GC/MS Q	06/06/07	06/06/07	070606L01

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	2600	10	3.8	20		p/m-Xylene	2600	10	2.7	10	
Ethylbenzene	250	10	1.3	10		o-Xylene	540	10	1.7	10	
Toluene	99	10	2.3	10							
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	96	74-140				1,2-Dichloroethane-d4	98	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	99	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-12	07-06-0094-6	05/29/07	Aqueous	GC/MS Q	06/06/07	06/06/07	070606L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	0.49	0.50	0.19	1	J	p/m-Xylene	0.48	1.0	0.27	1	J
Ethylbenzene	0.14	1.0	0.13	1	J	o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1							
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	105	74-140				1,2-Dichloroethane-d4	107	74-146			
Toluene-d8	96	88-112				1,4-Bromofluorobenzene	95	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
MW-14	07-06-0094-7	05/29/07	Aqueous	GC/MS X	06/08/07	06/08/07	070608L01


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	1100	5.0	1.9	10		p/m-Xylene	750	10	2.7	10	
Ethylbenzene	1800	10	1.3	10		o-Xylene	17	10	1.7	10	
Toluene	14	10	2.3	10							
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	102	74-140				1,2-Dichloroethane-d4	112	74-146			
Toluene-d8	104	88-112				1,4-Bromofluorobenzene	110	74-110			

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
V-1	07-06-0094-8	05/29/07	Aqueous	GC/MS Q	06/06/07	06/06/07	070606L01

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	0.64	0.50	0.19	1		p/m-Xylene	0.95	1.0	0.27	1	J
Ethylbenzene	1.2	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1							
Surrogates:	REC (%)	Control Limits			Qual	Surrogates:	REC (%)	Control Limits			Qual
Dibromofluoromethane	101	74-140				1,2-Dichloroethane-d4	107	74-146			
Toluene-d8	98	88-112				1,4-Bromofluorobenzene	92	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: 06/02/07
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Page 3 of 3

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Instrument	Date Prepared	Date Analyzed	QC Batch ID
V-2	07-06-0094-9	05/29/07	Aqueous	GC/MS Q	06/06/07	06/06/07	070606L01

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	2000	10	3.8	20		p/m-Xylene	7600	20	5.5	20	
Ethylbenzene	3300	20	2.7	20		o-Xylene	2400	20	3.4	20	
Toluene	650	20	4.5	20							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	99	74-140				1,2-Dichloroethane-d4	102	74-146			
Toluene-d8	99	88-112				1,4-Bromofluorobenzene	98	74-110			

Method Blank	099-10-006-21,630	N/A	Aqueous	GC/MS Q	06/06/07	06/06/07	070606L01
--------------	-------------------	-----	---------	---------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	125	74-140				1,2-Dichloroethane-d4	130	74-146			
Toluene-d8	103	88-112				1,4-Bromofluorobenzene	87	74-110			

Method Blank	099-10-006-21,666	N/A	Aqueous	GC/MS X	06/08/07	06/08/07	070608L01
--------------	-------------------	-----	---------	---------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.


Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	99	74-140				1,2-Dichloroethane-d4	108	74-146			
Toluene-d8	97	88-112				1,4-Bromofluorobenzene	93	74-110			


Method Blank	099-10-006-21,677	N/A	Aqueous	GC/MS W	06/09/07	06/09/07	070609L01
--------------	-------------------	-----	---------	---------	----------	----------	-----------

Comment(s): -Results were evaluated to the MDL, concentrations >= to the MDL but < RL, if found, are qualified with a "J" flag.

Parameter	Result	RL	MDL	DF	Qual	Parameter	Result	RL	MDL	DF	Qual
Benzene	ND	0.50	0.19	1		p/m-Xylene	ND	1.0	0.27	1	
Ethylbenzene	ND	1.0	0.13	1		o-Xylene	ND	1.0	0.17	1	
Toluene	ND	1.0	0.23	1							
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>			<u>Qual</u>
Dibromofluoromethane	112	74-140				1,2-Dichloroethane-d4	107	74-146			
Toluene-d8	101	88-112				1,4-Bromofluorobenzene	95	74-110			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 06/02/07
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-12	Aqueous	GC 18	06/02/07	06/03/07	070602S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	89	83	68-122	6	0-18	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 06/02/07
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-0097-6	Aqueous	GC 21	06/04/07	06/05/07	070604S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	76	80	68-122	5	0-18	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 06/02/07
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8260B


Project 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-0237-5	Aqueous	GC/MS Q	06/06/07	06/06/07	070606S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	99	88-118	4	0-7	
Carbon Tetrachloride	112	109	67-145	2	0-11	
Chlorobenzene	105	100	88-118	5	0-7	
1,2-Dichlorobenzene	101	97	86-116	4	0-8	
1,1-Dichloroethene	98	96	70-130	2	0-25	
Toluene	103	99	87-123	4	0-8	
Trichloroethene	99	95	79-127	5	0-10	
Vinyl Chloride	101	99	69-129	2	0-13	
Methyl-t-Butyl Ether (MTBE)	94	95	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	92	93	36-168	1	0-45	
Diisopropyl Ether (DIPE)	103	102	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	96	95	72-126	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	100	98	72-126	2	0-12	
Ethanol	89	94	53-149	6	0-31	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 06/02/07
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8260B


Project 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-0372-5	Aqueous	GC/MS X	06/08/07	06/08/07	070608S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	92	91	88-118	1	0-7	
Carbon Tetrachloride	86	85	67-145	1	0-11	
Chlorobenzene	97	97	88-118	0	0-7	
1,2-Dichlorobenzene	101	101	86-116	0	0-8	
1,1-Dichloroethene	90	88	70-130	3	0-25	
Toluene	85	84	87-123	1	0-8	3
Trichloroethene	88	87	79-127	1	0-10	
Vinyl Chloride	73	70	69-129	4	0-13	
Methyl-t-Butyl Ether (MTBE)	94	90	71-131	4	0-13	
Tert-Butyl Alcohol (TBA)	87	88	36-168	1	0-45	
Diisopropyl Ether (DIPE)	96	94	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	95	94	72-126	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	95	94	72-126	2	0-12	
Ethanol	91	90	53-149	0	0-31	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: 06/02/07
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8260B

Project 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
07-06-0266-15	Aqueous	GC/MS W	06/09/07	06/09/07	070609S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	100	102	88-118	2	0-7	
Carbon Tetrachloride	81	89	67-145	9	0-11	
Chlorobenzene	101	98	88-118	2	0-7	
1,2-Dichlorobenzene	103	101	86-116	2	0-8	
1,1-Dichloroethene	94	95	70-130	2	0-25	
Toluene	104	101	87-123	2	0-8	
Trichloroethene	94	94	79-127	0	0-10	
Vinyl Chloride	95	94	69-129	1	0-13	
Methyl-t-Butyl Ether (MTBE)	77	101	71-131	24	0-13	4
Tert-Butyl Alcohol (TBA)	73	86	36-168	16	0-45	
Diisopropyl Ether (DIPE)	110	112	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	99	108	72-126	8	0-12	
Tert-Amyl-Methyl Ether (TAME)	103	110	72-126	6	0-12	
Ethanol	117	108	53-149	8	0-31	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: N/A
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-516	Aqueous	GC 18	06/02/07	06/02/07	070602B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	85	85	78-120	0	0-10	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: N/A
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8015B (M)

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-436-518	Aqueous	GC 21	06/04/07	06/04/07	070604B01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
TPH as Gasoline	89	91	78-120	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: N/A
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8260B

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,630	Aqueous	GC/MS Q	06/06/07	06/06/07	070606L01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	97	96	84-120	1	0-8	
Carbon Tetrachloride	107	105	63-147	2	0-10	
Chlorobenzene	99	97	89-119	2	0-7	
1,2-Dichlorobenzene	95	95	89-119	0	0-9	
1,1-Dichloroethene	95	91	77-125	4	0-16	
Toluene	98	96	83-125	1	0-9	
Trichloroethene	94	95	89-119	2	0-8	
Vinyl Chloride	94	91	63-135	3	0-13	
Methyl-t-Butyl Ether (MTBE)	91	90	82-118	2	0-13	
Tert-Butyl Alcohol (TBA)	86	85	46-154	0	0-32	
Diisopropyl Ether (DIPE)	99	96	81-123	3	0-11	
Ethyl-t-Butyl Ether (ETBE)	92	91	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	95	94	76-124	1	0-10	
Ethanol	86	81	60-138	6	0-32	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105


Date Received: N/A
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8260B

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,666	Aqueous	GC/MS X	06/08/07	06/08/07	070608L01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	101	104	84-120	3	0-8	
Carbon Tetrachloride	93	95	63-147	2	0-10	
Chlorobenzene	108	109	89-119	1	0-7	
1,2-Dichlorobenzene	117	119	89-119	1	0-9	
1,1-Dichloroethene	108	107	77-125	1	0-16	
Toluene	99	99	83-125	0	0-9	
Trichloroethene	101	104	89-119	3	0-8	
Vinyl Chloride	97	95	63-135	2	0-13	
Methyl-t-Butyl Ether (MTBE)	98	101	82-118	3	0-13	
Tert-Butyl Alcohol (TBA)	89	92	46-154	3	0-32	
Diisopropyl Ether (DIPE)	100	105	81-123	4	0-11	
Ethyl-t-Butyl Ether (ETBE)	99	101	74-122	2	0-12	
Tert-Amyl-Methyl Ether (TAME)	100	103	76-124	3	0-10	
Ethanol	96	95	60-138	0	0-32	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate



Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112-1105

Date Received: N/A
Work Order No: 07-06-0094
Preparation: EPA 5030B
Method: EPA 8260B

Project: 2703 Martin Luther King Jr. Way, Oakland, CA

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-21,677	Aqueous	GC/MS W	06/09/07	06/09/07	070609L01

<u>Parameter</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Benzene	101	102	84-120	1	0-8	
Carbon Tetrachloride	96	95	63-147	1	0-10	
Chlorobenzene	99	99	89-119	1	0-7	
1,2-Dichlorobenzene	100	102	89-119	1	0-9	
1,1-Dichloroethene	100	102	77-125	2	0-16	
Toluene	100	103	83-125	3	0-9	
Trichloroethene	99	101	89-119	1	0-8	
Vinyl Chloride	92	96	63-135	5	0-13	
Methyl-t-Butyl Ether (MTBE)	109	108	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	93	98	46-154	5	0-32	
Diisopropyl Ether (DIPE)	110	108	81-123	2	0-11	
Ethyl-t-Butyl Ether (ETBE)	107	108	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	108	112	76-124	3	0-10	
Ethanol	86	100	60-138	15	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Work Order Number: 07-06-0094

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.





SHELL Chain Of Custody Record

0094

- TA - Irvine, California
- TA - Morgan Hill, California
- TA - Sacramento, California
- TA - Nashville, Tennessee
- Calscience
- Other _____

NAME OF PERSON TO BILL: Denis Brown

ENVIRONMENTAL SERVICES CHECK BOX TO VERIFY IF NO INCIDENT # APPLIES

NETWORK DEV / FE BILL CONSULTANT

COMPLIANCE RMT/CRMT

INCIDENT # (ES ONLY): 9 7 0 9 3 3 9 7

DATE: 5/27/07

PAGE: 1 of 1

SAMPLING COMPANY: **Blaine Tech Services** LOG CODE: **BTSS**

ADDRESS: **1680 Rogers Avenue, San Jose, CA 95112**

PROJECT CONTACT (Hardcopy or PDF Report to): **Michael Ninokata**

TELEPHONE: **408-573-0555** FAX: **408-573-7771** E-MAIL: **mninokata@blainetech.com**

SITE ADDRESS: Street and City: **2703 Martin Luther King Jr. Way, Oakland** State: **CA** GLOBAL ID NO.: **T0600101876**

EDF DELIVERABLE TO (Name, Company, Office Location): **Ana Friel, CRA, Sonoma Office** PHONE NO.: **707-268-3812** E-MAIL: **sonomaedf@croworld.com** CONSULTANT PROJECT NO.: **070509-5C 2**

SAMPLER NAME(S) (Print): **S. Chase** LAB USE ONLY: **07-06-0094**

TAT (STD IS 10 BUSINESS DAYS / RUSH IS CALENDAR DAYS):

STD 5 DAY 3 DAY 2 DAY 24 HOURS RESULTS NEEDED ON WEEKEND

REQUESTED ANALYSIS

LA - RWQCB REPORT FORMAT UST AGENCY: _____

SPECIAL INSTRUCTIONS OR NOTES:

EDD NOT NEEDED

SHELL CONTRACT RATE APPLIES

STATE REIMB RATE APPLIES

RECEIPT VERIFICATION REQUESTED


TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)
------------------------------	-----------------------------------	--------------	--	--------------	-------------	--------------	--------------	--------------	-----------------	-------------	-----------------	------------------

FIELD NOTES:

Container/Preservative or PID Readings or Laboratory Notes

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable (8260B)	TPH - Diesel, Extractable (8015M)	BTEX (8260B)	5 Oxygenates (8260B) (MTBE, TBA, DIPE, TAME, ETBE)	MTBE (8260B)	TBA (8260B)	DIPE (8260B)	TAME (8260B)	ETBE (8260B)	1,2 DCA (8260B)	EDB (8260B)	Ethanol (8260B)	Methanol (8015M)	TEMPERATURE ON RECEIPT C°
		DATE	TIME																
	MW-4	5/27/07	1530	W	5	X	X												
	MW-5		1430			X	X												
	MW-6		1522			X	X												
	MW-7		845			X	X												
	MW-8		1358			X	X												
	MW-12		1140			X	X												
	MW-14		1448			X	X												
	W1		1256			X	X												
	W2		1525			X	X												

Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: 5/29/07	Time: 1740
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: 5-31-07	Time: 1532pm
Relinquished by: (Signature) <i>[Signature]</i>	Received by: (Signature) <i>[Signature]</i>	Date: 6/2/07	Time: 0830



WORK ORDER #: 07 - 06 - 0094

Cooler ___ of ___

SAMPLE RECEIPT FORM

CLIENT: BTS

DATE: 6/2/07

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature.
°C Temperature blank.

LABORATORY (Other than Calscience Courier):

- °C Temperature blank.
3.5 °C IR thermometer.
Ambient temperature.

Initial: RM

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact):

Not Present: Initial: RM

SAMPLE CONDITION:

Table with 4 columns: Description, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: RM

COMMENTS:

Blank lines for handwritten comments.

SHELL WELLHEAD INSPECTION FORM

(FOR SAMPLE TECHNICIAN)

Site Address

2703 MLK Jr. Way, Oakland

Date

5/29/07

Job Number

07052A-SC 2

Technician

S. Chasen

Page

1 of 1

Well ID	Well Inspected - No Corrective Action Required	Well Box Meets Compliance Requirements *See Below	Water Bailed From Wellbox	Cap Replaced	Lock Replaced	Well Not Inspected (explain in notes)	New Deficiency Identified	Previously Identified Deficiency Persists	Notes
MU-1		X							2/2 bolts missing
MU-2	X	X							1/2 bolts missing
MU-3	X	X							
MU-4	X	X							
MU-5	X	X							
MU-6	X	X							
MU-7	X	X							
MU-8	X	X							
MU-12	X	X							no locks
MU-14	X	X							no lock
V-1	X	X							
V-2	X	X							

*Well box must meet all three criteria to be compliant: 1) WELL IS SECURABLE BY DESIGN (12" or less) 2) WELL IS MARKED WITH THE WORDS "MONITORING WELL" (12" or less) 3) WELL TAG IS PRESENT, SECURE, AND CORRECT

Notes:

WELL GAUGING DATA

Project # 070529-SC2 Date 5/29/17 Client Shell

Site 2703 Mlk Jr. Way, Oakland

Well ID	Time	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	Notes
MU-1	1204	2					7.20	19.92	↓	
MU-2	1208	2					7.32	18.85		
MU-3	1212	4					7.20	20.00		
MU-4	1216	4					6.60	19.95		
MU-5	1228	4					7.85	19.97		
MU-6	1232	4					6.97	19.57		
MU-7	1235	4					8.01	19.58		
MU-8	1226	4					7.81	19.93		
MU-12	1113	2					9.00	19.40		
MU-14	1245	1"					7.89	14.10		
V-1	1200	2					7.21	13.00		
V-2	1238	2					6.82	13.12		

SHELL WELL MONITORING DATA SHEET

BTS #: <u>070529-SC-2</u>	Site: <u>9709 3397</u>
Sampler: <u>S. Chavez</u>	Date: <u>5/29/07</u>
Well I.D.: <u>MW-7</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>19.58</u>	Depth to Water (DTW): <u>8.01</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>10.32</u>	

Purge Method: Bailer Watertra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

<u>7.5</u> (Gals.) X <u>3</u> = _____ Gals. 1 Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1516</u>	<u>68.2</u>	<u>7.36</u>	<u>1320</u>	<u>71,000</u>	<u>7.5</u>	<u>Brown/Cloudy</u>
<u>1518</u>	<u>67.8</u>	<u>7.25</u>	<u>1296</u>	<u>71,000</u>	<u>15</u>	<u>11</u>
<u>1520</u>	<u>67.5</u>	<u>7.20</u>	<u>1252</u>	<u>489</u>	<u>22.5</u>	<u>cloudy</u>

order

Did well dewater? Yes No Gallons actually evacuated: 22.5

Sampling Date: 5/29/07 Sampling Time: 1545 Depth to Water: 10.32

Sample I.D.: MW-7 Laboratory: STL Other: Cal Services

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See col

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	<u>0.09</u> mg/L	Post-purge:	<u>0.15</u> mg/L
O.R.P. (if req'd):	Pre-purge:	_____ mV	Post-purge:	_____ mV

SHELL WELL MONITORING DATA SHEET

BTS #: 07052A-5C-2	Site: 97093397
Sampler: S. Chase	Date: 5/29/07
Well I.D.: MV-8	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 19.93	Depth to Water (DTW): 7.81
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): <u>YSI</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.23	

Purge Method: Bailer Waterria Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other: _____ Dedicated Tubing

7.9 (Gals.) X	3	=	23.7	Gals.	
I Case Volume	Specified Volumes		Calculated Volume		

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	<u>0.65</u>
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1334	67.8	7.03	923	55	7.9	Clear
1339	66.2	7.13	879	162	15.8	Clear
1341	66.1	7.03	896	198	23.7	cloudy

ODOR

Did well dewater? Yes No Gallons actually evacuated: 23.7

Sampling Date: 5/29/07 Sampling Time: 1358 Depth to Water: 8.99

Sample I.D.: MV-8 Laboratory: STL Other: Cal Swane

Analyzed for: TPH-G BTEX MTBE TPH-D Other: see COC

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	0.05 mg/L	Post-purge:	0.49 mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>070529-SL-1</u>	Site: <u>9709 3397</u>
Sampler: <u>S. Chase</u>	Date: <u>5/29/07</u>
Well I.D.: <u>MW-12</u>	Well Diameter: <u>(2)</u> 3 4 6 8
Total Well Depth (TD): <u>19.40</u>	Depth to Water (DTW): <u>9.0</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>(PVC)</u> Grade	D.O. Meter (if req'd): <u>(YSI)</u> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>11.08</u>	

Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible

Waterra Peristaltic Extraction Pump Other _____

Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing

Other: _____

1.7 (Gals.) X 3 = 5.1 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
<u>(2")</u>	<u>(0.18)</u>	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1124</u>	<u>64.9</u>	<u>7.37</u>	<u>503</u>	<u>>1,000</u>	<u>1.7</u>	<u>Muddy Brown</u>
<u>1133</u>	<u>64.0</u>	<u>7.48</u>	<u>491</u>	<u>>1,000</u>	<u>3.4</u>	<u>"</u>
<u>1137</u>	<u>63.5</u>	<u>7.32</u>	<u>474</u>	<u>>1,000</u>	<u>5.1</u>	<u>"</u>

Did well dewater? Yes No Gallons actually evacuated: 5.1

Sampling Date: 5/29/07 Sampling Time: 1140 Depth to Water: 10.08

Sample I.D.: MW-12 Laboratory: STL Other Cal Services

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See COC

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: 0.60 mg/L Post-purge: 0.61 mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

SHELL WELL MONITORING DATA SHEET

BTS #: 070529 SC 2	Site: 97093394
Sampler: G. Chabe	Date: 5/29/07
Well I.D.: V-1	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 13.00	Depth to Water (DTW): 7.21
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): (YSI) HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.37	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other: _____ Dedicated Tubing

1 (Gals.) X	3	=	3	Gals.
1 Case Volume	Specified Volumes		Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1248	71.8	7.16	1302	93	1	cloudy
1251	69.9	6.93	1342	655	2	cloudy
1254	69.1	6.90	1355	>1,000	3	Brain/cloudy

Did well dewater? Yes No Gallons actually evacuated: 3

Sampling Date: 5/29/07 Sampling Time: 1256 Depth to Water: 8.25

Sample I.D.: V-1 Laboratory: STL Other: Cal Services

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See COC

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	0.69 mg/L	Post-purge:	0.74 mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 070529-SC-2	Site: 2703 MLK Dr
Sampler: DW	Date: 5-29-07
Well I.D.: V-2	Well Diameter: 2 3 4 6 8
Total Well Depth (TD): 13.12	Depth to Water (DTW): 6.82
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVO Grade	D.O. Meter (if req'd): YS HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.08	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other: _____ Dedicated Tubing

1 Case Volume **1** (Gals.) X Specified Volumes **3** = Calculated Volume **3** Gals.

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1520	67.7	6.9	1015	117	1	
1522	67.4	6.9	1019	98	2	
1524	67.2	6.9	1014	91	3	

Did well dewater? Yes No Gallons actually evacuated: **3**

Sampling Date: **5-29-07** Sampling Time: **1525** Depth to Water: **8.01**

Sample I.D.: **V-2** Laboratory: STL Other **Cal Science**

Analyzed for: TPH-G BTEX MTBE TPH-D Other: **See SOW**

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: **0.07** mg/L Post-purge: **0.12** mg/L

O.R.P. (if req'd): Pre-purge: mV Post-purge: mV