

5900 Hollis Street, Suite A Emeryville, California 94608

Telephone: (510) 4

(510) 420-0700 Fax: (510) 420-9170

2015

www.CRAworld.com

D	Γ	20, 2015		ANSI		040701
Date: <u>J</u>	anuary	30, 2015	-	KEFERE	NCE No.:	240781 2703 Martin Luther King Jr. Way,
				Projec	T NAME:	Oakland
To:J	Jerry W	ickham				
	Alamed	a County Envir	onmental H	lealth		RECEIVED
_1	1131 Ha	rbor Bay Parkw	ay, Suite 25	50	15	By Alameda County Environmental Health at 11:46 am, Feb 02
	Alamed	a, California 94	502-6577			. /
				* 5		
Please find e	enclosed	Origina	ıls		Final Other	
		☐ Prints				
Sent via:		☐ Mail ☐ Overnig	ght Courier		Same Day Other (Courier GeoTracker and Alameda County FTP
QUANTI	ITY	Λ.	· · · · · · · · · · · · · · · · · · ·		DESCRI	PTION
, 1		Groundwater I	Monitoring			
	- n	1				
	quested our Use		For	Review an	nd Comme	ent
COMMEN	TS:					
						nt, please call the CRA project manager
Peter Schae	fer at (5	10) 420-3319 or	the Shell pr	ogram ma	anager Pe	erry Pineda at (425) 413-1164.
Copy to:	P	erry Pineda, Sh	ell Oil Prod	ucts US (e	electronic	copy)
	R	odney & Janet l Way, Oakland		. •	ers), Auto	o Tech West, 2703 Martin Luther King Jr.
	S	cott Merillat, 66	4 27th Stree	et, Oaklan	d, CA 94	612
		Monique Oatis, 6 ack Chang, 559				
Completed	by: _F	eter Schaefer			Signed:	Pefer Schafe
Filing: Co	orrespon	dence File				



Shell Oil Products US

Mr. Jerry Wickham Alameda County Environmental Health 1131 Harbor Bay Parkway, Suite 250 Alameda, California 94502-6577 Soil and Groundwater Focus Delivery Group 20945 S. Wilmington Avenue Carson, CA 90810 Tel (425) 413 1164 Fax (425) 413 0988 Email perry.pineda@shell.com Internet http://www.shell.com

Re: 2703 Martin Luther King Jr. Way

Oakland, California SAP Code 129449 Incident No. 97093397

ACEH Case No. RO0000145

Dear Mr. Wickham:

The attached document is provided for your review and comment. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

As always, please feel free to contact me directly at (425) 413-1164 with any questions or concerns.

Sincerely, Shell Oil Products US

BAL

Perry Pineda

Senior Environmental Program Manager



GROUNDWATER MONITORING REPORT -**FOURTH QUARTER 2014**

FORMER SHELL SERVICE STATION 2703 MARTIN LUTHER KING JR. WAY OAKLAND, CALIFORNIA

SAP CODE 129449 INCIDENT NO. 97093397 AGENCY NO. RO0000145

> Prepared by: **Conestoga-Rovers** & Associates

5900 Hollis Street, Suite A Emeryville, California

U.S.A. 94608

Office: (510) 420-0700 Fax: (510) 420-9170 web: www.CRAworld.com

JANUARY 30, 2015 REF. NO. 240781 (32)

This report is printed on recycled paper.

TABLE OF CONTENTS

			<u>Page</u>
1.0	INTRO	DDUCTION	1
	1.1	SITE INFORMATION	1
2.0	SITE A	CTIVITIES, FINDINGS, AND DISCUSSION	1
	2.1	CURRENT QUARTER'S ACTIVITIES	1
	2.2	CURRENT QUARTER'S FINDINGS	2
	2.3	PROPOSED ACTIVITIES	2

<u>LIST OF FIGURES</u> (Following Text)

FIGURE 1 VICINITY MAP

FIGURE 2 GROUNDWATER CONTOUR AND CHEMICAL CONCENTRATION MAP

LIST OF TABLES (Following Text)

TABLE 1 GROUNDWATER DATA

LIST OF APPENDICES

APPENDIX A BLAINE TECH SERVICES, INC. - FIELD NOTES

APPENDIX B TESTAMERICA LABORATORIES, INC. - ANALYTICAL REPORT

1.0 INTRODUCTION

Conestoga-Rovers & Associates (CRA) prepared this report on behalf of Equilon Enterprises LLC dba Shell Oil Products US (Shell).

1.1 SITE INFORMATION

Site Address 2703 Martin Luther King Jr. Way, Oakland

Site Use Auto repair shop

Shell Project Manager Perry Pineda

CRA Project Manager Peter Schaefer

Lead Agency and Contact ACEH, Jerry Wickham

Agency Case No. RO0000145

Shell SAP Code 129449

Shell Incident No. 97093397

Date of most recent agency correspondence was October 20, 2014.

2.0 SITE ACTIVITIES, FINDINGS, AND DISCUSSION

2.1 CURRENT QUARTER'S ACTIVITIES

Blaine Tech Services, Inc. (Blaine) gauged and sampled the wells according to the established monitoring program for this site.

CRA prepared a vicinity map (Figure 1), a groundwater contour and chemical concentration map (Figure 2), and a groundwater data table (Table 1). Blaine's field notes are presented in Appendix A, and the laboratory report is presented in Appendix B.

2.2 <u>CURRENT QUARTER'S FINDINGS</u>

Groundwater Flow Direction Variable

Hydraulic Gradient Variable

Depth to Water 8.45 to 11.15 feet below top of well casing

2.3 PROPOSED ACTIVITIES

Blaine will gauge and sample wells according to the established monitoring program for this site. This site is monitored semiannually during the second and fourth quarters, and CRA will issue groundwater monitoring reports semiannually following the sampling events.

On December 24, 2013, CRA submitted a *Revised Subsurface Investigation Work Plan* proposing revised locations for off-site groundwater monitoring wells and soil vapor probes. Alameda County Environmental Health's (ACEH's) December 30, 2013 electronic correspondence approved the revised work plan. CRA has existing access agreements with the on-site property owner and one off-site property owner (670 27th Street). Despite multiple efforts, we have not received executed access agreements from any of the other properties where additional investigation was proposed. ACEH's October 20, 2014 electronic correspondence approved completing the proposed off-site groundwater monitoring well (MW-13) and soil vapor probes (VP-12 and VP-13) at 670 27th Street and installing the on-site soil vapor probe (VP-14). CRA will complete the modified investigation upon receiving a drilling permit from Alameda County Public Works Agency.


All of Which is Respectfully Submitted, CONESTOGA-ROVERS & ASSOCIATES

Peter Schaefer, CHG, CEG

Aubrey K. Cool, PG



FIGURES



Former Shell Service Station

2703 Martin Luther King Jr. Way Oakland, California



Vicinity Map



TABLE

TABLE 1 Page 1 of 23

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	\boldsymbol{B}	T	\boldsymbol{E}	\boldsymbol{X}	<i>8</i> 020	<i>8</i> 260	TBA	DIPE	ETBE	TAME	TOC	Water	Elevation	Reading
		(µg/L)	(μg/L)	(μg/L)	(µg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-1	08/05/1996	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.53	8.76	14.77	
MW-1 (D)	08/05/1996	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.53			
MW-1	10/17/1996	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.53	9.88	13.65	
MW-1	01/08/1997	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.53	6.82	16.71	
MW-1	04/07/1997	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.53	7.89	15.64	
MW-1	07/02/1997	< 50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.53	8.71	14.82	
MW-1	10/24/1997	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.53	9.26	14.27	
MW-1	01/09/1998	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.53	7.94	15.59	
MW-1	04/02/1998	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.53	7.21	16.32	
MW-1	07/14/1998	< 50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.53	7.78	15.75	
MW-1	10/01/1998	< 50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.53	8.39	15.14	
MW-1	01/18/1999	<50.0	< 0.500	0.785	< 0.500	< 0.500	2.36						23.53	8.28	15.25	
MW-1	04/29/1999	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.53	8.41	15.12	
MW-1	08/23/1999	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						23.53	8.17	15.36	
MW-1	10/06/1999	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 5.00						23.53	9.37	14.16	
MW-1	01/27/2000	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						23.53	7.52	16.01	
MW-1	04/18/2000	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						23.53	7.66	15.87	
MW-1	07/19/2000	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						23.53	7.81	15.72	
MW-1	10/24/2000	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						23.53	8.33	15.20	
MW-1	01/04/2001	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						23.53	8.33	15.20	
MW-1	05/03/2001	<50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					23.53	7.83	15.70	
MW-1	07/09/2001	<50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					23.53	8.60	14.93	
MW-1	10/18/2001	<50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					23.53	9.01	14.52	0.2
MW-1	01/24/2002	<50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					23.53	7.68	15.85	2.1
MW-1	04/04/2002	<50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					23.53	7.38	16.15	1.1
MW-1	07/18/2002	<50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					23.53	7.75	15.78	2.2
MW-1	10/21/2002	<50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					29.53	8.10	21.43	1.6
MW-1	01/21/2003	< 50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					29.53	7.82	21.71	0.6
MW-1	04/17/2003	<50	< 0.50	< 0.50	< 0.50	<1.0		<5.0					29.53	7.76	21.77	1.7

TABLE 1 Page 2 of 23

Well ID	Date	ТРНд	В	T	E	X	MTBE 8020	MTBE 8260	TBA	DIPE	ETBE	TAME	тос	Depth to Water	GW Elevation	DO Reading
		(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-1	07/22/2003	<50	< 0.50	< 0.50	< 0.50	<1.0		< 0.50					29.53	7.87	21.66	1.5
MW-1	10/20/2003	<50	< 0.50	< 0.50	< 0.50	<1.0		< 0.50					29.53	8.67	20.86	0.8
MW-1	01/13/2004	<50	< 0.50	< 0.50	< 0.50	<1.0		< 0.50					29.53	8.28	21.25	
MW-1	01/22/2004												29.53	8.50	21.03	1.1
MW-1	04/01/2004												29.53	7.98	21.55	
MW-1	07/13/2004												29.53	8.30	21.23	
MW-1	10/26/2004												29.53	8.27	21.26	
MW-1	01/13/2005												29.53	6.92	22.61	
MW-1	04/28/2005												29.53	7.18	22.35	
MW-1	08/01/2005												29.53	7.43	22.10	
MW-1	10/05/2005												29.53	7.55	21.98	
MW-1	01/11/2006												29.54	5.35	24.19	
MW-1	05/26/2006	<50.0	< 0.500	< 0.500	< 0.500	< 0.500		< 0.500	<10.0	< 0.500	< 0.500	< 0.500	29.54	6.81	22.73	0.78
MW-1	08/30/2006												29.54	7.77	21.77	
MW-1	11/08/2006												29.54	8.39	21.15	
MW-1	02/22/2007												29.54	7.11	22.43	
MW-1	05/29/2007												29.54	7.20	22.34	
MW-1	08/27/2007												29.54	7.86	21.68	
MW-1	11/08/2007												29.54	7.89	21.65	
MW-1	02/20/2008												29.54	7.38	22.16	
MW-1	05/01/2008												29.54	7.58	21.96	
MW-1	08/12/2008												29.54	8.85	20.69	
MW-1	11/26/2008												29.54	8.90	20.64	
MW-1	02/03/2009												29.54	8.51	21.03	
MW-1	06/02/2009												29.54	8.45	21.09	
MW-1	11/10/2009												29.54	8.89	20.65	
MW-1	05/10/2010												29.54	7.22	22.32	
MW-1	09/09/2010												29.54	7.88	21.66	
MW-1	12/03/2010												29.54	7.98	21.56	

TABLE 1 Page 3 of 23

Well ID	Date	ТРНд	В	T	E	X	MTBE 8020	MTBE 8260	TBA	DIPE	ETBE	TAME	тос	Depth to Water	GW Elevation	DO Reading
		(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-1	03/02/2011												29.54	7.52	22.02	
MW-1	05/31/2011												29.54	7.28	22.26	
MW-1	12/13/2011												29.54	7.64	21.90	
MW-1	06/13/2012												29.54	7.56	21.98	
MW-1	11/19/2012												29.54	8.48	21.06	
MW-1	05/30/2013												29.54	7.32	22.22	
MW-1	11/18/2013												29.54	9.11	20.43	
MW-1	06/06/2014												29.54	8.40	21.14	
MW-1	12/01/2014												29.54	9.37	20.17	
MW-2	08/05/1996	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						22.47	8.35	14.12	
MW-2	10/17/1996	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						22.47	9.32	13.15	
MW-2 (D)	10/17/1996	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						22.47			
MW-2	01/08/1997	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						22.47	6.80	15.67	
MW-2 (D)	01/08/1997	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						22.47			
MW-2	04/07/1997	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						22.47	7.81	14.66	
MW-2	07/02/1997	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						22.47	8.27	14.20	
MW-2	10/24/1997	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						22.47	9.12	13.35	
MW-2	01/09/1998	<50	< 0.50	< 0.50	< 0.50	< 0.50	6.3						22.47	7.41	15.06	
MW-2	04/02/1998	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						22.47	6.59	15.88	
MW-2	07/14/1998	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						22.47	7.49	14.98	
MW-2	10/01/1998	<50	< 0.50	< 0.50	< 0.50	0.59	<2.5						22.47	8.58	13.89	
MW-2	01/18/1999	<50.0	< 0.500	0.971	< 0.500	< 0.500	2.47						22.47	8.68	13.79	
MW-2	04/29/1999	<50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						22.47	8.62	13.85	
MW-2	08/23/1999	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						22.47	7.43	15.04	
MW-2	10/06/1999	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 5.00						22.47	9.00	13.47	
MW-2	01/27/2000	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						22.47	8.15	14.32	
MW-2	04/18/2000	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						22.47	7.04	15.43	
MW-2	07/19/2000	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						22.47	7.13	15.34	

TABLE 1 Page 4 of 23

Well ID	Date	ТРНд	В	T	E	X	MTBE 8020	MTBE 8260	TBA	DIPE	ЕТВЕ	TAME	ТОС	Depth to Water	GW Elevation	DO Reading
wen 15	Butt	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-2	10/24/2000	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						22.47	8.78	13.69	
MW-2	01/04/2001	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						22.47	8.33	14.14	
MW-2	05/03/2001	< 50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					22.47	7.24	15.23	
MW-2	07/09/2001	< 50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					22.47	8.55	13.92	
MW-2	10/18/2001	< 50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					22.47	9.42	13.05	
MW-2	01/24/2002	< 50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					22.47	7.23	15.24	
MW-2	04/04/2002	< 50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					22.47	6.90	15.57	
MW-2	07/18/2002	< 50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					22.47	7.97	14.50	
MW-2	10/21/2002	< 50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					28.47	8.62	19.85	
MW-2	01/21/2003	< 50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					28.47	7.08	21.39	
MW-2	04/17/2003	< 50	< 0.50	< 0.50	0.98	2.5		< 5.0					28.47	6.94	21.53	
MW-2	07/22/2003	< 50	< 0.50	< 0.50	< 0.50	<1.0		< 0.50					28.47	8.10	20.37	
MW-2	10/20/2003	< 50	< 0.50	< 0.50	< 0.50	<1.0		< 0.50					28.47	9.09	19.38	
MW-2	01/13/2004	< 50	< 0.50	< 0.50	< 0.50	<1.0		< 0.50					28.47	7.28	21.19	
MW-2	01/22/2004												28.47	8.99	19.48	2.8
MW-2	04/01/2004												28.47	6.88	21.59	
MW-2	07/13/2004												28.47	8.28	20.19	
MW-2	10/26/2004												28.47	8.43	20.04	
MW-2	01/13/2005												28.47	6.52	21.95	
MW-2	04/28/2005												28.47	6.38	22.09	
MW-2	08/01/2005												28.47	7.73	20.74	
MW-2	10/05/2005												28.47	8.47	20.00	
MW-2	01/11/2006												28.48	6.30	22.18	
MW-2	05/26/2006	59.9	< 0.500	< 0.500	< 0.500	< 0.500		< 0.500	<10.0	< 0.500	< 0.500	< 0.500	28.48	6.84	21.64	3.02
MW-2	08/30/2006												28.48	8.11	20.37	
MW-2	11/08/2006												28.48	8.61	19.87	
MW-2	02/22/2007												28.48	6.92	21.56	
MW-2	05/29/2007												28.48	7.32	21.16	
MW-2	08/27/2007												28.48	8.38	20.10	

TABLE 1 Page 5 of 23

Well ID	Date	TPHg (µg/L)	Β (μg/L)	Τ (μg/L)	E (µg/L)	Χ (μg/L)	MTBE 8020 (μg/L)	MTBE 8260 (μg/L)	TBA (μg/L)	DIPE (μg/L)	ETBE (µg/L)	TAME (μg/L)	TOC (ft MSL)	Depth to Water (ft TOC)	GW Elevation (ft MSL)	DO Reading (mg/L)
MW-2	11/08/2007												28.48	8.58	19.90	
MW-2	02/20/2008												28.48	6.48	22.00	
MW-2	05/01/2008												28.48	19.00	9.48	
MW-2	08/12/2008												28.48	8.53	19.95	
MW-2	11/26/2008												28.48	8.88	19.60	
MW-2	02/03/2009												28.48	8.20	20.28	
MW-2	06/02/2009												28.48	7.50	20.98	
MW-2	11/10/2009												28.48	8.69	19.79	
MW-2	05/10/2010												28.48	7.09	21.39	
MW-2	09/09/2010												28.48	8.70	19.78	
MW-2	12/03/2010												28.48	8.22	20.26	
MW-2	03/02/2011												28.48	6.40	22.08	
MW-2	05/31/2011												28.48	7.46	21.02	
MW-2	12/13/2011												28.48	8.28	20.20	
MW-2	06/13/2012												28.48	7.51	20.97	
MW-2	11/19/2012												28.48	8.85	19.63	
MW-2	05/30/2013												28.48	7.82	20.66	
MW-2	11/18/2013												28.48	9.55	18.93	
MW-2	06/06/2014												28.48	7.99	20.49	
MW-2	12/01/2014												28.48	9.52	18.96	
MW-3	04/25/2001												22.30	7.16	15.14	
MW-3	05/03/2001	<100	< 0.50	< 0.50	< 0.50	< 0.50		<5.0					22.30	7.28	15.02	
MW-3	07/09/2001	<50	< 0.50	< 0.50	< 0.50	< 0.50		<5.0					22.30	8.45	13.85	
MW-3	10/18/2001	<50	< 0.50	< 0.50	< 0.50	< 0.50		<5.0					22.30	9.44	12.86	
MW-3	01/24/2002	<50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					22.30	5.88	16.42	
MW-3	04/04/2002	<50	< 0.50	< 0.50	< 0.50	< 0.50		<5.0					22.30	6.68	15.62	
MW-3	07/18/2002	<50	< 0.50	< 0.50	< 0.50	< 0.50		<5.0					22.30	7.63	14.67	
MW-3	10/21/2002	<50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					28.30	8.56	19.74	

TABLE 1 Page 6 of 23

Well ID	Date	ТРНд	В	T	E	X	MTBE 8020	MTBE 8260	TBA	DIPE	ETBE	TAME	TOC	Depth to Water	GW Elevation	DO Reading
vveii 1D	Dute	(μg/L)	Β (μg/L)	1 (μg/L)	L (μg/L)	Λ (μg/L)	(μg/L)	0200 (μg/L)	μg/L)	(μg/L)	LTBL (μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-3	01/21/2003	<50	< 0.50	< 0.50	< 0.50	< 0.50		<5.0					28.30	6.95	21.35	
MW-3	04/17/2003	<50	< 0.50	< 0.50	< 0.50	<1.0		< 5.0					28.30	6.77	21.53	
MW-3	07/22/2003	<50	< 0.50	< 0.50	< 0.50	<1.0		< 0.50					28.30	7.92	20.38	
MW-3	10/20/2003	<50	< 0.50	< 0.50	< 0.50	<1.0		< 0.50					28.30	9.12	19.18	
MW-3	01/13/2004	< 50	< 0.50	< 0.50	< 0.50	<1.0		< 0.50					28.30	7.21	21.09	
MW-3	01/22/2004												28.30	9.00	19.30	0.6
MW-3	04/01/2004												28.30	6.65	21.65	
MW-3	07/13/2004												28.30	8.24	20.06	
MW-3	10/26/2004												28.30	8.50	19.80	
MW-3	01/13/2005												28.30	6.32	21.98	
MW-3	04/28/2005												28.30	6.05	22.25	
MW-3	08/01/2005												28.30	7.65	20.65	
MW-3	10/05/2005												28.30	8.31	19.99	
MW-3	01/11/2006												28.30	6.10	22.20	
MW-3	05/26/2006	<50.0	< 0.500	< 0.500	< 0.500	< 0.500		< 0.500	<10.0	2.87	< 0.500	< 0.500	28.30	6.72	21.58	1.46
MW-3	08/30/2006												28.30	8.12	20.18	
MW-3	11/08/2006												28.30	8.71	19.59	
MW-3	02/22/2007												28.30	6.78	21.52	
MW-3	05/29/2007												28.30	7.20	21.10	
MW-3	08/27/2007												28.30	8.18	20.12	
MW-3	11/08/2007												28.30	8.41	19.89	
MW-3	02/20/2008												28.30	6.31	21.99	
MW-3	05/01/2008												28.30	7.52	20.78	
MW-3	08/12/2008												28.30	8.32	19.98	
MW-3	11/26/2008												28.30	8.71	19.59	
MW-3	02/03/2009												28.30	8.08	20.22	
MW-3	06/02/2009												28.30	7.28	21.02	
MW-3	11/10/2009												28.30	8.72	19.58	
MW-3	05/10/2010												28.30	6.71	21.59	

TABLE 1 Page 7 of 23

Well ID	Date	ТРНд	В	T	E	X	MTBE 8020	MTBE 8260	TBA	DIPE	ETBE	TAME	TOC	Depth to Water	GW Elevation	DO Reading
wen 1D	Dute	(μg/L)	μg/L)	μg/L)	L (μg/L)	A (μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	LTBL (μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-3	09/09/2010												28.30	8.59	19.71	
MW-3	12/03/2010												28.30	8.26	20.04	
MW-3	03/02/2011												28.30	6.12	22.18	
MW-3	05/31/2011												28.30	7.32	20.98	
MW-3	12/13/2011												28.30	8.19	20.11	
MW-3	06/13/2012												28.30	7.40	20.90	
MW-3	11/19/2012												28.30	8.71	19.59	
MW-3	05/30/2013												28.30	7.52	20.78	
MW-3	11/18/2013												28.30	9.33	18.97	
MW-3	06/06/2014												28.30	7.68	20.62	
MW-3	12/01/2014												28.30	9.41	18.89	
MW-4	04/25/2001												22.51	7.05	15.46	
MW-4	05/03/2001	8,000	3,500	24	37	350		<200					22.51	6.66	15.85	
MW-4	07/09/2001	16,000	4,100	32	890	790		<200					22.51	8.28	14.23	
MW-4	10/18/2001	12,000	3,300	<20	430	220		<200					22.51	9.40	13.11	
MW-4	01/24/2002	5,500	1,200	< 5.0	280	240		<50					22.51	5.73	16.78	
MW-4	04/04/2002	2,000	350	1.4	13	7.8		<10					22.51	5.62	16.89	
MW-4	07/18/2002	3,400	440	1.3	200	98		< 5.0					22.51	6.94	15.57	
MW-4	10/21/2002	16,000	3,100	11	1,200	970		< 5.0					28.51	8.04	20.47	
MW-4	01/21/2003	3,600	720	3.9	110	58		<25					28.51	6.10	22.41	
MW-4	04/17/2003	3,700	810	< 5.0	140	17		<50					28.51	5.97	22.54	
MW-4	07/22/2003	3,700	450	<2.5	110	7.9		<2.5					28.51	6.37	22.14	
MW-4	10/20/2003	11,000 b	2,500	<20	550	95		<20					28.51	8.99	19.52	
MW-4	01/13/2004	6,600	1,500	<10	41	37		<10					28.51	6.67	21.84	
MW-4	01/22/2004												28.51	8.80	19.71	0.3
MW-4	04/01/2004	9,500	2,100	12	170	30							28.51	6.28	22.23	0.1
MW-4	07/13/2004	12,000	3,600	39	160	58		<25	<250	<100	<100	<100	28.51	8.20	20.31	0.1
MW-4	10/26/2004	11,000	2,800	<25	100	< 50							28.51	8.00	20.51	0.6

TABLE 1 Page 8 of 23

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	В	T	E	\boldsymbol{X}	8020	8260	TBA	DIPE	ETBE	<i>TAME</i>	TOC	Water	Elevation	Reading
		(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(µg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-4	01/13/2005	12,000	2,200	14	110	43							28.51	6.03	22.48	0.1
MW-4	04/28/2005	8,600	2,300	27	200	49							28.51	5.93	22.58	3.71
MW-4	08/01/2005	11,000	3,900	57	180	47		<10	<100	<40	<40	<40	28.51	6.20	22.31	
MW-4	10/05/2005	9,400	3,300	45	88	33							28.51	8.22	20.29	2.76
MW-4	01/11/2006	3,900 a	1,700 a	14	95	78		< 0.50	32	7.4	< 0.50	< 0.50	28.51	4.25	24.26	0.6
MW-4	05/26/2006	6,730	455	1.90	56.7	44.8		< 0.500	<10.0	4.36	< 0.500	< 0.500	28.51	5.90	22.61	0.54
MW-4	08/30/2006	29,600	2,740	30.0	448	237		< 0.500	<10.0	< 0.500	< 0.500	< 0.500	28.51	7.98	20.53	0.44/0.46
MW-4	11/08/2006	6,300	1,500	13	130	67							28.51	8.52	19.99	0.05/0.22
MW-4	02/22/2007	11,000	2,200	18	620	310							28.51	5.63	22.88	2.96/2.98
MW-4	05/29/2007	14,000 b, f	3,200	27	640	249.0							28.51	6.60	21.91	0.19/0.11
MW-4	08/27/2007	12,000 f	1,900	19 g	250	80.9 g		<25	<250	< 50	< 50	< 50	28.51	8.50	20.01	0.85/1.71
MW-4	11/08/2007	6,400 f	1,400	11 g	70	37.9 g							28.51	8.21	20.30	1.09/2.63
MW-4	02/20/2008	12,000 f	2,700	<20	690	396							28.51	4.86	23.65	0.46/0.12
MW-4	05/01/2008	8,500	2,000	<20	260	62							28.51	7.00	21.51	0.2/0.2
MW-4	08/12/2008	8,400	1,800	22	<20	24		<20	<200	<40	<40	<40	28.51	8.31	20.20	0.21/0.68
MW-4	11/26/2008	6,900	1,800	<20	120	<20							28.51	8.94	19.57	0.88/2.18
MW-4	02/03/2009	8,800	1,800	<20	160	96							28.51	7.64	20.87	0.15/0.26
MW-4	06/02/2009	15,000	3,000	58	340	55							28.51	6.82	21.69	0.26/0.65
MW-4	11/10/2009	13,000	2,200	37	180	91		<20	<200	<40	<40	<40	28.51	8.38	20.13	0.61/0.57
MW-4	05/10/2010	12,000	3,100	37	570	140							28.51	5.42	23.09	0.26/2.84
MW-4	09/09/2010												28.51	8.31	20.20	
MW-4	12/03/2010	6,400	1,600	21	96	68		<20	<200	<40	<40	<40	28.51	7.75	20.76	0.52/0.45
MW-4	03/02/2011												28.51	4.25	24.26	
MW-4	05/31/2011	11,000	3,200	61	520	68							28.51	6.34	22.17	1.46/2.63
MW-4	12/13/2011	4,000	1,120	31.1	83.0	30.3		< 0.500	<10.0	4.64	< 0.500	< 0.500	28.51	7.90	20.61	0.59/0.19
MW-4	06/13/2012	12,000	3,500	47	270	<50							28.51	6.90	21.61	1.03/0.96
MW-4	11/19/2012	8,300	1,800	88	120	310		<25	< 500	<25	<25	<25	28.51	8.34	20.17	0.88/1.02
MW-4	05/30/2013	11,000	3,400	68	220	40							28.51	7.38	21.13	0.10/0.07
MW-4	11/18/2013	10,000	2,400	33	43	<40		<20	<400	<20	<20	<20	28.51	9.13	19.38	0.27/0.24

TABLE 1 Page 9 of 23

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	В	T	E	\boldsymbol{X}	<i>8</i> 020	<i>8</i> 260	TBA	DIPE	ETBE	<i>TAME</i>	TOC	Water	Elevation	Reading
		(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(µg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-4	06/06/2014	8,900	1,800	<25	110	55							28.51	7.28	21.23	0.46/0.50
MW-4	12/01/2014	8,500 i	1,400	17	33	91		<10	<200	<10	<10	<10	28.51	8.80	19.71	0.48/1.17
MW-5	04/25/2001												23.54	7.36	16.18	
MW-5	05/03/2001	160,000	12,000	20,000	3,600	23,000		< 500					23.54	7.77	15.77	
MW-5	07/09/2001	130,000	11,000	19,000	4,500	22,000		< 500					23.54	9.32	14.22	
MW-5	10/18/2001	120,000	12,000	23,000	4,200	21,000		< 500					23.54	9.39	14.15	0.5
MW-5	01/24/2002	34,000	3,300	3,300	960	6,000		<100					23.54	7.05	16.49	4.0
MW-5	04/04/2002	32,000	2,100	2,800	730	6,400		<200					23.54	6.89	16.65	1.0
MW-5	07/18/2002	75,000	<i>7,</i> 500	4,700	2,700	15,000		< 500					23.54	8.48	15.06	1.2
MW-5	10/21/2002	140,000	13,000	18,000	4,000	26,000		< 500					29.54	9.21	20.33	1.1
MW-5	01/21/2003	47,000	6,400	3,500	370	8,300		< 500					29.54	7.23	22.31	0.8
MW-5	04/17/2003	93,000	9,700	16,000	3,200	20,000		< 500					29.54	6.61	22.93	0.8
MW-5	07/22/2003	110,000	9,500	15,000	560	23,000		< 50					29.54	8.68	20.86	1.2
MW-5	10/20/2003	88,000	6,600	12,000	1,900	16,000		< 50					29.54	9.71	19.83	0.1
MW-5	01/13/2004	4,600	460	140	<10	930		<10					29.54	7.30	22.24	
MW-5	01/22/2004												29.54	9.51	20.03	0.3
MW-5	04/01/2004	70,000	7,900	11,000	2,100	17,000							29.54	6.80	22.74	0.1
MW-5	07/13/2004	66,000	5,900	10,000	1,900	16,000		< 50	< 500	<200	<200	<200	29.54	9.28	20.26	0.1
MW-5	10/26/2004	6,600	670	110	7.4	2,000							29.54	8.75	20.79	0.8
MW-5	01/13/2005	9,500	1,300	950	360	1,900							29.54	5.87	23.67	6.3
MW-5	04/28/2005	17,000	2,400	1,200	320	3,400							29.54	6.32	23.22	3.54
MW-5	08/01/2005	70,000	6,600	11,000	3,400	17,000		<50	< 500	<200	<200	<200	29.54	8.27	21.27	
MW-5	10/05/2005	93,000	8,600	15,000	4,500	23,000							29.54	9.12	20.42	1.43
MW-5	01/11/2006	12,000	1,900	550	2,400	3,800		<25	<250	<25	<25	<25	29.61	5.52	24.09	0.6
MW-5	05/26/2006	112,000	6,600	11,100	3,870	19,900 e		< 0.500	<10.0	5.37	< 0.500	< 0.500	29.61	7.02	22.59	0.45
MW-5	08/30/2006	281,000	8,050	15,400	4,770	26,800		< 0.500	<10.0	< 0.500	< 0.500	60.6	29.61	8.93	20.68	0.55/0.51
MW-5	11/08/2006	83,000	7,000	7,400	3,200	16,000							29.61	9.40	20.21	0.08/0.05
MW-5	02/22/2007	35,000	9,500	13,000	5,300	23,000							29.61	6.87	22.74	1.17/3.17

TABLE 1 Page 10 of 23

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	В	T	E	X	8020	8260	TBA	DIPE	ETBE	TAME	TOC	Water	Elevation	Reading
		(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-5	05/29/2007	94,000 f	6,400	9,900	4,300	22,000							29.61	7.85	21.76	0.08/0.19
MW-5	08/27/2007	110,000 f	6,900	11,000	4,300	22,000		<100	<1000	<200	<200	<200	29.61	9.13	20.48	0.08/0.22
MW-5	11/08/2007	61,000 f	7,500	5,300	4,700	20,400							29.61	9.27	20.34	2.15/0.65
MW-5	02/20/2008	92,000 f	14,000	14,000	5,900	30,800							29.61	6.02	23.59	0.17/0.18
MW-5	05/01/2008	130,000	8,200	12,000	4,600	24,900							29.61	8.20	21.41	0.2/0.1
MW-5	08/12/2008	150,000	7,600	12,000	8,900	24,800		<100	<1,000	<200	<200	<200	29.61	9.42	20.19	0.14/0.51
MW-5	11/26/2008	110,000	7,900	12,000	4,500	27,500							29.61	9.86	19.75	1.26/0.95
MW-5	02/03/2009	130,000	8,500	10,000	4,400	24,000							29.61	8.67	20.94	0.30/0.23
MW-5	06/02/2009	150,000	7,000	10,000	4,600	25,000							29.61	8.02	21.59	0.28/0.28
MW-5	11/10/2009	150,000	6,900	10,000	4,600	26,000		<100	<1000	<200	<200	<200	29.61	9.41	20.20	0.48/0.49
MW-5	05/10/2010	80,000	5,700	7,100	4,000	22,000							29.61	6.72	22.89	0.22/0.29
MW-5	09/09/2010												29.61	9.51	20.10	
MW-5	12/03/2010	73,000	5,400	8,500	4,100	21,000		<100	<1,000	<200	<200	<200	29.61	8.70	20.91	0.39/0.38
MW-5	03/02/2011												29.61	5.04	24.57	
MW-5	05/31/2011	72,000	5,800	7,000	4,400	23,000							29.61	7.52	22.09	0.92/1.21
MW-5	12/13/2011	130,000	9,070	10,900	7,200	38,000		< 0.500	<10.0	< 0.500	< 0.500	< 0.500	29.61	8.85	20.76	0.66/0.47
MW-5	06/13/2012	110,000	5,400	7,400	5,700	29,000							29.61	7.97	21.64	1.10/1.15
MW-5	11/19/2012	98,000	6,100	7,600	5,500	30,000		<50	<1,000	<50	<50	< 50	29.61	9.30	20.31	1.45/1.27
MW-5	05/30/2013	96,000	6,000	7,200	5,700	30,000							29.61	8.43	21.18	0.07/0.10
MW-5	11/18/2013	74,000	5,000	5,300	4,400	24,000		<50	<1,000	<50	<50	<50	29.61	10.36	19.25	0.34/0.30
MW-5	06/06/2014	95,000 h	6,200	5,800	5,900	31,000							29.61	8.46	21.15	0.61/0.69
MW-5	12/01/2014	85,000	4,900	4,400	4,700	22,000		<50	<1,000	<50	<50	<50	29.61	9.84	19.77	0.47/0.29
3.674.6	04 100 1000												20.60	4.40	24.42	
MW-6	01/09/2006												28.60	4.18	24.42	
MW-6	01/11/2006	150,000	9,300	1,600	5,100	24,000		<2.5 a	51 a	17 a	<2.5 a	<2.5 a	28.60	4.50	24.10	3.6
MW-6	05/26/2006	67,300	6,930	870	2,440	7,590 e		<5.00	<100	10.1	<5.00	<5.00	28.60	6.10	22.50	0.49
MW-6	08/30/2006	7,060	6,090	1,180	2,040	7,200		< 0.500	<10.0	< 0.500	< 0.500	< 0.500	28.60	8.05	20.55	0.39/0.56
MW-6	11/08/2006	8,200	1,900	200	350	890							28.60	8.53	20.07	0.12/0.95
MW-6	02/22/2007	49,000	7,300	2,300	3,600	9,500							28.60	5.94	22.66	1.54/2.03

TABLE 1 Page 11 of 23

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	B	T	E	X	8020	8260	TBA	DIPE	ETBE	TAME	TOC	Water	Elevation	Reading
		(µg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(µg/L)	(µg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-6	05/29/2007	30,000 b, f	4,100	1,000	1,600	4,900							28.60	6.87	21.73	0.11/0.51
MW-6	08/27/2007	36,000 f	2,000	440	1,000	3,400		<25	<250	15 g	< 50	< 50	28.60	8.22	20.38	0.08/0.15
MW-6	11/08/2007	7,000 f	850	130	270	880							28.60	8.32	20.28	0.94/2.48
MW-6	02/20/2008	28,000 f	6,900	1,300	1,900	7,000							28.60	5.03	23.57	0.14/0.09
MW-6	05/01/2008	24,000	4,400	940	1,000	3,500							28.60	7.15	21.45	0.05/0.04
MW-6	08/12/2008	30,000	1,900	380	1,300	3,600		< 50	< 500	<100	<100	<100	28.60	8.49	20.11	0.49/0.99
MW-6	11/26/2008	15,000	2,400	320	590	2,120							28.60	8.93	19.67	0.79/2.30
MW-6	02/03/2009	25,000	3,000	330	790	3,000							28.60	7.69	20.91	0.24/0.09
MW-6	06/02/2009	Well inacco	essible										28.60			
MW-6	11/10/2009	19,000	2,500	490	620	2,200		<25	<250	< 50	< 50	< 50	28.60	8.47	20.13	2.82/1.98
MW-6	05/10/2010	15,000	4,100	700	790	2,300							28.60	5.64	22.96	0.21/0.35
MW-6	09/09/2010												28.60	8.54	20.06	
MW-6	12/03/2010	5,700	1,800	240	250	870		<25	<250	< 50	< 50	< 50	28.60	7.88	20.72	0.38/0.53
MW-6	03/02/2011												28.60	4.08	24.52	
MW-6	05/31/2011	33,000	6,200	1,900	1,700	5,800							28.60	6.25	22.35	0.80/2.21
MW-6	12/13/2011	12,000	2,700	556	548	1,880		< 0.500	<10.0	9.68	< 0.500	< 0.500	28.60	8.01	20.59	0.81/0.99
MW-6	06/13/2012	30,000	6,200	1,400	1,700	6,300							28.60	7.14	21.46	1.00/1.41
MW-6	11/19/2012	3,000	450	67	76	600		<2.5	< 50	<2.5	<2.5	<2.5	28.60	8.34	20.26	2.04/2.90
MW-6	05/30/2013	<10,000	350	<100	<100	<200							28.60	7.59	21.01	0.38/2.76
MW-6	11/18/2013	3,500	460	15	150	130		< 5.0	<100	< 5.0	<5.0	< 5.0	28.60	9.42	19.18	0.22/0.19
MW-6	06/06/2014	2,000	400	53	97	350							28.60	7.44	21.16	0.61/0.58
MW-6	12/01/2014	520 i	110	5.8	7.2	46		<1.0	<20	2.3	<1.0	<1.0	28.60	8.54	20.06	0.62/0.71
	04 100 12006												20 54	- - - 0	24.24	
MW-7	01/09/2006												29.71	5.50	24.21	
MW-7	01/11/2006	79,000	9,800	1,800	1,900	20,000		<5.0 a	64 a	28 a	<5.0 a	<5.0 a	29.71	5.70	24.01	1.0
MW-7	05/26/2006	98,200	9,620	1,150	3,490	13,400 e		<5.00	885	30.8	<5.00	<5.00	29.71	7.24	22.47	0.30
MW-7	08/30/2006	146,000	8,740	980	3,440	15,400		< 0.500	<10.0	22.7	< 0.500	< 0.500	29.71	9.03	20.68	0.51/0.46
MW-7	11/08/2006	61,000	6,600	880	2,800	12,000							29.71	9.49	20.22	0.02/0.13
MW-7	02/22/2007	50,000	3,400	910	2,200	13,000							29.71	7.00	22.71	0.96/2.57

TABLE 1 Page 12 of 23

	.		_	_	_		MTBE	MTBE		D.T.D.E.				Depth to	GW	DO
Well ID	Date	TPHg (μg/L)	B (μg/L)	T (μg/L)	E (μg/L)	X (μg/L)	8020 (μg/L)	8260 (μg/L)	TBA (μg/L)	DIPE (μg/L)	ETBE (μg/L)	TAME (μg/L)	TOC (ft MSL)	Water (ft TOC)	Elevation (ft MSL)	Reading (mg/L)
			_				(mg/ =)	(F-3/ -)	(123/2)	(F-3/ -)	(F-g/ =)	(pg 2)	,	•		C
MW-7	05/29/2007	26,000 b, f	2,700	320	850	3,590							29.71	8.01	21.70	0.09/0.15
MW-7	08/27/2007	37,000 f	3,300	240	1,300	4,060		<25	<250	20 g	<50	<50	29.71	9.30	20.41	1.23/1.64
MW-7	11/08/2007	26,000 f	3,000	120	1,000	2,810							29.71	9.39	20.32	0.80/1.39
MW-7	02/20/2008	20,000 f	1,400	210	600	4,800							29.71	3.33	26.38	3.72/0.58
MW-7	05/01/2008	16,000	1,700	66	85	1,380							29.71	8.28	21.43	0.2/0.1
MW-7	08/12/2008	27,000	1,700	73	1,100	2,490		<20	<200	<40	<40	<40	29.71	9.61	20.10	1.49/1.93
MW-7	11/26/2008	25,000	2,300	61	62	1,400							29.71	9.94	19.77	0.85/1.10
MW-7	02/03/2009	54,000	2,900	170	520	5,800							29.71	8.80	20.91	0.17/0.62
MW-7	06/02/2009	14,000	1,100	43	23	810							29.71	8.16	21.55	0.21/0.18
MW-7	11/10/2009	17,000	900	42	63	1,400		<10	<100	<20	<20	<20	29.71	9.56	20.15	0.54/0.33
MW-7	05/10/2010	6,900	650	24	24	610							29.71	6.86	22.85	0.37/0.19
MW-7	09/09/2010												29.71	9.70	20.01	
MW-7	12/03/2010	8,100	550	16	20	520		< 5.0	< 50	<10	<10	<10	29.71	8.95	20.76	0.41/0.37
MW-7	03/02/2011												29.71	4.67	25.04	
MW-7	05/31/2011	6,200	530	16	8.5	320							29.71	7.54	22.17	0.63/0.87
MW-7	12/13/2011	8,800	689	8.85	9.68	200		< 0.500	<10.0	1.99	< 0.500	< 0.500	29.71	8.93	20.78	0.38/0.35
MW-7	06/13/2012	2,300	330	< 5.0	< 5.0	86							29.71	8.26	21.45	1.35/1.08
MW-7	11/19/2012	5,800	860	14	7.8	300		< 5.0	<100	< 5.0	< 5.0	< 5.0	29.71	9.51	20.20	0.96/1.10
MW-7	05/30/2013	3,200	420	11	< 5.0	140							29.71	8.55	21.16	0.35/0.24
MW-7	11/18/2013	3,700	620	5.4	7.8	130		< 5.0	<100	< 5.0	< 5.0	< 5.0	29.71	10.41	19.30	0.19/0.17
MW-7	06/06/2014	2,000	140	< 2.0	<2.0	16							29.71	8.52	21.19	0.41/0.44
MW-7	12/01/2014	2,900	490	7.1	<5.0	140		<5.0	<100	<5.0	<5.0	<5.0	29.71	10.12	19.59	0.41/0.78
MW-8	01/09/2006												29.54	5.56	23.98	
MW-8	01/11/2006	32,000	2,400	180	66	5,500		<0.50 a	35 a	15 a	<0.50 a	<0.50 a	29.54	5.53	24.01	0.8
MW-8	05/26/2006	24,800	423	73.0	166	2,820 e		< 0.500	<10.0	2.18	< 0.500	< 0.500	29.54	7.02	22.52	0.35
MW-8	08/30/2006	72,100	1,770	114	324	3,140		< 0.500	<10.0	23.3	< 0.500	< 0.500	29.54	8.81	20.73	0.51/0.50
MW-8	11/08/2006	24,000	2,000	90	190	3,400							29.54	9.25	20.29	0.11/0.40
MW-8	02/22/2007	26,000	2,100	110	180	4,400							29.54	7.08	22.46	1.37/1.71

TABLE 1 Page 13 of 23

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	В	T	E	\boldsymbol{X}	<i>8</i> 020	<i>8</i> 260	TBA	DIPE	ETBE	TAME	TOC	Water	Elevation	Reading
		(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-8	05/29/2007	31,000 f	2,600	99	250	3,140							29.54	7.81	21.73	0.05/0.49
MW-8	08/27/2007	41,000 f	3,400	110	260	3,880		<20	<200	32 g	<40	<40	29.54	9.04	20.50	0.07/0.27
MW-8	11/08/2007	42,000 f	4,900	140	440	4,000							29.54	9.14	20.40	3.20/0.10
MW-8	02/20/2008	19,000 f	760	38	52	1,930							29.54	9.00	20.54	1.72/0.13
MW-8	05/01/2008	18,000	1,000	35	42	1,520							29.54	8.10	21.44	1.10/0.19
MW-8	08/12/2008	33,000	1,600	69	1,100	2,730		<10	<100	<20	<20	<20	29.54	9.41	20.13	0.15/0.29
MW-8	11/26/2008	27,000	2,600	77	100	2,930							29.54	9.68	19.86	2.60/0.66
MW-8	02/03/2009	32,000	2,400	70	81	2,700							29.54	8.57	20.97	0.10/0.23
MW-8	06/02/2009	22,000	1,100	39	56	1,600							29.54	8.00	21.54	0.22/0.38
MW-8	11/10/2009	22,000	1,600	46	52	1,600		<25	<250	< 50	< 50	< 50	29.54	9.32	20.22	0.45/0.29
MW-8	05/10/2010	9,800	340	15	21	700							29.54	6.74	22.80	0.28/0.54
MW-8	09/09/2010												29.54	9.52	20.02	
MW-8	12/03/2010	13,000	720	26	29	870		< 5.0	< 50	<10	<10	<10	29.54	8.67	20.87	0.90/0.27
MW-8	03/02/2011												29.54	4.97	24.57	
MW-8	05/31/2011	10,000	260	7.6	9.6	390							29.54	7.51	22.03	0.78/0.81
MW-8	12/13/2011	14,000	703	15.4	25.2	467		< 0.500	<10.0	4.95	< 0.500	< 0.500	29.54	8.73	20.81	0.69/0.32
MW-8	06/13/2012	8,200	290	7.9	14	430							29.54	8.01	21.53	1.48/0.94
MW-8	11/19/2012	7,000	180	7.0	13	510		<2.5	< 50	<2.5	<2.5	<2.5	29.54	9.28	20.26	0.79/0.70
MW-8	05/30/2013	7,900	190	5.7	8.7	270							29.54	8.37	21.17	0.17/0.07
MW-8	11/18/2013	11,000	240	8.2	11	630		< 2.0	<40	< 2.0	< 2.0	< 2.0	29.54	10.40	19.14	0.26/0.22
MW-8	06/06/2014	7,000	120	2.5	4.6	170							29.54	8.55	20.99	0.36/0.39
MW-8	12/01/2014	6,600	92	3.2	2.9	180		<2.5	<50	<2.5	<2.5	<2.5	29.54	9.69	19.85	0.36/0.42
MW-9	08/27/2010												28.52	10.33	18.19	
MW-9	09/09/2010	13,000	32	13	880	610							28.52	10.60	17.92	0.51/0.73
MW-9	12/03/2010	6,400	33	9.5	540	280							28.52	10.42	18.10	0.22/0.33
MW-9	03/02/2011	11,000	74	9.5 11	840	170							28.52	6.45	22.07	0.53/0.48
MW-9	05/02/2011	12,000	49	6.7	570	100							28.52	8.80	19.72	0.19/0.27
MW-9	12/13/2011	13,000	35.8	5.60	470	97.2							28.52	10.24	18.28	0.19/0.27 $0.54/0.51$
1V1 V V - 2	12/13/2011	10,000	55.6	5.00	4/0	<i>71.</i> ∠	- 						20.02	10.44	10.20	0.04/ 0.01

TABLE 1 Page 14 of 23

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	\boldsymbol{B}	T	E	\boldsymbol{X}	8020	8260	TBA	DIPE	ETBE	TAME	TOC	Water	Elevation	Reading
		(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-9	06/13/2012	9,700	49	6.1	420	59							28.52	9.27	19.25	0.68/0.72
MW-9	11/19/2012	9,300	26	< 5.0	340	68							28.52	10.55	17.97	1.35/0.76
MW-9	05/30/2013	7,200	19	3.4	160	36							28.52	9.32	19.20	0.41/0.59
MW-9	11/18/2013	760	< 5.0	< 5.0	19	<10							28.52	10.93	17.59	0.37/0.31
MW-9	06/06/2014	7,600	23	< 5.0	190	31							28.52	9.60	18.92	0.16/0.20
MW-9	12/01/2014	7,700	17	<5.0	110	17							28.52	10.96	17.56	0.15/0.19
MW-10	08/27/2010												28.70	10.21	18.49	
MW-10	09/09/2010	2,600	1.9	1.3	40	170							28.70	10.70	18.00	1.43/1.67
MW-10	12/03/2010	1,600	2.0	<1.0	25	18							28.70	10.06	18.64	0.17/0.30
MW-10	03/02/2011	1,600	2.6	0.55	41	13							28.70	6.85	21.85	0.41/0.40
MW-10	05/31/2011	2,400	2.0	0.51	60	45							28.70	7.23	21.47	0.22/0.43
MW-10	12/13/2011	2,700	2.43	< 0.500	20.2	2.70							28.70	9.50	19.20	0.69/0.62
MW-10	06/13/2012	2,200	2.5	0.53	48	46							28.70	10.41	18.29	0.81/0.92
MW-10	11/19/2012	980	1.6	< 0.50	8.8	1.1							28.70	10.12	18.58	1.20/0.66
MW-10	05/30/2013	1,300	2.0	< 0.50	34	5.1							28.70	9.02	19.68	1.38/0.44
MW-10	11/18/2013	5,400	9.8	< 5.0	150	19							28.70	10.42	18.28	0.50/0.52
MW-10	06/06/2014	1,000	1.7	< 0.50	21	2.3							28.70	8.93	19.77	0.18/0.25
MW-10	12/01/2014	890	1.3	<0.50	8.8	<1.0							28.70	11.15	17.55	0.19/0.35
MW-11	08/27/2010												27.46	9.98	17.48	
MW-11	09/09/2010	< 50	< 0.50	<1.0	<1.0	<1.0							27.46	10.32	17.14	1.64/1.69
MW-11	12/03/2010	< 50	< 0.50	<1.0	<1.0	<1.0							27.46	9.84	17.62	0.29/0.47
MW-11	03/02/2011	< 50	< 0.50	< 0.50	< 0.50	<1.0							27.46	6.13	21.33	1.08/0.88
MW-11	05/31/2011	< 50	< 0.50	< 0.50	< 0.50	<1.0							27.46	8.42	19.04	0.17/0.30
MW-11	12/13/2011	<50	< 0.500	< 0.500	< 0.500	< 0.500							27.46	9.93	17.53	0.36/0.52
MW-11	06/13/2012	< 50	< 0.50	< 0.50	< 0.50	<1.0							27.46	9.98	17.48	0.54/0.91
MW-11	11/19/2012	<50	< 0.50	< 0.50	< 0.50	<1.0							27.46	10.16	17.30	0.60/0.88
MW-11	05/30/2013	< 50	< 0.50	< 0.50	< 0.50	<1.0							27.46	8.74	18.72	0.74/0.59

TABLE 1 Page 15 of 23

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	\boldsymbol{B}	T	\boldsymbol{E}	\boldsymbol{X}	<i>8020</i>	<i>8</i> 260	TBA	DIPE	ETBE	<i>TAME</i>	TOC	Water	Elevation	Reading
		(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(µg/L)	(μg/L)	(μg/L)	(µg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-11	11/18/2013	<50	< 0.50	< 0.50	< 0.50	<1.0							27.46	10.32	17.14	0.90/0.45
MW-11	06/06/2014	< 50	< 0.50	< 0.50	< 0.50	<1.0							27.46	9.25	18.21	0.47/0.27
MW-11	12/01/2014	< 50	<0.50	< 0.50	< 0.50	<1.0							27.46	10.63	16.83	0.45/0.30
MW-12	05/19/2006												31.16	8.42	22.74	
MW-12	05/26/2006	<50.0	< 0.500	< 0.500	< 0.500	< 0.500		< 0.500	<10.0	< 0.500	< 0.500	< 0.500	31.16	8.44	22.72	3.88
MW-12	08/30/2006	746	< 0.500	< 0.500	< 0.500	< 0.500							31.16	9.54	21.62	1.75/1.81
MW-12	11/08/2006	< 50	< 0.50	< 0.50	< 0.50	<1.0							31.16	8.67	22.49	2.26/3.60
MW-12	02/22/2007	< 50	< 0.50	<1.0	< 0.50	<1.0							31.16	7.72	23.44	1.60/2.91
MW-12	05/29/2007	<50 f	0.49 g	<1.0	0.14 g	0.48 g							31.16	9.00	22.16	0.60/0.61
MW-12	08/27/2007	<50 f	< 0.50	<1.0	<1.0	<1.0							31.16	9.90	21.26	0.47/0.24
MW-12	11/08/2007	<50 f	< 0.50	<1.0	<1.0	<1.0							31.16	9.90	21.26	3.8/3.1
MW-12	02/20/2008	<50 f	5.4	1.7	3.4	12.4							31.16	7.40	23.76	3.43/1.91
MW-12	05/01/2008	< 50	< 0.50	<1.0	<1.0	<1.0							31.16	9.20	21.96	0.09/0.13
MW-12	08/12/2008	< 50	< 0.50	<1.0	<1.0	<1.0							31.16	10.40	20.76	3.6/3.2
MW-12	11/26/2008	< 50	< 0.50	<1.0	<1.0	<1.0							31.16	10.59	20.57	1.80/1.32
MW-12	02/03/2009	< 50	< 0.50	<1.0	<1.0	<1.0							31.16	9.39	21.77	1.72/1.75
MW-12	06/02/2009	< 50	< 0.50	<1.0	<1.0	<1.0							31.16	9.20	21.96	0.77/1.41
MW-12	11/10/2009	< 50	< 0.50	<1.0	<1.0	<1.0							31.16	10.12	21.04	2.70/1.52
MW-12	05/10/2010	< 50	< 0.50	<1.0	<1.0	<1.0							31.16	8.41	22.75	2.65/1.42
MW-12	09/09/2010	Unable to	locate										31.16			
MW-12	12/03/2010	< 50	< 0.50	<1.0	<1.0	<1.0							31.16	9.32	21.84	0.74/1.29
MW-12	03/02/2011	Unable to	locate										31.16			
MW-12	05/31/2011	< 50	< 0.50	< 0.50	< 0.50	<1.0							31.16	8.80	22.36	0.59/0.91
MW-12	12/13/2011	< 50	< 0.500	< 0.500	< 0.500	< 0.500							31.16	9.64	21.52	0.75/2.07
MW-12	06/13/2012	< 50	< 0.50	< 0.50	< 0.50	<1.0							31.16	9.31	21.85	0.61/1.79
MW-12	, ,	Well inacc	cessible										31.16			
MW-12	05/30/2013	<50	< 0.50	< 0.50	< 0.50	<1.0							31.16	9.40	21.76	0.68/0.72
MW-12	11/18/2013	<50	< 0.50	< 0.50	< 0.50	<1.0							31.16	11.83	19.33	0.29/0.66
																•

TABLE 1 Page 16 of 23

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	В	T	\boldsymbol{E}	\boldsymbol{X}	<i>8</i> 020	<i>8</i> 260	TBA	DIPE	ETBE	<i>TAME</i>	TOC	Water	Elevation	Reading
		(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-12	06/06/2014	Well inacc	essible										31.16			
MW-12	12/01/2014	Well inacc	essible										31.16			
MW-14	05/19/2006												28.09	6.95	21.14	
MW-14	05/26/2006	103,000	5,280	76.7	3,930	4,800 e		< 5.00	895	49.7	< 5.00	< 5.00	28.09	7.05	21.04	3.60
MW-14	08/30/2006	10,200	1,260	12.5	1,310	1,330		< 0.500	<10.0	< 0.500	< 0.500	< 0.500	28.09	9.19	18.90	3.33/3.49
MW-14	11/08/2006	29,000	4,400 a	34	2,000	1,600							28.09	9.80	18.29	1.16/1.40
MW-14	02/22/2007	31,000	2,600	42	2,200	1,600							28.09	6.70	21.39	0.59/1.11
MW-14	05/29/2007	35,000 f	1,100	14	1,800	767							28.09	7.89	20.20	0.08/0.08
MW-14	08/27/2007	Well inacc	essfble													
MW-14	08/29/2007	45,000 f	1,000	11	870	367.8 g		<10	<100	20	<20	<20	28.09	9.25	18.84	0.09/0.16
MW-14	11/08/2007	32,000 f	1,600	22	1,500	889							28.09	9.21	18.88	0.04/0.35
MW-14	02/20/2008	23,000 f	1,800	32	1,600	1,021							28.09	6.34	21.75	0.09/0.08
MW-14	05/01/2008	16,000	830	15	870	452							28.09	7.95	20.14	0.12/0.09
MW-14	08/12/2008	34,000	1,400	26	550	1,151		<10	<100	<20	<20	<20	28.09	14.10	13.99	0.03/0.38
MW-14	11/26/2008	Well inacc	essible										28.09			
MW-14	02/03/2009	39,000	1,800	27	1,700	1,400							28.09	8.66	19.43	0.16/0.19
MW-14	06/02/2009	34,000	1,100	<25	1,200	710							28.09	8.21	19.88	0.16/0.26
MW-14	11/10/2009	39,000	2,300	35	2,100	1,200		<25	<250	< 50	< 50	< 50	28.09	9.69	18.40	0.45/1.56
MW-14	05/10/2010	5,900	150	2.1	170	54							28.09	6.64	21.45	0.49/1.38
MW-14	09/09/2010	Well inacc	essible										28.09			
MW-14	12/03/2010	84,000	1,800	39	1,900	1,100		< 5.0	< 50	27	<10	<10	28.09	9.10	18.99	0.50/0.67
MW-14	03/02/2011												28.09	5.60	22.49	
MW-14	05/31/2011	21,000	460	10	930	460							28.09	8.85	19.24	0.47/0.77
MW-14	12/13/2011	30,000	1,370	23.8	1,590	871		< 0.500	<10.0	17.8	< 0.500	< 0.500	28.09	9.35	18.74	0.67/0.65
MW-14	06/13/2012	26,000	1,100	13	1,400	630							28.09	8.34	19.75	0.54/0.75
MW-14	11/19/2012	27,000	1,700	30	2,800	1,200		< 5.0	<100	23	< 5.0	< 5.0	28.09	9.78	18.31	2.84/3.10
MW-14	05/30/2013	34,000	1,300	23	2,100	920							28.09	8.78	19.31	0.97/1.02
MW-14	11/18/2013	33,000	1,200	23	2,700	950		<10	<200	16	<10	<10	28.09	10.41	17.68	0.21/0.33
					•											•

TABLE 1 Page 17 of 23

Well ID	Date	ТРНд	В	T	E	X	MTBE 8020	MTBE 8260	TBA	DIPE	ETBE	TAME	TOC	Depth to Water	GW Elevation	DO Reading
		(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
MW-14	06/06/2014	68,000	900	<50	2,800	680							28.09	8.77	19.32	0.20/0.27
MW-14	12/01/2014	36,000	1,600	24	2,700	700		<20	<400	<20	<20	<20	28.09	9.50	18.59	0.18/0.25
V-1	08/02/1996												23.26			
V-1	08/05/1996												23.26	8.58	14.68	
V-1	10/17/1996												23.26	10.02	13.24	
V-1	01/16/1997	9,500	1,200	250	280	880	< 50						23.26	5.55	17.71	
V-1	04/07/1997	2,200	42	< 5.0	130	15	<25						23.26	7.40	15.86	
V-1	07/02/1997	2,600	340	5.8	49	12	74	<4.0					23.26	8.94	14.32	
V-1	10/24/1997	57,000	5,200	2,300	3,600	16,000	1,900	<200					23.26	9.43	13.83	
V-1	01/09/1998	23,000	2,400	1,700	1,300	2,300	310						23.26	6.81	16.45	
V-1 (D)	01/09/1998	24,000	2,500	1,800	1,400	2,400	450						23.26			
V-1	04/02/1998	< 50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.26	4.58	18.68	
V-1 (D)	04/02/1998	< 50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.26			
V-1	07/14/1998	160	1.9	< 0.50	4.2	< 0.50	6.1						23.26	7.51	15.75	
V-1	10/01/1998	440	18	< 0.50	11	0.80	7.9						23.26	8.49	14.77	
V-1	01/18/1999	697	55.7	0.839	28.2	< 0.500	9.35						23.26	8.59	14.67	
V-1	04/29/1999	< 50	< 0.50	< 0.50	< 0.50	< 0.50	<2.5						23.26	8.69	14.57	
V-1	08/23/1999	457	33.4	3.59	16.3	< 0.500	13.9						23.26	8.99	14.27	
V-1	10/06/1999	714	53.7	0.740	8.69	< 0.500	9.83						23.26	9.55	13.71	
V-1	01/27/2000	< 50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						23.26	7.19	16.07	
V-1	04/18/2000	<50.0	< 0.500	< 0.500	< 0.500	< 0.500	< 2.50						23.26	7.67	15.59	
V-1	07/19/2000	255	21.7	< 0.500	10.2	< 0.500	7.33	<1.00 a					23.26	7.53	15.73	
V-1	10/24/2000	200	4.05	0.566	< 0.500	< 0.500	7.82						23.26	7.38	15.88	
V-1	01/04/2001	128	1.77	< 0.500	< 0.500	< 0.500	6.40	<10.0					23.26	8.41	14.85	
V-1	05/03/2001	< 50	< 0.50	< 0.50	< 0.50	< 0.50		< 5.0					23.26	7.20	16.06	
V-1	07/09/2001	110	4.4	< 0.50	0.88	1.7		< 5.0					23.26	9.22	14.04	
V-1	10/18/2001	1,500	180	12	43	46		< 5.0					23.26	10.08	13.18	0.8
V-1	01/24/2002	210	7.1	15	4.6	32		< 5.0					23.26	6.44	16.82	3.5

TABLE 1 Page 18 of 23

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	В	T	E	\boldsymbol{X}	<i>8</i> 020	<i>8</i> 260	TBA	DIPE	ETBE	TAME	TOC	Water	Elevation	Reading
		(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
V-1	04/04/2002	<50	< 0.50	< 0.50	< 0.50	< 0.50		<5.0					23.26	6.18	17.08	1.0
V-1	07/18/2002	100	1.6	1.2	1.2	6.1		< 5.0					23.26	8.08	15.18	1.7
V-1	10/21/2002	210	1.4	< 0.50	1.0	1.3		< 5.0					29.26	8.94	20.32	1.2
V-1	01/21/2003	61	5.2	< 0.50	< 0.50	< 0.50		< 5.0					29.26	6.62	22.64	0.6
V-1	04/17/2003	< 50	< 0.50	< 0.50	< 0.50	1.2		< 5.0					29.26	6.00	23.26	1.3
V-1	07/22/2003	Well inacc	essible										29.26			
V-1	10/20/2003	540	11	1.6	6.0	8.9		< 0.50					29.26	9.53	19.73	0.1
V-1	01/13/2004	< 50	< 0.50	< 0.50	< 0.50	<1.0		< 0.50					29.26	6.62	22.64	
V-1	01/22/2004												29.26	9.08	20.18	0.1
V-1	04/01/2004	< 50	< 0.50	< 0.50	< 0.50	<1.0							29.26	6.24	23.02	0.1
V-1	07/13/2004	120	1.8	< 0.50	< 0.50	<1.0		< 0.50	< 5.0	<2.0	<2.0	< 2.0	29.26	8.78	20.48	0.1
V-1	10/26/2004	< 50	< 0.50	< 0.50	< 0.50	<1.0							29.26	8.09	21.17	0.6
V-1	01/13/2005	< 50	< 0.50	< 0.50	< 0.50	<1.0							29.26	4.30	24.96	0.1
V-1	04/28/2005	< 50	< 0.50	< 0.50	< 0.50	<1.0							29.26	5.27	23.99	3.34
V-1	08/01/2005	54	< 0.50	< 0.50	< 0.50	<1.0		< 0.50	< 5.0	<2.0	<2.0	<2.0	29.26	7.77	21.49	
V-1	10/05/2005	120 c	< 0.50	< 0.50	< 0.50	<1.0							29.26	8.72	20.54	1.67
V-1	01/11/2006	< 50	< 0.50	< 0.50	< 0.50	< 0.50		< 0.50	< 5.0	< 0.50	< 0.50	< 0.50	29.24	4.78	24.46	0.3
V-1	05/26/2006	<50.0	< 0.500	< 0.500	< 0.500	1.02 e		< 0.500	<10.0	< 0.500	< 0.500	< 0.500	29.24	6.61	22.63	1.94
V-1	08/30/2006	5,660	6.81	1.39	27.3	21.0		< 0.500	<10.0	< 0.500	< 0.500	< 0.500	29.24	8.46	20.78	0.33/0.33
V-1	11/08/2006	1,300	3.7	1.5	5.1	6.9							29.24	8.95	20.29	0.05/0.11
V-1	02/22/2007	< 50	< 0.50	<1.0	< 0.50	<1.0							29.24	6.17	23.07	0.76/0.99
V-1	05/29/2007	650 f	0.64	<1.0	1.2	0.95 g							29.24	7.21	22.03	0.69/0.74
V-1	08/27/2007	510 b, f	0.24	<1.0	<1.0	<1.0		<1.0	<10	<2.0	<2.0	<2.0	29.24	8.78	20.46	0.12/0.57
V-1 d	11/08/2007	2,000 f	19	2.9	23	18.5							29.24	8.41	20.83	0.61/1.54
V-1	02/20/2008	54 f	< 0.50	<1.0	<1.0	<1.0							29.24	5.11	24.13	0.13/0.22
V-1	05/01/2008	280	0.57	<1.0	<1.0	<1.0							29.24	7.60	21.64	0.08/0.08
V-1	08/12/2008	390	0.80	<1.0	<1.0	1.1		<1.0	<10	<2.0	<2.0	<2.0	29.24	9.00	20.24	0.81/1.51
V-1	11/26/2008	3,300	46	8.3	62	44.2							29.24	9.50	19.74	0.76/1.28
V-1	02/03/2009	450	0.98	<1.0	1.7	<1.0							29.24	8.18	21.06	0.13/0.39

TABLE 1 Page 19 of 23

W-11 ID	Data	TDII.	В	T	E	X	MTBE 8020	MTBE 8260	TBA	DIPE	ETBE	TAME	TOC	Depth to Water	GW	DO Bardina
Well ID	Date	TPHg (µg/L)	Β (μg/L)	1 (μg/L)	E (μg/L)	Λ (μg/L)	8020 (μg/L)	8280 (μg/L)	1BA (μg/L)	DIPE (μg/L)	ETBE (μg/L)	(μg/L)	(ft MSL)	(ft TOC)	Elevation (ft MSL)	Reading (mg/L)
V-1	06/02/2009	230	< 0.50	<1.0	1.3	<1.0							29.24	7.45	21.79	0.25/0.31
V-1	11/10/2009	900	3.1	<1.0	6.5	2.0		<1.0	<10	<2.0	<2.0	< 2.0	29.24	8.91	20.33	0.84/0.56
V-1	05/10/2010	81	< 0.50	<1.0	<1.0	<1.0							29.24	5.94	23.30	0.17/0.43
V-1	09/09/2010												29.24	8.95	20.29	
V-1	12/03/2010	560	1.1	<1.0	3.2	<1.0		<1.0	<10	<2.0	<2.0	< 2.0	29.24	8.25	20.99	0.47/0.95
V-1	03/02/2011												29.24	4.18	25.06	
V-1	05/31/2011	160	< 0.50	< 0.50	0.57	<1.0							29.24	6.82	22.42	0.69/1.26
V-1	12/13/2011	1,300	1.09	< 0.500	5.63	0.980		< 0.500	<10.0	< 0.500	< 0.500	< 0.500	29.24	8.37	20.87	0.94/0.81
V-1	06/13/2012	410	0.63	< 0.50	3.9	<1.0							29.24	7.52	21.72	1.65/1.73
V-1	11/19/2012	57	< 0.50	< 0.50	< 0.50	<1.0		< 0.50	<10	< 0.50	< 0.50	< 0.50	29.24	8.35	20.89	1.48/1.37
V-1	05/30/2013	710	1.8	< 0.50	9.3	<1.0							29.24	7.93	21.31	0.44/0.85
V-1	11/18/2013	610	1.7	< 0.50	1.5	<1.0		< 0.50	<10	< 0.50	< 0.50	< 0.50	29.24	9.33	19.91	0.14/0.13
V-1	06/06/2014	410	1.7	< 0.50	5.1	<1.0							29.24	7.85	21.39	0.11/0.65
V-1	12/01/2014	50	< 0.50	<0.50	< 0.50	<1.0		<0.50	<10	< 0.50	< 0.50	<0.50	29.24	8.45	20.79	0.10/0.60
																•
V-2	08/02/1996												22.80			
V-2	08/05/1996												22.80	7.94	14.86	
V-2	10/17/1996												22.80	9.30	13.50	
V-2	01/08/1997	69,000	4,800	2,800	2,700	13,000	750						22.80	5.82	16.98	
V-2	04/07/1997	90,000	4,400	1,900	3,300	14,000	< 500						22.80	7.10	15.70	
V-2 (D)	04/07/1997	77,000	4,400	2,000	3,200	14,000	<250						22.80			
V-2	07/02/1997	82,000	5,500	2,700	3,500	16,000	530	<100					22.80	8.35	14.45	
V-2 (D)	07/02/1997	85,000	5,600	2,800	3,600	17,000	520	<100					22.80			
V-2	10/24/1997	7,300	1,100	97	230	180	91	<12					22.80	10.03	12.77	
V-2 (D)	10/24/1997	12,000	1,700	340	650	630	120	<20					22.80			
V-2	01/09/1998	40,000	4,100	1,500	2,500	9,000	280						22.80	6.94	15.86	
V-2	04/02/1998	62,000	6,800	2,400	3,400	14,000	<250						22.80	5.35	17.45	
V-2	07/14/1998	43,000	4,700	1,100	2,500	6,600	<250						22.80	6.48	16.32	
V-2 (D)	07/14/1998	48,000	5,100	1,300	2,600	8,100	<250						22.80			

TABLE 1 Page 20 of 23

Well ID	Date	ТРНд	В	T	E	X	MTBE 8020	MTBE 8260	TBA	DIPE	ЕТВЕ	TAME	ТОС	Depth to Water	GW Elevation	DO Reading
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2	(μg/L)	(μg/L)	(μg/L)	L (μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
V-2	10/01/1998	53,000	5,200	1,800	3,200	10,000	83						22.80	8.41	14.39	
V-2 (D)	10/01/1998	55,000	5,300	1,900	3,300	11,000	65						22.80			
V-2	01/18/1999	47,100	5,800	1,960	3,450	10,200	<100						22.80	8.29	14.51	
V-2	04/29/1999	65,000	6,100	2,800	3,200	12,000	540						22.80	8.19	14.61	
V-2	08/23/1999	59,600	6,240	2,190	3,900	14,700	390						22.80	8.44	14.36	
V-2	10/06/1999	63,800	4,820	1,860	2,840	11,100	<1000						22.80	8.96	13.84	
V-2	01/27/2000	59,600	10,200	2,840	3,450	12,100	< 500						22.80	7.57	15.23	
V-2	04/18/2000	45,000	6,050	2,700	3,340	12,200	<250						22.80	8.14	14.66	
V-2	07/19/2000	31,800	4,440	1,270	2,390	6,820	< 500						22.80	8.21	14.59	
V-2	10/24/2000	40,100	4,810	1,730	2,960	8,650	734	<10.0					22.80	8.53	14.27	
V-2	01/04/2001	37,500	4,510	1,390	2,710	6,880	375						22.80	8.03	14.77	
V-2	05/03/2001	51,000	4,000	1,900	2,800	8,200		<200					22.80	6.63	16.17	
V-2	07/09/2001	9,600	710	190	180	1,400		<25					22.80	8.75	14.05	
V-2	10/18/2001	20,000	2,000	540	560	6,000		< 50					22.80	9.60	13.20	0.4
V-2	01/24/2002	36,000	2,900	870	1,700	5,900		<100					22.80	5.93	16.87	4.0
V-2	04/04/2002	49,000	3,900	1,500	2,900	9,300		<200					22.80	5.78	17.02	0.9
V-2	07/18/2002	50,000	3,600	1,300	2,800	9,300		<200					22.80	7.58	15.22	1.3
V-2	10/21/2002	86,000	6,000	1,900	4,200	20,000		<250					28.80	8.40	20.40	1.3
V-2	01/21/2003	13,000	630	200	300	2,400		<25					28.80	6.52	22.28	1.2
V-2	04/17/2003	26,000	2,000	570	750	6,000		<100					28.80	5.93	22.87	1.1
V-2	07/22/2003	6,800	130	34	150	440		<2.5					28.80	7.96	20.84	1.4
V-2	10/20/2003	14,000	660	160	260	2,400		<10					28.80	9.21	19.59	0.7
V-2	01/13/2004	20,000	1,400	410	700	4,200		<13					28.80	6.90	21.90	
V-2	01/22/2004												28.80	8.50	20.30	0.1
V-2	04/01/2004	28,000	2,000	520	650	8,700							28.80	6.84	21.96	0.2
V-2	07/13/2004	21,000	1,900	460	1,000	4,300							28.80	8.28	20.52	0.1
V-2	10/26/2004	43,000	2,700	880	2,300	12,000							28.80	8.43	20.37	0.8
V-2	01/13/2005	23,000	1,400	330	1,800	5,800							28.80	6.67	22.13	0.6
V-2	04/28/2005	16,000	970	230	620	3,800							28.80	5.69	23.11	4.55

TABLE 1 Page 21 of 23

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	В	T	\boldsymbol{E}	X	8020	8260	TBA	DIPE		TAME	TOC	Water	Elevation	Reading
		(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(µg/L)	(µg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)
V-2	08/01/2005	14,000	610	190	450	3,600							28.80	5.25	23.55	
V-2	10/05/2005	37,000	2,200	680	2,300	8,500							28.80	8.24	20.56	0.75
V-2	01/11/2006	45,000 a	1,900 a	720 a	3,000 a	13,000 a		<25 a	<250 a	<25 a	<25 a	<25 a	28.81	6.60	22.21	0.4
V-2	05/26/2006	66,600	1,300	400	2,950	9,700 e		< 0.500	<10.0	< 0.500	< 0.500	< 0.500	28.81	6.28	22.53	0.28
V-2	08/30/2006	7,290	2,390	750	4,680	17,000							28.81	8.03	20.78	0.37/0.31
V-2	11/08/2006	68,000	1,700	580	3,900	13,000							28.81	8.60	20.21	0.05/0.14
V-2	02/22/2007	57,000	1,300	600	4,000	15,000							28.81	5.88	22.93	1.23/2.50
V-2	05/29/2007	48,000 b, f	2,000	650	3,300	10,000							28.81	6.82	21.99	0.07/0.12
V-2	08/27/2007	55,000 f	1,600	520	2,900	8,000							28.81	8.22	20.59	0.22/0.48
V-2 d	11/08/2007	74,000 f	1,300	500	3,000	9,600							28.81	8.82	19.99	0.87/1.46
V-2	02/20/2008	52,000 f	1,200	560	3,200	12,400							28.81	5.13	23.68	0.16/0.05
V-2	05/01/2008	53,000	960	350	3,000	9,600							28.81	7.25	21.56	0.06/0.05
V-2	08/12/2008	55,000	950	230	2,700	6,030							28.81	8.50	20.31	0.53/1.47
V-2	11/26/2008	71,000	1,400	430	3,900	10,400							28.81	9.08	19.73	0.66/1.62
V-2	02/03/2009	81,000	1,100	340	3,700	11,000							28.81	7.78	21.03	0.48/0.15
V-2	06/02/2009	78,000	920	350	3,500	9,200							28.81	6.90	21.91	0.19/0.26
V-2	11/10/2009	66,000	890	310	3,400	7,900							28.81	8.62	20.19	0.44/0.98
V-2	05/10/2010	28,000	490	160	2,200	4,800							28.81	5.63	23.18	0.18/0.28
V-2	09/09/2010												28.81	8.49	20.32	
V-2	12/03/2010	31,000	640	210	2,600	4,300							28.81	7.90	20.91	0.86/1.16
V-2	03/02/2011												28.81	3.95	24.86	
V-2	05/31/2011	36,000	510	180	3,600	6,700							28.81	6.55	22.26	0.47/0.92
V-2	12/13/2011	51,000	652	129	3,760	5,040							28.81	7.96	20.85	0.60/1.51
V-2	06/13/2012	44,000	540	150	4,300	5,000							28.81	7.08	21.73	0.91/1.36
V-2	11/19/2012	43,000	530	170	4,100	5,700							28.81	8.73	20.08	0.99/0.82
V-2	05/30/2013	35,000	480	130	3,900	4,000							28.81	7.49	21.32	0.44/1.21
V-2	11/18/2013	45,000	460	140	4,500	4,400							28.81	9.33	19.48	0.19/1.33
V-2	06/06/2014	65,000	420	130	5,400	4,800							28.81	7.40	21.41	0.89/1.13
V-2	12/01/2014	42,000	470	140	3,900	3,600							28.81	9.42	19.39	0.62/0.74

TABLE 1 Page 22 of 23

GROUNDWATER DATA FORMER SHELL SERVICE STATION 2703 MARTIN LUTHER KING JR. WAY, OAKLAND, CALIFORNIA

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	\boldsymbol{B}	T	\boldsymbol{E}	\boldsymbol{X}	<i>8</i> 020	<i>8</i> 260	TBA	DIPE	ETBE	TAME	TOC	Water	Elevation	Reading
		(μg/L)	(μg/L)	(μg/L)	(µg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)

Notes:

TPHg = Total petroleum hydrocarbons as gasoline analyzed by EPA Method 8260B; prior to May 3, 2001, analyzed by EPA Method 8015 unless otherwise noted.

BTEX = Benzene, toluene, ethylbenzene, and total xylenes analyzed by EPA Method 8260B; prior to May 3, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary-butyl ether analyzed as noted

TBA = Tertiary-butyl alcohol analyzed by EPA Method 8260B

DIPE = Di-isopropyl ether analyzed by EPA Method 8260B

ETBE = Ethyl tertiary-butyl ether analyzed by EPA Method 8260B

TAME = Tertiary-amyl methyl ether analyzed by EPA Method 8260B

TOC = Top of casing elevation, in feet relative to mean sea level

GW = Groundwater

DO = Dissolved oxygen concentrations in mg/L (Pre-purge/Post-purge)

 μ g/L = Micrograms per liter

ft = Feet

MSL = Mean sea level

<x = Not detected at reporting limit x

--- = Not analyzed or available

mg/L = Milligrams per liter

(D) = Duplicate sample

- a = Sample analyzed outside of EPA recommended holding time.
- b = Hydrocarbon does not match pattern of laboratory's standard.
- c = Quantity of unknown hydrocarbon(s) in sample based on gasoline.
- d = Samples were switched in the field for wells V-1 and V-2 due to field error. Data corrected for this table.
- e = Analyte was detected in the associated Method Blank.
- f = Analyzed by EPA Method 8015B (M).
- g = Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
- h = Concentration reported is due to the presence of discrete peaks of xylenes.
- i = Concentration reported is due to the presence of discrete peak of benzene.

TABLE 1 Page 23 of 23

GROUNDWATER DATA FORMER SHELL SERVICE STATION 2703 MARTIN LUTHER KING JR. WAY, OAKLAND, CALIFORNIA

							MTBE	MTBE						Depth to	GW	DO
Well ID	Date	ТРНд	\boldsymbol{B}	T	\boldsymbol{E}	\boldsymbol{X}	<i>8</i> 020	<i>8</i> 260	TBA	DIPE	ETBE	TAME	TOC	Water	Elevation	Reading
		(μg/L)	(μg/L)	(μg/L)	(µg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(μg/L)	(ft MSL)	(ft TOC)	(ft MSL)	(mg/L)

Site wells surveyed June 14, 2001 by Virgil Chavez Land Surveying
Site wells surveyed August 13, 2002 by Virgil Chavez Land Surveying
Wells MW-1 through MW-8, V-1, and V-2 surveyed on February 14, 2006 by Virgil Chavez Land Surveying
Wells MW-12 and MW-14 surveyed on April 19, 2006 by Virgil Chavez Land Surveying
Wells MW-9, MW-10, and MW-11 surveyed on August 18, 2010 by Virgil Chavez Land Surveying

APPENDIX A

BLAINE TECH SERVICES, INC. - FIELD NOTES

WELL GAUGING DATA

Project # 14	Date _	12/1/14	Client	Grisce

Site 2703 MLK WY, VARLAND CA

Well ID	Time	Well Size (in.)	Sheen / Odor	大量 こうき かんしゅうしょう しんしゅうしんかん	Thickness of Immiscible Liquid (ft.)			Depth to well bottom (ft.)	Survey Point: TOB or	Notes
Mw-l	(૦ાનું	2					9.37	19 95		
MM-5	1017	2					9.52	18.63	The state of the s	
MW-3	1015	4					9.40	7c-01		
MWA	1020	1	extor				8 So	19.93		
MW-5	1030	4					9.84	1991	e de la	12 (5 10 15)
Mw/b	סוסו	4		N/ memorate management and the process of the second secon			8.54	19.57		
MW-7	iois	4					10.12	19.58		
MW-8	1025	u					9.69	(9.53		
MW-9	1052	4					10,96	19-60		
Mw-10	1056	Ţ					11.15	19.94		
Mw-11	1049	4					10.63	19.66		
MW-12-	261 12A	CL ESS;	BUE	PE2 1	~~ p ø *	12 K	HEAUY	08150		
MW14	1025	2					9.50	14.12		
V-((020	2					8 ५ 5	13.10		
V-2	1028	2					9.42	13.26		
	a de								•	
	1940									

				1		······································	·	
BTS #: 141201-WW					Site: 97093397			
Sampler:	ND			Date:	Date: 12/1/14			
Well I.D.:	NM-M			Well D	iameter	: 2 3 4	6 8	
Total Well Depth (TD): 19.93					to Water	r (DTW): 8.8	0	
Depth to Free Product:					ess of F	ree Product (fee	et):	
Referenced to: PVC Grade					leter (if	req'd): (ÝSI HACH	
DTW with	80% Recha	arge [(H	leight of Water	Column	1×0.20) + DTW]: \\ \(\)	02	
Purge Method:	Bailer Disposable Bailer Positive Air I Electric Subn	Sisplaceme	nt Extrac Other	Waterra Peristaltic ction Pump	Well Diamete	Sampling Method: Other:	Disposable Bailer Extraction Port Dedicated Tubing	
7.3 (01 Case Volume	Gals.) X Speci	ろ fied Volum		Gals.	1" 2" 3"	0.04 4" 0.16 6" 0.37 Othe	0.65 1.47 r radius ² * 0.163	
Time	Temp (°F)	pН	Cond. (mS or(µS))	1	oidity (TUs)	Gals. Removed	Observations	
* 1140	69:0	6.85	1358	e de de la constante de la con	Action of the second	7.3	ador	
1142	Wel	l de	watered	0		8.0		
						MANA-AMA MASA MASA SA		
1315	71.2	6.93	1363	7	81	GRAB	·	
Did well de	water?	(Yes	No	Gallon	s actual	ly evacuated: 8	.0	
Sampling D	ate: (2 / \	/14	Sampling Tim	e: 13	20	Depth to Wate	r: 11.00	
Sample I.D.	: MW-			Labora	tory:	Test America	Other	
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygena	ates (5)	Other See	COC .	
EB I.D. (if a	applicable)		@ Time	Duplic	ate I.D.	(if applicable):		
Analyzed for	or: TPH-G	BTEX	MTBE TPH-D	Oxygena		Other:		
D.O. (if req	'd): P1	e-purge:	0.48	mg/L	Χt	ost-purge:	i. T	
O.R.P. (if re	eq'd): Pr	e-purge:		mV	F	ost-purge:	mV	

	~						
BTS #: 141	1201-WW			Site: 97093397			
Sampler:	JD			Date: 12/1/14			
Well I.D.:	£ .		Well D) iameter:	: 2 3 (4)	6 8	
Total Well l	1): 19.0	7.1	Depth	to Wate	r (DTW): 9 8	4	
Depth to Fr	- 1 HO	processore of the contract of	Thickn	ess of F	ree Product (fee	et):	
Referenced	(PVC)	Grade	 	Aeter (if		YSI) HACH	
DTW with 8	80% Recha	arge [(H	Ieight of Water	· A			85
Purge Method:	Bailer Disposable Bailer Positive Air E Electric Subm	Displaceme		Waterra Peristaltic tion Pump		Sampling Method: Other:	Disposable Bailer Extraction Port Dedicated Tubing
6.6 (C	Gals.) XSpecif	ろ fied Volum	= 19.8 nes Calculated Vol	_ Gals.	Well Diamete 1" 2" 3"	er Multiplier Well I 0.04 4" 0.16 6" 0.37 Other	Diameter Multiplier 0.65 1.47 radius ² * 0.163
Time	Temp (°F)	pН	Cond. (mS of (µS)	1	bidity TUs)	Gals. Removed	Observations
12051	69.9	6.70	1463	***************************************	3	6.6	odor
1212	we	11 de	watered	0		10	
1355	16.9	6.80	1303	110)	GRAB	`
Did well de	water? (Yes	No	Gallon	s actuall	ly evacuated: (0.0
Sampling D	ate: 12/1	1	Sampling Time	e: 140	20	Depth to Water	r: (0.19
Sample I.D.	: MW-	5		Labora	tory:	Test America (Other
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Охудепа	ates (5)	Other See	COC .
EB I.D. (if a	ipplicable)		@ Time	Duplica	ate I.D.	(if applicable):	
Analyzed fo	or: TPH-G	BTEX	MTBE TPH-D	Oxygena	, ,	Other:	
Ð.О. (if req'	d): Pr	e-purge:	0.47	$^{mg}\!/_{\mathrm{L}}$	×̈́Ρ	ost-purge:	0.29 mg/L
O.R.P. (if re	:q'd): Pr	e-purge:		mV	P	ost-purge:	mV

D13#. 14170[-MW]		Site: 9/09339/				
Sampler: NO		Date: 12/1/14				
Well I.D.: MW-C		Well Diameter: 2 3 4 6 8				
Total Well Depth (TD): 19.	57	Depth to Water	r (DTW): 8.5			
Depth to Free Product:	- A megalyangan	Thickness of F	Thickness of Free Product (feet):			
Referenced to: (VC)	Grade	D.O. Meter (if	req'd):	(YSI) HACH		
DTW with 80% Recharge [(F	leight of Water	Column x 0.20)) + DTW]:	7.74		
Purge Method: Bailer Disposable Bailer Positive Air Displaceme Electric Submersible	ent Extrac	Waterra Peristaltic tion Pump ISP. baller	Sampling Method Other	Disposable Bailer Extraction Port Dedicated Tubing		
		Well Diamete	r Multiplier Well 0.04 4"	Diameter Multiplier 0.65		
1 Case Volume Specified Volum	$\frac{1}{1000} = \frac{21.6}{\text{Calculated Vo}}$	_ Gals. 2"	0.16 6" 0.37 Other	1.47		
	Cond.	Turbidity				
Time Temp (°F) pH	(mS or (uS)	(NTUs)	Gals. Removed	Observations		
1105 73.1 7.79	811	58	7.2			
1110 73.0 7.34	965	28	14.4			
1115 Well dew	otered @		20			
1217 70.2 6.95	1212	96	GRAB	15.40 DTW wait 2 hr.		
Did well dewater? Yes	No	Gallons actuall	y evacuated: 2			
Sampling Date: 12/1/19	Sampling Time	e: 12 20	Depth to Wate	r: ia.70		
Sample I.D.: MW-6		Laboratory:	Test America	Other		
Analyzed for: трн-с втех	MTBE TPH-D	Oxygenates (5)	(the): 320 (000		
EB I.D. (if applicable):	@ Time	Duplicate I.D. ((if applicable):			
Analyzed for: трн-G втех	MTBE TPH-D	Oxygenates (5)	Other:			
D.O. (if req'd): Pre-purge:	0.62	mg/ _L	ost-purge:	₾.71 ^{mg} / _L		
O.R.P. (if req'd): Pre-purge:		mV Po	ost-purge:	mV		

BTS #: 14	1201-NW			Site: 97093397				
Sampler:	Sampler: ND				Date: 12/1/14			
Well I.D.:	MW-7			Well Diameter	: 2 3 4	6 8		
Total Well	Depth (TD): 19.56	Š	Depth to Wate	r (DTW): 10-17	2		
Depth to Fr	ee Product	•		Thickness of F	ree Product (fee	et):		
Referenced	to:	(PVC)	Grade	D.O. Meter (if	req'd): (ŶSI HACH		
DTW with	80% Recha	ırge [(H	eight of Water	Column x 0.20) + DTW]: \'2.	01		
Purge Method:	Bailer Disposable Ba Positive Air E Electric Subm	isplaceme		Waterra Peristaltic tion Pump	Sampling Method: Other:	Disposable Bailer Extraction Port Dedicated Tubing		
6.2 (1 Case Volume	~	ろ fied Volum	$= \frac{18.6}{\text{Calculated Vo}}$	Gals. 1"	0.04 4" 0.16 6" 0.37 Other	0.65 1.47		
Time	Temp (°F)	рН	Cond. (mS or (aS)	Turbidity (NTUs)	Gals. Removed	Observations		
1126	728	6.93	1818	7	6.2	ador		
1127	1/90/	dewo	xtered	(o)	7.5			
1230	68.4	6.9७	1765	430	GRAB	DW 16.29		
Did well de	ewater? (Yes	No	Gallons actual	ly evacuated:	7.5		
Sampling I	Date: 12/1		Sampling Time	e: 1235	Depth to Wate	r: 12.00		
Sample I.D	: MW-7			Laboratory:	Test America	Other		
Analyzed for	or: TPH-G	BTEX	MTBE TPH-D	Oxygenates (5)	Other: See C	X		
EB I.D. (if	applicable)	*	@ Time	Duplicate I.D.	(if applicable):			
Analyzed for	or: TPH-G	BTEX	MTBE TPH-D	Oxygenates (5)	Other:			
D.O. (if req	('d): P1	e-purge:	wh to	HI ^{mg/} L X I	Post-purge:	0.78 ^{mg} / _L		
O.R.P. (if r	eq'd): Pr	e-purge:		mV I	Post-purge:	mV		

OLERSIJEJ VY B	CELE IVEOINE ON	LING DAIA D				
BTS #: 141201 - WW	Site:	7709339	7			
Sampler: ND	Date:	12/1/14				
Well I.D.: MW-8	Well D	iameter: 2	3 4	6 8		
Total Well Depth (TD): 19.53	Depth	Depth to Water (DTW): 9,69				
Depth to Free Product:	Thickn	ess of Free Pro	duct (fee	t):		
Referenced to:	Grade D.O. N	Meter (if req'd):		YSI) HACH		
DTW with 80% Recharge [(Height						
Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible	Waterra Peristaltic Extraction Pump Other	Sampli	ing Method: Other:	Bailer Disposable Bailer Extraction Port Dedicated Tubing		
		Well Diameter Multip		riameter Multiplier		
6.4 (Gals.) X 3 = 19.2 Gals. 1 Case Volume Specified Volumes Calculated Volume To Calculated						
l	- ~ 1	bidity				
			Removed	Observations		
100 011 0.13	930 40	9 6.	4			
1201 Well dewar	tered @	7.	5			
1340 71.4 6.80 1	105 15	31 66	PAR			
Did well dewater? Yes No	Gallon	s actually evac	uated: 7			
Sampling Date: 12/1/14 Samp	oling Time: (영년	15 Depth	to Water	: 10.04		
Sample I.D.: MW-8	Labora	tory: Test An	ierica C	Other		
Analyzed for: трн-д втех мтве	TPH-D Oxygena	ates (5) Other:	see .	e0(
EB I.D. (if applicable):	Time Duplica	ate I.D. (if appl	icable):			
Analyzed for: трн-с втех мтве	TPH-D Oxygena	ates (5) Other:				
D.O. (if req'd): Pre-purge: (0,36 ^{mg} /L	≱ Post-purg	ge:	0.42 ^{mg} / _L		
O.R.P. (if req'd): Pre-purge:	mV	Post-purg	ge:	mV		

BTS #: / 4	1201-W	~ i		Site 2703 MARTIN LUTHER KING WY, OM					
Sampler: L	N			Date: 12/1/14			And the first control of the state of the st	, 474	
Well I.D.:	MW-9			Well D	iameter	: 2 3 4) 6 8		
Total Well I)): [9.1	60	Depth 1	Depth to Water (DTW): 10.96					
Depth to Fre	ee Product	t:			Thickness of Free Product (feet):				
Referenced	to:	#VQ	Grade	D.O. M	leter (if	req'd):	YSI HA	.CН	
DTW with 8	30% Rech	arge [(Ḥ	leight of Water	Columr	1×0.20) + DTW]: 12	-,69		
Purge Method: Bailer Waterra Sampling Method: Bailer Disposable Bailer Peristaltic Disposable Bailer Positive Air Displacement Extraction Pump Electric Submersible Other Other: Other:							Bailer n Port Tubing		
S.6 (C) 1 Case Volume	Gals.) X Speci	S fied Volum	nes Calculated Vol	_ Gals.	Well Diamete 1" 2" 3"	er Multiplier Well 1 0.04 4" 0.16 6" 0.37 Othe	Diameter Multiplie 0.65 1.47 radius ²	_	
Time	Temp (°F)	pН	Cond. (mS or uS)	l .	oidity (Us)	Gals. Removed	Observa	tions	
1126	67.2	7.09	1.522	97	P	5-6	edor, c	(Dudy	
ina 8	67.9	6.85	1255	30		11.36	odor, c	loude	
1130	67.9	6.92	1263	31		16.8	odor c	Cer	
		* ** **							
		h.							
Did well dev	water?	Yes d	(40)	Gallons	actuall	y evacuated: (6.8		
Sampling Da	ate: 12/8	14	Sampling Time	3: [2	25	Depth to Water			
Sample I.D.:	: Mwg			Laborat	tory:	Test Amerika	Other		
Analyzed for	r: (PH-G	BTEX	мтве трн-р (Oxygena	tes (5)	Other:			
EB I.D. (if a	pplicable)	*	@ Time	Duplica	ate I.D. ((if applicable):	***************************************		
Analyzed for	r: TPH-G	BTEX		Oxygena	****	Other:			
D.O. (if req'o	d): Pf	e-purge:	0,15	mg/L	P	ost-purge:	0.19	$^{mg}/_{\mathrm{L}}$	
O.R.P. (if red	q'd): Pr	e-purge:		mV	P	ost-purge:		mV	

i									
BTS #: 14	110-01	-4441	<u> </u>	Site: 2703 MULL WY, OAKLAND, CA					
Sampler: 🕠	M.	-	***************************************		Date: 12/1/14				
Well I.D.:	MW-10			Well Diameter: 2 3 4 6 8					
Total Well	Depth (TD)): [9	94	Depth t	Depth to Water (DTW): //. 15				
Depth to Fr	ee Product	t:		Thickn-	Thickness of Free Product (feet):				
Referenced	to:	(VC)	Grade	D.O. M	leter (if	req'd):	YSI HACH		
DTW with	80% Rech	arge [(H	leight of Water	Column	1 x 0.20) + DTW]: 17	2.91		
Purge Method:	Bailer Disposable B Positive Air I Electric Subn	Displaceme		Waterra Peristaltic ction Pump	Well Diamete	Sampling Method: Other:	Disposable Bailer Extraction Port Dedicated Tubing		
S 7 (0	Gals.) X 3	ified Volum		_ Gals.	1" 2" 3"	0.04 4" 0.16 6" 0.37 Other	0.65 1.47		
Time	Temp (°F)		Cond. (mS or (S))	Turb		Gals. Removed	Observations		
(142	62.5	7.34	1603	35	·	5.7	odor, cloudy		
1 (415	68.4	7,02	(551	33		1 4	ťŧ		
1147	68.3	692	1500	31		.17.1	ie .		
						, 3			
Did well dev	water?	Yes ((No)	Gallons	actuall	y evacuated: 1	Transaction 1		
Sampling D	ate: [2][/	11	Sampling Time	e: 121	0	Depth to Water	r: /1.86		
Sample I.D.	: Mw-	10		Laborate	ory:	Test America (Other		
Analyzed fo	ır: TPH-G	втех	мтве трн-д	Oxygenat	tes (5)	Other:	\$_		
EB I.D. (if a	pplicable)		@ Time	Duplica	te I.D. ((if applicable):	Navy y		
Analyzed for	or: TPH-G	BTEX	MTBE TPH-D	Oxygenat	ies (5)	Other:	variation auto side		
D.O. (if req'o	d): Pr	e-purge:	> 0,19	mg/ _L	Q.	ost-purge:	0.35 mg/r		
O.R.P. (if re	q'd): Pr	e-purge:		mV	P	ost-purge:	mV		

Site: 2703 Manyon Within K, N/6 WY, C Sampler: Date: 17, 1,9 Well I.D.: MW-II Well Diameter: 2 3 4 6 8 Total Well Depth (TD): 19, 6 Depth to Water (DTW): 10 6 3 Depth to Free Product: Thickness of Free Product (feet): Referenced to: MVC Grade D.O. Meter (if req'd): YSI HACH DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12 44 Purge Method: Bailer Waterra Sampling Method: Bailer Disposable Bailer Peristaltic Disposable Bailer Positive Air Displacement Extraction Pump								
Well I.D.: Mw-11 Well Diameter: 2 3 4 6 8 Total Well Depth (TD): 19.66 Depth to Water (DTW): 10 6 3 Depth to Free Product: Referenced to: PVC Grade D.O. Meter (if req'd): YSI HACH DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12 46 Purge Method: Bailer Water Sampling Method: Peristaltic Peristaltic Disposable Bailer Positive Air Displacement Extraction Pump The Substitute of the s	Site: 2703 MANYON LUTHER KING THE							
Total Well Depth (TD): 19.66 Depth to Water (DTW): 10.63 Depth to Free Product: Referenced to: Thickness of Free Product (feet): Referenced to: ON. Meter (if req'd): YSI HACH DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12.44 Purge Method: Bailer Disposable Bailer Positive Air Displacement Extraction Pump Extraction Po	Date: 17 / / / /							
Depth to Free Product: Referenced to: Oracle D.O. Meter (if req'd): Purge Method: Bailer Disposable Bailer Positive Air Displacement Disposable Bailer Positive Substraction Pomp Thickness of Free Product (feet): D.O. Meter (if req'd): VSI HACH D.O. Meter (if req'd): VSI HACH Waterra Sampling Method: Bailer Disposable Bailer Extraction Pump Extraction Pomp	***************************************							
Referenced to: PVC Grade D.O. Meter (if req'd): YSI HACH DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12 44 Purge Method: Bailer Waterra Sampling Method: Bailer Peristaltic Positive Air Displacement Extraction Pump Extraction Po								
Referenced to: FVC Grade D.O. Meter (if req'd): YSI HACH DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 12 44 Purge Method: Bailer Waterra Sampling Method: Bailer Disposable Bailer Peristaltic Positive Air Displacement Extraction Pump Extraction Positive Substantials								
Purge Method: Bailer Waterra Sampling Method: Bailer Peristaltic Positive Air Displacement Extraction Pump Extraction Positive Air Displacement Extraction Pump								
Purge Method: Bailer Waterra Sampling Method: Bailer Disposable Bailer Peristaltic Disposable Bai Positive Air Displacement Extraction Pump Extraction Po	***************************************							
Other:	ŧ.							
Time Temp (°F) pH Cond. Turbidity (NTUs) Gals. Removed Observation								
1111 67.2 7.55 1239 49 5-9 dear								
1114 674 735 1245 146 11.8 brain								
1116 67.3 7.35 1242 185 177 "								
Did well dewater? Yes No Gallons actually evacuated: 177								
Sampling Date: 12/1/4 Sampling Time: 12/5 Depth to Water: 10.72								
Sample I.D.: Mw-11 Laboratory: (Test America Other								
Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other: 5 00 5000								
EB I.D. (if applicable): @ Duplicate J.D. (if applicable):								
Analyzed for: TPH-G BTEX MTBE TPH-D Oxygenates (5) Other:								
D.O. (if req'd): Pre-purge: 0.45 mg/L Post-purge: 0,36	mg/L							
O.R.P. (if req'd): Pre-purge: mV Post-purge:	mV							

BTS#: 141701-6w1				Site: 2703 MCK WY, ORKLAND, CA			
Sampler: tx	w			Date: 12/1/14			
Well I.D.:	MW-12			Well Diameter: 2 3 4 6 8			
Total Well Depth (TD):					to Wate	r (DTW):	-
Depth to Free Product:					ess of F	ree Product (fe	et):
Referenced to: PVC Grade					1eter (if	req'd):	YSI HACH
DTW with 8	30% Recha	arge [(H	leight of Water	Colum	n x 0.20) + DTW]:	
Purge Method:	Bailer Sisposable Bailer Positive Air E Electric Subm	Displaceme		Waterra Peristaltic tion Pump		Sampling Method: Other:	Disposable Bailer Extraction Port Dedicated Tubing
1 Case Volume	Gals.) XSpecif	fied Volum		_ Gals. lume	Well Diamet 1" 2" 3"	er Multiplier Well 0.04 4" 0.16 6" 0.37 Othe	Diameter Multiplier 0.65 1.47 r radius² * 0.163
Time	Temp (°F)	pН	Cond. (mS or μS)	i	bidity ΓUs)	Gals. Removed	Observations
X K	TEU 1	NA	CESSIBU	6	AND C	AUNER SA	"MEAVY !!
	- 20	5 AV	MPLE TAI	FEN		UNER SA	OVER WELL
	·						
Did well de	water?	Yes	No	Gallon	s actual	ly evacuated:	1
Sampling D	ate:	A Allen Projection	Sampling Time	e:	Market Market State of the Stat	Depth to Wate	r:
Sample I.D.	:	A Street Brown Street,		Labora	tory:	Test America	Other
Analyzed fo	r: TPH-G	BTEX	MTBE_TPH-D	Oxygen:	ates (5)	Other:	
EB I.D. (if a	pplicable)	4	@ Time	Duplic	ate I.D.	(if applicable):	
Analyzed fo	r: TPH-G	BTEX	MTBE TPH-D	Oxygena	ates (5)	Other:	
D.O. (if req'	d): Pr	e-purge:	A THE COLUMN TO	mg/L	P	ost-purge:	mg/ _L
O.R.P. (if re	q'd): Pr	e-purge:		mV	P	ost-purge:	mV

·		···		- y				
BTS #: (4	11201-1	w 1		Site: 2703 N	lik wy o	AKIAND, CA		
Sampler: \tau				Date: 12/1/14				
Well I.D.:	MWTY			Well Diameter	: 2 3 4	6 8 🕖		
Total Well				Depth to Wate	r (DTW): 9	50		
Depth to Fr	ee Produc	t:		Thickness of F	ree Product (fe	et):		
Referenced	to:	(PVC)) Grade	D.O. Meter (if req'd): YSI HACH				
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: / 0. 47								
Purge Method:	Bailer Disposable B Positive Air I Electric Subn	ailer Displaceme nersible	ent Extrac Other <u>Net</u> Ch	Waterra Peristaltic tion Pump to hology (16) to value Well Diamete	Sampling Method			
O.2 (0) 1 Case Volume	Gals.) X Speci	fied Volun	$\frac{1}{1000} = \frac{0.6}{\text{Calculated Vo}}$	Gals. 2"	0.16 6" 0.37 Othe	1.47		
Time	Temp (°F)	рН	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations		
1311	65.6	7,15	1392	>/=00	0.2	odor, chod		
1312	65.7	7.09	1386	>/300	0.4	. (
1313	657	7.03	1330	51200	٥.6	((
		3						
······································	.	<i>e</i> .						
Did well dev	water?	Yes (No)	Gallons actuall	y evacuated: C	2:6		
Sampling D	ate: 12/1	119	Sampling Time	: 1325	Depth to Water	r: 10.42		
Sample I.D.	: Mw-10	(Laboratory:	Pest America (Other		
Analyzed fo	r: (TPH-G)	ETEX	MTBE TPH-D <	Ox; genates (5)	Other:			
EB I.D. (if a	pplicable)	•	@ Time	Duplicate I.D. ((if applicable):	-		
Analyzed for	r: TPH-G	BTEX		Oxygenates (5)	Other:			
D.O. (if req'o	d): <u>Pro</u>	e-purge:	0,18	mg/L	ost-purge:	mg/L		
O.R.P. (if re	q'd): Pro	e-purge:		mV Po	ost-purge:	mV		
200 March 1978 Co. 11								

w _k +		SHELI	L WELL MO	MIIOK	ING DA	I A SHEET				
BTS #: 14	1201-	mi		Site: 2	75°3	MILR WY,	OAKLAND, LA			
Sampler:				Date:						
Well I.D.: \	<i>V</i> - \			Well D	iameter	2 3 4	6 8			
Total Well	Depth (TD): (3./	O	Depth t	o Water	(DTW): 8.4	5			
Depth to Fr	ee Product			Thickne	ess of Fi	ree Product (fee	t):			
Referenced	to:	PVC	Grade	D.O. Meter (if req'd): YSI HACH						
DTW with	80% Recha	urge [(He	eight of Water	Column	x 0.20)	+DTW]: 9.	? ?			
Purge Method:	Bailer Disposable Be Positive Air I Electric Subm	Displacemen	nt Extrac Other		Well Diamete	Sampling Method: Other:	Bailer Disposable Bailer Extraction Port Dedicated Tubing Manual Man			
O.7 (0	Gals.) X Speci	7 > fied Volum	= 2.1 es Calculated Vo	_ Gals.	1" 2" 3"	0.04 4" 0.16 6" 0.37 Other	0.65 1.47 radius ² * 0.163			
Time	Temp (°F)	рН	Cond. (mS or as)	ł	oidity (Us)	Gals. Removed	Observations			
1246	68.7	6.98	(337	>1	000	0.7	clouch			
1248	b= 7	6 93	1381	>/3	000	1.4				
1520	42	626	12-80	7/	000	7.(· c			
							***z;			
	·		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
Did well de	water?	Yes 🖟	No)	Gallon	s actuall	y evacuated: *	2.(
Sampling D	Date: 12		Sampling Tim	e: (7	55	Depth to Water	r: 9-38			
Sample I.D	.: V-1	ži.		Labora	tory:	Test America	Other			
Analyzed for	or: (TPH-G	BTEX	мтве трн-о	Oxygena	ites (5)	Other:				
EB I.D. (if	applicable)):	@ Time	Duplic	ate I.D.	(if applicable):				
Analyzed for	or: TPH-G	BTEX	MTBE TPH-D	Oxygena		Other:				
D.O. (if req	(d): (P	re-purge:	1.0	o ^{mg} /L	P	Post-purge:	0,60 ^{mg} /1			
O.R.P. (if r	eq'd): P	re-purge:	<i>.</i>	mV	P	ost-purge:	mV			

BTS #: \44	201-NW			Site: c	17093	397			
Sampler:	ND			Date:	12/				
Well I.D.:	V-2			Well I	Diametér	·C2) 3	4	6 8	***************************************
Total Well	Depth (TD): 13	26	Depth	to Wate	r (DTW):	7	42	
Depth to Fr	ee Product	ig st _e s	agentium tail ^a	Thickr	ness of F	ree Produ	ct (fee	et):	
Referenced	to:	(Eve)	Grade	D.O. N	Aeter (if	req'd):		YSI HACH	***************************************
DTW with	80% Recha	arge [(H	leight of Water	Colum	n x 0.20) + DTW]	: /0	.19	
Purge Method: (Disposable B Positive Air I Electric Subn	Displaceme	nt Extrac Other	Waterra Peristaltic ction Pump		Sampling I	Method: Other:	Disposable Bai Extraction Po Dedicated Tub	rt
O . 6 (1) I Case Volume	Gals.) X Speci	7 - fied Volum	= 1-8 les Calculated Vo	_ Gals.	Well Diamet 1" 2" 3"	er Multiplier 0.04 0.16 0.37	Well I 4" 6" Other	Diameter Multiplier 0.65 1.47 r radius ² * 0.16	53
Time	Temp (°F)	pН	Cond. (mS or (IS)	1	bidity ΓUs)	Gals. Ren	noved	Observation	1S
1255	70.0	6.87	1089	6	00	0.6			
1300	70 1	684	10801	4	78	1.2			
1305	70.1	28.9	1067	6	(0	8.1			*
1405	67.7	6:96	-4-77	250		GRAS	3	Oclos	
Did well de	water?	Yes (No	Gallon	s actual	ly evacuat	ed:	8	
Sampling D	ate: 12[1	114	Sampling Time	e: 141	0	Depth to	Water		
Sample I.D.	:4-2			Labora	tory:	Test Americ	ca (Other	
Analyzed fo	r: TPH-G	BTEX	MTBE TPH-D	Oxygena	ates (5)	Other S	ee	∞	
EB I.D. (if a	pplicable)	*	@ Time	Duplic	ate I.D.	(if applica	ble):		
Analyzed fo	r: TPH-G	BTEX	MTBE TPH-D	Oxygena	ates (5)	Other:			
D.O. (if req'	d): Pr	e-purge:	0.62	mg/ _L	- % P	ost-purge:		0,74	$^{\sf mg}\!/_{ m L}$
O.R.P. (if re	q'd): Pr	e-purge:		mV	Р	ost-purge:	ē		mV

ENVIRONMENTAL WELL, REMEDIATION COMPOUND, AND SITE INSPECTION FORM

e.

Page,

いってない。 INCIDENT #

ログをといれて MIK WY のようなから ADDRESS 7707 CITY & STATE

Repair Date and PM Initials S $\overline{\mathbb{S}}$ (s)3 (z)3 Photos of Condition Z 3 (z)(Z) } (\mathbf{z}) Z Well >- 1 > >-> >-> >->-> > Detailed Explanation of Maintenance Recommended 12 (2) to (2)Note Repairs Made それなかなからかる and Performed st igned からなり 草 # TOTAL # OF LOCKS REPLACED ئي 3 n Ω. ۵. ۵. ۵. ۵. ۵. Q. O. Δ. ۵. Condition Well Pad Surface 0 ြ (0) (6) (9) (P) O (0) 6 ٣ لو Z Z Well Lock Condition 뒫 뉥 Ħ 불 ź Ħ 널 Ź 뒫 컱 If POOR, Borings/Well IDs or Location Description œ œ Œ œ œ 124 œ œ œ Œ œ 6 6 (9) (9) (co 0 9 O 9 ø Ý œ œ. œ œ œ œ œ œ α œ œ Condition Well Cap (Gripper) Observations Upon Arrival 0 (e) () (0) TOTAL # CAPS REPLACED = 9 O ဖ ဨ 9 5 Well Labeled z z z z z z z z z z z Properly* Painted 6 4 6 \odot ح) (\geq) (> 3 `ځ. Ö Size (inch) Size (inch) Size (inch) Size (inch) Size (inch) ال Size (inch) Size (inch) Size (inch ر C B <u>_</u> \subseteq Manway Cover, Type, Condition & Size (e) (a Ω. a a. ο. O. ۵. ۵. ۵. ۵. ۵ Standpipe Flust 6 6 () 0 9 9 6 (9) Ø O Φ (Han) Flush (flush) Standpipe Flush Standpipe (Flush) Condition of Soil Boring Patches or Standpipe Flush Standpipe Flush Standpipe (Flush Standpipe Flus Abandoned Monitoring Wells Standpipe Standpipe Standpipe Standpipe NENDO P. W. Mw-2 MWS Well ID 1- M ZW-Mw.3 4-2X \$ \$ \$ \$ 32 -7/

All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless emerwise noted above). アジュラを見び

Repair Date and PM Initigis

Photos of Condition

Cleaning / Repairs Recommended and Conducted

Emergency Contact Info

Visible

Compound Security

Condition of Area Inside

Condition of Enclosure

Remediation Compound Type

(Check boxes that apply)

Enclosure

٨

z

(2)

a.

O

D

a.

ø

۵

ø

Building w/ Fence Comp.

Building

ž

Fenced Compound

Trailer

(2)

Date Drums
Removed from
Site
and PM Initials

Photos of Condition

Drum

Detailed Explanation of Any issues Resolved

Drums Located to Min Business interference

Related to Environmental Confirm Drums

Drum Condition

Labeled Correctly and Writing Legible

Does the Label Reveal the Source of the Contents

Number of Drums On-site

z

>-

意

z

>-

>

۵

Ø

(3)

z

>

z

グルグスマングン Print or type Name of Field Personnel & Consultant Company. 1000 S

なかじたこ

R = Replaced G = Good (Acceptable)

P = Poor (needs attention) NL = No Lock Required

Note: All repairs other than locks and grippers require Shell PM approval prior to repair.

 ⁼ Groundwater monitoring well covers must be painted and labeled in accordance with applicable regulations. Version 2.4, March 2008

CITY & STATE & ARCHOND, CA

				Velalit		Obser	vations I	Upon Arr	ivai									Repair Date
Well ID	Manwa	y Cover,	Type, C	ondition	& Size	Pai	abeled / nted perly*	(Gri	l Cap pper) dition	Well	Lock Co	ndition	Sur	Pad / rface dition	Note Repairs Made Detailed Explanation of Maintenance Recommended and Performed	o V Con	tos of /ell dition	and PM Initials
MW72	Standpipe	Flush	G	P	Size (inch)	Y	N	G	R	G	R	NL	G	Р	UNABUE TO ACCESS-HEAVY OBJECT OVER WEN-PER OWNER 2/2 THIS STANDED (12")	Y	N	
MW-14	Standpipe	Flush	G	P	Size (inch)	(9)	N	(6)	R	©	R	NL.	©	P		Υ		>
V-(Standpipe	(Flush	G	O	Size (inch)	0	N	O	R	(9)	R	NL	©	Р	-2/2 BOUTS (12")	Y	@	,
V-2	Standpipe	Flush	6	Р	Size (inch)	(2)	N	(9)	R	(6)	R	NL	©	P		Y	C)
	Standpipe	Flush	G	Р	Size (inch)	Υ	N	G	R	G	R	NL	G	p		Υ	N	
	Standpipe	Flush	G	Р	Size (inch)	Y	N	G	R	G	R	NL	G	Р		Y	N	
	Standpipe	Flush	G	Р	Size (inch)	Υ	N	G	R	G	R	NL	G	Р		Y	N	
	Standpipe	Flush	G	р	Size (inch)	Y	N	G	R	G	R	NL	G	Р		Y	N	
	Standpipe	Flush	G	р	Size (inch)	Y	N	G	R	G	R	NL	G	P		Y	N	
	Standpipe	Flush	G	р	Size (inch)	Y	N	G	R	G	R	NL	G	Р		Y	N	
	Standpipe	Flush	G	Р	Size (inch)	Y	N	G	R	G	R	NL	G	Р,		Y	N	
					TOTA	L # CAP	S REPLA	ACED =	Ø		Ø	= TOTA	L#OFL	OCKS RI	EPLACED			
Condition of S Abando	Soil Boring P ned Monitori		G	р	(NA)	IfP	OOR, Boi	rings/Well	IDs or Lo	cation De	scription:					Υ	(N))
	Compound		Cond	tion of Er	closure		on of Are Enclosure		Com	pound Se	curity	Emergi	ency Cont Visible	tact Info	Cleaning / Repairs Recommended and Conducted	2.3 (2.3)	tos of dition	Repair Date and PM Initials
NA ,Buildir Building w/ Fer Fenced Con Traile	nce Comp. npound	<i>e</i>	G	Р	(N)	G	Р	199	G	P	®	Y	N	(N/A)		Υ	(E)	
Number of Drums On-site	Does the Source of	Label Rev of the Cor	267,324,900,600,900		led Correctl riting Legib		Dn	um Condi	llon	Rela	n Drums ted to nmental	 A. Maria and A. Maria 	s Located ess interfe	the experience of the first	Detailed Explanation of Any Issues Resolved	Dr	os of um dition	Date Drums Removed from Site and PM Initials
0	Υ	N	N/A	Y	N	®	G	P	P(A)	Y	(T)	Υ	N	₩)		Y	(g)	

G = Good (Acceptable)

Note: All repairs other than locks and grippers require Shell PM approval prior to repair.

All environmental wells and the remediation compound were in good condition, locked, and secured upon my departure (unless otherwise noted above).

WILLIAM WONLY BURNE TELL GENUES
Print or type Name of Field Personnel & Consultant Company

R = Replaced

P = Poor (needs attention) NL = No Lock Required

^{* =} Groundwater monitoring well covers must be painted and labeled in accordance with applicable regulations. Version 2.4, March 2008

APPENDIX B

TESTAMERICA LABORATORIES, INC. -ANALYTICAL REPORT



THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Irvine 17461 Derian Ave Suite 100

Irvine, CA 92614-5817 Tel: (949)261-1022

TestAmerica Job ID: 440-95445-1

Client Project/Site: 2703 MLK Jr. Way, Oakland, CA

For:

Conestoga-Rovers & Associates, Inc. 5900 Hollis Street Suite A Emeryville, California 94608

Attn: Peter Schaefer

Heather lack

Authorized for release by: 12/16/2014 11:56:31 AM

Heather Clark, Project Manager I (949)261-1022

heather.clark@testamericainc.com

.....LINKS

Review your project results through

Total Access

Have a Question?



Visit us at: www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	
Client Sample Results	5
Method Summary	11
Lab Chronicle	12
QC Sample Results	15
QC Association Summary	21
Definitions/Glossary	23
Certification Summary	24
Chain of Custody	25
Racaint Chacklists	27

4

O

8

9

10

12

Sample Summary

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

TestAmerica Job ID: 440-95445-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
440-95445-1	MW-4	Ground Water	12/01/14 13:20	12/05/14 10:00
440-95445-2	MW-5	Ground Water	12/01/14 14:00	12/05/14 10:00
440-95445-3	MW-6	Ground Water	12/01/14 12:20	12/05/14 10:00
440-95445-4	MW-7	Ground Water	12/01/14 12:35	12/05/14 10:00
440-95445-5	MW-8	Ground Water	12/01/14 13:45	12/05/14 10:00
440-95445-6	MW-9	Ground Water	12/01/14 12:25	12/05/14 10:00
440-95445-7	MW-10	Ground Water	12/01/14 12:10	12/05/14 10:00
440-95445-8	MW-11	Ground Water	12/01/14 12:15	12/05/14 10:00
440-95445-9	MW-14	Ground Water	12/01/14 13:25	12/05/14 10:00
440-95445-10	V-1	Ground Water	12/01/14 13:55	12/05/14 10:00
440-95445-11	V-2	Ground Water	12/01/14 14:10	12/05/14 10:00

4

5

_

8

9

10

Case Narrative

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

TestAmerica Job ID: 440-95445-1

Job ID: 440-95445-1

Laboratory: TestAmerica Irvine

Narrative

Job Narrative 440-95445-1

Comments

No additional comments.

Receipt

The samples were received on 12/5/2014 10:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 7 coolers at receipt time were 3.4° C, 3.5° C, 3.7° C, 4.0° C, 4.2° C, 4.4° C and 4.7° C.

GC/MS VOA

Method(s) 8260B/CA_LUFTMS: The Gasoline Range Organics (GRO) concentration reported for the following sample(s) is due to the presence of discrete peaks: MW-4 (440-95445-1), MW-6 (440-95445-3). Benzene

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

3

4

6

8

9

IU

4.6

TestAmerica Job ID: 440-95445-1

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Client Sample ID: MW-4

Lab Sample ID: 440-95445-1 Date Collected: 12/01/14 13:20 **Matrix: Ground Water**

Date Received: 12/05/14 10:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons	8500		1000		ug/L			12/09/14 18:13	20
(C4-C12)									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	99	-	76 - 132			=		12/09/14 18:13	20
4-Bromofluorobenzene (Surr)	97		80 - 120					12/09/14 18:13	20
Toluene-d8 (Surr)	101		80 - 128					12/09/14 18:13	20

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1400		10		ug/L			12/09/14 18:13	20
Isopropyl Ether (DIPE)	ND		10		ug/L			12/09/14 18:13	20
Ethyl-t-butyl ether (ETBE)	ND		10		ug/L			12/09/14 18:13	20
Ethylbenzene	33		10		ug/L			12/09/14 18:13	20
Methyl-t-Butyl Ether (MTBE)	ND		10		ug/L			12/09/14 18:13	20
Tert-amyl-methyl ether (TAME)	ND		10		ug/L			12/09/14 18:13	20
tert-Butyl alcohol (TBA)	ND		200		ug/L			12/09/14 18:13	20
Toluene	17		10		ug/L			12/09/14 18:13	20
Xylenes, Total	91		20		ug/L			12/09/14 18:13	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		80 - 120			-		12/09/14 18:13	20
Dibromofluoromethane (Surr)	99		76 - 132					12/09/14 18:13	20
Toluene-d8 (Surr)	101		80 - 128					12/09/14 18:13	20

Client Sample ID: MW-5 Lab Sample ID: 440-95445-2 Date Collected: 12/01/14 14:00 **Matrix: Ground Water**

Date Received: 12/05/14 10:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons	85000		5000		ug/L			12/09/14 02:23	100
(C4-C12)									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	104		76 - 132			-		12/09/14 02:23	100
4-Bromofluorobenzene (Surr)	109		80 - 120					12/09/14 02:23	100
Toluene-d8 (Surr)	110		80 - 128					12/09/14 02:23	100

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	4900		50		ug/L			12/09/14 02:23	100
Isopropyl Ether (DIPE)	ND		50		ug/L			12/09/14 02:23	100
Ethyl-t-butyl ether (ETBE)	ND		50		ug/L			12/09/14 02:23	100
Ethylbenzene	4700		50		ug/L			12/09/14 02:23	100
Methyl-t-Butyl Ether (MTBE)	ND		50		ug/L			12/09/14 02:23	100
Tert-amyl-methyl ether (TAME)	ND		50		ug/L			12/09/14 02:23	100
tert-Butyl alcohol (TBA)	ND		1000		ug/L			12/09/14 02:23	100
Toluene	4400		50		ug/L			12/09/14 02:23	100
Xylenes, Total	22000		100		ug/L			12/09/14 02:23	100

TestAmerica Irvine

Page 5 of 27

6

TestAmerica Job ID: 440-95445-1

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Lab Sample ID: 440-95445-2

Matrix: Ground Water

Date Collected: 12/01/14 14:00 Date Received: 12/05/14 10:00

Client Sample ID: MW-5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		80 - 120		12/09/14 02:23	100
Dibromofluoromethane (Surr)	104		76 - 132		12/09/14 02:23	100
Toluene-d8 (Surr)	110		80 - 128		12/09/14 02:23	100

Client Sample ID: MW-6 Lab Sample ID: 440-95445-3

Date Collected: 12/01/14 12:20 Matrix: Ground Water

Date Received: 12/05/14 10:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons	520		100		ug/L			12/09/14 17:45	2
(C4-C12)									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	99		76 - 132					12/09/14 17:45	2
4-Bromofluorobenzene (Surr)	99		80 - 120					12/09/14 17:45	2
Toluene-d8 (Surr)	104		80 ₋ 128					12/09/14 17:45	2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	110		1.0		ug/L			12/09/14 17:45	2
Isopropyl Ether (DIPE)	2.3		1.0		ug/L			12/09/14 17:45	2
Ethyl-t-butyl ether (ETBE)	ND		1.0		ug/L			12/09/14 17:45	2
Ethylbenzene	7.2		1.0		ug/L			12/09/14 17:45	2
Methyl-t-Butyl Ether (MTBE)	ND		1.0		ug/L			12/09/14 17:45	2
Tert-amyl-methyl ether (TAME)	ND		1.0		ug/L			12/09/14 17:45	2
tert-Butyl alcohol (TBA)	ND		20		ug/L			12/09/14 17:45	2
Toluene	5.8		1.0		ug/L			12/09/14 17:45	2
Xylenes, Total	46		2.0		ug/L			12/09/14 17:45	2
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		80 - 120			_		12/09/14 17:45	2
Dibromofluoromethane (Surr)	99		76 - 132					12/09/14 17:45	2
Toluene-d8 (Surr)	104		80 ₋ 128					12/09/14 17:45	2

Client Sample ID: MW-7 Lab Sample ID: 440-95445-4

Date Collected: 12/01/14 12:35

Date	Received:	12/05/14	10:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons	2900		500		ug/L			12/09/14 00:25	10
(C4-C12)									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
Dibromofluoromethane (Surr)	103		76 - 132			-		12/09/14 00:25	10
4-Bromofluorobenzene (Surr)	109		80 - 120					12/09/14 00:25	10
Toluene-d8 (Surr)	110		80 - 128					12/09/14 00:25	10
Method: 8260B - Volatile Orga	nic Compounds ((GC/MS)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	490		5.0		ug/L			12/09/14 00:25	10

TestAmerica Irvine

12/16/2014

Matrix: Ground Water

8

10

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA TestAmerica Job ID: 440-95445-1

Lab Sample ID: 440-95445-4

Matrix: Ground Water

Client Sample ID: MW-7 Date Collected: 12/01/14 12:35 Date Received: 12/05/14 10:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropyl Ether (DIPE)	ND		5.0		ug/L			12/09/14 00:25	10
Ethyl-t-butyl ether (ETBE)	ND		5.0		ug/L			12/09/14 00:25	10
Ethylbenzene	ND		5.0		ug/L			12/09/14 00:25	10
Methyl-t-Butyl Ether (MTBE)	ND		5.0		ug/L			12/09/14 00:25	10
Tert-amyl-methyl ether (TAME)	ND		5.0		ug/L			12/09/14 00:25	10
tert-Butyl alcohol (TBA)	ND		100		ug/L			12/09/14 00:25	10
Toluene	7.1		5.0		ug/L			12/09/14 00:25	10
Xylenes, Total	140		10		ug/L			12/09/14 00:25	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		80 - 120			_		12/09/14 00:25	10
Dibromofluoromethane (Surr)	103		76 - 132					12/09/14 00:25	10
Toluene-d8 (Surr)	110		80 - 128					12/09/14 00:25	10

Client Sample ID: MW-8 Lab Sample ID: 440-95445-5

Date Collected: 12/01/14 13:45 **Matrix: Ground Water**

Methyl-t-Butyl Ether (MTBE)

tert-Butyl alcohol (TBA)

Tert-amyl-methyl ether (TAME)

Date Received: 12/05/14 10:00									
Method: 8260B/CA_LUFTMS - V	_	-	•						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	6600		250		ug/L			12/08/14 23:55	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	104		76 - 132			_		12/08/14 23:55	5
4-Bromofluorobenzene (Surr)	111		80 - 120					12/08/14 23:55	5
Toluene-d8 (Surr)	108		80 - 128					12/08/14 23:55	5
– Method: 8260B - Volatile Organi	c Compounds	(GC/MS)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	92		2.5		ug/L			12/08/14 23:55	5
Isopropyl Ether (DIPE)	ND		2.5		ug/L			12/08/14 23:55	5
Ethyl-t-butyl ether (ETBE)	ND		2.5		ug/L			12/08/14 23:55	5
Ethylbenzene	2.9		2.5		ug/L			12/08/14 23:55	5

	•
12/08/14 23:55	5
d Analyzed	Dil Fac
12/08/14 23:55	5
12/08/14 23:55	5
12/08/14 23:55	5
	d Analyzed 12/08/14 23:55 12/08/14 23:55

2.5

2.5

50

ug/L

ug/L

ug/L

ND

ND

ND

TestAmerica Irvine

12/08/14 23:55

12/08/14 23:55

12/08/14 23:55

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA TestAmerica Job ID: 440-95445-1

Lab Sample ID: 440-95445-6

Client Sample ID: MW-9 Date Collected: 12/01/14 12:25 **Matrix: Ground Water**

Date Received: 12/05/14 10:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons	7700		500		ug/L			12/09/14 00:54	10
(C4-C12)									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	101		76 - 132			-		12/09/14 00:54	10
4-Bromofluorobenzene (Surr)	110		80 - 120					12/09/14 00:54	10
Toluene-d8 (Surr)	111		80 - 128					12/09/14 00:54	10
Method: 8260B - Volatile Orga Analyte		(GC/MS) Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Analyte	Result			MDL		D	Prepared	Analyzed	
Analyte Benzene	Result 17		5.0	MDL	ug/L	D	Prepared	12/09/14 00:54	Dil Fac
Analyte Benzene Ethylbenzene	Result 17 110		5.0 5.0	MDL	ug/L ug/L	D .	Prepared	12/09/14 00:54 12/09/14 00:54	10
Analyte Benzene	Result 17		5.0	MDL	ug/L	D	Prepared	12/09/14 00:54 12/09/14 00:54 12/09/14 00:54	10
Analyte Benzene Ethylbenzene	Result 17 110		5.0 5.0	MDL	ug/L ug/L	<u>D</u>	Prepared	12/09/14 00:54 12/09/14 00:54	10
Analyte Benzene Ethylbenzene Toluene Xylenes, Total	17 110 ND	Qualifier	5.0 5.0 5.0	MDL	ug/L ug/L ug/L	D .	Prepared Prepared	12/09/14 00:54 12/09/14 00:54 12/09/14 00:54	10 10 10
Analyte Benzene Ethylbenzene Toluene Xylenes, Total Surrogate	Result 17 110 ND 17	Qualifier	5.0 5.0 5.0 10	MDL	ug/L ug/L ug/L	D .	· · · · · · · · · · · · · · · · · · ·	12/09/14 00:54 12/09/14 00:54 12/09/14 00:54 12/09/14 00:54	10 10 10 10
Analyte Benzene Ethylbenzene Toluene	Result	Qualifier	5.0 5.0 5.0 10	MDL	ug/L ug/L ug/L	<u>D</u> .	· · · · · · · · · · · · · · · · · · ·	12/09/14 00:54 12/09/14 00:54 12/09/14 00:54 12/09/14 00:54 Analyzed	10 10 10 10 10

Client Sample ID: MW-10 Lab Sample ID: 440-95445-7

Date Collected: 12/01/14 12:10

Date Received: 12/05/14 10:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons	890		50		ug/L			12/08/14 22:25	1
(C4-C12)									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	100		76 - 132			-		12/08/14 22:25	1
4-Bromofluorobenzene (Surr)	106		80 - 120					12/08/14 22:25	1
Toluene-d8 (Surr)	110		80 - 128					12/08/14 22:25	1
					-				1
Benzene	1.3		0.50		ug/L			12/08/14 22:25	1
Ethylbenzene	8.8		0.50		ug/L			12/08/14 22:25	1
Toluene	ND		0.50		ug/L			12/08/14 22:25	1
Xylenes, Total	ND		1.0		ug/L			12/08/14 22:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		80 - 120			-		12/08/14 22:25	1
Dibromofluoromethane (Surr)	100		76 - 132					12/08/14 22:25	1
	110		80 ₋ 128					12/08/14 22:25	1

Matrix: Ground Water

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Method: 8260B - Volatile Organic Compounds (GC/MS)

TestAmerica Job ID: 440-95445-1

Lab Sample ID: 440-95445-8

Matrix: Ground Water

Date Collected: 12/01/14 12:15 Date Received: 12/05/14 10:00

Client Sample ID: MW-11

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ug/L			12/08/14 20:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	106		76 - 132			-		12/08/14 20:56	1
4-Bromofluorobenzene (Surr)	107		80 - 120					12/08/14 20:56	1
Toluene-d8 (Surr)	112		80 - 128					12/08/14 20:56	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			12/08/14 20:56	1
Ethylbenzene	ND		0.50		ug/L			12/08/14 20:56	1
Toluene	ND		0.50		ug/L			12/08/14 20:56	1
Xylenes, Total	ND		1.0		ug/L			12/08/14 20:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		80 - 120					12/08/14 20:56	1
Dibromofluoromethane (Surr)	106		76 - 132					12/08/14 20:56	1

Client Sample ID: MW-14 Lab Sample ID: 440-95445-9 Date Collected: 12/01/14 13:25 **Matrix: Ground Water**

80 - 128

112

102

Toluene-d8 (Surr)

Toluene-d8 (Surr)

Date Received: 12/05/14 10:00									
Method: 8260B/CA_LUFTMS -	Volatile Organic	Compound	s by GC/MS						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons (C4-C12)	36000		2000		ug/L			12/09/14 18:41	40
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	96		76 - 132			-		12/09/14 18:41	40
4-Bromofluorobenzene (Surr)	98		80 - 120					12/09/14 18:41	40
Toluene-d8 (Surr)	102		80 - 128					12/09/14 18:41	40
Method: 8260B - Volatile Orga	nic Compounds	(GC/MS)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1600		20		ug/L			12/09/14 18:41	40
Isopropyl Ether (DIPE)	ND		20		ug/L			12/09/14 18:41	40
								10/00/11 10 11	

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1600		20		ug/L			12/09/14 18:41	40
Isopropyl Ether (DIPE)	ND		20		ug/L			12/09/14 18:41	40
Ethyl-t-butyl ether (ETBE)	ND		20		ug/L			12/09/14 18:41	40
Ethylbenzene	2700		20		ug/L			12/09/14 18:41	40
Methyl-t-Butyl Ether (MTBE)	ND		20		ug/L			12/09/14 18:41	40
Tert-amyl-methyl ether (TAME)	ND		20		ug/L			12/09/14 18:41	40
tert-Butyl alcohol (TBA)	ND		400		ug/L			12/09/14 18:41	40
Toluene	24		20		ug/L			12/09/14 18:41	40
Xylenes, Total	700		40		ug/L			12/09/14 18:41	40
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		80 - 120			_		12/09/14 18:41	40
Dibromofluoromethane (Surr)	96		76 ₋ 132					12/09/14 18:41	40

TestAmerica Irvine

12/09/14 18:41

80 - 128

12/08/14 20:56

TestAmerica Job ID: 440-95445-1

12/08/14 22:55

Matrix: Ground Water

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Lab Sample ID: 440-95445-10

Client Sample ID: V-1 Date Collected: 12/01/14 13:55 **Matrix: Ground Water** Date Received: 12/05/14 10:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons	50		50		ug/L			12/08/14 22:55	1
(C4-C12)									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	104		76 - 132			-		12/08/14 22:55	1
4-Bromofluorobenzene (Surr)	110		80 - 120					12/08/14 22:55	1
Toluene-d8 (Surr)	111		80 ₋ 128					12/08/14 22:55	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			12/08/14 22:55	1
Isopropyl Ether (DIPE)	ND		0.50		ug/L			12/08/14 22:55	1
Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			12/08/14 22:55	1
Ethylbenzene	ND		0.50		ug/L			12/08/14 22:55	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50		ug/L			12/08/14 22:55	1
Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			12/08/14 22:55	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			12/08/14 22:55	1
Toluene	ND		0.50		ug/L			12/08/14 22:55	1
Xylenes, Total	ND		1.0		ug/L			12/08/14 22:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		80 - 120			=		12/08/14 22:55	1
Dibromofluoromethane (Surr)	104		76 - 132					12/08/14 22:55	1

Client Sample ID: V-2 Lab Sample ID: 440-95445-11

80 - 128

111

104

110

Date Collected: 12/01/14 14:10

Dibromofluoromethane (Surr)

Toluene-d8 (Surr)

Toluene-d8 (Surr)

Date Received: 12/05/14 10:00

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Volatile Fuel Hydrocarbons	42000		2500		ug/L			12/09/14 01:54	50
(C4-C12)									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	104		76 - 132			-		12/09/14 01:54	50
4-Bromofluorobenzene (Surr)	110		80 - 120					12/09/14 01:54	50
Toluene-d8 (Surr)	110		80 - 128					12/09/14 01:54	50
·		(GC/MS)	00 - 120					720077701.07	00
Method: 8260B - Volatile Orga	nic Compounds (•		MDI	Unit	D	Propared		
Method: 8260B - Volatile Orga Analyte	nic Compounds (GC/MS) Qualifier	RL	MDL		<u>D</u> .	Prepared	Analyzed	Dil Fac
Method: 8260B - Volatile Orga Analyte Benzene	nnic Compounds (Result 470	•		MDL	ug/L	<u>D</u> -	Prepared		
Method: 8260B - Volatile Orga Analyte Benzene	nic Compounds (•	RL25	MDL		<u>D</u> _	Prepared	Analyzed 12/09/14 01:54	Dil Fac
Method: 8260B - Volatile Orga Analyte Benzene Ethylbenzene Toluene	Result 470 3900	•	RL2525	MDL	ug/L ug/L	D -	Prepared	Analyzed 12/09/14 01:54 12/09/14 01:54	Dil Fac 50 50
Method: 8260B - Volatile Orga Analyte Benzene Ethylbenzene	rnic Compounds (Qualifier	RL 25 25 25	MDL	ug/L ug/L ug/L	<u>D</u> .	Prepared Prepared	Analyzed 12/09/14 01:54 12/09/14 01:54 12/09/14 01:54	50 50 50

TestAmerica Irvine

50

50

12/09/14 01:54

12/09/14 01:54

76 - 132

80 - 128

Method Summary

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

TestAmerica Job ID: 440-95445-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL IRV
8260B/CA_LUFTM S	Volatile Organic Compounds by GC/MS	SW846	TAL IRV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

3

4

5

7

8

9

11

12

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Lab Sample ID: 440-95445-1

Matrix: Ground Water

Client Sample ID: MW-4
Date Collected: 12/01/14 13:20
Date Received: 12/05/14 10:00

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		20	10 mL	10 mL	223372	12/09/14 18:13	AL	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTM S		20	10 mL	10 mL	223373	12/09/14 18:13	AL	TAL IRV

Client Sample ID: MW-5 Lab Sample ID: 440-95445-2

Date Collected: 12/01/14 14:00 Matrix: Ground Water

Date Received: 12/05/14 10:00

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	· 	100	10 mL	10 mL	223287	12/09/14 02:23	WK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTM S		100	10 mL	10 mL	223288	12/09/14 02:23	MP	TAL IRV

Client Sample ID: MW-6 Lab Sample ID: 440-95445-3

Date Collected: 12/01/14 12:20 Matrix: Ground Water

Date Received: 12/05/14 10:00

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2	10 mL	10 mL	223372	12/09/14 17:45	AL	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTM		2	10 mL	10 mL	223373	12/09/14 17:45	AL	TAL IRV

Client Sample ID: MW-7 Lab Sample ID: 440-95445-4

Date Collected: 12/01/14 12:35 Matrix: Ground Water
Date Received: 12/05/14 10:00

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	10 mL	10 mL	223287	12/09/14 00:25	WK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTM S		10	10 mL	10 mL	223288	12/09/14 00:25	MP	TAL IRV

Client Sample ID: MW-8 Lab Sample ID: 440-95445-5

Date Collected: 12/01/14 13:45 Date Received: 12/05/14 10:00

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		5	10 mL	10 mL	223287	12/08/14 23:55	WK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTM		5	10 mL	10 mL	223288	12/08/14 23:55	MP	TAL IRV

TestAmerica Irvine

Matrix: Ground Water

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Client Sample ID: MW-9 Lab Sample ID: 440-95445-6 Date Collected: 12/01/14 12:25

Matrix: Ground Water

Date Received: 12/05/14 10:00

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	- 	10	10 mL	10 mL	223287	12/09/14 00:54	WK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTM		10	10 mL	10 mL	223288	12/09/14 00:54	MP	TAL IRV
		S								

Client Sample ID: MW-10 Lab Sample ID: 440-95445-7

Date Collected: 12/01/14 12:10 **Matrix: Ground Water**

Date Received: 12/05/14 10:00

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	223287	12/08/14 22:25	WK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTM S		1	10 mL	10 mL	223288	12/08/14 22:25	MP	TAL IRV

Client Sample ID: MW-11 Lab Sample ID: 440-95445-8

Date Collected: 12/01/14 12:15 **Matrix: Ground Water**

Date Received: 12/05/14 10:00

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	223287	12/08/14 20:56	WK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTM		1	10 mL	10 mL	223288	12/08/14 20:56	MP	TAL IRV

Client Sample ID: MW-14 Lab Sample ID: 440-95445-9 **Matrix: Ground Water**

Date Collected: 12/01/14 13:25 Date Received: 12/05/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		40	10 mL	10 mL	223372	12/09/14 18:41	AL	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTM		40	10 mL	10 mL	223373	12/09/14 18:41	AL	TAL IRV

Client Sample ID: V-1 Lab Sample ID: 440-95445-10

Date Collected: 12/01/14 13:55 Date Received: 12/05/14 10:00

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	10 mL	10 mL	223287	12/08/14 22:55	WK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTM		1	10 mL	10 mL	223288	12/08/14 22:55	MP	TAL IRV

TestAmerica Irvine

Matrix: Ground Water

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

TestAmerica Job ID: 440-95445-1

Lab Sample ID: 440-95445-11

Matrix: Ground Water

Date Collected: 12/01/14 14:10 Date Received: 12/05/14 10:00

Client Sample ID: V-2

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		50	10 mL	10 mL	223287	12/09/14 01:54	WK	TAL IRV
Total/NA	Analysis	8260B/CA_LUFTM		50	10 mL	10 mL	223288	12/09/14 01:54	MP	TAL IRV

Laboratory References:

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

3

5

0

9

11

12

1:

TestAmerica Job ID: 440-95445-1

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 440-223287/4

Matrix: Water

Analysis Batch: 223287

Client Sample ID: Method Blank

Prep Type: Total/NA

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.50		ug/L			12/08/14 19:27	1
Isopropyl Ether (DIPE)	ND		0.50		ug/L			12/08/14 19:27	1
Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			12/08/14 19:27	1
Ethylbenzene	ND		0.50		ug/L			12/08/14 19:27	1
Methyl-t-Butyl Ether (MTBE)	ND		0.50		ug/L			12/08/14 19:27	1
Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			12/08/14 19:27	1
tert-Butyl alcohol (TBA)	ND		10		ug/L			12/08/14 19:27	1
Toluene	ND		0.50		ug/L			12/08/14 19:27	1
Xylenes, Total	ND		1.0		ug/L			12/08/14 19:27	1

мв мв

Surrogate	%Recovery Qualifier	Limits		Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111	80 - 120	_		12/08/14 19:27	1
Dibromofluoromethane (Surr)	105	76 - 132			12/08/14 19:27	1
Toluene-d8 (Surr)	112	80 - 128			12/08/14 19:27	1

Lab Sample ID: LCS 440-223287/5

Matrix: Water

Analysis Batch: 223287

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	25.0	25.4		ug/L		101	68 - 130	
Isopropyl Ether (DIPE)	25.0	27.2		ug/L		109	58 - 139	
Ethyl-t-butyl ether (ETBE)	25.0	24.6		ug/L		98	60 - 136	
Ethylbenzene	25.0	25.8		ug/L		103	70 - 130	
m,p-Xylene	25.0	26.7		ug/L		107	70 - 130	
Methyl-t-Butyl Ether (MTBE)	25.0	25.7		ug/L		103	63 - 131	
o-Xylene	25.0	25.4		ug/L		102	70 - 130	
Tert-amyl-methyl ether (TAME)	25.0	23.3		ug/L		93	57 ₋ 139	
tert-Butyl alcohol (TBA)	250	276		ug/L		111	70 - 130	
Toluene	25.0	25.8		ug/L		103	70 - 130	

LCS LCS

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	117	80 - 120
Dibromofluoromethane (Surr)	106	76 - 132
Toluene-d8 (Surr)	108	80 - 128

Lab Sample ID: 440-95445-8 MS

Matrix: Ground Water Analysis Batch: 223287

Client Sample ID: MW	-11
Prep Type: Total	NA

	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	ND		25.0	25.1		ug/L		100	66 - 130	
Isopropyl Ether (DIPE)	ND		25.0	27.2		ug/L		109	64 - 138	
Ethyl-t-butyl ether (ETBE)	ND		25.0	24.1		ug/L		96	70 - 130	
Ethylbenzene	ND		25.0	27.1		ug/L		109	70 - 130	
m,p-Xylene	ND		25.0	28.3		ug/L		113	70 - 133	
Methyl-t-Butyl Ether (MTBE)	ND		25.0	24.7		ug/L		99	70 - 130	

TestAmerica Job ID: 440-95445-1

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-95445-8 MS

Matrix: Ground Water Analysis Batch: 223287 Client Sample ID: MW-11 Prep Type: Total/NA

	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
o-Xylene	ND		25.0	27.3		ug/L		109	70 - 133	
Tert-amyl-methyl ether (TAME)	ND		25.0	23.3		ug/L		93	68 - 133	
tert-Butyl alcohol (TBA)	ND		250	283		ug/L		113	70 - 130	
Toluene	ND		25.0	27.2		ug/L		109	70 - 130	

MS MS %Recovery Qualifier Surrogate Limits 4-Bromofluorobenzene (Surr) 80 - 120 111 Dibromofluoromethane (Surr) 106 76 - 132 Toluene-d8 (Surr) 112 80 - 128

Client Sample ID: MW-11

Prep Type: Total/NA

Matrix: Ground Water Analysis Batch: 223287

Lab Sample ID: 440-95445-8 MSD

Analysis Daton, 220201											
	Sample S	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result (Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	ND		25.0	25.7		ug/L		103	66 - 130	3	20
Isopropyl Ether (DIPE)	ND		25.0	28.1		ug/L		112	64 - 138	3	25
Ethyl-t-butyl ether (ETBE)	ND		25.0	24.5		ug/L		98	70 - 130	1	25
Ethylbenzene	ND		25.0	26.2		ug/L		105	70 - 130	3	20
m,p-Xylene	ND		25.0	27.3		ug/L		109	70 - 133	4	25
Methyl-t-Butyl Ether (MTBE)	ND		25.0	25.1		ug/L		100	70 - 130	2	25
o-Xylene	ND		25.0	26.3		ug/L		105	70 - 133	4	20
Tert-amyl-methyl ether (TAME)	ND		25.0	23.2		ug/L		93	68 - 133	1	30
tert-Butyl alcohol (TBA)	ND		250	288		ug/L		115	70 - 130	2	25
Toluene	ND		25.0	26.6		ug/L		106	70 - 130	2	20

	MSD MSD	
Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	113	80 - 120
Dibromofluoromethane (Surr)	103	76 - 132
Toluene-d8 (Surr)	110	80 - 128

Lab Sample ID: MB 440-223372/4 Client Sample ID: Method Blank **Matrix: Water** Prep Type: Total/NA

Analysis Batch: 223372

l		MB	MB							
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Benzene	ND		0.50		ug/L			12/09/14 09:50	1
	Isopropyl Ether (DIPE)	ND		0.50		ug/L			12/09/14 09:50	1
ı	Ethyl-t-butyl ether (ETBE)	ND		0.50		ug/L			12/09/14 09:50	1
I	Ethylbenzene	ND		0.50		ug/L			12/09/14 09:50	1
ı	Methyl-t-Butyl Ether (MTBE)	ND		0.50		ug/L			12/09/14 09:50	1
ı	Tert-amyl-methyl ether (TAME)	ND		0.50		ug/L			12/09/14 09:50	1
ı	tert-Butyl alcohol (TBA)	ND		10		ug/L			12/09/14 09:50	1
ı	Toluene	ND		0.50		ug/L			12/09/14 09:50	1
	Xylenes, Total	ND		1.0		ug/L			12/09/14 09:50	1

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA TestAmerica Job ID: 440-95445-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 440-223372/4

Lab Sample ID: LCS 440-223372/5

Matrix: Water

Analysis Batch: 223372

Client Sample ID: Method Blank Prep Type: Total/NA

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		80 - 120		12/09/14 09:50	1
Dibromofluoromethane (Surr)	97		76 - 132		12/09/14 09:50	1
Toluene-d8 (Surr)	103		80 - 128		12/09/14 09:50	1

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Matrix: Water

Analysis Batch: 223372

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	25.0	24.5		ug/L		98	68 - 130	
Isopropyl Ether (DIPE)	25.0	25.6		ug/L		102	58 ₋ 139	
Ethyl-t-butyl ether (ETBE)	25.0	25.4		ug/L		101	60 - 136	
Ethylbenzene	25.0	25.0		ug/L		100	70 - 130	
m,p-Xylene	25.0	24.9		ug/L		100	70 - 130	
Methyl-t-Butyl Ether (MTBE)	25.0	23.8		ug/L		95	63 ₋ 131	
o-Xylene	25.0	25.5		ug/L		102	70 - 130	
Tert-amyl-methyl ether (TAME)	25.0	24.8		ug/L		99	57 ₋ 139	
tert-Butyl alcohol (TBA)	250	257		ug/L		103	70 - 130	
Toluene	25.0	25.1		ug/L		100	70 - 130	

LCS LCS

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	95	80 - 120
Dibromofluoromethane (Surr)	95	76 - 132
Toluene-d8 (Surr)	99	80 - 128

Lab Sample ID: 440-95450-B-16 MS

Matrix: Water

Analysis Batch: 223372

Client Sample ID: Matrix Spike

Prep Type: Total/NA

-	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	ND		25.0	24.8	-	ug/L		99	66 - 130	
Isopropyl Ether (DIPE)	ND		25.0	25.4		ug/L		101	64 - 138	
Ethyl-t-butyl ether (ETBE)	ND		25.0	24.8		ug/L		99	70 - 130	
Ethylbenzene	ND		25.0	25.2		ug/L		101	70 - 130	
m,p-Xylene	ND		25.0	24.9		ug/L		100	70 - 133	
Methyl-t-Butyl Ether (MTBE)	2.7		25.0	26.4		ug/L		95	70 - 130	
o-Xylene	ND		25.0	25.9		ug/L		104	70 - 133	
Tert-amyl-methyl ether (TAME)	ND		25.0	24.2		ug/L		97	68 - 133	
tert-Butyl alcohol (TBA)	12	ID	250	284		ug/L		109	70 - 130	
Toluene	ND		25.0	25.2		ug/L		101	70 - 130	

MS MS

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	96	80 - 120
Dibromofluoromethane (Surr)	98	76 - 132
Toluene-d8 (Surr)	98	80 - 128

TestAmerica Job ID: 440-95445-1

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Sample Sample Result Qualifier

ND

Lab Sample ID: 440-95450-B-16 MSD **Matrix: Water**

Analysis Batch: 223372

Analyte

Benzene

Client Sample ID: Matrix Spike Duplicate Prep Type: Total/NA

%Rec. RPD RPD %Rec Limits Limit Unit ug/L 99 66 - 130 0 20 99 64 - 138 2 25 100 70 - 130 25 102 70 - 130 20 101 70 - 133 25 93 70 - 130 25 103 70 - 133 20

Client Sample ID: Method Blank

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Type: Total/NA

ug/L Isopropyl Ether (DIPE) ND 25.0 24.9 ND Ethyl-t-butyl ether (ETBE) 25.0 25.0 ug/L ND Ethylbenzene 25.0 25.4 ug/L m,p-Xylene ND 25.0 25.3 ug/L Methyl-t-Butyl Ether (MTBE) 2.7 25.0 25.8 ug/L ND 25.0 25.8 o-Xylene ug/L ND 68 - 133 30 Tert-amyl-methyl ether (TAME) 25.0 24.1 ug/L 96 25 tert-Butyl alcohol (TBA) 250 297 114 70 - 130 12 ID ug/L 5 Toluene ND 25.0 25.3 ug/L 101 70 - 130 MSD MSD

MSD MSD

24.8

Result Qualifier

Spike

babbA

25.0

Surrogate %Recovery Qualifier Limits 80 - 120 4-Bromofluorobenzene (Surr) 93 Dibromofluoromethane (Surr) 97 76 - 132 99 80 - 128 Toluene-d8 (Surr)

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 440-223288/4

Matrix: Water

Analysis Batch: 223288

MB MB

Analyte Result Qualifier RL MDL Unit Dil Fac D Prepared Analyzed 50 12/08/14 19:27 Volatile Fuel Hydrocarbons (C4-C12) ND ug/L

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	105		76 - 132		12/08/14 19:27	1
4-Bromofluorobenzene (Surr)	111		80 - 120		12/08/14 19:27	1
Toluene-d8 (Surr)	112		80 - 128		12/08/14 19:27	1

Lab Sample ID: LCS 440-223288/6

Matrix: Water

Analysis Batch: 223288

	Spike	LCS	LCS			%Rec.
Analyte	Added	Result	Qualifier Unit	: D	%Rec	Limits
Volatile Fuel Hydrocarbons	500	426	ug/L		85	55 _ 130

(C4-C12)

	LCS LCS			
Surrogate	%Recovery Qualifier	Limits		
Dibromofluoromethane (Surr)	104	76 - 132		
4-Bromofluorobenzene (Surr)	108	80 - 120		
Toluene de (Surr)	110	gn 12g		

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 440-95445-8 MS Client Sample ID: MW-11 **Matrix: Ground Water** Prep Type: Total/NA

Analysis Batch: 223288

	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Volatile Fuel Hydrocarbons	ND		1730	1880		ug/L		107	50 - 145	

(C4-C12)

MS MS	3
%Recovery Qu	ialifier Limits
106	76 - 132
111	80 - 120
112	80 - 128
	%Recovery Qu 106

Lab Sample ID: 440-95445-8 MSD Client Sample ID: MW-11 **Matrix: Ground Water** Prep Type: Total/NA

Analysis Batch: 223288

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Volatile Fuel Hydrocarbons	ND		1730	1900		ug/L		108	50 - 145	1	20

(C4-C12)

	พรบ พรเ	,	
Surrogate	%Recovery Qua	lifier	Limits
Dibromofluoromethane (Surr)	103		76 - 132
4-Bromofluorobenzene (Surr)	113		80 - 120
Toluene-d8 (Surr)	110		80 - 128

Lab Sample ID: MB 440-223373/4 Client Sample ID: Method Blank Prep Type: Total/NA

Matrix: Water

Analysis Batch: 223373

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Volatile Fuel Hydrocarbons (C4-C12)	ND		50		ua/L			12/09/14 09:50	1	

MB MB Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac Dibromofluoromethane (Surr) 97 76 - 132 12/09/14 09:50 4-Bromofluorobenzene (Surr) 97 80 - 120 12/09/14 09:50 Toluene-d8 (Surr) 80 - 128 12/09/14 09:50 103

Analysis Batch: 223373

Lab Sample ID: LCS 440-223373/6	Client Sample ID: Lab Control Sample
Matrix: Water	Prep Type: Total/NA

LCS LCS Spike %Rec. Analyte Added Result Qualifier Unit Limits 500 104 522 ug/L 55 - 130 Volatile Fuel Hydrocarbons

(C4-C12)

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	96		76 - 132
4-Bromofluorobenzene (Surr)	99		80 - 120
Toluene-d8 (Surr)	102		80 - 128

TestAmerica Job ID: 440-95445-1

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Me Me

Lab Sample ID: 440-95450-B-16 MS Client Sample ID: Matrix Spike **Matrix: Water** Prep Type: Total/NA

Analysis Batch: 223373

	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Volatile Fuel Hydrocarbons	ND		1730	1950		ug/L		111	50 - 145	
(C4-C12)										

	III 3	INIO	
Surrogate	%Recovery	Qualifier	Limits
Dibromofluoromethane (Surr)	98		76 - 132
4-Bromofluorobenzene (Surr)	96		80 - 120
Toluene-d8 (Surr)	98		80 - 128

Lab Sample ID: 440-95450-B-16 MSD Client Sample ID: Matrix Spike Duplicate **Matrix: Water** Prep Type: Total/NA

Analysis Batch: 223373

-	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Volatile Fuel Hydrocarbons	ND		1730	1950		ug/L		111	50 - 145	0	20
(C4-C12)											

MSD MSD Limits Surrogate %Recovery Qualifier Dibromofluoromethane (Surr) 76 - 132 97 4-Bromofluorobenzene (Surr) 93 80 - 120 Toluene-d8 (Surr) 99 80 - 128

TestAmerica Job ID: 440-95445-1

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

GC/MS VOA

Analysis Batch: 223287

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-95445-2	MW-5	Total/NA	Ground Water	8260B	
440-95445-4	MW-7	Total/NA	Ground Water	8260B	
440-95445-5	MW-8	Total/NA	Ground Water	8260B	
440-95445-6	MW-9	Total/NA	Ground Water	8260B	
440-95445-7	MW-10	Total/NA	Ground Water	8260B	
440-95445-8	MW-11	Total/NA	Ground Water	8260B	
440-95445-8 MS	MW-11	Total/NA	Ground Water	8260B	
440-95445-8 MSD	MW-11	Total/NA	Ground Water	8260B	
440-95445-10	V-1	Total/NA	Ground Water	8260B	
440-95445-11	V-2	Total/NA	Ground Water	8260B	
LCS 440-223287/5	Lab Control Sample	Total/NA	Water	8260B	
MB 440-223287/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 223288

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
440-95445-2	MW-5	Total/NA	Ground Water	8260B/CA_LUFT	
				MS	
440-95445-4	MW-7	Total/NA	Ground Water	8260B/CA_LUFT	
				MS	
440-95445-5	MW-8	Total/NA	Ground Water	8260B/CA_LUFT	
				MS	
440-95445-6	MW-9	Total/NA	Ground Water	8260B/CA_LUFT	
		T		MS	
440-95445-7	MW-10	Total/NA	Ground Water	8260B/CA_LUFT	
440-95445-8	MW-11	Total/NA	Ground Water	MS	
440-90440-0	IVIVV- I I	TOTALINA	Ground Water	8260B/CA_LUFT MS	
440-95445-8 MS	MW-11	Total/NA	Ground Water	8260B/CA LUFT	
110 00 110 0 MIC		rotan v	Ground Water	MS	
440-95445-8 MSD	MW-11	Total/NA	Ground Water	8260B/CA LUFT	
				MS	
440-95445-10	V-1	Total/NA	Ground Water	8260B/CA LUFT	
				MS	
440-95445-11	V-2	Total/NA	Ground Water	8260B/CA_LUFT	
				MS	
LCS 440-223288/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT	
				MS	
MB 440-223288/4	Method Blank	Total/NA	Water	8260B/CA_LUFT	
				MS	

Analysis Batch: 223372

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-95445-1	MW-4	Total/NA	Ground Water	8260B	_
440-95445-3	MW-6	Total/NA	Ground Water	8260B	
440-95445-9	MW-14	Total/NA	Ground Water	8260B	
440-95450-B-16 MS	Matrix Spike	Total/NA	Water	8260B	
440-95450-B-16 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B	
LCS 440-223372/5	Lab Control Sample	Total/NA	Water	8260B	
MB 440-223372/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 223373

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-95445-1	MW-4	Total/NA	Ground Water	8260B/CA_LUFT	
				MS	

TestAmerica Irvine

Page 21 of 27

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

TestAmerica Job ID: 440-95445-1

GC/MS VOA (Continued)

Analysis Batch: 223373 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-95445-3	MW-6	Total/NA	Ground Water	8260B/CA_LUFT	
				MS	
440-95445-9	MW-14	Total/NA	Ground Water	8260B/CA_LUFT	
				MS	
440-95450-B-16 MS	Matrix Spike	Total/NA	Water	8260B/CA_LUFT	
				MS	
440-95450-B-16 MSD	Matrix Spike Duplicate	Total/NA	Water	8260B/CA_LUFT	
				MS	
LCS 440-223373/6	Lab Control Sample	Total/NA	Water	8260B/CA_LUFT	
				MS	
MB 440-223373/4	Method Blank	Total/NA	Water	8260B/CA_LUFT	
				MS	

7

8

9

1 ∩

11

12

Definitions/Glossary

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

TestAmerica Job ID: 440-95445-1

Glossary

These commonly used abbreviations may or may not be present in this report.
Listed under the "D" column to designate that the result is reported on a dry weight basis
Percent Recovery
Contains Free Liquid
Contains no Free Liquid
Duplicate error ratio (normalized absolute difference)
Dilution Factor
Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
Decision level concentration
Minimum detectable activity
Estimated Detection Limit
Minimum detectable concentration
Method Detection Limit
Minimum Level (Dioxin)
Not Calculated
Not detected at the reporting limit (or MDL or EDL if shown)
Practical Quantitation Limit
Quality Control
Relative error ratio
Reporting Limit or Requested Limit (Radiochemistry)
Relative Percent Difference, a measure of the relative difference between two points
Toxicity Equivalent Factor (Dioxin)
Toxicity Equivalent Quotient (Dioxin)

4

Л

0

9

10

11

12

Certification Summary

Client: Conestoga-Rovers & Associates, Inc. Project/Site: 2703 MLK Jr. Way, Oakland, CA

TestAmerica Job ID: 440-95445-1

Laboratory: TestAmerica Irvine

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date		
Alaska	State Program	10	CA01531	06-30-15		
Arizona	State Program	9	AZ0671	10-13-15		
California	LA Cty Sanitation Districts	9	10256	01-31-15		
California	State Program	9	2706	06-30-16		
Guam	State Program	9	Cert. No. 12.002r	01-23-15		
Hawaii	State Program	9	N/A	01-29-15 *		
Nevada	State Program	9	CA015312007A	07-31-15		
New Mexico	State Program	6	N/A	01-29-15		
Northern Mariana Islands	State Program	9	MP0002	01-29-15		
Oregon	NELAP	10	4005	01-29-15		
USDA	Federal		P330-09-00080	06-06-15		
USEPA UCMR	Federal	1	CA01531	01-31-15		

5

0

9

10

11

12

^{*} Certification renewal pending - certification considered valid.

_		LAB (LOCAT	ION)				-				?		She	ll Oil	Pro	du	ıcts	C	hai	in (Of (Cus	sto	dy	Re	core	Ŀ							
_	SCIENCE)			Please	Check	App	propri	ate Bo	ox;			Print	t Bill	То С	onta	ct N	ame;				Ī	INC	DENT	# (El	VV S	ERV	/ICES) 🗆	CHECK IF NO INC	DENT # A	PPLIES
	NCO (<u> </u>			ENV. 56	RVICES]	Ĺ	ТОМ	TVA RET	AIL	ا ل	☐ SHEU	LRETAIL	1			24078	51 Pe	ter Sci	aefe			1	9	7 0	9	3	3	9 7	7	DATE 12	بلكا	4_
_		CA (IRVINE)			□ мотту/	A SDRCM		[]	Z CON	SULTAN	r		LV8E	5					PC) #							SAI	#				PAGE:	of.	2
_	HER (SHELL P	PIPELINE]			OTHER .					П	\neg	\top	\Box	T	丁	Ţ	T	Τ_	$\lceil \rceil$		1	2	9	4	4 9	9	PAGE	• .	
1	COMPANY									ÇOCÊ.						_	is. Stree		-				<u>-</u>	- 1	tate			AL EDNO						
Blaine Tech Services BTSS												2703 Martin Luther King Jr. Way, Oakland CA T0600101876 BDF DELIVERABLE TO (Name Company, Office Longian): [PHONE NO. EAMAL CONSULTANT PROJECT NO.]																						
1680 Rogers Avenue, San Jose, CA PRICLECT CONTACT (Particlopy of PDF Report to).												Brenda Carter, CRA, Emeryville, CA 510-420-3343 Shell-EDF@CRAWorld.com 240781-95-11.02 Shell-US-LabDataManagement@CRAworld.com																						
Lorin		(Hardsopy of PDF Repo	i to).												SAMPL	LER NAM	IE(S) (Prin	Ď,	1 1	516	la.					<u> She</u>	III-UŞ-I	abDa	Raivia			E ONLY		
TELEPH	ONE	4455 x 108	PAX	(310) 637-5	802	E-MAD_		Ik	ino@l	blainete	ch,com	,			」 认	٤١٨	NO					G.,	ec.											
		TIME (CALENDAR				<u> </u>				WONE DRACHENBERS											STED	TED ANALYSIS												
 	_	14 DAY) 5	DAYS	☐ 3 DAYS	2 DAY	rs _	24 HOURS		\downarrow												STED ANALYSIS													
-		REPORT FORMAT		UST AGENCY	<u> </u>								E APPLIES		4 1	- 1				ĺ	(8250B)	1		1 1	ľ	1	1	Ì	il	-	1	TEMPERA	TURE O	N RECEIPT
		NSTRUCTIONS and the "CRA E		OTES: file EDD" to the (CRA Website	9				_			E APPLIES IT RATE AI				-	.	Ä,	·	8	il				ļ						4.8/4.6	2	
(http://	cratabe	idupload.crawo	id com/i	equis/default.asp	px) and/or se	and it to the S		Meadad		□ £00	NOT NEE	DED			1 1		-	- }	DIPE, TAME,	.	}		1				1	} }	1	į	- }	5.2/4		
the E0	D by in	duding "EDD U	ploaded	n emall folder to CRA website	" in the body	of the email	used to de		ı	✓ RECE	IPT VERI	FICATIO	N REQUES	TED		اء	Ì						1		'							43/3	5	JR-64
final F	DF rep	ort to the Shelf-I	JS-Labi:	ataManagemen	it@CRAwork	d com email f	older.								8	916N] {	TBA (8260B) (MTBE, TBA,	1												4.5/3		7127
Сору	final re	ort to Shell.L	b.Billn	g@craworld.co om, and pscha	om, ShellED	F@craworld	.com,She	:II-U\$-							(82) e (8	ã	6	1 (82 BE, 1	· [📠	. [[{ {			ĺ		1 1			5.94	2	
т		o Shall.Lab.Billi			SISI & CKAN	oria.com		Matrix	Code	s - WG	(ground	dwater).	WS (sur	rface water)	Purgeable (8260B)	Extractable (8015M)	(B)S(B)	070	+ TBA (8260B) s (MTBE, TBA,	9260	į	ˈl		_	<u>a</u>	1						5.94 5.5/A	: ->	
														mp Slank)	\ \rightarrow \rig			ğ ş	≝∣≿		1 2	188	🕳	2608	8015	-	1	} }		- }		12/2	7,	
1			S	AMPLE ID		, _	Γ	Ĕ	Т		PRESER	VATIVE		NO OF	7 &	ğ §			+ MI	826 Full	5	8	88 88	<u>8</u>	100						1	42/3	-	
LAB	1	PROJECT NUME	ER	DATE (MMDDYY)	SAMPLER INITIALS	WELL ID	TIME	MATRIX	1		}	l	ĺ	CONT.	TPH-GRO,	TPH-DRO,	BIEX (8260B)	<u> </u>	BTEX + MTBE BTEX + 6 OXY	ETBE) 8260B VOCs Full list (8260B)	Single Compound	1,2 DCA (8260B)	EOB (8260B)	Elhanol (8260B)	Methanol (8015B)	- }	}			,			ainer PID "aborator	Readings ry Notes
ONLY	_	.1			ND		 	10.1	_	L HNO3	HZSO4	NONE	OTHER		-	<u> </u>	<u> </u>	•		- -	1 60	+	ш		≥				\vdash	\dashv	+	+		
<u> </u>	WG -	141201-	wi t	2014.	-	mw-4	J• —	W	4		 	<u> </u>	 	3	~	_	_		<u> </u>		┿	+-	1-	\vdash	+	-		-	\vdash	-+		 -		
<u> </u>	١.		4		_ N D	_ MW-5	1400	$\perp \downarrow$			<u> </u>	<u> </u>	 	3	X	-	4		-	<u>< </u>	4	╀-	1-		_	4	-		\dashv		\dashv	 		
<u></u>	<u> </u>				_ ND	- Mr-6	1220			<u> </u>		<u> </u>	<u> </u>	3	X				;	K _		<u> </u>	L						\sqcup			<u> </u>		
L	1				ND	Wm -, 5	1235					<u> </u>	L_	<u> 3_</u>	1					0	L								Ц		\perp	<u> </u>		
, -		\	_		200	Mw-8	1345	1					1	13	100				×	2									. 1	1				
			丁		_ww	- prus -9	1225	1		Ţ		1	\Box	13	P	3	X				T	Γ	Π			-			AT LITTE	mnuu	A 10 10 (K)	NIME COLUMNIA DE	IIIII	
	1		十		WN	Wm-10	100	1	┰	12		ļ ·	1	3	0	7				1	\top	1				. [41111			₹.~
<u> </u>	H	-	╅					+	╈	+	<u> </u>	<u> </u>	-	13	اص	_		_	+		十	┼	+	\vdash	\dashv	-			11111		///////			
<u>-</u>	┷			 -	_ ww	ורשת	1213	 	4		<u> </u>	<u></u>		 	4-+		4	-	+		+				_	.	1111111		}	11111111		TIIN		
-	 		_	+		- Polon 10	┼	┾╼╂╌	+-	+				13	0	}	ζ_	-	_	1	T	╁-	 _		⇉	. 4	140-9	5445	5 Ch	ain of	f Cus	stody		
	J	+		Į.	inm	MW-14	1325	1						3	90		\top		×			$\overline{}$		$\lceil \rceil$	\Box	· _T -	1		Γ	- Ţ-	\neg	T		_
Reinqu	shed by: (S	(grature)			<u> </u>			Receive		gnature)	_		pm	DUE TODO							_					Detr		,	一			ne:		
l_	<u> </u>	\sim							10		7_		وري	WOC	AN											_ -	12		$oldsymbol{L}$,4		1852		
Reinqu	ahed by: (S	(gruture)	•	hample la	witter	~		Receive	i by (ta	مزعسطسي	ک ر															Date	ر مد .	_			Tin	ne -	\	
6	-	201	•		375			<u> </u>				_	~				_								_		<u>イス</u>	· <u>' 3</u>	.11	4_		155		
Rainqu	Sherthy (S	ignature)			—			Requive	ibyr(Si	gnature)		4		2	11	_	7	Z								Date	Z-3	3.1	4		Tin	7870		
₹ ८			7-7.	2 12/9	4/4	1600	<u> </u>	<u> </u>	_		(مرك	10	2"	<u>, </u>		_//	I			_		_			L_		_	<u> </u>					
$\check{\preceq}$	0	y szelle	U		どる						1	У'n	100	an	4				_								- (ン/	(24	نــ		10:00	ノ	
4	J	U		2-	6	C									-		7	o L	g,	<u>_</u>		. ,		0	9	64	ţ							
																	ι (X	J- (0)	41	6	24	مرد	/5	104	_							
																					_											15 6		
																			W		N	-					w					4 10		







			LAB (LOCATION	1))	;	Shel	liO li	Pro	od	uc	ts (Cha	ain	O	f C	us	tod	ly F	Rec	ОГО	Ŀ									
CALSCIENCE ()															Prin												DENT # (ENV SERVICES) CHECK IF NO INCIDENT # APPLIES											
SPL Houston (Env. SERVICES							MOTIVA RETAIL						SHELL	RETAIL		240781 Peter Schaefer								9 7 0 9 3 3 9 7							DATE: 12/1/14				,			
1	XENCO () MOTIVA SD&CM							ī ~	CONSULTANT					LUBES		PO #									SAP#										←			
	∠ те\$т .	AMERIC	CA (IRVINE)					J 7	چا						$\overline{}$	\vdash	_	_			-01	"			_	-			7	_	Γ.	Г. Г		PAG	.E	of		
] отне			<u></u>		SHELLP	PELINE	<u> </u>		_	THER_					\perp												1	2		4	4	9					
	Blaine Tech Services BTSS													STE ADDRESS: Street and City State CLOSALID NO. 2703 Martin Luther King Jr. Way, Oakland CA TO600101876 CONSULTANT PROJECT NO.																								
															EFFOELMERABLE TO Plante Company Office Location). Priorite No Brenda Carter, CRA, Emeryville, CA 510-420-3343 Shell-EDF.@CRA.World.com Shell-US-LabDataManagement.@CRA.world com													ECT NO.										
PROJECT CONTACT (Herdoppy or PDF Report to)												1			31%			<u> </u>						She	il-US	-LabD	ataM	ana <u>q</u> e		@CRAV								
	ELEPHONE	_	4455 x 108	FAX (310) 6	37-5802	T	E-MAIL.			ng@b	lainete	ch,com			-	∀ ∨	UII V	æι: ∕V		4				Æt	J g:	عبتا	b											
Ļ	STAND	OUND	TIME (CALENDAR DAY		<u> </u>	 ⊒ 2 DAY	·	24 HOURS	IRS RESULTS NEEDED ON WEEKEND								WONE DIALHEN BEFO											STED ANALYSIS										
æ	_		REPORT FORMAT	UST AC				221110010			_							\Box				7	<u>a</u>	T	\neg	T	7	7	Τ	Т		7		\neg	TEMPERAT	TURE O	N PECE	:10
۲		_	NSTRUCTIONS OR		_			-		G	SHELL	CONTRA	ACT RATE	APPLIES	·	7					<u></u>		(8250B)										1		48/4		T ICLO	" ` <u> </u>
1)	Please	a uplo	ad the *CRA EQuiS	4-file EDD" to	the CRA	Vebsite	•							T RATE AP	PLIES						AME		Ĭ					l						2	+2/4.	.0		
(1	ttp://cra	labed (anac	idupload craworld.ca gement@CRAworld	om/equis/defat	ultaspx) an ier 2) Pia	d/or se.	and it to the S dicate that w	Shell-US- ou have ur	oloaded			NOT NEEL									DIPE, TAME,		$\parallel \parallel$										(I	3	2/4.	4		
th	e EDD	by inc	duding "EDD Upload	ded to CRA we	bsite" in th	e body :	of the email	used to de		Ų	∠ RECE	IPT VERI	FICATION	REQUEST	ED		<u>_</u>				d d			- }							-			4	-3/3	5	TK	-44
fil	nal PDF	герс	ort to the Shell-US-L	abDataManag	ement@CF	RAworld	com email f	older.								(B)	151		-	(8)	ΒA,			İ									l Ì	4	15/3	-7	71	-0/
lc	opv fin	al rec	ort to Shell.Lab.Bi	liling@crawor	1d.com, SI	hellED	F@craworld	l.com,She	II-US-							ble (8260B)	8		_	926	⊢,				- 1	ł	1						1		- 2/1	-		-
			gement@CRAworl													<u> 불</u>	able		60B	BA	Ē	60B	1	- 1	- (ł		1	1	1	l	1 1	1 1	ح ا	0/4	2		
שׁוּע	nail inv	oice to	Shell.Lab.Billing@o	raworld.com											ace water) np Blank)	Purgea	TPH-DRO, Extractable (8015M)		BTEX + MTBE (6260B)	1	₩, γe	VOCs Full list (8260B)	Single Compound:	<u>ම</u>		<u> </u>	Methanol (8015B)							5	5/47	7		
<u> </u>			<u></u>	SAMPLE	in							PRESER			1	-[등	Œ,	809	IE I	#TB	S S	- SE	dwo	(826	(E)	Ethanol (8260B)	<u> </u>							4	£2/3.	4		
¥	<u> </u> -					MELCO.	1	1	MATRIX		-	I			NO. OF	GR	Ä	(§)	÷	ž	× + (9	S.F.	e C	Ş	(82	2	를								Conta	iner PID	Readin	igs
	USE SNLY		PROJECT NUMBER	DATE (MMDDYY		MPLER	WELT ID	TIME	MA	HCL	HNO3	H25O4	NONE	OTHER	CONT.	TPH-GRO,	TPH	BTEX (8260B)	BTE	BTEX + MTBE + TBA (8260B)	BTE ETBI	voc	SIng	1,2 DCA (8260B)	EOB (8260B)	Etha	Me E						Ш			aborator		
\$		/G -	141201 -wowl	120114	, _ ¥	W.	¥-1	1255	W6	- 3					3	X					×									<u> </u>	<u> </u>							
r	Π,	-1	Masi-wa			40 .	V-2		wb						3	0		×									\perp		_		_			\bot				
Γ		T								T											1						İ											
t	\neg	1																											T									
┢	\dashv	力	-		 - -	-	1		_	+						†											1											
H	\dashv	╁╡			-+		-	+	+	┿	-		-			+		+		-	_	\neg	$\neg \dashv$	_	o	_	+	_	+	T	1-		\vdash	\dashv				
L	\rightarrow	1-					╡	↓	-		.			ļ			Н			_		-		\dashv	-	+	+	+-	+	-	-	\vdash	┢┼	+				
Ĺ		<u> </u>						<u> </u>	<u> </u>		4					Ш	\square					_/			\perp	4		Ц.	4	ـــــ	_	\square	┢╌╁	$-\!\!\!\!+$				
1		[]										,															1							İ				
r	_						1		_	+						†																						
-	╅	1						 	 -	+						+		7						1	十		-	+	\dagger		-							
Ļ	alinquished	- ⊣						<u> </u>	Received	by (Slo	milita)	<u> </u>			np U		a	787	222		3	!						Dete		۰	l		- 1	Time				_
ł		Z	>						~		\geq	<u> </u>		7 7 7 1	-4 vi					,						_				1	_	<u> [/ ·</u>	7	/	652			
1	elinquished		_	San	# 4 BTS		6-		Received	by: (Si	iature)	T /	5_	\sum_{i}														Date		. 3	4	4		IIMe.	1550	5		
<u></u>	ulinquished	by: (Si	grature)	=>	813				Received	by (Sig	nature)		1	1	1	=		1	_		- ,	,	_		_			Date	o;					Time	97£			
<u></u>			<u></u>	1./					<u> </u>					10		-		1		L	$\sqrt{2}$									3		~						
2014			yan 12	14/14	168 '.8	0	ح					•	Vι	1 (3	À	rl	1												12	-/5	71	14	-	/	10:00	ク		



Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 440-95445-1

Login Number: 95445 List Source: TestAmerica Irvine

List Number: 1

Creator: Blocker, Kristina M

Creator. Diocker, Kristina W		
Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>True</td> <td></td>	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

_

А

7

6

_

9

10

12